

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	evap	prec	ly	max
01/01 (001-f)	12.6	21.5	-8.0	28.1	22.3	0.00	19	205
01/02 (002-s)	5.2	15.6	-5.0	26.9	18.1	0.00	19	227
01/03 (003-s)	13.6	24.1	-3.0	34.8	17.7	0.00	19	169
01/04 (004-m)	5.0	18.8	-8.0	28.0	18.1	0.00	19	180
01/05 (005-t)	-2.2	3.6	-8.0	12.0	14.9	0.00	19	221
01/06 (006-w)	-5.3	3.4	-5.3	13.5	15.7	0.00	19	231
01/07 (007-t)	2.1	10.9	-14.0	16.5	15.2	0.00	19	81
01/08 (008-f)	9.3	15.6	-14.0	23.7	10.6	0.00	19	135
01/09 (009-s)	5.2	13.6	-11.0	23.3	19.3	0.00	19	135
01/10 (010-s)	0.9	12.5	-14.4	24.2	9.4	0.00	19	246
01/11 (011-m)	7.0	21.3	-11.0	36.1	10.4	0.00	19	234
01/12 (012-t)	26.9	36.7	-11.0	44.2	11.9	0.00	19	86
01/13 (013-w)	10.2	20.6	-18.0	38.7	10.1	0.01	19	103
01/14 (014-t)	-0.6	11.3	-16.0	18.5	14.8	0.00	19	185
01/15 (015-f)	12.0	24.5	-14.1	38.6	11.8	0.00	19	209
01/16 (016-s)	23.7	36.9	-15.3	50.0	10.6	0.00	19	229
01/17 (017-s)	34.4	40.2	-20.0	44.0	13.0	0.28	19	29
01/18 (018-m)	29.4	37.5	-19.0	44.3	15.0	0.01	19	82
01/19 (019-t)	30.5	34.8	-16.2	46.1	14.2	0.85	19	20
01/20 (020-w)	33.8	45.3	-23.6	54.2	14.7	0.02	19	151
01/21 (021-t)	27.3	30.7	-24.9	33.8	14.6	0.00	19	58
01/22 (022-f)	23.0	26.1	-8.0	29.4	17.2	0.00	19	73
01/23 (023-s)	26.0	29.2	-9.0	32.5	17.1	0.01	19	106
01/24 (024-s)	18.8	30.4	-7.0	37.2	16.6	0.02	19	71
01/25 (025-m)	2.8	20.2	1.2	35.3	17.6	0.00	19	222
01/26 (026-t)	-0.2	9.6	-7.1	20.2	15.8	0.07	19	220
01/27 (027-w)	1.2	12.1	-1.5	20.8	14.6	0.01	19	306
01/28 (028-t)	17.4	25.0	-5.3	35.8	17.6	0.00	18	239
01/29 (029-f)	22.4	35.7	-11.0	51.4	16.3	0.00	19	241
01/30 (030-s)	38.7	45.4	-7.0	56.1	18.3	0.00	19	178
01/31 (031-s)	39.7	50.5	-3.0	57.7	17.2	0.25	19	88
Column Min's:	-5.3	3.4	-24.9	7.3	7.2	0.00	19	51
Column Avg's:	15.2	24.6	14.8	34.1	23.4	0.05	19	73
Column Max's:	39.7	50.5	22.3	57.7	30.0	0.85	19	306
Column Ttl's:					64.0	1.53	19	4960

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These 'unofficial' data are provided as a public service.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION							
	min	max	min	max	prec	liq	evap	hum	avg	Term	ly	max						
mo da jul	avg	avg	avg	avg	pr	snw	pr	pr	pr	pr	ly/m	ly/m						
02/01 (032-m)	47.9	51.8	16.4	19	25.6	19	34.8	19	57.2	1988	1.91	88	0.17	22	39	0.37	136	7
02/02 (033-t)	26.0	31.1	17.2	19	26.0	19	36.0	19	55.3	1983	0.66	81	0.11	22	39	0.35	144	7
02/03 (034-w)	26.4	29.6	13.9	19	22.8	19	31.9	19	50.0	1973	0.31	81	0.06	22	33	0.17	91	7
02/04 (035-t)	10.8	21.5	28.4	19	22.1	19	30.5	19	57.4	1986	0.23	79	0.09	22	149	0.59	176	7
02/05 (036-f)	-2.0	9.2	18.6	19	22.5	19	32.3	19	61.1	1986	0.00	76	0.05	22	214	1.00	174	7
02/06 (037-s)	-4.7	0.7	10.9	19	20.4	19	29.4	19	55.0	1973	0.00	74	0.09	21	221	1.06	197	7
02/07 (038-s)	-2.2	15.4	24.6	19	20.2	19	30.7	19	50.0	1973	0.00	73	0.06	20	139	1.04	204	7
02/08 (039-m)	9.3	21.5	30.2	19	19.0	18	28.7	18	40.4	1987	0.00	73	0.06	21	224	0.82	209	7
02/09 (040-t)	19.9	27.2	34.4	19	18.7	19	28.9	19	50.0	1984	0.00	79	0.03	22	103	0.80	219	7
02/10 (041-w)	16.8	23.9	29.4	19	18.7	19	28.2	19	50.1	1984	0.00	79	0.02	22	205	0.78	207	7
02/11 (042-t)	17.0	26.4	35.1	19	24.7	19	34.8	19	60.0	1976	0.16	80	0.06	22	87	0.38	177	7
02/12 (043-f)	3.2	14.0	22.9	19	25.3	19	34.4	19	66.5	1984	0.21	75	0.09	21	241	0.94	209	7
02/13 (044-s)	-0.8	6.7	16.8	19	24.7	19	34.0	19	53.0	1974	0.00	69	0.16	22	375	1.01	257	7
02/14 (045-s)	3.6	26.2	42.3	19	26.0	19	36.6	19	60.2	1984	0.04	75	0.07	21	307	0.96	245	7
02/15 (046-m)	26.6	32.4	42.4	19	26.8	19	37.1	19	59.3	1984	0.05	79	0.11	20	85	0.50	273	7
02/16 (047-t)	24.4	28.9	34.3	19	28.7	19	38.9	19	64.0	1976	0.00	76	0.04	22	241	1.22	205	7
02/17 (048-w)	26.4	36.3	49.6	19	29.4	19	37.3	19	63.0	1976	0.00	73	0.07	21	309	0.84	146	7
02/18 (049-t)	27.3	35.5	45.8	19	32.0	17	41.4	17	59.3	1986	0.00	73	0.05	22	311	0.98	217	7
02/19 (050-f)	33.5	37.5	42.9	18	34.5	18	44.1	19	62.2	1984	0.39	78	0.07	19	38	0.23	227	7
02/20 (051-s)	15.1	30.1	39.4	19	32.6	19	43.4	19	63.5	1983	0.01	77	0.09	21	138	1.21	224	7
02/21 (052-s)	8.2	18.6	26.9	19	31.4	19	41.8	19	69.7	1983	0.00	67	0.05	22	377	1.04	219	7
02/22 (053-m)	26.9	44.6	60.5	19	36.6	19	47.1	19	68.0	1983	0.02	56	0.13	22	350	0.97	227	7
02/23 (054-t)	22.0	31.5	42.0	19	37.1	19	48.2	19	65.8	1984	0.27	75	0.16	19	190	1.46	251	7
02/24 (055-w)	18.1	24.3	32.5	19	34.9	19	43.7	19	63.0	1977	0.00	72	0.14	20	230	1.28	200	7
02/25 (056-t)	15.4	21.3	29.8	19	31.4	19	39.4	19	64.0	1976	0.00	72	0.02	22	243	1.29	277	7
02/26 (057-f)	14.9	29.2	42.7	19	31.5	19	41.2	19	62.0	1976	0.00	65	0.07	22	376	0.96	277	7
02/27 (058-s)	24.7	32.3	38.8	19	29.9	19	38.9	19	63.0	1976	0.00	70	0.02	20	148	1.13	210	7
02/28 (059-s)	15.9	29.8	42.9	19	32.4	19	42.8	19	65.0	1976	0.00	67	0.05	22	402	1.16	307	7
02/29 (060-m)	24.6	35.9	49.9	19	34.7	5	48.3	5	65.0	1972	0.00	64	0.01	5	366	1.33	364	2
Column Min's:	-4.7	0.7	10.9		18.0		7.8		18.7		0.00	56	0.01		33	0.17	91	
Column Avg's:	17.1	26.7	36.5		18.2		27.6		37.4		0.15	74	0.08		213	0.89	216	
Column Max's:	47.9	51.8	60.5		26.9		37.1		48.3	69.7	1.91	88	0.17		402	1.46	364	
Column Ttl's:											4.26		2.20		6180		6269	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)					W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N										
	min	avg	min	year avg	max	Long Term avg	prec	liq	snow	evap	hum	Long Term avg	ly	max	Lng-Term avg							
11/01 (306-t)	32.5	43.1	21.0	1976	42.9	45	53.1	45	63.7	45	80.0	1950	0.00	--	--	40	0.13	44	268	0.83	215	7
11/02 (307-w)	29.5	38.7	21.0	1954	41.9	44	51.2	44	60.5	45	79.4	1987	0.00	--	--	48	0.16	40	116	1.03	183	6
11/03 (308-t)	27.8	44.6	17.0	1951	38.5	42	48.6	42	58.4	45	78.0	1987	0.12	--	--	54	0.08	43	187	0.84	166	6
11/04 (309-f)	53.9	57.4	18.0	1966	38.2	45	47.0	43	55.9	43	78.2	1987	0.55	--	--	56	0.18	41	74	0.70	130	7
11/05 (310-s)	36.6	47.8	22.0	1951	36.6	45	45.2	45	53.6	46	75.0	1959	0.77	--	--	69	0.13	40	37	0.29	138	7
11/06 (311-s)	31.1	33.3	21.9	1982	34.6	45	44.0	45	53.6	46	75.0	1977	0.02	--	--	67	0.09	39	36	0.16	187	7
11/07 (312-m)	32.3	37.5	16.0	1971	35.0	46	44.7	46	54.7	46	77.0	1975	0.07	--	--	62	0.08	42	127	1.00	148	7
11/08 (313-t)	31.9	43.4	11.0	1971	35.1	46	45.7	46	55.7	46	92.5	1985	0.13	--	--	61	0.09	40	188	0.99	164	6
11/09 (314-w)	29.2	42.3	17.0	1971	35.4	46	44.4	46	53.4	46	72.0	1975	0.02	--	--	58	0.11	42	166	0.88	145	7
11/10 (315-t)	36.8	48.7	19.0	1957	34.9	46	44.1	46	53.1	46	75.0	1975	0.65	--	--	58	0.24	46	70	0.65	92	7
11/11 (316-f)	29.6	36.2	12.9	1982	32.9	46	42.0	46	51.4	46	72.0	1949	0.00	--	--	57	0.06	43	194	1.13	106	6
11/12 (317-s)	29.4	39.0	17.0	1980	34.1	46	42.9	46	51.9	46	74.0	1945	0.07	--	--	51	0.05	41	142	0.76	170	7
11/13 (318-s)	37.5	44.6	11.8	1986	33.7	46	42.6	46	51.8	46	73.0	1955	0.31	--	--	59	0.06	44	160	0.98	158	7
11/14 (319-m)	35.6	46.4	10.8	1986	33.8	45	44.0	45	54.2	45	71.0	1955	0.00	--	--	51	0.11	46	248	0.73	198	7
11/15 (320-t)	40.8	51.6	17.0	1969	35.5	46	44.3	46	53.1	46	73.0	1964	0.00	--	--	50	0.11	40	163	0.73	115	7
11/16 (321-w)	36.3	52.7	13.0	1976	35.9	46	44.8	46	53.9	46	72.0	1971	0.01	--	--	53	0.22	44	44	0.36	128	7
11/17 (322-t)	28.5	35.4	10.0	1959	32.8	46	42.1	46	51.4	46	77.0	1958	0.00	--	--	44	0.07	41	253	0.73	148	7
11/18 (323-f)	28.4	39.1	11.0	1959	32.8	46	41.9	46	51.0	46	74.0	1958	0.00	--	--	50	0.08	42	178	--	104	7
11/19 (324-s)	38.5	42.9	13.0	1980	33.6	46	42.2	46	50.8	46	74.0	1953	0.22	--	--	91	0.13	42	32	0.23	144	7
11/20 (325-s)	39.2	47.3	14.0	1980	32.3	46	40.7	46	49.5	46	70.0	1953	0.95	--	--	95	0.21	42	64	0.81	98	7
11/21 (326-m)	35.1	37.8	12.0	1987	31.3	45	39.8	45	48.5	45	65.0	1946	0.00	--	--	86	0.09	42	73	0.64	155	7
11/22 (327-t)	27.7	33.1	11.0	1964	30.9	46	38.6	46	46.5	46	69.0	1979	0.00	--	--	84	0.06	34	137	0.78	160	7
11/23 (328-w)	25.8	33.2	11.0	1971	30.7	44	38.9	44	46.9	45	65.0	1963	0.00	--	--	85	0.14	39	214	0.88	124	7
11/24 (329-t)	26.7	38.0	4.0	1950	28.7	45	37.5	45	46.5	45	65.0	1974	0.00	--	--	80	0.09	46	225	0.67	129	7
11/25 (330-f)	33.5	47.4	5.0	1950	28.5	43	36.3	43	44.5	43	65.2	1987	0.00	--	--	74	0.12	43	210	0.67	159	7
11/26 (331-s)	45.4	54.5	12.0	1950	30.2	42	38.9	42	47.8	43	62.9	1988	0.27	--	--	82	0.20	43	118	0.68	88	7
11/27 (332-s)	36.5	47.8	9.0	1977	30.8	43	38.4	43	46.3	44	65.0	1984	0.15	--	--	90	0.15	43	51	0.48	81	7
11/28 (333-m)	26.8	30.8	7.0	1955	30.6	45	37.6	45	44.9	45	65.0	1960	0.01	--	--	86	0.15	42	51	0.43	80	7
11/29 (334-t)	21.8	32.1	9.0	1976	26.3	46	33.6	45	41.1	45	65.0	1960	0.00	--	--	82	0.07	41	221	0.75	100	7
11/30 (335-w)	28.5	35.6	-0.0	1958	25.7	45	33.0	45	40.3	45	66.0	1962	0.03	--	--	80	0.05	43	37	0.17	88	7

Column Min's: 21.8 30.8 36.9 0.0 25.7 33.0 40.3
 Column Avg's: 33.1 42.1 51.5 42.3 51.2 53.1 63.7
 Column Max's: 53.9 57.4 65.5 42.9 92.5
 Column Ttl's: 4084 3.51

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	min	year avg	Long Term avg	max	prec	evap	ly	max	Long-Term avg								
12/01 (336-t)	21.7	28.9	5.0	1976	25.1	46	42.3	46	67.0	1962	0.00	0.00	86	0.10	40	193	0.85	88	7
12/02 (337-f)	20.1	28.1	8.0	1966	27.4	45	43.6	45	71.1	1982	0.00	0.00	79	0.05	40	205	0.66	112	6
12/03 (338-s)	30.0	40.1	-1.0	1976	27.8	45	45.2	46	73.6	1982	0.00	0.00	74	0.12	39	212	0.63	116	6
12/04 (339-s)	21.2	29.5	6.0	1976	28.6	46	45.3	46	65.2	1982	0.00	0.00	71	0.10	40	218	0.72	122	7
12/05 (340-m)	24.4	34.7	6.0	1974	28.7	46	43.6	46	65.0	1960	0.00	0.00	61	0.09	42	183	0.66	88	6
12/06 (341-t)	28.9	38.4	2.7	1984	27.7	46	44.7	46	69.0	1956	0.00	0.00	63	0.10	38	210	0.63	125	7
12/07 (342-w)	30.5	38.0	-3.0	1977	27.7	46	35.3	46	66.0	1951	0.01	0.01	78	0.17	39	172	0.45	139	7
12/08 (343-t)	22.2	28.1	1.0	1977	28.8	46	35.6	46	68.0	1966	0.00	0.00	86	0.09	40	172	0.81	133	7
12/09 (344-f)	16.1	23.7	-2.0	1958	25.7	46	33.4	46	65.0	1952	0.00	0.00	74	0.14	41	206	0.69	132	7
12/10 (345-s)	14.0	23.6	-6.0	1958	24.5	46	31.4	46	60.0	1946	0.00	0.00	76	0.13	41	66	0.29	93	7
12/11 (346-s)	5.2	12.8	-8.0	1977	23.5	46	30.8	46	68.0	1971	0.00	0.00	78	0.13	40	182	0.94	89	7
12/12 (347-m)	4.6	15.4	-2.0	1962	25.7	46	32.6	46	63.0	1949	0.00	0.00	70	0.13	40	235	0.66	125	7
12/13 (348-t)	23.4	29.1	-4.0	1960	23.7	46	31.1	46	58.8	1984	0.01	0.01	91	0.06	40	75	0.44	98	7
12/14 (349-w)	28.9	38.7	2.0	1963	23.7	46	30.5	46	61.5	1984	0.00	0.00	81	0.11	38	88	0.37	115	7
12/15 (350-t)	17.7	28.5	-4.0	1958	21.7	46	29.8	46	63.0	1948	0.00	0.00	79	0.12	40	104	0.79	101	7
12/16 (351-f)	7.0	16.8	-11.0	1951	21.3	45	29.4	45	63.0	1948	0.00	0.00	78	0.07	41	183	0.95	87	7
12/17 (352-s)	14.5	18.9	-4.0	1951	20.9	46	29.1	46	65.1	1984	0.01	0.01	87	0.05	38	118	0.87	107	7
12/18 (353-s)	5.4	17.9	-5.3	1985	20.4	46	28.1	46	62.0	1967	0.00	0.00	84	0.09	42	89	0.36	107	7
12/19 (354-m)	25.1	38.3	-6.0	1963	21.8	45	29.0	45	57.0	1957	0.00	0.00	70	0.07	40	202	0.66	97	7
12/20 (355-t)	43.6	50.0	-7.0	1963	22.9	46	30.1	46	62.0	1949	0.00	0.00	72	0.11	39	51	0.47	102	7
12/21 (356-w)	30.4	35.7	-6.0	1985	22.4	44	29.9	44	66.0	1967	0.05	0.05	93	0.12	40	71	0.33	109	7
12/22 (357-t)	24.9	34.0	-6.0	1960	20.7	45	29.0	44	60.0	1949	0.29	0.29	95	0.06	39	33	0.28	113	7
12/23 (358-f)	35.2	45.8	-5.0	1960	23.3	45	30.6	44	60.0	1957	0.00	0.00	62	0.07	42	204	0.63	114	6
12/24 (359-s)	33.9	40.0	-14.3	1983	24.1	44	31.9	44	62.0	1964	0.78	0.78	91	0.10	39	34	0.21	73	7
12/25 (360-s)	22.5	30.6	-13.0	1983	21.4	45	29.7	45	62.6	1982	0.00	0.00	86	0.13	41	186	0.72	119	7
12/26 (361-m)	20.5	25.3	-6.0	1983	22.4	45	29.8	44	54.0	1971	0.00	0.00	91	0.08	37	52	0.29	87	7
12/27 (362-t)	29.5	43.8	-2.0	1950	23.3	45	31.3	45	67.0	1959	0.18	0.18	79	0.10	39	170	0.66	84	7
12/28 (363-w)	12.6	26.0	3.0	1950	21.8	45	30.1	44	64.9	1984	0.89	0.89	93	0.13	39	117	0.79	92	7
12/29 (364-t)	5.4	15.2	-4.2	1983	21.5	44	28.8	43	61.9	1984	0.02	0.02	88	0.08	42	166	0.60	123	7
12/30 (365-f)	13.8	24.6	-7.8	1983	22.6	42	30.4	42	61.0	1964	0.00	0.00	87	0.09	37	140	0.71	146	7
12/31 (366-s)	17.3	27.8	-10.0	1976	23.1	41	31.0	41	67.0	1951	0.00	0.00	88	0.07	40	235	0.79	116	6

Column Min's: 4.6 12.8 20.8 -14.3 20.4 28.1 35.9
 Column Avg's: 21.0 29.9 39.8 24.0 31.7 39.5 73.6
 Column Max's: 43.6 50.0 58.6 28.8 36.8 45.3
 Column Ttl's: 4473 3352

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	ly	max
mo da jul	Current	Long Term	year	yr	liq	snow	ly/m	Ly/Trm
			avgm	avgm	prec	evap	ly/m	avg yrs
03/01 (061-t)	24.9	35.5	3.9	53.7	0.00	--	351	1.06
03/02 (062-w)	29.6	37.6	-4.0	41.9	0.18	--	63	0.30
03/03 (063-t)	26.7	31.2	-3.0	39.7	0.61	--	27	0.14
03/04 (064-f)	16.1	25.6	4.0	29.0	0.12	--	96	0.42
03/05 (065-s)	14.0	25.6	-6.0	36.0	0.13	--	348	2.12
03/06 (066-s)	24.4	35.2	-2.0	50.5	0.00	--	363	1.19
03/07 (067-m)	31.0	39.4	9.1	51.9	0.00	--	227	1.34
03/08 (068-t)	34.0	49.9	1.9	67.0	0.00	--	392	1.00
03/09 (069-w)	34.0	44.1	-13.0	54.0	0.10	--	100	1.00
03/10 (070-t)	28.8	35.4	-1.5	44.4	0.00	--	386	1.28
03/11 (071-f)	28.5	41.8	8.4	57.3	0.00	--	420	1.14
03/12 (072-s)	35.2	45.3	4.0	52.3	0.20	--	78	0.67
03/13 (073-s)	23.7	29.2	6.0	35.2	0.00	--	128	1.10
03/14 (074-m)	21.1	23.6	14.0	29.6	0.02	--	241	1.19
03/15 (075-t)	15.9	23.8	8.0	30.2	0.04	--	299	1.31
03/16 (076-w)	23.5	28.9	9.0	35.6	0.02	--	194	1.01
03/17 (077-t)	23.7	33.6	13.0	44.8	0.00	--	395	1.49
03/18 (078-f)	27.3	32.0	12.0	36.5	0.07	--	96	0.43
03/19 (079-s)	20.5	33.2	13.0	45.4	0.00	--	419	1.37
03/20 (080-s)	23.9	29.9	16.0	37.4	0.04	--	447	1.45
03/21 (081-m)	22.0	27.7	14.2	38.0	0.00	--	434	1.31
03/22 (082-t)	22.3	37.5	15.0	55.3	0.00	--	474	1.13
03/23 (083-w)	41.7	57.9	17.0	73.7	0.00	--	392	1.20
03/24 (084-t)	47.2	61.2	6.0	74.9	0.00	--	419	1.17
03/25 (085-f)	43.8	54.7	1.0	61.5	0.81	--	87	0.63
03/26 (086-s)	32.9	45.5	6.0	57.2	0.06	--	256	1.44
03/27 (087-s)	30.7	34.3	12.0	43.0	0.00	--	241	1.43
03/28 (088-m)	30.0	45.8	16.0	61.8	0.00	--	440	1.23
03/29 (089-t)	46.0	60.8	22.0	74.3	0.00	--	310	1.24
03/30 (090-w)	36.6	47.9	16.0	64.6	0.03	--	451	1.52
03/31 (091-t)	36.6	47.0	17.0	56.2	0.05	--	178	0.91
Column Min's:	14.0	23.6	-13.0	29.0	0.00	--	27	0.14
Column Avg's:	28.9	38.7	47.9	49.4	0.08	--	282	1.10
Column Max's:	47.2	61.2	74.9	83.0	0.81	--	474	2.12
Column Ttl's:					2.48	--	8752	8932

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S	
	..Current at 2" min	..Current at 2" max	..Current at 4" min	..Current at 4" max	avg 2" yrs	avg 4" yrs	tll mi	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	Long Term <65 >65
04/01 (092-f)	47.5	53.8	44.4	48.5	48.8	46.5	125	10.1	184	11	0	17
04/02 (093-s)	53.3	58.3	49.2	52.7	49.1	46.9	189	15.6	198	5	0	17
04/03 (094-s)	53.2	57.8	51.2	53.3	47.2	46.1	204	23.2	252	6	0	19
04/04 (095-m)	44.5	57.3	44.2	52.7	48.6	46.4	121	13.0	209	11	0	18
04/05 (096-t)	46.5	58.9	45.5	53.8	48.4	46.7	204	19.3	230	1	0	19
04/06 (097-w)	47.0	53.0	45.7	50.5	47.5	45.9	257	31.7	203	12	0	19
04/07 (098-t)	43.2	45.8	42.0	43.7	48.4	46.2	261	20.1	145	21	0	18
04/08 (099-f)	36.7	48.8	36.9	45.0	46.5	45.4	209	18.9	183	21	0	18
04/09 (100-s)	36.3	49.9	36.9	46.1	44.7	43.9	133	11.6	148	21	0	19
04/10 (101-s)	38.5	52.6	38.9	48.1	46.5	44.7	151	12.3	175	16	0	19
04/11 (102-m)	41.0	52.5	41.1	48.7	49.7	47.0	236	21.7	150	16	0	17
04/12 (103-t)	41.3	55.7	41.3	50.7	52.2	48.9	230	19.0	151	13	0	16
04/13 (104-w)	43.6	59.3	43.6	53.9	55.2	51.7	109	12.2	186	12	0	14
04/14 (105-t)	49.5	58.9	48.2	54.5	55.9	52.6	164	14.2	189	13	0	13
04/15 (106-f)	41.2	51.1	42.5	48.7	52.6	50.8	140	16.5	161	26	0	14
04/16 (107-s)	37.0	52.0	38.7	48.1	53.6	50.8	114	11.6	144	24	0	15
04/17 (108-s)	39.8	55.8	40.6	50.8	52.0	50.3	317	28.8	202	12	0	14
04/18 (109-m)	42.1	53.5	44.4	50.6	53.6	50.7	171	21.5	134	20	0	12
04/19 (110-t)	36.2	50.4	37.6	47.1	53.6	51.7	100	15.3	140	27	0	11
04/20 (111-w)	35.5	49.9	37.2	46.2	55.8	52.8	233	24.1	146	19	0	10
04/21 (112-t)	40.8	54.1	41.5	49.7	56.7	53.7	105	12.9	125	20	0	9
04/22 (113-f)	45.5	49.7	44.1	46.9	54.2	52.3	255	17.9	175	18	0	9
04/23 (114-s)	45.1	56.2	43.8	51.1	56.2	53.5	275	29.2	153	5	0	9
04/24 (115-s)	43.7	51.0	43.0	48.0	53.4	51.9	143	14.1	186	22	0	10
04/25 (116-m)	37.6	54.1	38.8	49.5	57.5	53.6	96	13.9	113	19	0	9
04/26 (117-t)	42.7	60.6	43.0	54.9	63.4	58.6	87	9.4	95	10	0	5
04/27 (118-w)	45.9	54.1	46.1	51.7	62.4	59.2	248	27.3	173	19	0	10
04/28 (119-t)	40.8	46.8	42.0	44.8	60.1	57.6	166	14.9	176	24	0	11
04/29 (120-f)	36.1	52.9	36.7	48.1	59.5	56.6	151	17.2	197	17	0	10
04/30 (121-s)	42.8	59.0	43.0	53.8	62.0	58.6	123	13.7	192	12	0	8
Column Min's:	35.5	45.8	36.7	43.7	44.7	43.9	87	9.4	95	1	0	8
Column Avg's:	42.5	53.8	42.4	49.7	53.2	50.7	177	17.7	171	16	0	14
Column Max's:	53.3	60.6	51.2	54.9	63.4	59.2	317	31.7	252	27	0	19
Column Ttl's:							5317		5115	473	0	38

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min year	max year	precip	evap	ly	max		
mo da jul	avg	avg	avgm yrs	avgx yrs	liq	hum	ly/m	Lng-Trm		
	Current	Long term	Long term	Long term		%		avg yrs		
			avg yrs	avgm yrs	precip	avg pr yrs				
			max year	max year						
05/01 (122-s)	38.0	56.0	29.0	45.7	0.00	--	604	1.46	368	6
05/02 (123-m)	40.1	55.9	29.0	45.3	0.00	--	640	1.32	451	5
05/03 (124-t)	41.1	53.6	28.0	44.4	0.00	--	603	1.69	352	6
05/04 (125-w)	39.5	50.1	29.0	44.5	0.00	--	125	0.42	530	6
05/05 (126-t)	47.4	53.0	30.0	46.1	0.03	--	165	0.71	552	6
05/06 (127-f)	46.0	59.3	32.0	47.8	0.00	--	539	1.59	481	5
05/07 (128-s)	45.0	64.1	26.0	46.8	0.00	--	609	1.33	363	6
05/08 (129-s)	50.5	68.5	30.0	44.1	0.03	--	492	1.63	483	6
05/09 (130-m)	54.7	63.0	29.0	45.7	0.24	--	394	1.66	565	6
05/10 (131-t)	51.5	59.9	28.0	46.8	0.05	--	460	1.75	582	6
05/11 (132-w)	45.9	57.7	30.0	44.5	0.00	--	647	1.35	545	6
05/12 (133-t)	44.7	65.0	34.0	49.2	0.00	--	636	1.37	490	6
05/13 (134-f)	53.9	66.5	33.0	49.6	0.34	--	458	1.54	483	6
05/14 (135-s)	51.0	61.2	34.0	50.8	0.00	--	591	1.32	435	6
05/15 (136-s)	54.1	71.8	34.0	50.2	0.00	--	565	1.32	408	6
05/16 (137-m)	51.9	68.6	30.0	45.5	0.08	--	616	1.33	521	6
05/17 (138-t)	47.0	58.9	32.0	47.3	0.00	--	560	1.55	505	6
05/18 (139-w)	48.0	58.0	31.0	47.3	0.00	--	472	1.58	372	6
05/19 (140-t)	53.7	57.3	37.0	45.5	0.00	--	126	0.50	423	6
05/20 (141-f)	54.9	61.4	36.0	48.1	0.00	--	289	1.58	378	6
05/21 (142-s)	49.9	67.6	35.0	45.4	0.02	--	542	1.77	267	6
05/22 (143-s)	59.2	72.8	39.0	45.4	0.00	--	533	1.32	422	6
05/23 (144-m)	58.6	67.6	37.0	44.4	0.39	--	456	1.53	535	6
05/24 (145-t)	47.6	60.9	39.0	42.2	0.01	--	237	1.45	593	5
05/25 (146-w)	38.6	51.8	36.0	43.5	0.00	--	696	1.38	403	6
05/26 (147-t)	38.7	58.8	36.6	42.8	0.00	--	671	1.37	478	6
05/27 (148-f)	46.3	64.7	33.7	42.3	0.00	--	687	1.37	510	6
05/28 (149-s)	48.9	69.1	36.0	41.1	0.00	--	668	1.35	334	6
05/29 (150-s)	51.8	73.0	39.0	42.4	0.00	--	649	1.33	366	6
05/30 (151-m)	58.0	76.0	34.8	43.5	0.00	--	561	1.41	361	6
05/31 (152-t)	61.6	77.5	36.1	45.5	0.00	--	597	1.37	504	5
Column Min's:	38.0	50.1	26.0	44.1	0.00	--	125	0.42	267	
Column Avg's:	49.0	62.9	49.8	61.5	0.04	--	513	1.37	454	
Column Max's:	61.6	77.5	61.6	78.9	0.39	--	696	1.77	593	
Column Ttl's:			54.5	66.5	1.19	--	15888	4.74	14060	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)						W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N							
	min	avg	max	min year	year avg	min year	year avg	max year	prec	liq	evap	snow	ly	ly/m	max Lng-Trm avg yrs					
06/01 (153-w)	60.0	77.7	95.0	39.0	1972	55.2	44	67.0	44	78.8	44	95.0	1988	0.00	0.21	18	572	1.49	456	7
06/02 (154-t)	47.6	59.1	71.3	42.0	1966	53.6	45	65.4	45	77.2	45	95.0	1951	0.42	0.22	49	228	1.18	467	7
06/03 (155-f)	45.3	55.6	67.1	41.0	1977	53.9	45	65.3	45	76.9	45	92.0	1949	0.00	0.16	34	548	1.78	488	7
06/04 (156-s)	41.4	58.5	74.9	41.4	1988	53.6	45	66.3	44	79.0	44	92.0	1944	0.00	0.03	30	572	1.68	474	7
06/05 (157-s)	48.7	68.6	85.8	40.0	1945	55.8	44	68.5	43	81.1	44	90.0	1944	0.00	0.07	20	679	1.36	479	7
06/06 (158-m)	55.2	75.4	93.5	40.0	1945	57.2	44	69.2	43	81.2	44	93.5	1988	0.00	0.22	19	645	1.32	515	7
06/07 (159-t)	57.4	76.2	93.2	44.0	1944	57.7	45	69.2	45	80.6	45	93.2	1988	0.00	0.06	17	663	1.32	493	7
06/08 (160-w)	49.0	71.7	93.8	39.0	1977	58.2	45	70.1	45	82.3	45	94.0	1952	0.04	0.09	45	583	1.34	586	7
06/09 (161-t)	44.2	55.9	67.2	44.0	1975	58.8	44	70.0	44	81.1	45	93.0	1953	0.05	0.14	33	705	1.49	550	7
06/10 (162-f)	39.2	55.2	69.9	39.0	1977	57.7	44	70.1	44	82.2	44	93.0	1954	0.01	0.19	27	661	1.81	524	7
06/11 (163-s)	41.3	63.4	82.3	34.0	1972	56.4	42	69.4	43	81.6	44	92.0	1946	0.00	0.06	23	668	1.36	559	7
06/12 (164-s)	50.5	70.7	87.2	42.0	1980	58.3	43	69.7	43	81.2	43	93.0	1954	0.00	0.14	19	648	1.30	355	6
06/13 (165-m)	56.8	75.8	92.5	43.1	1985	58.9	41	70.6	41	82.1	42	95.0	1956	0.00	0.19	18	667	1.33	566	6
06/14 (166-t)	60.2	79.3	95.4	43.0	1978	58.6	40	70.1	40	81.7	43	95.4	1988	0.00	0.16	18	660	1.40	612	6
06/15 (167-w)	62.6	78.7	94.0	21.7	1986	58.6	43	70.7	43	81.7	44	94.0	1988	0.00	0.15	18	571	1.29	463	6
06/16 (168-t)	61.6	68.2	73.7	42.0	1981	59.0	44	70.3	43	81.6	44	96.0	1952	0.08	0.16	47	627	1.42	507	7
06/17 (169-f)	56.8	68.5	81.4	42.0	1980	57.2	43	68.8	43	80.5	44	97.0	1957	0.03	0.09	32	627	1.42	507	7
06/18 (170-s)	56.6	71.9	86.1	47.0	1986	58.1	43	69.6	42	81.5	44	99.0	1944	0.00	0.08	25	643	1.34	564	7
06/19 (171-s)	58.6	76.0	91.4	47.0	1959	59.6	43	71.3	43	83.2	45	92.0	1953	0.00	0.11	20	643	1.34	508	6
06/20 (172-m)	62.4	78.8	94.2	42.0	1970	58.7	44	70.6	44	82.7	44	96.0	1953	0.00	0.17	25	482	1.36	443	7
06/21 (173-t)	70.5	84.1	99.2	47.0	1980	59.4	45	71.3	45	83.4	45	99.2	1988	0.00	0.09	22	554	1.32	588	7
06/22 (174-w)	68.1	83.2	97.6	45.0	1961	60.1	45	71.4	45	82.9	45	97.6	1988	0.02	0.11	19	534	1.38	461	7
06/23 (175-t)	62.2	75.1	84.8	46.2	1982	59.6	45	71.1	45	82.6	45	95.0	1948	0.00	0.18	23	618	1.33	515	7
06/24 (176-f)	55.1	71.7	90.7	45.8	1982	59.1	45	71.3	45	83.6	45	94.0	1949	0.00	0.15	17	630	1.43	598	7
06/25 (177-s)	64.1	82.8	103.4	41.0	1979	59.8	43	71.8	42	83.8	43	103.4	1988	0.14	0.15	16	538	1.27	615	7
06/26 (178-s)	59.1	72.4	82.6	45.3	1984	59.6	45	72.5	45	85.1	45	98.0	1952	0.00	0.21	20	681	1.36	609	7
06/27 (179-m)	51.9	66.8	82.1	45.0	1981	60.1	42	72.5	42	85.2	43	101.0	1944	0.00	0.12	23	680	1.59	550	6
06/28 (180-t)	52.1	71.4	88.6	46.9	1987	61.3	42	73.2	41	85.5	42	103.0	1944	0.00	0.22	17	570	1.39	540	6
06/29 (181-w)	56.1	64.4	74.6	49.0	1956	62.3	44	74.1	44	86.1	44	99.0	1952	0.02	0.16	51	207	1.32	429	7
06/30 (182-t)	45.2	62.9	78.7	45.2	1988	62.3	44	73.7	44	85.3	44	99.0	1953	0.00	0.14	25	601	1.60	460	7

Column Min's:	39.2	55.2	67.1	21.7	53.6	65.3	76.9
Column Avg's:	54.7	70.7	85.7	70.2	58.3	70.2	82.1
Column Max's:	70.5	84.1	103.4	74.1	62.3	86.1	86.1
Column Tot's:						103.4	
						0.81	
						17209	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N							
	min	avg	max	min year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	liq prec	snow	evap	hum %	avg pr	Long Term	ly	max ly/m	Lng-Term avg yrs
07/01 (183-f)	41.1	62.8	79.1	41.1	61.6	44	73.0	44	84.4	44	97.0	1953	0.00	0.10	44	640	1.43	429
07/02 (184-s)	49.2	69.0	84.1	49.0	61.1	46	72.6	46	84.1	46	97.0	1954	0.00	0.10	44	612	1.84	420
07/03 (185-s)	55.1	74.3	90.1	50.0	61.4	46	73.3	46	85.2	46	97.0	1966	0.00	0.19	46	657	1.35	569
07/04 (186-m)	59.1	77.5	93.1	48.0	60.8	45	72.3	45	84.1	45	96.0	1948	0.00	0.20	40	644	1.33	495
07/05 (187-t)	61.8	80.2	96.1	47.0	61.2	45	72.9	45	84.8	45	97.0	1949	0.00	0.13	41	605	1.29	513
07/06 (188-w)	64.3	81.8	97.4	43.0	60.6	45	72.1	45	83.7	45	97.4	1988	0.00	0.13	42	570	1.33	513
07/07 (189-t)	66.2	83.9	101.3	45.9	60.7	43	72.4	43	84.3	43	101.3	1988	0.00	0.11	41	578	1.31	578
07/08 (190-f)	65.5	83.7	101.4	47.5	60.4	44	73.8	44	85.5	44	101.4	1988	0.00	0.05	41	545	1.21	566
07/09 (191-s)	66.9	84.7	101.6	52.0	62.6	45	74.3	45	85.9	45	101.6	1988	0.00	0.13	41	540	1.35	513
07/10 (192-s)	70.0	80.7	96.3	49.0	62.3	45	73.7	44	85.2	44	98.0	1944	0.05	0.07	41	393	1.23	494
07/11 (193-m)	67.7	74.2	82.4	48.0	60.8	45	73.1	45	85.7	45	100.0	1944	0.01	0.14	43	288	1.68	424
07/12 (194-t)	63.0	75.2	89.4	47.0	61.5	44	73.4	44	85.6	44	96.9	1983	0.00	0.07	41	375	1.51	493
07/13 (195-w)	65.4	74.0	85.4	47.0	61.9	44	73.3	44	85.0	44	97.0	1954	0.00	0.11	41	352	1.55	442
07/14 (196-t)	66.5	77.8	93.3	47.0	62.4	44	74.1	44	85.8	45	103.0	1954	0.00	0.16	42	348	1.33	475
07/15 (197-f)	61.9	81.6	100.1	48.3	62.3	45	73.9	45	85.5	45	100.1	1988	0.00	0.15	44	589	1.41	500
07/16 (198-s)	73.6	86.3	99.6	49.0	62.5	45	74.5	45	86.6	45	99.6	1988	0.00	0.07	44	531	1.47	561
07/17 (199-s)	71.0	80.6	92.9	48.0	62.4	45	74.1	45	86.1	45	94.6	1983	0.00	0.09	42	537	1.63	561
07/18 (200-m)	70.0	75.4	92.2	48.0	63.1	46	74.8	46	86.8	46	97.0	1952	0.58	0.11	45	248	1.52	512
07/19 (201-t)	70.0	75.7	84.3	47.0	63.9	46	75.3	46	86.9	46	97.0	1946	0.91	0.17	42	289	1.60	519
07/20 (202-w)	66.0	71.7	76.0	45.0	61.9	46	74.4	45	85.8	45	98.0	1954	0.37	0.19	46	112	0.62	421
07/21 (203-t)	63.3	70.9	83.3	46.0	62.3	46	74.6	46	86.4	46	97.1	1983	0.33	0.16	42	376	1.75	508
07/22 (204-f)	61.6	73.2	86.4	49.0	62.7	46	74.6	46	86.1	46	100.0	1952	0.25	0.16	43	512	1.48	464
07/23 (205-s)	63.1	72.2	85.2	47.0	62.8	46	74.0	46	85.6	46	97.0	1952	0.16	0.19	39	483	1.35	557
07/24 (206-s)	59.1	72.2	85.5	50.0	62.7	45	74.4	45	85.9	45	99.0	1965	0.00	0.13	45	575	1.45	539
07/25 (207-m)	60.8	72.4	85.2	53.0	62.2	46	74.1	46	86.1	46	95.0	1944	0.36	0.18	46	425	1.43	431
07/26 (208-t)	62.3	70.8	85.1	49.0	62.7	46	74.2	46	86.1	46	99.0	1952	0.38	0.08	42	446	1.42	416
07/27 (209-w)	60.4	73.1	86.9	47.0	62.9	46	74.8	46	87.1	46	100.0	1952	0.00	0.12	43	612	1.38	521
07/28 (210-t)	61.2	76.6	91.4	48.0	62.7	46	74.7	46	85.8	46	100.0	1952	0.00	0.23	44	597	1.27	515
07/29 (211-f)	65.0	78.3	89.8	46.0	62.3	46	73.6	46	84.9	46	97.0	1953	0.00	0.09	42	589	1.24	569
07/30 (212-s)	66.9	75.7	85.7	46.0	62.0	45	74.0	45	86.0	45	99.0	1954	0.15	0.05	43	379	1.33	537
07/31 (213-s)	64.7	73.0	84.1	52.0	62.4	45	73.4	45	84.8	45	97.0	1954	0.17	0.11	44	406	1.73	421
Column Min's:	41.1	62.8	76.0	41.1	60.6	45	72.1	45	83.7	45	103.0		0.00	0.05	45	112	0.62	416
Column Avg's:	63.3	76.1	89.8	62.2	73.8	46	75.3	46	85.6	46			0.12	0.13	43	479	1.41	499
Column Max's:	73.6	86.3	101.6	63.9	87.1	46	87.1	46	87.1	46			0.91	0.23	75	657	1.84	578
Column Tt's:													3.72	3.97		14853		15476

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	max	min year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	prec	snow	evap	ly	ly/m	max	Lng-Term								
mo da jul	Current								
08/01 (214-m)	62.5	77.8	91.1	48.0	1971	61.3	45	73.4	45	85.7	45	97.0	1953	0.00	--	--	52	0.11	44	566	1.18	473	7	
08/02 (215-t)	68.7	82.3	94.5	48.0	1976	61.4	45	73.5	45	85.7	45	96.0	1944	0.00	--	--	44	0.20	45	557	1.20	515	7	
08/03 (216-w)	71.6	81.5	95.5	46.0	1965	62.7	44	74.6	44	86.6	44	97.0	1964	0.00	--	--	42	0.11	42	528	1.18	523	7	
08/04 (217-t)	68.4	79.0	90.7	46.0	1976	62.1	42	73.1	42	84.5	43	98.0	1947	0.00	--	--	49	0.27	36	492	1.21	392	7	
08/05 (218-f)	70.4	76.3	87.9	45.0	1972	61.4	45	72.6	45	84.2	45	98.0	1956	0.08	--	--	55	0.09	45	430	1.37	376	7	
08/06 (219-s)	64.0	74.2	85.9	47.0	1948	61.5	44	72.8	44	84.6	44	98.0	1947	0.36	--	--	59	0.11	44	319	1.41	418	7	
08/07 (220-s)	58.2	74.3	88.1	49.0	1976	61.2	44	72.3	44	84.0	44	93.0	1983	0.00	--	--	53	0.24	43	597	1.25	413	7	
08/08 (221-m)	60.3	75.5	88.5	43.0	1976	61.3	45	73.2	45	85.3	45	94.1	1983	0.00	--	--	52	0.08	44	582	1.37	491	7	
08/09 (222-t)	61.5	76.5	90.1	48.0	1976	62.4	44	73.3	44	84.2	44	98.0	1944	0.00	--	--	48	0.22	42	567	1.23	501	6	
08/10 (223-w)	68.1	79.6	93.2	43.0	1972	61.7	46	73.0	46	84.4	46	100.0	1944	0.00	--	--	45	0.10	43	482	1.20	343	6	
08/11 (224-t)	69.1	79.6	93.1	46.0	1972	61.1	45	72.0	45	83.2	45	97.0	1944	0.00	--	--	50	0.13	42	429	1.20	437	7	
08/12 (225-f)	68.4	79.1	92.2	46.0	1967	59.3	46	71.1	46	83.3	46	94.0	1944	0.00	--	--	53	0.13	45	466	1.17	521	7	
08/13 (226-s)	67.6	79.0	91.4	47.0	1971	59.9	46	71.7	46	83.7	46	94.0	1944	0.00	--	--	58	0.04	45	497	1.18	511	7	
08/14 (227-s)	69.4	80.2	92.1	46.0	1964	60.7	46	73.3	46	86.0	46	95.0	1944	0.00	--	--	53	0.11	46	511	1.31	495	6	
08/15 (228-m)	68.7	78.0	93.7	44.0	1979	62.5	45	73.9	45	85.6	45	96.0	1944	0.11	--	--	56	0.17	42	437	1.57	477	7	
08/16 (229-t)	66.2	78.5	92.9	42.0	1979	61.2	44	72.4	44	84.1	46	95.0	1944	0.00	--	--	53	0.12	43	541	1.32	426	7	
08/17 (230-w)	67.6	82.5	99.6	44.0	1976	61.1	45	72.7	45	84.4	45	99.6	1988	0.00	--	--	39	0.10	44	536	1.20	420	7	
08/18 (231-t)	70.3	79.0	94.4	43.0	1981	59.8	44	71.7	44	84.0	44	95.0	1947	0.14	--	--	44	0.10	43	463	1.18	507	7	
08/19 (232-f)	68.3	72.4	80.7	47.0	1976	59.7	40	71.7	40	84.2	40	98.0	1955	0.00	--	--	65	0.05	39	237	1.27	468	7	
08/20 (233-s)	60.5	70.6	83.3	49.0	1977	59.2	41	71.5	41	84.2	41	101.4	1983	0.01	--	--	56	0.07	43	337	1.41	449	7	
08/21 (234-s)	55.3	68.1	80.9	45.0	1950	58.4	42	71.2	41	83.9	42	99.0	1955	0.00	--	--	52	0.07	44	517	1.21	455	7	
08/22 (235-m)	54.4	67.6	80.7	46.0	1950	59.3	41	70.9	41	82.8	41	95.5	1983	0.00	--	--	39	0.07	45	518	1.22	378	7	
08/23 (236-t)	60.2	68.1	80.7	47.0	1973	59.3	41	70.9	41	82.9	41	95.0	1959	0.92	--	--	53	0.09	44	179	1.09	386	7	
08/24 (237-w)	58.9	69.8	82.2	47.0	1946	57.8	41	70.2	41	82.9	41	95.0	1959	0.00	--	--	42	0.15	45	520	1.48	443	7	
08/25 (238-t)	53.7	69.1	81.9	45.0	1977	57.6	41	70.1	41	82.5	41	96.0	1959	0.00	--	--	38	0.04	40	543	1.19	424	7	
08/26 (239-f)	55.0	67.3	80.3	46.0	1958	58.4	42	70.9	41	83.4	41	97.0	1948	0.01	--	--	40	0.12	42	532	1.47	425	7	
08/27 (240-s)	52.8	68.1	80.2	47.0	1945	59.4	41	71.2	41	83.3	41	99.0	1948	0.01	--	--	45	0.09	44	345	1.12	346	7	
08/28 (241-s)	61.9	66.5	71.2	40.6	1986	60.5	39	71.6	39	82.6	40	96.0	1948	0.48	--	--	65	0.19	41	87	0.41	328	7	
08/29 (242-m)	49.9	61.7	73.0	37.8	1986	59.2	40	71.5	40	84.0	40	98.0	1953	0.36	--	--	52	0.09	43	416	1.69	472	7	
08/30 (243-t)	46.5	59.5	74.0	41.0	1946	59.5	42	71.9	41	84.5	41	100.0	1953	0.00	--	--	46	0.16	42	498	1.32	395	7	
08/31 (244-w)	47.3	62.2	75.1	43.0	1976	59.8	43	71.4	43	83.3	43	102.0	1951	0.00	--	--	41	0.13	45	535	1.18	412	7	
Column Min's:	46.5	59.5	71.2	37.8	57.6	70.1	82.5	38	0.04	87	0.41	328												
Column Avg's:	62.1	73.7	86.4	60.3	60.3	72.1	84.1	50	0.12	460	1.25	439												
Column Max's:	71.6	82.5	99.6	62.7	62.7	74.6	86.6	65	0.27	597	1.69	523												
Column Ttl's:																								

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
mo da jul	Current	Long Term	liq	Long Term
	min	avg	max	avg	prec	evap	avg	avg
	yr	yr	yr	yr	yr	yr	yr	yr
09/01 (245-t)	54.3	66.2	79.0	43	0.00	--	0.13	482
09/02 (246-f)	58.9	69.7	83.2	44	0.05	--	0.16	346
09/03 (247-s)	61.9	64.6	68.6	44	1.46	--	0.13	1
09/04 (248-s)	56.5	65.3	76.8	45	0.04	--	0.16	344
09/05 (249-m)	42.9	56.7	64.5	46	0.00	--	0.06	242
09/06 (250-t)	38.5	51.1	66.2	46	0.00	--	0.11	482
09/07 (251-w)	37.5	54.4	69.6	45	0.00	--	0.07	510
09/08 (252-t)	43.0	60.8	77.4	46	0.00	--	0.01	481
09/09 (253-f)	53.0	64.9	78.9	46	0.00	--	0.03	379
09/10 (254-s)	52.8	65.8	81.2	46	0.00	--	0.12	464
09/11 (255-s)	49.8	66.3	80.5	45	0.00	--	0.08	431
09/12 (256-m)	62.7	69.4	77.6	46	2.61	--	0.22	201
09/13 (257-t)	55.7	68.0	79.6	46	0.00	--	0.06	204
09/14 (258-w)	48.1	61.6	76.6	46	0.00	--	0.19	473
09/15 (259-t)	51.0	61.0	72.9	46	0.00	--	0.13	471
09/16 (260-f)	51.9	65.2	82.2	45	0.39	--	0.04	315
09/17 (261-s)	64.0	69.0	78.4	46	0.01	--	0.07	208
09/18 (262-s)	61.1	69.6	80.7	46	0.00	--	0.08	283
09/19 (263-m)	65.5	69.7	74.3	46	0.03	--	0.11	138
09/20 (264-t)	53.9	64.6	76.0	46	0.13	--	0.15	467
09/21 (265-w)	49.0	56.0	62.0	44	0.00	--	0.17	136
09/22 (266-t)	49.8	64.3	77.6	46	0.00	--	0.11	312
09/23 (267-f)	55.7	67.8	76.0	44	0.00	--	0.10	166
09/24 (268-s)	54.1	57.5	64.6	46	0.08	--	0.07	135
09/25 (269-s)	46.7	59.1	72.9	46	0.00	--	0.09	449
09/26 (270-m)	44.3	60.2	76.9	44	0.00	--	0.07	400
09/27 (271-t)	44.7	60.8	78.4	46	0.00	--	0.14	393
09/28 (272-w)	48.7	63.1	78.9	46	0.00	--	0.09	354
09/29 (273-t)	55.0	65.8	79.6	46	0.00	--	0.06	349
09/30 (274-f)	60.3	67.1	78.0	45	0.08	--	0.11	177
Column Min's:	37.5	51.1	62.0	47.4	0.00	--	0.01	1
Column Avg's:	52.4	63.5	75.6	65.5	0.16	--	0.10	326
Column Max's:	65.5	69.7	83.2	70.8	2.61	--	0.22	510
Column Ttl's:				102.0	4.88	--	3.12	9793

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min year	max year	liq	prec	ly	max													
mo da jul	avg	avg	avgm yrs	avgm yrs	evap	hum	ly/m	ly/m													
			avgm yrs	avgm yrs	avg pr	Term		avg yrs													
10/01 (275-s)	60.2	66.5	47.4	45	60.0	45	72.8	46	88.0	1952	0.04	--	--	61	0.12	44	146	0.92	223	7	
10/02 (276-s)	46.0	61.0	47.2	45	60.0	45	73.0	46	90.0	1953	0.03	--	--	62	0.09	44	207	1.41	324	7	
10/03 (277-m)	38.5	49.4	45.8	45	58.0	44	69.8	45	91.0	1951	0.00	--	--	61	0.09	45	258	1.38	274	6	
10/04 (278-t)	31.8	45.3	45.9	46	58.0	46	70.6	46	91.0	1951	0.00	--	--	51	0.07	43	300	1.25	264	7	
10/05 (279-w)	31.2	42.6	45.7	45	57.1	45	68.9	45	89.0	1946	0.00	--	--	53	0.08	43	281	1.28	284	7	
10/06 (280-t)	27.7	42.9	45.8	46	57.5	46	69.4	46	88.0	1946	0.00	--	--	46	0.08	44	307	1.28	320	7	
10/07 (281-f)	34.3	46.1	44.3	45	56.6	45	69.2	45	87.0	1946	0.00	--	--	41	0.08	42	355	1.08	276	7	
10/08 (282-s)	30.7	45.5	44.3	45	55.6	45	67.2	45	87.0	1949	0.00	--	--	45	0.07	43	291	1.18	300	7	
10/09 (283-s)	42.7	51.0	45.3	45	56.0	45	67.1	45	86.0	1949	0.00	--	--	34	0.07	43	204	0.98	213	7	
10/10 (284-m)	41.9	51.4	43.5	44	55.3	44	67.1	45	85.0	1949	0.28	--	--	50	0.08	44	222	1.19	273	7	
10/11 (285-t)	31.1	44.1	43.9	45	55.6	44	67.3	44	84.0	1963	0.00	--	--	47	0.06	45	323	1.26	239	7	
10/12 (286-w)	24.2	34.8	48.2	46	55.9	46	67.4	46	83.0	1947	0.00	--	--	50	0.06	44	192	1.31	179	7	
10/13 (287-t)	21.1	34.9	50.1	46	55.9	46	68.3	46	83.0	1960	0.00	--	--	49	0.11	44	371	1.09	258	7	
10/14 (288-f)	28.3	46.1	44.7	45	55.7	45	68.3	45	83.0	1968	0.00	--	--	35	0.05	44	352	0.89	245	7	
10/15 (289-s)	42.6	54.4	41.9	46	55.5	46	69.4	46	84.0	1947	0.00	--	--	24	0.08	45	219	1.26	272	7	
10/16 (290-s)	43.3	52.2	43.4	46	55.4	46	67.6	46	85.0	1947	0.10	--	--	48	0.06	43	122	0.85	257	6	
10/17 (291-m)	54.7	59.9	46.4	46	54.3	46	65.6	46	85.0	1950	0.57	--	--	68	0.11	45	74	0.28	228	6	
10/18 (292-t)	39.7	53.1	40.9	46	53.0	46	65.2	46	83.0	1950	0.52	--	--	61	0.14	45	194	1.04	253	7	
10/19 (293-w)	33.8	43.2	40.0	45	51.6	45	63.2	45	86.0	1953	0.00	--	--	57	0.04	45	300	1.11	234	7	
10/20 (294-t)	28.9	43.2	39.1	46	50.8	46	62.4	46	86.0	1953	0.00	--	--	55	0.07	43	268	1.14	155	7	
10/21 (295-f)	42.9	44.8	40.9	46	52.3	46	63.8	46	86.0	1953	0.29	--	--	67	0.08	43	51	0.23	121	7	
10/22 (296-s)	32.1	42.9	42.1	45	53.5	45	64.8	45	85.0	1947	0.00	--	--	60	0.05	40	163	1.29	174	7	
10/23 (297-s)	30.6	39.9	49.4	46	53.4	46	64.4	46	85.0	1947	0.13	--	--	67	0.08	44	35	0.21	158	7	
10/24 (298-m)	33.1	37.7	41.8	46	51.0	46	61.6	46	79.0	1963	0.01	--	--	57	0.11	41	92	0.69	157	7	
10/25 (299-t)	31.0	39.9	39.2	46	49.5	46	59.9	46	80.0	1963	0.00	--	--	45	0.09	44	281	0.98	197	7	
10/26 (300-w)	23.9	33.1	44.8	46	48.7	46	59.4	46	82.0	1963	0.00	--	--	47	0.05	41	213	1.08	235	7	
10/27 (301-t)	26.4	42.7	38.2	46	49.4	46	60.5	46	78.0	1952	0.00	--	--	37	0.07	43	296	0.89	245	7	
10/28 (302-f)	29.6	40.8	38.7	46	49.8	46	61.2	46	77.0	1946	0.12	--	--	49	0.10	40	321	0.86	256	7	
10/29 (303-s)	23.6	36.1	49.7	45	49.0	44	59.5	44	79.0	1946	0.00	--	--	43	0.02	44	276	0.85	229	7	
10/30 (304-s)	22.1	32.5	42.4	45	49.3	45	60.5	45	77.0	1971	0.00	--	--	45	0.04	43	312	0.89	220	7	
10/31 (305-m)	23.8	37.0	53.4	45	51.8	45	62.6	45	83.0	1950	0.00	--	--	44	0.05	42	305	0.83	242	7	
Column Min's:	21.1	32.5	41.8	48.7	59.4	59.4	59.4	59.4	91.0	91.0	0.00	--	--	24	0.02	42	35	0.21	121	7	
Column Avg's:	33.9	45.0	57.1	54.0	65.7	65.7	65.7	65.7	91.0	91.0	0.07	--	--	50	0.08	42	236	1.00	236	7	
Column Max's:	60.2	66.5	74.3	47.4	60.0	73.0	73.0	73.0	91.0	91.0	0.57	--	--	68	0.14	42	371	1.41	324	7	
Column Ttl's:											2.09	--	--	2.35			7331			7305	7

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S		
	min	max	min	max	avg 2" yrs	avg 4" yrs	max	Lng-Trm	Air <65	Air Soil >50	<65	>65	
01/01 (001-f)	31.9	32.1	29.6	29.9	35.9	35.7	7	146	10.9	171	7	35	0
01/02 (002-s)	26.0	29.5	28.5	29.1	30.2	32.5	7	105	12.7	134	7	49	0
01/03 (003-s)	25.8	28.9	26.9	27.9	28.5	32.4	7	106	11.0	144	7	41	0
01/04 (004-m)	21.3	29.0	25.3	28.0	28.5	33.0	7	223	20.8	204	7	46	0
01/05 (005-t)	17.0	22.0	20.9	23.7	26.7	31.5	7	164	12.8	198	7	61	0
01/06 (006-w)	14.6	20.9	17.7	21.5	25.8	31.3	7	80	6.8	180	7	62	0
01/07 (007-t)	17.8	21.5	18.9	21.0	23.0	31.7	7	223	16.2	165	7	54	0
01/08 (008-f)	22.5	25.6	22.6	23.8	25.5	30.4	7	84	7.3	130	7	49	0
01/09 (009-s)	19.6	23.6	19.8	22.4	24.9	30.4	7	84	9.9	177	7	51	0
01/10 (010-s)	17.5	22.6	18.3	21.6	25.1	30.8	7	80	9.3	190	7	53	0
01/11 (011-m)	17.8	23.8	18.0	22.0	26.0	30.6	7	221	20.6	183	7	44	0
01/12 (012-t)	25.9	29.0	24.1	25.8	27.4	31.0	7	350	28.5	226	7	28	0
01/13 (013-w)	27.1	30.1	26.2	27.3	27.8	31.2	7	194	20.8	182	7	44	0
01/14 (014-t)	22.6	25.8	22.6	24.4	26.2	31.1	7	84	9.0	162	7	54	0
01/15 (015-f)	23.8	27.2	22.7	24.7	27.0	31.7	7	194	18.8	161	7	41	0
01/16 (016-s)	24.4	28.7	23.5	25.8	27.7	31.0	7	262	22.0	168	7	28	0
01/17 (017-s)	31.6	32.1	27.7	28.2	28.7	31.0	7	240	19.4	187	7	25	0
01/18 (018-m)	31.9	33.9	28.5	28.7	28.9	31.6	7	169	15.0	152	7	28	0
01/19 (019-t)	31.8	32.0	28.6	28.7	28.7	31.7	7	368	25.6	178	7	30	0
01/20 (020-w)	33.1	37.8	28.7	30.8	34.5	31.3	7	254	27.1	184	7	20	0
01/21 (021-t)	31.9	32.2	28.7	29.0	30.0	31.3	7	137	11.1	195	7	34	0
01/22 (022-f)	31.8	31.9	28.7	28.7	28.7	31.3	7	153	17.3	182	7	39	0
01/23 (023-s)	31.8	31.9	28.7	28.7	28.7	31.5	7	257	20.3	189	7	36	0
01/24 (024-s)	31.8	31.9	28.7	28.7	28.7	31.3	7	231	21.2	201	7	35	0
01/25 (025-m)	28.5	31.0	28.6	28.7	28.8	31.4	7	164	14.9	195	7	45	0
01/26 (026-t)	31.8	31.8	28.7	28.9	28.9	31.3	7	150	10.8	145	7	55	0
01/27 (027-w)	31.8	31.9	28.9	29.0	29.1	31.2	7	102	13.3	184	7	53	0
01/28 (028-t)	31.7	31.8	29.1	29.1	29.2	31.2	7	130	12.1	162	7	40	0
01/29 (029-f)	31.6	31.8	29.2	29.2	29.2	31.2	7	207	18.4	158	7	29	0
01/30 (030-s)	31.9	36.2	29.2	32.2	37.8	31.7	7	305	28.6	212	7	20	0
01/31 (031-s)	36.0	43.3	33.4	38.0	42.7	32.8	7	307	27.7	150	7	15	0
Column Min's:	14.6	20.9	17.7	21.0	23.0	30.4		80	6.8	130		15	0
Column Avg's:	26.9	29.7	25.8	27.3	28.8	31.6		186	16.8	176		40	0
Column Max's:	36.0	43.3	33.4	38.0	42.7	35.7		368	28.6	226		62	0
Column Ttl's:								5774		5449		1253	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These 'unofficial' data are provided as a public service.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S										
	..Current at 2" min	..Current at 4" max	..Current at 2" min	..Current at 4" maxLong Term avg 2" yrsLong Term avg 4" yrs	tll mi	max m/h	Lng-Trm avg yrs	Air <65	Air Soil >50	Long Term <65	>65								
02/01 (032-m)	46.6	48.9	51.4	51.4	42.2	43.8	45.7	35.1	7	33.8	7	146	19.0	190	7	13	0	0	39	0	0
02/02 (033-t)	34.0	39.4	51.0	51.0	32.8	38.0	45.7	36.7	7	35.1	7	179	13.4	192	7	34	0	0	39	0	0
02/03 (034-w)	33.2	33.6	34.0	34.0	31.1	31.7	32.8	34.0	7	33.6	7	128	10.6	180	6	35	0	0	42	0	0
02/04 (035-t)	32.8	33.0	33.2	33.2	30.5	30.8	31.1	35.1	7	34.0	7	--	--	155	6	44	0	0	43	0	0
02/05 (036-f)	32.7	32.8	32.9	32.9	30.3	30.4	30.5	35.6	7	34.7	7	177	12.1	131	6	56	0	0	43	0	0
02/06 (037-s)	32.6	32.7	32.7	32.7	30.1	30.2	30.3	33.9	7	33.8	7	133	13.2	146	7	64	0	0	45	0	0
02/07 (038-s)	32.5	32.6	32.6	32.6	30.0	30.1	30.2	32.6	7	32.8	7	254	22.2	167	7	50	0	0	45	0	0
02/08 (039-m)	32.5	32.5	32.6	32.6	30.0	30.1	30.1	31.7	7	31.9	7	99	10.1	131	7	44	0	0	46	0	0
02/09 (040-t)	32.5	32.5	32.6	32.6	30.0	30.0	30.0	32.3	7	31.8	7	111	10.2	124	7	38	0	0	46	0	0
02/10 (041-w)	32.5	32.5	32.5	32.5	29.9	29.9	30.0	32.6	7	31.8	7	150	12.3	180	7	41	0	0	46	0	0
02/11 (042-t)	32.5	32.6	32.7	32.7	29.9	30.0	30.0	33.4	7	32.1	7	199	18.2	150	7	39	0	0	40	0	0
02/12 (043-f)	32.5	32.6	32.7	32.7	29.9	30.0	30.0	34.9	7	33.6	7	167	11.1	160	7	51	0	0	40	0	0
02/13 (044-s)	32.5	32.6	32.6	32.6	29.9	29.9	30.0	34.4	7	33.8	7	127	10.3	149	7	58	0	0	40	0	0
02/14 (045-s)	32.5	32.5	32.6	32.6	29.8	29.9	30.0	34.6	7	33.8	7	231	16.5	149	7	39	0	0	39	0	0
02/15 (046-m)	32.3	32.5	32.8	32.8	29.6	29.7	29.9	34.3	7	33.5	7	233	25.5	154	7	33	0	0	38	0	0
02/16 (047-t)	32.4	33.5	39.2	39.2	29.7	30.5	33.4	34.0	7	33.4	7	189	16.3	202	7	36	0	0	36	0	0
02/17 (048-w)	32.4	38.1	51.4	51.4	29.9	34.0	41.8	35.6	7	34.1	7	121	11.2	162	7	29	0	0	36	0	0
02/18 (049-t)	33.2	40.0	53.0	53.0	31.4	36.2	43.6	37.9	7	35.5	7	106	10.8	117	7	30	0	0	33	0	0
02/19 (050-f)	35.5	38.0	41.1	41.1	33.3	35.0	36.7	38.8	7	37.0	7	203	18.0	164	7	28	0	0	31	0	0
02/20 (051-s)	33.6	36.7	43.2	43.2	32.0	34.1	36.7	38.2	7	36.8	7	253	21.0	150	7	35	0	0	32	0	0
02/21 (052-s)	32.1	33.3	37.7	37.7	30.2	31.2	32.9	37.0	7	36.0	7	173	17.0	138	7	46	0	0	34	0	0
02/22 (053-m)	32.1	38.2	48.6	48.6	30.0	33.9	40.1	38.4	7	36.7	7	434	33.3	168	7	20	0	0	28	0	0
02/23 (054-t)	33.6	37.3	43.9	43.9	32.1	34.8	38.4	40.6	7	38.6	7	149	11.3	134	7	34	0	0	28	0	0
02/24 (055-w)	32.6	33.4	35.6	35.6	30.7	31.3	32.4	38.9	7	38.2	7	169	13.5	160	7	41	0	0	30	0	0
02/25 (056-t)	32.2	32.4	32.8	32.8	30.0	30.2	30.7	36.6	7	36.4	7	128	11.3	144	7	44	0	0	34	0	0
02/26 (057-f)	29.2	31.7	33.5	33.5	29.2	29.5	30.0	34.9	7	34.9	7	290	26.2	156	7	36	0	0	34	0	0
02/27 (058-s)	32.3	33.5	37.0	37.0	29.7	30.7	32.5	34.7	7	34.4	7	172	15.7	213	7	33	0	0	35	0	0
02/28 (059-s)	31.8	35.3	46.4	46.4	29.6	32.1	37.9	36.6	7	35.3	7	136	15.1	159	7	35	0	0	33	0	0
02/29 (060-m)	32.7	39.2	53.2	53.2	30.5	35.2	43.3	36.0	2	34.2	2	99	10.3	124	2	29	0	0	30	0	0
Column Min's:	29.2	31.7	32.5	32.5	29.2	29.5	29.9	31.7		31.8		99	10.1	117		13	0	0	28	0	0
Column Avg's:	33.1	35.0	38.8	38.8	30.8	32.2	34.4	35.5		34.5		177	15.6	157		38	0	0	37	0	0
Column Max's:	46.6	48.9	53.2	53.2	42.2	43.8	45.7	40.6		38.6		434	33.3	213		64	0	0	46	0	0
Column Ttl's:												4956		4549		1115	0	0	1085	0	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D	t t l	D E G R E E		D A Y S						
	..Current at 2" min	max	..Current at 4" min	maxLong Term.....	avg 2" yrs			avg 4" yrs	max	Lng-Trm	Air	Soil	<65	>65		
mo da jul	min	max	min	max	avg 2" yrs	avg 4" yrs	m/h	mi	avg yrs	<65	>50	<65	>65				
11/01 (306-t)	35.6	44.7	35.8	41.6	48.5	56.0	7	162	13.3	204	7	22	0	0	12	0	3
11/02 (307-w)	37.7	43.3	38.1	41.2	44.9	54.2	6	105	9.8	141	6	26	0	0	14	0	3
11/03 (308-t)	34.4	44.2	34.4	40.8	46.5	50.8	6	184	14.6	146	6	20	0	0	16	0	0
11/04 (309-f)	49.4	52.9	46.1	48.5	51.4	49.9	7	193	19.5	159	7	8	0	0	18	0	0
11/05 (310-s)	43.4	50.4	43.2	47.8	49.7	47.6	7	192	22.3	145	7	17	0	0	20	0	0
11/06 (311-s)	34.9	38.2	34.4	37.9	43.2	45.3	7	324	25.0	124	7	32	0	0	21	0	0
11/07 (312-m)	35.5	40.2	34.5	37.7	42.2	45.6	7	147	13.7	121	7	28	0	0	20	0	0
11/08 (313-t)	39.5	46.0	38.0	42.6	49.0	47.8	7	144	13.8	168	6	22	0	0	19	0	0
11/09 (314-w)	35.8	43.4	35.8	40.7	45.4	47.8	7	172	18.3	159	7	23	0	0	21	0	0
11/10 (315-t)	40.6	48.3	40.4	45.2	48.3	47.3	7	253	29.6	207	7	16	0	0	21	0	0
11/11 (316-f)	36.1	42.7	36.8	40.8	46.5	41.6	7	111	10.1	153	6	29	0	0	23	0	0
11/12 (317-s)	34.5	39.7	34.0	37.6	41.2	42.8	7	258	18.8	198	7	26	0	0	22	0	0
11/13 (318-s)	39.6	45.9	39.5	42.7	47.9	42.0	7	220	20.4	140	7	20	0	0	22	0	0
11/14 (319-m)	35.8	45.3	35.4	42.2	50.7	41.9	7	130	13.5	146	7	19	0	0	21	0	0
11/15 (320-t)	40.2	47.8	38.9	44.2	49.4	42.7	7	182	15.0	172	7	13	0	0	21	0	0
11/16 (321-w)	41.5	50.8	41.5	47.6	51.7	43.2	7	301	32.2	183	7	12	0	0	20	0	0
11/17 (322-t)	35.8	41.4	36.1	40.1	45.7	42.7	7	180	16.7	125	7	30	0	0	23	0	0
11/18 (323-f)	33.8	40.4	33.8	38.1	42.8	43.1	7	140	15.2	147	7	26	0	0	23	0	0
11/19 (324-s)	40.7	43.1	38.7	40.1	42.5	45.3	7	192	15.6	187	7	22	0	0	23	0	0
11/20 (325-s)	43.1	47.7	41.9	44.3	48.2	43.9	7	206	28.8	190	7	18	0	0	24	0	0
11/21 (326-m)	39.4	42.0	38.4	40.1	41.9	40.9	7	105	8.8	156	7	27	0	0	25	0	0
11/22 (327-t)	34.6	38.1	34.0	36.7	40.1	40.2	7	113	13.2	131	7	32	0	0	26	0	0
11/23 (328-w)	33.1	37.3	32.3	35.4	41.5	42.5	7	107	8.6	174	7	32	0	0	26	0	0
11/24 (329-t)	33.6	39.2	32.5	36.7	44.1	41.2	7	105	8.6	107	7	27	0	0	28	0	0
11/25 (330-f)	34.1	42.6	33.1	39.1	46.0	40.3	7	180	18.4	160	7	18	0	0	29	0	0
11/26 (331-s)	43.2	48.9	41.0	44.7	48.5	45.0	7	246	21.4	192	7	11	0	0	26	0	0
11/27 (332-s)	40.4	48.3	40.1	45.6	47.9	43.7	7	262	25.3	195	7	17	0	0	27	0	0
11/28 (333-m)	34.4	36.9	33.5	36.2	40.1	42.5	7	222	16.5	196	7	34	0	0	27	0	0
11/29 (334-t)	32.7	35.7	31.8	34.1	38.6	39.7	7	182	16.9	181	7	33	0	0	31	0	0
11/30 (335-w)	33.8	35.3	32.5	33.6	35.2	39.0	7	220	17.1	180	7	29	0	0	32	0	0
Column Min's:	32.7	35.3	31.8	33.6	35.2	39.0		105	8.6	107		8	0	0	12	0	0
Column Avg's:	37.6	43.4	36.9	40.8	45.3	44.6		185	17.4	163		23	0	0	23	0	0
Column Max's:	49.4	52.9	46.1	48.5	51.7	56.0		324	32.2	207		34	0	0	32	0	3
Column Ttl's:								5538	4887			689	0	0	681	0	6

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S	
	min	max	min	max	avg 2" yrs	avg 4" yrs	ttl	max	Air	Soil	<65	>65
mo da jul	avg	avg	avg	max	avg 2" yrs	avg 4" yrs	mi	m/h	<65	>50	<65	>50
12/01 (336-t)	33.5	35.3	32.0	33.4	39.6	7	121	9.1	36	0	31	0
12/02 (337-f)	32.5	34.3	31.2	32.5	38.1	6	197	18.0	37	0	30	0
12/03 (338-s)	32.1	36.7	30.7	34.0	38.4	6	266	19.2	25	0	29	0
12/04 (339-s)	32.5	35.3	31.4	33.6	37.3	7	135	14.9	36	0	28	0
12/05 (340-m)	31.5	33.8	30.5	32.1	37.0	7	180	16.1	30	0	29	0
12/06 (341-t)	31.9	35.4	30.6	33.0	36.1	7	226	20.3	27	0	29	0
12/07 (342-w)	33.3	36.3	31.7	33.9	36.0	7	136	11.8	27	0	30	0
12/08 (343-t)	32.5	34.8	31.2	32.9	37.0	7	81	11.0	37	0	29	0
12/09 (344-f)	30.4	32.7	30.2	31.2	38.1	7	112	10.2	41	0	32	0
12/10 (345-s)	29.8	30.8	29.3	29.5	35.7	7	166	19.0	41	0	34	0
12/11 (346-s)	25.1	28.7	26.9	28.4	36.2	7	85	9.1	52	0	34	0
12/12 (347-m)	22.5	26.9	24.4	26.5	36.4	7	156	19.9	50	0	32	0
12/13 (348-t)	28.1	30.1	26.9	27.7	35.4	7	194	19.8	36	0	34	0
12/14 (349-w)	30.7	31.3	28.2	28.4	35.3	7	244	21.6	26	0	35	0
12/15 (350-t)	31.6	31.9	28.7	28.8	36.4	7	150	12.3	37	0	35	0
12/16 (351-f)	26.4	28.9	27.1	28.1	35.6	7	153	15.0	48	0	36	0
12/17 (352-s)	27.6	29.7	27.0	27.7	35.5	7	166	12.0	46	0	36	0
12/18 (353-s)	28.7	29.8	27.3	27.8	34.2	7	217	19.1	47	0	37	0
12/19 (354-m)	29.6	31.0	27.6	28.1	34.2	7	246	19.0	27	0	36	0
12/20 (355-t)	32.3	36.5	28.7	30.1	35.1	7	370	25.0	15	0	35	0
12/21 (356-w)	33.5	37.7	32.0	34.5	35.5	7	121	11.0	29	0	35	0
12/22 (357-t)	32.1	34.2	30.2	31.7	34.4	7	247	23.9	31	0	36	0
12/23 (358-f)	34.7	41.4	34.0	37.7	34.1	7	214	23.7	19	0	34	0
12/24 (359-s)	33.8	38.3	32.4	35.3	34.7	7	194	20.2	25	0	33	0
12/25 (360-s)	33.6	36.6	32.0	34.4	35.5	7	142	11.2	34	0	35	0
12/26 (361-m)	32.2	32.6	30.5	31.1	33.2	7	189	17.7	40	0	35	0
12/27 (362-t)	31.8	37.1	30.1	33.5	35.2	7	258	21.8	21	0	34	0
12/28 (363-w)	33.4	36.1	31.6	34.2	38.0	7	158	14.4	39	0	35	0
12/29 (364-t)	32.9	33.1	30.9	31.1	35.4	7	108	11.4	50	0	36	0
12/30 (365-f)	32.9	32.9	30.7	30.8	32.5	7	120	9.8	40	0	35	0
12/31 (366-s)	32.8	32.8	30.6	30.6	30.6	6	122	13.9	37	0	34	0
Column Min's:	22.5	26.9	24.4	26.5	30.6		81	9.1	15	0	28	0
Column Avg's:	31.2	33.6	29.9	31.4	35.7		177	16.2	35	0	33	0
Column Max's:	34.7	41.4	34.0	37.7	39.6		370	25.0	52	0	37	0
Column Ttl's:							5474		1086	0	1033	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S				
	mo	da	..Current at 2" min	..Current at 4" min	avg	max	avg 2" yrs	avg 4" yrs	ttl	max	Lng-Trm	Long Term			
	jul		avg	max	min	max	yr	yr	mi	m/h	avg yrs	<65	>65	>50	
03/01 (061-t)			32.9	39.6	31.2	36.0	37.7	7	109	15.7	137	7	30	0	0
03/02 (062-w)			33.2	36.8	31.7	34.1	38.5	7	162	16.2	132	7	27	0	0
03/03 (063-t)			33.1	35.1	31.0	32.9	37.0	7	115	14.7	153	6	34	0	0
03/04 (064-f)			32.7	33.0	30.4	30.7	38.7	7	--	--	204	6	39	0	0
03/05 (065-s)			32.0	34.9	29.6	31.8	38.4	7	46	7.1	180	6	39	0	0
03/06 (066-s)			32.5	38.9	30.3	35.0	39.3	7	136	12.4	156	7	30	0	0
03/07 (067-m)			33.5	40.6	31.7	36.7	40.4	7	145	11.9	139	7	26	0	0
03/08 (068-t)			34.1	45.6	32.7	40.3	41.7	7	221	19.4	150	7	15	0	0
03/09 (069-w)			39.5	46.0	38.6	42.4	40.2	7	173	21.0	159	7	21	0	0
03/10 (070-t)			34.9	41.6	34.0	38.7	40.1	7	188	16.7	208	6	30	0	0
03/11 (071-f)			33.5	41.7	32.5	38.2	39.8	7	195	18.1	186	7	23	0	0
03/12 (072-s)			37.5	42.2	36.1	38.7	40.8	7	265	26.0	215	7	20	0	0
03/13 (073-s)			33.7	36.5	32.5	34.8	41.8	7	189	13.4	133	6	36	0	0
03/14 (074-m)			32.7	35.5	31.0	31.6	42.8	7	176	12.5	124	7	41	0	0
03/15 (075-t)			33.1	35.2	30.9	32.5	41.0	7	147	11.1	178	7	41	0	0
03/16 (076-w)			33.3	36.3	31.2	33.3	42.7	7	148	10.9	172	7	36	0	0
03/17 (077-t)			33.0	40.7	31.1	36.4	42.1	7	97	10.6	158	7	31	0	0
03/18 (078-f)			34.0	37.2	32.8	34.9	41.9	7	102	9.9	133	7	33	0	0
03/19 (079-s)			32.7	39.0	31.0	35.5	43.8	7	145	14.5	203	7	32	0	0
03/20 (080-s)			33.7	40.7	32.3	37.2	44.2	7	186	20.3	155	7	35	0	0
03/21 (081-m)			32.2	36.9	31.2	34.6	41.2	7	212	14.8	186	7	37	0	0
03/22 (082-t)			30.5	37.6	30.1	34.4	39.5	7	243	17.3	186	7	28	0	0
03/23 (083-w)			35.7	48.1	34.2	41.9	43.9	7	332	31.6	144	7	7	0	0
03/24 (084-t)			44.5	55.0	41.8	48.5	45.7	7	290	25.0	147	7	4	0	0
03/25 (085-f)			46.5	52.5	45.2	48.5	45.4	7	210	24.0	182	7	10	0	0
03/26 (086-s)			39.9	47.8	40.6	44.7	45.0	7	217	23.0	206	7	20	0	0
03/27 (087-s)			36.0	41.2	35.8	39.1	45.4	7	146	10.7	193	7	31	0	0
03/28 (088-m)			34.3	44.8	33.6	40.7	46.7	7	199	16.9	175	7	19	0	0
03/29 (089-t)			41.7	50.5	39.8	45.4	48.7	7	259	26.0	203	7	4	0	0
03/30 (090-w)			44.4	53.5	43.1	48.9	47.8	7	166	20.6	202	7	17	0	0
03/31 (091-t)			39.7	47.8	39.7	44.5	48.2	7	199	18.4	181	7	18	0	0
Column Min's:			30.5	33.0	29.6	30.7	37.0		46	7.1	124		4	0	0
Column Avg's:			35.5	41.6	34.1	38.2	42.3		181	17.0	170		26	0	0
Column Max's:			46.5	55.0	45.2	48.9	48.7		332	31.6	215		41	0	0
Column Ttl's:									5418		5280		814	0	775

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		W A T E R		B A L A N C E		S O L A R		L n g - T r m avg yrs										
	min	avg	max	min	year	avgmn	yr	avg	yr	yr	yr	yr		max									
mo da	Current	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term										
04/01 (092-f)	46.3	53.9	63.3	18.0	1964	37.3	43	47.8	43	58.2	44	79.0	1963	0.15	--	--	77	0.08	41	179	1.23	356	7
04/02 (093-s)	54.9	60.3	67.2	21.0	1961	37.1	43	47.9	42	58.7	42	82.0	1963	0.00	--	--	76	0.24	40	212	0.99	361	7
04/03 (094-s)	49.8	58.7	64.5	19.0	1972	36.2	43	46.4	43	56.4	43	77.0	1956	1.24	--	--	75	0.17	43	134	1.45	211	7
04/04 (095-m)	41.2	53.8	66.6	22.0	1964	36.1	45	46.9	45	58.1	45	81.7	1986	0.00	--	--	68	0.23	40	472	1.44	322	7
04/05 (096-t)	45.7	64.3	81.4	17.0	1970	36.2	43	46.5	43	56.8	43	81.4	1988	0.00	--	--	58	0.21	42	513	1.18	233	7
04/06 (097-w)	41.1	52.8	66.1	18.6	1982	37.3	43	46.1	43	55.4	43	76.0	1965	0.44	--	--	69	0.14	38	83	1.43	215	7
04/07 (098-t)	41.1	43.6	47.2	15.5	1982	35.1	43	46.9	43	58.9	43	83.0	1954	0.19	--	--	75	0.14	38	35	0.10	343	7
04/08 (099-f)	34.9	43.8	54.2	16.0	1972	35.8	43	46.7	43	57.9	43	79.0	1969	0.00	--	--	67	0.11	44	565	1.33	385	7
04/09 (100-s)	29.5	44.2	59.8	17.0	1972	35.0	45	45.9	45	57.2	45	81.0	1953	0.00	--	--	58	0.10	43	573	1.27	315	7
04/10 (101-s)	32.5	49.3	64.9	23.0	1960	33.9	44	45.8	44	57.8	44	82.0	1945	0.00	--	--	44	0.11	41	531	1.26	451	7
04/11 (102-m)	37.0	48.8	64.0	26.0	1971	36.9	43	48.1	43	60.1	44	84.0	1945	0.00	--	--	44	0.10	43	459	1.22	452	7
04/12 (103-t)	38.0	52.0	66.7	18.0	1976	38.2	43	49.4	43	60.4	43	80.0	1977	0.00	--	--	55	0.16	41	536	1.22	435	7
04/13 (104-w)	36.8	52.6	68.2	20.0	1950	40.0	44	51.0	43	61.8	43	81.0	1960	0.00	--	--	55	0.11	41	548	1.24	401	7
04/14 (105-t)	34.3	52.2	65.6	21.0	1950	39.6	43	51.8	43	64.1	43	80.0	1977	0.00	--	--	52	0.14	41	456	1.47	376	7
04/15 (106-f)	29.6	38.6	49.7	25.0	1957	39.6	43	50.6	43	61.6	43	80.0	1954	0.00	--	--	59	0.12	40	377	1.55	306	7
04/16 (107-s)	23.9	41.5	58.0	23.9	1988	38.4	43	50.2	43	62.0	43	82.0	1967	0.00	--	--	57	0.08	42	465	1.60	356	7
04/17 (108-s)	32.7	53.3	68.0	25.0	1962	39.8	44	51.0	44	62.3	45	83.0	1964	0.00	--	--	45	0.08	43	579	1.27	319	7
04/18 (109-m)	31.6	44.8	62.8	22.1	1983	41.0	44	53.1	44	65.3	44	85.0	1958	0.10	--	--	59	0.09	43	360	1.63	460	7
04/19 (110-t)	24.2	38.5	53.8	20.8	1983	42.1	45	54.3	45	66.7	45	85.0	1977	0.00	--	--	42	0.12	43	528	1.51	439	7
04/20 (111-w)	25.3	45.9	60.9	22.7	1983	43.2	45	54.9	45	66.2	45	90.0	1976	0.00	--	--	42	0.15	43	392	1.27	396	7
04/21 (112-t)	30.7	45.0	54.9	26.9	1983	44.2	45	56.1	45	67.9	45	93.0	1976	0.01	--	--	51	0.08	40	412	1.35	428	7
04/22 (113-f)	39.7	46.6	55.1	25.2	1986	44.6	45	56.3	45	68.1	45	87.2	1985	0.31	--	--	61	0.19	43	276	1.30	358	7
04/23 (114-s)	42.6	59.8	79.2	23.5	1986	44.9	45	56.2	45	67.7	45	88.0	1960	0.07	--	--	55	0.21	40	439	1.46	427	7
04/24 (115-s)	34.8	43.2	54.6	29.6	1983	44.3	45	54.9	45	65.3	45	89.0	1960	0.00	--	--	60	0.23	39	335	1.75	388	6
04/25 (116-m)	29.3	46.2	61.5	23.6	1983	43.2	45	55.6	45	67.9	45	87.0	1948	0.00	--	--	51	0.13	41	570	1.33	558	7
04/26 (117-t)	35.2	55.3	72.7	26.0	1972	43.4	45	55.3	45	67.0	45	88.0	1948	0.00	--	--	42	0.07	42	597	1.28	533	7
04/27 (118-w)	37.8	45.6	55.5	29.0	1972	43.6	44	55.0	44	66.6	44	88.4	1986	0.09	--	--	57	0.12	44	235	1.52	405	7
04/28 (119-t)	33.5	41.3	51.1	28.0	1976	42.4	44	54.2	44	66.2	44	83.0	1951	0.02	--	--	68	0.12	42	187	1.07	435	7
04/29 (120-f)	29.1	48.0	65.0	24.0	1977	43.0	45	54.9	45	66.5	45	84.0	1951	0.00	--	--	44	0.11	40	630	1.33	507	7
04/30 (121-s)	35.1	53.3	70.0	27.0	1977	45.2	45	57.0	45	68.8	45	88.0	1962	0.00	--	--	46	0.14	40	580	1.54	459	7

Column Min's: 23.9 38.5 47.2 15.5
 Column Avg's: 35.9 49.2 62.4 39.9
 Column Max's: 54.9 64.3 81.4 45.2
 Column Ttl's: 12258 11630

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S									
	mo	da	min	max	min	max	avg 2" yrs	avg 4" yrs	ttl	max	Lng-Trm	Air	Soil	<65	>65	>50	>65	>10		
05/01	(122-s)	46.1	62.1	81.4	46.2	56.8	68.6	61.8	6	59.1	6	9	0	7	0	9	7	0	9	
05/02	(123-m)	47.4	62.9	81.4	47.7	58.0	69.1	61.3	6	58.7	6	9	0	8	7	0	7	0	9	
05/03	(124-t)	49.0	62.9	81.4	49.1	58.2	69.1	58.0	6	56.7	6	11	0	8	8	0	7	0	7	
05/04	(125-w)	49.4	54.5	57.8	49.3	52.1	56.2	59.6	6	56.9	6	15	0	2	8	0	7	0	7	
05/05	(126-t)	50.8	54.1	57.3	48.7	50.7	52.6	62.3	6	58.7	6	12	0	1	7	0	7	0	9	
05/06	(127-f)	48.2	61.4	77.7	46.7	55.6	66.2	64.9	6	60.9	6	6	0	6	5	0	11	0	11	
05/07	(128-s)	49.3	66.2	86.1	49.0	60.2	72.7	63.9	6	61.1	6	1	0	10	7	0	7	0	11	
05/08	(129-s)	55.0	67.6	82.1	53.9	62.2	70.6	62.7	6	60.4	6	0	4	12	9	0	10	0	10	
05/09	(130-m)	57.1	63.9	75.2	55.9	60.1	65.2	62.6	6	59.7	6	2	0	10	8	0	10	0	10	
05/10	(131-t)	53.2	62.7	79.8	52.0	58.4	68.0	65.1	6	61.4	6	5	0	8	7	0	11	0	11	
05/11	(132-w)	51.1	65.4	83.9	50.7	60.2	71.8	68.3	6	63.9	6	7	0	10	5	0	14	0	14	
05/12	(133-t)	52.1	67.7	84.9	52.1	62.3	73.1	69.2	6	65.4	6	0	0	12	4	0	15	0	15	
05/13	(134-f)	57.4	67.8	87.9	57.0	63.3	73.5	69.3	6	65.4	6	0	2	13	4	0	15	0	15	
05/14	(135-s)	53.7	66.5	84.3	53.0	61.6	72.6	69.7	6	66.1	6	4	0	12	3	0	16	0	16	
05/15	(136-s)	56.6	72.7	92.7	55.7	66.4	78.3	66.3	6	64.4	6	0	7	16	3	0	14	0	14	
05/16	(137-m)	62.9	74.5	89.9	61.3	68.9	78.1	65.3	6	62.6	6	0	4	19	3	0	13	0	13	
05/17	(138-t)	58.0	70.9	86.8	58.0	66.2	75.7	67.2	6	63.7	6	6	0	16	3	0	14	0	14	
05/18	(139-w)	58.1	68.0	82.3	57.4	63.8	72.2	66.1	6	63.6	6	7	0	14	2	0	14	0	14	
05/19	(140-t)	60.9	63.5	68.3	58.6	60.3	62.5	67.2	6	64.0	6	8	0	10	1	0	14	0	14	
05/20	(141-f)	59.8	66.1	78.6	57.1	61.3	68.1	66.5	6	64.2	6	4	0	11	2	0	14	0	14	
05/21	(142-s)	57.1	71.7	88.3	55.9	65.4	76.1	64.8	6	62.9	6	0	3	15	1	0	13	0	13	
05/22	(143-s)	62.6	75.4	91.1	60.8	69.1	78.2	66.2	6	63.2	6	0	8	19	1	0	13	0	13	
05/23	(144-m)	63.6	72.4	85.0	63.1	68.1	74.5	68.1	6	64.9	6	0	3	18	1	0	15	0	15	
05/24	(145-t)	54.1	64.1	77.9	56.4	61.4	66.7	68.1	6	64.9	6	4	0	11	0	0	15	0	15	
05/25	(146-w)	46.9	63.4	82.3	49.1	59.4	70.9	67.2	6	65.0	6	13	0	9	0	0	15	0	15	
05/26	(147-t)	51.1	68.6	87.6	52.2	63.2	75.0	68.0	6	65.3	6	6	0	13	1	0	15	0	15	
05/27	(148-f)	55.6	72.1	90.8	55.9	66.3	77.6	70.3	6	66.7	6	0	0	16	1	0	17	0	17	
05/28	(149-s)	58.5	75.4	94.1	58.6	69.2	80.5	68.5	6	66.2	6	0	4	19	1	0	16	0	16	
05/29	(150-s)	62.2	78.5	96.7	61.6	72.1	83.2	67.8	6	65.2	6	0	8	22	1	0	15	0	15	
05/30	(151-m)	66.4	80.4	96.1	65.1	74.1	83.3	67.1	6	64.7	6	0	11	24	0	0	15	0	15	
05/31	(152-t)	68.3	81.0	95.9	66.7	75.0	84.2	69.9	6	66.5	6	0	13	25	0	2	17	0	17	
Column Min's:		46.1	54.1	57.3	46.2	50.7	52.6	58.0		56.7		0	0	1	0	0	0	0	7	
Column Avg's:		55.6	67.9	83.4	55.0	62.9	72.1	65.9		63.0		4	2	13	4	4	0	13	0	13
Column Max's:		68.3	81.0	96.7	66.7	75.0	84.2	70.3		66.7		15	13	25	9	2	17	0	17	
Column Ttl's:										4601		129	67	396	110	2	403			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S											
	mo	da	min	avg	max	..Current at 2" ..	min	avg	max	..Current at 4" ..	avg 2" yrs	avg 4" yrs	Long Term									
06/01	(153-w)	68.6	81.1	95.0	67.3	75.2	83.6	71.1	7	67.9	7	84	9.9	114	7	0	13	25	0	2	18	
06/02	(154-t)	57.1	69.1	80.1	58.9	67.4	74.0	69.9	7	67.1	7	118	13.1	119	7	6	0	17	0	0	17	
06/03	(155-f)	52.1	61.0	70.3	53.2	58.9	64.2	69.8	7	67.0	7	157	14.7	121	7	9	0	9	0	0	17	
06/04	(156-s)	49.8	64.9	82.2	51.0	60.5	70.8	69.4	7	66.6	7	92	10.6	117	7	7	0	11	0	0	1	17
06/05	(157-s)	55.1	72.7	90.6	55.3	66.6	78.4	71.6	7	68.1	7	123	12.2	127	7	0	4	17	0	4	4	18
06/06	(158-m)	63.2	78.9	96.5	62.0	72.3	83.5	73.8	7	69.9	7	100	10.8	122	7	0	10	22	0	4	4	20
06/07	(159-t)	66.0	81.0	97.6	65.2	74.7	85.1	74.4	7	70.7	7	98	12.0	146	7	0	11	25	0	4	4	21
06/08	(160-w)	66.7	80.2	98.7	66.5	74.9	85.5	77.1	7	72.6	7	125	15.1	150	7	0	7	25	0	5	5	23
06/09	(161-t)	58.9	68.6	82.1	60.1	66.3	73.7	74.8	7	71.5	7	185	15.5	147	7	9	0	16	0	5	22	
06/10	(162-f)	53.4	68.5	84.9	55.3	64.6	74.5	74.2	7	71.0	7	113	11.6	117	7	10	0	15	0	5	21	
06/11	(163-s)	55.8	72.9	92.0	56.7	67.5	79.0	75.8	7	71.6	7	79	11.5	108	7	2	0	18	0	4	4	22
06/12	(164-s)	60.7	76.4	93.1	60.5	70.5	81.1	71.6	6	69.4	6	115	12.8	120	6	0	6	21	0	5	5	19
06/13	(165-m)	64.9	80.3	97.6	64.0	73.8	84.8	73.8	6	70.1	6	111	11.8	98	6	0	11	24	0	6	20	
06/14	(166-t)	68.5	83.3	99.6	67.2	76.7	86.8	76.6	6	69.5	7	102	12.7	93	6	0	14	27	0	5	20	
06/15	(167-w)	70.8	83.0	97.1	69.4	77.1	85.5	77.3	7	73.6	7	132	15.6	129	6	0	14	27	0	6	24	
06/16	(168-t)	66.5	73.7	77.6	66.5	70.8	75.6	75.9	7	72.7	7	86	9.5	117	7	0	3	21	0	5	23	
06/17	(169-f)	62.0	73.9	88.5	61.5	69.1	78.5	75.7	7	72.4	7	128	11.8	117	7	0	4	19	0	4	22	
06/18	(170-s)	62.6	78.9	97.4	62.2	72.8	84.5	77.0	7	73.3	7	106	10.3	112	7	0	7	23	0	5	23	
06/19	(171-s)	66.3	82.0	99.3	65.7	75.7	86.5	76.4	6	70.0	7	98	11.6	91	6	0	11	26	0	6	20	
06/20	(172-m)	70.6	82.1	95.6	69.0	76.4	83.5	75.0	7	72.3	7	145	13.9	117	7	0	14	26	0	6	22	
06/21	(173-t)	72.1	84.2	98.4	70.0	78.0	86.5	76.6	7	72.9	7	160	14.4	133	7	0	19	28	0	6	23	
06/22	(174-w)	74.2	84.5	96.7	72.0	78.8	86.1	76.6	7	73.3	7	175	21.2	154	7	0	18	29	0	6	23	
06/23	(175-t)	75.9	84.1	96.7	72.8	78.6	86.2	78.2	7	74.4	7	150	12.6	96	7	0	10	29	0	6	24	
06/24	(176-f)	68.9	81.1	96.0	68.1	76.0	85.2	78.6	7	74.8	7	127	14.0	91	7	0	7	26	0	6	25	
06/25	(177-s)	72.4	82.6	99.1	70.4	77.3	86.9	79.3	7	75.3	7	165	56.7	90	7	0	18	27	0	7	25	
06/26	(178-s)	71.3	82.1	96.7	69.9	77.0	85.6	79.7	7	75.8	7	156	14.2	93	7	0	7	27	0	8	26	
06/27	(179-m)	66.5	79.7	95.0	66.3	74.8	84.3	78.2	6	74.5	6	105	11.3	134	6	0	2	25	0	8	25	
06/28	(180-t)	66.9	79.8	95.5	66.3	74.7	84.1	78.0	6	74.3	6	118	11.8	92	6	0	6	25	0	8	24	
06/29	(181-w)	67.9	73.6	79.8	67.3	70.5	74.6	76.4	7	73.5	7	75	9.7	101	7	1	0	21	0	9	24	
06/30	(182-t)	60.8	74.3	91.3	60.8	69.7	79.3	74.5	7	72.1	7	122	12.2	123	7	2	0	20	0	9	22	
Column Min's:		49.8	61.0	70.3	51.0	58.9	64.2	69.4		66.6		75	9.5	90		0	0	9		0	0	17
Column Avg's:		64.6	77.3	92.0	64.0	72.2	81.3	75.2		71.6		122	14.3	116		2	7	22		0	5	22
Column Max's:		75.9	84.5	99.6	72.8	78.8	86.9	79.7		75.8		185	56.7	154		10	19	29		0	9	26
Column Ttl's:												3650		3489		46	216	671		0	155	650

Column Min's:
 Column Avg's:
 Column Max's:
 Column Ttl's:

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S											
	mo	da	..Current at 2" min	..Current at 4" min	..Current at 2" min	..Current at 4" min	max	ttl	max	Long Term	Long Term	Long Term										
jul	jul	min	max	min	max	avg	avg	m/h	mi	Air <65	Air >65	<65	>65									
07/01 (183-f)	07/01 (183-f)	60.9	75.3	92.4	61.0	70.5	80.5	73.8	7	71.1	7	104	11.7	121	7	2	0	21	0	8	21	
07/02 (184-s)	07/02 (184-s)	64.1	78.2	93.3	63.5	72.7	82.5	74.9	7	71.8	7	80	9.4	102	7	0	4	23	0	8	22	
07/03 (185-s)	07/03 (185-s)	67.9	81.9	97.8	66.6	75.9	86.1	77.3	7	73.4	7	84	9.5	120	7	0	9	26	0	8	23	
07/04 (186-m)	07/04 (186-m)	69.6	83.6	99.2	68.2	77.5	87.5	77.0	7	73.7	7	102	13.0	122	7	0	13	28	0	7	24	
07/05 (187-t)	07/05 (187-t)	72.1	85.3	100.4	70.4	79.1	88.6	77.7	7	74.1	7	102	11.5	106	7	0	15	29	0	8	24	
07/06 (188-w)	07/06 (188-w)	74.5	86.9	101.0	72.5	80.6	89.5	78.0	7	74.5	7	69	9.8	116	7	0	17	31	0	7	25	
07/07 (189-t)	07/07 (189-t)	75.2	88.0	103.3	73.2	81.6	91.1	78.8	7	75.1	7	63	13.7	90	7	0	19	32	0	7	25	
07/08 (190-f)	07/08 (190-f)	76.6	88.7	103.3	74.5	82.3	91.2	79.5	7	75.8	7	68	10.5	91	7	0	19	32	0	9	26	
07/09 (191-s)	07/09 (191-s)	77.2	89.2	103.1	74.9	82.8	90.9	80.9	7	76.7	7	66	10.0	89	7	0	20	33	0	9	27	
07/10 (192-s)	07/10 (192-s)	78.5	85.6	97.7	75.5	80.4	86.9	81.9	7	77.8	7	111	17.4	108	7	0	16	30	0	9	28	
07/11 (193-m)	07/11 (193-m)	75.5	79.9	85.5	73.2	75.8	78.5	79.6	7	76.5	7	112	12.7	116	7	0	9	26	0	8	27	
07/12 (194-t)	07/12 (194-t)	71.9	80.5	89.5	69.9	75.3	80.5	80.7	6	76.2	6	90	10.8	91	6	0	10	25	0	8	26	
07/13 (195-w)	07/13 (195-w)	73.1	80.5	90.6	70.6	75.3	80.7	81.3	6	77.0	6	124	13.5	88	6	0	9	25	0	8	27	
07/14 (196-t)	07/14 (196-t)	73.5	81.3	93.8	71.1	75.8	83.1	81.8	6	77.4	6	144	15.9	96	6	0	13	26	0	9	27	
07/15 (197-f)	07/15 (197-f)	71.0	85.6	101.1	69.5	78.9	88.7	81.5	7	77.9	7	75	7.4	76	7	0	17	29	0	9	28	
07/16 (198-s)	07/16 (198-s)	78.3	88.1	101.0	75.1	81.6	89.1	82.3	7	78.3	7	189	20.3	101	7	0	21	32	0	10	28	
07/17 (199-s)	07/17 (199-s)	78.5	89.1	104.2	75.9	82.5	91.4	82.6	7	78.8	7	107	11.0	98	7	0	16	33	0	9	29	
07/18 (200-m)	07/18 (200-m)	74.7	80.8	89.9	72.8	77.2	81.6	81.6	7	78.1	7	118	17.8	88	7	0	10	27	0	10	28	
07/19 (201-t)	07/19 (201-t)	72.5	78.3	86.8	70.0	73.9	78.9	81.7	7	78.0	7	119	23.9	81	7	0	11	24	0	10	28	
07/20 (202-w)	07/20 (202-w)	70.6	75.0	79.3	68.4	71.7	73.7	81.2	7	77.7	7	96	20.2	80	6	0	7	22	0	9	28	
07/21 (203-t)	07/21 (203-t)	68.1	75.3	85.6	66.0	70.9	77.3	81.8	7	77.9	7	71	7.4	73	7	0	6	21	0	10	28	
07/22 (204-f)	07/22 (204-f)	66.3	76.2	88.7	65.1	71.9	79.5	80.6	7	77.5	7	86	9.1	75	7	0	8	22	0	10	28	
07/23 (205-s)	07/23 (205-s)	68.3	76.7	89.8	66.2	72.2	80.1	80.7	7	77.3	7	80	10.3	94	7	0	7	22	0	9	27	
07/24 (206-s)	07/24 (206-s)	65.2	76.9	90.7	64.5	72.4	80.7	80.7	7	77.2	7	64	8.7	69	7	0	7	22	0	9	27	
07/25 (207-m)	07/25 (207-m)	65.7	76.4	90.1	65.1	72.2	79.4	80.9	7	77.4	7	80	19.6	60	6	0	7	22	0	9	27	
07/26 (208-t)	07/26 (208-t)	67.4	76.2	91.9	66.0	71.9	80.9	79.0	7	76.3	7	89	17.4	74	7	0	6	22	0	9	26	
07/27 (209-w)	07/27 (209-w)	66.5	78.3	92.7	65.0	73.2	82.3	78.8	7	75.6	7	54	6.3	63	7	0	8	23	0	10	26	
07/28 (210-t)	07/28 (210-t)	67.0	80.2	95.2	66.0	75.0	84.9	79.2	7	75.9	7	72	8.0	83	7	0	12	25	0	10	26	
07/29 (211-f)	07/29 (211-f)	70.4	84.5	102.0	69.0	78.5	89.5	81.0	7	77.2	7	77	9.8	87	7	0	13	29	0	9	27	
07/30 (212-s)	07/30 (212-s)	74.0	81.1	91.1	72.1	76.7	81.2	82.2	7	78.2	7	127	16.1	81	7	0	11	27	0	9	28	
07/31 (213-s)	07/31 (213-s)	70.0	78.1	90.3	68.5	74.0	80.9	80.5	7	77.4	7	76	14.2	71	7	0	8	24	0	8	27	
Column Min's:	Column Min's:	60.9	75.0	79.3	61.0	70.5	73.7	73.8	71.1	71.1	71.1	54	6.3	60	60	0	0	21	0	0	7	21
Column Avg's:	Column Avg's:	71.1	81.3	94.2	69.4	76.1	83.8	80.0	76.4	76.4	76.4	94	12.8	91	91	0	11	26	0	0	9	26
Column Max's:	Column Max's:	78.5	89.2	104.2	75.9	82.8	91.4	82.6	78.8	78.8	78.8	189	23.9	122	122	2	21	33	0	0	10	29
Column Ttl's:	Column Ttl's:											2907	2810	2810	2810	2	348	813	0	0	272	818

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L T E M P E R A T U R E (degrees Fahrenheit)		W I N D		D E G R E E		D A Y S				
	..Current at 2" min	..Current at 4" max	avg 2" yrs	avg 4" yrs	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	<65	>65	Long Term
08/01 (214-m)	68.1	81.9	79.6	76.6	7	81	0	13	0	8	27
08/02 (215-t)	73.7	87.5	79.9	76.5	7	85	0	17	0	9	27
08/03 (216-w)	77.1	89.2	82.1	78.1	7	73	0	17	0	10	28
08/04 (217-t)	76.5	88.1	79.6	77.0	7	69	0	14	0	8	27
08/05 (218-f)	77.2	84.7	78.7	75.8	7	84	0	11	0	8	26
08/06 (219-s)	72.0	79.6	78.8	75.6	7	95	0	9	0	8	26
08/07 (220-s)	66.2	80.6	78.9	75.7	7	85	0	9	0	7	26
08/08 (221-m)	68.7	84.0	80.7	76.9	7	87	0	11	0	8	27
08/09 (222-t)	71.4	85.4	81.6	78.2	6	96	0	12	0	8	28
08/10 (223-w)	75.7	87.4	79.1	76.4	7	82	0	15	0	8	26
08/11 (224-t)	76.7	87.2	77.6	75.1	7	90	0	15	0	7	25
08/12 (225-f)	76.8	87.9	77.9	74.9	7	84	0	14	0	6	25
08/13 (226-s)	76.5	88.3	79.8	76.2	7	78	0	14	0	7	26
08/14 (227-s)	77.2	88.2	81.3	77.4	7	74	0	15	0	8	27
08/15 (228-m)	77.6	85.5	81.1	77.6	7	78	0	13	0	9	28
08/16 (229-t)	72.7	86.2	80.5	77.1	7	65	0	14	0	7	27
08/17 (230-w)	75.6	88.6	81.7	77.9	7	89	0	18	0	8	28
08/18 (231-t)	77.9	86.6	81.3	77.8	7	87	0	14	0	7	28
08/19 (232-f)	74.4	79.4	79.7	76.7	7	85	0	7	0	7	27
08/20 (233-s)	72.5	79.7	78.9	76.0	7	90	0	6	0	7	26
08/21 (234-s)	67.4	79.9	78.0	75.1	7	86	0	3	0	6	25
08/22 (235-m)	67.0	79.2	77.0	74.3	7	106	0	3	0	6	24
08/23 (236-t)	66.6	73.7	75.9	73.5	7	98	0	3	0	6	24
08/24 (237-w)	64.8	73.9	74.8	72.2	7	88	0	5	0	5	22
08/25 (238-t)	61.9	76.2	75.1	72.3	7	95	0	4	0	5	22
08/26 (239-f)	65.9	79.1	75.4	72.4	7	93	0	2	0	6	22
08/27 (240-s)	65.0	75.6	74.5	72.1	7	87	0	3	0	6	22
08/28 (241-s)	67.0	71.2	72.0	70.2	7	86	0	2	0	7	20
08/29 (242-m)	61.3	69.7	72.6	69.8	7	84	3	0	17	0	20
08/30 (243-t)	55.5	67.6	72.6	70.0	7	99	6	0	15	0	20
08/31 (244-w)	55.7	69.8	72.7	70.1	7	79	3	0	16	0	20

Column Min's:	55.5	67.6	74.8	69.8	65	7.5	65	0	0	15	0	5	20
Column Avg's:	70.4	81.4	95.9	75.0	96	11.5	86	0	9	27	0	7	25
Column Max's:	77.9	89.2	105.2	78.2	155	19.0	106	6	18	33	0	10	28
Column Ttl's:					2963	2658	12	283	830	0	222	776	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S											
	mo	da	min	max	min	max	avg 2" yrs	avg 4" yrs	tll	max	Lng-Trm	Long Term										
			..Current at 2"Current at 4"Long Term.....Long Term.....Long Term.....Long Term.....	mi	m/h	avg yrs	<65	>65									
09/01	(245-t)		59.1	72.7	89.0	59.2	68.2	78.0	72.5	7	69.8	7	147	11.4	101	7	0	1	18	0	6	20
09/02	(246-f)		64.1	74.4	87.3	62.9	69.9	77.4	74.9	7	71.5	7	115	12.4	105	7	0	5	20	0	6	22
09/03	(247-s)		65.9	68.2	71.8	63.7	66.1	69.0	73.0	7	70.6	7	68	8.3	105	6	0	0	16	0	5	21
09/04	(248-s)		61.9	69.6	82.6	62.0	66.0	72.9	74.1	7	71.0	7	121	14.5	106	7	0	0	16	0	6	21
09/05	(249-m)		55.1	64.3	73.4	57.1	62.0	66.2	72.9	7	70.4	7	102	10.2	113	7	8	0	12	0	5	20
09/06	(250-t)		49.2	61.8	75.1	50.7	59.1	66.7	72.5	7	69.7	7	70	9.8	101	7	14	0	9	0	4	20
09/07	(251-w)		52.0	63.8	77.4	52.3	60.4	69.1	72.9	7	70.2	7	73	8.8	87	7	11	0	10	0	3	20
09/08	(252-t)		54.7	65.7	77.9	54.4	62.1	70.0	73.8	7	70.6	7	127	14.2	87	7	4	0	12	0	3	21
09/09	(253-f)		59.9	68.4	79.0	58.6	64.4	71.2	74.1	7	71.0	7	118	11.4	95	7	0	0	14	0	4	21
09/10	(254-s)		61.4	71.3	83.5	60.1	66.9	74.8	76.0	7	72.2	7	69	9.3	113	7	0	1	17	0	3	22
09/11	(255-s)		61.3	70.9	81.4	60.4	66.9	73.6	74.3	7	71.6	7	116	14.8	123	7	0	1	17	0	1	22
09/12	(256-m)		67.0	71.2	77.4	64.6	67.4	70.6	71.6	7	69.5	7	114	31.0	102	7	0	4	17	0	1	20
09/13	(257-t)		63.2	71.5	81.6	63.2	67.7	73.2	71.5	7	69.0	7	104	8.7	96	7	0	3	18	0	2	19
09/14	(258-w)		57.0	68.6	83.3	57.2	65.0	74.0	70.9	7	68.4	7	54	8.0	75	7	3	0	15	0	1	18
09/15	(259-t)		56.6	66.1	79.1	56.6	63.1	71.1	69.3	7	67.2	7	185	16.0	97	7	4	0	13	0	0	17
09/16	(260-f)		55.9	67.6	83.2	55.7	63.6	72.5	68.3	7	66.4	7	167	13.0	118	7	0	0	14	1	0	16
09/17	(261-s)		66.1	70.4	79.7	63.4	66.3	71.8	67.8	7	65.6	7	105	8.3	111	7	0	4	16	0	0	16
09/18	(262-s)		63.0	70.7	80.9	61.2	66.4	72.5	69.5	7	66.7	7	118	11.1	115	7	0	5	16	0	1	17
09/19	(263-m)		66.5	69.6	74.0	63.8	65.9	67.9	70.5	7	67.6	7	162	16.5	88	7	0	5	16	0	1	18
09/20	(264-t)		60.3	67.8	76.6	60.2	64.6	69.6	69.4	7	67.1	7	188	19.4	108	7	0	0	15	0	1	17
09/21	(265-w)		55.3	60.9	66.5	55.4	58.9	61.9	66.3	7	64.8	7	70	7.4	85	7	9	0	9	0	0	15
09/22	(266-t)		54.3	63.9	73.2	53.8	60.1	65.6	65.5	7	63.7	7	166	14.8	98	7	1	0	10	1	0	14
09/23	(267-f)		61.3	67.4	74.0	60.4	63.6	67.6	65.1	7	63.3	7	149	14.6	114	7	0	3	14	3	0	13
09/24	(268-s)		58.3	61.4	67.5	57.0	59.0	62.1	63.1	7	61.8	7	131	14.0	96	7	8	0	9	5	0	12
09/25	(269-s)		54.2	65.3	80.5	53.8	61.3	70.8	65.6	7	62.9	7	72	9.3	91	7	6	0	11	4	0	13
09/26	(270-m)		52.8	66.1	83.6	53.1	62.1	72.5	65.5	7	63.4	7	75	8.8	81	7	5	0	12	4	0	13
09/27	(271-t)		54.0	66.7	83.4	54.2	62.8	72.5	63.7	7	61.9	7	78	10.9	64	6	4	0	13	3	0	12
09/28	(272-w)		56.0	67.9	85.4	55.7	63.7	73.3	65.2	7	62.6	7	101	10.9	80	7	2	0	14	5	0	13
09/29	(273-t)		59.5	70.3	85.2	58.2	65.6	74.1	65.2	7	62.9	7	122	10.2	125	7	0	1	16	4	0	13
09/30	(274-f)		64.7	68.8	77.2	62.5	65.1	69.1	64.3	7	62.4	7	102	12.2	114	7	0	2	15	6	0	12
Column Min's:			49.2	60.9	66.5	50.7	58.9	61.9	63.1		61.8		54	7.4	64		0	0	9	0	0	12
Column Avg's:			59.0	67.8	79.0	58.4	64.1	70.7	69.6		67.2		113	12.3	100		3	1	14	1	1	2
Column Max's:			67.0	74.4	89.0	64.6	69.9	78.0	76.0		72.2		188	31.0	125		14	5	20	6	6	22
Column Ttl's:													3389		2994		79	35	424	36	53	518

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE mo da jul	S O I L ..Current at 2".. min avg max		T E M P E R A T U R E ..Current at 4".. min avg max		(degrees Fahrenheit)Long Term..... avg 2" yrs avg 4" yrs		W I N D ttl mi		L n g - T r m avg yrs		D E G R E E Air Air Soil <65 >65 >50		D A Y S Long Term <65 >65 >50							
	min	avg	max	min	avg	max	avg 2" yrs	avg 4" yrs	mi	m/h	Lng-Trm avg yrs	<65	>65	>50	<65	>65	>50			
10/01 (275-s)	62.2	66.7	71.2	60.4	63.3	65.9	61.6	7	60.4	7	139	16.2	87	7	0	2	13	5	0	10
10/02 (276-s)	57.3	66.0	75.0	58.3	62.8	67.4	62.3	7	60.3	7	148	16.2	102	7	4	0	13	5	0	10
10/03 (277-m)	51.7	59.3	73.1	52.5	57.3	64.6	62.7	6	60.9	6	148	16.2	102	7	4	0	13	5	0	10
10/04 (278-t)	45.5	55.5	68.5	47.2	53.7	60.9	61.6	7	59.8	7	114	13.7	132	7	20	0	4	7	0	10
10/05 (279-w)	45.8	54.1	68.4	47.1	52.0	60.0	60.3	7	58.8	7	102	9.8	139	7	22	0	2	8	0	9
10/06 (280-t)	41.7	53.5	68.2	43.2	51.1	59.0	58.8	7	57.6	7	63	8.9	109	7	22	0	1	8	0	8
10/07 (281-f)	47.0	57.1	72.6	47.1	53.8	62.9	58.0	7	56.8	7	73	9.3	118	7	19	0	4	8	0	7
10/08 (282-s)	45.5	55.3	69.7	45.9	52.5	59.9	59.6	7	57.4	7	82	11.9	122	7	20	0	3	9	0	7
10/09 (283-s)	50.7	56.3	67.3	49.5	53.4	58.8	60.1	7	58.2	7	126	12.5	126	7	14	0	3	9	0	8
10/10 (284-m)	48.1	55.1	64.6	47.8	52.3	57.1	60.5	7	58.4	7	232	23.3	144	7	14	0	2	10	0	8
10/11 (285-t)	42.8	51.5	64.9	43.8	49.8	56.6	58.3	7	57.0	7	131	14.5	135	7	21	0	0	9	0	7
10/12 (286-w)	37.3	44.1	53.8	39.0	43.4	47.9	57.5	7	56.0	7	75	9.6	111	7	30	0	0	9	0	6
10/13 (287-t)	34.6	45.6	62.1	35.8	43.5	53.6	57.4	7	55.9	7	59	9.0	99	7	30	0	0	9	0	6
10/14 (288-f)	36.7	49.3	64.9	37.6	46.1	56.0	55.3	7	54.5	7	174	16.5	142	7	19	0	0	9	0	5
10/15 (289-s)	45.2	53.2	65.4	44.3	49.7	56.3	55.9	7	54.6	7	164	16.6	119	7	11	0	0	10	0	5
10/16 (290-s)	46.0	52.3	58.6	45.3	49.3	52.5	55.3	7	53.9	7	204	22.8	121	6	13	0	0	10	0	4
10/17 (291-m)	53.9	57.5	61.6	50.7	53.3	56.0	56.2	7	54.7	7	189	22.5	94	6	5	0	3	11	0	5
10/18 (292-t)	48.5	57.7	64.1	48.5	54.7	58.1	56.2	7	54.6	7	162	36.9	121	7	12	0	5	12	0	5
10/19 (293-w)	42.0	50.6	65.2	42.8	48.5	56.1	55.8	7	54.3	7	55	9.9	134	7	22	0	0	13	0	4
10/20 (294-t)	39.2	49.2	61.5	40.1	46.7	53.4	52.8	7	52.3	7	80	8.4	148	7	22	0	0	14	0	2
10/21 (295-f)	46.6	48.4	51.5	44.9	46.2	47.6	52.2	7	51.2	7	120	9.6	149	7	20	0	0	13	0	1
10/22 (296-s)	40.7	47.8	56.2	41.8	45.6	50.0	52.0	7	50.9	7	124	11.3	119	7	22	0	0	12	0	1
10/23 (297-s)	36.2	41.9	46.8	37.0	40.5	43.5	52.7	7	51.1	7	159	17.5	117	7	25	0	0	12	0	1
10/24 (298-m)	36.2	41.3	44.8	37.0	39.9	41.3	53.4	7	51.9	7	182	15.6	137	7	27	0	0	14	0	2
10/25 (299-t)	34.7	41.6	55.3	34.5	39.5	46.9	50.5	7	49.9	7	177	15.7	128	7	25	0	0	16	0	0
10/26 (300-w)	34.3	39.4	49.1	34.3	38.0	43.6	50.8	7	49.5	7	110	9.8	121	7	32	0	0	16	0	0
10/27 (301-t)	34.0	42.4	55.2	33.6	39.5	47.2	52.1	7	50.6	7	151	14.3	124	7	22	0	0	16	0	1
10/28 (302-f)	37.1	46.7	57.6	38.5	43.9	50.3	52.6	7	51.1	7	183	19.2	164	7	24	0	0	15	0	1
10/29 (303-s)	34.4	42.4	55.0	34.4	40.1	47.5	50.4	7	49.7	7	83	10.0	139	7	29	0	0	16	0	0
10/30 (304-s)	35.0	41.8	54.2	35.2	40.1	46.7	49.8	7	48.9	7	103	10.5	120	7	33	0	0	16	0	0
10/31 (305-m)	32.0	40.2	53.6	32.5	38.1	45.8	52.3	7	50.1	7	140	11.1	165	7	28	0	0	13	0	0
Column Min's:	32.0	39.4	44.8	32.5	38.0	41.3	49.8		48.9		59	8.4	87		0	0	0	5	0	0
Column Avg's:	42.7	50.4	61.3	42.9	48.0	54.0	56.0		54.6		130	14.4	126		20	0	2	11	0	5
Column Max's:	62.2	66.7	75.0	60.4	63.3	67.4	62.7		60.9		232	36.9	165		33	2	13	16	0	11
Column Ttl's:									4023		623	2	60		341	2	60	341	0	144

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.