

DATE	SOIL T E M P E R A T U R E (degrees Fahrenheit)		C U R R E N T at 4"		L O N G T E R M.....		W I N D	D E G R E E		D A Y S					
	min	max	min	max	avg 2" yrs	avg 4" yrs		tll	max	Lng-Trm	Air	Soil	<65	>65	>50
01/01 (001-f)	32.1	32.7	32.9	34.9	35.9	36.6	268	22.0	188	7	44	0	0	36	0
01/02 (002-s)	28.5	30.3	32.1	34.4	32.8	33.9	150	13.3	146	7	48	0	0	37	0
01/03 (003-s)	28.0	29.8	31.4	33.1	32.6	33.5	92	13.6	162	7	42	0	0	37	0
01/04 (004-m)	31.0	31.4	31.6	33.0	33.3	34.1	333	31.5	206	7	46	0	0	39	0
01/05 (005-t)	30.0	30.7	31.1	33.1	32.5	33.5	277	19.7	220	7	63	0	0	39	0
01/06 (006-w)	28.7	29.8	30.7	32.8	32.3	33.3	133	14.8	170	7	62	0	0	37	0
01/07 (007-t)	28.2	29.5	30.6	31.8	32.3	33.2	108	14.0	198	7	57	0	0	38	0
01/08 (008-f)	25.6	30.0	31.5	32.5	31.8	32.8	82	8.3	174	7	48	0	0	39	0
01/09 (009-s)	23.8	27.0	30.5	31.8	31.1	32.4	131	12.4	138	6	49	0	0	39	0
01/10 (010-s)	22.5	26.3	31.1	31.8	32.1	33.1	79	9.0	151	6	51	0	0	40	0
01/11 (011-m)	22.1	26.6	31.2	31.9	31.4	32.6	174	16.5	223	7	43	0	0	39	0
01/12 (012-t)	27.8	30.0	31.6	32.3	31.6	32.4	258	25.0	236	7	27	0	0	40	0
01/13 (013-w)	28.0	31.1	31.8	32.4	32.0	32.7	251	27.7	180	7	42	0	0	39	0
01/14 (014-t)	25.1	27.3	30.5	31.6	32.1	33.0	102	9.7	170	7	52	0	0	38	0
01/15 (015-f)	25.0	27.7	31.1	31.8	32.5	33.4	158	13.8	161	7	42	0	0	39	0
01/16 (016-s)	26.5	29.3	31.7	32.3	32.0	32.8	240	19.8	174	7	27	0	0	40	0
01/17 (017-s)	31.7	31.8	32.0	32.4	31.7	32.5	182	15.7	168	6	22	0	0	39	0
01/18 (018-m)	32.0	32.6	33.5	32.7	33.2	33.5	193	24.2	151	7	27	0	0	38	0
01/19 (019-t)	31.8	32.0	32.0	32.7	33.1	33.6	148	13.4	177	7	32	0	0	39	0
01/20 (020-w)	31.8	36.3	41.6	34.9	33.0	33.1	281	26.8	221	7	16	0	0	38	0
01/21 (021-t)	32.2	32.4	33.4	33.8	32.2	32.9	216	19.7	188	7	35	0	0	37	0
01/22 (022-f)	32.3	32.3	32.3	33.4	32.4	33.2	119	12.1	166	6	40	0	0	36	0
01/23 (023-s)	32.3	32.3	32.3	33.4	32.5	33.0	181	16.4	219	7	36	0	0	38	0
01/24 (024-s)	32.3	32.3	32.3	33.4	31.6	32.4	250	19.5	222	7	33	0	0	38	0
01/25 (025-m)	32.0	32.1	32.3	33.4	31.2	32.0	126	22.3	188	7	39	0	0	38	0
01/26 (026-t)	32.1	32.1	32.2	33.3	31.6	32.4	262	25.0	170	7	56	0	0	40	0
01/27 (027-w)	32.2	32.2	32.3	33.4	31.6	32.3	178	18.4	180	7	51	0	0	41	0
01/28 (028-t)	32.2	32.3	32.3	33.5	31.8	32.5	128	12.0	169	7	47	0	0	41	0
01/29 (029-f)	32.2	32.3	32.3	33.4	31.7	32.4	152	14.2	135	7	31	0	0	40	0
01/30 (030-s)	32.2	33.2	33.4	33.9	32.8	33.3	254	21.4	182	7	16	0	0	40	0
01/31 (031-s)	33.8	40.0	45.6	34.6	33.6	33.8	225	23.2	162	7	13	0	0	40	0
Column Min's:	22.1	26.3	30.5	27.1	29.5	31.6	79	8.3	135		13	0	0	36	0
Column Avg's:	29.5	31.2	32.7	31.9	32.6	33.3	185	17.9	180		40	0	0	39	0
Column Max's:	33.8	40.0	45.6	34.6	38.4	42.0	333	31.5	236		63	0	0	41	0
Column Ttl's:							5731	5595			1237	0	0	1199	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These 'unofficial' data are provided as a public service.

DATE

mo	da	jul	S O I L		T E M P E R A T U R E		W I N D		D E G R E E		D A Y S								
			..Current at 2" min	..Current at 2" max	..Current at 4" min	..Current at 4" max	avg 2" yrs	avg 4" yrs	ttl	max	Lng-Trm	avg yrs	Air <65	Air Soil >50	Long Term <65	>65	>50		
02/01	(032-m)	41.8	43.5	44.6	41.1	42.1	42.9	34.1	7	34.3	7	89	11.6	152	7	16	0	0	0
02/02	(033-t)	33.3	35.3	44.0	35.2	37.3	43.0	34.4	7	35.0	7	192	16.3	155	7	36	0	0	0
02/03	(034-w)	33.1	33.5	34.1	34.7	35.0	35.3	33.6	7	34.4	7	92	8.3	166	7	36	0	0	0
02/04	(035-t)	33.1	33.2	33.4	34.6	34.7	34.8	34.0	7	34.5	7	158	12.0	161	7	43	0	0	0
02/05	(036-f)	32.8	33.1	33.4	34.3	34.6	34.7	34.3	7	34.8	7	283	22.0	135	7	55	0	0	0
02/06	(037-s)	32.6	32.7	32.9	33.9	34.1	34.3	33.2	7	33.9	7	241	22.0	199	7	65	0	0	0
02/07	(038-s)	32.5	32.5	32.7	33.8	33.9	34.0	32.3	7	33.0	7	245	20.7	223	7	51	0	0	0
02/08	(039-m)	32.5	32.5	32.5	33.7	33.7	33.8	32.1	7	32.8	7	121	16.0	173	7	45	0	0	0
02/09	(040-t)	32.4	32.5	32.5	33.6	33.7	33.8	32.5	7	33.2	7	154	13.8	152	7	39	0	0	0
02/10	(041-w)	32.4	32.4	32.5	33.5	33.6	33.7	32.4	7	33.0	7	138	10.8	143	7	42	0	0	0
02/11	(042-t)	32.3	32.4	32.5	33.4	33.6	33.7	32.5	7	33.1	7	113	9.5	140	7	37	0	0	0
02/12	(043-f)	32.3	32.4	32.5	33.4	33.5	33.6	33.6	7	34.0	7	284	21.1	159	7	48	0	0	0
02/13	(044-s)	32.4	32.4	32.5	33.5	33.5	33.6	34.1	7	34.6	7	291	21.6	200	7	54	0	0	0
02/14	(045-s)	32.3	32.4	32.5	33.4	33.5	33.5	33.8	7	34.4	7	161	15.5	168	7	40	0	0	0
02/15	(046-m)	32.3	32.3	32.4	33.2	33.4	33.5	33.2	7	33.8	7	284	25.2	193	7	30	0	0	0
02/16	(047-t)	32.3	32.3	32.4	33.4	33.4	33.5	33.6	7	34.2	7	200	16.9	157	7	37	0	0	0
02/17	(048-w)	32.2	32.7	35.1	33.4	33.7	34.7	34.3	7	34.7	7	142	13.8	190	7	29	0	0	0
02/18	(049-t)	32.3	34.5	44.2	33.4	34.7	38.9	35.3	7	35.3	7	63	7.6	126	7	31	0	0	0
02/19	(050-f)	32.5	33.9	36.7	33.5	34.4	36.2	36.8	7	36.8	7	138	19.6	158	7	28	0	0	0
02/20	(051-s)	32.5	34.0	38.7	33.8	34.8	36.8	36.1	7	36.2	7	325	30.5	158	7	34	0	0	0
02/21	(052-s)	30.5	31.9	32.5	33.1	33.3	33.8	35.4	7	35.6	7	226	20.9	151	7	49	0	0	0
02/22	(053-m)	30.5	31.7	33.7	32.9	33.0	33.1	35.8	7	35.7	7	366	29.2	157	7	22	0	0	0
02/23	(054-t)	32.3	34.4	41.5	33.0	34.6	38.1	37.2	7	37.2	7	232	18.9	162	7	32	0	0	0
02/24	(055-w)	32.2	32.3	32.5	33.4	33.5	33.9	37.5	7	37.5	7	254	22.5	178	7	41	0	0	0
02/25	(056-t)	32.2	32.2	32.3	33.3	33.4	33.4	34.4	7	34.9	7	172	15.9	160	7	45	0	0	0
02/26	(057-f)	32.1	32.2	32.3	33.3	33.4	33.4	34.1	7	34.4	7	238	21.8	260	7	36	0	0	0
02/27	(058-s)	32.1	32.2	32.3	33.3	33.3	33.4	34.2	7	34.3	7	195	17.3	270	7	35	0	0	0
02/28	(059-s)	32.0	32.2	33.1	33.2	33.4	33.8	35.3	7	35.3	7	129	15.2	147	7	34	0	0	0
02/29	(060-m)	32.3	35.4	45.8	33.4	35.3	40.0	34.1	2	34.6	2	156	15.0	209	2	29	0	0	0
Column Min's:		30.5	31.7	32.3	32.9	33.0	33.1	32.1		32.8		63	7.6	126		16	0	0	0
Column Avg's:		32.6	33.3	35.1	33.9	34.3	35.2	34.3		34.7		196	17.6	172		39	0	0	0
Column Max's:		41.8	43.5	45.8	41.1	42.1	43.0	37.5		37.5		366	30.5	270		65	0	0	0
Column Ttl's:												5682		5002		1119	0	0	1081

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	precip	liq	evap	hum	precip	liq	max	avg
11/01 (306-t)	37.9	43.3	21.0	39.0	0.00	0.00	0.00	73	0.00	0.00	204	0.95
11/02 (307-w)	29.6	38.9	17.0	37.4	0.03	0.00	0.00	92	0.03	0.00	34	0.13
11/03 (308-t)	23.7	41.5	15.0	34.9	0.48	0.00	0.00	85	0.48	0.00	243	0.78
11/04 (309-f)	50.5	58.9	17.0	35.3	0.14	0.00	0.00	82	0.14	0.00	135	0.82
11/05 (310-s)	44.1	52.7	18.0	34.7	1.07	0.00	0.00	92	1.07	0.00	34	0.27
11/06 (311-s)	31.6	35.8	18.0	33.4	0.09	0.00	0.00	95	0.09	0.00	45	0.31
11/07 (312-m)	32.3	36.6	13.0	34.0	0.01	0.00	0.00	96	0.01	0.00	73	0.36
11/08 (313-t)	33.2	41.6	18.0	34.4	0.09	0.00	0.00	95	0.09	0.00	35	0.39
11/09 (314-w)	38.8	45.3	18.0	33.8	0.00	0.00	0.00	84	0.00	0.00	189	0.76
11/10 (315-t)	40.8	50.4	20.0	32.5	0.29	0.00	0.00	85	0.29	0.00	65	0.82
11/11 (316-f)	25.3	36.4	16.0	33.4	0.00	0.00	0.00	85	0.00	0.00	110	0.90
11/12 (317-s)	25.0	40.1	12.0	31.9	0.03	0.00	0.00	73	0.03	0.00	179	0.89
11/13 (318-s)	40.1	44.5	10.0	32.3	0.47	0.00	0.00	90	0.47	0.00	94	0.74
11/14 (319-m)	37.3	47.1	10.4	31.1	0.00	0.00	0.00	82	0.00	0.00	208	0.81
11/15 (320-t)	31.7	49.5	12.0	32.7	0.00	0.00	0.00	73	0.00	0.00	197	0.68
11/16 (321-w)	36.7	55.6	1.0	33.3	0.13	0.00	0.00	71	0.13	0.00	61	0.61
11/17 (322-t)	31.7	36.6	5.0	32.0	0.00	0.00	0.00	70	0.00	0.00	235	0.70
11/18 (323-f)	28.7	40.0	8.0	32.6	0.00	0.00	0.00	68	0.00	0.00	211	0.67
11/19 (324-s)	40.1	43.5	13.0	32.3	0.12	0.00	0.00	83	0.12	0.00	31	0.15
11/20 (325-s)	38.8	46.6	11.0	31.4	0.64	0.00	0.00	98	0.64	0.00	53	0.59
11/21 (326-m)	34.9	37.2	12.0	31.3	0.00	0.00	0.00	90	0.00	0.00	44	0.35
11/22 (327-t)	26.0	34.8	10.0	30.7	0.00	0.00	0.00	83	0.00	0.00	73	0.32
11/23 (328-w)	20.1	30.1	10.0	29.4	0.00	0.00	0.00	92	0.00	0.00	174	0.65
11/24 (329-t)	20.7	33.8	7.0	28.9	0.00	0.00	0.00	85	0.00	0.00	215	0.76
11/25 (330-f)	26.4	42.1	6.0	26.8	0.00	0.00	0.00	80	0.00	0.00	138	0.58
11/26 (331-s)	48.2	57.3	7.0	29.3	0.00	0.00	0.00	67	0.00	0.00	120	0.58
11/27 (332-s)	37.4	52.7	1.0	28.7	0.09	0.00	0.00	83	0.09	0.00	45	0.82
11/28 (333-m)	30.0	33.1	1.0	27.6	0.00	0.00	0.00	90	0.00	0.00	46	0.72
11/29 (334-t)	25.3	33.1	1.0	25.6	0.00	0.00	0.00	81	0.00	0.00	172	0.68
11/30 (335-w)	33.3	37.6	-2.0	26.1	0.00	0.00	0.00	79	0.00	0.00	23	0.12
Column Min's:	20.1	30.1	-2.0	25.6	0.00	0.00	0.00	67	0.00	0.00	23	0.12
Column Avg's:	33.3	42.6	31.8	31.8	0.12	0.03	0.04	83	0.12	0.03	116	0.60
Column Max's:	50.5	58.9	59.3	49.3	1.07	0.98	1.07	98	1.07	0.98	243	0.95
Column Tot's:				80.0	3.68	0.98	3.68	2.82	3.68	0.98	3486	3624

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
12/01 (336-t)	25.6	30.5	3.0	29.29	0.00	0.51	51	0.28
12/02 (337-f)	22.6	29.2	-2.0	1976	0.00	0.00	186	0.63
12/03 (338-s)	29.6	39.8	-6.0	1976	0.00	0.00	196	0.60
12/04 (339-s)	27.1	30.8	3.0	1966	0.00	0.00	190	0.64
12/05 (340-m)	27.8	35.6	6.0	1974	0.00	0.00	146	0.63
12/06 (341-t)	32.2	42.1	6.0	1974	0.00	0.00	192	0.59
12/07 (342-w)	31.6	38.9	-0.0	1977	0.00	0.00	91	0.67
12/08 (343-t)	19.2	29.2	4.0	1942	0.00	0.00	117	0.77
12/09 (344-f)	21.5	24.0	-8.0	1917	0.00	0.00	96	0.77
12/10 (345-s)	11.8	21.7	-10.0	1958	0.00	0.98	60	0.23
12/11 (346-s)	2.8	11.1	-14.0	1958	0.01	0.00	196	0.79
12/12 (347-m)	-0.4	11.5	-10.0	1962	0.00	0.98	219	0.96
12/13 (348-t)	19.1	26.5	-7.0	1962	0.02	0.04	60	0.30
12/14 (349-w)	25.7	37.0	-4.0	1958	0.00	0.00	80	0.40
12/15 (350-t)	13.6	26.9	-10.0	1917	0.00	0.00	124	0.81
12/16 (351-f)	9.7	17.3	-13.0	1951	0.00	2.01	185	0.80
12/17 (352-s)	16.1	19.2	-12.0	1951	0.01	0.04	117	0.79
12/18 (353-s)	15.9	19.4	-8.0	1945	0.00	0.04	108	0.51
12/19 (354-m)	21.8	36.5	-10.0	1922	0.00	0.00	187	0.64
12/20 (355-t)	47.4	52.0	-9.0	1901	0.00	0.00	54	0.52
12/21 (356-w)	30.2	37.5	-11.0	1901	0.01	0.00	51	0.23
12/22 (357-t)	25.3	34.7	-8.0	1944	0.00	0.00	183	0.62
12/23 (358-f)	33.7	46.6	-8.0	1960	0.19	0.00	185	0.59
12/24 (359-s)	26.3	37.4	-14.1	1983	0.21	0.00	24	0.30
12/25 (360-s)	24.1	31.0	-13.4	1983	0.00	0.00	60	0.80
12/26 (361-m)	17.1	25.1	-9.2	1983	0.00	0.04	106	0.57
12/27 (362-t)	28.8	44.8	-16.0	1950	0.20	0.00	143	0.61
12/28 (363-w)	15.9	29.0	-14.0	1950	0.74	0.00	52	0.34
12/29 (364-t)	11.3	17.0	-5.0	1961	0.00	0.00	144	0.61
12/30 (365-f)	6.4	20.0	-19.0	1917	0.00	0.00	157	0.81
12/31 (366-s)	16.5	25.6	-8.0	1935	0.00	0.00	88	0.36

Column Min's:	-0.4	11.1	19.4	-19.0	0.00	0.00	24	0.23
Column Avg's:	21.2	29.9	38.5	27.0	0.04	0.15	124	0.59
Column Max's:	47.4	52.0	58.5	34.3	0.74	2.01	219	0.96
Column Ttl's:				74.9	1.39	4.64	3848	2963

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		S O I L T E M P E R A T U R E (degrees Fahrenheit)				W I N D		D E G R E E		D A Y S									
mo	da	min	avg	max	..Current at 4"...	min	avg	maxLong Term.....	avg 2" yrs	avg 4" yrs	ttl	max	Lng-Trm	Air	Air Soil	Long Term		
												mi	m/h	avg yrs	<65	>50	<65	>50	
03/01	(061-t)	32.4	35.7	48.5	33.5	35.7	41.9	35.9	7	36.0	7	99	10.1	175	7	33	0	0	0
03/02	(062-w)	32.5	34.0	36.8	33.7	34.6	36.1	35.8	7	36.0	7	159	15.6	169	7	28	0	0	0
03/03	(063-t)	32.6	32.9	35.4	33.8	34.2	36.0	35.5	7	35.7	7	186	12.9	137	7	36	0	0	0
03/04	(064-f)	32.5	32.6	32.7	33.6	33.8	33.8	37.4	7	37.4	7	189	17.2	169	7	40	0	0	0
03/05	(065-s)	32.3	32.4	32.5	33.5	33.6	33.7	37.6	7	37.6	7	61	7.3	173	7	45	0	0	0
03/06	(066-s)	32.2	32.3	32.4	33.4	33.5	33.5	37.4	7	37.5	7	87	11.6	159	7	37	0	0	0
03/07	(067-m)	32.2	35.9	47.2	33.4	35.7	41.1	38.2	7	38.0	7	122	9.4	164	7	26	0	0	0
03/08	(068-t)	32.3	40.7	55.7	33.8	39.1	47.2	40.1	7	39.7	7	126	14.2	163	6	18	0	0	0
03/09	(069-w)	37.0	41.5	44.0	38.5	41.0	42.4	38.3	7	38.4	7	188	18.0	195	7	20	0	0	0
03/10	(070-t)	33.5	38.7	51.3	35.6	39.1	45.5	37.6	7	37.8	7	191	16.0	188	6	31	0	0	0
03/11	(071-f)	32.9	38.8	51.9	34.9	38.9	46.0	37.4	7	37.5	7	108	13.3	187	7	27	0	0	0
03/12	(072-s)	33.4	39.0	43.9	35.6	39.1	42.1	37.9	7	38.0	7	179	21.9	190	7	20	0	0	0
03/13	(073-s)	33.3	35.9	40.3	35.4	37.7	41.1	38.9	7	39.0	7	303	24.8	182	7	33	0	0	0
03/14	(074-m)	33.1	33.2	33.3	34.8	35.0	35.4	39.4	7	39.5	7	259	23.8	166	7	41	0	0	0
03/15	(075-t)	33.1	33.2	33.2	34.6	34.7	34.9	38.5	7	38.8	7	209	14.5	185	6	43	0	0	0
03/16	(076-w)	33.1	33.2	33.2	34.6	34.7	34.7	37.8	7	38.1	7	209	16.0	183	7	36	0	0	0
03/17	(077-t)	32.9	34.2	40.1	34.2	35.3	37.9	37.8	7	38.1	7	159	14.7	150	6	35	0	0	0
03/18	(078-f)	32.9	33.9	38.2	34.5	35.3	37.1	38.5	7	38.6	7	156	16.7	147	7	34	0	0	0
03/19	(079-s)	32.6	34.7	41.5	34.3	35.7	39.0	39.4	7	39.6	7	215	20.7	227	7	34	0	0	0
03/20	(080-s)	33.0	33.2	33.5	34.5	34.7	35.2	39.9	7	40.0	7	169	16.4	164	7	41	0	0	0
03/21	(081-m)	32.9	33.2	33.5	34.4	34.7	34.9	38.2	7	38.7	7	109	11.1	190	7	42	0	0	0
03/22	(082-t)	32.6	32.8	32.9	33.9	34.2	34.4	36.6	7	37.0	7	127	12.4	221	7	35	0	0	0
03/23	(083-w)	32.7	42.7	57.0	34.0	40.5	49.0	39.3	7	38.9	7	233	26.9	180	7	9	0	0	0
03/24	(084-t)	43.0	48.8	59.2	42.9	46.5	52.3	42.3	7	41.7	7	187	25.2	139	7	2	0	0	0
03/25	(085-f)	43.1	47.7	51.7	44.8	47.0	49.4	42.7	7	42.4	7	198	22.2	177	7	9	0	0	0
03/26	(086-s)	38.0	46.2	56.2	41.5	46.1	51.3	42.1	7	42.0	7	232	28.4	199	7	18	0	0	0
03/27	(087-s)	34.4	37.7	42.2	37.2	39.7	42.0	42.0	7	42.0	7	244	20.5	183	7	32	0	0	0
03/28	(088-m)	33.5	42.3	55.9	35.8	41.9	50.3	43.7	7	43.4	7	92	11.2	165	7	23	0	0	0
03/29	(089-t)	38.5	49.1	62.9	40.2	47.4	55.9	45.9	7	45.3	7	167	20.1	180	7	3	0	0	0
03/30	(090-w)	39.6	49.8	62.6	43.3	49.1	56.5	45.4	7	45.2	7	227	30.9	201	7	15	0	0	0
03/31	(091-t)	35.7	47.1	60.6	39.1	46.6	54.6	45.5	7	45.3	7	116	10.8	187	7	19	0	0	0
Column Min's:		32.2	32.3	32.4	33.4	33.5	33.5	35.5		35.7		61	7.3	137		2	0	0	0
Column Avg's:		34.3	38.2	44.5	36.0	38.6	42.1	39.5		39.5		171	17.3	177		28	0	0	0
Column Max's:		43.1	49.8	62.9	44.8	49.1	56.5	45.9		45.3		303	30.9	227		45	0	0	0
Column Ttl's:												5306		5495		865	0	0	853

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	precip	evap	ly	ly/m
04/01 (092-f)	44.9	50.7	7.0	19.23	0.04	0.01	123	0.66
04/02 (093-s)	50.7	58.6	15.0	19.07	0.00	0.07	174	1.14
04/03 (094-s)	52.8	60.3	17.0	19.65	1.33	0.36	108	1.31
04/04 (095-m)	43.3	52.3	18.0	19.64	0.00	0.13	294	1.54
04/05 (096-t)	38.8	61.3	19.0	19.03	0.00	0.25	490	1.20
04/06 (097-w)	45.5	60.1	17.9	19.82	0.02	0.15	148	1.06
04/07 (098-t)	38.2	40.0	12.6	19.82	0.16	0.05	40	0.15
04/08 (099-f)	33.2	38.3	11.8	19.82	0.00	0.07	219	1.62
04/09 (100-s)	30.1	43.4	15.0	19.72	0.00	0.14	570	1.25
04/10 (101-s)	32.0	50.4	13.0	19.09	0.00	0.19	535	1.22
04/11 (102-m)	39.6	54.6	17.0	19.09	0.00	0.22	540	1.28
04/12 (103-t)	41.3	56.1	20.0	19.67	0.00	0.17	515	1.35
04/13 (104-w)	41.6	57.1	19.0	19.50	0.00	0.15	476	1.26
04/14 (105-t)	44.6	56.4	12.0	19.04	0.00	0.19	369	1.54
04/15 (106-f)	32.9	41.3	21.0	19.26	0.02	0.01	223	1.50
04/16 (107-s)	28.3	40.3	19.0	19.28	0.00	0.09	239	1.60
04/17 (108-s)	40.9	55.7	21.0	19.04	0.01	0.36	571	1.26
04/18 (109-m)	35.9	48.5	-71.1	19.84	0.06	0.13	396	1.65
04/19 (110-t)	33.7	41.6	19.7	19.83	0.00	0.16	511	1.60
04/20 (111-w)	34.4	47.8	21.0	19.04	0.09	0.18	401	1.53
04/21 (112-t)	38.4	46.6	20.0	19.13	0.00	0.11	416	1.46
04/22 (113-f)	41.8	54.1	22.0	19.22	0.00	0.19	417	1.79
04/23 (114-s)	47.3	61.6	21.0	19.36	0.06	0.28	411	1.37
04/24 (115-s)	39.0	45.1	24.0	19.27	0.00	0.07	176	0.70
04/25 (116-m)	34.9	50.4	26.0	19.74	0.00	0.18	610	1.30
04/26 (117-t)	29.7	51.5	25.0	19.26	0.00	0.20	574	1.26
04/27 (118-w)	39.1	44.8	-112.2	19.82	0.02	0.17	260	1.63
04/28 (119-t)	36.5	39.7	24.0	19.34	0.36	0.10	112	1.48
04/29 (120-f)	38.6	44.4	24.0	19.77	0.02	0.06	232	1.59
04/30 (121-s)	36.5	50.2	25.0	19.31	0.00	0.20	588	1.41
Column Min's:	28.3	38.3	42.7	53.3	0.00	0.01	40	0.15
Column Avg's:	38.8	50.1	48.0	59.5	0.07	0.15	358	1.32
Column Max's:	52.8	61.6	54.3	65.9	1.33	0.36	610	1.79
Column Tot's:				90.0	2.19	4.64	10738	11245

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE

mo da jul	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
05/01 (122-s)	32.6	51.2	26.0	1978	0.00	0.22	621	1.60
05/02 (123-m)	33.3	51.7	26.0	1963	0.00	0.20	500	1.70
05/03 (124-t)	40.4	51.3	26.9	1986	0.00	0.21	577	1.42
05/04 (125-w)	33.6	50.6	26.5	1986	0.02	0.16	308	1.47
05/05 (126-t)	50.7	52.4	25.0	1900	0.30	0.05	62	0.36
05/06 (127-f)	49.2	59.2	25.0	1910	0.01	0.20	539	1.68
05/07 (128-s)	36.9	56.7	25.0	1970	0.00	0.25	627	1.34
05/08 (129-s)	39.2	65.5	29.0	1928	0.00	0.35	574	1.50
05/09 (130-m)	55.2	64.5	26.2	1983	0.38	0.32	336	1.71
05/10 (131-t)	53.2	61.4	24.0	1966	0.00	0.24	468	1.76
05/11 (132-w)	41.3	54.7	25.0	1913	0.00	0.21	644	1.56
05/12 (133-t)	37.4	60.2	26.0	1913	0.00	0.31	596	1.39
05/13 (134-f)	51.8	62.9	30.0	1928	0.05	0.26	424	1.34
05/14 (135-s)	45.4	58.3	31.0	1939	0.00	0.25	660	1.36
05/15 (136-s)	40.4	66.0	28.0	1910	0.06	0.30	593	1.27
05/16 (137-m)	50.5	64.4	29.1	1984	0.12	0.28	622	1.29
05/17 (138-t)	47.4	54.4	28.0	1929	0.00	0.15	354	1.50
05/18 (139-w)	52.2	54.9	30.0	1915	0.10	0.11	255	1.59
05/19 (140-t)	51.4	56.7	32.0	1925	0.13	0.05	161	1.57
05/20 (141-f)	52.1	59.1	31.0	1929	0.02	0.05	162	0.48
05/21 (142-s)	48.0	62.7	31.0	1905	0.00	0.14	494	1.44
05/22 (143-s)	52.0	68.6	31.0	1907	0.00	0.24	537	1.27
05/23 (144-m)	56.2	67.2	32.0	1932	0.07	0.18	438	1.40
05/24 (145-t)	44.8	60.7	27.0	1963	0.00	0.23	342	1.61
05/25 (146-w)	36.8	46.2	30.0	1925	0.00	0.12	391	1.80
05/26 (147-t)	32.9	56.2	30.0	1930	0.00	0.26	662	1.33
05/27 (148-f)	44.3	64.0	28.0	1915	0.00	0.21	666	1.32
05/28 (149-s)	44.4	65.9	32.0	1907	0.00	0.40	655	1.37
05/29 (150-s)	49.0	70.1	33.0	1949	0.00	0.26	560	1.36
05/30 (151-m)	59.0	75.3	31.0	1930	0.00	0.27	582	1.40
05/31 (152-t)	56.4	74.2	32.0	1930	0.00	0.34	637	1.31
Column Min's:	32.6	46.2	24.0	41.5	0.00	0.05	62	0.36
Column Avg's:	45.7	60.2	46.5	58.5	0.04	0.22	485	1.40
Column Max's:	59.0	75.3	75.8	97.0	0.38	0.40	666	1.80
Column Tot's:					1.26	6.82	15047	13631

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

A I R T E M P E R A T U R E (degrees Fahrenheit)

mo da julCurrent.....	Long Term.....	max year								
	min	avg	min	avg	avg yrs	max yrs							
06/01 (153-w)	57.1	74.6	89.6	34.0	1930	52.1	89	76.0	89	96.0	1934		
06/02 (154-t)	50.2	57.1	66.5	33.0	1966	52.7	88	64.1	88	75.5	88	95.0	1934
06/03 (155-f)	43.6	53.6	62.9	35.0	1977	51.5	88	63.5	88	75.3	88	96.0	1934
06/04 (156-s)	38.0	55.7	70.0	35.0	1929	51.4	89	64.3	89	77.1	89	98.0	1934
06/05 (157-s)	49.3	67.6	83.1	38.0	1936	53.8	89	65.7	89	77.6	89	97.0	1925
06/06 (158-m)	60.9	77.9	91.8	33.0	1945	53.6	89	66.2	89	78.8	89	95.0	1925
06/07 (159-t)	60.5	76.7	91.4	34.0	1945	54.6	89	66.1	89	77.6	89	93.0	1933
06/08 (160-w)	51.3	65.6	81.1	31.0	1912	53.7	89	65.4	88	77.2	88	96.0	1933
06/09 (161-t)	44.7	54.7	64.7	34.0	1913	53.4	89	65.9	89	78.1	89	95.0	1933
06/10 (162-f)	38.5	52.7	65.8	32.0	1913	53.5	89	66.1	89	78.6	89	94.0	1911
06/11 (163-s)	36.7	61.1	79.8	31.0	1972	54.3	89	66.6	89	78.7	89	94.0	1933
06/12 (164-s)	50.6	70.6	87.5	39.0	1913	55.3	89	67.2	89	79.1	89	93.0	1933
06/13 (165-m)	51.8	74.9	90.8	42.0	1913	55.8	89	67.4	89	79.0	89	92.2	1983
06/14 (166-t)	58.2	78.4	93.8	40.0	1923	56.1	89	67.8	89	79.4	89	93.8	1988
06/15 (167-w)	58.5	77.5	91.9	34.0	1933	55.6	89	67.2	89	78.9	89	95.0	1925
06/16 (168-t)	56.8	65.8	74.4	36.0	1908	55.3	88	66.9	88	78.5	89	93.0	1913
06/17 (169-f)	47.7	63.6	79.8	36.0	1914	55.1	89	67.2	89	79.2	89	92.0	1934
06/18 (170-s)	48.2	68.0	82.4	38.0	1950	55.9	88	67.7	87	79.5	87	95.0	1944
06/19 (171-s)	50.7	72.1	90.1	42.0	1909	56.5	89	68.4	89	80.2	89	94.0	1923
06/20 (172-m)	58.4	78.6	94.4	36.0	1914	56.3	89	68.5	88	80.5	88	95.0	1933
06/21 (173-t)	65.7	83.6	99.1	42.0	1940	57.1	89	68.9	89	80.6	89	99.1	1988
06/22 (174-w)	74.6	85.7	97.6	38.0	1963	56.8	89	68.7	89	80.6	89	97.6	1988
06/23 (175-t)	52.9	71.4	82.9	38.0	1963	56.4	89	68.6	89	80.7	89	94.0	1911
06/24 (176-f)	50.0	70.9	89.9	37.0	1915	56.2	89	69.1	89	81.7	89	95.0	1914
06/25 (177-s)	55.1	81.3	101.4	40.0	1979	57.5	89	69.9	89	82.0	89	101.4	1988
06/26 (178-s)	52.1	66.1	75.7	43.0	1922	57.7	89	69.9	89	81.9	89	99.0	1952
06/27 (179-m)	45.0	62.9	78.6	42.0	1927	58.2	89	69.9	89	81.8	89	95.0	1913
06/28 (180-t)	43.0	62.5	82.4	43.0	1988	58.8	89	70.4	89	82.0	89	97.0	1934
06/29 (181-w)	46.6	63.6	76.2	45.0	1905	59.4	89	71.0	89	82.6	89	97.0	1934
06/30 (182-t)	40.8	57.4	71.5	39.0	1923	59.1	88	70.7	88	82.4	88	96.0	1913

Column Min's: 36.7 52.7 62.9 31.0 51.4 63.5 75.2
 Column Avg's: 51.3 68.4 82.9 55.5 67.4 79.4 79.4
 Column Max's: 74.6 85.7 101.4 59.4 71.0 82.6 101.4
 Column Ttl's:

WATER BALANCE (inches)

prec snow evap hum % Long Term

ly ly/m max Long-Trm

avg pr yrs avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

avg yrs

0.00

0.30

0.08

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.41

0.21

0.15

0.24

0.36

0.36

0.38

0.36

0.38

0.36

0.32

0.21

0.29

0.38

0.38

0.38

0.28

0.10

0.27

0.28

0.35

0.42

0.40

0.54

0.40

0.40

0.49

0.28

0.28

0.20

0.32

0.28

0.28

0.15

0.17

0.12

0.15

0.10

0.10

0.10

0.17

0.11

0.15

0.08

0.11

0.10

0.12

56

73

77

63

46

48

47

60

55

58

51

43

46

47

51

86

67

57

51

50

49

42

55

40

40

47

60

53

63

56

58

40

40

40

47

15

17

12

15

10

10

11

08

08

08

08

08

608

373

326

600

668

594

627

DATE	AIR TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	prec	evap	ly	ly/m
07/01 (183-f)	39.0	59.3	0.00	0.27	559	1.68
07/02 (184-s)	41.0	64.1	0.00	0.39	651	1.50
07/03 (185-s)	46.7	71.0	0.00	0.36	676	1.40
07/04 (186-m)	51.7	76.0	0.00	0.36	640	1.33
07/05 (187-t)	57.1	79.1	0.00	0.37	600	1.32
07/06 (188-w)	59.6	80.9	0.00	0.37	599	1.29
07/07 (189-t)	61.3	82.4	0.00	0.41	564	1.33
07/08 (190-f)	63.8	83.0	0.00	0.36	501	1.29
07/09 (191-s)	64.5	82.0	0.00	0.37	545	1.41
07/10 (192-s)	64.3	78.0	0.11	0.30	352	1.23
07/11 (193-m)	67.6	76.1	0.01	0.27	473	1.56
07/12 (194-t)	58.6	73.5	0.00	0.33	534	1.61
07/13 (195-w)	54.6	74.7	0.00	0.31	534	1.39
07/14 (196-t)	69.7	80.5	0.00	0.40	459	1.45
07/15 (197-f)	62.9	81.2	0.00	0.34	597	1.34
07/16 (198-s)	67.7	86.1	0.00	0.47	529	1.38
07/17 (199-s)	66.6	77.1	0.01	0.20	329	1.73
07/18 (200-m)	63.1	74.5	1.52	0.10	324	1.83
07/19 (201-t)	70.0	75.0	0.00	0.10	232	1.56
07/20 (202-w)	64.4	69.7	0.45	0.47	123	0.42
07/21 (203-t)	60.6	71.3	1.19	0.23	445	1.52
07/22 (204-f)	58.1	70.5	1.55	0.70	469	1.44
07/23 (205-s)	62.6	69.1	0.19	0.17	364	1.53
07/24 (206-s)	60.6	71.0	0.01	0.25	563	1.45
07/25 (207-m)	59.6	70.2	0.12	0.28	441	1.36
07/26 (208-t)	60.8	71.8	0.20	0.20	493	1.45
07/27 (209-w)	61.7	73.3	0.00	0.26	552	1.37
07/28 (210-t)	62.0	73.5	0.00	0.26	460	1.63
07/29 (211-f)	69.6	80.4	0.00	0.29	567	1.27
07/30 (212-s)	66.7	76.0	0.39	0.36	410	1.29
07/31 (213-s)	62.2	72.7	0.00	0.21	432	1.47

Column Min's:	Column Avg's:	Column Max's:	Column Tot's:
39.0	59.3	76.2	123
60.6	75.0	90.0	484
70.0	86.1	103.3	676

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		S O L A R R A D I A T I O N	
	min	max	min	max	prec	evap	ly	ly/m
08/01 (214-m)	60.3	76.0	44.0	58.5	0.00	0.25	537	1.31
08/02 (215-t)	69.5	79.9	46.0	58.9	0.00	0.27	522	1.23
08/03 (216-w)	67.2	80.9	43.0	59.6	0.00	0.25	518	1.12
08/04 (217-t)	73.2	81.1	42.0	59.2	0.00	0.32	552	1.23
08/05 (218-f)	69.5	78.2	41.0	58.6	0.31	0.25	385	1.22
08/06 (219-s)	68.4	75.2	45.0	59.4	0.00	0.21	385	1.42
08/07 (220-s)	61.4	74.6	47.0	59.1	0.00	0.30	596	1.26
08/08 (221-m)	61.9	75.7	43.0	60.7	0.00	0.30	583	1.36
08/09 (222-t)	62.1	75.4	42.0	60.0	0.00	0.30	559	1.31
08/10 (223-w)	66.5	76.3	40.0	59.9	0.00	0.19	367	1.15
08/11 (224-t)	68.1	77.7	43.0	58.6	0.04	0.24	444	1.10
08/12 (225-f)	69.5	80.0	40.0	57.7	0.00	0.23	455	1.15
08/13 (226-s)	71.2	80.7	41.0	57.8	0.00	0.30	475	1.15
08/14 (227-s)	72.4	81.3	43.0	58.3	0.00	0.34	482	1.39
08/15 (228-m)	66.4	76.0	39.0	57.8	0.02	0.21	390	1.25
08/16 (229-t)	60.4	74.7	40.0	58.8	0.01	0.25	463	1.44
08/17 (230-w)	67.4	81.5	44.0	59.2	0.00	0.32	483	1.20
08/18 (231-t)	66.1	74.9	43.0	58.1	0.89	0.41	380	1.56
08/19 (232-f)	60.7	65.7	41.0	57.6	0.12	0.04	147	0.47
08/20 (233-s)	57.7	68.6	41.0	57.0	0.01	0.24	502	1.31
08/21 (234-s)	53.2	64.9	40.0	56.8	0.00	0.21	444	1.37
08/22 (235-m)	46.2	61.6	40.9	56.3	0.00	0.18	479	1.60
08/23 (236-t)	56.4	65.2	42.0	56.3	0.65	0.12	73	0.57
08/24 (237-w)	60.4	68.1	40.0	56.1	0.00	0.23	409	1.52
08/25 (238-t)	56.1	67.4	37.0	55.1	0.13	0.31	491	1.19
08/26 (239-f)	54.5	64.4	41.0	55.1	0.02	0.21	528	1.43
08/27 (240-s)	49.9	67.5	38.0	56.8	0.01	0.34	377	1.38
08/28 (241-s)	62.4	66.4	41.0	56.8	0.00	0.07	81	0.35
08/29 (242-m)	49.4	62.1	35.7	56.6	0.24	0.15	258	1.41
08/30 (243-t)	46.4	59.1	36.0	56.4	0.00	0.16	441	1.48
08/31 (244-w)	44.3	60.4	36.0	55.9	0.00	0.18	516	1.21
Column Min's:	44.3	59.1	35.7	55.1	0.00	0.04	73	0.35
Column Avg's:	61.3	72.3	67.7	69.9	0.11	0.24	430	1.23
Column Max's:	73.2	81.5	84.0	81.9	0.95	0.41	596	1.60
Column Totals:			105.0		3.40	7.38	13322	13052

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	max	evap	prec	ly	max Lng-Trm avg yrs											
09/01 (245-t)	48.9	65.1	40.0	80.5	68.3	89	80.5	89	97.0	1953	0.00	0.22	70	0.08	82	487	1.22	402	7
09/02 (246-f)	52.1	67.5	38.0	82.3	68.1	89	80.5	89	99.0	1953	0.00	0.18	74	0.18	83	429	1.10	362	7
09/03 (247-s)	63.9	66.1	36.0	68.3	68.0	89	79.9	89	99.0	1953	2.04	0.39	86	0.14	84	69	0.37	358	7
09/04 (248-s)	59.5	65.6	39.0	71.8	68.1	89	79.9	89	96.0	1953	0.21	0.22	83	0.13	80	265	1.57	402	7
09/05 (249-m)	43.4	55.8	37.0	62.6	66.6	89	78.7	89	99.0	1954	0.10	0.10	83	0.13	86	257	1.71	396	7
09/06 (250-t)	40.5	51.0	36.0	63.6	66.5	89	78.6	89	97.0	1954	0.00	0.15	76	0.12	79	431	1.67	340	7
09/07 (251-w)	37.6	53.1	36.0	70.0	66.0	89	78.4	89	99.0	1939	0.00	0.17	72	0.07	86	495	1.39	350	7
09/08 (252-t)	40.6	58.5	34.7	68.6	66.8	89	79.9	89	95.0	1922	0.00	0.21	71	0.03	82	506	1.17	452	7
09/09 (253-f)	49.7	64.2	35.6	77.3	66.8	89	79.3	89	93.0	1922	0.00	0.17	76	0.09	82	375	1.00	420	7
09/10 (254-s)	51.8	64.9	34.0	80.9	65.8	89	78.3	89	93.8	1983	0.00	0.20	71	0.09	84	447	1.08	339	7
09/11 (255-s)	48.8	64.9	33.0	81.7	64.8	89	76.9	89	95.0	1925	0.00	0.17	73	0.10	85	393	0.93	310	7
09/12 (256-m)	55.3	67.0	33.0	77.9	64.9	89	76.9	89	93.0	1952	0.51	0.14	82	0.11	82	203	1.47	310	7
09/13 (257-t)	-	62.0	36.0	71.2	64.8	88	76.6	89	92.0	1939	0.01	0.10	84	0.09	86	96	0.77	408	6
09/14 (258-w)	45.1	58.2	31.0	72.9	63.7	88	75.0	88	98.0	1939	0.01	0.17	76	0.19	83	472	1.11	443	5
09/15 (259-t)	46.2	58.2	29.0	70.0	64.3	88	76.9	89	96.0	1939	0.00	0.20	72	0.14	83	480	1.13	339	7
09/16 (260-f)	46.3	63.3	33.0	78.6	63.2	89	75.1	89	95.0	1939	0.01	0.15	78	0.10	82	359	1.10	310	7
09/17 (261-s)	66.4	68.7	31.0	74.9	62.7	89	74.9	89	92.0	1948	0.03	0.03	92	0.07	81	179	1.24	395	6
09/18 (262-s)	66.2	70.8	31.0	79.6	62.7	89	75.0	89	91.0	1955	0.00	0.15	92	0.11	81	271	1.23	305	7
09/19 (263-m)	65.1	70.1	30.0	76.0	63.6	89	75.3	89	93.0	1908	0.00	0.11	91	0.09	80	168	0.77	318	7
09/20 (264-t)	60.3	68.5	33.0	75.0	63.8	89	74.9	89	93.0	1908	0.01	0.32	78	0.12	84	429	1.07	353	7
09/21 (265-w)	56.2	58.5	29.0	61.9	62.5	88	73.7	88	93.0	1914	0.00	0.07	89	0.10	80	97	0.44	264	6
09/22 (266-t)	55.6	63.4	31.0	72.1	60.9	89	72.9	89	93.0	1908	0.00	0.12	84	0.05	84	279	1.32	286	7
09/23 (267-f)	49.6	65.7	28.0	76.7	60.4	89	72.9	89	93.0	1908	0.00	0.10	86	0.08	79	191	0.95	224	7
09/24 (268-s)	49.7	57.8	29.0	66.4	60.3	89	72.8	89	95.0	1908	0.00	0.10	87	0.10	83	233	0.71	278	7
09/25 (269-s)	44.7	57.0	30.0	71.9	60.2	89	72.4	89	95.0	1908	0.00	0.16	83	0.08	82	427	1.05	338	7
09/26 (270-m)	40.9	57.8	30.0	75.8	59.6	89	72.1	89	89.0	1900	0.00	0.13	85	0.07	82	403	1.01	281	7
09/27 (271-t)	43.0	61.0	29.0	77.9	59.3	89	71.6	89	89.0	1946	0.00	0.13	86	0.12	82	387	1.06	254	7
09/28 (272-w)	48.5	59.3	27.0	71.2	58.2	88	70.8	88	88.0	1946	0.00	0.13	90	0.15	85	291	1.12	329	6
09/29 (273-t)	46.7	61.3	27.0	80.2	45.8	89	58.1	89	94.0	1953	0.00	0.12	86	0.11	86	358	0.97	326	7
09/30 (274-f)	54.8	66.2	28.0	78.8	45.1	89	57.0	89	89.0	1953	0.04	0.16	90	0.11	84	269	1.09	292	7

Column Min's: 37.6
 Column Avg's: 50.9
 Column Max's: 66.4
 Column Ttl's: 70.8

51.0
 62.4
 70.8

27.0
 51.4
 56.3

69.1
 75.7
 80.5

0.00
 0.10
 2.04
 2.97

0.03
 0.16
 0.39
 4.77

70
 82
 92
 3.15

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)				SOLAR RADIATION														
	min	avg	min	max	prec	liq	evap	% hum	ly	max Lng-Tm													
mo da julCurrent.....Long Term.....	min year	avgm yrs	avg yrs	avgmx yrs	max year	avg pr yrs	Long Term	avg yrs													
10/01 (275-s)	60.9	69.2	80.3	27.0	1918	45.3	89	56.9	89	68.5	89	88.0	1927	0.00	0.00	0.15	87	0.09	82	280	1.30	229	7
10/02 (276-s)	51.7	61.6	67.3	28.0	1930	45.2	89	57.2	89	69.2	89	87.0	1919	0.00	0.00	0.09	91	0.06	81	112	1.23	291	7
10/03 (277-m)	37.2	50.8	62.9	25.0	1908	44.8	89	57.1	88	69.4	88	87.0	1919	0.00	0.00	0.11	85	0.08	82	278	1.15	268	7
10/04 (278-t)	30.7	44.5	59.7	26.0	1935	45.6	89	57.6	89	69.9	89	88.0	1922	0.00	0.00	0.09	82	0.09	83	240	1.25	272	7
10/05 (279-w)	36.2	44.7	54.0	28.0	1901	45.3	89	57.2	89	69.1	89	91.0	1922	0.00	0.00	0.11	80	0.10	83	306	1.29	268	7
10/06 (280-t)	29.7	41.9	55.1	27.0	1964	44.9	89	56.6	89	68.2	89	89.0	1922	0.00	0.00	0.07	78	0.13	80	258	1.20	282	7
10/07 (281-f)	34.0	43.1	57.1	25.0	1935	43.0	89	54.9	89	66.8	89	85.0	1939	0.00	0.00	0.06	83	0.09	84	249	1.20	240	7
10/08 (282-s)	27.7	44.1	59.3	24.0	1952	41.2	89	53.8	89	66.5	89	88.0	1939	0.00	0.00	0.12	76	0.07	84	302	1.10	273	7
10/09 (283-s)	43.4	50.6	59.3	27.0	1923	42.8	87	54.2	87	65.8	88	89.0	1916	0.00	0.00	0.13	68	0.07	82	189	0.89	151	5
10/10 (284-m)	43.9	50.0	60.0	22.0	1964	42.4	88	54.0	88	65.8	88	87.0	1949	0.29	0.29	0.17	87	0.08	84	137	0.74	184	6
10/11 (285-t)	35.3	43.6	53.3	18.0	1964	41.6	89	53.6	89	65.6	89	87.0	1928	0.01	0.01	0.07	83	0.05	81	293	1.35	239	7
10/12 (286-w)	29.7	35.7	44.8	22.0	1906	42.1	89	53.3	89	64.7	89	88.0	1928	0.00	0.00	0.09	80	0.06	81	239	1.24	174	7
10/13 (287-t)	26.9	36.8	48.7	24.0	1908	40.6	89	52.8	89	65.1	89	82.0	1920	0.00	0.00	0.07	74	0.07	83	305	1.12	208	7
10/14 (288-f)	25.5	44.9	62.2	24.0	1917	40.0	88	52.4	88	65.0	89	82.0	1935	0.00	0.00	0.19	67	0.05	85	343	0.89	231	7
10/15 (289-s)	46.4	57.1	71.9	23.0	1939	40.9	88	53.6	88	66.5	89	82.0	1953	0.00	0.00	0.16	57	0.09	82	283	1.14	235	7
10/16 (290-s)	46.5	56.3	70.3	22.0	1944	42.4	89	54.0	89	65.7	89	83.0	1938	0.01	0.01	0.12	72	0.06	79	223	1.05	275	7
10/17 (291-m)	56.0	59.6	63.2	27.0	1940	41.6	89	52.9	89	64.4	89	84.0	1938	0.17	0.17	0.16	93	0.08	84	71	0.54	195	7
10/18 (292-t)	42.2	54.2	65.1	24.0	1939	40.2	88	51.6	88	63.0	89	83.0	1908	0.22	0.22	0.11	87	0.13	81	136	1.13	219	7
10/19 (293-w)	34.1	43.2	53.7	23.0	1922	38.8	89	50.6	89	62.5	89	84.0	1953	0.01	0.01	0.05	89	0.07	84	191	1.22	227	7
10/20 (294-t)	30.6	42.4	54.2	21.0	1930	38.6	89	50.0	89	61.4	89	82.0	1920	0.00	0.00	0.09	86	0.04	80	207	0.98	156	7
10/21 (295-f)	41.3	44.0	47.0	19.0	1952	39.3	88	50.7	88	62.2	89	82.0	1920	0.31	0.31	0.04	95	0.04	79	57	0.25	112	7
10/22 (296-s)	37.8	43.1	44.7	16.0	1930	39.4	89	51.0	89	62.6	89	82.0	1920	0.12	0.12	0.06	97	0.09	82	30	0.32	128	7
10/23 (297-s)	28.3	41.3	50.7	20.0	1944	39.1	89	50.0	89	60.9	89	79.0	1901	0.10	0.10	0.08	93	0.09	80	123	0.80	170	7
10/24 (298-m)	33.8	37.9	43.1	19.0	1964	38.3	88	48.5	88	58.7	89	80.0	1963	0.01	0.01	0.08	89	0.11	85	104	0.94	137	6
10/25 (299-t)	32.1	38.5	49.5	23.0	1960	37.6	89	48.0	89	58.4	89	80.0	1963	0.00	0.00	0.09	78	0.06	84	239	1.08	194	7
10/26 (300-w)	28.4	35.6	43.4	17.0	1930	36.4	88	47.6	88	59.1	89	81.0	1963	0.00	0.00	0.05	74	0.06	84	186	1.05	211	6
10/27 (301-t)	24.2	41.2	55.9	20.0	1949	37.0	89	47.6	89	58.4	89	81.0	1927	0.01	0.01	0.17	62	0.06	80	286	0.82	200	7
10/28 (302-f)	30.2	42.2	50.9	19.0	1936	36.4	89	46.9	89	57.3	89	82.0	1927	0.15	0.15	0.16	74	0.09	81	299	0.87	262	7
10/29 (303-s)	25.7	35.5	47.0	18.0	1925	35.3	89	46.3	89	57.4	89	79.0	1922	0.00	0.00	0.05	77	0.05	85	294	0.85	240	7
10/30 (304-s)	23.5	33.0	42.8	19.0	1928	36.0	89	47.2	89	58.4	89	78.0	1950	0.00	0.00	0.06	76	0.05	79	293	1.04	211	7
10/31 (305-m)	16.9	34.3	53.3	16.9	1988	36.9	89	47.8	89	58.8	89	81.0	1950	0.00	0.00	0.46	71	0.07	81	311	0.81	219	7
Column Min's:	16.9	33.0	42.8	16.0		35.3		46.3		57.3				0.00	0.00	0.04	57	0.04		30	0.25	112	
Column Avg's:	35.2	45.2	55.8			40.6		52.1		63.7				0.05	0.05	0.11	80	0.08		221	0.99	216	
Column Max's:	60.9	69.2	80.3			45.6		57.6		69.9		91.0		0.31	0.31	0.46	97	0.13		343	1.35	291	
Column Ttl's:														1.41	1.41	3.51		2.33		6864		6681	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.