

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | | | W A T E R B A L A N C E (inches) | | | S O L A R R A D I A T I O N | | | | | | | | |
|---------------|---------|------|--|------|-----|-------|----------------------------------|------|----|-----------------------------|------|-----------|----|------|------|------|------|------|
| | mo | da | min | avg | max | min | year | avg | yr | ly | max | Long-Term | | | | | | |
| | | | Current | | | | | | | | ly/m | avg yrs | | | | | | |
| 01/01 | (001-s) | 30.0 | 35.0* | 40.0 | | -6.0 | 1968 | 23.1 | 89 | 31.0 | 89 | 38.9 | 89 | 65.0 | 1985 | 0.00 | 0.13 | 75 |
| 01/02 | (002-m) | 32.0 | 36.5* | 41.0 | | -3.0 | 1968 | 23.2 | 90 | 30.8 | 90 | 38.5 | 90 | 61.0 | 1916 | 0.00 | 0.11 | 77 |
| 01/03 | (003-t) | 22.0 | 30.5* | 39.0 | | -13.0 | 1904 | 23.3 | 90 | 30.3 | 90 | 37.2 | 90 | 63.0 | 1950 | 0.17 | 0.12 | 71 |
| 01/04 | (004-w) | 15.0 | 24.5* | 34.0 | | -17.0 | 1904 | 21.3 | 90 | 28.7 | 90 | 36.0 | 90 | 65.0 | 1950 | 0.00 | 0.10 | 79 |
| 01/05 | (005-t) | 16.0 | 21.0* | 26.0 | | -18.0 | 1904 | 21.5 | 90 | 28.9 | 90 | 36.2 | 90 | 61.0 | 1939 | 0.00 | 0.09 | 80 |
| 01/06 | (006-f) | 19.0 | 31.5* | 44.0 | | -6.0 | 1924 | 23.2 | 90 | 30.2 | 90 | 37.3 | 90 | 69.0 | 1946 | 0.60 | 0.12 | 74 |
| 01/07 | (007-s) | 19.0 | 33.0* | 47.0 | | -7.0 | 1970 | 23.3 | 90 | 30.1 | 90 | 37.0 | 90 | 63.0 | 1907 | 0.01 | 0.08 | 77 |
| 01/08 | (008-s) | 22.0 | 41.0* | 60.0 | | -7.0 | 1942 | 20.7 | 90 | 28.3 | 90 | 35.9 | 90 | 65.0 | 1937 | 0.00 | 0.11 | 76 |
| 01/09 | (009-m) | 23.0 | 32.5* | 42.0 | | -5.0 | 1979 | 20.0 | 90 | 28.0 | 90 | 35.9 | 90 | 63.0 | 1946 | 0.00 | 0.05 | 72 |
| 01/10 | (010-t) | 18.0 | 24.0* | 30.0 | | -11.0 | 1910 | 20.0 | 90 | 27.6 | 90 | 35.3 | 90 | 59.0 | 1975 | 0.00 | 0.09 | 75 |
| 01/11 | (011-w) | 20.0 | 31.5* | 43.0 | | -6.0 | 1982 | 21.1 | 90 | 28.3 | 90 | 35.4 | 90 | 57.0 | 1975 | 0.00 | 0.09 | 79 |
| 01/12 | (012-t) | 36.0 | 44.5* | 53.0 | | -13.0 | 1918 | 20.5 | 90 | 28.0 | 90 | 35.4 | 90 | 67.0 | 1916 | 0.00 | 0.10 | 72 |
| 01/13 | (013-f) | 23.0 | 34.5* | 46.0 | | -23.0 | 1912 | 20.6 | 90 | 28.7 | 90 | 36.7 | 90 | 64.0 | 1932 | 0.86 | 0.13 | 74 |
| 01/14 | (014-s) | 20.0 | 28.5* | 37.0 | | -9.0 | 1912 | 22.0 | 90 | 29.8 | 90 | 37.5 | 90 | 70.0 | 1932 | 0.00 | 0.13 | 68 |
| 01/15 | (015-s) | 18.0 | 26.0* | 34.0 | | -9.0 | 1972 | 21.1 | 90 | 28.9 | 90 | 36.6 | 90 | 65.0 | 1932 | 0.54 | 0.13 | 78 |
| 01/16 | (016-m) | 18.0 | 28.0* | 38.0 | | -13.0 | 1977 | 19.9 | 90 | 27.8 | 90 | 35.8 | 90 | 60.0 | 1949 | 0.00 | 0.07 | 78 |
| 01/17 | (017-t) | 20.0 | 31.0* | 42.0 | | -19.0 | 1977 | 20.8 | 89 | 28.4 | 89 | 36.0 | 90 | 63.0 | 1952 | 0.00 | 0.11 | 74 |
| 01/18 | (018-w) | 29.0 | 39.5* | 50.0 | | -8.0 | 1977 | 21.5 | 89 | 29.1 | 89 | 36.9 | 90 | 68.0 | 1929 | 0.00 | 0.09 | 75 |
| 01/19 | (019-t) | 32.0 | 41.0* | 50.0 | | -11.0 | 1940 | 21.2 | 90 | 29.1 | 90 | 37.0 | 90 | 68.0 | 1907 | 0.00 | 0.09 | 76 |
| 01/20 | (020-f) | 30.0 | 38.5* | 47.0 | | -21.0 | 1918 | 21.9 | 90 | 30.1 | 90 | 38.3 | 90 | 68.0 | 1906 | 0.00 | 0.14 | 69 |
| 01/21 | (021-s) | 26.0 | 38.0* | 50.0 | | -18.0 | 1918 | 22.8 | 90 | 31.0 | 90 | 39.1 | 90 | 72.0 | 1906 | 0.00 | 0.20 | 75 |
| 01/22 | (022-s) | 23.0 | 37.5* | 52.0 | | -14.0 | 1936 | 23.3 | 90 | 31.1 | 90 | 38.8 | 90 | 68.0 | 1933 | 0.00 | 0.14 | 74 |
| 01/23 | (023-m) | 23.0 | 39.0* | 55.0 | | -17.0 | 1936 | 21.0 | 90 | 29.5 | 90 | 37.9 | 90 | 64.0 | 1967 | 0.00 | 0.10 | 74 |
| 01/24 | (024-t) | 27.0 | 40.5* | 54.0 | | -17.0 | 1963 | 21.5 | 90 | 29.5 | 90 | 37.5 | 90 | 67.0 | 1909 | 0.00 | 0.11 | 75 |
| 01/25 | (025-w) | 35.0 | 43.5* | 52.0 | | -11.0 | 1961 | 21.5 | 90 | 29.8 | 90 | 38.0 | 90 | 74.0 | 1950 | 0.02 | 0.07 | 74 |
| 01/26 | (026-t) | 44.0 | 50.5* | 57.0 | | -8.0 | 1915 | 20.2 | 90 | 28.4 | 90 | 36.6 | 90 | 69.0 | 1950 | 0.12 | 0.17 | 77 |
| 01/27 | (027-f) | 27.0 | 37.0* | 47.0 | | -12.0 | 1904 | 19.7 | 90 | 27.6 | 90 | 35.5 | 90 | 68.0 | 1916 | 0.00 | 0.08 | 79 |
| 01/28 | (028-s) | 25.0 | 36.5* | 48.0 | | -12.0 | 1963 | 18.9 | 90 | 26.9 | 90 | 34.8 | 90 | 66.0 | 1914 | 0.00 | 0.07 | 65 |
| 01/29 | (029-s) | 28.0 | 39.0* | 50.0 | | -10.0 | 1915 | 19.8 | 90 | 27.4 | 90 | 35.0 | 90 | 65.0 | 1975 | 0.00 | 0.10 | 69 |
| 01/30 | (030-m) | 25.0 | 38.5* | 52.0 | | -8.0 | 1915 | 20.8 | 90 | 28.6 | 90 | 36.5 | 90 | 63.0 | 1947 | 0.02 | 0.13 | 72 |
| 01/31 | (031-t) | 26.0 | 42.5* | 59.0 | | -4.0 | 1936 | 19.9 | 90 | 27.8 | 90 | 35.8 | 90 | 62.0 | 1917 | 0.00 | 0.10 | 78 |
| Column Min's: | | 15.0 | 21.0 | 26.0 | | -23.0 | | 18.9 | | 26.9 | | 34.8 | | | | 0.00 | | 0.05 |
| Column Avg's: | | 24.9 | 35.3 | 45.8 | | | | 29.0 | | 36.8 | | | | | | 0.08 | | 0.11 |
| Column Max's: | | 44.0 | 50.5 | 60.0 | | | | 31.1 | | 39.1 | | | | 74.0 | | 0.86 | | 0.20 |
| Column Ttl's: | | | | | | | | 23.3 | | | | | | | | 2.34 | | 3.35 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|-------|-------|--|-------|------------------------|------|-----------------|------|
| | min | max | min | max | prec | evap | ly | ly/m |
| 02/01 (032-w) | 45.0 | 54.5* | 12.0 | 19.09 | 0.00 | 35.6 | 0.00 | 0.07 |
| 02/02 (033-t) | 31.0 | 48.5* | 10.0 | 19.18 | 0.00 | 35.9 | 0.00 | 0.10 |
| 02/03 (034-f) | 23.0 | 28.5* | 10.0 | 19.05 | 0.40 | 35.2 | 0.40 | 0.08 |
| 02/04 (035-s) | 16.0 | 25.0* | 9.0 | 19.85 | 0.00 | 36.2 | 0.00 | 0.09 |
| 02/05 (036-s) | 10.0 | 20.5* | 12.0 | 19.18 | 0.00 | 35.6 | 0.00 | 0.11 |
| 02/06 (037-m) | 7.0 | 18.0* | 11.0 | 19.77 | 0.00 | 36.3 | 0.00 | 0.10 |
| 02/07 (038-t) | 10.0 | 16.0* | 14.0 | 19.05 | 0.00 | 35.6 | 0.00 | 0.07 |
| 02/08 (039-w) | 10.0 | 17.5* | 13.0 | 19.77 | 0.00 | 36.4 | 0.00 | 0.07 |
| 02/09 (040-t) | 3.0 | 16.0* | 9.0 | 19.12 | 0.00 | 36.8 | 0.00 | 0.08 |
| 02/10 (041-f) | 14.0 | 23.0* | 10.0 | 19.12 | 0.00 | 36.5 | 0.00 | 0.10 |
| 02/11 (042-s) | 18.0 | 26.0* | 10.0 | 19.12 | 0.00 | 36.9 | 0.00 | 0.07 |
| 02/12 (043-s) | 22.0 | 29.5* | 8.0 | 19.17 | 0.00 | 37.9 | 0.00 | 0.11 |
| 02/13 (044-m) | 30.0 | 35.0* | 8.0 | 19.12 | 0.00 | 39.5 | 0.00 | 0.13 |
| 02/14 (045-t) | 34.0 | 39.5* | 8.0 | 19.05 | 0.53 | 40.7 | 0.53 | 0.12 |
| 02/15 (046-w) | 33.0 | 37.0* | 4.0 | 19.78 | 0.36 | 39.5 | 0.36 | 0.08 |
| 02/16 (047-t) | 29.0 | 34.5* | 5.0 | 19.04 | 0.35 | 37.7 | 0.35 | 0.08 |
| 02/17 (048-f) | 19.0 | 28.0* | 7.0 | 19.79 | 0.00 | 39.2 | 0.00 | 0.06 |
| 02/18 (049-s) | 20.0 | 29.0* | 8.0 | 19.36 | 0.00 | 41.1 | 0.00 | 0.08 |
| 02/19 (050-s) | 18.0 | 29.0* | 12.0 | 19.10 | 0.00 | 41.1 | 0.00 | 0.13 |
| 02/20 (051-m) | 17.0 | 29.5* | 11.0 | 19.04 | 0.00 | 40.5 | 0.00 | 0.06 |
| 02/21 (052-t) | 37.0 | 41.5* | 3.0 | 19.63 | 0.95 | 41.3 | 0.95 | 0.10 |
| 02/22 (053-w) | 28.0 | 34.0* | 7.0 | 19.63 | 0.00 | 41.9 | 0.00 | 0.11 |
| 02/23 (054-t) | 11.0 | 20.5* | 2.0 | 19.01 | 0.00 | 42.4 | 0.00 | 0.14 |
| 02/24 (055-f) | 8.0 | 16.5* | 3.0 | 19.14 | 0.00 | 42.2 | 0.00 | 0.07 |
| 02/25 (056-s) | 10.0 | 18.5* | 14.0 | 19.14 | 0.00 | 40.8 | 0.00 | 0.12 |
| 02/26 (057-s) | 12.0 | 23.0* | 8.0 | 19.14 | 0.00 | 41.3 | 0.00 | 0.15 |
| 02/27 (058-m) | 12.0 | 28.0* | 6.0 | 19.34 | 0.30 | 41.4 | 0.30 | 0.11 |
| 02/28 (059-t) | 16.0 | 28.0* | 3.0 | 19.34 | 0.00 | 42.1 | 0.00 | 0.06 |
| Column Min's: | 3.0 | 16.0 | -14.0 | 19.6 | 0.00 | 35.2 | 0.00 | 0.06 |
| Column Avg's: | 19.4 | 28.4 | 30.7 | 30.7 | 0.10 | 38.8 | 0.10 | 0.09 |
| Column Max's: | 45.0 | 54.5 | 66.0 | 26.0 | 0.95 | 42.4 | 0.95 | 0.15 |
| Column Ttl's: | | | | 72.0 | 2.89 | | 2.89 | 2.65 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | | | SOLAR RADIATION | | | | | | | |
|---------------|---------|-------|--|-----------|---------|-----------|------------------------|------|------|------|-----------------|------|------|------|-----|-----------|---------|----|
| | min | avg | max | Long Term | avg yrs | avgmx yrs | max year | prec | snow | evap | hum | % | ly | ly/m | max | Long-Term | avg yrs | |
| mo da jul | Current | | min year | avgmn yrs | avg yrs | avgmx yrs | max year | liq | snow | evap | hum | % | ly | ly/m | max | Long-Term | avg yrs | |
| 11/01 (305-w) | 34.0 | 46.0* | 58.0 | 20.0 | 1908 | 40.7 | 90 | 50.9 | 90 | 61.1 | 90 | 80.0 | 1950 | 0.38 | -- | -- | 0.14 | 83 |
| 11/02 (306-t) | 37.0 | 46.5* | 56.0 | 19.0 | 1905 | 39.5 | 90 | 49.2 | 90 | 58.9 | 90 | 77.0 | 1933 | 0.08 | -- | -- | 0.15 | 80 |
| 11/03 (307-f) | 30.0 | 38.0* | 46.0 | 20.0 | 1951 | 36.9 | 90 | 47.3 | 90 | 57.7 | 90 | 81.0 | 1987 | 0.01 | -- | -- | 0.05 | 79 |
| 11/04 (308-s) | 28.0 | 38.5* | 49.0 | 20.0 | 1951 | 37.7 | 90 | 46.6 | 90 | 55.5 | 90 | 80.0 | 1987 | 0.00 | -- | -- | 0.12 | 81 |
| 11/05 (309-s) | 38.0 | 52.5* | 67.0 | 17.0 | 1908 | 37.0 | 90 | 45.7 | 90 | 54.4 | 90 | 77.0 | 1987 | 0.00 | -- | -- | 0.07 | 79 |
| 11/06 (310-m) | 43.0 | 49.0* | 55.0 | 18.0 | 1901 | 35.7 | 90 | 45.3 | 90 | 54.9 | 90 | 77.0 | 1975 | 0.10 | -- | -- | 0.07 | 81 |
| 11/07 (311-t) | 35.0 | 46.0* | 57.0 | 16.0 | 1903 | 36.5 | 90 | 45.4 | 90 | 54.3 | 90 | 80.0 | 1938 | 0.17 | -- | -- | 0.09 | 78 |
| 11/08 (312-w) | 42.0 | 51.5* | 61.0 | 13.0 | 1971 | 36.5 | 90 | 45.6 | 90 | 54.6 | 90 | 73.0 | 1938 | 0.11 | -- | -- | 0.07 | 77 |
| 11/09 (313-t) | 38.0 | 47.5* | 57.0 | 21.0 | 1925 | 35.3 | 90 | 44.6 | 90 | 53.8 | 90 | 76.0 | 1975 | 0.36 | -- | -- | 0.13 | 79 |
| 11/10 (314-f) | 29.0 | 42.0* | 55.0 | 21.0 | 1901 | 34.4 | 90 | 43.6 | 90 | 52.7 | 90 | 72.0 | 1949 | 0.01 | -- | -- | 0.13 | 80 |
| 11/11 (315-s) | 33.0 | 45.0* | 57.0 | 20.0 | 1957 | 35.3 | 90 | 44.4 | 90 | 53.5 | 90 | 75.0 | 1915 | 0.00 | -- | -- | 0.09 | 82 |
| 11/12 (316-s) | 40.0 | 51.5* | 63.0 | 19.0 | 1911 | 34.6 | 90 | 43.4 | 90 | 52.2 | 90 | 75.0 | 1949 | 0.00 | -- | -- | 0.06 | 80 |
| 11/13 (317-m) | 41.0 | 56.0* | 71.0 | 14.0 | 1911 | 34.4 | 90 | 43.3 | 90 | 52.1 | 90 | 73.0 | 1955 | 0.00 | -- | -- | 0.08 | 81 |
| 11/14 (318-t) | 50.0 | 57.5* | 65.0 | 10.0 | 1986 | 33.0 | 90 | 42.5 | 90 | 52.1 | 90 | 74.0 | 1909 | 0.17 | -- | -- | 0.09 | 81 |
| 11/15 (319-w) | 48.0 | 58.0* | 68.0 | 14.0 | 1916 | 35.0 | 90 | 43.2 | 90 | 51.4 | 90 | 73.0 | 1953 | 1.32 | -- | -- | 0.11 | 79 |
| 11/16 (320-t) | 28.0 | 40.0* | 52.0 | 10.0 | 1933 | 34.0 | 90 | 43.0 | 90 | 51.9 | 90 | 74.0 | 1931 | 0.05 | -- | -- | 0.18 | 84 |
| 11/17 (321-f) | 22.0 | 28.5* | 35.0 | 12.0 | 1959 | 34.3 | 90 | 43.2 | 90 | 52.1 | 90 | 78.0 | 1958 | 0.00 | -- | -- | 0.12 | 76 |
| 11/18 (322-s) | 20.0 | 27.5* | 35.0 | 11.0 | 1959 | 34.9 | 89 | 43.2 | 89 | 51.4 | 89 | 72.0 | 1941 | 0.01 | -- | -- | 0.08 | 79 |
| 11/19 (323-s) | 19.0 | 34.0* | 49.0 | 15.0 | 1903 | 34.1 | 90 | 42.6 | 90 | 51.1 | 90 | 73.0 | 1930 | 0.00 | -- | -- | 0.11 | 80 |
| 11/20 (324-m) | 39.0 | 50.0* | 61.0 | 11.0 | 1903 | 33.8 | 90 | 42.6 | 90 | 51.4 | 90 | 75.0 | 1931 | 0.00 | -- | -- | 0.08 | 80 |
| 11/21 (325-t) | 26.0 | 38.0* | 50.0 | 15.0 | 1964 | 34.0 | 90 | 42.1 | 90 | 50.2 | 90 | 74.0 | 1934 | 0.00 | -- | -- | 0.09 | 77 |
| 11/22 (326-w) | 26.0 | 30.5* | 35.0 | 12.0 | 1964 | 32.4 | 90 | 40.4 | 90 | 48.4 | 90 | 75.0 | 1931 | 0.00 | -- | -- | 0.07 | 74 |
| 11/23 (327-t) | 20.0 | 26.5* | 33.0 | 12.0 | 1971 | 31.1 | 90 | 39.3 | 90 | 47.5 | 90 | 74.0 | 1931 | 0.00 | -- | -- | 0.12 | 72 |
| 11/24 (328-f) | 21.0 | 31.0* | 41.0 | 7.0 | 1950 | 30.4 | 90 | 37.9 | 90 | 45.5 | 90 | 70.0 | 1931 | 0.00 | -- | -- | 0.09 | 83 |
| 11/25 (329-s) | 32.0 | 41.5* | 51.0 | 6.0 | 1950 | 29.2 | 90 | 37.0 | 90 | 44.9 | 90 | 74.0 | 1915 | 0.06 | -- | -- | 0.11 | 78 |
| 11/26 (330-s) | 35.0 | 44.0* | 53.0 | 15.0 | 1903 | 31.5 | 89 | 39.3 | 89 | 47.0 | 90 | 68.0 | 1965 | 0.08 | -- | -- | 0.14 | 83 |
| 11/27 (331-m) | 39.0 | 52.0* | 65.0 | 2.0 | 1930 | 31.6 | 90 | 38.9 | 90 | 46.2 | 90 | 67.0 | 1984 | 0.00 | -- | -- | 0.14 | 74 |
| 11/28 (332-t) | 30.0 | 47.0* | 64.0 | 6.0 | 1930 | 30.1 | 90 | 37.7 | 90 | 45.2 | 90 | 66.0 | 1909 | 0.17 | -- | -- | 0.13 | 84 |
| 11/29 (333-w) | 25.0 | 32.0* | 39.0 | 5.0 | 1958 | 28.9 | 87 | 36.4 | 87 | 43.9 | 88 | 70.0 | 1927 | 0.00 | -- | -- | 0.07 | 71 |
| 11/30 (334-t) | 23.0 | 32.0* | 41.0 | -5.0 | 1958 | 27.9 | 90 | 35.7 | 90 | 43.5 | 90 | 72.0 | 1934 | 0.00 | -- | -- | 0.11 | 79 |
| Column Min's: | 19.0 | 26.5 | 33.0 | -5.0 | | 27.9 | | 35.7 | | 43.5 | | | | 0.00 | | | 0.05 | |
| Column Avg's: | 32.4 | 42.7 | 53.0 | | | 34.0 | | 42.7 | | 51.3 | | | | 0.10 | | | 0.10 | |
| Column Max's: | 50.0 | 58.0 | 71.0 | | | 40.7 | | 50.9 | | 61.1 | | 81.0 | | 1.32 | | | 0.18 | |
| Column Ttl's: | | | | | | | | | | | | | | 3.08 | | | 3.09 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|-------|-------|--|------|------|------|------------------------|----|-----------------|------|
| | min | max | min | year | avg | yr | prec | ly | max | avg |
| 12/01 (335-f) | 23.0 | 35.0* | 8.0 | 1924 | 27.6 | 90 | 43.3 | 90 | 67.0 | 1970 |
| 12/02 (336-s) | 22.0 | 32.5* | 3.0 | 1976 | 27.8 | 90 | 42.8 | 90 | 72.0 | 1982 |
| 12/03 (337-s) | 20.0 | 23.0* | 1.0 | 1966 | 28.7 | 90 | 35.7 | 90 | 42.8 | 90 |
| 12/04 (338-m) | 19.0 | 27.5* | 6.0 | 1966 | 29.0 | 90 | 36.7 | 90 | 44.3 | 90 |
| 12/05 (339-t) | 29.0 | 36.0* | 5.0 | 1901 | 29.1 | 90 | 36.6 | 90 | 44.2 | 90 |
| 12/06 (340-w) | 31.0 | 38.0* | 3.0 | 1977 | 28.2 | 90 | 35.5 | 90 | 42.9 | 90 |
| 12/07 (341-t) | 18.0 | 29.0* | 1.0 | 1917 | 27.8 | 90 | 35.3 | 90 | 42.9 | 90 |
| 12/08 (342-f) | 19.0 | 24.5* | 9.0 | 1909 | 28.3 | 90 | 35.6 | 90 | 43.0 | 90 |
| 12/09 (343-s) | 13.0 | 23.5* | -8.0 | 1917 | 26.0 | 90 | 32.9 | 90 | 39.9 | 90 |
| 12/10 (344-s) | 23.0 | 27.0* | -9.0 | 1958 | 25.5 | 90 | 31.9 | 90 | 38.3 | 90 |
| 12/11 (345-m) | 25.0 | 29.5* | -17.0 | 1917 | 25.2 | 90 | 32.1 | 90 | 39.0 | 90 |
| 12/12 (346-t) | 17.0 | 23.5* | -9.0 | 1917 | 25.8 | 90 | 33.4 | 90 | 41.0 | 90 |
| 12/13 (347-w) | 12.0 | 18.5* | -4.0 | 1962 | 25.7 | 90 | 32.8 | 90 | 39.9 | 90 |
| 12/14 (348-t) | 8.0 | 16.0* | -1.0 | 1904 | 24.0 | 90 | 31.0 | 90 | 38.1 | 90 |
| 12/15 (349-f) | -2.0 | 7.5* | -17.0 | 1917 | 22.4 | 90 | 29.7 | 90 | 36.9 | 90 |
| 12/16 (350-s) | -7.0 | 3.0* | -12.0 | 1932 | 21.9 | 90 | 29.5 | 90 | 37.1 | 90 |
| 12/17 (351-s) | -12.0 | -1.5* | -12.0 | 1989 | 23.1 | 89 | 30.4 | 89 | 37.6 | 89 |
| 12/18 (352-m) | -7.0 | 6.0* | -7.0 | 1989 | 21.7 | 90 | 29.3 | 90 | 36.8 | 90 |
| 12/19 (353-t) | 8.0 | 15.5* | -10.0 | 1901 | 22.7 | 90 | 29.8 | 90 | 36.9 | 90 |
| 12/20 (354-w) | -0.0 | 12.5* | -9.0 | 1901 | 23.3 | 90 | 30.1 | 90 | 36.8 | 90 |
| 12/21 (355-t) | -1.0 | 7.5* | -13.0 | 1901 | 23.3 | 90 | 30.2 | 90 | 37.0 | 90 |
| 12/22 (356-f) | -20.0 | -6.0* | -20.0 | 1989 | 22.9 | 90 | 30.4 | 89 | 38.0 | 89 |
| 12/23 (357-s) | -14.0 | 1.0* | -14.0 | 1989 | 24.9 | 90 | 32.3 | 90 | 39.7 | 90 |
| 12/24 (358-s) | -11.0 | 2.0* | -12.0 | 1983 | 25.3 | 90 | 32.4 | 90 | 39.5 | 90 |
| 12/25 (359-m) | 15.0 | 19.5* | -12.0 | 1983 | 23.6 | 89 | 30.7 | 89 | 37.7 | 90 |
| 12/26 (360-t) | 13.0 | 21.0* | -8.0 | 1914 | 22.7 | 90 | 29.7 | 89 | 36.7 | 89 |
| 12/27 (361-w) | 11.0 | 20.0* | -9.0 | 1950 | 23.7 | 89 | 30.8 | 89 | 37.9 | 89 |
| 12/28 (362-t) | 12.0 | 18.5* | -8.0 | 1924 | 22.4 | 89 | 29.8 | 89 | 37.3 | 90 |
| 12/29 (363-f) | 20.0 | 26.0* | -1.0 | 1917 | 23.4 | 89 | 29.9 | 89 | 36.3 | 89 |
| 12/30 (364-s) | 22.0 | 32.5* | -17.0 | 1917 | 23.8 | 90 | 30.6 | 89 | 37.3 | 89 |
| 12/31 (365-s) | 21.0 | 30.0* | -7.0 | 1902 | 24.2 | 90 | 31.7 | 90 | 39.1 | 90 |
| Column Min's: | -20.0 | -6.0 | -20.0 | | 21.7 | 29.3 | 36.3 | | | |
| Column Avg's: | 10.5 | 19.3 | 28.1 | | 25.0 | 32.2 | 39.4 | | | |
| Column Max's: | 31.0 | 38.0 | 47.0 | | 29.1 | 36.7 | 44.3 | | | 76.0 |
| Column Ttl's: | | | | | | | | | | 1.75 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | | SOLAR RADIATION | | | |
|---------------|-------|-------|--|----------|------|-----------|------------------------|------|-------|-----------------|------|-----------|------|
| | min | max | min | year avg | max | Long Term | prec | evap | hum % | ly | max | Long Term | |
| mo da jul | avg | avg | year | avg | year | avg | year | avg | pr | ly/m | ly/m | avg yrs | |
| 03/01 (060-w) | 17.0 | 28.5* | 40.0 | 5.0 | 1986 | 26.2 | 90 | 34.7 | 90 | 43.2 | 90 | 65.0 | 1972 |
| 03/02 (061-t) | 18.0 | 29.0* | 40.0 | -0.0 | 1980 | 26.5 | 90 | 35.0 | 90 | 43.5 | 90 | 70.0 | 1976 |
| 03/03 (062-f) | 27.0 | 39.0* | 51.0 | 1.0 | 1980 | 27.8 | 90 | 36.8 | 90 | 45.9 | 90 | 75.0 | 1974 |
| 03/04 (063-s) | 22.0 | 39.0* | 56.0 | 2.0 | 1943 | 29.2 | 90 | 38.0 | 90 | 46.9 | 90 | 78.0 | 1976 |
| 03/05 (064-s) | 20.0 | 42.5* | 65.0 | 1.0 | 1978 | 28.3 | 90 | 37.3 | 90 | 46.3 | 90 | 78.0 | 1983 |
| 03/06 (065-m) | 17.0 | 36.0* | 55.0 | 2.0 | 1901 | 28.7 | 90 | 37.7 | 90 | 46.7 | 90 | 76.0 | 1973 |
| 03/07 (066-t) | 15.0 | 31.0* | 47.0 | 7.0 | 1960 | 29.0 | 90 | 37.0 | 90 | 44.9 | 90 | 77.0 | 1974 |
| 03/08 (067-w) | 15.0 | 27.5* | 40.0 | -0.0 | 1960 | 27.4 | 90 | 36.1 | 90 | 44.9 | 90 | 80.0 | 1974 |
| 03/09 (068-t) | 19.0 | 32.0* | 45.0 | -6.0 | 1984 | 28.0 | 90 | 36.9 | 90 | 45.8 | 90 | 77.0 | 1974 |
| 03/10 (069-f) | 24.0 | 37.0* | 50.0 | 2.0 | 1984 | 28.4 | 90 | 37.7 | 90 | 47.0 | 90 | 77.0 | 1973 |
| 03/11 (070-s) | 26.0 | 37.0* | 48.0 | 9.0 | 1934 | 29.8 | 90 | 38.8 | 90 | 47.7 | 90 | 75.0 | 1973 |
| 03/12 (071-s) | 28.0 | 38.5* | 49.0 | 4.0 | 1948 | 30.9 | 90 | 40.1 | 90 | 49.3 | 90 | 73.0 | 1955 |
| 03/13 (072-m) | 27.0 | 39.5* | 52.0 | 5.0 | 1960 | 32.3 | 90 | 41.2 | 90 | 50.1 | 90 | 72.0 | 1967 |
| 03/14 (073-t) | 20.0 | 37.5* | 55.0 | 15.0 | 1926 | 31.1 | 90 | 40.4 | 90 | 49.6 | 90 | 77.0 | 1913 |
| 03/15 (074-w) | 18.0 | 42.0* | 66.0 | 10.0 | 1932 | 31.2 | 90 | 40.4 | 90 | 49.5 | 90 | 78.0 | 1944 |
| 03/16 (075-t) | 20.0 | 39.5* | 59.0 | 3.0 | 1916 | 31.0 | 89 | 40.1 | 89 | 49.2 | 90 | 77.0 | 1945 |
| 03/17 (076-f) | 20.0 | 40.5* | 61.0 | -0.0 | 1900 | 28.9 | 90 | 38.9 | 90 | 48.9 | 90 | 73.0 | 1942 |
| 03/18 (077-s) | 29.0 | 47.5* | 66.0 | -0.0 | 1906 | 29.9 | 90 | 39.7 | 90 | 49.5 | 90 | 75.0 | 1903 |
| 03/19 (078-s) | 27.0 | 48.0* | 69.0 | 9.0 | 1934 | 32.5 | 90 | 42.3 | 90 | 52.1 | 90 | 79.0 | 1921 |
| 03/20 (079-m) | 26.0 | 42.5* | 59.0 | 15.0 | 1923 | 32.9 | 90 | 42.9 | 89 | 52.8 | 89 | 79.0 | 1921 |
| 03/21 (080-t) | 25.0 | 38.5* | 52.0 | 11.0 | 1906 | 31.9 | 89 | 42.0 | 88 | 51.9 | 88 | 78.0 | 1948 |
| 03/22 (081-w) | 27.0 | 33.5* | 40.0 | 13.0 | 1906 | 31.9 | 89 | 41.3 | 89 | 50.6 | 89 | 82.0 | 1938 |
| 03/23 (082-t) | 17.0 | 29.5* | 42.0 | -0.0 | 1906 | 32.2 | 89 | 42.7 | 89 | 53.2 | 89 | 79.0 | 1907 |
| 03/24 (083-f) | 26.0 | 34.5* | 43.0 | 11.0 | 1974 | 34.4 | 89 | 44.7 | 89 | 55.0 | 89 | 85.0 | 1910 |
| 03/25 (084-s) | 39.0 | 48.5* | 58.0 | 5.0 | 1974 | 35.1 | 89 | 45.9 | 89 | 56.7 | 89 | 85.0 | 1929 |
| 03/26 (085-s) | 40.0 | 50.5* | 61.0 | 15.0 | 1955 | 36.4 | 89 | 45.8 | 89 | 55.3 | 89 | 79.0 | 1907 |
| 03/27 (086-m) | 38.0 | 50.0* | 62.0 | 15.0 | 1955 | 34.9 | 90 | 44.9 | 90 | 54.9 | 90 | 80.0 | 1910 |
| 03/28 (087-t) | 38.0 | 58.5* | 79.0 | 16.0 | 1955 | 34.7 | 90 | 44.7 | 90 | 54.6 | 90 | 82.0 | 1910 |
| 03/29 (088-w) | 52.0 | 66.5* | 81.0 | 11.0 | 1915 | 36.5 | 90 | 46.7 | 90 | 57.0 | 90 | 83.0 | 1910 |
| 03/30 (089-t) | 56.0 | 68.0* | 80.0 | 16.0 | 1915 | 36.4 | 90 | 46.3 | 90 | 56.1 | 90 | 82.0 | 1986 |
| 03/31 (090-f) | 44.0 | 54.5* | 65.0 | 10.0 | 1923 | 36.2 | 90 | 46.5 | 90 | 56.7 | 90 | 82.0 | 1981 |

| | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|
| Column Min's: | 15.0 | 27.5 | 40.0 | -6.0 | 26.2 | 34.7 | 43.2 | 0.00 | 0.06 |
| Column Avg's: | 27.0 | 41.5 | 56.0 | 40.8 | 31.3 | 40.8 | 50.2 | 0.11 | 0.12 |
| Column Max's: | 56.0 | 68.0 | 81.0 | 46.7 | 36.5 | 46.7 | 57.0 | 1.06 | 0.23 |
| Column Ttl's: | | | | | | | 85.0 | 3.34 | 3.83 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|-------|-------|--|------|------|------|------------------------|------|-----------------|------|
| | min | max | min | avg | max | avg | prec | evap | ly | ly/m |
| 04/01 (091-s) | 41.0 | 48.5* | 37.3 | 46.9 | 56.6 | 79.0 | 0.00 | 0.14 | 77 | |
| 04/02 (092-s) | 40.0 | 47.0* | 36.7 | 46.9 | 57.0 | 81.0 | 0.00 | 0.12 | 76 | |
| 04/03 (093-m) | 30.0 | 42.0* | 36.4 | 46.6 | 56.8 | 79.0 | 0.80 | 0.15 | 82 | |
| 04/04 (094-t) | 51.0 | 58.0* | 36.9 | 47.1 | 57.3 | 82.0 | 0.77 | 0.18 | 78 | |
| 04/05 (095-w) | 39.0 | 51.5* | 37.8 | 48.1 | 58.3 | 84.0 | 0.02 | 0.10 | 75 | |
| 04/06 (096-t) | 32.0 | 41.5* | 38.4 | 48.3 | 58.2 | 83.0 | 0.00 | 0.16 | 83 | |
| 04/07 (097-f) | 30.0 | 39.5* | 37.4 | 48.0 | 58.6 | 84.0 | 0.30 | 0.10 | 77 | |
| 04/08 (098-s) | 29.0 | 38.0* | 36.5 | 46.8 | 57.1 | 78.0 | 0.00 | 0.17 | 78 | |
| 04/09 (099-s) | 27.0 | 36.0* | 36.3 | 46.0 | 55.6 | 82.0 | 0.00 | 0.14 | 78 | |
| 04/10 (100-m) | 25.0 | 33.5* | 36.3 | 47.0 | 57.6 | 81.0 | 0.19 | 0.12 | 78 | |
| 04/11 (101-t) | 22.0 | 31.0* | 37.9 | 48.9 | 59.9 | 89.0 | 0.00 | 0.14 | 79 | |
| 04/12 (102-w) | 26.0 | 41.0* | 38.5 | 49.2 | 60.0 | 86.0 | 0.00 | 0.09 | 83 | |
| 04/13 (103-t) | 29.0 | 42.5* | 39.5 | 50.1 | 60.7 | 85.0 | 0.02 | 0.10 | 80 | |
| 04/14 (104-f) | 28.0 | 39.0* | 39.7 | 50.8 | 62.0 | 83.0 | 0.00 | 0.11 | 82 | |
| 04/15 (105-s) | 27.0 | 45.5* | 40.7 | 50.6 | 60.4 | 80.0 | 0.00 | 0.07 | 76 | |
| 04/16 (106-s) | 32.0 | 48.5* | 40.3 | 51.1 | 61.8 | 82.0 | 0.00 | 0.11 | 78 | |
| 04/17 (107-m) | 45.0 | 58.5* | 41.3 | 52.0 | 62.8 | 83.0 | 0.00 | 0.11 | 82 | |
| 04/18 (108-t) | 44.0 | 58.5* | 41.7 | 53.0 | 64.3 | 89.0 | 0.45 | 0.12 | 77 | |
| 04/19 (109-w) | 34.0 | 42.0* | 42.4 | 52.7 | 63.0 | 89.0 | 0.48 | 0.11 | 77 | |
| 04/20 (110-t) | 31.0 | 43.0* | 43.0 | 53.7 | 64.5 | 89.0 | 0.00 | 0.11 | 84 | |
| 04/21 (111-f) | 31.0 | 48.5* | 43.0 | 54.1 | 65.2 | 86.0 | 0.00 | 0.16 | 84 | |
| 04/22 (112-s) | 39.0 | 53.0* | 42.3 | 53.5 | 64.7 | 87.0 | 0.00 | 0.13 | 85 | |
| 04/23 (113-s) | 35.0 | 50.0* | 43.3 | 54.0 | 64.7 | 87.0 | 0.00 | 0.12 | 78 | |
| 04/24 (114-m) | 33.0 | 47.5* | 43.3 | 54.2 | 65.1 | 89.0 | 0.00 | 0.12 | 78 | |
| 04/25 (115-t) | 40.0 | 55.5* | 43.3 | 54.2 | 65.1 | 88.0 | 0.07 | 0.12 | 85 | |
| 04/26 (116-w) | 50.0 | 61.0* | 43.8 | 55.0 | 66.1 | 90.0 | 0.26 | 0.11 | 81 | |
| 04/27 (117-t) | 50.0 | 61.5* | 43.8 | 54.8 | 65.8 | 88.0 | 0.00 | 0.11 | 80 | |
| 04/28 (118-f) | 47.0 | 62.5* | 44.0 | 55.2 | 66.3 | 87.0 | 0.00 | 0.09 | 79 | |
| 04/29 (119-s) | 48.0 | 60.5* | 44.7 | 56.3 | 67.9 | 86.0 | 0.20 | 0.09 | 83 | |
| 04/30 (120-s) | 47.0 | 60.5* | 46.3 | 57.3 | 68.3 | 89.0 | 0.46 | 0.15 | 80 | |
| Column Min's: | 22.0 | 31.0 | 36.3 | 46.0 | 55.6 | 89.0 | 0.00 | | 0.07 | |
| Column Avg's: | 36.1 | 48.2 | 40.4 | 51.1 | 61.7 | | 0.13 | | 0.12 | |
| Column Max's: | 51.0 | 62.5 | 46.3 | 57.3 | 68.3 | | 4.02 | | 0.18 | |
| Column Ttl's: | | | | | | | | | 3.65 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E | | (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | |
|---------------|---------|---------|-----------------------|------|----------------------|-----------|------------------------|------|-----------------|------|------|------------|-----|-----------|---------|
| | min | avg | min | max | Long Term | max year | liq | snow | evap | hum | % | Long Term | max | Long Term | |
| mo da jul | Current | Current | year | year | avg yrs | avgmx yrs | prec | snow | evap | hum | % | avg pr yrs | ly | ly/m | avg yrs |
| 05/01 (121-m) | 46.0 | 53.0* | 30.0 | 1903 | 45.4 | 90 | 67.5 | 90 | 87.0 | 1942 | 0.00 | 0.09 | 80 | -- | -- |
| 05/02 (122-t) | 43.0 | 49.0* | 31.0 | 1907 | 45.6 | 90 | 68.6 | 90 | 87.0 | 1959 | 0.12 | 0.16 | 86 | -- | -- |
| 05/03 (123-w) | 34.0 | 46.0* | 30.0 | 1978 | 46.0 | 90 | 57.2 | 89 | 87.0 | 1938 | 0.10 | 0.11 | 81 | -- | -- |
| 05/04 (124-t) | 35.0 | 48.0* | 30.0 | 1903 | 45.4 | 90 | 68.5 | 89 | 89.0 | 1949 | 0.25 | 0.10 | 79 | -- | -- |
| 05/05 (125-f) | 35.0 | 51.0* | 29.0 | 1907 | 46.3 | 90 | 58.2 | 89 | 70.2 | 89 | 0.22 | 0.07 | 85 | -- | -- |
| 05/06 (126-s) | 35.0 | 47.5* | 30.0 | 1910 | 48.3 | 90 | 59.7 | 89 | 71.2 | 89 | 0.16 | 0.09 | 81 | -- | -- |
| 05/07 (127-s) | 31.0 | 41.0* | 31.0 | 1974 | 48.2 | 90 | 59.2 | 89 | 70.2 | 89 | 0.10 | 0.15 | 77 | -- | -- |
| 05/08 (128-m) | 35.0 | 42.5* | 30.0 | 1947 | 46.1 | 90 | 57.9 | 89 | 69.5 | 89 | 0.00 | 0.14 | 82 | -- | -- |
| 05/09 (129-t) | 36.0 | 50.5* | 29.0 | 1947 | 47.3 | 90 | 58.1 | 89 | 68.8 | 89 | 0.00 | 0.13 | 82 | -- | -- |
| 05/10 (130-w) | 37.0 | 44.5* | 27.0 | 1906 | 46.7 | 89 | 58.2 | 88 | 69.5 | 88 | 0.78 | 0.12 | 83 | -- | -- |
| 05/11 (131-t) | 44.0 | 50.0* | 29.0 | 1913 | 48.5 | 88 | 59.5 | 87 | 70.4 | 87 | 0.03 | 0.17 | 82 | -- | -- |
| 05/12 (132-f) | 42.0 | 50.5* | 31.0 | 1913 | 48.6 | 89 | 59.6 | 88 | 70.5 | 88 | 0.01 | 0.18 | 84 | -- | -- |
| 05/13 (133-s) | 41.0 | 50.5* | 34.0 | 1901 | 49.2 | 90 | 60.0 | 89 | 70.8 | 89 | 0.00 | 0.16 | 78 | -- | -- |
| 05/14 (134-s) | 40.0 | 51.0* | 31.0 | 1917 | 50.0 | 90 | 60.9 | 90 | 71.7 | 90 | 0.00 | 0.14 | 81 | -- | -- |
| 05/15 (135-m) | 40.0 | 52.5* | 30.0 | 1910 | 49.9 | 90 | 61.1 | 90 | 72.3 | 90 | 0.45 | 0.14 | 78 | -- | -- |
| 05/16 (136-t) | 45.0 | 53.5* | 31.0 | 1904 | 50.1 | 90 | 61.5 | 90 | 72.9 | 90 | 0.40 | 0.13 | 82 | -- | -- |
| 05/17 (137-w) | 46.0 | 56.0* | 35.0 | 1984 | 50.0 | 90 | 61.7 | 90 | 73.3 | 90 | 0.00 | 0.16 | 79 | -- | -- |
| 05/18 (138-t) | 46.0 | 62.0* | 34.0 | 1915 | 51.5 | 87 | 62.6 | 87 | 73.8 | 88 | 0.00 | 0.14 | 83 | -- | -- |
| 05/19 (139-f) | 48.0 | 65.0* | 37.0 | 1916 | 52.3 | 90 | 63.3 | 90 | 74.3 | 90 | 0.00 | 0.13 | 80 | -- | -- |
| 05/20 (140-s) | 58.0 | 66.5* | 36.0 | 1929 | 52.3 | 90 | 63.1 | 90 | 73.9 | 90 | 0.33 | 0.13 | 78 | -- | -- |
| 05/21 (141-s) | 52.0 | 64.0* | 32.0 | 1907 | 52.7 | 90 | 64.0 | 90 | 75.3 | 90 | 0.00 | 0.08 | 80 | -- | -- |
| 05/22 (142-m) | 48.0 | 63.0* | 33.0 | 1924 | 53.2 | 90 | 64.7 | 90 | 76.2 | 90 | 0.15 | 0.17 | 84 | -- | -- |
| 05/23 (143-t) | 53.0 | 64.5* | 33.0 | 1963 | 53.5 | 90 | 64.6 | 90 | 75.8 | 90 | 0.50 | 0.12 | 87 | -- | -- |
| 05/24 (144-w) | 44.0 | 51.0* | 36.0 | 1905 | 52.8 | 90 | 63.8 | 90 | 74.8 | 90 | 0.28 | 0.14 | 84 | -- | -- |
| 05/25 (145-t) | 50.0 | 65.0* | 31.0 | 1925 | 53.2 | 90 | 64.3 | 90 | 75.3 | 90 | 0.00 | 0.15 | 84 | -- | -- |
| 05/26 (146-f) | 59.0 | 70.0* | 34.0 | 1961 | 53.5 | 90 | 64.4 | 90 | 75.3 | 90 | 1.16 | 0.20 | 78 | -- | -- |
| 05/27 (147-s) | 45.0 | 60.0* | 32.0 | 1961 | 53.6 | 88 | 64.4 | 88 | 75.3 | 88 | 0.00 | 0.14 | 88 | -- | -- |
| 05/28 (148-s) | 42.0 | 53.5* | 34.0 | 1907 | 54.4 | 89 | 64.8 | 89 | 75.2 | 89 | 0.00 | 0.11 | 78 | -- | -- |
| 05/29 (149-m) | 48.0 | 57.0* | 33.0 | 1902 | 53.8 | 90 | 64.8 | 90 | 75.7 | 90 | 0.00 | 0.17 | 87 | -- | -- |
| 05/30 (150-t) | 52.0 | 66.5* | 36.0 | 1984 | 54.4 | 90 | 65.4 | 90 | 76.5 | 90 | 0.00 | 0.11 | 79 | -- | -- |
| 05/31 (151-w) | 60.0 | 73.5* | 38.0 | 1984 | 56.0 | 88 | 67.0 | 88 | 78.1 | 89 | 0.00 | 0.12 | 77 | -- | -- |

| | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|
| Column Min's: | 31.0 | 41.0 | 50.0 | 27.0 | 45.4 | 56.4 | 67.5 | 0.00 | 0.07 |
| Column Avg's: | 44.2 | 55.4 | 66.7 | 50.3 | 61.4 | 72.6 | 0.16 | 0.13 | |
| Column Max's: | 60.0 | 73.5 | 87.0 | 56.0 | 67.0 | 78.1 | 1.16 | 0.20 | |
| Column Ttl's: | | | | | | | 5.04 | 4.15 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | |
|---------------|---------|-----------|--|-----------|------------------------|-----------|-----------------|-----------|----|------|----|-------|------|------|----|----|----|------|----|
| | min | avg | min | max | prec | evap | ly | max | | | | | | | | | | | |
| mo da jul | Current | Long Term | Long Term | Long Term | Long Term | Long Term | Long Term | Long Term | | | | | | | | | | | |
| | avg | avg | avg | avg | avg | avg | avg | avg | | | | | | | | | | | |
| | yr | yr | yr | yr | yr | yr | yr | yr | | | | | | | | | | | |
| | yr | yr | yr | yr | yr | yr | yr | yr | | | | | | | | | | | |
| 06/01 (152-t) | 61.0 | 74.5* | 88.0 | 41.0 | 1916 | 56.5 | 90 | 67.4 | 90 | 78.2 | 90 | 98.0 | 1934 | 0.00 | -- | -- | -- | 0.11 | 79 |
| 06/02 (153-f) | 64.0 | 76.5* | 89.0 | 38.0 | 1910 | 56.2 | 90 | 66.9 | 90 | 77.5 | 90 | 94.0 | 1934 | 0.00 | -- | -- | -- | 0.15 | 84 |
| 06/03 (154-s) | 57.0 | 69.5* | 82.0 | 40.0 | 1929 | 55.8 | 88 | 66.7 | 88 | 77.5 | 88 | 94.0 | 1934 | 1.45 | -- | -- | -- | 0.13 | 78 |
| 06/04 (155-s) | 61.0 | 68.0* | 75.0 | 40.0 | 1929 | 56.1 | 90 | 67.7 | 90 | 79.2 | 90 | 96.0 | 1925 | 0.10 | -- | -- | -- | 0.12 | 79 |
| 06/05 (156-m) | 55.0 | 59.0* | 63.0 | 41.0 | 1921 | 57.8 | 89 | 68.9 | 89 | 80.0 | 89 | 96.0 | 1925 | 0.00 | -- | -- | -- | 0.10 | 84 |
| 06/06 (157-t) | 49.0 | 63.0* | 77.0 | 40.0 | 1945 | 57.5 | 89 | 68.9 | 89 | 80.3 | 89 | 98.0 | 1925 | 0.00 | -- | -- | -- | 0.14 | 86 |
| 06/07 (158-w) | 55.0 | 67.5* | 80.0 | 39.0 | 1977 | 58.4 | 89 | 68.8 | 89 | 79.2 | 89 | 96.0 | 1933 | 0.00 | -- | -- | -- | 0.14 | 81 |
| 06/08 (159-t) | 58.0 | 70.5* | 83.0 | 36.0 | 1912 | 57.3 | 90 | 68.4 | 90 | 79.5 | 90 | 98.0 | 1933 | 0.00 | -- | -- | -- | 0.10 | 86 |
| 06/09 (160-f) | 60.0 | 69.5* | 79.0 | 38.0 | 1913 | 57.8 | 89 | 69.0 | 89 | 80.2 | 90 | 95.0 | 1914 | 0.00 | -- | -- | -- | 0.15 | 81 |
| 06/10 (161-s) | 51.0 | 65.5* | 80.0 | 39.0 | 1913 | 57.5 | 89 | 68.9 | 89 | 80.2 | 90 | 98.0 | 1911 | 0.35 | -- | -- | -- | 0.16 | 79 |
| 06/11 (162-s) | 50.0 | 62.0* | 74.0 | 35.0 | 1972 | 58.0 | 88 | 69.3 | 88 | 80.5 | 89 | 96.0 | 1933 | 0.00 | -- | -- | -- | 0.09 | 84 |
| 06/12 (163-m) | 64.0 | 72.0* | 80.0 | 42.0 | 1906 | 59.5 | 90 | 70.3 | 90 | 81.1 | 90 | 94.0 | 1902 | 0.52 | -- | -- | -- | 0.12 | 78 |
| 06/13 (164-t) | 63.0 | 71.0* | 79.0 | 40.0 | 1988 | 58.6 | 90 | 69.7 | 90 | 80.8 | 90 | 94.0 | 1902 | 0.42 | -- | -- | -- | 0.24 | 80 |
| 06/14 (165-w) | 61.0 | 67.5* | 74.0 | 43.0 | 1933 | 59.3 | 88 | 70.1 | 88 | 81.0 | 89 | 92.0 | 1956 | 0.15 | -- | -- | -- | 0.18 | 81 |
| 06/15 (166-t) | 56.0 | 65.0* | 74.0 | 40.0 | 1933 | 59.3 | 89 | 70.0 | 89 | 80.8 | 89 | 95.0 | 1988 | 0.27 | -- | -- | -- | 0.16 | 79 |
| 06/16 (167-f) | 55.0 | 60.5* | 66.0 | 41.0 | 1908 | 59.5 | 89 | 70.0 | 89 | 80.5 | 89 | 95.0 | 1952 | 0.00 | -- | -- | -- | 0.15 | 81 |
| 06/17 (168-s) | 50.0 | 62.0* | 74.0 | 41.0 | 1914 | 58.8 | 89 | 69.8 | 89 | 80.8 | 89 | 94.0 | 1934 | 0.00 | -- | -- | -- | 0.15 | 84 |
| 06/18 (169-s) | 50.0 | 63.0* | 76.0 | 46.0 | 1903 | 59.7 | 89 | 70.6 | 89 | 81.4 | 89 | 95.0 | 1944 | 0.53 | -- | -- | -- | 0.16 | 85 |
| 06/19 (170-m) | 61.0 | 69.0* | 77.0 | 45.0 | 1909 | 60.2 | 89 | 71.2 | 89 | 82.2 | 89 | 95.0 | 1933 | 0.00 | -- | -- | -- | 0.15 | 84 |
| 06/20 (171-t) | 61.0 | 71.5* | 82.0 | 39.0 | 1914 | 59.7 | 90 | 71.1 | 90 | 82.6 | 90 | 98.0 | 1953 | 0.07 | -- | -- | -- | 0.09 | 84 |
| 06/21 (172-w) | 63.0 | 69.5* | 76.0 | 46.0 | 1940 | 61.1 | 89 | 71.6 | 89 | 82.1 | 89 | 97.0 | 1933 | 3.01 | -- | -- | -- | 0.13 | 82 |
| 06/22 (173-t) | 64.0 | 74.5* | 85.0 | 42.0 | 1902 | 60.8 | 89 | 71.5 | 89 | 82.3 | 89 | 99.0 | 1988 | 0.00 | -- | -- | -- | 0.15 | 86 |
| 06/23 (174-f) | 64.0 | 76.5* | 89.0 | 41.0 | 1902 | 60.7 | 89 | 71.6 | 89 | 82.5 | 89 | 99.0 | 1988 | 0.00 | -- | -- | -- | 0.16 | 83 |
| 06/24 (175-s) | 63.0 | 77.0* | 91.0 | 44.0 | 1915 | 60.6 | 88 | 71.9 | 88 | 83.3 | 88 | 97.0 | 1914 | 0.00 | -- | -- | -- | 0.10 | 80 |
| 06/25 (176-s) | 65.0 | 77.5* | 90.0 | 43.0 | 1979 | 61.1 | 89 | 72.3 | 89 | 83.5 | 89 | 96.0 | 1914 | 0.15 | -- | -- | -- | 0.19 | 82 |
| 06/26 (177-m) | 69.0 | 80.5* | 92.0 | 49.0 | 1902 | 61.7 | 89 | 73.3 | 89 | 84.8 | 89 | 102.0 | 1988 | 0.00 | -- | -- | -- | 0.10 | 83 |
| 06/27 (178-t) | 67.0 | 78.0* | 89.0 | 45.0 | 1927 | 62.0 | 89 | 73.1 | 89 | 84.1 | 89 | 97.0 | 1913 | 0.00 | -- | -- | -- | 0.19 | 81 |
| 06/28 (179-w) | 66.0 | 78.0* | 90.0 | 48.0 | 1926 | 62.4 | 89 | 73.3 | 89 | 84.2 | 89 | 100.0 | 1934 | 1.79 | -- | -- | -- | 0.20 | 87 |
| 06/29 (180-t) | 54.0 | 67.5* | 81.0 | 47.0 | 1923 | 62.7 | 90 | 73.7 | 90 | 84.7 | 90 | 100.0 | 1934 | 0.00 | -- | -- | -- | 0.15 | 78 |
| 06/30 (181-f) | 51.0 | 63.0* | 75.0 | 43.0 | 1914 | 62.2 | 89 | 73.2 | 89 | 84.3 | 89 | 98.0 | 1953 | 0.00 | -- | -- | -- | 0.14 | 81 |

| | | | | | | | | | |
|---------------|------|------|------|------|------|------|-------|------|------|
| Column Min's: | 49.0 | 59.0 | 63.0 | 35.0 | 55.8 | 66.7 | 77.5 | 0.00 | 0.09 |
| Column Avg's: | 58.9 | 69.6 | 80.3 | 59.3 | 70.3 | 81.3 | 81.3 | 0.29 | 0.14 |
| Column Max's: | 69.0 | 80.5 | 92.0 | 62.7 | 73.7 | 84.8 | 102.0 | 3.01 | 0.24 |
| Column Ttl's: | | | | | | | | 8.81 | 4.30 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | AIR | | TEMPERATURE (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | | | SOLAR RADIATION | | | | | |
|---------------|-------|-------|----------------------------------|----------|-------|-----------|------------------------|-------|-------|-------|-----------------|-------|-------|-----------|------|----|
| | min | avg | min | year avg | max | Long Term | prec | snow | evap | hum | ly | ly/m | max | Long Term | | |
| mo da jul | | | | | | | | | | | | | | | | |
| 08/01 (213-t) | 59.0 | 69.5* | 80.0 | 62.5 | 90 | 73.4 | 89 | 84.4 | 89 | 96.0 | 1933 | 0.00 | -- | -- | 0.13 | 84 |
| 08/02 (214-w) | 58.0 | 70.0* | 82.0 | 62.6 | 90 | 73.6 | 89 | 84.7 | 89 | 96.0 | 1930 | 0.00 | -- | -- | 0.14 | 81 |
| 08/03 (215-t) | 59.0 | 72.0* | 85.0 | 63.5 | 90 | 74.3 | 89 | 85.2 | 89 | 98.0 | 1955 | 0.00 | -- | -- | 0.11 | 84 |
| 08/04 (216-f) | 64.0 | 76.0* | 88.0 | 63.3 | 90 | 74.0 | 89 | 84.7 | 89 | 98.0 | 1930 | 0.00 | -- | -- | 0.11 | 82 |
| 08/05 (217-s) | 70.0 | 78.5* | 87.0 | 63.2 | 90 | 73.9 | 89 | 84.6 | 89 | 100.0 | 1918 | 0.25 | -- | -- | 0.11 | 83 |
| 08/06 (218-s) | 64.0 | 75.5* | 87.0 | 63.3 | 90 | 74.1 | 89 | 84.7 | 89 | 103.0 | 1918 | 0.77 | -- | -- | 0.11 | 80 |
| 08/07 (219-m) | 55.0 | 69.5* | 84.0 | 63.3 | 90 | 73.9 | 89 | 84.6 | 89 | 98.0 | 1918 | 0.02 | -- | -- | 0.14 | 82 |
| 08/08 (220-t) | 46.0 | 57.5* | 69.0 | 63.7 | 90 | 74.3 | 89 | 84.9 | 89 | 95.0 | 1900 | 0.00 | -- | -- | 0.08 | 84 |
| 08/09 (221-w) | 46.0 | 59.5* | 73.0 | 63.4 | 90 | 73.9 | 89 | 84.4 | 89 | 99.0 | 1934 | 0.00 | -- | -- | 0.13 | 84 |
| 08/10 (222-t) | 50.0 | 65.0* | 80.0 | 63.1 | 90 | 73.7 | 89 | 84.3 | 89 | 99.0 | 1911 | 0.00 | -- | -- | 0.21 | 86 |
| 08/11 (223-f) | 52.0 | 67.0* | 82.0 | 62.2 | 90 | 72.7 | 90 | 83.2 | 90 | 96.0 | 1926 | 0.00 | -- | -- | 0.12 | 83 |
| 08/12 (224-s) | 57.0 | 69.0* | 81.0 | 61.3 | 90 | 72.3 | 90 | 83.4 | 90 | 95.0 | 1900 | 0.00 | -- | -- | 0.20 | 83 |
| 08/13 (225-s) | 56.0 | 69.0* | 82.0 | 61.5 | 90 | 72.5 | 90 | 83.4 | 90 | 96.0 | 1936 | 0.00 | -- | -- | 0.08 | 80 |
| 08/14 (226-m) | 58.0 | 70.5* | 83.0 | 62.4 | 90 | 73.3 | 90 | 84.2 | 90 | 95.0 | 1944 | 0.00 | -- | -- | 0.09 | 84 |
| 08/15 (227-t) | 55.0 | 70.5* | 86.0 | 62.1 | 89 | 72.9 | 88 | 83.8 | 89 | 96.0 | 1910 | 0.00 | -- | -- | 0.09 | 82 |
| 08/16 (228-w) | 60.0 | 72.5* | 85.0 | 62.7 | 90 | 73.3 | 89 | 84.1 | 89 | 95.0 | 1913 | 0.00 | -- | -- | 0.12 | 84 |
| 08/17 (229-t) | 60.0 | 71.0* | 82.0 | 63.1 | 90 | 73.5 | 90 | 84.0 | 90 | 102.0 | 1988 | 0.00 | -- | -- | 0.14 | 76 |
| 08/18 (230-f) | 69.0 | 73.5* | 78.0 | 62.6 | 90 | 73.0 | 90 | 83.4 | 90 | 99.0 | 1988 | 0.00 | -- | -- | 0.15 | 82 |
| 08/19 (231-s) | 61.0 | 65.5* | 70.0 | 61.3 | 90 | 72.2 | 90 | 83.2 | 90 | 102.0 | 1936 | 0.05 | -- | -- | 0.08 | 84 |
| 08/20 (232-s) | 62.0 | 69.5* | 77.0 | 60.6 | 90 | 71.6 | 90 | 82.7 | 90 | 101.0 | 1983 | 0.00 | -- | -- | 0.16 | 82 |
| 08/21 (233-m) | 59.0 | 68.5* | 78.0 | 60.8 | 90 | 71.9 | 90 | 82.9 | 90 | 98.0 | 1955 | 0.10 | -- | -- | 0.13 | 82 |
| 08/22 (234-t) | 66.0 | 75.0* | 84.0 | 60.6 | 90 | 71.4 | 90 | 82.2 | 90 | 98.0 | 1936 | 0.00 | -- | -- | 0.08 | 88 |
| 08/23 (235-w) | 65.0 | 71.0* | 77.0 | 60.0 | 90 | 71.0 | 90 | 82.0 | 90 | 95.0 | 1936 | 1.40 | -- | -- | 0.11 | 87 |
| 08/24 (236-t) | 63.0 | 73.5* | 84.0 | 59.5 | 90 | 70.8 | 90 | 82.0 | 90 | 95.0 | 1959 | 0.20 | -- | -- | 0.10 | 87 |
| 08/25 (237-f) | 59.0 | 65.5* | 72.0 | 59.3 | 90 | 70.8 | 89 | 82.2 | 89 | 96.0 | 1959 | 0.00 | -- | -- | 0.08 | 85 |
| 08/26 (238-s) | 65.0 | 75.0* | 85.0 | 59.4 | 90 | 70.9 | 90 | 82.3 | 90 | 97.0 | 1948 | 0.00 | -- | -- | 0.11 | 82 |
| 08/27 (239-s) | 66.0 | 75.5* | 85.0 | 60.3 | 90 | 71.5 | 90 | 82.8 | 90 | 98.0 | 1948 | 0.00 | -- | -- | 0.03 | 86 |
| 08/28 (240-m) | 59.0 | 72.5* | 86.0 | 60.3 | 90 | 71.3 | 90 | 82.3 | 90 | 96.0 | 1948 | 0.00 | -- | -- | 0.15 | 83 |
| 08/29 (241-t) | 64.0 | 75.0* | 86.0 | 60.0 | 90 | 71.3 | 89 | 82.6 | 89 | 98.0 | 1953 | 0.00 | -- | -- | 0.09 | 86 |
| 08/30 (242-w) | 61.0 | 73.0* | 85.0 | 60.5 | 90 | 71.7 | 90 | 82.8 | 90 | 99.0 | 1953 | 1.20 | -- | -- | 0.15 | 85 |
| 08/31 (243-t) | 51.0 | 66.0* | 81.0 | 59.8 | 90 | 70.9 | 90 | 81.9 | 90 | 98.0 | 1924 | 0.00 | -- | -- | 0.12 | 88 |
| Column Min's: | 46.0 | 57.5 | 69.0 | 59.3 | | 70.8 | | 81.9 | | 0.00 | | 0.00 | | | 0.03 | |
| Column Avg's: | 59.3 | 70.4 | 81.4 | 61.7 | | 72.6 | | 83.5 | | 0.13 | | 0.13 | | | 0.12 | |
| Column Max's: | 70.0 | 78.5 | 88.0 | 63.7 | | 74.3 | | 85.2 | | 1.40 | 103.0 | 1.40 | | | 0.21 | |
| Column Ttl's: | | | | | | | | | | 3.99 | | 3.99 | | | 3.65 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | |
|---------------|---------|-----------|--|-----------|------------------------|------|-----------------|-----------|----|
| | min | avg | min | avg | liq | prec | ly | max | |
| mo da jul | Current | Long Term | avg yrs | avgmx yrs | evap | snow | ly/m | Lyng-Term | |
| | min | avg | avg yrs | avgmx yrs | evap | snow | ly/m | Lyng-Term | |
| | min | avg | avg yrs | avgmx yrs | evap | snow | ly/m | Lyng-Term | |
| 09/01 (244-f) | 54.0 | 69.5* | 89 | 82.3 | 89 | 99.0 | 1953 | 0.06 | 84 |
| 09/02 (245-s) | 52.0 | 65.5* | 89 | 70.6 | 89 | 81.9 | 89 | 0.13 | 83 |
| 09/03 (246-s) | 50.0 | 62.5* | 89 | 70.4 | 89 | 81.1 | 89 | 0.13 | 84 |
| 09/04 (247-m) | 57.0 | 67.5* | 89 | 70.4 | 89 | 81.2 | 89 | 0.12 | 82 |
| 09/05 (248-t) | 61.0 | 72.0* | 89 | 69.5 | 89 | 81.0 | 89 | 0.17 | 85 |
| 09/06 (249-w) | 64.0 | 73.5* | 89 | 69.2 | 89 | 80.9 | 89 | 0.07 | 84 |
| 09/07 (250-t) | 63.0 | 73.0* | 89 | 69.1 | 89 | 80.7 | 89 | 0.04 | 83 |
| 09/08 (251-f) | 64.0 | 74.5* | 88 | 69.9 | 88 | 82.0 | 88 | 0.07 | 84 |
| 09/09 (252-s) | 69.0 | 77.5* | 88 | 69.8 | 88 | 81.5 | 88 | 0.04 | 85 |
| 09/10 (253-s) | 70.0 | 78.5* | 88 | 68.3 | 88 | 79.5 | 88 | 0.07 | 79 |
| 09/11 (254-m) | 62.0 | 68.0* | 88 | 67.3 | 88 | 78.5 | 88 | 0.08 | 85 |
| 09/12 (255-t) | 60.0 | 68.0* | 88 | 67.5 | 88 | 78.7 | 88 | 0.10 | 86 |
| 09/13 (256-w) | 55.0 | 66.5* | 88 | 67.5 | 88 | 78.4 | 88 | 0.17 | 80 |
| 09/14 (257-t) | 55.0 | 68.5* | 87 | 66.3 | 87 | 78.0 | 87 | 0.11 | 87 |
| 09/15 (258-f) | 58.0 | 62.0* | 87 | 66.7 | 87 | 77.8 | 87 | 0.10 | 81 |
| 09/16 (259-s) | 58.0 | 62.0* | 87 | 65.5 | 87 | 76.5 | 87 | 0.10 | 84 |
| 09/17 (260-s) | 49.0 | 58.0* | 88 | 65.0 | 88 | 76.5 | 88 | 0.09 | 83 |
| 09/18 (261-m) | 52.0 | 62.0* | 89 | 65.0 | 89 | 76.3 | 89 | 0.07 | 86 |
| 09/19 (262-t) | 49.0 | 62.0* | 89 | 65.9 | 89 | 77.3 | 89 | 0.08 | 84 |
| 09/20 (263-w) | 53.0 | 65.0* | 89 | 66.4 | 89 | 77.0 | 89 | 0.13 | 83 |
| 09/21 (264-t) | 60.0 | 71.0* | 88 | 65.4 | 88 | 76.4 | 88 | 0.06 | 83 |
| 09/22 (265-f) | 62.0 | 72.5* | 89 | 63.8 | 89 | 75.2 | 89 | 0.10 | 87 |
| 09/23 (266-s) | 41.0 | 56.5* | 88 | 63.0 | 88 | 74.8 | 88 | 0.10 | 84 |
| 09/24 (267-s) | 38.0 | 52.0* | 89 | 62.9 | 89 | 74.6 | 89 | 0.06 | 84 |
| 09/25 (268-m) | 36.0 | 49.0* | 89 | 62.9 | 88 | 74.6 | 88 | 0.10 | 82 |
| 09/26 (269-t) | 43.0 | 58.0* | 89 | 62.3 | 89 | 74.4 | 89 | 0.07 | 82 |
| 09/27 (270-w) | 35.0 | 48.5* | 89 | 61.9 | 89 | 73.0 | 89 | 0.14 | 85 |
| 09/28 (271-t) | 38.0 | 54.5* | 88 | 60.6 | 88 | 72.1 | 88 | 0.12 | 85 |
| 09/29 (272-f) | 45.0 | 58.5* | 89 | 60.7 | 89 | 71.9 | 89 | 0.14 | 86 |
| 09/30 (273-s) | 50.0 | 62.0* | 88 | 60.0 | 88 | 71.3 | 88 | 0.09 | 88 |

| | | | | | | | | | |
|---------------|------|------|------|------|------|------|-------|------|------|
| Column Min/s: | 35.0 | 48.5 | 62.0 | 30.0 | 48.6 | 60.0 | 71.3 | 0.00 | 0.04 |
| Column Avg/s: | 53.4 | 64.6 | 75.8 | 54.8 | 66.2 | 77.5 | 71.3 | 0.11 | 0.10 |
| Column Max/s: | 70.0 | 78.5 | 87.0 | 59.9 | 71.1 | 82.3 | 82.3 | 1.60 | 0.17 |
| Column Ttl/s: | | | | | | | 101.0 | 3.19 | 2.91 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.

These data are provided as a public service solely for informational use.

[* designates an average calculated as (max+min)/2]

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | |
|---------------|-------|-------|--|------|------------------------|------|-----------------|------|------|
| | min | max | min | max | precip | evap | ly | max | |
| 10/01 (274-s) | 53.0 | 62.5* | 32.0 | 48.2 | 0.00 | 71.3 | 89 | 89.0 | 0.08 |
| 10/02 (275-m) | 61.0 | 62.5* | 29.0 | 47.6 | 0.17 | 71.6 | 89 | 90.0 | 0.10 |
| 10/03 (276-t) | 39.0 | 59.0* | 28.0 | 47.9 | 0.00 | 71.6 | 90 | 89.0 | 0.10 |
| 10/04 (277-w) | 30.0 | 53.0* | 26.0 | 48.6 | 0.00 | 71.9 | 90 | 89.0 | 0.09 |
| 10/05 (278-t) | 32.0 | 50.5* | 30.0 | 48.3 | 0.00 | 71.0 | 89 | 89.0 | 0.08 |
| 10/06 (279-f) | 42.0 | 54.0* | 28.0 | 47.1 | 0.00 | 69.9 | 89 | 86.0 | 0.12 |
| 10/07 (280-s) | 38.0 | 51.5* | 26.0 | 45.5 | 0.04 | 68.6 | 89 | 87.0 | 0.12 |
| 10/08 (281-s) | 34.0 | 44.5* | 29.0 | 44.7 | 0.00 | 67.7 | 90 | 91.0 | 0.09 |
| 10/09 (282-m) | 26.0 | 41.5* | 26.0 | 45.7 | 0.10 | 67.6 | 89 | 89.0 | 0.07 |
| 10/10 (283-t) | 40.0 | 50.5* | 27.0 | 45.1 | 0.30 | 67.8 | 89 | 85.0 | 0.07 |
| 10/11 (284-w) | 34.0 | 51.0* | 22.0 | 45.1 | 0.00 | 67.6 | 90 | 88.0 | 0.07 |
| 10/12 (285-t) | 49.0 | 61.5* | 23.0 | 45.0 | 0.00 | 67.3 | 90 | 85.0 | 0.06 |
| 10/13 (286-f) | 47.0 | 62.5* | 26.0 | 44.2 | 0.00 | 66.9 | 90 | 85.0 | 0.05 |
| 10/14 (287-s) | 57.0 | 71.0* | 25.0 | 43.1 | 0.00 | 67.4 | 90 | 85.0 | 0.05 |
| 10/15 (288-s) | 54.0 | 67.0* | 25.0 | 43.2 | 0.00 | 68.8 | 90 | 84.0 | 0.07 |
| 10/16 (289-m) | 55.0 | 70.0* | 23.0 | 44.3 | 0.00 | 68.1 | 90 | 85.0 | 0.05 |
| 10/17 (290-t) | 52.0 | 66.0* | 24.0 | 43.5 | 0.24 | 66.6 | 90 | 82.0 | 0.10 |
| 10/18 (291-w) | 47.0 | 55.0* | 23.0 | 43.0 | 0.01 | 65.0 | 90 | 84.0 | 0.12 |
| 10/19 (292-t) | 33.0 | 43.0* | 26.0 | 41.9 | 0.90 | 64.1 | 90 | 85.0 | 0.06 |
| 10/20 (293-f) | 35.0 | 37.0* | 24.0 | 40.9 | 0.08 | 63.4 | 90 | 85.0 | 0.06 |
| 10/21 (294-s) | 32.0 | 39.0* | 20.0 | 42.0 | 0.00 | 63.6 | 90 | 85.0 | 0.06 |
| 10/22 (295-s) | 30.0 | 45.0* | 19.0 | 41.6 | 0.00 | 64.7 | 90 | 84.0 | 0.10 |
| 10/23 (296-m) | 36.0 | 53.0* | 26.0 | 41.5 | 0.00 | 62.7 | 90 | 83.0 | 0.10 |
| 10/24 (297-t) | 47.0 | 60.0* | 21.0 | 40.7 | 0.00 | 61.5 | 90 | 83.0 | 0.09 |
| 10/25 (298-w) | 45.0 | 60.0* | 22.0 | 40.0 | 0.00 | 60.7 | 90 | 83.0 | 0.09 |
| 10/26 (299-t) | 46.0 | 61.0* | 24.0 | 39.3 | 0.00 | 60.7 | 90 | 82.0 | 0.06 |
| 10/27 (300-f) | 44.0 | 61.0* | 20.0 | 39.7 | 0.00 | 60.8 | 90 | 80.0 | 0.08 |
| 10/28 (301-s) | 40.0 | 58.5* | 21.0 | 38.1 | 0.00 | 60.1 | 90 | 82.0 | 0.05 |
| 10/29 (302-s) | 40.0 | 58.0* | 20.0 | 38.2 | 0.00 | 60.0 | 90 | 81.0 | 0.05 |
| 10/30 (303-m) | 33.0 | 54.0* | 19.0 | 39.3 | 0.00 | 60.5 | 90 | 81.0 | 0.05 |
| 10/31 (304-t) | 37.0 | 54.5* | 20.0 | 40.0 | 0.00 | 61.1 | 90 | 83.0 | 0.10 |

| Column Min's: | Column Avg's: | Column Max's: | Column Ttl's: |
|---------------|---------------|---------------|---------------|
| 26.0 | 37.0 | 39.0 | 0.00 |
| 41.5 | 55.4 | 69.3 | 0.06 |
| 61.0 | 71.0 | 85.0 | 0.90 |
| | | | 1.84 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]