

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	max	prec	evap	ly	max											
mo da jul	Current	Long Term	Long Term	Long Term	liq	Long Term	Long Term	Long Term											
	avg	avg	avg	max	prec	evap	ly	avg											
	yr	yr	yr	yr	yr	yr	yr	yr											
01/01 (001-s)	24.0	34.5*	45.0	-4.0	1968	23.2	29	31.6	28	39.8	29	66.0	1985	0.30	--	--	--	0.25	28
01/02 (002-m)	32.0	34.5*	37.0	1.0	1968	22.4	30	31.0	29	39.3	29	66.0	1985	0.00	--	--	--	0.14	29
01/03 (003-t)	30.0	33.5*	37.0	-1.0	1979	24.5	29	31.4	29	38.5	30	56.0	1966	0.00	--	--	--	0.10	27
01/04 (004-w)	27.0	33.0*	39.0	-1.0	1979	22.2	30	30.1	30	37.9	30	60.0	1982	0.00	--	--	--	0.11	24
01/05 (005-t)	21.0	26.5*	32.0	-1.0	1968	20.6	30	28.5	30	36.4	30	50.0	1965	0.00	--	--	--	0.07	27
01/06 (006-f)	27.0	37.5*	48.0	-2.0	1988	22.5	30	29.6	30	36.7	30	55.0	1962	0.47	--	--	--	0.13	26
01/07 (007-s)	38.0	42.5*	47.0	-5.0	1970	22.9	30	31.0	30	39.0	30	57.0	1987	0.02	--	--	--	0.05	25
01/08 (008-s)	36.0	50.0*	64.0	-11.0	1968	18.4	30	26.8	30	35.2	30	64.0	1965	0.59	--	--	--	0.10	24
01/09 (009-m)	28.0	32.0*	36.0	-5.0	1976	16.9	30	25.8	30	34.7	30	64.0	1965	0.00	--	--	--	0.11	26
01/10 (010-t)	20.0	32.5*	45.0	-13.0	1982	16.8	30	25.8	30	34.8	30	61.0	1975	0.00	--	--	--	0.08	27
01/11 (011-w)	26.0	36.0*	46.0	-14.0	1982	15.8	30	24.9	30	34.0	30	61.0	1975	0.00	--	--	--	0.12	25
01/12 (012-t)	26.0	40.0*	54.0	-5.0	1978	16.0	30	25.4	30	34.9	30	65.0	1960	0.85	--	--	--	0.06	22
01/13 (013-f)	26.0	40.5*	55.0	-9.0	1977	18.3	30	28.2	29	38.2	29	67.0	1972	0.09	--	--	--	0.09	28
01/14 (014-s)	22.0	28.0*	34.0	-7.0	1964	20.4	30	29.2	30	38.0	30	58.0	1971	0.00	--	--	--	0.08	28
01/15 (015-s)	22.0	32.5*	43.0	-4.0	1979	20.1	29	29.0	29	37.8	30	58.0	1960	0.96	--	--	--	0.15	24
01/16 (016-m)	29.0	32.5*	36.0	-10.0	1972	16.6	29	26.0	29	35.4	29	60.0	1974	0.00	--	--	--	0.02	27
01/17 (017-t)	30.0	37.0*	44.0	-20.0	1977	18.2	30	27.0	29	36.6	29	61.0	1973	0.00	--	--	--	0.04	27
01/18 (018-w)	30.0	40.0*	50.0	-16.0	1977	20.7	29	29.4	29	38.8	30	63.0	1973	0.00	--	--	--	0.09	27
01/19 (019-t)	29.0	41.0*	53.0	-8.0	1984	20.5	30	28.9	30	37.3	30	65.0	1974	0.00	--	--	--	0.06	24
01/20 (020-f)	30.0	45.0*	60.0	-22.0	1985	20.7	30	28.7	30	36.7	30	60.0	1989	0.00	--	--	--	0.16	24
01/21 (021-s)	18.0	28.0*	38.0	-23.0	1985	18.6	30	27.0	30	35.5	30	60.0	1974	0.00	--	--	--	0.02	28
01/22 (022-s)	19.0	27.0*	35.0	-16.0	1984	21.8	29	30.9	29	39.1	30	65.0	1967	0.00	--	--	--	0.11	27
01/23 (023-m)	25.0	37.5*	50.0	-3.0	1963	23.1	30	32.3	30	41.5	30	67.0	1967	0.00	--	--	--	0.12	30
01/24 (024-t)	28.0	43.5*	59.0	-19.0	1963	20.5	30	29.9	29	39.7	29	70.0	1967	0.00	--	--	--	0.05	27
01/25 (025-w)	37.0	46.5*	56.0	-9.0	1963	21.5	29	31.4	29	41.2	29	68.0	1972	0.00	--	--	--	0.06	27
01/26 (026-t)	46.0	55.5*	65.0	-0.0	1978	22.1	30	32.5	30	42.9	30	71.0	1967	0.13	--	--	--	0.09	29
01/27 (027-f)	28.0	39.5*	51.0	-4.0	1978	18.8	30	28.0	30	37.1	30	68.0	1967	0.10	--	--	--	0.07	29
01/28 (028-s)	28.0	37.5*	47.0	-16.0	1963	17.9	30	26.8	30	35.7	30	64.0	1970	0.00	--	--	--	0.07	28
01/29 (029-s)	30.0	43.0*	56.0	-12.0	1977	19.4	30	28.5	30	37.5	30	69.0	1975	0.00	--	--	--	0.05	28
01/30 (030-m)	43.0	48.0*	53.0	-12.0	1966	20.1	30	29.1	30	38.1	30	58.0	1988	0.04	--	--	--	0.07	24
01/31 (031-t)	33.0	38.0*	43.0	-9.0	1965	19.7	30	29.0	30	38.2	30	62.0	1988	0.01	--	--	--	0.06	28
Column Min's:	18.0	26.5	32.0	-23.0		15.8		24.9		34.0				0.00				0.02	
Column Avg's:	28.6	37.8	47.0			20.0		28.8		37.6		71.0		0.11				0.09	
Column Max's:	46.0	55.5	65.0			24.5		32.5		42.9				3.56				0.25	
Column Tt'l's:																		2.78	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION				
	min	avg	min	avg	max	liq	prec	snow	evap	ly	ly/m	max	Lng-Tm	
mo da jul	Current	
			avgm yrs	avg yrs	avgm yrs	avg yrs	avgm yrs	avg yrs	max year	max year	max year	avg pr yrs	Long Term	
02/01 (032-w)	36.0	49.0*	22.2	27	31.2	27	40.0	28	63.0	1988	0.00	--	0.10	
02/02 (033-t)	45.0	56.0*	22.3	29	31.9	29	41.4	29	67.0	1989	0.00	--	0.23	
02/03 (034-f)	32.0	41.0*	20.1	30	29.4	30	38.6	30	60.0	1983	1.13	--	0.12	
02/04 (035-s)	22.0	27.5*	18.7	30	28.0	30	37.2	30	69.0	1962	0.18	--	0.10	
02/05 (036-s)	22.0	23.5*	19.9	30	29.5	29	39.4	29	65.0	1962	0.00	--	0.08	
02/06 (037-m)	13.0	21.5*	19.1	30	29.4	29	39.8	29	65.0	1986	0.00	--	0.10	
02/07 (038-t)	12.0	18.0*	18.2	30	26.7	30	35.2	30	56.0	1963	0.00	--	0.08	
02/08 (039-w)	13.0	21.0*	18.2	30	26.5	30	34.8	30	54.0	1965	0.00	--	0.05	
02/09 (040-t)	5.0	19.0*	17.8	30	26.9	30	36.0	30	62.0	1966	0.00	--	0.11	
02/10 (041-f)	5.0	14.5*	18.2	30	27.9	30	37.5	30	64.0	1965	0.00	--	0.08	
02/11 (042-s)	16.0	25.5*	21.2	30	30.5	29	39.7	29	62.0	1965	0.00	--	0.04	
02/12 (043-s)	21.0	33.5*	20.9	29	30.7	29	40.7	30	61.0	1984	0.00	--	0.06	
02/13 (044-m)	20.0	30.0*	21.7	30	31.0	30	40.3	30	72.0	1984	0.28	--	0.12	
02/14 (045-t)	32.0	39.5*	21.0	30	29.9	30	38.8	30	64.0	1961	1.83	--	0.15	
02/15 (046-w)	38.0	39.5*	22.8	29	32.5	29	41.6	30	67.0	1976	1.20	--	0.09	
02/16 (047-t)	32.0	36.5*	23.8	30	33.1	30	42.5	30	64.0	1976	1.05	--	0.10	
02/17 (048-f)	25.0	31.5*	24.8	30	34.2	30	43.6	30	64.0	1961	0.00	--	0.06	
02/18 (049-s)	23.0	28.0*	26.5	29	35.8	29	45.1	29	64.0	1961	0.00	--	0.08	
02/19 (050-s)	23.0	30.5*	26.7	30	36.6	30	46.5	30	67.0	1986	0.00	--	0.07	
02/20 (051-m)	33.0	37.5*	24.8	30	34.1	30	43.4	30	65.0	1986	0.00	--	0.05	
02/21 (052-t)	36.0	44.0*	23.6	30	34.8	30	46.1	30	67.0	1983	1.20	--	0.12	
02/22 (053-w)	29.0	40.0*	25.4	30	35.9	30	46.5	30	68.0	1971	0.03	--	0.09	
02/23 (054-t)	15.0	24.0*	26.4	30	36.9	30	47.5	30	69.0	1977	0.04	--	0.17	
02/24 (055-f)	8.0	14.0*	27.7	30	37.1	30	46.5	30	70.0	1961	0.00	--	0.15	
02/25 (056-s)	8.0	16.5*	24.2	30	34.5	29	45.6	29	65.0	1961	0.00	--	0.09	
02/26 (057-s)	20.0	31.5*	22.8	29	31.9	28	42.3	29	67.0	1976	0.10	--	0.12	
02/27 (058-m)	26.0	33.5*	22.8	30	33.2	29	43.9	29	66.0	1976	0.00	--	0.06	
02/28 (059-t)	20.0	28.5*	26.5	30	36.2	30	46.0	30	67.0	1972	0.00	--	0.11	
Column Min's:	5.0	14.0	17.8	26.5	34.5	29	34.5	29	65.0	1961	0.00	--	0.04	
Column Avg's:	22.5	30.5	27.4	32.0	37.1	30	41.7	30	72.0	1986	0.25	--	0.10	
Column Max's:	45.0	56.0	47.5	56.0	67.0	72.0	72.0	72.0	72.0	1986	1.83	--	0.23	
Column Ttl's:														7.04

Column Min's:
Column Avg's:
Column Max's:
Column Ttl's:

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.
[* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION						
	min	avg	min	year avg	max	Long Term avg	prec	evap	hum %	ly	max Lng-Term avg					
11/01 (305-w)	29.0	42.5*	20.0	1976	43.6	31	54.7	31	65.8	31	77.0	1968	0.33	0.00	0.16	29
11/02 (306-t)	34.0	43.0*	26.0	1976	43.4	31	53.8	31	64.1	31	81.0	1961	0.00	0.00	0.14	31
11/03 (307-f)	31.0	43.5*	25.0	1959	40.7	31	51.0	31	61.3	31	81.0	1961	0.08	0.00	0.08	30
11/04 (308-s)	22.0	32.5*	22.0	1966	38.8	31	49.2	31	59.7	31	79.0	1987	0.00	0.00	0.12	29
11/05 (309-s)	30.0	40.0*	23.0	1967	38.9	30	48.1	30	57.4	31	79.0	1975	0.00	0.00	0.15	29
11/06 (310-m)	38.0	52.5*	21.0	1973	35.1	30	46.2	28	57.4	29	76.0	1975	0.02	0.00	0.08	30
11/07 (311-t)	38.0	50.0*	20.0	1971	36.2	30	44.6	29	53.3	30	70.0	1965	0.00	0.00	0.08	31
11/08 (312-w)	42.0	54.5*	15.0	1971	35.7	31	45.0	31	54.3	31	71.0	1980	0.35	0.00	0.08	29
11/09 (313-t)	37.0	48.0*	22.0	1961	37.8	31	47.7	31	57.5	31	76.0	1975	0.84	0.00	0.15	28
11/10 (314-f)	37.0	43.5*	20.0	1973	36.6	31	47.4	31	58.2	31	72.0	1977	0.07	0.00	0.24	30
11/11 (315-s)	28.0	37.0*	20.0	1973	34.7	31	44.3	31	54.0	31	71.0	1964	0.00	0.00	0.09	31
11/12 (316-s)	35.0	50.5*	21.0	1980	35.9	31	44.6	31	53.2	31	72.0	1964	0.00	0.00	0.07	31
11/13 (317-m)	42.0	52.5*	16.0	1976	33.8	31	43.7	31	53.5	31	70.0	1964	0.00	0.00	0.09	30
11/14 (318-t)	49.0	60.5*	11.0	1986	34.4	31	43.1	31	52.8	31	74.0	1971	0.00	0.00	0.09	31
11/15 (319-w)	54.0	60.5*	13.0	1986	34.7	31	44.5	31	54.4	31	74.0	1964	0.08	0.00	0.05	29
11/16 (320-t)	32.0	50.5*	18.0	1967	36.2	30	45.6	30	55.0	30	69.0	1971	1.20	0.00	0.19	29
11/17 (321-f)	18.0	28.0*	13.0	1959	34.2	31	45.1	30	56.0	30	74.0	1987	0.00	0.00	0.10	29
11/18 (322-s)	19.0	28.0*	10.0	1959	34.9	30	43.6	30	52.4	31	71.0	1971	0.00	0.00	0.08	30
11/19 (323-s)	18.0	27.0*	18.0	1980	33.2	31	42.4	31	51.6	31	74.0	1985	0.00	0.00	0.20	31
11/20 (324-m)	23.0	38.5*	19.0	1980	32.8	31	42.4	31	51.9	31	73.0	1985	0.00	0.00	0.15	28
11/21 (325-t)	27.0	46.0*	14.0	1964	32.1	31	41.6	31	51.1	31	68.0	1979	0.00	0.00	0.09	28
11/22 (326-w)	23.0	31.0*	8.0	1964	31.7	31	40.2	31	48.6	31	70.0	1979	0.00	0.00	0.02	28
11/23 (327-t)	16.0	23.5*	14.0	1970	31.8	31	40.8	31	49.8	31	67.0	1963	0.02	0.00	0.09	29
11/24 (328-f)	17.0	26.0*	10.0	1970	31.9	31	41.1	31	50.2	31	67.0	1973	0.00	0.00	0.17	29
11/25 (329-s)	19.0	30.5*	10.0	1970	30.3	31	39.6	31	48.8	31	66.0	1973	0.00	0.00	0.10	31
11/26 (330-s)	36.0	45.5*	16.0	1977	32.4	31	42.6	31	52.7	31	68.0	1987	0.05	0.00	0.16	29
11/27 (331-m)	38.0	47.0*	14.0	1977	36.6	31	45.5	31	54.5	31	68.0	1988	0.00	0.00	0.21	29
11/28 (332-t)	42.0	53.5*	20.0	1967	33.0	31	42.0	31	50.9	31	67.0	1960	0.34	0.00	0.25	31
11/29 (333-w)	25.0	35.5*	12.0	1976	28.3	31	37.0	31	45.7	31	67.0	1987	0.00	0.00	0.12	28
11/30 (334-t)	21.0	28.0*	2.0	1976	27.4	30	34.5	30	42.2	31	65.0	1970	0.00	0.00	0.09	26
Column Min's:	16.0	23.5	2.0		27.4		34.5		42.2		65.0		0.00	0.00	0.02	
Column Avg's:	30.7	41.7	52.6		34.9		44.4		53.9		81.0		0.11	0.12	0.12	
Column Max's:	54.0	60.5	72.0		43.6		54.7		65.8		81.0		1.20	0.25	0.25	
Column Tot's:													3.38	3.69	3.69	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	AIR		TEMPERATURE (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	max	min	max	avg	yr	prec	evap	ly	ly/m	max	avg	
mo da jul	Current	Current	year	year	Term	year	liq	snow	yr	yr	ly/m	Term	
	min	max	avg	yr	yr	yr	yr	yr	yr	yr	yr	yr	
12/01 (335-f)	21.0	32.5*	44.0	6.0	1964	28.3	31	45.2	31	69.0	1970	0.12	29
12/02 (336-s)	22.0	36.5*	51.0	14.0	1966	28.4	31	38.6	31	67.0	1970	0.09	28
12/03 (337-s)	15.0	31.0*	47.0	4.0	1976	28.9	30	37.7	30	46.3	1982	0.07	28
12/04 (338-m)	15.0	21.0*	27.0	13.0	1966	29.6	31	39.2	31	48.7	1982	0.18	30
12/05 (339-t)	18.0	30.5*	43.0	14.0	1969	29.2	31	38.2	31	47.1	1982	0.10	30
12/06 (340-w)	33.0	42.5*	52.0	15.0	1970	28.7	31	37.7	30	46.5	1982	0.19	29
12/07 (341-t)	21.0	36.0*	51.0	-0.0	1977	27.3	30	35.7	30	43.9	1971	0.10	28
12/08 (342-f)	19.0	24.5*	30.0	3.0	1977	27.6	31	35.9	31	44.2	1966	0.14	28
12/09 (343-s)	8.0	17.0*	26.0	8.0	1989	27.0	31	35.0	31	43.1	1980	0.20	29
12/10 (344-s)	13.0	20.5*	28.0	3.0	1977	24.6	31	33.6	31	42.6	1971	0.12	30
12/11 (345-m)	18.0	25.5*	33.0	3.0	1977	27.4	31	34.8	31	42.2	1971	0.10	28
12/12 (346-t)	20.0	27.0*	34.0	-6.0	1962	28.9	31	36.6	31	44.3	1979	0.17	28
12/13 (347-w)	6.0	17.0*	28.0	-6.0	1962	26.3	31	35.0	30	43.4	1972	0.07	29
12/14 (348-t)	7.0	17.5*	28.0	6.0	1985	23.8	30	32.7	30	42.4	1971	0.06	28
12/15 (349-f)	14.0	19.0*	24.0	1.0	1963	26.0	31	33.6	30	41.8	1971	0.12	29
12/16 (350-s)	-8.0	7.5*	23.0	-8.0	1989	24.1	31	32.8	30	41.9	1984	0.09	30
12/17 (351-s)	-12.0	0.0*	12.0	-12.0	1989	23.1	31	31.9	31	40.6	1984	0.06	28
12/18 (352-m)	-10.0	2.0*	14.0	-10.0	1989	21.8	31	30.8	31	39.9	1984	0.04	25
12/19 (353-t)	-8.0	6.5*	21.0	-8.0	1989	22.8	31	31.7	31	40.5	1987	0.03	29
12/20 (354-w)	2.0	12.0*	22.0	-7.0	1963	23.3	31	32.1	31	41.0	1988	0.12	27
12/21 (355-t)	1.0	10.5*	20.0	-9.0	1963	22.3	31	30.4	31	38.4	1987	0.18	25
12/22 (356-f)	-22.0	-6.0*	10.0	-22.0	1989	20.6	31	29.3	31	38.0	1967	0.13	29
12/23 (357-s)	-22.0	-9.5*	3.0	-22.0	1989	22.8	31	31.8	31	40.8	1970	0.09	27
12/24 (358-s)	-18.0	3.0*	12.0	-18.0	1989	26.3	31	34.2	31	42.1	1964	0.13	27
12/25 (359-m)	-10.0	4.0*	18.0	-12.0	1983	23.0	31	33.0	31	43.0	1964	0.16	26
12/26 (360-t)	14.0	23.0*	32.0	-7.0	1983	23.6	31	31.0	31	38.4	1982	0.13	27
12/27 (361-w)	1.0	10.0*	19.0	-0.0	1985	23.3	31	31.3	31	39.3	1959	0.04	27
12/28 (362-t)	17.0	26.0*	35.0	4.0	1977	24.3	31	32.6	31	41.0	1988	0.14	28
12/29 (363-f)	22.0	31.0*	40.0	-0.0	1961	23.0	31	32.1	31	41.2	1984	0.10	28
12/30 (364-s)	23.0	34.0*	45.0	-3.0	1983	23.5	31	31.7	31	39.9	1984	0.08	31
12/31 (365-s)	36.0	44.5*	53.0	-3.0	1983	24.2	30	32.4	30	40.3	1965	0.10	27
Column Min's:	-22.0	-9.5	3.0	-22.0	20.6	29.3	38.0	0.00	0.00	0.03	0.03	0.11	
Column Avg's:	8.3	19.0	29.8	25.3	33.9	42.5	76.0	0.06	0.90	0.20	0.20	0.11	
Column Max's:	36.0	44.5	53.0	29.6	39.2	48.7	1.78	0.90	0.37	0.08	0.08	0.20	
Column Ttl's:													

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min	avg	max	prec	liq	evap	snow	ly	ly/m	max Lng-Term avg yrs			
03/01 (060-w)	19.0	32.0*	45.0	-0.0	1960	26.7	30	37.1	30	47.6	30	72.0	1972	0.00	0.09	27
03/02 (061-t)	20.0	28.0*	36.0	-4.0	1980	28.1	30	38.2	30	48.4	30	74.0	1976	0.00	0.11	24
03/03 (062-f)	29.0	37.0*	45.0	-5.0	1980	30.7	30	39.9	30	49.2	30	74.0	1976	0.00	0.09	27
03/04 (063-s)	36.0	50.0*	64.0	-3.0	1980	32.1	30	41.5	30	50.9	30	80.0	1976	0.00	0.42	25
03/05 (064-s)	45.0	58.0*	71.0	-1.0	1960	30.7	30	42.0	30	53.4	30	78.0	1976	0.85	0.26	27
03/06 (065-m)	45.0	1.0	1960	27.7	28	37.9	29	47.9	29	79.0	1983	0.94	0.20	26
03/07 (066-t)	17.0	11.0	1960	30.6	30	40.3	29	49.5	29	78.0	1974	0.02	0.05	29
03/08 (067-w)	-2.0	1960	29.2	27	39.7	27	50.2	29	79.0	1974	0.00	0.10	27
03/09 (068-t)	23.0	28.5*	34.0	5.0	1984	29.2	30	39.5	29	50.2	29	77.0	1974	0.00	0.23	29
03/10 (069-f)	25.0	34.0*	43.0	12.0	1984	29.6	28	38.7	28	49.2	30	76.0	1973	0.00	0.18	26
03/11 (070-s)	29.0	42.5*	56.0	14.0	1969	30.5	30	41.3	29	52.2	29	75.0	1977	0.00	0.11	26
03/12 (071-s)	36.0	53.0*	70.0	7.0	1960	33.4	30	43.3	30	53.3	30	74.0	1972	0.00	0.22	25
03/13 (072-m)	35.0	42.5*	50.0	-0.0	1960	31.2	30	42.1	30	53.0	30	79.0	1967	0.00	0.16	30
03/14 (073-t)	36.0	42.0*	48.0	7.0	1960	32.3	30	42.4	30	52.6	30	78.0	1973	0.00	0.08	28
03/15 (074-w)	47.0	58.5*	70.0	18.0	1960	32.0	30	42.7	30	53.4	30	77.0	1977	0.06	0.12	28
03/16 (075-t)	23.0	36.5*	50.0	13.0	1970	30.9	30	42.0	30	53.1	30	77.0	1984	0.00	0.19	28
03/17 (076-f)	26.0	41.0*	56.0	12.0	1967	30.2	30	41.3	30	52.5	30	77.0	1982	0.00	0.07	28
03/18 (077-s)	41.0	58.0*	75.0	14.0	1964	30.1	29	42.0	29	54.0	29	75.0	1989	0.20	0.08	30
03/19 (078-s)	25.0	41.5*	58.0	17.0	1965	32.2	30	43.3	30	54.5	30	75.0	1982	0.04	0.12	25
03/20 (079-m)	32.0	38.5*	45.0	16.0	1965	34.2	30	44.7	30	55.1	30	73.0	1979	0.06	0.10	27
03/21 (080-t)	32.0	40.0*	48.0	15.0	1986	33.1	30	44.4	30	55.7	30	74.0	1975	1.26	0.36	28
03/22 (081-w)	22.0	29.0*	36.0	17.0	1986	30.7	30	40.6	30	50.5	30	79.0	1966	0.00	0.11	29
03/23 (082-t)	27.0	36.0*	45.0	15.0	1960	31.3	30	41.7	30	52.1	30	76.0	1966	0.00	0.05	28
03/24 (083-f)	32.0	44.5*	57.0	16.0	1974	32.0	28	43.6	28	55.1	28	77.0	1988	0.02	0.15	24
03/25 (084-s)	41.0	53.0*	65.0	12.0	1974	34.3	29	44.4	28	54.2	29	76.0	1967	0.00	0.06	26
03/26 (085-s)	41.0	53.0*	65.0	20.0	1972	34.0	29	44.5	29	55.8	30	78.0	1967	0.00	0.17	26
03/27 (086-m)	51.0	63.0*	75.0	20.0	1966	33.9	30	45.3	30	56.7	30	77.0	1967	0.00	0.04	28
03/28 (087-t)	53.0	65.5*	78.0	18.0	1982	37.5	30	48.5	30	59.4	30	78.0	1989	0.01	0.08	30
03/29 (088-w)	60.0	70.5*	81.0	21.0	1966	40.5	30	51.8	30	63.0	30	81.0	1989	0.08	0.23	27
03/30 (089-t)	57.0	61.0*	65.0	16.0	1964	40.1	30	50.7	30	61.3	30	79.0	1977	1.23	0.20	26
03/31 (090-f)	37.0	52.0*	67.0	16.0	1969	37.8	30	48.5	30	59.1	30	81.0	1986	0.61	0.25	29

Column Min's:	17.0	28.0	34.0	-5.0	26.7	37.1	47.6	0.00	0.04
Column Avg's:	34.4	46.0	56.7	32.2	42.7	53.3	0.17	0.15	
Column Max's:	60.0	70.5	81.0	40.5	51.8	63.0	1.26	0.42	
Column Totals:							5.38	4.68	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	avg	max	prec	evap	ly	max	avg									
04/01 (091-s)	32.0	36.5*	18.0	38.8	31	50.2	31	61.5	31	83.0	1986	0.11	--	--	0.19	28	--	--	
04/02 (092-s)	33.0	41.0*	23.0	1961	39.6	31	50.5	31	61.4	31	79.0	1963	0.00	--	--	0.30	29	--	--
04/03 (093-m)	41.0	51.0*	23.0	1972	38.6	30	50.7	30	62.8	30	80.0	1974	0.34	--	--	0.15	31	--	--
04/04 (094-t)	53.0	61.5*	23.0	1964	39.1	30	49.8	30	60.4	30	79.0	1974	0.43	--	--	0.24	30	--	--
04/05 (095-w)	39.0	49.0*	22.0	1987	36.9	31	48.4	31	59.9	31	82.0	1986	0.07	--	--	0.13	29	--	--
04/06 (096-t)	37.0	45.0*	21.0	1982	37.7	31	48.2	31	58.7	31	82.0	1988	0.02	--	--	0.08	30	--	--
04/07 (097-f)	36.0	45.0*	18.0	1982	36.9	31	49.2	31	61.5	31	79.0	1959	0.16	--	--	0.10	29	--	--
04/08 (098-s)	35.0	43.5*	21.0	1972	37.9	30	49.4	30	60.9	30	80.0	1959	0.10	--	--	0.10	29	--	--
04/09 (099-s)	32.0	37.0*	20.0	1972	37.5	31	48.3	31	59.1	31	80.0	1967	0.33	--	--	0.20	28	--	--
04/10 (100-m)	28.0	37.0*	22.0	1985	35.3	31	46.5	31	57.8	31	79.0	1977	0.00	--	--	0.07	28	--	--
04/11 (101-t)	23.0	32.0*	23.0	1989	37.1	30	49.2	30	61.0	31	81.0	1977	0.00	--	--	0.08	30	--	--
04/12 (102-w)	23.0	35.0*	23.0	1976	40.1	29	51.4	28	62.3	28	82.0	1977	0.00	--	--	0.14	29	--	--
04/13 (103-t)	30.0	43.5*	26.0	1976	43.0	31	54.1	31	65.2	31	82.0	1972	0.02	--	--	0.09	30	--	--
04/14 (104-f)	29.0	41.0*	26.0	1973	41.8	31	54.2	31	66.6	31	81.0	1977	0.00	--	--	0.07	30	--	--
04/15 (105-s)	32.0	47.5*	28.0	1962	41.9	31	54.4	31	66.9	31	79.0	1976	0.04	--	--	0.13	31	--	--
04/16 (106-s)	32.0	45.5*	25.0	1962	40.6	31	52.5	31	64.4	31	81.0	1960	0.02	--	--	0.10	29	--	--
04/17 (107-m)	32.0	49.0*	29.0	1980	44.1	30	55.3	30	66.5	30	81.0	1969	0.00	--	--	0.08	31	--	--
04/18 (108-t)	47.0	61.5*	27.0	1983	45.5	31	56.5	29	67.6	29	84.0	1977	0.01	--	--	0.14	30	--	--
04/19 (109-w)	40.0	53.0*	24.0	1983	43.9	29	55.2	29	67.4	31	84.0	1976	0.93	--	--	0.21	29	--	--
04/20 (110-t)	35.0	44.5*	25.0	1983	44.8	31	56.4	31	68.0	31	86.0	1976	0.00	--	--	0.08	31	--	--
04/21 (111-f)	35.0	50.0*	29.0	1981	45.8	31	57.0	31	68.3	31	83.0	1976	0.00	--	--	0.11	29	--	--
04/22 (112-s)	45.0	57.5*	27.0	1986	46.5	31	57.6	31	68.6	31	85.0	1985	0.00	--	--	0.16	27	--	--
04/23 (113-s)	43.0	55.5*	24.0	1986	46.6	31	57.7	31	68.7	31	85.0	1985	0.00	--	--	0.25	30	--	--
04/24 (114-m)	43.0	53.5*	31.0	1986	44.9	31	55.7	31	66.4	31	84.0	1960	0.00	--	--	0.27	31	--	--
04/25 (115-t)	46.0	60.5*	31.0	1967	43.2	30	54.9	29	66.4	30	85.0	1960	0.00	--	--	0.11	30	--	--
04/26 (116-w)	57.0	70.5*	31.0	1972	45.1	31	56.6	31	68.0	31	84.0	1989	0.27	--	--	0.06	31	--	--
04/27 (117-t)	60.0	69.5*	29.0	1976	46.3	31	57.6	31	69.0	31	85.0	1986	0.47	--	--	0.14	30	--	--
04/28 (118-f)	56.0	67.0*	27.0	1976	47.0	31	58.4	31	69.7	31	88.0	1986	0.00	--	--	0.12	30	--	--
04/29 (119-s)	54.0	65.0*	31.0	1977	45.0	31	56.9	31	68.7	31	84.0	1970	1.11	--	--	0.14	31	--	--
04/30 (120-s)	51.0	64.0*	35.0	1988	47.7	31	58.6	31	69.4	31	85.0	1962	0.05	--	--	0.14	29	--	--

Column Min's: 23.0 32.0 41.0 18.0 35.3 46.5 57.8 0.00 0.06
 Column Avg's: 39.3 50.4 61.5 42.0 53.4 64.8 69.7 0.15 0.14
 Column Max's: 60.0 70.5 84.0 47.7 58.6 69.7 88.0 1.11 0.30 4.18

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	AIR		TEMPERATURE		WATER BALANCE (inches)		SOLAR RADIATION									
	min	max	min	max	prec	evap	ly	max								
mo da jul	Current	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term								
	avg	avg	avg	avg	avg	avg	avg	avg								
	yr	yr	yr	yr	yr	yr	yr	yr								
05/01 (121-m)	50.0	59.0*	68.0	28.0	1963	47.4	30	58.7	30	69.9	30	84.0	1962	0.08	0.10	29
05/02 (122-t)	45.0	50.0*	55.0	30.0	1963	45.3	30	57.0	30	68.8	30	80.0	1965	0.04	0.18	29
05/03 (123-w)	37.0	45.5*	54.0	34.0	1967	44.6	30	56.6	30	68.5	30	84.0	1987	0.02	0.18	30
05/04 (124-t)	38.0	50.0*	62.0	28.0	1966	44.0	30	56.6	30	69.2	30	82.0	1969	0.00	0.12	30
05/05 (125-f)	43.0	55.0*	67.0	35.0	1973	45.8	30	58.1	30	70.5	30	84.0	1969	0.50	0.10	29
05/06 (126-s)	41.0	53.0*	65.0	32.0	1968	49.6	29	61.0	29	72.5	30	84.0	1980	0.42	0.11	30
05/07 (127-s)	32.0	40.0*	48.0	31.0	1974	47.7	29	59.1	29	71.0	30	84.0	1969	0.13	0.22	29
05/08 (128-m)	33.0	43.0*	53.0	33.0	1989	49.0	30	60.5	30	72.0	30	85.0	1986	0.00	0.34	29
05/09 (129-t)	37.0	51.0*	65.0	32.0	1980	47.3	30	58.3	30	69.2	30	88.0	1963	0.16	0.14	30
05/10 (130-w)	44.0	48.5*	53.0	25.0	1966	46.2	30	57.5	30	68.7	30	86.0	1963	0.83	0.08	29
05/11 (131-t)	45.0	52.5*	60.0	34.0	1977	48.0	30	60.2	30	72.4	30	84.0	1987	0.03	0.13	29
05/12 (132-f)	40.0	50.5*	61.0	39.0	1960	50.8	30	62.0	30	73.2	30	86.0	1979	0.00	0.09	28
05/13 (133-s)	40.0	48.5*	57.0	40.0	1971	49.7	30	61.1	30	72.5	30	87.0	1982	0.08	0.19	30
05/14 (134-s)	46.0	54.0*	62.0	38.0	1971	52.2	30	63.7	30	75.3	30	88.0	1962	0.01	0.16	28
05/15 (135-m)	51.0	59.0*	67.0	36.0	1973	52.7	30	63.6	30	74.6	30	88.0	1982	0.42	0.16	30
05/16 (136-t)	40.0	51.5*	63.0	37.0	1984	51.7	29	63.2	29	74.6	29	90.0	1962	0.39	0.08	27
05/17 (137-w)	41.0	54.5*	68.0	35.0	1973	51.4	30	62.6	30	73.8	30	92.0	1962	0.00	0.16	30
05/18 (138-t)	51.0	64.0*	77.0	37.0	1973	52.3	30	63.8	30	75.2	30	93.0	1962	0.00	0.16	29
05/19 (139-f)	55.0	68.5*	82.0	33.0	1976	53.4	30	64.8	30	76.3	30	91.0	1964	0.01	0.13	29
05/20 (140-s)	60.0	66.0*	72.0	42.0	1961	55.0	30	65.4	30	75.9	30	89.0	1962	0.22	0.10	27
05/21 (141-s)	52.0	65.5*	79.0	41.0	1968	53.4	29	65.1	29	76.9	30	90.0	1987	0.00	0.08	28
05/22 (142-m)	55.0	66.0*	77.0	40.0	1968	53.6	30	65.0	30	76.4	30	89.0	1964	0.00	0.12	28
05/23 (143-t)	57.0	65.0*	73.0	35.0	1963	53.8	30	65.1	30	76.5	30	86.0	1964	1.27	0.26	29
05/24 (144-w)	49.0	58.5*	68.0	39.0	1963	55.5	29	66.5	28	77.4	28	88.0	1970	0.12	0.19	28
05/25 (145-t)	53.0	66.5*	80.0	40.0	1988	53.7	29	65.0	29	76.7	30	89.0	1965	0.00	0.12	30
05/26 (146-f)	65.0	74.0*	83.0	38.0	1988	53.4	30	65.1	30	76.8	30	87.0	1965	0.30	0.21	29
05/27 (147-s)	59.0	70.5*	82.0	34.0	1961	53.5	30	64.7	30	76.0	30	87.0	1967	0.00	0.26	29
05/28 (148-s)	45.0	57.0*	69.0	40.0	1971	53.6	30	65.2	30	76.7	30	89.0	1977	0.00	0.18	27
05/29 (149-m)	57.0	66.0*	75.0	38.0	1964	55.5	30	66.4	29	76.8	29	90.0	1987	0.00	0.17	28
05/30 (150-t)	63.0	71.5*	80.0	38.0	1984	55.6	29	65.8	29	76.0	29	90.0	1987	0.01	0.20	28
05/31 (151-w)	65.0	76.0*	87.0	40.0	1966	55.3	29	66.2	28	77.5	29	88.0	1988	0.00	0.19	29

Column Min's:	32.0	40.0	48.0	25.0	44.0	56.6	68.5	0.00	0.08
Column Avg's:	48.0	58.1	68.1	51.0	62.4	73.8	77.5	0.16	0.16
Column Max's:	65.0	76.0	87.0	55.6	66.5	77.5	93.0	1.27	0.34
Column Ttl's:								5.04	4.91

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
	min	Current	min	year	avg	Long Term	prec	liq	evap	hum	ly	max	Lng-Term					
mo da jul	avg	max	year	avg	yr	yr	yr	yr	yr	yr	yr	ly/m	avg yrs					
06/01 (152-t)	69.0	78.5*	88.0	39.0	1966	56.8	31	67.2	29	78.0	29	89.0	1988	0.00	0.11	31		
06/02 (153-f)	63.0	75.5*	88.0	41.0	1966	56.7	31	67.1	30	78.0	30	90.0	1988	0.79	0.14	29		
06/03 (154-s)	63.0	71.5*	80.0	41.0	1969	56.7	31	67.2	30	77.9	30	86.0	1988	0.00	0.21	30		
06/04 (155-s)	63.0	72.5*	82.0	42.0	1969	55.5	31	67.1	30	78.7	30	87.0	1971	0.28	0.12	31		
06/05 (156-m)	61.0	69.0*	77.0	45.0	1988	57.3	30	68.5	30	79.8	31	88.0	1960	0.87	0.13	30		
06/06 (157-t)	53.0	61.5*	70.0	48.0	1988	58.6	31	69.7	31	80.9	31	89.0	1971	0.21	0.14	30		
06/07 (158-w)	54.0	64.0*	74.0	45.0	1977	58.4	31	69.8	31	81.3	31	90.0	1988	0.00	0.10	31		
06/08 (159-t)	55.0	67.5*	80.0	46.0	1977	59.8	31	71.1	31	82.3	31	90.0	1959	0.00	0.16	30		
06/09 (160-f)	57.0	67.5*	78.0	46.0	1988	59.9	31	71.5	31	83.1	31	93.0	1964	0.21	0.21	31		
06/10 (161-s)	55.0	67.5*	80.0	39.0	1988	59.1	31	70.8	31	82.4	31	90.0	1964	0.06	0.12	31		
06/11 (162-s)	48.0	58.0*	68.0	37.0	1972	56.6	31	68.8	31	81.1	31	89.0	1973	0.00	0.07	31		
06/12 (163-m)	59.0	67.5*	76.0	40.0	1988	58.9	31	70.4	31	82.0	31	92.0	1964	0.10	0.08	30		
06/13 (164-t)	58.0	70.5*	83.0	43.0	1985	58.9	31	69.8	31	80.8	31	91.0	1976	0.32	0.21	31		
06/14 (165-w)	63.0	71.5*	80.0	43.0	1959	59.0	31	70.1	31	81.1	31	92.0	1984	0.00	0.16	29		
06/15 (166-t)	57.0	67.0*	77.0	46.0	1959	59.4	31	70.6	31	81.8	31	93.0	1988	1.01	0.16	29		
06/16 (167-f)	56.0	61.0*	66.0	45.0	1969	59.3	31	70.3	31	81.2	31	93.0	1988	0.35	0.24	26		
06/17 (168-s)	52.0	58.5*	65.0	44.0	1980	56.8	31	68.5	31	80.1	31	91.0	1967	0.00	0.07	31		
06/18 (169-s)	55.0	65.0*	75.0	49.0	1959	58.5	31	69.8	31	81.1	31	90.0	1962	0.00	0.10	30		
06/19 (170-m)	58.0	68.5*	79.0	45.0	1959	59.5	31	71.4	31	83.4	31	91.0	1975	0.00	0.17	27		
06/20 (171-t)	64.0	70.0*	76.0	47.0	1982	59.9	31	71.0	31	82.1	31	92.0	1988	0.41	0.07	28		
06/21 (172-w)	64.0	72.0*	80.0	50.0	1963	60.7	30	71.3	30	81.9	30	95.0	1988	0.45	0.13	30		
06/22 (173-t)	65.0	74.0*	83.0	45.0	1963	59.7	31	71.2	30	82.6	30	97.0	1988	0.00	0.18	31		
06/23 (174-f)	65.0	76.0*	87.0	46.0	1972	61.5	29	71.8	29	82.1	30	99.0	1988	0.52	0.12	30		
06/24 (175-s)	65.0	75.5*	86.0	49.0	1961	60.5	31	71.3	31	82.1	31	91.0	1966	0.00	0.18	29		
06/25 (176-s)	67.0	78.0*	89.0	45.0	1972	59.8	31	71.1	31	82.3	31	94.0	1966	0.00	0.17	28		
06/26 (177-m)	67.0	78.5*	90.0	50.0	1972	60.7	30	72.7	30	84.7	30	102.0	1988	0.00	0.11	29		
06/27 (178-t)	68.0	80.0*	92.0	49.0	1979	60.0	31	72.6	31	85.1	31	95.0	1966	0.00	0.05	31		
06/28 (179-w)	65.0	79.0*	93.0	48.0	1988	62.1	31	73.1	31	84.2	31	94.0	1971	0.30	0.13	30		
06/29 (180-t)	59.0	70.0*	81.0	51.0	1987	62.5	31	74.2	30	85.7	30	92.0	1964	0.00	0.12	31		
06/30 (181-f)	54.0	65.0*	76.0	54.0	1989	62.7	30	73.8	30	84.8	31	93.0	1968	0.00	0.10	31		
Column Min's:	48.0	58.0	65.0	37.0	55.5	67.1	77.9	67.1	77.9	81.8	85.7	102.0	0.00	0.00	0.05	0.14	0.24	4.06
Column Avg's:	60.1	70.0	80.0	60.0	59.2	70.5	81.8	74.2	85.7	85.7	93.0	102.0	0.20	0.20	0.14	0.24	0.24	4.06
Column Max's:	69.0	80.0	93.0	69.0	62.7	74.2	85.7	74.2	85.7	85.7	93.0	102.0	1.01	1.01	0.24	0.24	0.24	4.06
Column Tt's:													5.88					

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION		
	min	avg	max	min year	avgm yrs	Long Term avg yrs	prec	snow	evap	ly	max ly/m	Lng-Trm avg yrs
07/01 (182-s)	58.0	70.5*	83.0	43.0 1988	62.6 31	73.6 31	84.6 31	95.0 1968	0.00	--	--	--
07/02 (183-s)	60.0	72.5*	85.0	48.0 1988	62.2 31	72.9 31	83.7 31	97.0 1970	0.04	--	--	--
07/03 (184-m)	65.0	71.0*	77.0	53.0 1959	62.5 31	72.6 31	82.7 31	95.0 1966	0.02	--	--	--
07/04 (185-t)	65.0	71.0*	77.0	48.0 1968	61.2 30	72.2 30	83.2 30	94.0 1966	2.32	--	--	--
07/05 (186-w)	66.0	72.0*	78.0	49.0 1968	61.5 31	72.3 31	83.0 31	95.0 1988	0.00	--	--	--
07/06 (187-t)	67.0	75.0*	83.0	46.0 1972	62.3 31	72.4 31	82.5 31	95.0 1988	0.01	--	--	--
07/07 (188-f)	66.0	76.5*	87.0	50.0 1972	61.4 31	72.4 31	83.3 31	97.0 1988	0.00	--	--	--
07/08 (189-s)	65.0	77.5*	90.0	48.0 1984	62.4 31	73.9 31	85.2 31	100.0 1988	0.00	--	--	--
07/09 (190-s)	65.0	77.0*	89.0	51.0 1961	63.7 31	75.0 31	86.3 31	102.0 1988	0.00	--	--	--
07/10 (191-m)	71.0	80.0*	89.0	52.0 1963	64.5 31	75.0 31	85.5 31	101.0 1988	0.00	--	--	--
07/11 (192-t)	73.0	82.0*	91.0	49.0 1963	63.8 31	74.1 31	84.3 31	98.0 1988	0.00	--	--	--
07/12 (193-w)	66.0	80.0*	94.0	53.0 1963	62.1 31	73.4 31	84.7 31	94.0 1989	1.33	--	--	--
07/13 (194-t)	67.0	76.0*	85.0	54.0 1976	62.9 31	73.8 31	84.8 31	96.0 1966	0.03	--	--	--
07/14 (195-f)	59.0	70.0*	81.0	50.0 1975	63.3 31	74.1 31	84.9 31	93.0 1966	1.30	--	--	--
07/15 (196-s)	57.0	68.0*	79.0	53.0 1987	63.6 31	74.0 31	84.5 31	93.0 1985	0.00	--	--	--
07/16 (197-s)	62.0	70.5*	79.0	52.0 1967	63.4 31	74.1 31	84.8 31	100.0 1988	0.00	--	--	--
07/17 (198-m)	53.0	67.0*	81.0	51.0 1976	63.3 31	74.8 30	86.1 30	100.0 1988	0.00	--	--	--
07/18 (199-t)	56.0	68.5*	81.0	53.0 1967	63.3 30	74.6 30	85.9 31	96.0 1988	0.00	--	--	--
07/19 (200-w)	60.0	71.5*	83.0	53.0 1984	64.5 31	75.5 31	86.4 31	96.0 1988	0.34	--	--	--
07/20 (201-t)	63.0	69.5*	76.0	56.0 1984	64.3 31	74.9 31	85.6 31	95.0 1972	0.57	--	--	--
07/21 (202-f)	64.0	72.0*	80.0	49.0 1970	62.7 30	74.1 30	85.6 30	95.0 1980	0.59	--	--	--
07/22 (203-s)	64.0	74.5*	85.0	53.0 1970	63.6 31	74.9 31	86.2 31	95.0 1972	0.00	--	--	--
07/23 (204-s)	68.0	77.5*	87.0	55.0 1977	65.6 31	75.5 30	85.6 30	94.0 1987	0.00	--	--	--
07/24 (205-m)	66.0	77.0*	88.0	56.0 1962	65.0 30	75.6 30	86.1 31	97.0 1983	0.00	--	--	--
07/25 (206-t)	67.0	78.0*	89.0	59.0 1976	65.4 30	75.7 30	85.9 30	95.0 1987	0.00	--	--	--
07/26 (207-w)	70.0	80.0*	90.0	57.0 1962	64.7 31	74.9 31	85.2 31	96.0 1987	0.00	--	--	--
07/27 (208-t)	69.0	80.0*	91.0	47.0 1962	63.8 31	74.4 31	84.9 31	93.0 1964	0.00	--	--	--
07/28 (209-f)	67.0	77.5*	88.0	53.0 1962	64.6 31	74.4 30	84.3 30	95.0 1964	1.00	--	--	--
07/29 (210-s)	59.0	72.0*	85.0	55.0 1965	63.4 30	73.5 30	83.7 31	92.0 1983	0.00	--	--	--
07/30 (211-s)	60.0	71.5*	83.0	51.0 1965	62.7 31	72.8 31	83.0 31	94.0 1983	0.00	--	--	--
07/31 (212-m)	65.0	74.0*	83.0	53.0 1965	62.8 31	73.3 31	83.9 31	94.0 1983	0.06	--	--	--
Column Min's:	53.0	67.0	76.0	43.0	61.2	72.2	82.5		0.00			0.03
Column Avg's:	64.0	74.2	84.4		63.3	74.0	84.7		0.25			0.15
Column Max's:	73.0	82.0	94.0		65.6	75.7	86.4	102.0	2.32			0.29
Column Ttl's:									7.61			4.77

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION								
	min	max	min	max	avg	yr	prec	evap	ly	ly/m							
08/01 (213-t)	65.0	74.5*	54.0	1971	63.1	30	74.0	30	84.9	30	95.0	1980	0.00	--	--	0.05	30
08/02 (214-w)	63.0	73.0*	55.0	1962	62.6	30	73.7	30	84.8	30	97.0	1964	0.00	--	--	0.02	30
08/03 (215-t)	64.0	75.0*	48.0	1965	63.3	30	74.1	30	84.9	30	101.0	1964	0.00	--	--	0.09	30
08/04 (216-f)	70.0	80.0*	50.0	1976	62.9	30	73.9	30	84.9	30	95.0	1964	0.00	--	--	0.17	27
08/05 (217-s)	72.0	81.5*	52.0	1974	63.4	30	74.4	30	85.4	30	93.0	1982	0.00	--	--	0.11	29
08/06 (218-s)	67.0	78.0*	53.0	1967	64.1	30	74.1	30	84.1	30	94.0	1983	0.38	--	--	0.15	29
08/07 (219-m)	55.0	69.0*	55.0	1989	64.5	29	74.5	29	84.5	29	91.0	1964	0.00	--	--	0.13	29
08/08 (220-t)	45.0	57.0*	45.0	1989	62.4	30	73.1	30	83.9	30	92.0	1980	0.00	--	--	0.25	29
08/09 (221-w)	46.0	59.5*	46.0	1989	62.8	30	73.4	29	84.0	29	96.0	1983	0.00	--	--	0.24	30
08/10 (222-t)	49.0	63.0*	48.0	1972	62.0	29	72.8	29	83.6	30	94.0	1964	0.00	--	--	0.17	29
08/11 (223-f)	53.0	66.5*	50.0	1967	61.0	30	72.2	29	83.1	29	95.0	1964	0.00	--	--	0.19	30
08/12 (224-s)	55.0	68.0*	48.0	1967	59.6	29	71.0	29	82.3	30	94.0	1988	0.00	--	--	0.19	30
08/13 (225-s)	56.0	68.5*	46.0	1964	60.1	30	70.9	30	81.7	30	93.0	1975	0.00	--	--	0.08	29
08/14 (226-m)	57.0	70.5*	47.0	1964	60.2	30	71.9	30	83.7	30	93.0	1985	0.00	--	--	0.11	30
08/15 (227-t)	59.0	72.5*	47.0	1964	62.1	30	73.3	30	84.6	30	96.0	1988	0.00	--	--	0.09	29
08/16 (228-w)	61.0	73.0*	46.0	1979	62.6	30	73.7	29	84.7	29	98.0	1988	0.00	--	--	0.07	29
08/17 (229-t)	62.0	72.0*	47.0	1979	62.7	29	73.1	29	83.8	30	98.0	1988	0.16	--	--	0.07	30
08/18 (230-f)	61.0	69.5*	51.0	1979	62.3	30	73.7	30	85.0	30	103.0	1988	0.01	--	--	0.08	30
08/19 (231-s)	60.0	65.0*	51.0	1977	62.4	30	73.4	30	84.4	30	100.0	1988	0.19	--	--	0.16	30
08/20 (232-s)	62.0	69.0*	52.0	1977	62.7	30	73.3	30	83.9	30	98.0	1962	0.00	--	--	0.09	30
08/21 (233-m)	64.0	71.0*	52.0	1967	61.6	30	72.4	29	83.2	29	99.0	1983	0.92	--	--	0.11	29
08/22 (234-t)	67.0	72.0*	50.0	1982	60.8	27	72.1	27	83.5	28	99.0	1983	0.38	--	--	0.16	30
08/23 (235-w)	67.0	77.5*	53.0	1982	61.9	30	73.0	30	84.0	30	98.0	1987	0.11	--	--	0.08	30
08/24 (236-t)	67.0	77.5*	50.0	1971	61.0	30	72.0	30	83.1	30	92.0	1959	0.50	--	--	0.16	29
08/25 (237-f)	64.0	71.0*	52.0	1966	61.2	30	72.1	30	83.1	30	93.0	1959	0.08	--	--	0.15	27
08/26 (238-s)	65.0	72.0*	52.0	1966	61.3	30	71.7	30	82.1	30	90.0	1959	0.00	--	--	0.35	28
08/27 (239-s)	63.0	73.0*	48.0	1968	59.9	30	71.6	30	83.3	30	96.0	1987	0.00	--	--	0.16	30
08/28 (240-m)	67.0	76.5*	49.0	1968	62.1	30	72.8	29	83.8	29	92.0	1987	0.00	--	--	0.12	29
08/29 (241-t)	68.0	77.0*	39.0	1986	60.1	30	71.5	30	82.8	30	90.0	1961	0.00	--	--	0.09	30
08/30 (242-w)	66.0	75.0*	43.0	1986	60.1	30	71.3	30	82.6	30	93.0	1983	0.36	--	--	0.09	30
08/31 (243-t)	58.0	70.5*	45.0	1986	59.9	30	71.3	29	82.6	29	92.0	1983	0.00	--	--	0.16	29

Column Min's:	45.0	57.0	69.0	39.0	59.6	70.9	81.7	0.00	0.02
Column Avg's:	61.2	71.5	81.9	61.8	72.8	83.8	0.10	0.13	
Column Max's:	72.0	81.5	91.0	64.5	74.5	85.4	103.0	0.35	
Column Ttl's:							3.09	4.14	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION		
	min	max	min	avg	max	prec	liq	evap	hum	ly	ly/m	max	avg
mo da	Current	Current	year	year	year	yr	yr	yr	yr	yr	yr	yr	yr
09/01 (244-f)	61.0	73.5*	45.0	59.5	86.0	0.00	0.00	0.00	0.19	31	0.19	31	31
09/02 (245-s)	64.0	73.0*	46.0	60.7	82.0	0.56	0.56	0.00	0.19	31	0.19	31	31
09/03 (246-s)	54.0	66.0*	46.0	61.1	78.0	0.00	0.00	0.00	0.12	31	0.12	31	31
09/04 (247-m)	52.0	63.5*	46.0	60.7	75.0	0.00	0.00	0.00	0.13	30	0.13	30	30
09/05 (248-t)	54.0	67.0*	47.0	59.9	80.0	0.00	0.00	0.00	0.05	30	0.05	30	30
09/06 (249-w)	60.0	72.0*	43.0	57.8	84.0	0.00	0.00	0.00	0.03	31	0.03	31	31
09/07 (250-t)	59.0	71.5*	43.0	57.2	84.0	0.00	0.00	0.00	0.03	31	0.03	31	31
09/08 (251-f)	65.0	75.0*	43.0	57.7	85.0	0.00	0.00	0.00	0.03	31	0.03	31	31
09/09 (252-s)	65.0	76.0*	43.0	58.5	87.0	0.00	0.00	0.00	0.04	31	0.04	31	31
09/10 (253-s)	66.0	77.0*	44.0	57.6	88.0	0.10	0.10	0.00	0.07	30	0.07	30	30
09/11 (254-m)	62.0	71.5*	39.0	56.3	81.0	0.26	0.26	0.00	0.11	31	0.11	31	31
09/12 (255-t)	60.0	68.5*	45.0	56.2	77.0	0.00	0.00	0.00	0.18	31	0.18	31	31
09/13 (256-w)	55.0	66.5*	40.0	56.0	78.0	0.00	0.00	0.00	0.05	31	0.05	31	31
09/14 (257-t)	56.0	69.5*	37.0	55.8	83.0	0.08	0.08	0.00	0.17	30	0.17	30	30
09/15 (258-f)	59.0	69.0*	40.0	55.5	79.0	0.65	0.65	0.00	0.09	30	0.09	30	30
09/16 (259-s)	58.0	61.5*	39.0	53.6	65.0	0.13	0.13	0.00	0.06	30	0.06	30	30
09/17 (260-s)	52.0	61.5*	38.0	54.9	71.0	0.18	0.18	0.00	0.08	31	0.08	31	31
09/18 (261-m)	49.0	61.0*	38.0	54.5	73.0	0.00	0.00	0.00	0.08	29	0.08	29	29
09/19 (262-t)	49.0	61.5*	40.0	55.1	74.0	0.00	0.00	0.00	0.08	30	0.08	30	30
09/20 (263-w)	48.0	61.5*	42.0	55.9	75.0	0.00	0.00	0.00	0.05	30	0.05	30	30
09/21 (264-t)	52.0	65.0*	35.0	53.9	78.0	0.00	0.00	0.00	0.09	31	0.09	31	31
09/22 (265-f)	60.0	72.5*	35.0	54.0	85.0	0.00	0.00	0.00	0.16	31	0.16	31	31
09/23 (266-s)	42.0	58.0*	35.0	51.9	74.0	0.76	0.76	0.00	0.12	31	0.12	31	31
09/24 (267-s)	33.0	44.5*	33.0	51.3	56.0	0.02	0.02	0.00	0.18	30	0.18	30	30
09/25 (268-m)	38.0	49.0*	34.0	51.4	60.0	0.00	0.00	0.00	0.17	31	0.17	31	31
09/26 (269-t)	43.0	54.0*	39.0	50.8	65.0	0.00	0.00	0.00	0.10	30	0.10	30	30
09/27 (270-w)	39.0	53.0*	39.0	50.9	67.0	0.00	0.00	0.00	0.29	31	0.29	31	31
09/28 (271-t)	39.0	50.5*	38.0	50.2	62.0	0.00	0.00	0.00	0.18	30	0.18	30	30
09/29 (272-f)	40.0	56.5*	35.0	48.7	73.0	0.00	0.00	0.00	0.10	30	0.10	30	30
09/30 (273-s)	53.0	62.0*	35.0	50.0	71.0	0.00	0.00	0.00	0.07	31	0.07	31	31

Column Min's:	33.0	44.5	56.0	33.0	48.7	60.5	72.0	0.00	0.03
Column Avg's:	52.9	64.4	75.9	55.3	66.8	71.9	78.2	0.09	0.11
Column Max's:	66.0	77.0	88.0	61.1	71.9	82.8	82.8	0.76	0.29
Column Ttl's:								2.74	3.29

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	evap	prec	ly	max Lng-Trm avg yrs
10/01 (274-s)	53.0	61.5*	33.0	49.2	31	0.31	74.2	0.18
10/02 (275-m)	58.0	63.0*	31.0	48.8	30	0.04	72.3	0.10
10/03 (276-t)	45.0	61.0*	26.0	47.9	31	0.01	71.3	0.05
10/04 (277-w)	32.0	48.5*	29.0	46.0	31	0.00	70.7	0.07
10/05 (278-t)	32.0	45.0*	29.0	44.3	30	0.00	71.3	0.06
10/06 (279-f)	33.0	51.0*	28.0	44.8	29	0.00	69.7	0.10
10/07 (280-s)	43.0	52.5*	28.0	44.5	31	0.41	68.4	0.10
10/08 (281-s)	35.0	46.5*	30.0	45.2	30	0.06	68.3	0.25
10/09 (282-m)	27.0	41.5*	27.0	45.8	31	0.04	69.3	0.06
10/10 (283-t)	27.0	43.5*	27.0	44.5	31	0.18	68.9	0.07
10/11 (284-w)	35.0	48.5*	23.0	45.8	30	0.26	70.2	0.03
10/12 (285-t)	34.0	52.0*	26.0	45.8	31	0.00	69.8	0.05
10/13 (286-f)	50.0	64.0*	24.0	47.0	30	0.00	70.4	0.14
10/14 (287-s)	55.0	69.0*	23.0	45.3	29	0.00	69.0	0.07
10/15 (288-s)	50.0	65.5*	27.0	44.6	31	0.00	69.9	0.06
10/16 (289-m)	53.0	67.0*	33.0	46.0	31	0.00	69.1	0.06
10/17 (290-t)	59.0	65.0*	27.0	43.7	31	2.23	67.2	0.18
10/18 (291-w)	38.0	54.5*	24.0	41.5	31	0.15	67.0	0.12
10/19 (292-t)	29.0	37.0*	29.0	40.8	31	0.47	64.1	0.07
10/20 (293-f)	30.0	34.0*	25.0	41.6	31	0.00	63.5	0.13
10/21 (294-s)	30.0	36.0*	23.0	41.1	30	0.03	63.6	0.24
10/22 (295-s)	29.0	44.5*	22.0	41.1	29	0.00	65.1	0.07
10/23 (296-m)	28.0	45.0*	24.0	42.1	30	0.00	65.1	0.13
10/24 (297-t)	39.0	55.0*	22.0	41.7	31	0.00	63.0	0.11
10/25 (298-w)	42.0	57.0*	22.0	41.2	30	0.00	62.2	0.10
10/26 (299-t)	52.0	62.5*	21.0	38.6	31	0.00	61.0	0.08
10/27 (300-f)	42.0	58.0*	20.0	38.7	31	0.00	62.0	0.07
10/28 (301-s)	38.0	57.0*	18.0	38.6	30	0.00	62.6	0.07
10/29 (302-s)	38.0	57.5*	20.0	39.2	31	0.00	62.2	0.10
10/30 (303-m)	38.0	56.5*	25.0	39.3	31	0.00	60.9	0.05
10/31 (304-t)	39.0	56.5*	26.0	42.9	31	0.00	64.4	0.07
Column Min's:	27.0	34.0	18.0	38.6	49.8	0.00	60.9	0.03
Column Avg's:	39.8	53.4	43.5	49.2	61.7	0.14	67.0	0.10
Column Max's:	59.0	69.0	69.0	90.0	74.2	2.23	90.0	0.25
Column Ttl's:					4.19	4.19		3.04

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]