

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION													
	mo	da	min	avg	max	min year	avgm yrs	Long Term	avgm yrs	max year	liq	prec	snw	evap	hum	avg	pr	lyrs	max	ly/m	ly/m	avg	lyrs	
01/01	(001-s)	18.0	26.5*	35.0		-11.0	1984	17.5	36	26.2	36	34.9	36	60.0	1966	0.00						0.10	36	
01/02	(002-m)	11.0	20.0*	29.0		-3.0	1968	17.4	36	25.2	36	33.1	36	58.0	1985	0.00						0.10	38	
01/03	(003-t)	9.0	18.0*	27.0		-5.0	1979	18.4	36	25.9	36	33.4	36	53.0	1966	0.15						0.08	37	
01/04	(004-w)	9.0	15.0*	21.0		-11.0	1981	17.1	36	24.7	36	32.2	36	49.0	1982	0.00						0.07	30	
01/05	(005-t)	21.0	27.5*	34.0		-11.0	1981	15.9	36	22.9	36	29.8	36	57.0	1955	0.59						0.06	32	
01/06	(006-f)	31.0	33.0*	35.0		-11.0	1981	16.6	36	24.7	36	32.8	36	55.0	1955	0.05						0.08	32	
01/07	(007-s)	27.0	41.5*	56.0		-3.0	1970	19.0	36	26.4	36	33.9	36	56.0	1989	0.15						0.05	29	
01/08	(008-s)	15.0	21.0*	27.0		-10.0	1968	13.4	36	21.7	36	29.9	36	60.0	1965	0.00						0.06	28	
01/09	(009-m)	15.0	21.0*	27.0		-10.0	1968	11.3	36	20.5	36	29.7	36	62.0	1965	0.00						0.06	27	
01/10	(010-t)	23.0	29.5*	36.0		-10.0	1981	13.5	36	21.0	36	28.5	36	47.0	1958	0.00						0.08	33	
01/11	(011-w)	24.0	34.5*	45.0		-11.0	1984	13.2	36	21.4	36	29.5	36	61.0	1975	0.12						0.05	29	
01/12	(012-t)	26.0	34.5*	43.0		-11.0	1984	13.6	36	21.8	36	30.0	36	59.0	1960	0.00						0.02	34	
01/13	(013-f)	18.0	24.0*	30.0		-11.0	1984	13.1	36	21.6	36	30.1	36	57.0	1960	0.00						0.07	33	
01/14	(014-s)	24.0	28.5*	33.0		-9.0	1964	15.0	36	23.6	36	32.2	36	53.0	1961	0.18						0.11	35	
01/15	(015-s)	28.0	31.0*	34.0		-11.0	1972	15.0	36	23.0	36	31.0	36	50.0	1967	0.00						0.10	33	
01/16	(016-m)	28.0	31.5*	35.0		-17.0	1972	11.8	36	19.8	35	27.8	35	52.0	1988	0.00						0.04	32	
01/17	(017-t)	31.0	35.0*	39.0		-17.0	1972	12.8	36	20.6	36	28.3	36	50.0	1980	0.00						0.03	33	
01/18	(018-w)	34.0	39.0*	44.0		-15.0	1977	14.2	36	22.3	36	30.4	36	57.0	1973	0.00						0.08	31	
01/19	(019-t)	32.0	37.5*	43.0		-10.0	1984	16.3	36	24.5	36	32.6	36	59.0	1973	0.03						0.07	31	
01/20	(020-f)	14.0	23.0*	32.0		-15.0	1985	15.1	36	23.8	36	32.4	36	56.0	1954	0.00						0.06	29	
01/21	(021-s)	15.0	21.5*	28.0		-18.0	1984	16.3	36	24.1	36	31.8	36	58.0	1974	0.00						0.09	31	
01/22	(022-s)	25.0	34.0*	43.0		-18.0	1984	17.8	36	25.5	36	33.1	36	52.0	1957	0.00						0.10	31	
01/23	(023-m)	34.0	42.0*	50.0		-18.0	1984	16.7	36	25.5	36	34.3	36	59.0	1967	0.00						0.12	33	
01/24	(024-t)	34.0	41.0*	48.0		-16.0	1963	15.7	36	24.1	36	32.5	36	66.0	1967	0.00						0.08	31	
01/25	(025-w)	34.0	43.0*	52.0		-9.0	1963	17.6	36	25.8	36	34.0	36	62.0	1967	0.48						0.08	31	
01/26	(026-t)	29.0	40.0*	51.0		-7.0	1961	17.9	35	25.5	35	33.0	36	56.0	1967	0.38						0.12	35	
01/27	(027-f)	30.0	39.5*	49.0		-2.0	1955	15.1	36	23.8	35	32.3	35	58.0	1974	0.00						0.17	34	
01/28	(028-s)	38.0	42.0*	46.0		-9.0	1963	15.4	36	23.1	35	30.5	35	48.0	1974	0.14						0.05	30	
01/29	(029-s)	38.0	41.0*	44.0		-12.0	1977	16.3	36	23.6	36	30.9	36	57.0	1975	0.00						0.15	30	
01/30	(030-m)	35.0	37.5*	40.0		-5.0	1977	17.6	36	24.9	36	32.1	36	60.0	1975	0.00						0.09	35	
01/31	(031-t)	38.0	49.0*	60.0		-3.0	1955	13.9	36	22.0	36	30.2	36	60.0	1989	0.00						0.06	33	

Column Min's:	9.0	15.0	21.0	-18.0	11.3	19.8	27.8
Column Avg's:	25.4	32.3	39.2	15.5	23.5	31.5	34.9
Column Max's:	38.0	49.0	60.0	19.0	26.4	34.9	66.0
Column Ttl's:							2.27
							0.02
							0.08
							0.17
							2.48

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N								
	min	avg	max	min year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	liq	snow	evap	hum	%	Long Term	max	Lyng Trm		
mo da jul	avg	max	min	year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	prec	snow	evap	hum	%	avg pr yrs	ly	ly/m	avg yrs	
02/01 (032-w)	26.0	40.0*	54.0	-5.0	1971	15.8	36	24.2	35	32.3	35	54.0	1989	0.00	0.04	32			
02/02 (033-t)	24.0	27.0*	30.0	-5.0	1971	17.5	36	24.6	36	31.8	36	59.0	1968	0.16	0.08	36			
02/03 (034-f)	19.0	23.5*	28.0	-11.0	1985	14.1	36	22.3	36	30.5	36	55.0	1973	0.00	0.06	35			
02/04 (035-s)	13.0	19.0*	25.0	-7.0	1978	14.9	36	22.2	36	29.5	36	54.0	1986	0.08	0.04	32			
02/05 (036-s)	4.0	14.5*	25.0	-5.0	1978	14.5	36	23.3	36	32.0	36	55.0	1962	0.04	0.06	34			
02/06 (037-m)	5.0	10.0*	15.0	-5.0	1979	15.6	36	23.6	36	31.6	36	51.0	1964	0.00	0.09	36			
02/07 (038-t)	8.0	13.5*	19.0	-5.0	1977	15.8	36	23.3	36	30.9	36	54.0	1965	0.00	0.04	32			
02/08 (039-w)	4.0	14.0*	24.0	-10.0	1967	13.3	36	22.3	36	31.3	36	50.0	1965	0.00	0.04	29			
02/09 (040-t)	3.0	10.5*	18.0	-5.0	1967	13.9	36	22.2	36	30.5	36	53.0	1957	0.00	0.05	34			
02/10 (041-f)	15.0	21.5*	28.0	-10.0	1978	15.2	36	24.4	36	33.6	36	61.0	1965	0.00	0.10	33			
02/11 (042-s)	19.0	27.5*	36.0	-10.0	1982	16.2	36	24.9	36	33.7	36	60.0	1965	0.00	0.11	30			
02/12 (043-s)	19.0	27.5*	36.0	-3.0	1982	15.0	36	23.5	36	32.0	36	53.0	1965	0.00	0.04	30			
02/13 (044-m)	31.0	36.5*	42.0	-1.0	1981	16.9	36	25.2	36	33.5	36	63.0	1984	0.06	0.10	34			
02/14 (045-t)	33.0	38.0*	43.0	-0.0	1986	17.3	36	26.4	36	35.4	36	60.0	1954	0.00	0.08	33			
02/15 (046-w)	27.0	33.0*	39.0	-4.0	1978	18.8	36	27.2	36	35.6	36	69.0	1954	0.00	0.06	34			
02/16 (047-t)	19.0	24.5*	30.0	-4.0	1963	18.7	36	26.7	36	34.7	36	62.0	1976	0.00	0.06	35			
02/17 (048-f)	21.0	26.0*	31.0	-9.0	1958	18.0	36	25.5	36	33.1	36	55.0	1976	0.00	0.11	35			
02/18 (049-s)	20.0	24.5*	29.0	-7.0	1979	20.3	36	27.5	36	34.8	36	54.0	1954	0.00	0.05	36			
02/19 (050-s)	24.0	29.5*	35.0	-1.0	1978	22.6	36	31.1	36	39.6	36	61.0	1954	0.00	0.05	33			
02/20 (051-m)	32.0	36.0*	40.0	-4.0	1978	21.3	36	29.5	36	37.8	36	63.0	1954	0.35	0.08	32			
02/21 (052-t)	26.0	31.0*	36.0	-6.0	1978	19.6	36	29.0	36	38.4	36	61.0	1953	0.00	0.09	34			
02/22 (053-w)	9.0	20.5*	32.0	-8.0	1963	20.5	36	29.6	36	38.7	36	60.0	1988	0.00	0.09	30			
02/23 (054-t)	7.0	13.5*	20.0	-6.0	1963	22.0	36	30.5	36	38.9	36	58.0	1961	0.00	0.09	36			
02/24 (055-f)	24.0	33.0*	42.0	-2.0	1978	23.9	36	32.6	36	41.3	36	62.0	1977	0.00	0.07	33			
02/25 (056-s)	25.0	31.0*	37.0	1.0	1967	24.1	36	31.8	36	39.5	36	70.0	1957	0.00	0.10	33			
02/26 (057-s)	25.0	30.5*	36.0	-13.0	1963	21.5	36	29.8	36	38.1	36	65.0	1976	0.00	0.09	34			
02/27 (058-m)	19.0	25.0*	31.0	-10.0	1963	21.2	36	29.0	36	36.7	36	61.0	1976	0.00	0.11	31			
02/28 (059-t)	17.0	27.5*	38.0	-4.0	1963	21.8	36	30.2	35	38.6	35	65.0	1976	0.00	0.08	37			
Column Min's:	3.0	10.0	15.0	-13.0		13.3		22.2		29.5				0.00	0.04				
Column Avg's:	18.5	25.3	32.1			18.2		26.5		34.8				0.02	0.07				
Column Max's:	33.0	40.0	54.0			24.1		32.6		41.3		70.0		0.35	0.11				
Column Ttl's:														0.69	2.06				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION							
	min	avg	max	min	avg	max	prec	evap	ly	max	avg						
11/01 (305-w)	35.0	45.0*	55.0	23.0	1976	39.7	37	49.9	37	60.1	37	77.0	1974	0.00	0.06	36	
11/02 (306-t)	28.0	36.0*	44.0	24.0	1976	40.4	37	49.8	37	59.2	37	78.0	1968	0.00	0.17	37	
11/03 (307-f)	28.0	34.5*	41.0	24.0	1966	38.5	37	47.8	36	57.5	36	76.0	1961	0.00	0.09	34	
11/04 (308-s)	36.0	41.5*	47.0	19.0	1966	37.1	37	46.4	36	55.5	36	72.0	1961	0.00	0.13	36	
11/05 (309-s)	46.0	53.5*	61.0	22.0	1966	36.4	37	44.3	37	52.2	37	74.0	1964	0.18	0.14	38	
11/06 (310-m)	36.0	42.5*	49.0	21.0	1967	34.4	37	43.0	37	51.6	37	72.0	1978	0.00	0.05	34	
11/07 (311-t)	42.0	44.0*	46.0	22.0	1971	34.1	37	42.6	37	51.1	37	75.0	1975	0.55	0.08	37	
11/08 (312-w)	39.0	44.0*	49.0	16.0	1971	34.4	37	42.8	37	51.2	37	69.0	1986	0.13	0.10	34	
11/09 (313-t)	38.0	42.0*	46.0	19.0	1971	33.7	37	42.6	37	51.6	37	71.0	1975	0.03	0.10	36	
11/10 (314-f)	33.0	39.5*	46.0	21.0	1973	34.4	37	43.6	37	52.8	37	76.0	1975	0.00	0.12	38	
11/11 (315-s)	30.0	42.0*	54.0	20.0	1957	32.5	37	41.9	37	51.4	37	68.0	1964	0.00	0.10	39	
11/12 (316-s)	34.0	41.0*	48.0	13.0	1986	32.6	37	40.9	37	49.3	37	71.0	1964	0.00	0.07	39	
11/13 (317-m)	46.0	58.0*	70.0	12.0	1986	32.5	37	41.6	37	50.6	37	71.0	1955	0.00	0.03	38	
11/14 (318-t)	60.0	62.5*	65.0	13.0	1986	34.0	37	42.7	37	51.5	37	71.0	1956	0.40	0.15	35	
11/15 (319-w)	33.0	49.0*	65.0	14.0	1986	32.4	37	41.5	37	50.7	37	70.0	1971	0.99	0.10	33	
11/16 (320-t)	19.0	27.0*	35.0	15.0	1967	33.4	37	42.8	37	52.2	37	72.0	1964	0.20	0.22	38	
11/17 (321-f)	21.0	27.5*	34.0	15.0	1959	31.8	37	41.0	37	50.3	37	70.0	1953	0.00	0.06	38	
11/18 (322-s)	20.0	24.0*	28.0	10.0	1959	33.4	37	41.9	37	50.5	37	71.0	1954	0.00	0.07	34	
11/19 (323-s)	26.0	37.0*	48.0	22.0	1956	32.7	37	41.7	37	50.6	37	72.0	1975	0.00	0.17	35	
11/20 (324-m)	25.0	40.5*	56.0	12.0	1984	30.4	37	39.0	37	47.6	37	72.0	1953	0.00	0.16	37	
11/21 (325-t)	23.0	26.5*	30.0	12.0	1984	30.0	37	37.9	37	45.9	37	64.0	1975	0.00	0.09	36	
11/22 (326-w)	15.0	21.5*	28.0	12.0	1964	28.5	37	36.2	37	44.0	37	66.0	1979	0.01	0.03	35	
11/23 (327-t)	17.0	22.0*	27.0	12.0	1971	28.8	37	37.5	37	46.3	37	65.0	1963	0.00	0.09	35	
11/24 (328-f)	24.0	32.0*	40.0	14.0	1970	29.7	37	37.5	37	45.4	37	62.0	1968	0.00	0.09	37	
11/25 (329-s)	36.0	41.0*	46.0	16.0	1970	29.0	37	36.3	37	43.6	37	62.0	1973	0.04	0.09	37	
11/26 (330-s)	31.0	40.0*	49.0	16.0	1970	29.0	37	36.6	37	44.2	37	64.0	1988	0.00	0.14	33	
11/27 (331-m)	39.0	52.0*	65.0	13.0	1956	30.3	37	39.1	37	47.9	37	65.0	1989	0.11	0.10	35	
11/28 (332-t)	20.0	30.5*	41.0	8.0	1955	30.3	37	37.7	37	45.1	37	66.0	1984	0.00	0.18	32	
11/29 (333-w)	20.0	28.5*	37.0	7.0	1955	25.4	37	33.3	37	41.2	37	66.0	1960	0.00	0.08	34	
11/30 (334-t)	28.0	34.0*	40.0	-0.0	1958	25.5	37	31.7	37	37.9	37	60.0	1975	0.00	0.05	30	
Column Min's:	15.0	21.5	27.0	0.0	25.4	31.7	37.9	0.00	0.00	0.03	0.03	78.0	0.00	0.00	0.03	30	
Column Avg's:	30.9	38.6	46.3	32.5	41.1	49.6	0.09	0.09	0.09	0.10	0.10	78.0	0.09	0.09	0.10	30	
Column Max's:	60.0	62.5	70.0	40.4	49.9	60.1	2.64	2.64	2.64	0.22	0.22	78.0	0.99	0.99	0.22	30	
Column Ttl's:																3.11	30

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION							
	min	max	min year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	liq prec	snow	evap	hum %	ly	ly/m	max	Lng-Term	
mo da jul	Current	Current	year	year	Term	year	year	year	prec	snow	evap	hum	ly	ly/m	avg	avg yrs	
12/01 (335-f)	27.0	34.5*	9.0	1964	24.5	35	31.9	35	39.6	36	64.0	1975	0.00			0.06	36
12/02 (336-s)	18.0	27.5*	6.0	1966	23.8	35	31.9	35	40.3	36	65.0	1970	0.10			0.07	38
12/03 (337-s)	18.0	21.5*	-6.0	1976	23.9	36	32.2	36	40.6	36	60.0	1953	0.00			0.13	33
12/04 (338-m)	17.0	24.0*	-2.0	1976	24.5	36	32.6	36	40.7	36	63.0	1953	0.00			0.07	34
12/05 (339-t)	26.0	30.5*	1.0	1976	24.8	36	32.4	36	40.0	36	62.0	1961	0.00			0.06	35
12/06 (340-w)	14.0	27.0*	7.0	1974	26.4	36	33.8	36	41.1	36	68.0	1956	0.07			0.17	32
12/07 (341-t)	16.0	20.5*	1.0	1977	24.0	36	31.1	36	38.2	36	56.0	1966	0.00			0.15	33
12/08 (342-f)	12.0	20.0*	-2.0	1977	25.8	36	32.1	36	38.4	36	62.0	1966	0.00			0.11	34
12/09 (343-s)	21.0	26.5*	3.0	1958	23.1	36	30.8	36	38.4	36	67.0	1966	0.00			0.10	30
12/10 (344-s)	24.0	30.0*	-7.0	1958	20.8	36	28.1	36	35.3	36	52.0	1971	0.09			0.08	35
12/11 (345-m)	10.0	18.0*	-7.0	1977	20.7	36	27.9	36	35.0	36	69.0	1971	0.00			0.11	34
12/12 (346-t)	3.0	13.5*	-8.0	1962	22.6	36	29.5	36	36.4	36	61.0	1979	0.00			0.11	33
12/13 (347-w)	11.0	18.0*	-7.0	1962	23.5	36	30.8	36	38.1	36	58.0	1984	0.02			0.10	32
12/14 (348-t)	2.0	11.0*	-2.0	1962	22.1	36	29.0	36	35.8	36	61.0	1975	0.00			0.09	33
12/15 (349-f)	-3.0	5.0*	-3.0	1989	20.4	36	28.3	36	36.1	36	63.0	1975	0.25			0.10	32
12/16 (350-s)	-7.0	2.5*	-7.0	1989	21.2	36	28.2	36	35.2	36	63.0	1971	0.00			0.04	30
12/17 (351-s)	-6.0	0.5*	-6.0	1989	20.9	36	27.7	36	34.5	36	63.0	1984	0.00			0.03	32
12/18 (352-m)	2.0	8.5*	-0.0	1963	18.9	36	26.8	36	34.7	36	57.0	1984	0.05			0.06	30
12/19 (353-t)	-6.0	7.0*	-6.0	1963	20.4	36	28.0	36	35.7	36	60.0	1967	0.08			0.04	36
12/20 (354-w)	-4.0	2.5*	-6.0	1963	20.3	36	27.0	36	33.7	36	60.0	1957	0.00			0.07	32
12/21 (355-t)	-19.0	-7.5*	-19.0	1989	18.5	36	25.5	36	32.5	36	59.0	1967	0.00			0.09	29
12/22 (356-f)	-17.0	-8.5*	-17.0	1989	17.9	36	26.0	36	34.1	36	65.0	1967	0.00			0.12	36
12/23 (357-s)	-11.0	-2.0*	-11.0	1989	20.7	36	28.2	36	35.7	36	57.0	1956	0.00			0.07	31
12/24 (358-s)	-6.0	4.0*	-13.0	1983	22.0	36	29.3	36	36.6	36	57.0	1955	0.00			0.06	33
12/25 (359-m)	7.0	18.0*	-10.0	1983	19.4	36	27.6	36	35.7	36	63.0	1964	0.04			0.08	36
12/26 (360-t)	4.0	10.0*	-10.0	1983	19.7	36	26.5	36	33.3	36	58.0	1959	0.00			0.09	35
12/27 (361-w)	15.0	20.0*	-10.0	1983	19.5	36	26.9	36	34.3	36	63.0	1959	0.02			0.08	31
12/28 (362-t)	20.0	25.0*	-3.0	1962	18.6	36	26.9	36	35.0	36	62.0	1971	0.00			0.13	31
12/29 (363-f)	25.0	32.0*	-3.0	1961	17.8	36	25.9	36	34.1	36	66.0	1984	0.16			0.08	31
12/30 (364-s)	25.0	35.0*	-11.0	1983	18.3	36	26.3	36	34.2	36	63.0	1984	0.59			0.12	36
12/31 (365-s)	30.0	35.0*	-11.0	1983	19.3	36	27.0	36	34.7	36	61.0	1972	0.04			0.04	35
Column Min's:	-19.0	-8.5	-19.0		17.8		25.5		32.5				0.00			0.03	
Column Avg's:	8.6	16.4	24.2		21.4		28.9		36.4				0.05			0.09	
Column Max's:	30.0	35.0	45.0		26.4		33.8		41.1		69.0		0.59			0.17	
Column Ttl's:													1.51			2.71	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	max	min	year avg	max	prec	evap	hum	ly	ly/m	max	avg				
03/01 (060-w)	14.0	22.5*	2.0	1967	21.4	37	30.3	37	39.2	37	65.0	1976	0.00	0.00	0.07	32
03/02 (061-t)	19.0	23.5*	-5.0	1978	22.5	37	31.1	37	39.7	37	63.0	1972	0.00	0.00	0.06	35
03/03 (062-f)	26.0	36.0*	-3.0	1978	22.7	37	32.0	36	41.0	36	63.0	1974	0.00	0.00	0.05	33
03/04 (063-s)	30.0	42.5*	3.0	1984	24.5	37	33.8	37	43.1	37	74.0	1983	0.24	0.24	0.23	31
03/05 (064-s)	20.0	26.0*	2.0	1978	25.6	37	34.9	37	44.2	37	71.0	1976	0.00	0.00	0.16	37
03/06 (065-m)	13.0	19.0*	-4.0	1960	24.4	37	33.0	37	41.5	37	69.0	1983	0.00	0.00	0.11	32
03/07 (066-t)	13.0	17.0*	5.0	1986	24.2	37	33.2	37	42.3	37	73.0	1983	0.00	0.00	0.08	30
03/08 (067-w)	16.0	25.5*	-4.0	1960	23.2	37	32.2	37	41.1	37	70.0	1987	0.00	0.00	0.08	32
03/09 (068-t)	21.0	31.5*	-5.0	1984	22.5	37	31.6	37	40.7	37	63.0	1955	0.00	0.00	0.08	29
03/10 (069-f)	25.0	37.0*	1.0	1978	25.0	37	33.1	37	41.2	37	69.0	1955	0.00	0.00	0.09	35
03/11 (070-s)	32.0	47.5*	-3.0	1960	26.0	37	35.3	37	44.6	37	68.0	1957	0.00	0.00	0.08	33
03/12 (071-s)	23.0	31.5*	7.0	1984	27.7	37	36.1	37	44.5	37	72.0	1973	0.00	0.00	0.11	34
03/13 (072-m)	26.0	33.0*	-0.0	1960	26.5	37	36.2	37	45.7	37	72.0	1957	0.00	0.00	0.14	37
03/14 (073-t)	37.0	51.0*	7.0	1968	27.8	37	36.1	37	44.4	37	72.0	1957	0.00	0.00	0.07	36
03/15 (074-w)	25.0	33.5*	7.0	1960	28.0	37	36.3	37	44.6	37	68.0	1971	0.00	0.00	0.07	34
03/16 (075-t)	28.0	39.5*	13.0	1970	27.5	37	36.0	37	44.5	37	74.0	1977	0.00	0.00	0.07	38
03/17 (076-f)	31.0	47.5*	5.0	1956	26.4	37	35.8	37	45.2	37	64.0	1953	0.59	0.59	0.07	35
03/18 (077-s)	21.0	26.5*	9.0	1967	25.8	37	34.8	37	43.9	37	70.0	1966	0.03	0.03	0.08	33
03/19 (078-s)	22.0	29.0*	11.0	1965	26.3	37	35.6	37	44.8	37	68.0	1969	0.02	0.02	0.10	34
03/20 (079-m)	22.0	30.0*	10.0	1956	28.6	37	37.4	37	46.3	37	72.0	1968	0.22	0.22	0.10	33
03/21 (080-t)	21.0	27.5*	10.0	1986	28.4	37	37.2	37	46.1	37	76.0	1953	0.00	0.00	0.16	34
03/22 (081-w)	23.0	31.0*	13.0	1959	27.5	36	36.4	36	45.4	37	71.0	1972	0.00	0.00	0.08	33
03/23 (082-t)	29.0	39.0*	14.0	1960	29.2	37	38.3	37	47.4	37	73.0	1988	0.00	0.00	0.06	35
03/24 (083-f)	33.0	46.0*	8.0	1974	29.3	37	39.1	37	49.0	37	72.0	1966	0.00	0.00	0.08	39
03/25 (084-s)	35.0	52.0*	3.0	1974	28.9	37	38.2	37	47.5	37	73.0	1986	0.00	0.00	0.14	36
03/26 (085-s)	37.0	52.0*	4.0	1974	29.8	37	37.8	37	45.8	37	74.0	1986	0.00	0.00	0.13	35
03/27 (086-m)	57.0	66.5*	7.0	1965	29.8	37	38.9	37	48.0	37	77.0	1967	0.64	0.64	0.12	36
03/28 (087-t)	47.0	60.0*	14.0	1955	31.6	37	40.8	37	50.0	37	73.0	1989	0.01	0.01	0.08	37
03/29 (088-w)	37.0	42.0*	21.0	1983	32.8	37	42.7	37	52.6	37	76.0	1987	0.41	0.41	0.15	39
03/30 (089-t)	32.0	37.0*	15.0	1969	33.2	36	42.4	36	52.2	37	80.0	1986	0.24	0.24	0.11	38
03/31 (090-f)	30.0	34.5*	14.0	1969	31.8	36	41.4	36	51.6	37	81.0	1986	0.05	0.05	0.07	35

Column Min's:	13.0	17.0	21.0	-5.0	21.4	30.3	39.2	0.00	0.05
Column Avg's:	27.3	36.7	46.1	27.1	36.1	45.1	81.0	0.08	0.10
Column Max's:	57.0	66.5	76.0	33.2	42.7	52.6	81.0	0.64	0.23
Column Ttl's:								2.45	3.08

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	max	min	year avg	max	year	prec	liq	evap	snow	ly	ly/m	max	Long-Term		
mo da jul	avg		year	avgm	yr	avgm	yr	yr	yr	yr	yr	yr	avg	avg		
04/01 (091-s)	31.0	38.5*	46.0	10.0	1964	33.5	37	43.6	36	53.8	36	78.0	1986	0.00	0.05	35
04/02 (092-s)	46.0	49.0*	52.0	17.0	1964	34.5	37	45.1	37	55.7	37	79.0	1986	0.80	0.19	37
04/03 (093-m)	48.0	50.5*	53.0	19.0	1954	34.8	37	44.0	37	53.1	37	81.0	1963	0.72	0.13	34
04/04 (094-t)	41.0	49.5*	58.0	20.0	1971	33.9	37	43.5	37	53.1	37	76.0	1981	0.07	0.19	36
04/05 (095-w)	31.0	37.5*	44.0	20.0	1982	33.6	37	43.7	37	53.7	37	81.0	1988	0.04	0.12	33
04/06 (096-t)	31.0	38.5*	46.0	8.0	1982	34.7	37	43.8	37	52.8	37	73.0	1955	0.07	0.13	39
04/07 (097-f)	33.0	39.5*	46.0	8.0	1982	33.1	37	43.6	37	54.2	37	83.0	1954	0.02	0.06	37
04/08 (098-s)	29.0	36.5*	44.0	13.0	1982	32.2	37	43.2	37	54.3	37	80.0	1954	0.13	0.09	36
04/09 (099-s)	20.0	29.5*	39.0	16.0	1957	32.2	37	42.2	37	52.2	37	78.0	1953	0.05	0.09	38
04/10 (100-m)	24.0	30.5*	37.0	21.0	1977	32.9	37	42.5	37	52.1	37	78.0	1955	0.00	0.09	34
04/11 (101-t)	31.0	37.0*	43.0	23.0	1975	34.5	37	43.9	37	53.3	37	80.0	1977	0.00	0.06	35
04/12 (102-w)	29.0	39.0*	49.0	22.0	1976	36.1	37	46.1	37	56.1	37	81.0	1977	0.22	0.06	39
04/13 (103-t)	31.0	39.5*	48.0	26.0	1957	37.5	37	49.0	37	60.5	37	82.0	1977	0.00	0.06	35
04/14 (104-f)	36.0	49.0*	62.0	25.0	1957	39.2	37	50.3	37	61.4	37	82.0	1977	0.18	0.17	38
04/15 (105-s)	36.0	46.0*	56.0	24.0	1957	38.8	37	50.0	37	61.1	37	80.0	1954	0.00	0.10	36
04/16 (106-s)	44.0	54.5*	65.0	24.0	1962	39.1	37	49.7	37	60.2	37	82.0	1976	0.00	0.09	34
04/17 (107-m)	38.0	53.0*	68.0	24.0	1962	40.1	37	50.8	37	61.4	37	84.0	1976	0.42	0.10	36
04/18 (108-t)	33.0	37.5*	42.0	25.0	1983	40.2	37	51.3	37	62.4	37	83.0	1964	0.17	0.10	38
04/19 (109-w)	32.0	43.5*	55.0	26.0	1983	41.0	37	52.0	37	62.9	37	85.0	1958	0.00	0.16	36
04/20 (110-t)	39.0	51.5*	64.0	26.0	1953	41.6	37	52.3	37	63.0	37	84.0	1985	0.00	0.10	36
04/21 (111-f)	36.0	45.5*	55.0	27.0	1981	42.9	37	53.0	37	63.1	37	85.0	1987	0.00	0.12	37
04/22 (112-s)	31.0	42.0*	53.0	26.0	1959	43.2	37	53.7	37	64.2	37	86.0	1985	0.00	0.12	36
04/23 (113-s)	29.0	40.0*	51.0	26.0	1956	40.3	37	51.9	37	63.6	37	87.0	1985	0.00	0.20	39
04/24 (114-m)	34.0	48.5*	63.0	30.0	1963	41.3	37	52.6	37	63.9	37	87.0	1957	0.00	0.16	38
04/25 (115-t)	46.0	54.0*	62.0	27.0	1967	41.9	37	51.3	37	60.6	37	85.0	1960	0.51	0.09	38
04/26 (116-w)	45.0	53.5*	62.0	29.0	1968	40.9	37	51.8	37	62.6	37	84.0	1957	0.00	0.08	40
04/27 (117-t)	44.0	56.5*	69.0	28.0	1971	41.4	37	52.8	37	64.2	37	88.0	1986	0.00	0.07	35
04/28 (118-f)	45.0	49.0*	53.0	30.0	1967	42.9	37	53.3	37	63.8	37	87.0	1986	0.19	0.19	38
04/29 (119-s)	44.0	54.5*	65.0	31.0	1973	42.3	37	53.7	36	65.1	36	84.0	1986	0.02	0.13	37
04/30 (120-s)	46.0	55.0*	64.0	31.0	1958	43.8	37	54.0	37	64.3	37	82.0	1970	0.00	0.09	34

Column Min's:	20.0	29.5	37.0	8.0	32.2	42.2	52.1
Column Avg's:	36.1	45.0	53.8	38.1	48.6	59.1	88.0
Column Max's:	48.0	56.5	69.0	43.8	54.0	65.1	88.0
Column Ttl's:							3.61

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION		
	min	avg	min	year avg	max	Long Term avg	prec	evap	hum %	ly	max	Lng-Term avg
mo da jul	Current	Current	min year	avgm yrs	max	Long Term	liq	snow	%	ly	ly/m	avg yrs
05/01 (121-m)	39.0	45.0*	29.0	1963	43.6	37	55.2	37	66.8	37	88.0	1957
05/02 (122-t)	35.0	45.0*	32.0	1961	42.9	37	54.8	37	66.6	37	87.0	1959
05/03 (123-w)	38.0	47.5*	32.0	1978	42.9	37	54.3	37	65.7	37	88.0	1959
05/04 (124-t)	46.0	54.0*	29.0	1971	42.2	37	53.7	37	65.2	37	87.0	1955
05/05 (125-f)	37.0	49.5*	32.0	1957	42.9	37	54.2	37	65.5	37	86.0	1959
05/06 (126-s)	31.0	37.0*	29.0	1968	45.5	37	57.4	37	69.3	37	91.0	1959
05/07 (127-s)	32.0	40.5*	30.0	1968	44.4	37	56.2	37	68.0	37	87.0	1982
05/08 (128-m)	43.0	50.5*	29.0	1983	44.9	37	55.9	37	66.9	37	85.0	1965
05/09 (129-t)	43.0	48.0*	33.0	1954	45.7	37	56.1	37	66.6	37	87.0	1979
05/10 (130-w)	43.0	50.5*	27.0	1966	45.6	37	56.4	37	67.1	37	88.0	1963
05/11 (131-t)	43.0	49.0*	34.0	1966	47.3	37	58.3	37	69.3	37	86.0	1956
05/12 (132-f)	45.0	48.0*	35.0	1963	47.9	37	58.8	37	69.6	37	89.0	1979
05/13 (133-s)	49.0	50.5*	37.0	1969	48.5	37	58.2	37	67.8	37	89.0	1956
05/14 (134-s)	43.0	51.5*	38.0	1959	48.0	37	58.8	37	69.7	37	89.0	1987
05/15 (135-m)	48.0	54.0*	37.0	1973	48.4	37	59.6	37	70.8	37	92.0	1988
05/16 (136-t)	45.0	55.0*	32.0	1984	47.8	37	59.3	37	70.8	37	91.0	1962
05/17 (137-w)	47.0	60.0*	36.0	1973	48.8	37	60.0	37	71.1	37	92.0	1962
05/18 (138-t)	56.0	67.0*	35.0	1955	49.4	37	60.3	37	71.2	37	93.0	1962
05/19 (139-f)	61.0	66.0*	35.0	1976	51.8	37	62.3	37	72.8	37	92.0	1962
05/20 (140-s)	49.0	61.0*	34.0	1981	50.1	37	61.5	37	72.9	37	92.0	1959
05/21 (141-s)	54.0	64.5*	34.0	1954	50.3	37	61.7	37	73.1	37	90.0	1977
05/22 (142-m)	55.0	64.5*	36.0	1961	51.0	37	62.5	37	74.1	37	91.0	1977
05/23 (143-t)	45.0	53.5*	31.0	1963	50.5	37	60.7	37	70.9	37	90.0	1964
05/24 (144-w)	45.0	60.0*	34.0	1963	50.4	37	61.4	37	72.4	37	90.0	1955
05/25 (145-t)	58.0	68.5*	36.0	1963	51.5	37	62.5	37	73.5	37	89.0	1953
05/26 (146-f)	52.0	66.5*	39.0	1963	51.7	37	63.4	37	75.1	37	90.0	1975
05/27 (147-s)	43.0	54.5*	35.0	1961	51.9	37	62.6	37	73.3	37	87.0	1955
05/28 (148-s)	49.0	58.5*	40.0	1953	52.5	37	63.4	37	74.3	37	91.0	1987
05/29 (149-m)	55.0	64.5*	37.0	1965	53.2	37	64.2	37	75.1	37	91.0	1987
05/30 (150-t)	65.0	74.5*	37.0	1961	53.9	37	65.0	37	76.0	37	93.0	1953
05/31 (151-w)	67.0	76.0*	40.0	1966	55.3	37	65.7	37	76.1	37	94.0	1988
Column Min's:	31.0	37.0	27.0		42.2		53.7		65.2			0.05
Column Avg's:	47.1	56.0	48.4		59.5		65.7		70.6		94.0	0.12
Column Max's:	67.0	76.0	55.3		65.7		76.1		94.0			0.23
Column Ttl's:												3.69

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	max	min	year avg	Long Term	avg	yr	yr	yr	ly	ly/m	max	Long Term
mo da jul	Current	Current	year	year	yr	yr	yr	yr	yr	yr	yr	ly/m	avg yrs
06/01 (152-t)	66.0	73.5*	81.0	39.0	1966	55.2	37	65.6	37	76.0	37	93.0	1988
06/02 (153-f)	59.0	67.5*	76.0	40.0	1966	52.9	37	64.0	37	75.0	37	90.0	1978
06/03 (154-s)	56.0	66.5*	77.0	41.0	1986	51.7	37	62.9	37	74.0	37	86.0	1953
06/04 (155-s)	58.0	65.0*	72.0	46.0	1965	53.8	37	64.5	37	75.1	37	92.0	1953
06/05 (156-m)	53.0	60.5*	68.0	42.0	1954	56.6	37	67.8	37	79.0	37	93.0	1953
06/06 (157-t)	55.0	66.5*	78.0	43.0	1954	57.2	37	68.7	37	80.3	37	94.0	1988
06/07 (158-w)	60.0	71.5*	83.0	42.0	1958	57.2	37	68.7	37	80.1	37	93.0	1988
06/08 (159-t)	62.0	71.0*	80.0	46.0	1960	58.4	37	69.0	37	79.5	37	95.0	1959
06/09 (160-f)	55.0	67.0*	79.0	41.0	1969	57.7	37	68.4	37	79.1	37	94.0	1959
06/10 (161-s)	50.0	59.0*	68.0	41.0	1969	57.5	37	69.3	37	81.1	37	92.0	1954
06/11 (162-s)	55.0	65.0*	75.0	38.0	1972	58.0	37	69.7	37	81.3	37	94.0	1968
06/12 (163-m)	59.0	64.0*	69.0	40.0	1972	58.4	37	69.6	37	80.7	37	96.0	1956
06/13 (164-t)	61.0	67.5*	74.0	46.0	1985	58.9	37	69.7	37	80.5	37	96.0	1956
06/14 (165-w)	61.0	66.0*	71.0	45.0	1978	59.1	37	69.6	37	80.2	37	97.0	1988
06/15 (166-t)	54.0	63.5*	73.0	48.0	1959	58.9	37	69.6	37	80.4	37	96.0	1954
06/16 (167-f)	53.0	59.0*	65.0	41.0	1961	58.1	37	68.8	37	79.6	37	95.0	1957
06/17 (168-s)	57.0	64.5*	72.0	45.0	1958	56.6	37	67.8	37	79.1	37	100.0	1957
06/18 (169-s)	61.0	67.0*	73.0	46.0	1968	58.2	37	68.8	37	79.4	37	94.0	1955
06/19 (170-m)	59.0	69.0*	79.0	47.0	1982	59.5	37	70.7	37	81.9	37	97.0	1953
06/20 (171-t)	61.0	68.0*	75.0	44.0	1970	59.6	37	71.0	37	82.4	37	100.0	1953
06/21 (172-w)	63.0	71.0*	79.0	46.0	1963	60.5	37	70.9	37	81.3	37	99.0	1988
06/22 (173-t)	64.0	74.5*	85.0	45.0	1963	58.8	37	69.7	37	80.6	37	99.0	1988
06/23 (174-f)	66.0	76.5*	87.0	44.0	1963	59.4	37	70.0	37	80.6	37	92.0	1965
06/24 (175-s)	69.0	81.5*	94.0	42.0	1961	59.4	37	70.9	37	82.3	37	94.0	1964
06/25 (176-s)	70.0	76.5*	83.0	44.0	1979	58.8	37	70.1	37	81.4	37	104.0	1988
06/26 (177-m)	71.0	82.0*	93.0	45.0	1979	58.6	37	69.8	37	81.0	37	95.0	1953
06/27 (178-t)	63.0	73.0*	83.0	49.0	1981	59.7	37	71.2	37	82.6	37	95.0	1963
06/28 (179-w)	53.0	66.0*	79.0	51.0	1958	60.8	37	72.2	37	83.6	37	97.0	1971
06/29 (180-t)	48.0	59.0*	70.0	46.0	1988	61.3	37	72.4	37	83.5	37	100.0	1971
06/30 (181-f)	52.0	65.0*	78.0	43.0	1988	61.5	37	73.0	37	84.5	37	100.0	1953
Column Min's:	48.0	59.0	65.0	38.0		51.7		62.9		74.0			0.04
Column Avg's:	59.1	68.2	77.3			58.1		69.1		80.2			0.13
Column Max's:	71.0	82.0	94.0			61.5		73.0		84.5		104.0	0.24
Column Ttl's:													3.95

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min year	avgm yrs	Long Term	liq	prec	snow	evap	hum	ly	ly/m	max	Long-Term	
mo da jul	Current	avg	max	min	year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	avg pr yrs	avg pr yrs	avg yrs	avg yrs	avg yrs	
07/01 (182-s)	61.0	73.5*	86.0	45.0	1965	62.5	36	73.1	36	83.8	36	99.0	1953	0.00	0.23	35
07/02 (183-s)	69.0	77.5*	86.0	50.0	1988	62.8	37	73.5	37	84.1	37	96.0	1956	0.00	0.09	37
07/03 (184-m)	69.0	76.0*	83.0	52.0	1968	61.5	37	72.4	37	83.3	37	96.0	1963	0.02	0.23	35
07/04 (185-t)	63.0	73.0*	83.0	48.0	1968	59.9	37	71.2	37	82.5	37	98.0	1955	0.00	0.10	35
07/05 (186-w)	65.0	74.0*	83.0	47.0	1979	61.3	37	71.7	37	82.0	37	97.0	1988	0.00	0.42	39
07/06 (187-t)	67.0	76.5*	86.0	46.0	1972	60.0	37	71.3	37	82.5	37	98.0	1988	0.00	0.08	39
07/07 (188-f)	58.0	76.0*	84.0	49.0	1968	59.6	37	71.4	37	83.1	37	99.0	1988	0.00	0.08	39
07/08 (189-s)	58.0	72.5*	87.0	48.0	1954	61.1	37	73.0	37	84.9	37	97.0	1988	0.00	0.05	36
07/09 (190-s)	78.0	84.5*	91.0	47.0	1963	62.8	37	74.1	37	85.3	37	98.0	1988	0.00	0.13	38
07/10 (191-m)	73.0	85.5*	98.0	47.0	1963	61.3	37	72.4	37	83.4	37	98.0	1989	0.00	0.16	37
07/11 (192-t)	68.0	77.0*	86.0	50.0	1953	61.0	37	72.3	37	83.5	37	92.0	1966	0.02	0.14	39
07/12 (193-w)	58.0	67.5*	77.0	48.0	1978	60.5	37	72.3	37	84.0	37	95.0	1954	0.01	0.19	38
07/13 (194-t)	55.0	67.0*	79.0	53.0	1965	61.2	37	72.6	37	84.0	37	93.0	1953	0.00	0.13	35
07/14 (195-f)	55.0	66.5*	78.0	48.0	1967	63.2	37	74.6	37	86.0	37	98.0	1954	0.00	0.07	38
07/15 (196-s)	59.0	68.5*	78.0	49.0	1960	62.7	37	73.8	37	84.9	37	96.0	1974	0.00	0.07	38
07/16 (197-s)	55.0	67.0*	79.0	53.0	1954	62.5	37	73.7	37	85.0	37	98.0	1980	0.00	0.11	35
07/17 (198-m)	60.0	72.0*	84.0	50.0	1967	61.2	37	72.8	37	84.3	37	97.0	1953	0.00	0.10	38
07/18 (199-t)	64.0	75.5*	87.0	50.0	1971	63.0	37	74.0	37	84.9	37	92.0	1955	0.00	0.07	39
07/19 (200-w)	64.0	69.0*	74.0	51.0	1979	64.6	37	75.3	37	85.9	37	94.0	1957	0.34	0.18	37
07/20 (201-t)	65.0	73.0*	81.0	47.0	1965	63.8	37	74.4	37	85.0	37	98.0	1957	0.26	0.21	39
07/21 (202-f)	66.0	75.0*	84.0	47.0	1965	62.2	37	73.5	37	84.7	37	98.0	1980	0.00	0.16	39
07/22 (203-s)	66.0	77.0*	88.0	48.0	1970	62.8	37	73.7	37	84.5	37	96.0	1983	0.00	0.05	36
07/23 (204-s)	69.0	79.0*	89.0	50.0	1981	63.0	37	74.1	37	85.2	37	94.0	1978	0.00	0.15	37
07/24 (205-m)	70.0	80.0*	90.0	51.0	1985	62.9	37	73.4	37	83.9	37	92.0	1984	0.00	0.13	37
07/25 (206-t)	69.0	79.5*	90.0	48.0	1953	61.6	37	73.1	37	84.5	37	97.0	1965	0.06	0.07	37
07/26 (207-w)	71.0	79.5*	88.0	51.0	1977	62.0	37	73.8	37	85.7	37	97.0	1955	0.00	0.05	37
07/27 (208-t)	68.0	76.5*	85.0	47.0	1962	62.3	37	73.7	37	85.1	37	99.0	1955	0.54	0.12	36
07/28 (209-f)	54.0	65.0*	76.0	54.0	1989	62.2	37	73.3	37	84.4	37	97.0	1964	0.00	0.06	38
07/29 (210-s)	59.0	69.0*	79.0	50.0	1968	62.6	37	73.3	37	84.0	37	97.0	1957	0.00	0.07	36
07/30 (211-s)	60.0	62.5*	65.0	51.0	1965	61.8	37	72.3	36	83.0	36	97.0	1955	0.13	0.19	36
07/31 (212-m)	57.0	67.5*	78.0	53.0	1965	61.6	36	72.1	36	82.6	36	98.0	1955	0.00	0.09	37
Column Min's:	54.0	62.5	65.0	45.0		59.6		71.2		82.0				0.00	0.05	
Column Avg's:	63.6	73.6	83.6	62.0		62.0		73.1		84.2				0.04	0.13	
Column Max's:	78.0	85.5	98.0	78.0		86.6		86.0		99.0				0.54	0.42	
Column Ttl's:														1.38	3.98	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION								
	min	avg	min	year avg	max	Long Term avg	prec	evap	ly	max Lng-Trm avg							
08/01 (213-t)	59.0	69.5*	49.0	1962	61.5	36	72.6	36	83.8	37	98.0	1955	0.00	--	--	0.10	40
08/02 (214-w)	62.0	74.0*	50.0	1959	61.3	37	72.7	37	84.1	37	99.0	1955	0.00	--	--	0.07	38
08/03 (215-t)	68.0	78.5*	48.0	1965	62.4	37	73.6	37	84.7	37	99.0	1955	0.00	--	--	0.16	40
08/04 (216-f)	67.0	75.5*	45.0	1950	61.6	38	72.9	37	83.6	37	97.0	1955	0.69	--	--	0.09	39
08/05 (217-s)	66.0	77.5*	48.0	1972	61.1	37	71.7	37	82.3	37	97.0	1956	0.00	--	--	0.10	40
08/06 (218-s)	53.0	68.0*	49.0	1957	60.0	37	71.0	37	82.0	37	92.0	1968	0.00	--	--	0.08	40
08/07 (219-m)	45.0	57.0*	45.0	1989	61.0	37	71.7	37	82.5	37	95.0	1965	0.00	--	--	0.18	40
08/08 (220-t)	46.0	59.5*	46.0	1989	61.6	37	72.5	37	83.4	37	92.0	1964	0.00	--	--	0.14	35
08/09 (221-w)	56.0	67.5*	47.0	1976	61.1	37	72.2	37	83.2	37	94.0	1957	0.00	--	--	0.15	40
08/10 (222-t)	57.0	69.0*	47.0	1972	60.7	37	71.4	37	82.0	37	92.0	1957	0.00	--	--	0.08	37
08/11 (223-f)	57.0	69.5*	47.0	1967	59.0	36	70.0	36	80.9	37	94.0	1957	0.00	--	--	0.16	38
08/12 (224-s)	57.0	70.0*	45.0	1967	57.7	37	69.2	37	80.7	37	92.0	1964	0.00	--	--	0.09	40
08/13 (225-s)	58.0	70.5*	48.0	1967	58.6	37	70.0	37	81.4	37	93.0	1959	0.00	--	--	0.10	39
08/14 (226-m)	61.0	72.5*	45.0	1964	60.2	37	71.6	37	83.0	37	94.0	1959	0.00	--	--	0.08	38
08/15 (227-t)	60.0	70.0*	45.0	1964	61.0	37	72.1	37	83.1	37	95.0	1965	0.04	--	--	0.15	39
08/16 (228-w)	57.0	66.0*	44.0	1979	60.4	37	71.2	37	82.1	37	96.0	1965	0.00	--	--	0.13	38
08/17 (229-t)	57.0	67.5*	46.0	1979	58.9	36	70.4	36	81.9	37	96.0	1988	0.00	--	--	0.22	39
08/18 (230-f)	60.0	68.5*	45.0	1981	58.9	37	70.0	37	81.1	37	90.0	1955	0.00	--	--	0.22	38
08/19 (231-s)	61.0	68.0*	48.0	1981	59.4	37	71.0	37	82.6	37	98.0	1955	0.00	--	--	0.12	37
08/20 (232-s)	64.0	70.5*	51.0	1957	59.1	37	70.2	37	81.3	37	96.0	1955	0.87	--	--	0.06	37
08/21 (233-m)	65.0	73.5*	46.0	1969	59.1	37	69.6	37	80.1	37	97.0	1955	0.00	--	--	0.08	41
08/22 (234-t)	69.0	73.5*	48.0	1984	58.7	37	69.9	37	81.2	37	94.0	1959	0.04	--	--	0.14	41
08/23 (235-w)	63.0	71.5*	46.0	1987	58.3	37	69.7	37	81.2	37	96.0	1954	0.00	--	--	0.10	40
08/24 (236-t)	55.0	65.0*	46.0	1987	58.2	36	69.4	36	80.6	37	93.0	1954	0.00	--	--	0.02	37
08/25 (237-f)	56.0	65.5*	47.0	1984	57.5	37	69.0	37	80.5	37	94.0	1959	0.00	--	--	0.10	37
08/26 (238-s)	56.0	67.5*	46.0	1984	57.9	37	69.5	37	81.2	37	98.0	1953	0.00	--	--	0.15	39
08/27 (239-s)	62.0	73.0*	44.0	1986	59.2	37	70.7	37	82.2	37	98.0	1953	0.00	--	--	0.18	40
08/28 (240-m)	66.0	75.0*	39.0	1986	59.7	37	70.5	37	81.3	37	97.0	1953	0.11	--	--	0.10	39
08/29 (241-t)	60.0	70.5*	40.0	1965	59.6	37	71.3	37	83.1	37	97.0	1953	0.00	--	--	0.03	38
08/30 (242-w)	54.0	67.5*	43.0	1986	60.0	37	71.2	37	82.3	37	99.0	1953	0.00	--	--	0.14	38
08/31 (243-t)	55.0	70.5*	46.0	1976	59.2	37	70.6	37	81.9	37	100.0	1953	0.55	--	--	0.13	37

Column Min's:	45.0	57.0	39.0	57.5	69.0	80.1	0.00	0.02
Column Avg's:	59.1	69.7	80.4	59.8	70.9	82.1	0.07	0.12
Column Max's:	69.0	78.5	89.0	62.4	73.6	84.7	0.87	0.22
Column Ttl's:						100.0	2.30	3.65

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

[* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	min	avg	max	Long Term	liq	snow	evap	ly	ly/m	max	Lng.Trm
mo da jul	Current	Current	year	year	year	avg yrs	prec	avgmx	avg	pr	avg	ly/m	avg yrs
09/01 (244-f)	61.0	69.0*	44.0	1963	57.8	36	69.3	36	80.8	36	102.0	1953	0.09
09/02 (245-s)	49.0	60.5*	43.0	1958	57.9	36	69.0	36	80.0	36	105.0	1953	0.00
09/03 (246-s)	50.0	61.0*	44.0	1987	57.5	36	68.3	36	79.1	36	103.0	1953	0.00
09/04 (247-m)	52.0	65.5*	45.0	1974	58.2	36	70.1	36	81.9	36	96.0	1953	0.00
09/05 (248-t)	62.0	71.5*	41.0	1988	58.0	36	69.2	36	80.5	36	97.0	1954	0.00
09/06 (249-w)	67.0	75.0*	40.0	1962	55.6	36	67.5	36	79.4	36	97.0	1954	0.27
09/07 (250-t)	67.0	75.0*	38.0	1986	55.0	36	66.6	36	78.2	36	94.0	1959	0.23
09/08 (251-f)	71.0	78.5*	39.0	1986	54.4	36	66.6	36	78.8	36	94.0	1959	0.00
09/09 (252-s)	66.0	76.0*	41.0	1986	54.4	36	67.3	36	80.2	36	95.0	1964	0.61
09/10 (253-s)	61.0	64.5*	44.0	1969	55.4	36	66.4	36	77.5	36	94.0	1964	0.00
09/11 (254-m)	53.0	63.5*	41.0	1967	54.3	36	66.0	36	77.7	36	96.0	1964	0.00
09/12 (255-t)	55.0	65.5*	39.0	1967	53.8	36	65.2	36	76.6	36	90.0	1961	0.00
09/13 (256-w)	57.0	64.0*	38.0	1953	52.4	36	64.0	36	75.6	36	90.0	1956	0.06
09/14 (257-t)	55.0	59.5*	36.0	1964	53.0	36	64.7	36	76.5	36	90.0	1962	0.68
09/15 (258-f)	56.0	61.0*	38.0	1975	52.2	36	63.4	36	74.6	36	91.0	1955	0.11
09/16 (259-s)	52.0	57.5*	38.0	1966	51.4	36	62.8	36	74.2	36	95.0	1955	0.62
09/17 (260-s)	48.0	59.0*	36.0	1959	52.0	36	62.5	36	73.0	36	98.0	1955	0.00
09/18 (261-m)	48.0	60.5*	35.0	1959	51.7	36	63.8	36	75.8	36	96.0	1955	0.00
09/19 (262-t)	50.0	61.5*	39.0	1984	53.2	36	64.1	36	75.0	36	95.0	1955	0.00
09/20 (263-w)	52.0	62.5*	35.0	1956	53.5	36	64.7	36	75.8	36	89.0	1963	0.00
09/21 (264-t)	52.0	64.0*	32.0	1962	53.1	36	63.1	36	73.1	36	91.0	1978	0.00
09/22 (265-f)	43.0	59.5*	37.0	1953	51.9	36	62.7	36	73.5	36	91.0	1970	0.13
09/23 (266-s)	33.0	44.0*	31.0	1974	49.7	36	61.4	36	73.1	36	90.0	1980	0.00
09/24 (267-s)	34.0	45.0*	34.0	1989	48.0	36	60.0	36	72.0	36	87.0	1968	0.00
09/25 (268-m)	36.0	51.5*	36.0	1967	50.2	36	61.0	36	71.8	36	89.0	1959	0.00
09/26 (269-t)	35.0	47.5*	35.0	1989	49.3	36	60.6	36	71.9	36	89.0	1986	0.00
09/27 (270-w)	33.0	45.5*	33.0	1989	49.4	36	60.6	36	71.8	36	84.0	1973	0.00
09/28 (271-t)	37.0	54.0*	34.0	1957	47.0	36	58.9	36	70.8	36	89.0	1954	0.00
09/29 (272-f)	46.0	59.5*	34.0	1957	46.5	36	58.5	36	70.4	36	97.0	1953	0.00
09/30 (273-s)	48.0	60.0*	35.0	1962	47.2	36	58.7	36	70.1	36	89.0	1986	0.00
Column Min's:	33.0	44.0	31.0	46.5	58.5	70.1	58.5	70.1	70.1	70.1	105.0	0.00	0.01
Column Avg's:	51.0	61.4	71.8	52.8	64.2	75.7	64.2	75.7	75.7	75.7	105.0	0.09	0.10
Column Max's:	71.0	78.5	86.0	58.2	70.1	81.9	70.1	81.9	81.9	81.9	105.0	0.68	0.20
Column Ttl's:												2.80	3.01

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	max	prec	evap	ly	ly/m									
10/01 (274-s)	48.0	58.0*	35.0	1966	46.8	36	58.9	36	70.9	36	85.0	1982	0.00	--	--	0.04	39
10/02 (275-m)	42.0	56.0*	29.0	1974	45.1	36	57.6	36	70.1	36	89.0	1954	0.00	--	--	0.05	40
10/03 (276-t)	30.0	44.5*	30.0	1974	45.2	36	57.2	36	69.1	36	93.0	1953	0.00	--	--	0.06	40
10/04 (277-w)	30.0	47.5*	30.0	1989	44.8	36	56.8	36	68.8	36	86.0	1971	0.00	--	--	0.12	39
10/05 (278-t)	34.0	51.5*	28.0	1965	43.2	36	55.3	36	67.5	36	84.0	1959	0.00	--	--	0.05	38
10/06 (279-f)	38.0	49.5*	31.0	1958	44.0	36	55.5	36	67.1	36	83.0	1982	0.00	--	--	0.12	36
10/07 (280-s)	34.0	44.5*	26.0	1964	43.2	36	54.1	36	64.9	36	88.0	1963	0.00	--	--	0.15	37
10/08 (281-s)	27.0	40.0*	27.0	1989	40.9	36	53.1	36	65.2	36	88.0	1963	0.00	--	--	0.08	39
10/09 (282-m)	30.0	41.5*	30.0	1989	44.1	36	55.7	36	67.2	36	80.0	1970	0.17	--	--	0.11	35
10/10 (283-t)	40.0	49.5*	32.0	1956	42.5	36	53.6	36	64.7	36	79.0	1961	0.07	--	--	0.11	36
10/11 (284-w)	40.0	54.0*	21.0	1964	42.1	36	53.5	36	64.9	36	83.0	1961	0.00	--	--	0.07	39
10/12 (285-t)	41.0	59.0*	24.0	1988	41.9	36	53.4	36	64.9	36	84.0	1962	0.00	--	--	0.06	39
10/13 (286-f)	43.0	60.5*	26.0	1988	41.8	36	53.9	36	66.1	36	82.0	1956	0.00	--	--	0.10	36
10/14 (287-s)	44.0	65.0*	28.0	1957	42.2	36	55.3	36	68.5	36	86.0	1989	0.00	--	--	0.09	35
10/15 (288-s)	59.0	71.0*	29.0	1980	44.0	36	55.7	36	67.4	36	84.0	1956	0.00	--	--	0.08	36
10/16 (289-m)	48.0	65.0*	29.0	1982	42.8	36	54.7	36	66.6	36	84.0	1956	0.87	--	--	0.07	32
10/17 (290-t)	39.0	44.0*	24.0	1977	42.1	36	52.5	36	62.9	36	83.0	1953	0.10	--	--	0.12	34
10/18 (291-w)	38.0	44.0*	24.0	1977	40.0	36	51.4	36	62.8	36	83.0	1953	0.71	--	--	0.10	38
10/19 (292-t)	35.0	39.0*	27.0	1976	39.7	36	50.3	36	60.8	36	86.0	1953	0.57	--	--	0.10	37
10/20 (293-f)	33.0	36.0*	23.0	1972	37.8	36	49.3	36	60.8	36	83.0	1953	0.13	--	--	0.05	36
10/21 (294-s)	32.0	38.5*	21.0	1974	39.6	36	50.3	36	61.0	36	82.0	1953	0.02	--	--	0.09	39
10/22 (295-s)	33.0	45.5*	22.0	1974	39.9	36	50.9	36	61.9	36	81.0	1979	0.00	--	--	0.06	34
10/23 (296-m)	43.0	56.5*	22.0	1969	41.0	36	52.0	36	63.1	36	81.0	1963	0.00	--	--	0.07	35
10/24 (297-t)	53.0	63.5*	20.0	1969	38.2	36	49.0	36	59.7	36	83.0	1963	0.00	--	--	0.13	35
10/25 (298-w)	44.0	59.5*	22.0	1969	36.9	36	47.7	36	58.4	36	81.0	1963	0.00	--	--	0.04	35
10/26 (299-t)	43.0	58.0*	22.0	1962	37.8	36	47.6	36	57.4	36	82.0	1963	0.00	--	--	0.05	36
10/27 (300-f)	46.0	60.0*	20.0	1962	38.3	36	48.2	36	58.1	36	84.0	1963	0.00	--	--	0.07	37
10/28 (301-s)	42.0	57.5*	21.0	1976	36.6	36	47.9	36	59.3	36	78.0	1984	0.00	--	--	0.03	36
10/29 (302-s)	43.0	59.0*	22.0	1965	36.9	36	47.4	36	58.0	36	75.0	1989	0.00	--	--	0.04	39
10/30 (303-m)	50.0	62.0*	18.0	1988	35.9	36	46.1	36	56.3	36	77.0	1956	0.00	--	--	0.04	36
10/31 (304-t)	34.0	45.5*	26.0	1968	38.7	36	48.3	36	57.8	36	77.0	1956	0.33	--	--	0.10	36

Column Min's:	27.0	36.0	39.0	18.0	35.9	46.1	56.3
Column Avg's:	39.9	52.4	65.0	41.1	52.4	63.6	70.9
Column Max's:	59.0	71.0	86.0	46.8	58.9	70.9	93.0
Column Ttl's:							2.97

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]