

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
01/01 (001-m)	29.5	30.9	29.1	34.4	0.00	--	79	0.72
01/02 (002-t)	27.3	32.6	27.7	41.0	0.00	--	221	0.70
01/03 (003-w)	30.7	39.1	28.1	48.5	0.00	--	129	0.94
01/04 (004-t)	34.4	46.1	27.2	55.6	0.12	--	66	0.56
01/05 (005-f)	24.7	33.0	26.7	43.0	0.00	--	190	0.90
01/06 (006-s)	21.6	29.4	27.4	34.8	0.00	--	78	0.47
01/07 (007-s)	21.3	35.1	28.4	48.2	0.00	--	228	0.69
01/08 (008-m)	22.5	34.3	25.5	47.1	0.00	--	156	0.72
01/09 (009-t)	34.1	40.7	26.3	49.9	0.13	--	131	0.99
01/10 (010-w)	32.3	35.0	25.5	40.8	0.07	--	20	0.20
01/11 (011-t)	31.6	37.4	25.4	48.9	0.00	--	181	0.81
01/12 (012-f)	20.8	27.1	25.2	34.3	0.00	--	122	0.87
01/13 (013-s)	5.9	19.7	25.6	34.4	0.00	--	161	1.21
01/14 (014-s)	18.6	30.9	27.4	40.1	0.00	--	155	0.80
01/15 (015-m)	35.4	43.3	26.4	48.9	0.01	--	64	0.48
01/16 (016-t)	38.2	49.6	24.6	56.8	0.00	--	75	0.54
01/17 (017-w)	48.5	55.0	26.0	62.2	0.00	--	58	0.29
01/18 (018-t)	29.6	43.6	27.2	58.9	0.09	--	46	0.26
01/19 (019-f)	26.2	30.4	26.2	36.2	0.00	--	141	0.59
01/20 (020-s)	30.9	35.0	26.3	37.9	0.43	--	21	0.09
01/21 (021-s)	33.9	37.7	26.6	43.9	0.10	--	27	0.38
01/22 (022-m)	33.5	35.9	27.6	39.2	0.08	--	51	0.23
01/23 (023-t)	23.3	36.9	26.8	46.1	0.08	--	128	0.55
01/24 (024-w)	32.0	48.4	26.6	59.8	0.00	--	235	0.83
01/25 (025-t)	31.6	44.9	27.9	62.2	0.07	--	56	0.33
01/26 (026-f)	16.9	27.2	25.2	34.7	0.00	--	130	1.01
01/27 (027-s)	20.8	41.3	24.0	56.5	0.00	--	267	0.81
01/28 (028-s)	28.7	36.7	24.3	54.8	0.00	--	88	0.43
01/29 (029-m)	30.8	33.9	24.9	38.0	0.63	--	40	0.16
01/30 (030-t)	20.4	31.5	25.9	44.0	0.01	--	300	1.03
01/31 (031-w)	19.2	34.9	25.1	67.3	0.00	--	287	0.82
Column Min's:	5.9	19.7	24.0	34.3	0.00	--	20	0.09
Column Avg's:	27.6	36.7	26.4	46.7	0.06	--	127	0.63
Column Max's:	48.5	55.0	29.1	67.3	0.63	--	300	1.21
Column Totals:					1.82	--	3931	4091

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
02/01 (032-t)	22.7	38.9	7.0	47.3	0.23	--	64	0.42
02/02 (033-f)	28.5	39.7	-8.0	52.3	0.49	--	41	0.24
02/03 (034-s)	28.2	34.1	-15.7	41.5	0.03	--	37	0.14
02/04 (035-s)	23.9	29.9	-20.9	42.3	0.85	--	99	0.55
02/05 (036-m)	24.4	29.5	-20.0	37.1	0.00	--	214	1.26
02/06 (037-t)	32.3	40.2	-12.0	56.0	0.00	--	296	0.89
02/07 (038-w)	36.3	43.4	-3.0	51.4	0.03	--	119	0.96
02/08 (039-t)	33.4	46.8	-20.0	60.2	0.00	--	314	0.88
02/09 (040-f)	41.5	51.6	-18.0	54.9	0.20	--	58	0.25
02/10 (041-s)	27.1	35.7	-21.0	42.0	0.14	--	276	0.99
02/11 (042-s)	26.2	33.6	-22.0	41.4	0.07	--	134	0.49
02/12 (043-m)	14.1	31.0	-15.0	46.1	0.00	--	259	1.50
02/13 (044-t)	37.4	53.3	-21.0	67.5	0.00	--	181	1.01
02/14 (045-w)	30.7	33.0	-13.0	46.8	0.47	--	51	0.27
02/15 (046-t)	32.3	45.6	-15.0	61.9	1.26	--	31	0.16
02/16 (047-f)	33.5	53.4	-9.0	66.6	0.00	--	103	0.70
02/17 (048-s)	17.3	26.8	-14.0	33.5	0.00	--	223	1.27
02/18 (049-s)	17.0	33.0	-14.0	48.0	0.00	--	341	0.97
02/19 (050-m)	23.8	36.4	-9.0	45.8	0.00	--	381	1.00
02/20 (051-t)	18.7	26.9	-15.0	41.0	0.00	--	387	1.01
02/21 (052-w)	16.8	34.3	-12.0	56.9	0.00	--	376	1.02
02/22 (053-t)	35.2	53.0	-11.0	65.2	0.35	--	72	0.31
02/23 (054-f)	28.6	40.8	-9.0	59.0	0.06	--	51	0.59
02/24 (055-s)	15.3	27.0	-8.0	37.6	0.07	--	143	1.29
02/25 (056-s)	1.8	11.6	-4.0	22.0	0.00	--	381	1.66
02/26 (057-m)	-2.7	14.6	-24.0	29.9	0.00	--	400	1.17
02/27 (058-t)	24.7	36.2	-23.0	47.9	0.00	--	218	1.24
02/28 (059-w)	20.9	28.8	-15.0	36.1	0.00	--	395	1.24
Column Min's:	-2.7	11.6	-24.0	22.0	0.00	--	31	0.14
Column Avg's:	24.5	36.0	18.7	28.1	0.15	--	202	0.83
Column Max's:	41.5	53.4	22.0	31.5	1.26	--	400	1.66
Column Ttl's:					4.25	--	5645	5314

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	ly	max
04/01 (091-s)	46.8	51.9	6.0	62.6	0.67	--	184	1.37
04/02 (092-m)	37.7	44.0	14.0	54.2	0.12	--	214	1.81
04/03 (093-t)	32.7	34.8	14.0	38.7	0.07	--	139	0.88
04/04 (094-w)	32.3	41.5	11.0	54.2	0.03	--	442	1.70
04/05 (095-t)	35.2	42.6	17.0	53.9	0.05	--	444	1.80
04/06 (096-f)	23.0	36.9	17.8	49.9	0.00	--	419	1.68
04/07 (097-s)	26.4	32.4	16.0	42.3	0.00	--	303	1.67
04/08 (098-s)	21.8	39.1	12.0	56.0	0.00	--	619	1.45
04/09 (099-m)	33.4	53.6	7.9	72.5	0.00	--	470	1.51
04/10 (100-t)	37.4	49.9	5.9	56.3	1.17	--	63	0.28
04/11 (101-w)	33.3	39.1	18.0	48.9	0.04	--	446	1.86
04/12 (102-t)	23.5	33.3	16.0	42.2	0.08	--	420	1.77
04/13 (103-f)	27.1	39.0	17.0	54.9	0.00	--	532	1.85
04/14 (104-s)	32.9	45.6	9.0	52.0	0.16	--	84	0.31
04/15 (105-s)	39.4	49.3	19.0	61.8	0.00	--	473	1.75
04/16 (106-m)	29.8	50.3	16.0	66.6	0.00	--	611	1.43
04/17 (107-t)	31.4	41.0	17.0	56.3	0.17	--	345	1.96
04/18 (108-w)	22.9	39.0	17.0	55.1	0.00	--	666	1.43
04/19 (109-t)	25.3	50.0	16.0	70.0	0.00	--	576	1.57
04/20 (110-f)	51.3	55.8	20.0	62.1	0.69	--	106	1.00
04/21 (111-s)	38.9	55.5	20.0	68.0	0.14	--	469	1.92
04/22 (112-s)	36.1	54.4	22.0	76.2	0.01	--	644	1.45
04/23 (113-m)	36.0	59.7	18.0	81.2	0.00	--	665	1.45
04/24 (114-t)	41.4	65.0	21.2	87.6	0.00	--	586	1.45
04/25 (115-w)	56.5	74.5	24.0	89.8	0.00	--	614	1.63
04/26 (116-t)	56.1	73.9	25.8	88.8	0.00	--	581	1.58
04/27 (117-f)	49.7	72.5	20.0	93.7	0.00	--	623	1.40
04/28 (118-s)	57.4	73.8	20.0	88.3	0.00	--	550	1.51
04/29 (119-s)	49.4	62.2	23.0	74.5	0.00	--	468	1.87
04/30 (120-m)	45.9	62.0	24.0	80.3	0.00	--	598	1.63
Column Min's:	21.8	32.4	5.9	38.7	0.00	--	63	0.28
Column Avg's:	37.0	50.8	35.6	64.6	0.11	--	445	1.50
Column Max's:	57.4	74.5	93.7	93.7	1.17	--	666	1.96
Column Ttl's:			66.9	54.2	3.40	--	13354	511

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
05/01 (121-t)	44.6	57.1	67.0	74	0.00	66.8	401	1.30
05/02 (122-w)	37.6	51.3	66.2	74	0.00	67.0	480	1.56
05/03 (123-t)	34.3	49.8	63.5	73	0.16	66.3	287	1.11
05/04 (124-f)	48.3	54.9	62.6	74	0.68	67.1	102	0.96
05/05 (125-s)	41.8	50.0	62.6	74	0.12	68.3	82	0.39
05/06 (126-s)	36.8	50.2	64.5	74	0.00	69.6	529	1.92
05/07 (127-m)	35.3	58.2	73.6	74	0.00	68.8	635	1.76
05/08 (128-t)	51.3	66.3	80.5	74	0.00	67.2	676	1.67
05/09 (129-w)	51.9	65.4	78.7	74	0.00	67.1	465	2.09
05/10 (130-t)	43.3	56.5	66.1	74	0.01	67.3	471	2.01
05/11 (131-f)	32.1	48.3	61.8	74	0.00	68.0	749	1.59
05/12 (132-s)	30.2	46.5	54.0	74	0.37	67.7	127	0.39
05/13 (133-s)	39.7	54.1	69.8	74	0.45	68.4	174	1.89
05/14 (134-m)	36.9	56.1	77.1	74	0.00	69.8	668	1.73
05/15 (135-t)	54.8	64.7	77.4	74	0.58	69.7	294	1.32
05/16 (136-w)	61.6	66.9	78.9	74	0.28	71.0	229	1.77
05/17 (137-t)	51.1	61.9	68.5	74	0.36	70.7	473	1.93
05/18 (138-f)	44.5	55.2	66.5	74	0.05	71.9	473	2.04
05/19 (139-s)	42.5	59.9	76.2	74	0.00	73.1	520	1.87
05/20 (140-s)	60.5	66.7	73.8	74	0.10	72.5	310	1.50
05/21 (141-m)	47.1	50.1	60.5	74	0.00	73.5	141	0.73
05/22 (142-t)	43.4	54.4	68.4	74	0.00	73.7	638	1.67
05/23 (143-w)	35.6	53.4	71.9	74	0.00	72.4	495	1.95
05/24 (144-t)	35.6	56.6	75.9	74	0.00	72.8	561	1.82
05/25 (145-f)	50.0	62.6	78.0	74	0.36	73.3	467	1.28
05/26 (146-s)	49.7	60.4	70.7	74	0.29	73.4	281	1.44
05/27 (147-s)	48.6	60.9	73.7	74	0.00	73.8	437	1.40
05/28 (148-m)	47.2	58.5	72.0	74	0.38	74.5	297	0.92
05/29 (149-t)	47.7	52.0	55.9	74	0.37	74.3	130	0.62
05/30 (150-w)	37.6	52.7	65.4	73	0.00	75.6	786	1.62
05/31 (151-t)	33.4	56.8	77.0	73	0.00	76.7	768	1.52

Column Min's:	30.2	46.5	54.0	20.0	40.4	53.4	66.3	0.00	46	0.07	82	0.39	320
Column Avg's:	43.7	56.7	69.6	45.2	58.0	70.7	76.7	0.15	66	0.13	424	1.48	432
Column Max's:	61.6	66.9	80.5	51.4	64.1	76.7	94.0	0.68	81	0.22	786	2.09	536
Column Ttl's:								4.56		3.90	13146		13405

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max Lng-Trm
mo da jul	avg	avg	avgm yrs	avgmx yrs	liq	snow	ly	ly/m
			avg yrs	avgmx yrs	prec			avg yrs
06/01 (152-f)	40.3	81.2	32.0	96.0	0.00	--	757	1.53
06/02 (153-s)	62.4	83.8	30.0	96.0	0.06	--	394	1.67
06/03 (154-s)	58.3	81.2	31.8	96.0	0.24	--	761	1.66
06/04 (155-m)	35.5	58.3	32.0	96.0	0.01	--	178	0.83
06/05 (156-t)	32.3	70.7	32.3	96.0	0.00	--	705	1.65
06/06 (157-w)	50.9	73.3	32.0	95.0	1.40	--	239	1.33
06/07 (158-t)	55.4	83.4	34.0	91.0	0.00	--	642	1.60
06/08 (159-f)	55.1	79.7	33.0	96.0	0.88	--	255	1.57
06/09 (160-s)	61.9	84.3	36.9	98.9	0.13	--	500	1.78
06/10 (161-s)	56.2	70.9	33.7	90.0	0.04	--	315	1.86
06/11 (162-m)	48.9	74.7	29.0	92.0	0.00	--	733	1.74
06/12 (163-t)	43.5	74.2	35.0	90.1	0.00	--	446	1.59
06/13 (164-w)	54.6	87.6	37.0	92.5	0.00	--	694	1.57
06/14 (165-t)	65.8	91.4	35.0	93.0	0.38	--	560	1.54
06/15 (166-f)	58.8	85.9	34.0	93.0	0.01	--	613	1.80
06/16 (167-s)	55.3	93.3	35.0	93.3	0.00	--	713	1.44
06/17 (168-s)	64.3	90.0	33.0	92.0	0.00	--	578	1.60
06/18 (169-m)	65.7	88.1	35.0	94.0	0.00	--	589	1.77
06/19 (170-t)	49.1	69.4	42.0	92.4	0.00	--	296	1.30
06/20 (171-w)	45.3	74.5	40.0	93.0	0.29	--	227	1.65
06/21 (172-t)	64.4	83.6	38.0	95.0	0.00	--	575	1.72
06/22 (173-f)	64.4	80.7	36.0	95.6	0.02	--	302	1.16
06/23 (174-s)	56.7	68.3	35.0	91.0	0.05	--	180	1.52
06/24 (175-s)	55.6	60.0	36.0	94.0	0.33	--	133	0.67
06/25 (176-m)	51.9	81.6	36.7	96.0	0.00	--	720	1.77
06/26 (177-t)	48.4	83.7	39.0	97.0	0.00	--	764	1.52
06/27 (178-w)	56.8	86.1	40.0	95.0	0.00	--	568	1.69
06/28 (179-t)	59.5	86.9	37.9	96.0	0.18	--	387	1.48
06/29 (180-f)	66.5	85.2	41.5	95.0	0.01	--	427	1.56
06/30 (181-s)	65.9	88.8	37.0	93.0	0.32	--	446	1.74
Column Min's:	32.3	49.5	29.0	75.9	0.00		133	0.67
Column Avg's:	55.0	67.8	54.5	79.4	0.15		490	1.54
Column Max's:	66.5	84.3	58.6	82.4	1.40		764	1.86
Column Tot's:					4.35		14697	14943

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	avg	min	max	prec	evap	ly	max															
mo da jul	Current.....		year avgmn yrs	Long Term.....	liq	avg pr yrs	ly/m	Lng-Trm															
			avg yrs	avgm yrs	prec	evap	ly	avg yrs															
07/01 (182-s)	56.5	66.2	75.7	39.0	1925	58.1	74	70.0	74	81.8	74	94.0	1931	0.00	---	---	71	0.13	71	550	1.76	441	9
07/02 (183-m)	53.2	68.4	83.9	38.3	1988	56.6	74	69.0	74	81.4	74	95.0	1931	0.00	---	---	60	0.09	73	705	1.57	497	9
07/03 (184-t)	51.6	71.2	87.7	42.0	1930	56.5	74	69.0	74	81.3	74	96.0	1966	0.00	---	---	57	0.13	72	704	1.48	529	9
07/04 (185-w)	68.6	82.5	93.2	39.0	1963	56.6	74	69.1	74	81.5	74	96.0	1919	0.00	---	---	57	0.11	72	692	1.39	472	9
07/05 (186-t)	55.7	76.0	90.3	40.0	1983	56.6	74	69.2	74	81.7	74	96.5	1988	0.04	---	---	65	0.14	72	390	1.85	487	9
07/06 (187-f)	49.9	63.1	73.9	38.0	1979	56.3	74	69.4	74	82.5	74	98.1	1988	0.00	---	---	65	0.09	71	510	1.94	510	9
07/07 (188-s)	42.9	64.0	81.6	41.0	1979	56.8	73	69.7	73	82.7	73	101.1	1988	0.00	---	---	58	0.18	73	722	1.53	593	9
07/08 (189-s)	58.7	74.4	87.4	42.2	1984	57.7	73	70.4	73	83.0	73	99.9	1988	0.00	---	---	58	0.14	71	671	1.45	546	9
07/09 (190-m)	71.0	79.9	92.1	38.0	1963	57.9	74	70.9	74	83.7	74	100.0	1936	0.76	---	---	67	0.15	71	434	1.71	458	9
07/10 (191-t)	67.9	74.1	85.4	39.0	1963	58.4	74	70.5	74	82.7	74	99.0	1936	0.10	---	---	71	0.20	68	383	1.82	495	9
07/11 (192-w)	62.1	64.1	69.2	42.9	1983	57.6	74	70.2	74	82.8	74	96.0	1936	1.04	---	---	77	0.17	70	119	0.64	448	9
07/12 (193-t)	59.1	62.2	65.1	42.0	1965	58.2	74	70.8	74	83.6	74	100.0	1936	2.05	---	---	80	0.13	70	85	0.45	474	9
07/13 (194-f)	58.9	62.1	69.8	43.0	1940	58.9	74	71.1	74	83.3	74	95.0	1942	0.02	---	---	74	0.16	72	185	0.84	518	9
07/14 (195-s)	60.7	67.7	74.8	41.0	1926	58.4	74	70.9	74	83.4	74	104.0	1936	1.23	---	---	77	0.14	71	182	0.85	477	9
07/15 (196-s)	60.9	69.6	75.7	39.0	1930	58.1	74	70.6	74	83.0	74	97.0	1936	0.33	---	---	77	0.11	73	268	1.18	506	9
07/16 (197-m)	57.3	69.8	81.4	41.0	1930	58.4	74	70.7	74	82.8	74	100.0	1988	0.00	---	---	67	0.11	70	623	1.70	517	9
07/17 (198-t)	63.8	75.1	87.5	41.0	1960	57.1	74	70.4	74	83.7	74	98.0	1942	0.00	---	---	62	0.07	70	665	1.50	558	9
07/18 (199-w)	60.0	73.7	86.5	40.0	1971	58.5	73	71.3	73	84.2	73	98.0	1942	0.00	---	---	63	0.13	69	639	1.58	556	9
07/19 (200-t)	64.5	75.7	88.5	41.0	1924	59.9	74	72.0	74	84.0	74	97.0	1930	0.00	---	---	68	0.14	70	502	1.58	435	9
07/20 (201-f)	66.5	73.9	85.2	35.0	1965	59.7	74	71.8	74	84.1	74	99.0	1930	0.16	---	---	72	0.14	73	366	1.49	454	9
07/21 (202-s)	60.1	71.2	83.8	38.0	1965	59.4	74	71.0	74	82.9	74	97.0	1926	0.28	---	---	74	0.17	70	222	1.38	467	9
07/22 (203-s)	58.8	68.9	79.3	42.0	1966	59.0	74	71.5	74	84.0	74	97.0	1933	1.86	---	---	75	0.18	74	256	1.06	512	9
07/23 (204-m)	57.0	65.8	76.9	41.0	1923	59.7	74	71.7	74	83.7	74	98.0	1917	0.00	---	---	76	0.13	71	378	1.99	506	9
07/24 (205-t)	51.8	67.9	85.0	45.4	1985	59.0	74	71.7	74	84.3	74	99.0	1934	0.00	---	---	65	0.11	72	583	1.53	566	9
07/25 (206-w)	50.8	67.6	84.8	43.0	1953	58.4	74	71.1	74	84.0	74	97.0	1934	0.00	---	---	62	0.07	71	677	1.67	529	9
07/26 (207-t)	50.7	70.0	86.6	42.0	1920	58.6	74	71.2	74	83.8	74	94.0	1934	0.00	---	---	59	0.09	70	693	1.46	406	9
07/27 (208-f)	53.9	72.8	92.9	41.0	1920	59.6	74	72.0	74	84.5	74	97.0	1964	0.00	---	---	59	0.09	68	624	1.58	499	9
07/28 (209-s)	57.0	73.3	90.6	42.0	1920	59.8	74	72.1	74	84.3	74	95.0	1930	0.00	---	---	63	0.16	70	551	1.53	533	9
07/29 (210-s)	59.3	73.7	90.1	43.0	1925	59.6	74	71.5	74	83.6	74	93.3	1988	0.00	---	---	63	0.14	70	638	1.46	505	9
07/30 (211-m)	60.2	71.2	86.6	41.0	1965	57.9	74	70.7	74	83.7	74	96.0	1917	0.94	---	---	72	0.12	74	364	1.61	436	8
07/31 (212-t)	56.7	63.9	72.5	42.0	1965	59.0	74	71.0	74	82.9	74	95.0	1917	0.01	---	---	73	0.17	67	255	2.09	420	9
Column Min's:	42.9	62.1	65.1	35.0		56.3		69.0		81.3				0.00			57	0.07		85	0.45	406	
Column Avg's:	58.3	70.3	82.7			58.3		70.7		83.2				0.28			67	0.13		472	1.47	495	
Column Max's:	71.0	82.5	93.2			59.9		72.1		84.5		104.0		2.05			80	0.20		722	2.09	593	
Column Ttl's:														8.82				4.09		14636		15350	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	avg	min	max	avg	max	prec	liq	evap	hum	avg	pr	ly	ly/m	max	Lng-Trm				
mo da julCurrent.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....Long Term.....				
08/01 (213-w)	50.6	64.3	80.5	57.7	73	70.1	73	82.6	73	95.0	1933	0.00	0.00	62	0.11	71	673	1.77	446	9
08/02 (214-t)	47.5	66.9	84.2	57.6	73	70.3	73	83.3	73	95.7	1988	0.00	0.00	60	0.09	71	694	1.45	485	9
08/03 (215-f)	51.6	69.9	88.5	59.1	73	70.8	73	82.7	73	96.0	1930	0.00	0.00	60	0.18	68	619	1.54	475	9
08/04 (216-s)	58.3	70.6	83.6	58.8	74	70.6	74	82.5	74	100.0	1930	0.75	0.00	68	0.13	70	336	1.38	399	8
08/05 (217-s)	63.7	71.9	82.9	58.2	74	70.5	74	83.1	74	100.0	1918	0.21	0.00	74	0.11	72	328	1.82	396	9
08/06 (218-m)	61.6	65.9	77.7	58.4	74	70.4	74	82.7	74	103.0	1918	0.97	0.00	77	0.16	71	198	1.58	411	9
08/07 (219-t)	51.3	64.4	76.8	58.0	74	70.4	74	82.8	74	101.0	1918	0.02	0.00	69	0.11	71	484	1.88	446	9
08/08 (220-w)	46.0	64.0	82.8	58.9	74	70.8	74	82.9	74	97.0	1918	0.00	0.00	61	0.14	67	632	1.52	428	9
08/09 (221-t)	49.4	66.9	85.4	58.8	74	70.6	74	82.5	74	96.0	1928	0.00	0.00	64	0.15	72	514	1.54	467	9
08/10 (222-f)	57.4	70.9	87.3	58.4	74	70.1	74	81.8	74	91.0	1918	0.00	0.00	64	0.11	70	503	1.48	422	9
08/11 (223-s)	59.7	71.5	87.4	57.4	74	69.4	74	81.5	74	93.0	1918	0.00	0.00	63	0.12	73	500	1.56	426	9
08/12 (224-s)	56.5	71.5	85.2	56.5	74	69.0	73	81.5	73	94.0	1947	0.00	0.00	65	0.08	72	548	1.51	497	9
08/13 (225-m)	61.4	67.0	73.3	57.0	74	69.6	74	82.4	74	95.0	1918	1.16	0.00	74	0.09	73	133	0.74	425	9
08/14 (226-t)	55.1	67.9	82.9	57.8	74	70.3	74	82.9	74	95.0	1918	0.00	0.00	65	0.13	73	524	1.71	497	9
08/15 (227-w)	51.3	67.1	83.3	56.9	74	69.7	73	82.5	73	93.0	1959	0.00	0.00	62	0.15	69	649	1.53	495	9
08/16 (228-t)	56.6	71.6	88.6	57.3	74	69.5	73	81.9	73	95.0	1918	0.00	0.00	67	0.12	71	456	1.56	456	9
08/17 (229-f)	59.2	72.2	87.0	57.7	74	69.7	73	81.9	73	97.7	1988	0.00	0.00	65	0.04	73	537	1.39	466	9
08/18 (230-s)	60.3	70.1	80.7	56.6	74	68.7	73	81.0	73	93.0	1922	0.01	0.00	72	0.09	73	215	1.43	412	9
08/19 (231-s)	64.1	71.4	86.1	56.8	74	68.7	73	81.0	73	92.0	1947	0.10	0.00	74	0.05	70	211	1.56	378	8
08/20 (232-m)	63.2	68.0	80.9	55.1	74	67.7	73	80.4	73	96.0	1968	0.00	0.00	76	0.04	74	170	1.21	397	8
08/21 (233-t)	60.6	64.3	69.9	54.6	74	67.6	73	80.7	73	94.0	1936	0.28	0.00	75	0.09	70	117	0.49	405	9
08/22 (234-w)	60.9	65.8	70.1	55.0	73	67.4	72	80.0	72	92.0	1918	0.00	0.00	72	0.09	72	120	0.34	308	8
08/23 (235-t)	64.1	67.0	73.3	55.3	73	67.7	72	80.3	72	94.0	1918	0.00	0.00	71	0.07	74	129	0.60	298	9
08/24 (236-f)	62.0	71.1	85.8	54.4	74	67.2	73	79.8	73	93.0	1968	0.00	0.00	68	0.13	73	319	1.40	432	9
08/25 (237-s)	61.0	70.5	86.6	53.2	74	66.9	72	80.6	72	94.0	1948	0.00	0.00	71	0.06	72	422	1.33	423	9
08/26 (238-s)	58.9	73.4	90.6	54.2	74	67.4	73	80.7	72	95.0	1948	0.00	0.00	65	0.06	74	520	1.44	426	9
08/27 (239-m)	62.6	77.3	87.8	56.0	73	68.4	72	80.7	72	97.0	1948	0.00	0.00	66	0.05	72	430	1.23	367	9
08/28 (240-t)	56.3	72	68.1	71	80.5	70	95.0	1948	0.06	0.00	..	0.08	71	350	8
08/29 (241-w)	55.7	72	67.9	71	80.8	70	96.0	1953	0.00	0.00	..	0.11	70	388	8
08/30 (242-t)	55.3	70	68.3	70	81.2	71	98.0	1953	0.00	0.00	..	0.16	70	456	6
08/31 (243-f)	..	70.4	..	56.1	71	68.3	71	80.7	71	94.0	1924	0.00	0.00	65	0.11	72	242	..	365	7
Column Min's:	46.0	64.0	69.9	53.2	74	66.9	73	79.8	73	94.0	1918	0.00	0.00	60	0.04	72	117	0.34	298	9
Column Avg's:	57.6	69.1	82.6	56.7	74	69.1	73	81.6	73	95.0	1918	0.11	0.00	68	0.10	71	401	1.37	421	9
Column Max's:	64.1	77.3	90.6	59.1	74	70.8	74	83.3	74	103.0	1930	1.16	0.00	77	0.18	73	694	1.88	497	9
Column Tot's:	3.56	0.00	3.21	0.00	0.00	11223	1.88	13042	8

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	max	min year	max year	prec	liq	ly	max											
mo da jul	avg	avg	avgmn yrs	avgmx yrs	snow	evap	ly	ly/m											
			avg yrs	avgmx yrs				avg yrs											
09/01 (244-s)	51.1	68.4	38.0	85.8	72	68.2	72	81.3	72	98.0	1953	0.00	0.00	0.06	68	493	1.38	445	7
09/02 (245-s)	59.2	71.8	40.0	85.0	72	68.0	72	80.2	72	99.0	1953	0.00	0.00	0.16	72	421	1.36	339	7
09/03 (246-m)	53.3	66.7	36.0	79.4	73	67.5	73	80.1	73	96.0	1950	0.00	0.00	0.10	70	497	1.58	372	8
09/04 (247-t)	48.5	64.2	37.0	81.6	73	68.1	73	80.5	73	96.0	1953	0.00	0.00	0.09	70	451	1.70	376	8
09/05 (248-w)	57.2	68.7	36.0	77.3	73	66.7	73	79.6	74	96.0	1954	0.23	0.23	0.09	72	132	0.98	339	8
09/06 (249-t)	62.8	70.5	33.0	84.7	74	65.9	74	78.4	74	95.0	1954	1.99	1.99	0.11	72	272	1.30	328	9
09/07 (250-f)	62.2	68.7	34.0	78.6	74	65.7	74	78.7	74	96.0	1959	0.64	0.64	0.05	72	262	1.50	311	9
09/08 (251-s)	52.6	65.5	31.9	77.8	74	66.3	74	79.3	74	94.0	1933	0.00	0.00	0.05	71	506	1.49	434	9
09/09 (252-s)	54.4	64.2	31.2	71.6	74	66.5	74	79.5	74	92.0	1959	1.35	1.35	0.10	74	168	0.98	405	9
09/10 (253-m)	51.5	65.0	34.0	80.2	74	65.8	74	79.1	74	95.0	1964	0.00	0.00	0.08	73	513	1.25	350	9
09/11 (254-t)	56.5	69.0	35.0	84.1	74	64.1	74	77.0	74	94.0	1925	0.00	0.00	0.10	73	410	1.32	342	9
09/12 (255-w)	60.8	67.6	31.0	81.4	74	63.9	74	76.6	74	95.0	1952	0.00	0.00	0.10	73	212	1.22	314	9
09/13 (256-t)	56.9	66.8	29.0	80.3	74	64.3	74	77.2	74	95.0	1952	0.00	0.00	0.14	72	315	1.39	371	9
09/14 (257-f)	61.2	67.9	26.0	76.9	74	64.3	74	76.7	74	94.0	1952	0.88	0.88	0.23	70	222	1.29	316	9
09/15 (258-s)	51.8	56.9	24.0	61.2	74	63.5	74	75.6	74	93.0	1927	0.01	0.01	0.07	73	118	0.47	301	9
09/16 (259-s)	43.5	52.6	27.0	64.4	74	62.0	74	73.9	74	95.0	1939	0.08	0.08	0.12	72	193	1.79	271	9
09/17 (260-m)	35.4	47.7	29.0	62.5	74	61.8	74	74.3	74	93.0	1955	0.01	0.01	0.08	73	468	1.74	369	9
09/18 (261-t)	32.5	48.4	32.0	64.3	74	62.2	74	75.1	74	91.0	1955	0.00	0.00	0.14	73	407	1.50	319	9
09/19 (262-w)	49.1	55.0	28.0	60.7	74	62.5	74	74.8	74	89.0	1955	0.30	0.30	0.10	73	54	0.33	287	9
09/20 (263-t)	42.1	56.1	33.0	69.0	74	63.8	74	75.5	74	90.0	1925	0.01	0.01	0.17	69	375	1.65	378	9
09/21 (264-f)	39.6	56.5	32.0	72.5	74	62.1	74	73.5	74	92.0	1931	0.43	0.43	0.26	70	421	1.35	273	9
09/22 (265-s)	46.2	59.1	33.0	67.0	74	61.0	74	73.0	74	90.0	1931	0.02	0.02	0.07	72	371	1.54	279	8
09/23 (266-s)	45.1	47.4	29.0	52.3	74	59.6	74	72.0	74	90.0	1936	0.03	0.03	0.09	72	173	1.38	217	9
09/24 (267-m)	38.1	50.1	26.0	60.8	74	59.0	74	71.8	74	89.0	1961	0.00	0.00	0.07	71	452	1.63	315	9
09/25 (268-t)	43.9	56.4	29.0	67.4	74	58.8	74	71.7	74	89.0	1961	0.00	0.00	0.09	73	445	1.39	353	9
09/26 (269-w)	45.2	59.5	29.0	74.7	74	59.0	74	72.1	74	86.5	1986	0.00	0.00	0.07	70	349	1.37	312	9
09/27 (270-t)	46.6	59.1	30.0	75.6	74	58.9	74	71.5	74	87.0	1946	0.00	0.00	0.14	72	387	1.34	285	8
09/28 (271-f)	45.8	60.9	28.0	78.3	74	58.3	74	70.8	74	89.0	1959	0.00	0.00	0.11	72	351	1.21	309	9
09/29 (272-s)	55.6	62.6	26.0	69.5	74	57.5	74	70.2	74	92.0	1953	0.32	0.32	0.13	73	99	0.48	308	8
09/30 (273-s)	40.6	55.5	30.0	62.9	74	57.3	74	69.8	74	89.0	1953	0.07	0.07	0.09	69	217	1.56	313	9
Column Min's:	32.5	47.4	24.0	52.3	74	57.3	74	69.8	74	89.0	1953	0.00	0.00	0.05	75	54	0.33	217	9
Column Avg's:	49.6	61.0	32.5	72.9	74	63.1	74	75.7	74	99.0	1953	0.21	0.21	0.11	90	325	1.32	331	9
Column Max's:	62.8	71.8	62.8	85.8	74	68.2	74	81.3	74	99.0	1953	1.99	1.99	0.26	98	513	1.79	445	9
Column Ttl's:												6.37	6.37	3.26	9754			9931	8

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION												
	min	avg	max	min	avg	max	prec	liq	snow	evap	% hum	ly	max	Lng-Term								
mo da julCurrent.....								
11/01 (305-t)	40.3	54.6	72.2	21.0	1925	38.2	74	48.9	74	59.3	74	79.0	1950	0.00	0.00	78	0.10	73	298	0.84	202	9
11/02 (306-f)	44.2	58.0	70.4	20.0	1976	38.2	73	48.1	74	58.1	74	77.0	1933	0.00	0.00	61	0.13	70	233	0.90	170	9
11/03 (307-s)	44.9	57.1	70.9	21.0	1951	36.5	74	46.7	74	56.9	74	79.0	1961	0.00	0.00	70	0.07	72	268	0.89	178	9
11/04 (308-s)	40.3	55.0	69.7	19.0	1951	35.8	74	45.0	74	54.2	74	75.0	1935	0.00	0.00	83	0.17	69	214	1.03	113	8
11/05 (309-m)	40.7	52.6	63.8	17.0	1951	35.0	74	43.9	74	52.7	74	79.0	1948	0.42	0.42	92	0.12	67	91	0.90	107	9
11/06 (310-t)	35.8	39.0	45.2	14.0	1951	33.8	74	42.9	74	52.1	74	73.0	1938	0.01	0.01	86	0.04	69	116	0.87	146	9
11/07 (311-w)	27.9	36.3	41.7	18.0	1971	33.9	74	43.2	74	52.5	74	77.0	1938	0.03	0.03	95	0.08	67	64	0.24	125	9
11/08 (312-t)	24.9	33.6	43.8	14.0	1917	33.9	74	43.3	74	52.7	74	70.0	1938	0.01	0.01	85	0.07	69	194	1.20	155	9
11/09 (313-f)	30.9	38.1	46.0	14.0	1971	33.2	74	42.6	74	52.0	74	75.0	1975	0.21	0.21	84	0.10	72	75	0.38	133	9
11/10 (314-s)	37.6	40.4	46.8	16.0	1981	32.8	74	42.3	74	51.9	74	70.0	1975	0.14	0.14	93	0.14	71	98	0.96	80	9
11/11 (315-s)	29.3	35.8	43.1	16.0	1957	33.0	74	42.0	74	50.9	74	76.0	1917	0.11	0.11	80	0.07	71	223	1.14	72	9
11/12 (316-m)	28.3	33.4	42.4	15.0	1926	31.9	74	41.1	74	50.2	74	73.0	1949	0.00	0.00	76	0.08	71	213	1.08	157	9
11/13 (317-t)	23.5	32.6	39.0	16.0	1920	31.6	74	41.1	73	50.4	73	74.1	1989	0.00	0.00	78	0.07	71	101	0.95	149	9
11/14 (318-w)	20.7	35.5	51.1	10.9	1986	30.9	73	41.0	73	51.3	74	72.6	1983	0.00	0.00	75	0.08	69	288	0.79	187	8
11/15 (319-t)	40.1	54.6	66.8	11.0	1933	32.5	74	41.7	74	50.9	74	75.0	1926	0.00	0.00	60	0.10	71	267	0.77	124	9
11/16 (320-f)	41.9	54.5	64.4	5.0	1933	33.1	72	42.5	72	52.1	73	73.0	1952	0.33	0.33	78	0.16	71	198	0.86	108	9
11/17 (321-s)	28.0	39.0	45.1	6.0	1933	32.6	74	41.7	74	50.8	74	72.0	1958	0.01	0.01	90	0.14	67	133	1.04	156	9
11/18 (322-s)	20.6	31.6	46.5	8.0	1959	33.0	74	41.8	74	50.6	74	72.0	1958	0.00	0.00	85	0.08	70	275	0.82	129	9
11/19 (323-m)	19.4	31.3	48.4	14.0	1936	31.7	74	40.4	74	49.2	74	72.5	1985	0.00	0.00	88	0.10	71	159	0.88	142	9
11/20 (324-t)	22.2	35.0	54.6	14.0	1980	31.1	74	39.9	74	48.8	74	72.0	1931	0.00	0.00	89	0.11	68	247	0.74	101	9
11/21 (325-w)	24.3	40.8	53.2	7.0	1951	30.9	74	39.0	74	46.9	74	68.0	1934	0.00	0.00	82	0.06	69	123	1.06	107	9
11/22 (326-t)	44.2	52.6	55.0	9.0	1964	30.3	74	38.3	74	46.4	74	71.0	1934	0.34	0.34	93	0.05	64	28	0.15	141	9
11/23 (327-f)	34.4	42.7	53.4	3.0	1971	28.8	74	37.4	74	46.2	74	71.0	1931	0.04	0.04	79	0.08	64	207	0.91	142	9
11/24 (328-s)	29.8	38.0	44.1	8.0	1950	28.1	74	36.2	74	44.5	74	68.0	1931	0.04	0.04	76	0.09	71	183	0.91	147	9
11/25 (329-s)	29.5	44.1	51.9	5.0	1950	25.8	74	34.4	73	43.3	73	64.1	1987	0.00	0.00	81	0.07	70	88	0.85	137	9
11/26 (330-m)	27.2	45.3	62.3	7.0	1950	28.1	74	36.1	74	44.2	74	63.1	1984	0.00	0.00	83	0.11	66	213	0.75	116	9
11/27 (331-t)	57.3	62.7	71.9	6.0	1930	28.6	74	36.8	74	45.0	74	71.9	1990	0.01	0.01	80	0.14	64	134	0.95	121	9
11/28 (332-w)	34.3	55.1	68.4	4.0	1930	28.1	74	36.1	74	44.3	74	68.4	1990	0.01	0.01	82	0.09	64	51	0.24	68	9
11/29 (333-t)	28.5	32.5	38.8	5.0	1930	25.4	74	33.2	74	41.1	74	64.0	1927	0.00	0.00	78	0.08	67	127	0.96	91	9
11/30 (334-f)	23.2	31.6	41.1	-3.0	1976	25.5	74	33.2	74	40.9	74	70.0	1934	0.00	0.00	75	0.09	66	238	0.71	112	9

Column Min's:	19.4	31.3	38.8	-3.0	25.4	33.2	40.9	33.2	60	0.04	28	0.15	68
Column Avg's:	32.5	43.1	53.7	40.7	49.7	48.9	49.7	81	81	0.10	172	0.83	131
Column Max's:	57.3	62.7	72.2	38.7	59.3	79.0	79.0	95	95	0.17	298	1.20	202
Column Ttl's:										2.87	5147		3916

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	max	prec	evap	ly	ly/m																
12/01 (335-s)	28.3	41.3	51.0	5.0	1976	24.3	74	32.8	74	41.4	74	66.0	1934	0.00	52	0.09	68	205	0.82	108	9	
12/02 (336-s)	36.1	40.4	47.0	2.0	1966	24.6	74	32.4	74	40.6	74	66.8	1982	0.00	70	0.09	68	159	0.82	105	9	
12/03 (337-m)	32.3	41.5	53.9	-10.0	1976	25.6	74	33.4	74	41.4	74	75.1	1982	1.06	98	0.06	66	22	0.12	100	9	
12/04 (338-t)	23.5	29.8	43.4	-6.0	1966	26.4	74	34.0	74	41.8	74	67.0	1941	0.00	88	0.08	66	77	0.33	97	9	
12/05 (339-w)	22.7	26.1	30.5	-0.0	1976	26.3	74	34.5	74	42.6	74	66.0	1956	0.00	84	0.08	66	156	0.99	83	9	
12/06 (340-t)	29.3	33.4	36.2	2.0	1974	26.3	74	34.3	74	42.1	74	68.0	1953	0.00	81	0.10	65	74	0.41	87	9	
12/07 (341-f)	21.9	32.4	41.3	2.0	1926	25.3	74	33.2	74	41.1	74	62.0	1956	0.00	88	0.09	66	197	0.81	123	9	
12/08 (342-s)	22.7	31.0	41.8	2.0	1977	26.1	74	33.7	74	41.7	74	66.0	1966	0.00	88	0.08	59	210	0.65	130	9	
12/09 (343-s)	21.6	34.8	46.9	-8.0	1917	24.4	74	32.1	74	39.8	74	65.0	1952	0.00	90	0.09	61	219	0.67	124	9	
12/10 (344-m)	24.8	38.2	48.4	-10.0	1968	22.4	74	29.9	74	36.8	74	70.0	1971	0.00	81	0.08	64	213	0.82	82	9	
12/11 (345-t)	25.3	34.3	45.4	-12.0	1958	22.2	74	29.6	74	37.2	74	70.0	1971	0.00	79	0.12	67	190	0.88	97	9	
12/12 (346-w)	37.0	48.3	56.5	-9.6	1988	23.3	74	31.4	74	39.2	74	62.0	1965	0.00	71	0.10	63	162	0.79	106	9	
12/13 (347-t)	28.9	41.1	54.0	-5.0	1917	22.3	74	31.0	74	39.7	74	62.0	1927	0.01	79	0.13	65	117	0.79	93	9	
12/14 (348-f)	23.2	29.8	38.5	-7.0	1958	21.1	74	29.0	74	36.6	74	63.0	1975	0.00	70	0.08	66	210	0.66	134	9	
12/15 (349-s)	30.7	39.5	49.9	-3.0	1943	20.2	74	28.1	74	36.0	74	65.0	1971	0.68	91	0.07	67	22	0.11	76	9	
12/16 (350-s)	33.1	35.7	38.7	-9.0	1951	20.2	74	28.4	74	36.3	74	62.1	1984	0.00	94	0.11	66	19	0.14	88	9	
12/17 (351-m)	31.8	35.9	47.1	-15.3	1989	20.9	74	28.6	74	36.4	74	61.4	1984	0.07	98	0.09	62	48	0.21	122	9	
12/18 (352-t)	35.3	47.3	56.0	-15.0	1989	19.2	74	27.6	74	35.9	74	59.0	1967	1.30	93	0.07	67	14	0.11	114	9	
12/19 (353-w)	24.6	33.3	41.2	-10.1	1989	19.8	74	27.9	74	35.8	74	60.0	1967	0.00	98	0.05	64	103	0.86	98	9	
12/20 (354-t)	24.4	34.7	42.9	-5.1	1985	20.4	74	28.4	74	36.3	74	60.0	1957	0.00	84	0.07	64	122	0.72	118	9	
12/21 (355-f)	39.9	49.7	60.2	-12.0	1942	20.3	74	28.2	74	36.3	74	60.2	1990	0.23	95	0.05	66	41	0.30	93	9	
12/22 (356-s)	48.0	56.2	59.6	-12.0	1944	19.8	74	28.0	74	35.9	74	62.0	1949	0.07	97	0.06	65	27	0.11	116	9	
12/23 (357-s)	29.9	34.1	47.9	-10.1	1989	21.5	74	29.6	74	37.9	74	59.0	1957	0.74	100	0.06	66	14	0.08	117	9	
12/24 (358-m)	9.1	17.2	30.0	-19.8	1989	21.9	74	30.4	74	38.9	74	64.0	1964	0.01	82	0.08	63	202	0.83	119	9	
12/25 (359-t)	5.9	16.0	24.5	-12.8	1983	20.4	74	28.6	74	36.8	74	64.9	1982	0.00	79	0.10	61	206	0.87	109	9	
12/26 (360-w)	7.0	17.7	23.7	-9.0	1983	20.0	74	27.5	74	35.0	74	62.5	1982	0.00	75	0.08	65	164	0.70	107	9	
12/27 (361-t)	7.2	18.5	25.3	-7.0	1944	20.5	74	27.9	74	35.3	74	61.0	1936	0.06	88	0.06	68	64	0.22	88	9	
12/28 (362-f)	23.1	32.3	38.0	-12.0	1950	19.7	74	28.2	74	36.6	74	67.4	1982	0.22	100	0.08	68	78	0.35	88	9	
12/29 (363-s)	37.6	52.8	61.2	-7.0	1924	19.0	74	27.6	74	35.9	74	62.9	1984	0.04	96	0.08	64	61	0.41	107	9	
12/30 (364-s)	30.6	45.6	62.1	-15.0	1917	20.0	74	28.0	74	35.9	74	62.1	1990	1.24	98	0.10	66	22	0.16	134	9	
12/31 (365-m)	15.6	23.6	30.6	-13.0	1963	21.0	71	29.6	71	38.0	71	61.0	1972	0.00	87	0.07	65	122	0.88	97	8	
Column Min's:	5.9	16.0	23.7	-19.8	19.0	19.0	27.5	35.0	0.00	52	0.05	14	0.08	76								
Column Avg's:	26.2	35.2	44.3	22.1	30.1	38.1	30.1	38.1	0.18	86	0.08	114	0.53	105								
Column Max's:	48.0	56.2	62.1	26.4	34.5	42.6	34.5	42.6	1.30	100	0.13	219	0.99	134								
Column Ttl's:									5.73		2.55	3540		3260								

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.