

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
	min	max	min	year avg	Long Term avg	max	prec	evap	hum %	Long Term avg	ly	max	Lng-Term avg					
mo da jul	Current	Current	year	year	year	year	liq	snow	avg	pr	yr	ly/m	yr					
01/01 (001-m)	23.0	29.2	10.4	1986	23.7	9	31.9	9	40.8	9	60.7	1985	0.00	0.09	52	0.22	129	9
01/02 (002-t)	20.1	30.8	3.7	1988	22.5	9	29.6	9	36.9	9	46.0	1986	0.00	0.02	220	0.74	124	9
01/03 (003-w)	34.9	39.8	12.0	1988	26.0	9	31.8	9	38.6	9	47.6	1982	0.00	0.05	66	0.39	106	9
01/04 (004-t)	33.8	44.2	5.4	1988	23.5	9	31.3	9	40.3	9	55.9	1982	0.18	0.02	65	0.46	125	9
01/05 (005-f)	26.8	32.8	-1.8	1988	20.7	9	28.0	9	37.0	9	43.8	1987	0.00	0.04	143	0.63	161	9
01/06 (006-s)	24.5	33.0	-6.7	1988	24.3	9	31.9	9	39.8	9	54.4	1987	0.00	0.01	226	0.68	128	9
01/07 (007-s)	22.0	34.6	3.2	1988	21.1	9	30.2	9	38.9	9	62.9	1989	0.00	0.10	219	0.77	126	9
01/08 (008-m)	22.5	35.9	1.6	1986	17.4	9	26.2	9	37.6	9	60.0	1989	0.00	0.00	232	0.70	163	9
01/09 (009-t)	35.6	40.9	-7.2	1982	17.0	9	25.7	9	35.6	9	51.0	1990	0.05	0.03	114	0.94	148	9
01/10 (010-w)	28.9	32.1	-16.2	1982	16.5	9	24.4	9	34.1	9	52.3	1983	0.00	0.04	30	0.14	145	9
01/11 (011-t)	28.2	37.1	-3.1	1982	15.5	9	24.9	9	35.3	9	49.4	1986	0.00	0.01	195	1.04	173	9
01/12 (012-f)	19.6	27.9	-0.6	1982	19.5	9	27.9	9	36.4	9	53.6	1989	0.00	0.02	106	0.92	162	9
01/13 (013-s)	14.5	24.4	9.7	1985	15.7	9	25.1	9	37.4	9	51.3	1987	0.00	0.01	232	0.75	184	9
01/14 (014-s)	24.1	34.1	1.2	1988	18.1	9	26.5	9	35.3	9	50.3	1987	0.00	0.05	79	0.61	123	9
01/15 (015-m)	39.2	46.7	-9.2	1982	17.2	9	27.2	9	37.6	9	58.4	1990	0.00	0.00	110	0.64	157	9
01/16 (016-t)	41.3	51.1	-14.6	1982	17.8	9	28.5	9	40.3	9	61.7	1990	0.00	0.01	147	0.76	176	9
01/17 (017-w)	51.4	54.8	-20.2	1982	23.4	9	30.1	9	36.2	9	57.9	1990	0.35	0.07	25	0.11	100	9
01/18 (018-t)	29.0	40.0	-3.1	1982	21.2	9	29.3	9	38.4	9	56.5	1990	0.00	0.07	46	0.20	120	9
01/19 (019-f)	25.5	30.9	-17.1	1984	14.4	9	24.2	9	33.6	9	50.9	1989	0.21	0.18	131	0.61	135	9
01/20 (020-s)	32.0	40.4	-25.1	1985	13.4	9	22.7	9	30.4	9	53.1	1988	0.35	0.05	18	0.07	140	9
01/21 (021-s)	32.9	35.6	-22.4	1984	12.3	9	22.3	9	31.7	9	54.0	1986	0.03	0.10	20	0.08	166	9
01/22 (022-m)	30.5	36.9	-4.4	1984	19.5	9	27.9	9	40.2	9	54.4	1986	0.00	0.22	224	0.90	144	9
01/23 (023-t)	26.7	38.3	1.4	1987	19.4	9	29.1	9	39.9	9	54.8	1989	0.00	0.06	59	0.27	160	9
01/24 (024-w)	38.9	46.9	-2.0	1987	22.7	9	30.4	9	38.0	9	58.5	1990	0.00	0.01	211	0.80	145	9
01/25 (025-t)	27.9	40.9	3.2	1988	20.4	9	28.4	9	37.2	9	60.7	1989	0.10	0.06	107	1.11	115	9
01/26 (026-f)	22.8	30.7	-4.4	1985	14.0	9	23.1	9	33.4	9	57.3	1989	0.00	0.01	230	1.06	181	9
01/27 (027-s)	29.0	43.1	-0.6	1982	12.7	9	24.0	9	34.2	9	54.8	1990	0.00	0.00	193	1.00	207	9
01/28 (028-s)	30.2	32.4	-1.8	1986	18.6	9	27.5	9	35.7	9	53.4	1989	0.00	0.00	73	0.26	168	9
01/29 (029-m)	18.8	29.4	13.5	1982	23.0	9	31.6	9	40.4	9	56.3	1988	0.25	0.05	59	0.35	125	9
01/30 (030-t)	13.6	29.9	9.1	1986	25.5	9	34.1	9	42.8	9	60.7	1988	0.00	0.17	287	1.06	117	9
01/31 (031-w)	22.3	35.4	10.6	1984	25.7	9	34.3	9	44.4	9	63.9	1989	0.00	0.22	300	0.83	179	9
Column Min's:	13.6	24.4	-25.1		12.3		22.3		30.4				0.00	0.00	18	0.07	100	
Column Avg's:	28.1	36.8	46.8		19.4		28.1		37.4		63.9		0.05	0.06	136	0.62	146	
Column Max's:	51.4	54.8	61.7		26.0		34.3		44.4				0.35	0.22	300	1.11	207	
Column Ttl's:													1.52	1.77	4219		4532	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max
02/01 (032-t)	33.8	41.6	10.0	29.0	0.24	--	41	0.20
02/02 (033-f)	33.8	45.3	-3.3	27.8	0.23	--	51	0.24
02/03 (034-s)	33.4	37.9	-13.0	22.9	0.22	--	43	0.21
02/04 (035-s)	27.4	31.7	-5.1	19.8	0.65	--	46	0.27
02/05 (036-m)	26.0	33.4	-2.2	18.1	0.00	--	262	1.07
02/06 (037-t)	26.0	40.7	-4.0	19.8	0.03	--	228	1.30
02/07 (038-w)	30.2	41.4	-0.6	19.8	0.16	--	95	0.75
02/08 (039-t)	30.0	45.8	-2.0	13.9	0.00	--	314	0.87
02/09 (040-f)	41.7	51.0	-6.2	15.1	0.40	--	60	0.43
02/10 (041-s)	31.0	37.5	-13.0	18.1	0.00	--	310	0.89
02/11 (042-s)	31.8	38.6	3.7	23.5	0.01	--	195	0.96
02/12 (043-m)	23.2	37.6	-0.2	19.3	0.00	--	335	0.91
02/13 (044-t)	43.9	57.0	-3.3	19.8	0.00	--	294	1.02
02/14 (045-w)	32.0	37.0	8.6	19.8	0.05	--	22	0.14
02/15 (046-t)	34.2	49.4	0.9	23.8	1.60	--	33	0.26
02/16 (047-f)	28.5	48.9	5.2	23.9	0.01	--	165	1.31
02/17 (048-s)	24.1	27.6	-13.5	24.9	0.00	--	178	1.25
02/18 (049-s)	18.3	33.2	17.8	28.2	0.00	--	293	0.97
02/19 (050-m)	25.5	35.4	16.4	28.1	0.00	--	375	0.99
02/20 (051-t)	18.8	28.4	15.9	27.0	0.00	--	386	1.02
02/21 (052-w)	20.6	38.0	6.1	26.1	0.00	--	324	1.01
02/22 (053-t)	42.5	53.2	22.2	32.2	0.20	--	97	0.60
02/23 (054-f)	30.9	37.7	7.9	27.6	0.01	--	58	0.78
02/24 (055-s)	11.8	25.8	5.2	23.4	0.07	--	219	1.28
02/25 (056-s)	4.5	12.8	4.5	20.3	0.00	--	323	1.42
02/26 (057-m)	6.8	20.5	6.8	21.6	0.00	--	273	1.30
02/27 (058-t)	30.8	37.6	12.6	24.2	0.08	--	241	1.17
02/28 (059-w)	25.5	31.0	5.2	22.1	0.00	--	404	1.09
Column Min's:	4.5	12.8	-13.5	13.4	0.00	--	22	0.14
Column Avg's:	27.4	37.7	31.8	41.5	0.14	--	202	0.85
Column Max's:	43.9	57.0	52.0	70.5	1.60	--	404	1.42
Column Ttl's:					3.96	--	5665	303

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	avg	yr	prec	evap	ly	max
03/01 (060-t)	17.8	32.1	7.0	19.86	22.4	9	0.00	0.00	432	1.08
03/02 (061-f)	28.3	39.8	16.4	19.86	26.7	9	0.00	0.00	358	1.26
03/03 (062-s)	24.4	35.2	11.5	19.84	26.9	9	0.00	0.00	432	1.08
03/04 (063-s)	19.5	30.7	12.6	19.84	28.5	9	0.00	0.00	419	1.07
03/05 (064-m)	27.6	43.5	14.0	19.88	28.5	9	0.00	0.00	356	1.29
03/06 (065-t)	25.4	34.0	19.4	19.84	27.6	9	0.00	0.00	154	0.66
03/07 (066-w)	19.9	35.3	13.1	19.86	23.7	9	0.00	0.00	381	1.14
03/08 (067-t)	38.6	44.8	6.4	19.84	26.8	8	0.07	0.07	60	0.26
03/09 (068-f)	44.8	55.0	-0.6	19.84	27.4	8	0.00	0.00	261	1.34
03/10 (069-s)	43.3	55.0	7.9	19.84	28.1	8	1.41	0.00	81	0.85
03/11 (070-s)	56.7	66.0	13.1	19.84	31.6	8	1.27	0.00	311	1.34
03/12 (071-m)	60.3	67.1	9.9	19.84	32.1	8	0.01	0.01	260	1.23
03/13 (072-t)	55.1	66.7	23.0	19.88	33.5	8	0.00	0.00	342	1.36
03/14 (073-w)	54.8	67.3	20.4	19.88	36.4	8	0.00	0.00	376	1.27
03/15 (074-t)	50.7	63.6	20.4	19.88	33.4	9	0.41	0.00	143	1.04
03/16 (075-f)	47.9	51.7	21.0	19.88	32.6	9	0.29	0.00	143	0.67
03/17 (076-s)	38.4	49.0	25.8	19.85	31.9	9	0.03	0.03	400	1.48
03/18 (077-s)	32.3	42.8	18.6	19.85	32.0	9	0.00	0.00	471	1.38
03/19 (078-m)	22.7	31.5	20.1	19.89	30.4	9	0.01	0.01	235	1.50
03/20 (079-t)	20.1	29.9	18.3	19.86	30.8	9	0.00	0.00	499	1.37
03/21 (080-w)	22.1	40.2	12.0	19.86	26.0	9	0.00	0.00	495	1.18
03/22 (081-t)	42.5	50.1	16.4	19.86	28.9	9	0.03	0.03	180	0.98
03/23 (082-f)	28.9	39.4	16.3	19.83	32.5	9	0.00	0.00	285	1.53
03/24 (083-s)	24.3	30.9	20.1	19.83	33.6	9	0.10	0.10	411	1.31
03/25 (084-s)	24.3	34.8	18.8	19.83	34.8	9	0.00	0.00	502	1.25
03/26 (085-m)	24.9	37.5	24.6	19.82	33.5	9	0.00	0.00	504	1.37
03/27 (086-t)	22.1	36.4	20.1	19.82	36.0	9	0.00	0.00	557	1.28
03/28 (087-w)	27.7	41.5	16.3	19.82	37.1	9	0.00	0.00	281	0.94
03/29 (088-t)	41.1	45.0	26.3	19.82	40.7	9	0.54	0.00	53	0.22
03/30 (089-f)	47.0	54.3	26.0	19.87	39.3	9	0.36	0.00	116	0.50
03/31 (090-s)	53.2	56.2	22.9	19.87	37.1	9	0.08	0.08	167	0.99
Column Min's:	17.8	29.9	-0.6		22.4		0.00		53	0.22
Column Avg's:	35.1	45.4			31.3		0.15		312	1.10
Column Max's:	60.3	67.3			40.7		1.41		557	1.53
Column Ttl's:					84.1		4.61		9665	9154

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	max	min	year avg	max	prec	liq	evap	hum	ly	max	Lng-Trm
mo da jul	Current	Current	Current	Long Term	Long Term	Long Term	avg pr yrs	avg pr yrs	avg pr yrs	avg pr yrs	ly	ly/m	avg yrs
04/01 (091-s)	49.2	54.9	62.7	25.8	1987	37.7	9	47.5	9	58.2	9	80.3	1986
04/02 (092-m)	34.0	40.5	51.0	26.0	1987	37.3	9	47.2	9	57.6	9	73.0	1988
04/03 (093-t)	32.7	35.3	37.7	22.0	1987	38.0	9	46.9	9	55.4	9	71.5	1986
04/04 (094-w)	27.5	41.0	56.5	27.5	1990	37.8	9	49.0	9	60.4	9	83.4	1986
04/05 (095-t)	33.0	43.3	59.8	28.4	1982	39.0	9	49.0	9	58.8	9	86.2	1988
04/06 (096-f)	28.5	36.8	48.2	19.5	1982	37.0	9	44.3	9	54.5	9	75.0	1986
04/07 (097-s)	21.8	34.0	47.0	16.9	1982	32.7	9	43.6	9	55.7	9	76.3	1986
04/08 (098-s)	27.3	44.4	60.5	25.2	1982	33.0	9	42.7	9	52.9	9	66.3	1986
04/09 (099-m)	34.6	53.2	68.3	22.5	1985	32.8	9	42.3	9	52.0	9	68.3	1990
04/10 (100-t)	38.9	51.2	61.1	22.7	1985	32.0	9	44.5	9	56.5	9	69.4	1987
04/11 (101-w)	31.7	40.1	52.8	22.7	1989	34.3	9	45.4	9	58.3	9	66.9	1985
04/12 (102-t)	27.5	35.1	45.2	27.5	1990	34.9	9	49.6	9	63.8	9	74.2	1986
04/13 (103-f)	27.4	42.8	56.0	27.4	1990	39.6	9	52.5	9	64.5	9	73.9	1985
04/14 (104-s)	36.7	46.9	54.8	28.5	1989	40.0	9	53.0	9	66.3	9	74.2	1987
04/15 (105-s)	30.5	45.4	60.0	30.5	1990	38.5	9	48.2	9	58.9	9	77.7	1982
04/16 (106-m)	38.6	52.7	65.5	27.6	1983	40.0	9	50.5	9	61.4	9	76.0	1985
04/17 (107-t)	31.4	43.3	53.7	29.2	1983	38.8	9	49.4	9	59.5	9	74.5	1989
04/18 (108-w)	23.7	39.6	54.2	23.7	1990	36.5	9	48.4	9	60.0	9	83.4	1985
04/19 (109-t)	30.9	49.7	64.7	21.5	1983	38.1	9	50.8	9	63.8	9	83.3	1985
04/20 (110-f)	52.0	58.6	70.8	23.5	1983	39.2	9	53.8	9	66.2	9	82.9	1985
04/21 (111-s)	48.8	59.1	65.3	27.9	1982	40.8	9	53.7	9	64.9	9	85.2	1985
04/22 (112-s)	40.6	57.9	71.8	27.1	1986	41.2	9	53.1	9	66.5	9	85.4	1985
04/23 (113-m)	43.6	62.8	78.8	23.8	1986	41.5	9	54.8	9	67.5	9	80.3	1988
04/24 (114-t)	51.1	70.1	86.5	31.0	1986	40.4	9	53.3	9	65.6	9	86.5	1990
04/25 (115-w)	59.3	74.2	87.6	29.6	1983	41.7	9	58.6	9	74.6	9	87.6	1990
04/26 (116-t)	56.3	71.3	85.2	34.2	1988	48.7	9	63.8	9	77.5	9	88.1	1986
04/27 (117-f)	54.5	71.0	86.5	38.3	1988	51.3	9	62.6	9	75.4	9	87.0	1986
04/28 (118-s)	53.6	63.6	74.5	33.4	1982	47.1	9	57.9	9	68.9	9	77.4	1984
04/29 (119-s)	47.4	54.9	64.9	34.3	1988	44.6	9	58.0	9	71.2	9	84.3	1987
04/30 (120-m)	49.7	64.7	80.7	36.6	1988	47.0	9	59.1	9	71.2	9	80.7	1990
Column Min's:	21.8	34.0	37.7	16.9		32.0		42.3		52.0		77.5	
Column Avg's:	38.8	51.3	63.7	39.4		51.1		63.8		62.9		88.1	
Column Max's:	59.3	74.2	87.6	51.3		63.8		88.1		88.1		12271	
Column Ttl's:													11826

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min year	max year	prec	liq	ly	max												
mo da jul	Current	avgm yrs	Long Term												
	avg	max	avg yrs	avgm yrs	avg pr yrs	Long Term	ly	max												
						avg pr yrs		Lyng-Trm												
								avg yrs												
06/01 (152-f)	49.4	67.2	81.4	55.1	9	68.6	9	80.8	9	93.1	1988	0.00	0.31	0.05	9	605	1.42	533	9	
06/02 (153-s)	64.7	70.0	77.5	55.3	8	65.9	8	78.2	8	85.9	1984	0.00	0.00	0.09	8	250	1.19	492	8	
06/03 (154-s)	53.9	68.8	79.9	55.8	9	65.8	9	76.5	9	82.8	1987	0.00	0.00	0.11	8	691	1.44	497	8	
06/04 (155-m)	40.3	49.6	54.6	51.1	9	62.5	9	72.5	9	82.3	1984	0.00	0.00	0.02	9	218	0.98	457	9	
06/05 (156-t)	36.5	55.0	68.3	53.9	8	65.4	8	76.1	8	85.0	1984	0.00	0.00	0.16	9	635	1.49	453	8	
06/06 (157-w)	55.8	66.6	79.6	49.4	9	68.6	9	80.6	9	92.1	1988	0.07	0.07	0.12	9	288	1.42	513	9	
06/07 (158-t)	62.8	67.5	74.0	46.7	9	69.6	9	80.6	9	92.2	1988	0.08	0.08	0.18	9	211	1.38	471	8	
06/08 (159-f)	66.0	77.6	87.9	47.7	9	72.9	9	85.3	9	93.7	1988	0.00	0.00	0.18	9	531	1.58	563	9	
06/09 (160-s)	64.2	74.9	85.8	44.8	9	70.9	9	81.2	9	87.6	1984	0.00	0.00	0.06	9	537	1.81	532	9	
06/10 (161-s)	58.6	67.8	76.8	55.1	8	67.0	9	78.2	8	88.5	1984	0.00	0.00	0.01	9	629	1.81	546	9	
06/11 (162-m)	54.4	67.1	78.7	41.3	9	68.3	9	81.4	9	88.5	1984	0.00	0.00	0.06	9	661	1.62	560	9	
06/12 (163-t)	54.1	67.9	80.5	47.2	9	67.7	9	78.0	9	90.9	1984	0.00	0.00	0.09	9	661	1.76	435	9	
06/13 (164-w)	59.2	73.4	86.5	44.2	9	70.3	9	83.9	9	93.6	1984	0.00	0.00	0.11	9	707	1.41	585	9	
06/14 (165-t)	---	---	---	46.7	8	71.0	8	83.8	8	94.1	1988	---	---	0.19	8	---	---	---	---	---
06/15 (166-f)	---	78.8	85.6	54.8	8	70.7	8	82.7	9	93.0	1988	0.00	0.00	0.14	9	502	---	---	---	---
06/16 (167-s)	62.7	76.3	89.0	53.7	9	70.7	9	80.7	9	89.0	1990	0.00	0.00	0.20	9	584	1.37	429	9	
06/17 (168-s)	68.4	79.6	90.1	48.2	9	70.4	9	81.4	9	92.1	1987	0.00	0.00	0.01	9	515	1.40	556	9	
06/18 (169-m)	66.8	79.3	87.9	47.4	9	71.0	9	83.0	9	91.8	1987	0.00	0.00	0.01	9	654	1.45	571	9	
06/19 (170-t)	59.5	70.4	81.7	49.8	9	70.4	9	82.3	9	90.8	1984	0.00	0.00	0.08	9	643	1.37	509	9	
06/20 (171-w)	60.0	65.9	74.5	45.9	9	70.7	9	82.0	9	92.0	1988	1.06	1.06	0.19	9	132	0.84	439	9	
06/21 (172-t)	65.5	74.3	85.1	53.5	9	73.3	9	85.1	9	97.3	1988	0.01	0.01	0.15	9	670	1.36	592	9	
06/22 (173-f)	61.7	66.7	78.8	51.2	9	73.1	9	85.1	9	96.3	1988	0.32	0.32	0.09	9	250	1.40	476	9	
06/23 (174-s)	58.1	62.5	71.6	47.9	9	72.1	9	83.5	9	90.5	1983	0.17	0.17	0.02	9	297	1.83	537	9	
06/24 (175-s)	55.7	65.3	75.2	47.0	9	71.8	9	84.1	9	92.9	1983	0.00	0.00	0.13	9	631	1.62	632	9	
06/25 (176-m)	50.1	67.2	82.0	50.0	9	72.7	9	87.0	9	103.1	1988	0.00	0.00	0.00	9	686	1.37	643	9	
06/26 (177-t)	54.6	69.5	83.4	47.8	9	72.5	9	85.7	9	91.1	1989	0.00	0.00	0.00	9	601	1.35	609	9	
06/27 (178-w)	60.5	74.1	87.8	50.4	9	71.9	9	84.3	9	90.5	1986	0.00	0.00	0.08	9	519	1.51	532	9	
06/28 (179-t)	65.7	77.4	89.0	49.1	9	72.4	9	85.0	9	89.8	1988	0.00	0.00	0.28	9	566	1.37	551	9	
06/29 (180-f)	67.8	76.6	84.8	54.8	9	71.3	9	81.4	9	90.1	1987	0.00	0.00	0.05	9	409	1.46	471	9	
06/30 (181-s)	69.3	76.9	89.8	53.3	9	70.9	9	81.6	9	89.8	1990	0.29	0.29	0.10	9	409	1.45	530	9	
Column Min's:	36.5	49.6	54.6	36.5	51.1	62.5	72.5	81.7	87.0	103.1		0.00	0.08	0.00	59	132	0.84	429		
Column Avg's:	58.8	70.1	81.0	58.1	70.0	73.3	81.7	87.0	87.0			0.08	1.06	0.10	73	507	1.45	525		
Column Max's:	69.3	79.6	90.1	62.8	73.3	87.0	87.0	87.0	87.0			1.06	2.31	0.28	88	707	1.83	643		
Column Ttl's:														2.96	14692			15757		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	avg	yr	prec	evap	ly	ly/m
07/01 (182-s)	65.8	75.7	45.1	1988	59.2	9	0.00	--	583	1.56
07/02 (183-m)	57.5	69.8	50.6	1988	60.0	9	0.00	--	679	1.40
07/03 (184-t)	56.7	72.7	52.0	1986	60.5	9	0.00	--	670	1.35
07/04 (185-w)	66.5	80.8	47.6	1986	63.1	9	0.00	--	604	1.30
07/05 (186-t)	71.7	82.1	55.5	1983	63.3	9	0.03	--	682	1.35
07/06 (187-f)	61.1	70.4	50.3	1983	61.9	9	0.00	--	635	1.62
07/07 (188-s)	53.2	67.3	48.2	1983	60.5	9	0.00	--	588	1.89
07/08 (189-s)	57.4	76.6	48.0	1984	62.5	9	0.00	--	585	1.26
07/09 (190-m)	71.8	81.9	54.4	1984	66.8	9	0.51	--	546	1.45
07/10 (191-t)	69.6	79.1	62.1	1985	68.4	9	0.00	--	577	1.50
07/11 (192-w)	70.0	73.2	62.3	1985	64.7	9	1.43	--	202	1.51
07/12 (193-t)	60.3	66.7	56.3	1984	62.9	9	1.35	--	112	0.57
07/13 (194-f)	59.0	62.5	58.7	1982	63.5	9	0.18	--	110	0.42
07/14 (195-s)	61.8	69.1	53.3	1987	63.3	9	0.94	--	283	1.93
07/15 (196-s)	55.4	65.2	49.5	1987	60.2	8	0.00	--	466	1.67
07/16 (197-m)	59.0	72.3	55.4	1985	63.2	9	0.00	--	634	1.30
07/17 (198-t)	60.2	72.9	52.8	1984	61.7	9	0.00	--	612	1.44
07/18 (199-w)	60.6	74.4	53.4	1984	62.7	9	0.00	--	595	1.49
07/19 (200-t)	62.9	76.3	58.5	1986	52.9	9	0.00	--	561	1.36
07/20 (201-f)	67.0	73.8	54.7	1984	65.2	9	0.31	--	407	1.46
07/21 (202-s)	67.6	72.3	57.4	1982	64.6	9	0.06	--	321	1.67
07/22 (203-s)	62.9	70.3	59.1	1984	64.0	9	0.24	--	144	0.67
07/23 (204-m)	60.3	68.7	53.9	1985	62.4	9	0.43	--	519	1.69
07/24 (205-t)	60.2	69.9	52.3	1985	62.3	9	0.00	--	534	1.50
07/25 (206-w)	58.3	71.0	58.3	1990	64.1	9	0.00	--	589	1.39
07/26 (207-t)	60.1	72.3	57.8	1987	62.0	8	0.00	--	609	1.33
07/27 (208-f)	61.4	72.7	56.2	1985	60.4	8	0.00	--	492	1.31
07/28 (209-s)	61.6	74.8	55.1	1985	60.5	9	0.00	--	593	1.29
07/29 (210-s)	63.9	76.1	56.7	1982	61.4	9	0.00	--	486	1.26
07/30 (211-m)	67.9	74.7	53.9	1984	62.7	9	0.00	--	382	1.63
07/31 (212-t)	59.2	69.1	56.9	1984	63.7	9	0.00	--	467	1.60
Column Min's:	53.2	62.5	-28.5		52.9		0.00		110	0.42
Column Avg's:	62.3	72.7			62.4		0.18		486	1.39
Column Max's:	71.8	82.1			68.4		1.43		679	1.93
Column Ttl's:						103.0	5.48		15067	15627

LIQ WATER BALANCE (inches) Long Term
 max Lng Trm
 ly/m avg yrs

WATER BALANCE (inches) Long Term
 % Long Term
 evap hum avg pr yrs

SOLAR RADIATION
 max Lng Trm
 ly/m avg yrs

min year avgmn yrs max year
 avg yrs avgmx yrs

min max
 min max

min max
 min max

min max
 min max

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	avg yrs	avgm yrs	Long Term	Long Term	Long Term	Long Term	ly	ly/m										
08/01 (213-w)	55.0	65.8	78.3	81.4	55.0	1990	61.4	9	72.3	9	84.8	9	93.2	1988	0.00	0.00	69	0.04	652	1.58	497	9
08/02 (214-t)	53.9	67.5	81.4	83.1	53.9	1990	60.5	8	72.5	8	85.4	8	95.2	1988	0.00	0.00	70	0.01	627	1.64	536	8
08/03 (215-f)	56.2	69.8	83.1	83.1	53.9	1985	60.6	7	73.0	7	87.0	8	94.0	1983	0.00	0.00	71	0.00	551	1.52	512	7
08/04 (216-s)	60.1	69.4	83.1	83.1	51.0	1986	62.0	7	72.2	7	87.0	8	93.0	1987	1.01	0.00	83	0.21	284	1.57	407	7
08/05 (217-s)	66.5	73.0	82.3	82.3	53.6	1986	65.5	8	73.7	8	84.4	8	94.0	1983	0.00	0.00	78	0.07	529	1.80	438	8
08/06 (218-m)	54.9	65.0	72.9	72.9	54.9	1990	63.1	8	73.3	8	84.9	8	90.5	1983	0.00	0.00	73	0.03	599	1.56	448	7
08/07 (219-t)	51.0	62.5	75.9	75.9	51.0	1990	63.9	8	73.7	8	86.2	8	91.7	1983	0.00	0.00	74	0.07	559	1.76	497	8
08/08 (220-w)	50.6	64.7	79.1	79.1	50.6	1990	61.6	8	73.7	8	86.8	8	93.6	1983	0.00	0.00	70	0.01	608	1.76	521	7
08/09 (221-t)	57.5	69.0	82.9	82.9	57.5	1990	61.0	8	74.1	8	86.1	9	92.5	1988	0.00	0.00	73	0.00	490	1.31	494	8
08/10 (222-f)	59.1	71.1	85.3	85.3	54.1	1989	60.7	9	71.2	9	83.6	9	94.9	1988	0.00	0.00	72	0.06	550	1.42	404	9
08/11 (223-s)	60.2	71.2	83.9	83.9	55.5	1989	60.4	8	71.4	9	84.3	9	93.8	1988	0.00	0.00	72	0.14	555	1.47	482	9
08/12 (224-s)	60.4	73.5	85.4	85.4	47.5	1982	58.2	9	69.9	9	84.3	9	91.4	1988	0.00	0.00	72	0.05	542	1.44	493	9
08/13 (225-m)	59.9	69.7	78.7	78.7	49.0	1982	58.1	9	71.0	9	84.9	9	93.8	1985	0.07	0.00	79	0.02	324	1.81	510	9
08/14 (226-t)	54.7	67.0	80.5	80.5	49.9	1982	59.4	9	72.7	9	87.5	9	93.5	1985	0.00	0.00	72	0.02	608	1.59	552	9
08/15 (227-w)	54.9	66.0	77.0	77.0	54.0	1982	61.2	9	73.3	9	87.8	9	96.1	1988	0.00	0.00	76	0.07	364	1.64	479	9
08/16 (228-t)	58.4	70.8	84.3	84.3	58.4	1984	62.6	9	74.1	9	86.9	9	99.2	1988	0.00	0.00	70	0.02	548	1.54	461	9
08/17 (229-f)	59.9	71.2	82.9	82.9	59.9	1990	63.8	9	74.5	9	87.4	9	99.3	1988	0.00	0.00	78	0.04	363	1.42	400	9
08/18 (230-s)	67.5	78.2	91.5	91.5	50.8	1982	63.5	9	74.2	9	87.1	9	98.4	1988	0.45	0.00	76	0.09	514	1.35	487	9
08/19 (231-s)	70.5	79.9	93.0	93.0	51.5	1982	62.1	9	72.2	9	85.3	9	98.8	1983	0.00	0.00	74	0.03	525	1.37	439	9
08/20 (232-m)	68.9	74.0	90.7	90.7	54.8	1984	61.9	9	71.6	9	84.5	9	99.9	1983	1.42	0.00	80	0.30	374	1.32	407	9
08/21 (233-t)	67.3	73.3	85.6	85.6	51.5	1982	61.0	9	71.5	9	84.2	9	100.3	1983	1.18	0.00	82	0.14	362	1.55	444	9
08/22 (234-w)	66.5	70.2	75.2	75.2	46.0	1982	61.1	9	71.5	9	83.8	9	92.5	1987	0.00	0.00	82	0.05	156	1.19	349	9
08/23 (235-t)	65.7	70.0	75.5	75.5	53.9	1987	61.5	9	70.4	9	81.7	9	90.3	1983	0.00	0.00	80	0.15	215	1.20	360	9
08/24 (236-f)	64.3	71.0	81.4	81.4	51.1	1987	59.7	9	69.1	9	79.8	9	93.1	1983	0.00	0.00	79	0.13	454	1.56	423	9
08/25 (237-s)	61.4	72.8	86.6	86.6	48.8	1984	57.1	9	69.0	9	81.6	9	95.4	1983	0.00	0.00	75	0.06	501	1.41	428	9
08/26 (238-s)	62.0	74.5	88.8	88.8	50.4	1982	58.0	9	71.0	9	85.8	9	95.4	1983	0.00	0.00	74	0.08	550	1.28	455	9
08/27 (239-m)	64.9	76.9	91.5	91.5	52.4	1988	60.6	9	71.0	9	84.6	9	92.5	1983	0.00	0.00	73	0.02	552	1.28	358	9
08/28 (240-t)	65.3	77.3	92.1	92.1	42.0	1986	59.3	9	68.2	9	79.3	9	92.1	1990	0.54	0.00	73	0.22	553	1.28	352	9
08/29 (241-w)	63.8	70.3	79.3	79.3	63.8	1986	55.9	9	67.5	9	80.6	9	92.1	1983	1.73	0.00	79	0.20	340	1.40	471	9
08/30 (242-t)	59.5	70.1	84.0	84.0	42.5	1986	55.9	9	68.5	9	82.0	9	95.2	1983	0.00	0.00	74	0.03	464	1.36	431	9
08/31 (243-f)	58.0	71.2	85.3	85.3	46.5	1986	55.6	9	68.5	9	82.3	9	87.5	1989	0.00	0.00	74	0.00	537	1.26	451	9
Column Min's:	50.6	62.5	72.9	72.9	38.0		55.6		67.5		79.3				0.00	0.00	69	0.00	156	1.19	349	
Column Avg's:	60.6	70.9	83.1	83.1	60.6		60.6		71.6		84.6		100.3		0.21	0.00	75	0.08	479	1.47	451	
Column Max's:	70.5	79.9	93.0	93.0	65.5		65.5		74.5		87.8				1.73	0.00	83	0.30	652	1.81	552	
Column Ttl's:															6.40	0.00		2.36	14850	13986		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION													
	min	avg	min	year avg	max	Long Term	prec	evap	hum	ly	max												
mo da jul	Current	Current	year	avg	year	Term	liq	snow	%	ly/m	Lng-Term												
	min	avg	min	avg	max	avg	prec	avg	avg	avg	avg												
	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr												
09/01 (244-s)	62.5	74.8	88.7	42.3	1987	56.8	9	68.7	9	82.3	9	88.7	1990	0.00	--	--	75	0.15	9	507	1.40	393	9
09/02 (245-s)	66.1	76.1	89.9	43.4	1987	59.3	9	71.9	9	85.8	9	92.4	1984	0.00	--	--	76	0.02	9	415	1.51	423	9
09/03 (246-m)	63.3	71.5	81.4	47.6	1982	57.9	9	67.9	9	79.4	9	91.7	1983	0.00	--	--	73	0.23	9	522	1.51	460	9
09/04 (247-t)	58.6	71.4	85.4	42.7	1982	56.9	9	68.9	9	82.5	9	89.6	1983	0.00	--	--	72	0.00	9	533	1.24	460	9
09/05 (248-w)	64.2	77.4	92.0	43.8	1982	57.2	9	68.7	9	82.0	9	92.0	1990	0.00	--	--	75	0.03	9	496	1.17	404	9
09/06 (249-t)	70.6	81.0	92.6	40.4	1988	56.4	9	68.7	9	82.6	9	92.6	1990	0.00	--	--	73	0.00	9	488	1.20	445	9
09/07 (250-f)	68.4	77.2	88.3	38.8	1988	57.7	9	69.2	9	82.6	9	93.7	1985	0.00	--	--	74	0.00	9	361	1.63	406	9
09/08 (251-s)	65.7	69.2	74.1	41.5	1988	55.9	9	68.2	9	82.9	9	92.5	1985	0.12	--	--	82	0.02	9	104	0.75	424	9
09/09 (252-s)	63.2	70.5	79.8	39.7	1986	56.8	9	69.5	9	84.1	9	95.4	1983	1.36	--	--	82	0.26	9	307	1.55	398	9
09/10 (253-m)	59.5	69.0	83.0	52.4	1986	60.0	9	71.2	9	84.9	8	97.4	1983	0.00	--	--	77	0.01	9	374	1.40	367	9
09/11 (254-t)	61.1	70.8	81.1	52.1	1985	60.3	9	70.4	9	82.0	9	94.2	1983	0.00	--	--	75	0.16	9	336	1.29	342	9
09/12 (255-w)	66.1	70.5	76.9	42.7	1985	58.7	9	67.9	9	79.0	9	83.7	1983	0.36	--	--	81	0.13	9	178	0.64	318	9
09/13 (256-t)	66.5	71.6	81.6	42.7	1985	56.2	9	67.5	9	81.6	9	91.7	1984	0.01	--	--	82	0.00	9	292	1.37	392	9
09/14 (257-f)	58.9	69.9	80.9	40.0	1985	53.9	9	65.1	9	78.3	9	88.8	1987	0.37	--	--	79	0.24	9	229	1.39	350	9
09/15 (258-s)	54.0	61.9	74.0	41.7	1985	52.5	9	63.5	9	76.1	9	85.4	1982	0.00	--	--	76	0.00	9	425	1.66	363	9
09/16 (259-s)	49.8	59.1	70.3	40.0	1985	51.3	9	61.8	9	74.7	9	83.0	1987	0.00	--	--	75	0.13	9	420	1.54	347	8
09/17 (260-m)	43.3	54.5	67.1	39.5	1984	49.0	9	62.0	9	77.2	9	82.6	1983	0.00	--	--	68	0.01	9	502	1.38	425	9
09/18 (261-t)	45.1	54.0	62.5	43.0	1984	53.5	9	64.9	9	76.7	9	91.9	1983	0.04	--	--	77	0.03	9	212	1.17	331	9
09/19 (262-w)	56.2	61.0	64.9	46.0	1984	54.4	9	65.4	9	77.7	9	91.1	1983	0.65	--	--	83	0.11	9	71	0.36	323	9
09/20 (263-t)	52.1	60.7	72.5	44.3	1987	52.5	9	65.1	9	79.4	9	87.2	1985	0.00	--	--	72	0.14	9	444	1.51	385	9
09/21 (264-f)	50.1	60.8	70.0	38.3	1983	50.0	9	61.3	9	74.3	9	87.8	1984	0.16	--	--	81	0.05	9	245	1.05	338	9
09/22 (265-s)	48.1	59.7	72.7	35.5	1983	50.9	9	62.2	9	75.7	9	88.5	1986	0.01	--	--	71	0.04	9	444	1.21	313	9
09/23 (266-s)	39.3	48.5	55.8	36.5	1983	49.6	9	59.1	9	71.1	9	84.7	1986	0.00	--	--	78	0.13	9	199	1.54	291	9
09/24 (267-m)	36.8	50.7	65.5	33.5	1983	47.5	9	57.0	9	67.9	9	80.9	1987	0.00	--	--	66	0.31	9	484	1.21	290	8
09/25 (268-t)	42.5	58.6	73.1	36.1	1983	46.9	9	60.6	9	74.8	9	88.3	1986	0.00	--	--	70	0.07	9	479	1.14	369	9
09/26 (269-w)	53.8	65.2	81.2	37.6	1987	49.8	9	60.7	9	74.1	9	89.6	1986	0.00	--	--	68	0.02	9	446	1.17	382	9
09/27 (270-t)	48.9	64.5	82.1	38.8	1989	46.9	9	58.6	9	72.8	9	87.6	1987	0.00	--	--	69	0.19	9	447	1.22	324	9
09/28 (271-f)	54.6	67.3	83.5	36.7	1989	47.4	9	61.4	9	77.8	9	89.8	1986	0.00	--	--	69	0.00	9	416	1.21	401	9
09/29 (272-s)	61.2	67.7	82.0	39.1	1984	51.6	9	62.9	9	76.3	9	88.3	1986	0.00	--	--	77	0.03	9	300	1.19	312	9
09/30 (273-s)	47.7	59.9	71.1	44.0	1984	50.5	9	61.4	9	74.5	9	86.3	1986	0.00	--	--	71	0.05	9	385	1.38	294	9
Column Min's:	36.8	48.5	55.8	33.5		46.9		57.0		67.9		97.4		0.00			66	0.00		71	0.36	290	
Column Avg's:	55.9	65.8	77.5	53.6		60.3		65.1		78.4				0.10			75	0.09		369	1.27	367	
Column Max's:	70.6	81.0	92.6	60.3				71.9		85.8				1.36			83	0.31		533	1.66	460	
Column Ttl's:														3.08				2.56		11061		11015	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	min	max	avg	Term	prec	liq	ly	max														
mo da jul	Current	year	year	yr	yr	yr	yr	yr	ly/m														
	avg	max	avg	max	avg	max	avg	max	avg	Term														
			yr	yr	yr	yr	yr	yr	yr	avg														
			yr	yr	yr	yr	yr	yr	yr	yr														
10/01 (274-m)	40.0	56.1	70.8	34.4	1987	48.1	9	58.1	9	69.2	9	84.5	1982	0.00	0.00	--	--	66	0.19	9	451	1.11	273	9
10/02 (275-t)	45.2	58.7	73.3	30.1	1985	46.1	9	59.6	9	74.1	9	85.1	1983	0.00	0.00	--	--	67	0.00	9	436	1.09	345	9
10/03 (276-w)	51.8	66.3	80.3	33.8	1987	47.1	9	59.4	9	72.5	9	85.3	1983	0.01	0.01	--	--	74	0.02	9	282	1.07	334	9
10/04 (277-t)	54.6	62.8	71.3	29.2	1987	46.7	9	57.5	9	70.6	9	81.2	1986	1.77	1.77	--	--	63	0.31	9	411	1.12	307	9
10/05 (278-f)	50.9	64.5	80.0	34.3	1989	45.9	9	57.4	9	69.5	9	82.8	1982	0.00	0.00	--	--	63	0.06	9	438	1.09	305	9
10/06 (279-s)	51.6	65.6	81.4	30.9	1988	43.9	9	55.1	9	67.9	9	84.0	1982	0.00	0.00	--	--	66	0.02	9	404	1.19	289	9
10/07 (280-s)	55.0	64.5	75.8	33.8	1985	43.8	9	53.6	9	65.4	9	75.8	1990	0.00	0.00	--	--	77	0.17	9	202	1.10	266	9
10/08 (281-m)	62.2	67.7	78.8	31.4	1987	45.3	9	56.5	9	66.2	9	80.0	1982	0.08	0.08	--	--	79	0.03	9	242	1.38	310	9
10/09 (282-t)	54.4	61.4	68.7	28.6	1989	46.5	9	56.5	9	68.8	9	79.7	1985	2.10	2.10	--	--	84	0.25	9	50	0.27	223	9
10/10 (283-w)	43.7	53.5	64.1	40.8	1986	46.8	9	57.2	9	69.3	9	83.5	1985	0.48	0.48	--	--	83	0.13	9	41	0.50	253	9
10/11 (284-t)	37.1	47.4	59.4	30.0	1988	42.3	9	53.5	9	64.4	9	75.7	1984	0.00	0.00	--	--	75	0.00	9	401	1.28	251	9
10/12 (285-f)	44.2	49.1	53.0	27.0	1988	46.1	9	54.5	9	64.5	9	82.2	1985	0.03	0.03	--	--	83	0.20	9	69	0.49	184	9
10/13 (286-s)	45.0	54.0	67.6	24.3	1988	42.9	9	53.5	9	66.9	9	85.6	1989	0.00	0.00	--	--	78	0.17	9	204	1.17	260	9
10/14 (287-s)	39.6	54.1	67.5	28.0	1987	43.1	9	54.4	9	67.2	9	84.9	1989	0.00	0.00	--	--	75	0.03	9	369	1.03	294	9
10/15 (288-m)	41.5	55.5	68.0	30.7	1986	42.2	9	55.7	9	71.2	9	82.6	1989	0.00	0.00	--	--	58	0.02	9	398	1.03	314	9
10/16 (289-t)	38.6	53.4	68.6	31.4	1982	41.1	9	53.9	9	66.8	9	77.8	1984	0.00	0.00	--	--	67	0.03	9	281	1.27	241	8
10/17 (290-w)	50.2	64.7	77.8	36.1	1987	45.3	8	56.9	8	67.2	9	77.8	1990	0.55	0.55	--	--	71	0.15	9	294	1.03	223	8
10/18 (291-t)	41.1	46.7	62.5	31.8	1987	40.3	9	51.5	9	64.7	9	79.1	1985	0.81	0.81	--	--	77	0.36	9	108	1.17	229	9
10/19 (292-f)	35.9	43.3	55.1	31.8	1989	40.3	9	50.9	9	61.4	9	70.9	1987	0.00	0.00	--	--	70	0.18	9	349	1.18	233	9
10/20 (293-s)	34.0	48.1	65.2	31.3	1988	37.5	9	47.3	9	57.7	9	68.7	1986	0.00	0.00	--	--	69	0.43	9	344	1.04	160	9
10/21 (294-s)	45.2	57.4	72.7	26.6	1987	41.8	9	49.6	9	58.5	9	76.8	1986	0.09	0.09	--	--	72	0.09	9	310	0.98	191	9
10/22 (295-m)	47.8	49.4	54.0	22.7	1987	39.3	9	48.6	9	58.3	9	74.9	1986	0.45	0.45	--	--	84	0.15	9	39	0.25	193	9
10/23 (296-t)	38.4	49.2	61.3	29.2	1988	43.9	9	51.8	9	61.2	9	71.0	1989	0.00	0.00	--	--	74	0.05	9	291	1.17	178	9
10/24 (297-w)	37.5	49.6	64.5	29.6	1982	43.0	9	52.4	9	63.9	9	78.5	1985	0.00	0.00	--	--	68	0.03	9	259	1.20	192	9
10/25 (298-t)	34.3	42.7	49.9	25.7	1987	38.3	9	48.8	9	59.6	9	74.9	1989	0.00	0.00	--	--	62	0.08	9	331	1.24	223	8
10/26 (299-f)	27.8	38.3	53.6	23.8	1988	37.5	9	49.4	9	64.2	9	76.4	1984	0.00	0.00	--	--	66	0.02	9	356	0.94	273	9
10/27 (300-s)	30.2	46.5	62.7	24.4	1988	37.6	9	51.6	9	66.0	9	77.6	1984	0.00	0.00	--	--	66	0.03	9	325	--	268	9
10/28 (301-s)	32.7	42.5	53.7	29.3	1987	39.9	9	51.8	9	65.1	9	77.1	1989	0.00	0.00	--	--	71	0.14	9	297	1.21	272	9
10/29 (302-m)	27.4	40.6	57.4	23.7	1988	38.2	9	48.2	9	60.7	9	74.0	1989	0.00	0.00	--	--	73	0.00	9	345	0.92	230	9
10/30 (303-t)	35.3	53.2	74.6	26.0	1988	38.0	9	49.6	9	63.8	9	75.3	1989	0.00	0.00	--	--	61	0.01	9	326	0.88	247	9
10/31 (304-w)	43.7	58.9	77.1	22.4	1988	41.3	9	53.9	9	67.7	9	77.1	1990	0.00	0.00	--	--	54	0.05	9	306	0.84	222	9
Column Min's:	27.4	38.3	49.9	22.4		37.5		47.3		57.7		85.6		0.00	0.00			54	0.00		39	0.25	160	
Column Avg's:	42.5	53.7	66.8			42.6		53.5		65.6				0.21	0.21			71	0.11		289	1.01	251	
Column Max's:	62.2	67.7	81.4			48.1		59.6		74.1				2.10	2.10			84	0.43		451	1.38	345	
Column Ttl's:														6.37	6.37				3.40		8959		7783	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION		
	min	avg	max	min	avg	max	prec	evap	hum	ly	max	avg
11/01 (305-t)	39.7	56.6	74.9	28.7	56.3	74.9	0.00	--	64	314	0.85	225
11/02 (306-f)	47.1	59.3	74.0	29.3	52.0	74.0	0.00	--	60	264	0.91	184
11/03 (307-s)	46.0	59.5	74.9	25.1	49.0	74.9	0.00	--	64	266	0.90	173
11/04 (308-s)	50.2	61.2	76.9	24.6	39.4	76.9	0.00	--	71	269	1.06	180
11/05 (309-m)	38.5	52.1	60.3	24.3	34.7	60.3	0.31	--	88	34	0.29	147
11/06 (310-t)	30.9	38.1	43.6	20.1	32.7	43.6	0.00	--	86	100	0.46	188
11/07 (311-w)	26.7	35.9	47.6	24.4	32.1	47.6	0.00	--	88	148	0.82	155
11/08 (312-t)	22.3	34.1	43.5	22.3	34.1	43.5	0.00	--	76	260	0.89	200
11/09 (313-f)	36.1	38.2	40.3	29.4	36.5	40.3	0.41	--	85	30	0.12	155
11/10 (314-s)	35.8	42.1	53.9	24.6	35.7	53.9	0.00	--	80	259	0.98	121
11/11 (315-s)	26.7	40.9	53.6	22.7	33.5	53.6	0.00	--	70	260	1.04	142
11/12 (316-m)	28.5	39.2	53.1	19.4	29.9	53.1	0.00	--	67	289	0.81	181
11/13 (317-t)	25.0	36.4	50.9	9.3	30.9	50.9	0.00	--	66	273	0.82	200
11/14 (318-w)	27.3	43.5	62.9	7.0	30.2	62.9	0.00	--	67	266	0.84	198
11/15 (319-t)	42.9	56.6	73.3	17.5	35.8	73.3	0.00	--	67	273	0.78	130
11/16 (320-f)	39.9	53.1	67.2	19.4	32.3	67.2	0.06	--	78	167	0.97	148
11/17 (321-s)	30.7	40.1	53.4	17.6	30.7	53.4	0.00	--	79	277	0.79	184
11/18 (322-s)	26.1	36.4	49.7	18.3	31.9	49.7	0.00	--	80	222	1.02	127
11/19 (323-m)	37.0	42.3	47.9	18.7	36.8	47.9	0.00	--	80	64	0.26	129
11/20 (324-t)	40.2	48.4	60.1	18.5	34.3	60.1	0.00	--	71	235	0.76	134
11/21 (325-w)	37.7	52.9	69.4	14.6	30.0	69.4	0.00	--	74	204	0.88	181
11/22 (326-t)	41.9	53.1	61.2	14.9	29.8	61.2	0.62	--	93	15	0.10	149
11/23 (327-f)	35.6	44.0	56.3	15.9	31.2	56.3	0.00	--	77	246	1.06	143
11/24 (328-s)	35.5	48.4	62.7	17.2	26.5	62.7	0.00	--	61	227	0.97	156
11/25 (329-s)	46.5	55.0	65.7	14.8	30.6	65.7	0.00	--	62	209	0.78	140
11/26 (330-m)	45.7	57.0	66.9	28.4	39.1	66.9	0.01	--	80	132	0.71	103
11/27 (331-t)	61.9	67.2	75.9	30.2	39.8	75.9	0.07	--	82	149	0.98	81
11/28 (332-w)	29.5	46.1	68.1	23.0	32.7	68.1	0.26	--	88	47	0.34	77
11/29 (333-t)	23.2	31.3	44.5	21.3	29.4	44.5	0.00	--	82	263	0.86	136
11/30 (334-f)	22.3	33.7	46.5	22.3	30.7	46.5	0.00	--	71	241	0.78	127

Column Min's:	22.3	31.3	40.3	7.0	26.5	35.7	44.0	0.00	60	0.00	15	0.10	77
Column Avg's:	35.9	46.8	59.3	33.9	43.5	53.8	53.8	0.06	75	0.11	200	0.76	153
Column Max's:	61.9	67.2	76.9	44.9	56.3	69.9	69.9	0.62	93	0.38	314	1.06	225
Column Ttl's:								1.74		3.38	6003		4594

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	precip	evap	ly	max
mo da jul	Current	Long Term	liq	Long Term
	avg	max	avg yrs	max yrs	precip	evap	avg pr	avg yrs
12/01 (335-s)	34.6	44.3	30.3	47.4	0.00	--	0.02	132
12/02 (336-s)	38.8	42.2	28.1	42.6	0.10	--	0.06	8
12/03 (337-m)	32.4	47.9	28.7	45.8	0.99	--	0.18	8
12/04 (338-t)	22.5	27.2	28.3	40.6	0.00	--	0.02	9
12/05 (339-w)	16.8	29.0	27.8	35.4	0.00	--	0.07	9
12/06 (340-t)	32.5	38.0	23.5	32.9	0.00	--	0.02	8
12/07 (341-f)	25.1	32.8	23.9	31.6	0.00	--	0.01	9
12/08 (342-s)	24.9	35.0	26.9	35.0	0.00	--	0.01	8
12/09 (343-s)	26.4	39.3	22.7	34.4	0.00	--	0.05	9
12/10 (344-m)	32.9	42.6	25.3	34.1	0.00	--	0.08	9
12/11 (345-t)	28.8	43.3	24.4	33.4	0.00	--	0.19	9
12/12 (346-w)	39.7	49.9	24.7	40.7	0.00	--	0.01	9
12/13 (347-t)	29.1	39.9	22.1	30.2	0.00	--	0.05	9
12/14 (348-f)	20.1	31.8	22.0	32.1	0.01	--	0.09	9
12/15 (349-s)	34.2	45.2	24.0	32.8	0.74	--	0.20	9
12/16 (350-s)	34.4	36.9	21.2	28.8	0.00	--	0.00	9
12/17 (351-m)	35.0	39.1	20.4	27.6	0.70	--	0.09	9
12/18 (352-t)	32.9	43.4	16.3	25.4	1.43	--	0.16	9
12/19 (353-w)	25.0	33.3	20.2	28.2	0.00	--	0.06	9
12/20 (354-t)	29.9	40.2	22.8	30.5	0.01	--	0.01	9
12/21 (355-f)	48.6	54.0	20.9	29.5	0.50	--	0.19	9
12/22 (356-s)	30.9	43.3	15.0	27.2	0.13	--	0.04	9
12/23 (357-s)	17.8	25.3	20.0	29.0	0.65	--	0.09	9
12/24 (358-m)	1.9	9.7	17.0	26.4	0.00	--	0.14	9
12/25 (359-t)	6.6	17.7	17.7	24.2	0.00	--	0.14	9
12/26 (360-w)	9.1	14.0	16.2	24.2	0.00	--	0.02	9
12/27 (361-t)	10.4	20.4	23.9	33.8	0.23	--	0.18	9
12/28 (362-f)	26.7	32.8	23.7	33.7	0.01	--	0.15	9
12/29 (363-s)	40.6	55.0	20.0	30.1	0.01	--	0.12	9
12/30 (364-s)	21.4	40.7	19.0	28.0	2.11	--	0.30	9
12/31 (365-m)	15.6	19.6	19.3	28.3	0.00	--	0.04	8
Column Min's:	1.9	9.7	15.0	24.2	0.00		0.00	14
Column Avg's:	26.6	35.9	22.5	31.1	0.25		0.09	135
Column Max's:	48.6	55.0	30.3	38.3	2.11	73.3	0.30	243
Column Ttl's:					7.62		2.79	4176

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.