

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	min	year avg	max	Long Term	liq	evap	snow	ly	max	avg	
mo da jul	Current	Current	year	year	year	avg	prec	yr	yr	yr	ly/m	ly/m	
01/01 (001-m)	27.0	40.0*	53.0	-4.0	1968	23.3	30	31.9	29	40.2	30	66.0	1985
01/02 (002-t)	18.0	26.0*	34.0	1.0	1968	22.3	31	30.8	30	39.1	30	66.0	1985
01/03 (003-w)	19.0	--	--	-1.0	1979	24.3	30	31.4	29	38.5	30	56.0	1966
01/04 (004-t)	--	--	52.0	-1.0	1979	22.2	30	30.1	30	38.4	31	60.0	1982
01/05 (005-f)	32.0	45.5*	59.0	-1.0	1968	20.9	31	29.0	31	37.1	31	59.0	1990
01/06 (006-s)	27.0	33.5*	40.0	-2.0	1988	22.7	31	29.7	31	36.8	31	55.0	1962
01/07 (007-s)	22.0	34.5*	47.0	-5.0	1970	22.9	31	31.1	31	39.3	31	57.0	1987
01/08 (008-m)	21.0	34.5*	48.0	-11.0	1968	18.5	31	27.1	31	35.6	31	64.0	1965
01/09 (009-t)	29.0	39.5*	50.0	-5.0	1976	17.3	31	26.2	31	35.2	31	64.0	1965
01/10 (010-w)	30.0	42.5*	55.0	-13.0	1982	17.2	31	26.3	31	35.5	31	61.0	1975
01/11 (011-t)	25.0	33.0*	41.0	-14.0	1982	16.1	31	25.2	31	34.3	31	61.0	1975
01/12 (012-f)	28.0	40.5*	53.0	-5.0	1978	16.4	31	25.9	31	35.4	31	65.0	1960
01/13 (013-s)	14.0	23.0*	32.0	-9.0	1977	18.2	31	28.1	30	38.0	30	67.0	1972
01/14 (014-s)	14.0	25.0*	36.0	-7.0	1964	20.2	31	29.1	31	38.0	31	58.0	1971
01/15 (015-m)	28.0	38.0*	48.0	-4.0	1979	20.3	30	29.3	30	38.1	31	58.0	1960
01/16 (016-t)	42.0	50.0*	58.0	-10.0	1972	17.4	30	26.8	30	36.1	30	60.0	1974
01/17 (017-w)	48.0	53.5*	59.0	-20.0	1977	19.1	31	27.9	30	37.3	30	61.0	1973
01/18 (018-t)	50.0	55.0*	60.0	-16.0	1977	21.7	30	30.2	30	39.5	31	63.0	1973
01/19 (019-f)	26.0	41.0*	56.0	-8.0	1984	20.7	31	29.3	31	37.9	31	62.0	1974
01/20 (020-s)	26.0	38.0*	50.0	-22.0	1985	20.9	31	29.0	31	37.1	31	60.0	1989
01/21 (021-s)	36.0	48.5*	61.0	-23.0	1985	19.1	31	27.7	31	36.3	31	61.0	1990
01/22 (022-m)	28.0	34.0*	40.0	-16.0	1984	22.0	30	31.0	30	39.1	31	65.0	1967
01/23 (023-t)	27.0	37.5*	48.0	-3.0	1963	23.2	31	32.5	31	41.7	31	67.0	1967
01/24 (024-w)	30.0	42.0*	54.0	-19.0	1963	20.8	31	30.3	30	40.2	30	70.0	1967
01/25 (025-t)	43.0	49.5*	56.0	-9.0	1963	22.2	30	32.0	30	41.7	30	68.0	1972
01/26 (026-f)	23.0	40.5*	58.0	-0.0	1978	22.2	31	32.8	31	43.3	31	71.0	1967
01/27 (027-s)	23.0	32.5*	42.0	-4.0	1978	19.0	31	28.1	31	37.3	31	68.0	1967
01/28 (028-s)	32.0	44.5*	57.0	-16.0	1963	18.4	31	27.4	31	36.3	31	64.0	1970
01/29 (029-m)	26.0	30.5*	35.0	-12.0	1977	19.7	31	28.5	31	37.4	31	69.0	1975
01/30 (030-t)	21.0	28.0*	35.0	-12.0	1966	20.1	31	29.0	31	38.0	31	58.0	1988
01/31 (031-w)	22.0	34.0*	46.0	-9.0	1965	19.8	31	29.1	31	38.4	31	62.0	1988

Column Min's:	14.0	23.0	32.0	-23.0	16.1	25.2	34.3	0.00	0.02
Column Avg's:	27.9	38.4	48.8	20.3	29.1	38.0	71.0	0.11	0.09
Column Max's:	50.0	55.0	61.0	24.3	32.8	43.3	0.00	0.24	0.28
Column Ttl's:								3.29	2.81

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION						
	min	avg	max	min	avg	max	prec	snow	evap	ly	ly/m					
02/01 (032-t)	23.0	38.0*	53.0	-5.0	1971	22.2	28	31.4	28	40.4	29	63.0	1988	0.00	0.09	27
02/02 (033-f)	37.0	48.0*	59.0	-6.0	1965	22.8	30	32.4	30	42.0	30	67.0	1989	0.61	0.24	28
02/03 (034-s)	36.0	48.5*	61.0	-11.0	1985	20.7	31	30.0	31	39.3	31	61.0	1990	0.06	0.12	28
02/04 (035-s)	35.0	44.5*	54.0	-7.0	1970	19.2	31	28.5	31	37.8	31	69.0	1962	0.61	0.12	28
02/05 (036-m)	26.0	33.5*	41.0	-7.0	1979	20.1	31	29.6	30	39.5	30	65.0	1962	0.07	0.08	29
02/06 (037-t)	26.0	35.5*	45.0	-6.0	1979	19.3	31	29.6	30	39.9	30	65.0	1986	0.00	0.10	28
02/07 (038-w)	27.0	43.5*	60.0	-7.0	1978	18.5	31	27.2	31	36.0	31	60.0	1990	0.22	0.09	27
02/08 (039-t)	33.0	40.5*	48.0	-6.0	1977	18.7	31	26.9	31	35.2	31	54.0	1965	0.00	0.04	27
02/09 (040-f)	33.0	47.5*	62.0	-2.0	1985	18.3	31	27.6	31	36.8	31	62.0	1966	0.01	0.10	28
02/10 (041-s)	33.0	44.5*	56.0	-4.0	1979	18.7	31	28.4	31	38.1	31	64.0	1965	1.60	0.13	29
02/11 (042-s)	31.0	38.0*	45.0	-3.0	1978	21.5	31	30.7	30	39.8	30	62.0	1965	0.02	0.04	30
02/12 (043-m)	25.0	36.0*	47.0	-6.0	1981	21.1	30	30.9	30	40.9	31	61.0	1984	0.11	0.06	28
02/13 (044-t)	25.0	38.5*	52.0	-6.0	1981	21.8	31	31.2	31	40.7	31	72.0	1984	0.00	0.12	28
02/14 (045-w)	49.0	59.0*	69.0	-0.0	1979	21.9	31	30.8	31	39.7	31	69.0	1990	0.00	0.15	29
02/15 (046-t)	36.0	47.5*	59.0	1.0	1963	23.2	30	33.0	30	42.1	31	67.0	1976	0.03	0.09	30
02/16 (047-f)	53.0	60.5*	68.0	2.0	1963	24.7	31	34.0	31	43.3	31	68.0	1990	2.58	0.18	31
02/17 (048-s)	23.0	43.5*	64.0	-1.0	1973	24.7	31	34.5	31	44.3	31	64.0	1961	0.00	0.05	28
02/18 (049-s)	18.0	26.5*	35.0	2.0	1979	26.2	30	35.5	30	44.8	30	64.0	1961	0.00	0.08	28
02/19 (050-m)	28.0	38.5*	49.0	-5.0	1978	26.7	31	36.6	31	46.5	31	67.0	1986	0.00	0.07	30
02/20 (051-t)	18.0	33.5*	49.0	-3.0	1978	24.6	31	34.1	31	43.6	31	65.0	1986	0.00	0.05	29
02/21 (052-w)	18.0	29.5*	41.0	-3.0	1968	23.4	31	34.6	31	45.9	31	67.0	1983	0.00	0.12	27
02/22 (053-t)	21.0	39.0*	57.0	-8.0	1963	25.3	31	36.1	31	46.8	31	68.0	1971	0.00	0.09	30
02/23 (054-f)	41.0	53.0*	65.0	1.0	1963	26.9	31	37.5	31	48.1	31	69.0	1977	0.01	0.17	31
02/24 (055-s)	27.0	37.5*	48.0	6.0	1967	27.6	31	37.1	31	46.5	31	70.0	1961	0.05	0.14	30
02/25 (056-s)	7.0	20.5*	34.0	-4.0	1967	23.6	31	34.0	30	45.2	30	65.0	1961	0.00	0.09	29
02/26 (057-m)	6.0	13.5*	21.0	-0.0	1967	22.2	30	31.2	29	41.6	30	67.0	1976	0.00	0.12	29
02/27 (058-t)	8.0	24.5*	41.0	2.0	1963	22.4	31	32.9	30	43.8	30	66.0	1976	0.06	0.06	29
02/28 (059-w)	24.0	33.5*	43.0	9.0	1978	26.4	31	36.1	31	45.9	31	67.0	1972	0.10	0.11	28

Column Min's:	6.0	13.5	21.0	-11.0	18.3	26.9	35.2	0.00	0.04
Column Avg's:	27.4	39.2	50.9	32.2	41.9	72.0	0.22	0.10	
Column Max's:	53.0	60.5	69.0	27.6	48.1	72.0	2.58	0.24	
Column Ttl's:							6.14	2.90	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	liq	ly	ly/m
03/01 (060-t)	19.0	30.0*	26.5	31	0.00	0.00	..	..
03/02 (061-f)	20.0	34.5*	27.8	31	0.07	0.07	..	..
03/03 (062-s)	27.0	40.0*	30.6	31	0.00	0.00	..	..
03/04 (063-s)	19.0	33.5*	31.7	31	0.00	0.00	..	..
03/05 (064-m)	20.0	33.0*	30.3	31	0.00	0.00	..	..
03/06 (065-t)	26.0	43.5*	27.7	29	0.00	0.00	..	..
03/07 (066-w)	23.0	35.0*	30.4	31	0.00	0.00	..	..
03/08 (067-t)	24.0	38.5*	29.0	28	0.00	0.00	..	..
03/09 (068-f)	40.0	48.5*	29.6	31	0.12	0.12	..	..
03/10 (069-s)	46.0	55.0*	30.2	29	0.00	0.00	..	..
03/11 (070-s)	48.0	57.5*	31.1	31	0.03	0.03	..	..
03/12 (071-m)	52.0	65.5*	34.0	31	0.00	0.00	..	..
03/13 (072-t)	54.0	65.5*	31.9	31	0.00	0.00	..	..
03/14 (073-w)	55.0	67.0*	33.0	31	0.00	0.00	..	..
03/15 (074-t)	58.0	68.5*	32.8	31	0.00	0.00	..	..
03/16 (075-f)	51.0	63.5*	31.6	31	0.31	0.31	..	..
03/17 (076-s)	43.0	51.0*	30.6	31	0.17	0.17	..	..
03/18 (077-s)	33.0	45.5*	30.2	30	0.02	0.02	..	..
03/19 (078-m)	29.0	40.5*	32.1	31	0.22	0.22	..	..
03/20 (079-t)	17.0	27.0*	33.6	31	0.02	0.02	..	..
03/21 (080-w)	19.0	29.5*	32.6	31	0.00	0.00	..	..
03/22 (081-t)	25.0	41.0*	30.5	31	0.00	0.00	..	..
03/23 (082-f)	41.0	53.5*	31.6	31	0.01	0.01	..	..
03/24 (083-s)	24.0	37.0*	31.7	29	0.13	0.13	..	..
03/25 (084-s)	22.0	28.5*	33.9	30	0.01	0.01	..	..
03/26 (085-m)	23.0	34.5*	33.6	30	0.00	0.00	..	..
03/27 (086-t)	22.0	36.0*	33.5	31	0.00	0.00	..	..
03/28 (087-w)	25.0	38.0*	37.1	31	0.00	0.00	..	..
03/29 (088-t)	32.0	44.0*	40.2	31	0.00	0.00	..	..
03/30 (089-f)	41.0	50.0*	40.1	31	0.02	0.02	..	..
03/31 (090-s)	49.0	57.0*	38.2	31	0.58	0.58	..	..
Column Min's:	17.0	27.0	26.5	36.9	0.00	0.00	0.04	0.04
Column Avg's:	33.1	44.9	32.2	42.8	0.06	0.06	0.15	0.15
Column Max's:	58.0	68.5	40.2	51.5	0.58	0.58	0.41	0.41
Column Ttl's:				62.8	1.71	1.71	4.59	4.59

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION												
	mo	da	jul	min	avg	max	min	year avgmn yrs	Long Term. avg yrs	max year	prec	snow	evap	hum %	avg pr	Long Term	ly	ly/m	max	Lng-Trm	avg yrs	
04/01	(091-s)	49.0	55.5*	62.0	18.0	1964	39.1	32	50.3	32	61.6	32	83.0	1986	0.03	--	--	--	--	--	0.18	29
04/02	(092-m)	46.0	55.5*	65.0	23.0	1961	39.8	32	50.6	32	61.5	32	79.0	1963	0.11	--	--	--	--	--	0.30	30
04/03	(093-t)	32.0	42.0*	52.0	23.0	1972	38.4	31	50.4	31	62.5	31	80.0	1974	0.01	--	--	--	--	--	0.15	32
04/04	(094-w)	32.0	35.0*	38.0	23.0	1964	38.9	31	49.3	31	59.7	31	79.0	1974	0.02	--	--	--	--	--	0.24	31
04/05	(095-t)	32.0	44.0*	56.0	22.0	1987	36.8	32	48.3	32	59.8	32	82.0	1986	0.04	--	--	--	--	--	0.13	30
04/06	(096-f)	34.0	47.5*	61.0	21.0	1982	37.6	32	48.2	32	58.7	32	82.0	1988	0.02	--	--	--	--	--	0.07	31
04/07	(097-s)	19.0	35.0*	51.0	18.0	1982	36.3	32	48.7	32	61.2	32	79.0	1959	0.00	--	--	--	--	--	0.10	30
04/08	(098-s)	25.0	35.0*	45.0	21.0	1972	37.5	31	48.9	31	60.4	31	80.0	1959	0.00	--	--	--	--	--	0.09	30
04/09	(099-m)	27.0	42.5*	58.0	20.0	1972	37.2	32	48.1	32	59.0	32	80.0	1967	0.00	--	--	--	--	--	0.19	29
04/10	(100-t)	38.0	53.0*	68.0	22.0	1985	35.3	32	46.7	32	58.2	32	79.0	1977	0.07	--	--	--	--	--	0.07	29
04/11	(101-w)	34.0	47.5*	61.0	23.0	1989	37.0	31	49.2	31	61.0	32	81.0	1977	0.87	--	--	--	--	--	0.11	31
04/12	(102-t)	25.0	37.0*	49.0	23.0	1976	39.6	30	50.9	29	61.9	29	82.0	1977	0.01	--	--	--	--	--	0.13	30
04/13	(103-f)	23.0	34.5*	46.0	23.0	1990	42.4	32	53.5	32	64.6	32	82.0	1972	0.00	--	--	--	--	--	0.09	31
04/14	(104-s)	26.0	41.0*	56.0	26.0	1973	41.3	32	53.8	32	66.2	32	81.0	1977	0.00	--	--	--	--	--	0.07	31
04/15	(105-s)	36.0	45.5*	55.0	28.0	1962	41.7	32	54.1	32	66.5	32	79.0	1976	0.15	--	--	--	--	--	0.13	32
04/16	(106-m)	32.0	44.0*	56.0	25.0	1962	40.3	32	52.2	32	64.1	32	81.0	1960	0.00	--	--	--	--	--	0.09	30
04/17	(107-t)	32.0	49.0*	66.0	29.0	1980	43.7	31	55.1	31	66.5	31	81.0	1969	0.02	--	--	--	--	--	0.08	32
04/18	(108-w)	25.0	37.0*	49.0	25.0	1990	44.8	32	55.8	30	66.9	30	84.0	1977	0.27	--	--	--	--	--	0.14	31
04/19	(109-t)	27.0	40.0*	53.0	24.0	1983	43.3	30	54.7	30	66.9	32	84.0	1976	0.00	--	--	--	--	--	0.20	30
04/20	(110-f)	36.0	51.0*	66.0	25.0	1983	44.5	32	56.2	32	67.9	32	86.0	1976	0.02	--	--	--	--	--	0.08	32
04/21	(111-s)	50.0	60.0*	70.0	29.0	1981	45.9	32	57.1	32	68.4	32	83.0	1976	2.36	--	--	--	--	--	0.18	30
04/22	(112-s)	43.0	55.0*	67.0	27.0	1986	46.4	32	57.5	32	68.6	32	85.0	1985	0.06	--	--	--	--	--	0.16	28
04/23	(113-m)	45.0	59.5*	74.0	24.0	1986	46.6	32	57.7	32	68.9	32	85.0	1985	0.00	--	--	--	--	--	0.24	31
04/24	(114-t)	47.0	62.5*	78.0	31.0	1986	45.0	32	55.9	32	66.8	32	84.0	1960	0.00	--	--	--	--	--	0.26	32
04/25	(115-w)	53.0	69.0*	85.0	31.0	1967	43.5	31	55.4	30	67.0	31	85.0	1960	0.00	--	--	--	--	--	0.11	31
04/26	(116-t)	54.0	70.5*	87.0	31.0	1972	45.4	32	57.0	32	68.6	32	87.0	1990	0.00	--	--	--	--	--	0.06	32
04/27	(117-f)	52.0	68.5*	85.0	29.0	1976	46.5	32	58.0	32	69.5	32	85.0	1986	0.00	--	--	--	--	--	0.13	31
04/28	(118-s)	54.0	70.0*	86.0	27.0	1976	47.2	32	58.7	32	70.2	32	88.0	1986	0.00	--	--	--	--	--	0.12	31
04/29	(119-s)	45.0	60.5*	76.0	31.0	1977	45.0	32	57.0	32	68.9	32	84.0	1970	0.13	--	--	--	--	--	0.14	32
04/30	(120-m)	48.0	56.5*	65.0	35.0	1988	47.7	32	58.5	32	69.3	32	85.0	1962	0.00	--	--	--	--	--	0.13	30
Column Min's:		19.0	34.5	38.0	18.0		35.3		46.7		58.2				0.00						0.06	
Column Avg's:		37.4	50.1	62.9			41.8		53.3		64.7		88.0		0.14						0.14	
Column Max's:		54.0	70.5	87.0			47.7		58.7		70.2				2.36						0.30	
Column Ttl's:															4.19						4.17	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	min	year avg	max	Long Term avg	prec	liq	snow	evap	hum %	ly	ly/m	max	Long Term avg	
05/01 (121-t)	44.0	63.5*	83.0	28.0	1963	47.3	31	58.8	31	70.3	31	84.0	1962	0.21	0.10	30
05/02 (122-w)	41.0	49.5*	58.0	30.0	1963	45.2	31	56.8	31	68.4	31	80.0	1965	0.13	0.18	30
05/03 (123-t)	44.0	50.5*	57.0	34.0	1967	44.6	31	56.4	31	68.1	31	84.0	1987	0.01	0.17	31
05/04 (124-f)	47.0	53.5*	60.0	28.0	1966	44.1	31	56.5	31	68.9	31	82.0	1969	0.40	0.13	31
05/05 (125-s)	48.0	59.0*	70.0	35.0	1973	45.8	31	58.2	31	70.5	31	84.0	1969	1.60	0.15	30
05/06 (126-s)	38.0	45.0*	52.0	32.0	1968	49.2	30	60.4	30	71.9	31	84.0	1980	0.10	0.11	31
05/07 (127-m)	41.0	50.5*	60.0	31.0	1974	47.5	30	58.8	30	70.6	31	84.0	1969	0.26	0.22	30
05/08 (128-t)	45.0	58.5*	72.0	33.0	1989	48.9	31	60.4	31	72.0	31	85.0	1986	0.00	0.33	30
05/09 (129-w)	50.0	63.5*	77.0	32.0	1980	47.4	31	58.4	31	69.5	31	88.0	1963	0.00	0.13	31
05/10 (130-t)	49.0	62.5*	76.0	25.0	1966	46.3	31	57.6	31	68.9	31	86.0	1963	0.14	0.08	30
05/11 (131-f)	38.0	48.5*	59.0	34.0	1977	47.7	31	59.8	31	72.0	31	84.0	1987	0.00	0.12	30
05/12 (132-s)	42.0	53.5*	65.0	39.0	1960	50.5	31	61.7	31	73.0	31	86.0	1979	0.02	0.09	29
05/13 (133-s)	46.0	54.0*	62.0	40.0	1971	49.5	31	60.9	31	72.2	31	87.0	1982	0.50	0.20	31
05/14 (134-m)	49.0	58.5*	68.0	38.0	1971	52.1	31	63.6	31	75.0	31	88.0	1962	0.00	0.16	29
05/15 (135-t)	49.0	62.0*	75.0	36.0	1973	52.6	31	63.6	31	74.6	31	88.0	1982	0.00	0.15	31
05/16 (136-w)	58.0	68.5*	79.0	37.0	1984	52.0	30	63.3	30	74.7	30	90.0	1962	0.61	0.10	28
05/17 (137-t)	57.0	67.0*	77.0	35.0	1973	51.6	31	62.7	31	73.9	31	92.0	1962	2.26	0.23	31
05/18 (138-f)	48.0	59.0*	70.0	37.0	1973	52.1	31	63.6	31	75.1	31	93.0	1962	0.05	0.16	30
05/19 (139-s)	51.0	63.0*	75.0	33.0	1976	53.3	31	64.8	31	76.2	31	91.0	1964	0.00	0.13	30
05/20 (140-s)	55.0	67.0*	79.0	42.0	1961	55.0	31	65.5	31	76.0	31	89.0	1962	0.07	0.10	28
05/21 (141-m)	55.0	66.0*	77.0	41.0	1968	53.5	30	65.1	30	76.9	31	90.0	1987	0.01	0.08	29
05/22 (142-t)	45.0	57.0*	69.0	40.0	1968	53.3	31	64.7	31	76.2	31	89.0	1964	1.05	0.15	29
05/23 (143-w)	42.0	50.5*	59.0	35.0	1963	53.4	31	64.7	31	75.9	31	86.0	1964	0.00	0.25	30
05/24 (144-t)	43.0	56.0*	69.0	39.0	1963	55.1	30	66.1	29	77.1	29	88.0	1970	0.00	0.18	29
05/25 (145-f)	48.0	61.5*	75.0	40.0	1988	53.5	30	64.9	30	76.6	31	89.0	1965	0.03	0.12	31
05/26 (146-s)	53.0	62.0*	71.0	38.0	1988	53.3	31	65.0	31	76.6	31	87.0	1965	0.26	0.21	30
05/27 (147-s)	57.0	65.5*	74.0	34.0	1961	53.6	31	64.8	31	75.9	31	87.0	1967	0.61	0.27	30
05/28 (148-m)	55.0	65.5*	76.0	40.0	1971	53.7	31	65.2	31	76.7	31	89.0	1977	0.10	0.17	28
05/29 (149-t)	52.0	56.5*	61.0	38.0	1964	55.4	31	66.0	30	76.3	30	90.0	1987	1.40	0.21	29
05/30 (150-w)	43.0	55.5*	68.0	38.0	1984	55.2	30	65.5	30	75.8	30	90.0	1987	0.00	0.19	29
05/31 (151-t)	44.0	56.0*	68.0	40.0	1966	54.9	30	65.9	29	77.2	30	88.0	1988	0.00	0.18	30

Column Min's:	38.0	45.0	52.0	25.0	44.1	56.4	68.1	0.00	0.08
Column Avg's:	47.6	58.4	69.1	50.9	62.2	73.6	93.0	0.32	0.16
Column Max's:	58.0	68.5	83.0	55.4	66.1	77.2	93.0	2.26	0.33
Column Ttl's:								9.82	5.05

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max-min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	max	min	year avg	max	prec	evap	hum %	ly	ly/m	max	avg			
06/01 (152-f)	47.0	61.5*	39.0	1966	56.5	32	67.0	30	77.9	30	89.0	1988	0.00	0.10	32
06/02 (153-s)	52.0	67.0*	41.0	1966	56.5	32	67.1	31	78.1	31	90.0	1988	0.00	0.14	30
06/03 (154-s)	57.0	67.0*	41.0	1969	56.7	32	67.1	31	77.8	31	86.0	1988	1.15	0.24	31
06/04 (155-m)	45.0	62.0*	42.0	1969	55.2	32	67.0	31	78.7	31	87.0	1971	0.00	0.12	32
06/05 (156-t)	45.0	51.5*	45.0	1988	56.9	31	67.9	31	79.1	32	88.0	1960	0.00	0.12	31
06/06 (157-w)	45.0	57.5*	45.0	1990	58.2	32	69.4	32	80.5	32	89.0	1971	0.00	0.14	31
06/07 (158-t)	56.0	69.5*	45.0	1977	58.3	32	69.8	32	81.4	32	90.0	1988	0.94	0.12	32
06/08 (159-f)	60.0	69.0*	46.0	1977	59.8	32	71.0	32	82.1	32	90.0	1959	0.02	0.16	31
06/09 (160-s)	66.0	77.0*	46.0	1988	60.1	32	71.7	32	83.3	32	93.0	1964	0.02	0.20	32
06/10 (161-s)	56.0	69.5*	39.0	1988	59.0	32	70.8	32	82.5	32	90.0	1964	0.00	0.12	32
06/11 (162-m)	52.0	64.0*	37.0	1972	56.4	32	68.7	32	80.9	32	89.0	1973	0.00	0.07	32
06/12 (163-t)	52.0	64.5*	40.0	1988	58.6	32	70.2	32	81.8	32	92.0	1964	0.00	0.07	31
06/13 (164-w)	55.0	67.5*	43.0	1985	58.7	32	69.7	32	80.7	32	91.0	1976	0.00	0.21	32
06/14 (165-t)	58.0	72.5*	43.0	1959	59.0	32	70.1	32	81.3	32	92.0	1984	0.00	0.15	30
06/15 (166-f)	65.0	74.5*	46.0	1959	59.6	32	70.7	32	81.9	32	93.0	1988	1.64	0.21	30
06/16 (167-s)	62.0	72.5*	45.0	1969	59.4	32	70.3	32	81.3	32	93.0	1988	0.00	0.23	27
06/17 (168-s)	66.0	76.5*	44.0	1980	57.1	32	68.7	32	80.3	32	91.0	1967	0.00	0.07	32
06/18 (169-m)	67.0	78.0*	49.0	1959	58.8	32	70.1	32	81.4	32	90.0	1962	0.02	0.09	31
06/19 (170-t)	61.0	73.5*	45.0	1959	59.5	32	71.5	32	83.4	32	91.0	1975	0.00	0.16	28
06/20 (171-w)	58.0	68.5*	47.0	1982	59.8	32	70.9	32	82.0	32	92.0	1988	0.00	0.07	29
06/21 (172-t)	60.0	68.0*	50.0	1983	60.6	31	71.2	31	81.7	31	95.0	1988	0.16	0.13	31
06/22 (173-f)	58.0	71.5*	45.0	1983	59.6	32	71.3	31	82.7	31	97.0	1988	0.00	0.18	32
06/23 (174-s)	55.0	68.0*	46.0	1972	61.3	30	71.7	30	82.1	31	99.0	1988	0.71	0.14	31
06/24 (175-s)	54.0	63.5*	49.0	1981	60.3	32	71.1	32	81.9	32	91.0	1966	0.19	0.18	30
06/25 (176-m)	48.0	61.5*	45.0	1972	59.4	32	70.8	32	82.1	32	94.0	1966	0.00	0.16	29
06/26 (177-t)	49.0	64.5*	49.0	1990	60.3	31	72.4	31	84.5	31	102.0	1988	0.00	0.10	30
06/27 (178-w)	50.0	66.5*	49.0	1979	59.7	32	72.4	32	85.0	32	95.0	1966	0.00	0.05	32
06/28 (179-t)	60.0	73.5*	48.0	1988	62.1	32	73.2	32	84.3	32	94.0	1971	0.00	0.12	31
06/29 (180-f)	62.0	76.0*	51.0	1987	62.5	32	74.2	31	85.9	31	92.0	1964	0.00	0.12	32
06/30 (181-s)	67.0	77.5*	54.0	1989	62.8	31	73.9	31	84.9	32	93.0	1968	0.00	0.10	32
Column Min's:	45.0	51.5	37.0	55.2	67.0	77.8	0.00						0.00	0.05	
Column Avg's:	56.3	68.5	80.7	59.1	70.4	81.7	0.16						0.16	0.14	
Column Max's:	67.0	78.0	90.0	62.8	74.2	85.9	1.64				102.0		1.64	0.24	
Column Ttl's:							4.85						4.85	4.07	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	avg	max	min year	avgm yrs	Long Term avg yrs	avgmx yrs	max year	prec	snow	evap	ly	ly/m	max	Long Term avg yrs
07/01 (182-s)	65.0	76.5*	88.0	43.0	1988	62.7	32	73.7	32	84.7	32	95.0	1968	0.00	0.19
07/02 (183-m)	55.0	71.0*	87.0	48.0	1988	62.0	32	72.9	32	83.8	32	97.0	1970	0.00	0.15
07/03 (184-t)	55.0	67.5*	80.0	53.0	1959	62.3	32	72.4	32	82.6	32	95.0	1966	0.00	0.28
07/04 (185-w)	58.0	73.0*	88.0	48.0	1968	61.1	31	72.2	31	83.3	31	94.0	1966	0.00	0.21
07/05 (186-t)	68.0	80.0*	92.0	49.0	1968	61.7	32	72.5	32	83.3	32	95.0	1988	0.00	0.12
07/06 (187-f)	62.0	74.5*	87.0	46.0	1972	62.3	32	72.5	32	82.7	32	95.0	1988	1.19	0.11
07/07 (188-s)	51.0	65.5*	80.0	50.0	1972	61.1	32	72.2	32	83.2	32	97.0	1988	0.00	0.07
07/08 (189-s)	55.0	67.5*	80.0	48.0	1984	62.2	32	73.7	32	85.1	32	100.0	1988	0.00	0.03
07/09 (190-m)	61.0	76.5*	92.0	51.0	1961	63.6	32	75.1	32	86.5	32	102.0	1988	0.00	0.13
07/10 (191-t)	65.0	79.0*	93.0	52.0	1963	64.5	32	75.2	32	85.8	32	101.0	1988	0.00	0.15
07/11 (192-w)	67.0	79.5*	92.0	49.0	1963	63.9	32	74.2	32	84.6	32	98.0	1988	0.00	0.12
07/12 (193-t)	65.0	78.5*	92.0	53.0	1963	62.2	32	73.6	32	84.9	32	94.0	1989	0.15	0.28
07/13 (194-f)	62.0	70.0*	78.0	54.0	1976	62.8	32	73.7	32	84.6	32	96.0	1966	0.44	0.13
07/14 (195-s)	61.0	67.0*	73.0	50.0	1975	63.3	32	73.9	32	84.5	32	93.0	1966	0.43	0.29
07/15 (196-s)	57.0	67.5*	78.0	53.0	1987	63.4	32	73.8	32	84.3	32	93.0	1985	0.01	0.18
07/16 (197-m)	58.0	66.5*	75.0	52.0	1967	63.2	32	73.9	32	84.5	32	100.0	1988	0.00	0.07
07/17 (198-t)	56.0	70.5*	85.0	51.0	1976	63.1	32	74.6	31	86.0	31	100.0	1988	0.00	0.04
07/18 (199-w)	59.0	72.5*	86.0	53.0	1967	63.2	31	74.5	31	85.9	32	96.0	1988	0.00	0.06
07/19 (200-t)	58.0	73.0*	88.0	53.0	1984	64.3	32	75.4	32	86.5	32	96.0	1988	0.00	0.15
07/20 (201-f)	60.0	74.0*	88.0	56.0	1984	64.1	32	74.9	32	85.7	32	95.0	1972	0.00	0.23
07/21 (202-s)	63.0	76.0*	89.0	49.0	1970	62.7	31	74.2	31	85.7	31	95.0	1980	0.02	0.17
07/22 (203-s)	65.0	74.0*	83.0	53.0	1970	63.7	32	74.9	32	86.1	32	95.0	1972	0.10	0.15
07/23 (204-m)	59.0	71.5*	84.0	55.0	1977	65.4	32	75.4	31	85.5	31	94.0	1987	0.25	0.24
07/24 (205-t)	55.0	66.5*	78.0	55.0	1990	64.7	31	75.3	31	85.9	32	97.0	1983	0.00	0.21
07/25 (206-w)	54.0	68.0*	82.0	54.0	1990	65.0	31	75.4	31	85.8	31	95.0	1987	0.00	0.18
07/26 (207-t)	56.0	69.0*	82.0	56.0	1990	64.4	32	74.7	32	85.0	32	96.0	1987	0.00	0.11
07/27 (208-f)	58.0	71.0*	84.0	47.0	1962	63.6	32	74.2	32	84.8	32	93.0	1964	0.00	0.09
07/28 (209-s)	60.0	72.5*	85.0	53.0	1962	64.5	32	74.4	31	84.3	31	95.0	1964	0.00	0.20
07/29 (210-s)	59.0	73.5*	88.0	55.0	1965	63.3	31	73.5	31	83.8	32	92.0	1983	0.00	0.12
07/30 (211-m)	64.0	77.0*	90.0	51.0	1965	62.7	32	73.0	32	83.2	32	94.0	1983	0.00	0.08
07/31 (212-t)	62.0	74.0*	86.0	53.0	1965	62.7	32	73.4	32	84.0	32	94.0	1983	0.05	0.17
Column Min's:	51.0	65.5	73.0	43.0		61.1		72.2		82.6				0.00	0.03
Column Avg's:	59.8	72.4	84.9			63.2		74.0		84.7				0.09	0.15
Column Max's:	68.0	80.0	93.0			65.4		75.4		86.5		102.0		1.19	0.29
Column Ttl's:														2.64	4.71

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	max	min	max	avg	yr	prec	evap	hum	ly	ly/m	max	avg		
08/01 (213-w)	52.0	67.0*	52.0	1990	62.8	31	73.8	31	84.8	31	95.0	1980	0.00	0.04	31
08/02 (214-t)	50.0	64.0*	50.0	1990	62.2	31	73.4	31	84.6	31	97.0	1964	0.00	0.02	31
08/03 (215-f)	55.0	68.5*	48.0	1965	63.1	31	73.9	31	84.8	31	101.0	1964	0.00	0.09	31
08/04 (216-s)	56.0	71.0*	50.0	1976	62.7	31	73.8	31	84.9	31	95.0	1964	0.00	0.16	28
08/05 (217-s)	60.0	75.0*	52.0	1974	63.2	31	74.4	31	85.6	31	93.0	1982	0.52	0.13	30
08/06 (218-m)	60.0	69.0*	53.0	1967	64.0	31	73.9	31	83.9	31	94.0	1983	0.02	0.14	30
08/07 (219-t)	48.0	61.5*	48.0	1990	63.9	30	74.1	30	84.2	30	91.0	1964	0.00	0.13	30
08/08 (220-w)	48.0	60.5*	45.0	1989	61.9	31	72.7	31	83.6	31	92.0	1980	0.00	0.24	30
08/09 (221-t)	52.0	65.0*	46.0	1989	62.5	31	73.1	30	83.8	30	96.0	1983	0.00	0.23	31
08/10 (222-f)	58.0	70.0*	48.0	1972	61.9	30	72.7	30	83.5	31	94.0	1964	0.00	0.17	30
08/11 (223-s)	57.0	70.0*	50.0	1967	60.9	31	72.2	30	83.1	30	95.0	1964	0.00	0.19	31
08/12 (224-s)	58.0	71.0*	48.0	1967	59.5	30	71.0	30	82.3	31	94.0	1988	0.00	0.19	31
08/13 (225-m)	65.0	76.5*	46.0	1964	60.3	31	71.1	31	81.9	31	93.0	1975	0.00	0.08	30
08/14 (226-t)	55.0	64.5*	47.0	1964	60.1	31	71.7	31	83.3	31	93.0	1985	1.08	0.14	31
08/15 (227-w)	55.0	68.0*	47.0	1964	61.8	31	73.1	31	84.5	31	96.0	1988	0.00	0.09	30
08/16 (228-t)	56.0	68.5*	46.0	1979	62.4	31	73.5	30	84.5	30	98.0	1988	0.00	0.06	30
08/17 (229-f)	58.0	70.5*	47.0	1979	62.6	30	73.1	30	83.8	31	98.0	1988	0.00	0.07	31
08/18 (230-s)	60.0	71.0*	51.0	1979	62.3	31	73.6	31	84.9	31	103.0	1988	0.01	0.08	31
08/19 (231-s)	63.0	77.0*	51.0	1977	62.4	31	73.5	31	84.6	31	100.0	1988	0.00	0.16	31
08/20 (232-m)	65.0	78.5*	52.0	1977	62.8	31	73.5	31	84.1	31	98.0	1962	0.00	0.09	31
08/21 (233-t)	63.0	77.5*	52.0	1967	61.6	31	72.6	30	83.5	30	99.0	1983	2.53	0.19	30
08/22 (234-w)	64.0	74.0*	50.0	1982	60.9	28	72.1	28	83.5	29	99.0	1983	0.13	0.16	31
08/23 (235-t)	63.0	69.0*	53.0	1982	62.0	31	72.8	31	83.7	31	98.0	1987	0.09	0.08	31
08/24 (236-f)	56.0	66.0*	50.0	1971	60.8	31	71.8	31	82.8	31	92.0	1959	0.00	0.15	30
08/25 (237-s)	58.0	69.5*	52.0	1966	61.1	31	72.1	31	83.0	31	93.0	1959	0.00	0.14	28
08/26 (238-s)	56.0	70.0*	52.0	1966	61.1	31	71.6	31	82.1	31	90.0	1959	0.00	0.34	29
08/27 (239-m)	58.0	72.0*	48.0	1968	59.9	31	71.6	31	83.4	31	96.0	1987	0.00	0.16	31
08/28 (240-t)	58.0	74.0*	49.0	1968	62.0	31	72.9	30	84.0	30	92.0	1987	0.00	0.11	30
08/29 (241-w)	64.0	78.0*	39.0	1986	60.2	31	71.7	31	83.1	31	92.0	1990	0.37	0.10	31
08/30 (242-t)	56.0	66.0*	43.0	1986	59.9	31	71.2	31	82.4	31	93.0	1983	0.91	0.12	31
08/31 (243-f)	57.0	69.0*	45.0	1986	59.8	31	71.2	30	82.5	30	92.0	1983	0.00	0.15	30

Column Min's:	48.0	60.5	39.0	59.5	71.0	81.9	0.00	0.02
Column Avg's:	57.5	70.1	82.6	61.7	72.7	83.7	0.18	0.14
Column Max's:	65.0	78.5	92.0	64.0	74.4	85.6	2.53	0.34
Column Ttl's:							103.0	4.20

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION								
	min	max	min year	avgm yrs	Long Term	avg yrs	max	Long Term							
mo da jul	avg		avgm yrs	avgm yrs	avg pr yrs	avg pr yrs	ly	ly/m							
09/01 (244-s)	58.0	71.0*	45.0	59.5	31	70.8	31	82.4	32	90.0	1960	0.00	0.18	32	
09/02 (245-s)	60.0	74.0*	46.0	1987	60.7	32	71.5	32	82.2	32	93.0	1973	0.00	0.18	32
09/03 (246-m)	62.0	74.5*	46.0	1987	61.1	31	72.0	31	82.9	32	92.0	1984	0.00	0.12	32
09/04 (247-t)	54.0	67.0*	46.0	1974	60.5	31	71.1	31	81.7	31	92.0	1964	0.00	0.13	31
09/05 (248-w)	55.0	69.5*	47.0	1974	59.7	32	71.0	31	81.9	31	94.0	1960	0.00	0.05	31
09/06 (249-t)	57.0	73.0*	43.0	1984	57.7	32	69.4	31	80.8	31	90.0	1961	0.00	0.03	32
09/07 (250-f)	67.0	79.5*	41.0	1988	57.5	31	69.9	31	82.1	32	94.0	1964	0.00	0.03	32
09/08 (251-s)	64.0	76.0*	43.0	1986	57.9	32	70.2	32	82.5	32	94.0	1964	0.22	0.03	32
09/09 (252-s)	64.0	69.5*	43.0	1986	58.7	32	70.0	32	81.2	32	94.0	1964	0.31	0.05	32
09/10 (253-m)	57.0	69.5*	44.0	1969	57.6	32	69.7	32	81.8	32	97.0	1964	0.02	0.07	31
09/11 (254-t)	58.0	68.5*	39.0	1976	56.4	32	68.6	30	80.4	30	96.0	1983	0.00	0.11	32
09/12 (255-w)	60.0	70.0*	45.0	1969	56.3	29	67.9	29	79.8	31	95.0	1983	0.01	0.17	32
09/13 (256-t)	63.0	70.5*	40.0	1975	56.2	32	67.7	31	79.0	31	91.0	1961	0.02	0.05	32
09/14 (257-f)	63.0	71.0*	37.0	1964	56.0	31	68.4	30	80.4	31	92.0	1984	0.00	0.16	31
09/15 (258-s)	52.0	65.5*	40.0	1964	55.4	31	67.1	31	78.6	32	91.0	1970	0.33	0.09	31
09/16 (259-s)	48.0	60.5*	39.0	1961	53.4	31	64.9	31	76.5	31	88.0	1964	0.00	0.05	31
09/17 (260-m)	39.0	55.5*	38.0	1959	54.4	32	65.3	32	76.2	32	92.0	1970	0.00	0.07	32
09/18 (261-t)	40.0	52.5*	38.0	1959	54.1	32	65.1	32	76.1	32	88.0	1965	0.00	0.08	30
09/19 (262-w)	42.0	53.5*	40.0	1973	54.7	32	65.8	32	77.0	32	92.0	1983	0.35	0.09	31
09/20 (263-t)	54.0	62.5*	42.0	1962	55.8	32	66.7	32	77.6	32	91.0	1983	0.25	0.05	31
09/21 (264-f)	46.0	58.0*	35.0	1962	53.7	32	66.1	32	78.6	32	94.0	1970	0.00	0.09	32
09/22 (265-s)	47.0	59.0*	35.0	1976	53.7	32	65.3	32	76.8	32	92.0	1970	0.37	0.17	32
09/23 (266-s)	41.0	56.0*	35.0	1974	51.5	32	63.2	32	74.8	32	91.0	1970	0.03	0.11	32
09/24 (267-m)	34.0	45.0*	33.0	1983	50.7	32	62.0	32	73.3	32	92.0	1961	0.03	0.17	31
09/25 (268-t)	34.0	49.5*	34.0	1983	50.9	32	62.0	32	73.1	32	90.0	1959	0.00	0.17	32
09/26 (269-w)	41.0	56.0*	39.0	1965	50.5	32	62.7	32	74.9	32	88.0	1986	0.00	0.10	31
09/27 (270-t)	47.0	63.0*	39.0	1980	50.8	31	62.1	31	73.4	31	87.0	1959	0.00	0.28	32
09/28 (271-f)	47.0	64.0*	38.0	1985	50.1	32	61.2	32	72.2	32	92.0	1959	0.00	0.17	31
09/29 (272-s)	58.0	70.0*	35.0	1962	49.0	32	60.8	32	72.7	32	89.0	1986	0.00	0.09	31
09/30 (273-s)	55.0	68.5*	35.0	1963	50.2	32	62.2	32	74.2	32	88.0	1986	1.20	0.11	32

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	34.0	45.0	56.0	0.00
Column Avg's:	52.2	64.8	77.3	0.10
Column Max's:	67.0	79.5	92.0	1.20
Column Ttl's:				3.14

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	max	min	max	prec	evap	ly	max					
mo da jul	Current	Long Term	avg	max	ly	avg	ly	ly/m					
	avg	avg	avg	avg	prec	avg	avg	avg					
			yr	yr	yr	yr	yr	yr					
			yr	yr	yr	yr	yr	yr					
			yr	yr	yr	yr	yr	yr					
			yr	yr	yr	yr	yr	yr					
10/01 (274-m)	39.0	54.0*	69.0	33.0	1974	48.8	32	61.5	32	74.1	32	87.0	1986
10/02 (275-t)	39.0	54.5*	70.0	31.0	1974	48.4	31	60.2	31	72.2	32	83.0	1971
10/03 (276-w)	43.0	58.5*	74.0	26.0	1974	47.8	32	59.6	32	71.4	32	90.0	1959
10/04 (277-t)	50.0	65.5*	81.0	29.0	1987	46.1	32	58.6	32	71.0	32	89.0	1959
10/05 (278-f)	46.0	62.0*	78.0	29.0	1968	44.3	31	57.8	31	71.5	32	90.0	1959
10/06 (279-s)	46.0	62.0*	78.0	28.0	1964	44.9	30	57.4	30	70.0	30	84.0	1963
10/07 (280-s)	52.0	66.0*	80.0	28.0	1964	44.7	32	56.8	31	68.7	31	85.0	1982
10/08 (281-m)	57.0	68.5*	80.0	30.0	1988	45.6	31	57.1	31	68.6	31	80.0	1990
10/09 (282-t)	56.0	68.0*	80.0	27.0	1989	46.1	32	57.9	32	69.6	32	81.0	1970
10/10 (283-w)	57.0	66.5*	76.0	27.0	1989	44.9	32	57.0	32	69.2	32	81.0	1962
10/11 (284-t)	39.0	53.0*	67.0	23.0	1964	45.6	31	57.9	31	70.1	31	84.0	1961
10/12 (285-f)	39.0	47.0*	55.0	26.0	1988	45.6	32	57.6	31	69.4	31	85.0	1961
10/13 (286-s)	45.0	51.0*	57.0	24.0	1988	46.9	31	58.4	31	69.9	31	86.0	1969
10/14 (287-s)	43.0	51.0*	59.0	23.0	1988	45.2	30	56.7	30	68.6	31	84.0	1969
10/15 (288-m)	43.0	54.5*	66.0	27.0	1979	44.6	32	57.2	32	69.7	32	83.0	1962
10/16 (289-t)	35.0	50.0*	65.0	33.0	1970	45.7	32	57.3	32	69.0	32	83.0	1963
10/17 (290-w)	36.0	54.0*	72.0	27.0	1970	43.5	32	55.4	32	67.4	32	82.0	1963
10/18 (291-t)	49.0	63.0*	77.0	24.0	1976	41.7	32	54.5	32	67.3	32	83.0	1963
10/19 (292-f)	29.0	42.0*	55.0	29.0	1976	40.4	32	52.1	32	63.8	32	83.0	1963
10/20 (293-s)	29.0	42.0*	55.0	25.0	1972	41.2	32	52.2	32	63.2	32	82.0	1963
10/21 (294-s)	31.0	47.5*	64.0	23.0	1974	40.8	31	52.4	29	63.6	29	78.0	1979
10/22 (295-m)	43.0	58.0*	73.0	22.0	1987	41.2	30	53.2	30	65.3	32	82.0	1963
10/23 (296-t)	45.0	51.0*	57.0	24.0	1969	42.2	31	53.5	31	64.8	32	82.0	1963
10/24 (297-w)	29.0	43.5*	58.0	22.0	1981	41.3	32	52.1	32	62.8	32	82.0	1963
10/25 (298-t)	30.0	46.0*	62.0	22.0	1981	40.8	31	51.7	31	62.2	32	83.0	1963
10/26 (299-f)	26.0	38.0*	50.0	21.0	1962	38.2	32	49.4	32	60.6	32	82.0	1963
10/27 (300-s)	26.0	37.5*	49.0	20.0	1962	38.3	32	49.7	31	61.5	31	81.0	1963
10/28 (301-s)	26.0	43.5*	61.0	18.0	1976	38.2	31	50.1	31	62.5	32	79.0	1971
10/29 (302-m)	23.0	38.0*	53.0	20.0	1976	38.7	32	50.3	32	61.9	32	78.0	1971
10/30 (303-t)	25.0	40.5*	56.0	25.0	1988	38.9	32	49.8	32	60.7	32	79.0	1971
10/31 (304-w)	32.0	51.0*	70.0	26.0	1988	42.6	32	53.6	32	64.6	32	78.0	1971
Column Min's:	23.0	37.5	49.0	18.0	38.2	43.3	48.8	49.4	60.6	60.6	60.6	60.6	0.03
Column Avg's:	39.0	52.5	66.0	57.0	68.5	81.0	55.1	61.5	66.9	74.1	90.0	1.28	0.10
Column Max's:	57.0	68.5	81.0	57.0	68.5	81.0	61.5	74.1	74.1	90.0	1.28	3.07	0.24
Column Ttl's:													0.06

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION	
	min	avg	min	avg	max	prec	evap	hum	ly	max	avg
mo da jul	Current	Long Term	avg yrs	avgm yrs	max yrs	liq	snow	%	ly/m	ly/m	Term
						prec					pr yrs
11/01 (305-t)	35.0	54.5*	43.4	32	66.1	32	77.0	1968	0.00	0.16	30
11/02 (306-f)	38.0	56.5*	43.2	32	64.5	32	81.0	1961	0.00	0.14	32
11/03 (307-s)	43.0	58.5*	40.7	32	61.6	32	81.0	1961	0.00	0.08	31
11/04 (308-s)	45.0	59.0*	39.0	32	60.1	32	79.0	1987	0.00	0.11	30
11/05 (309-m)	47.0	60.5*	39.1	31	57.9	32	79.0	1975	0.00	0.15	30
11/06 (310-t)	36.0	50.5*	35.2	31	46.4	29	76.0	1975	0.29	0.08	31
11/07 (311-w)	25.0	36.5*	35.8	31	44.3	30	53.2	1965	0.00	0.08	32
11/08 (312-t)	21.0	35.0*	35.2	32	44.7	32	71.0	1980	0.00	0.08	30
11/09 (313-f)	22.0	33.5*	37.3	32	47.2	32	57.1	1975	0.00	0.15	29
11/10 (314-s)	33.0	39.0*	36.5	32	47.1	32	57.8	1977	0.72	0.26	31
11/11 (315-s)	26.0	37.5*	34.5	32	44.1	32	53.8	1964	0.00	0.09	32
11/12 (316-m)	25.0	37.5*	35.6	32	44.3	32	53.1	1964	0.00	0.07	32
11/13 (317-t)	23.0	36.5*	33.5	32	43.4	32	53.4	1964	0.00	0.09	31
11/14 (318-w)	23.0	35.0*	33.1	32	42.9	32	52.6	1971	0.00	0.09	32
11/15 (319-t)	25.0	42.0*	34.4	32	44.5	32	54.6	1964	0.00	0.05	30
11/16 (320-f)	41.0	56.0*	36.3	31	45.9	31	55.5	1990	0.00	0.18	30
11/17 (321-s)	30.0	49.0*	34.0	32	45.2	31	56.4	1987	0.23	0.10	30
11/18 (322-s)	23.0	37.0*	34.5	31	43.4	31	52.4	1971	0.00	0.08	31
11/19 (323-m)	27.0	37.5*	33.1	32	42.3	32	51.5	1985	0.00	0.19	32
11/20 (324-t)	33.0	44.0*	32.8	32	42.4	32	52.0	1985	0.01	0.15	29
11/21 (325-w)	33.0	45.0*	32.1	32	41.7	32	51.3	1979	0.00	0.08	29
11/22 (326-t)	35.0	51.0*	31.8	32	40.5	32	49.2	1979	0.03	0.02	29
11/23 (327-f)	37.0	47.0*	32.0	32	41.0	32	50.1	1963	1.10	0.13	30
11/24 (328-s)	35.0	46.0*	32.0	32	41.2	32	50.4	1973	0.00	0.17	30
11/25 (329-s)	38.0	50.0*	30.5	32	39.9	32	49.2	1973	0.00	0.10	32
11/26 (330-m)	46.0	55.5*	32.8	32	43.0	32	53.1	1987	0.00	0.15	30
11/27 (331-t)	48.0	59.5*	36.9	32	46.0	32	55.0	1990	0.02	0.20	30
11/28 (332-w)	57.0	66.5*	33.8	32	42.7	32	51.7	1990	0.12	0.24	32
11/29 (333-t)	22.0	41.5*	28.1	32	37.1	32	46.1	1987	0.06	0.12	29
11/30 (334-f)	18.0	30.5*	27.1	31	34.4	31	42.3	1970	0.00	0.09	27

Column Min's:	18.0	30.5	43.0	2.0	27.1	34.4	42.3	0.00	0.02
Column Avg's:	33.0	46.3	59.5	34.8	44.5	54.1	66.1	0.09	0.12
Column Max's:	57.0	66.5	76.0	43.4	54.7	66.1	81.0	1.10	0.26
Column Ttl's:								2.58	3.68

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
	min	avg	min	year avg	max	yr	yr	yr	yr	yr	yr	ly	max	avg				
mo da jul	.....Current.....	.....Long Term.....	min year	avgm yrs	max	yr	yr	yr	yr	yr	yr	yr	ly	avg yrs				
12/01 (335-s)	20.0	32.5*	45.0	6.0	1964	28.0	32	36.6	32	45.2	32	69.0	1970	0.00	0.11	30	..	..
12/02 (336-s)	29.0	42.0*	55.0	14.0	1966	28.4	32	38.7	32	48.9	32	67.0	1970	0.00	0.08	29	..	..
12/03 (337-m)	37.0	47.0*	57.0	4.0	1976	29.2	31	38.0	31	46.7	32	76.0	1982	1.32	0.11	29	..	..
12/04 (338-t)	24.0	42.5*	61.0	13.0	1966	29.4	32	39.3	32	49.1	32	76.0	1982	0.15	0.18	31	..	..
12/05 (339-w)	14.0	23.5*	33.0	14.0	1969	28.8	32	37.7	32	46.7	32	68.0	1982	0.00	0.10	31	..	..
12/06 (340-t)	18.0	29.0*	40.0	15.0	1970	28.4	32	37.4	31	46.3	31	67.0	1982	0.00	0.19	30	..	..
12/07 (341-f)	28.0	38.0*	48.0	-0.0	1977	27.4	31	35.8	31	44.0	32	63.0	1971	0.00	0.10	29	..	..
12/08 (342-s)	16.0	28.5*	41.0	3.0	1977	27.3	32	35.7	32	44.1	32	69.0	1966	0.00	0.14	29	..	..
12/09 (343-s)	18.0	33.5*	49.0	8.0	1989	26.7	32	35.0	32	43.3	32	64.0	1980	0.00	0.19	30	..	..
12/10 (344-m)	21.0	36.0*	51.0	3.0	1977	24.5	32	33.7	32	42.9	32	71.0	1971	0.00	0.12	31	..	..
12/11 (345-t)	25.0	45.0*	65.0	3.0	1977	27.3	32	35.1	32	42.9	32	65.0	1990	0.00	0.10	29	..	..
12/12 (346-w)	25.0	43.0*	61.0	-6.0	1962	28.8	32	36.8	32	44.8	32	64.0	1979	0.00	0.16	29	..	..
12/13 (347-t)	37.0	49.0*	61.0	-6.0	1962	26.7	32	35.5	31	44.0	31	63.0	1972	0.02	0.07	30	..	..
12/14 (348-f)	20.0	36.0*	52.0	6.0	1985	23.7	31	32.8	31	42.7	32	66.0	1971	0.00	0.06	29	..	..
12/15 (349-s)	20.0	37.5*	55.0	1.0	1963	25.8	32	33.7	31	42.2	31	67.0	1971	0.53	0.13	30	..	..
12/16 (350-s)	32.0	44.5*	57.0	-8.0	1989	24.4	32	33.2	31	42.4	31	63.0	1984	0.21	0.10	31	..	..
12/17 (351-m)	30.0	34.5*	39.0	-12.0	1989	23.3	32	32.0	32	40.6	32	66.0	1984	0.03	0.06	29	..	..
12/18 (352-t)	31.0	45.5*	60.0	-10.0	1989	22.0	32	31.3	32	40.5	32	68.0	1984	1.55	0.10	26	..	..
12/19 (353-w)	31.0	43.5*	56.0	-8.0	1989	23.0	32	32.0	32	41.0	32	63.0	1967	1.07	0.06	30	..	..
12/20 (354-t)	29.0	36.0*	43.0	-7.0	1963	23.5	32	32.2	32	41.0	32	59.0	1988	0.00	0.12	28	..	..
12/21 (355-f)	29.0	42.0*	55.0	-9.0	1963	22.5	32	30.7	32	38.9	32	70.0	1967	0.22	0.18	26	..	..
12/22 (356-s)	49.0	57.0*	65.0	-22.0	1989	21.5	32	30.2	32	38.9	32	69.0	1967	0.45	0.14	30	..	..
12/23 (357-s)	27.0	44.5*	62.0	-22.0	1989	22.9	32	32.2	32	41.5	32	65.0	1970	0.50	0.11	28	..	..
12/24 (358-m)	5.0	20.0*	35.0	-18.0	1989	25.7	32	33.8	32	41.9	32	68.0	1964	0.25	0.14	28	..	..
12/25 (359-t)	5.0	11.5*	18.0	-12.0	1983	22.4	32	32.3	32	42.2	32	67.0	1964	0.00	0.15	27	..	..
12/26 (360-w)	12.0	20.0*	28.0	-7.0	1983	23.3	32	30.7	32	38.0	32	67.0	1982	0.00	0.13	28	..	..
12/27 (361-t)	12.0	18.5*	25.0	-0.0	1985	22.9	32	30.9	32	38.8	32	67.0	1959	0.00	0.04	28	..	..
12/28 (362-f)	15.0	25.0*	35.0	4.0	1977	24.0	32	32.4	32	40.8	32	65.0	1988	0.43	0.15	29	..	..
12/29 (363-s)	29.0	42.0*	55.0	-0.0	1961	23.2	32	32.4	32	41.6	32	68.0	1984	0.06	0.10	29	..	..
12/30 (364-s)	51.0	57.0*	63.0	-3.0	1983	24.3	32	32.5	32	40.6	32	67.0	1984	0.02	0.07	32	..	..
12/31 (365-m)	15.0	36.5*	58.0	-3.0	1983	23.9	31	32.5	31	40.8	32	66.0	1965	1.71	0.16	28	..	..

Column	Min/s	Avg/s	Max/s	Ttl/s
Column Min/s:	5.0	11.5	18.0	38.0
Column Avg/s:	24.3	36.8	49.3	42.7
Column Max/s:	51.0	57.0	65.0	49.1
Column Ttl/s:				76.0
				8.52

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]