

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	avg	avg yrs	max year	prec	evap	ly	max Lng-Trm													
mo da jul	Current	Long Term	liq													
					avg yrs	max year	prec	evap	ly	avg yrs													
01/01 (001-m)	28.0	32.3	34.7	-8.0	1977	23.5	45	31.1	45	38.9	45	67.0	1952	0.00	--	--	83	0.18	44	52	0.37	132	9
01/02 (002-t)	23.5	31.1	40.3	-5.0	1974	21.5	46	28.9	46	36.3	46	55.0	1954	0.00	--	--	83	0.08	44	204	0.61	117	9
01/03 (003-w)	33.8	37.3	42.0	-3.0	1979	22.5	46	29.7	46	37.1	46	61.0	1950	0.00	--	--	84	0.11	37	54	0.17	91	9
01/04 (004-t)	32.0	43.2	53.7	-8.0	1981	20.6	46	28.4	46	36.2	46	61.0	1950	0.13	--	--	85	0.15	42	72	0.65	122	9
01/05 (005-f)	28.4	31.6	37.1	-9.0	1959	19.9	47	27.0	47	34.5	47	59.0	1955	0.00	--	--	85	0.08	44	154	0.71	156	9
01/06 (006-s)	25.9	32.2	42.6	-5.3	1988	21.9	47	28.7	47	35.5	47	68.0	1946	0.00	--	--	83	0.10	43	201	0.61	118	9
01/07 (007-s)	25.3	33.2	47.2	-14.0	1970	20.8	47	28.3	47	35.8	47	64.0	1946	0.00	--	--	80	0.05	42	213	0.70	125	9
01/08 (008-m)	24.4	33.9	45.6	-14.0	1970	16.8	47	24.7	47	32.9	47	61.0	1965	0.00	--	--	79	0.07	42	189	0.65	156	9
01/09 (009-t)	34.0	39.3	47.8	-11.0	1970	16.6	47	25.7	47	34.8	47	62.0	1949	0.06	--	--	84	0.07	38	109	0.77	142	9
01/10 (010-w)	29.2	32.1	36.7	-14.4	1982	17.5	47	24.9	47	32.4	47	57.0	1949	0.00	--	--	86	0.09	39	30	0.15	135	9
01/11 (011-t)	29.0	36.1	44.8	-11.0	1979	16.6	47	25.0	47	33.5	47	57.0	1975	0.00	--	--	67	0.09	41	150	0.92	151	9
01/12 (012-f)	22.0	27.0	32.0	-11.0	1979	17.9	47	26.1	47	34.2	47	61.0	1960	0.01	--	--	75	0.04	40	136	0.78	164	9
01/13 (013-s)	21.8	25.5	32.9	-18.0	1977	17.9	47	26.5	47	35.3	47	62.0	1950	0.00	--	--	73	0.05	42	205	0.72	177	9
01/14 (014-s)	23.4	31.8	38.8	-16.0	1977	20.2	47	28.7	47	37.3	47	58.0	1950	0.04	--	--	73	0.11	43	64	0.27	110	9
01/15 (015-m)	34.8	41.8	54.2	-14.1	1982	19.5	47	28.1	47	36.6	47	63.0	1953	0.01	--	--	83	0.13	44	84	0.58	157	9
01/16 (016-t)	39.2	47.4	56.6	-15.3	1982	16.9	47	25.8	47	34.9	47	60.0	1953	0.01	--	--	87	0.04	39	68	0.38	166	9
01/17 (017-w)	46.0	52.4	57.2	-20.0	1977	17.0	47	25.7	47	34.3	47	64.0	1952	0.24	--	--	85	0.10	41	33	0.37	113	9
01/18 (018-t)	28.1	41.7	57.4	-19.0	1977	18.7	47	28.1	46	37.3	46	60.0	1951	0.00	--	--	86	0.05	44	57	0.34	129	9
01/19 (019-f)	24.6	29.9	34.5	-16.2	1984	19.7	46	28.2	46	36.7	47	62.0	1949	0.14	--	--	83	0.12	44	124	0.53	140	9
01/20 (020-s)	31.5	37.5	47.3	-23.6	1985	20.8	47	28.4	47	36.1	47	63.0	1951	0.76	--	--	90	0.12	37	13	0.06	155	9
01/21 (021-s)	34.4	37.4	44.1	-24.9	1984	19.8	47	28.2	47	36.4	47	60.0	1951	0.04	--	--	86	0.21	38	16	0.09	161	9
01/22 (022-m)	33.0	37.0	46.1	-8.0	1978	20.9	47	28.8	47	37.0	47	61.0	1967	0.00	--	--	82	0.08	38	151	0.73	127	9
01/23 (023-t)	28.0	37.6	48.6	-9.0	1977	20.0	47	28.9	47	37.8	47	68.0	1967	0.05	--	--	84	0.08	41	66	0.31	172	9
01/24 (024-w)	36.5	45.9	55.7	-17.0	1963	20.4	47	28.3	47	36.2	47	65.0	1950	0.00	--	--	70	0.10	43	186	0.74	139	9
01/25 (025-t)	27.3	41.2	53.6	-7.0	1961	20.9	47	29.8	47	38.5	47	73.0	1950	0.26	--	--	81	0.04	41	92	0.70	130	9
01/26 (026-f)	23.2	28.8	36.5	-7.1	1985	20.6	47	29.3	47	38.1	47	70.0	1950	0.00	--	--	78	0.19	42	203	0.98	180	9
01/27 (027-s)	27.1	41.2	53.7	-2.0	1955	18.7	47	27.6	47	36.5	47	62.0	1944	0.00	--	--	67	0.11	43	219	0.77	213	9
01/28 (028-s)	29.3	31.7	39.2	-9.0	1963	18.7	47	26.6	46	34.3	46	58.0	1944	0.00	--	--	69	0.08	43	63	0.31	179	9
01/29 (029-m)	17.8	29.6	34.8	-11.0	1977	18.8	47	27.1	47	35.4	47	64.0	1970	0.26	--	--	88	0.12	39	71	0.33	132	9
01/30 (030-t)	14.5	27.9	40.7	-8.0	1966	18.9	47	27.4	47	36.0	47	64.0	1975	0.25	--	--	85	0.10	41	195	0.72	118	9
01/31 (031-w)	20.1	34.2	49.0	-3.0	1972	18.5	47	26.3	47	34.4	47	59.9	1989	0.00	--	--	81	0.05	39	299	0.75	167	9
Column Min's:	14.5	25.5	32.0	-24.9		16.6		24.7		32.4				0.00			67	0.04		13	0.06	91	
Column Avg's:	28.3	35.8	44.7			19.5		27.6		35.8				0.07			81	0.10		122	0.54	144	
Column Max's:	46.0	52.4	57.4			23.5		31.1		38.9		73.0		0.76			90	0.21		299	0.98	213	
Column Ttl's:														2.26				2.99		3773		4474	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION									
	min	avg	min	year avg	max	Long Term	prec	evap	ly	max	Long Term	ly	avg yrs					
02/01 (032-t)	34.5	40.5	44.0	19.9	47	27.9	47	35.9	47	64.5	1989	0.29	84	0.12	44	0.23	139	9
02/02 (033-f)	31.3	42.8	55.9	18.7	47	27.0	47	35.8	47	55.9	1990	0.23	86	0.14	42	0.31	121	9
02/03 (034-s)	31.4	36.8	41.3	16.9	47	25.7	47	34.5	47	52.0	1947	0.16	90	0.06	41	0.19	80	9
02/04 (035-s)	29.2	33.8	40.9	17.9	47	26.6	47	35.4	47	64.0	1962	0.77	88	0.09	44	0.34	159	9
02/05 (036-m)	27.7	33.0	42.4	19.0	47	27.9	47	36.8	47	61.1	1986	0.09	84	0.08	44	1.18	172	9
02/06 (037-t)	28.0	40.4	51.1	18.9	47	27.1	47	35.3	47	55.0	1973	0.02	80	0.08	44	0.98	193	9
02/07 (038-w)	34.1	42.6	47.0	17.7	47	26.5	47	35.3	47	50.0	1959	0.17	85	0.06	40	0.40	196	9
02/08 (039-t)	31.8	44.6	59.1	16.3	46	25.4	46	34.4	46	59.1	1990	0.01	80	0.05	40	0.81	225	9
02/09 (040-f)	42.0	50.4	56.5	16.7	47	26.3	47	35.6	47	62.0	1957	0.34	84	0.08	44	0.30	211	9
02/10 (041-s)	29.8	36.0	42.7	18.2	47	27.0	47	35.9	47	63.0	1965	0.01	67	0.11	41	0.82	221	9
02/11 (042-s)	29.8	36.1	46.5	19.1	47	28.6	47	38.4	47	60.0	1976	0.11	80	0.10	43	0.89	188	9
02/12 (043-m)	21.6	33.9	45.5	19.3	46	27.8	46	36.4	46	66.5	1984	0.02	79	0.06	39	0.87	236	9
02/13 (044-t)	37.1	52.5	65.0	21.3	47	29.8	47	38.2	47	65.0	1990	0.04	63	0.19	42	0.28	228	9
02/14 (045-w)	30.7	34.8	53.3	22.4	47	31.4	47	40.8	47	66.0	1950	0.34	87	0.09	43	0.10	204	9
02/15 (046-t)	32.9	47.5	59.1	21.9	47	31.2	47	40.8	47	68.0	1945	1.61	87	0.12	43	0.30	220	9
02/16 (047-f)	28.4	50.1	61.9	22.6	47	31.8	47	40.9	47	66.0	1954	0.02	81	0.06	45	0.95	204	9
02/17 (048-s)	24.6	28.1	32.5	23.4	47	31.2	47	39.1	47	63.0	1976	0.00	76	0.06	43	1.15	154	9
02/18 (049-s)	23.0	33.7	46.6	23.3	46	33.3	45	43.3	45	66.0	1948	0.00	77	0.05	46	0.87	237	9
02/19 (050-m)	24.0	34.8	45.4	25.0	46	34.5	46	43.9	47	64.0	1948	0.00	68	0.05	40	0.91	226	9
02/20 (051-t)	18.1	26.5	37.4	23.2	47	32.3	47	41.9	47	64.0	1954	0.00	64	0.06	42	0.91	221	9
02/21 (052-w)	24.2	37.6	53.3	22.2	46	31.7	46	41.5	47	69.7	1983	0.00	58	0.13	44	0.92	213	9
02/22 (053-t)	42.1	51.9	62.8	25.2	47	34.2	47	43.6	47	68.0	1983	0.10	73	0.14	44	0.52	203	9
02/23 (054-f)	30.9	38.0	49.8	25.3	47	34.3	47	43.9	47	65.8	1984	0.10	82	0.09	37	0.96	239	9
02/24 (055-s)	13.8	25.3	31.2	25.3	46	34.4	46	43.5	46	70.0	1961	0.02	83	0.10	41	1.02	218	9
02/25 (056-s)	7.7	13.5	21.8	24.8	47	33.4	47	42.1	47	70.0	1957	0.02	60	0.11	44	1.08	300	9
02/26 (057-m)	7.5	20.1	31.8	24.4	47	33.7	47	43.2	47	71.0	1944	0.00	64	0.14	43	1.19	271	9
02/27 (058-t)	29.6	36.2	47.4	24.0	47	33.0	47	42.3	47	65.0	1955	0.14	83	0.11	40	1.13	229	9
02/28 (059-w)	22.2	28.8	35.8	25.0	47	34.1	47	43.3	47	65.0	1955	0.00	75	0.07	44	0.97	316	9
Column Min's:	7.5	13.5	21.8	16.3	25.4	34.4	0.00	58	0.05	80		0.00	58	0.05	23	0.10	80	
Column Avg's:	27.4	36.8	46.7	21.4	30.3	39.4	0.16	77	0.09	208		0.16	77	0.09	189	0.75	208	
Column Max's:	42.1	52.5	65.0	25.3	34.5	43.9	1.61	90	0.19	316		1.61	90	0.19	398	1.19	316	
Column Ttl's:							4.61		2.60	5283		4.61		2.60	5283		5283	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION												
	min	avg	max	min year	avgmn yrs	Long Term. avg yrs	avgmx yrs	max year	liq prec	snow	evap	hum %	Long Term avg pr yrs	ly	LY/m	max	Lng Trm avg yrs						
03/01 (060-t)	17.5	30.5	44.5	3.9	1986	24.7	46	34.6	46	44.6	46	71.0	1976	0.00	--	--	70	0.07	43	421	0.99	308	9
03/02 (061-f)	28.0	38.8	51.6	-4.0	1978	25.1	47	35.3	47	45.8	47	65.8	1983	0.00	--	--	59	0.08	42	333	1.17	285	9
03/03 (062-s)	23.5	32.2	40.8	-3.0	1980	27.3	47	37.0	47	47.1	47	72.0	1976	0.00	--	--	70	0.09	39	351	1.21	289	9
03/04 (063-s)	18.7	29.0	40.6	4.0	1978	29.4	47	38.8	47	48.2	47	77.3	1983	0.00	--	--	59	0.29	41	373	0.99	209	9
03/05 (064-m)	30.3	41.6	55.8	-6.0	1978	28.3	47	38.4	47	48.6	47	78.0	1976	0.00	--	--	53	0.21	42	295	1.22	207	9
03/06 (065-t)	21.3	31.2	36.7	-2.0	1978	27.4	47	36.3	46	45.5	46	70.0	1946	0.00	--	--	78	0.15	46	182	0.81	224	9
03/07 (066-w)	17.9	32.1	48.4	9.1	1986	27.7	47	36.4	47	45.6	47	75.2	1983	0.00	--	--	52	0.08	42	376	1.07	327	9
03/08 (067-t)	34.0	42.5	50.5	1.9	1984	25.8	47	36.2	47	46.7	47	73.0	1974	0.18	--	--	57	0.08	39	106	0.41	283	9
03/09 (068-f)	40.3	51.8	63.7	-13.0	1984	25.8	46	36.0	46	46.5	46	78.0	1974	0.00	--	--	81	0.11	45	168	1.24	281	9
03/10 (069-s)	39.0	53.9	64.1	-1.5	1984	27.6	47	37.2	47	46.7	47	72.0	1974	0.71	--	--	86	0.12	43	110	0.60	318	8
03/11 (070-s)	57.2	64.8	76.1	8.4	1984	29.1	47	38.4	47	48.0	47	76.1	1990	0.13	--	--	79	0.11	40	297	1.19	252	9
03/12 (071-m)	56.5	64.9	73.9	4.0	1948	29.5	47	39.1	47	49.0	47	74.0	1973	0.00	--	--	77	0.12	39	248	1.03	275	9
03/13 (072-t)	58.1	66.1	77.8	6.0	1960	30.7	46	40.7	46	51.0	46	77.8	1990	0.00	--	--	76	0.11	44	361	1.13	289	8
03/14 (073-w)	56.0	65.5	77.7	14.0	1981	30.8	47	40.9	46	51.5	46	77.7	1990	0.00	--	--	70	0.10	42	327	1.18	272	9
03/15 (074-t)	53.2	63.7	76.6	8.0	1970	31.1	47	40.3	46	49.9	46	76.6	1990	0.03	--	--	70	0.07	41	225	1.18	252	9
03/16 (075-f)	48.8	52.1	54.2	9.0	1970	30.2	47	40.0	46	50.1	46	82.0	1945	0.26	--	--	84	0.08	42	76	0.37	273	9
03/17 (076-s)	38.3	48.5	54.5	13.0	1967	29.0	47	39.0	47	49.1	47	73.0	1945	0.04	--	--	73	0.09	42	336	1.45	312	9
03/18 (077-s)	33.4	40.8	50.3	12.0	1964	28.5	47	38.1	47	48.3	47	73.0	1945	0.00	--	--	64	0.10	45	422	1.36	225	9
03/19 (078-m)	23.0	32.4	41.0	13.0	1965	30.2	47	40.1	47	50.1	47	75.0	1968	0.12	--	--	78	0.15	44	216	1.54	260	9
03/20 (079-t)	20.3	29.1	41.3	16.0	1965	31.1	47	40.4	47	49.8	47	78.0	1948	0.00	--	--	71	0.11	42	404	1.43	268	9
03/21 (080-w)	23.5	38.4	53.7	14.2	1986	31.4	47	40.4	47	49.6	47	80.0	1948	0.00	--	--	64	0.15	40	460	1.32	365	9
03/22 (081-t)	36.2	48.8	62.7	15.0	1959	30.8	47	41.0	47	51.4	47	74.0	1966	0.01	--	--	58	0.16	42	219	1.03	299	9
03/23 (082-f)	29.8	38.8	44.8	17.0	1960	32.2	47	42.5	47	53.0	47	73.7	1988	0.00	--	--	70	0.09	45	199	1.46	342	9
03/24 (083-s)	24.2	30.6	41.7	6.0	1974	32.2	47	42.9	47	54.1	47	74.9	1988	0.12	--	--	72	0.08	43	333	1.46	368	9
03/25 (084-s)	21.1	34.0	47.0	1.0	1974	31.9	47	42.9	47	54.0	47	83.0	1945	0.00	--	--	61	0.09	43	476	1.14	320	9
03/26 (085-m)	25.5	36.4	50.6	6.0	1974	32.8	47	42.7	47	53.0	47	78.0	1950	0.00	--	--	63	0.13	41	435	1.38	361	9
03/27 (086-t)	22.3	35.3	49.9	12.0	1955	33.1	47	43.9	46	55.0	46	81.0	1945	0.00	--	--	55	0.09	40	519	1.16	326	9
03/28 (087-w)	27.4	39.4	47.7	16.0	1955	34.0	46	44.6	46	55.3	46	81.0	1945	0.00	--	--	43	0.09	42	228	0.75	314	9
03/29 (088-t)	40.8	44.5	47.6	22.0	1964	37.1	46	48.1	46	59.1	46	79.0	1963	0.58	--	--	72	0.17	46	63	0.37	251	9
03/30 (089-f)	47.3	54.2	64.2	16.0	1964	36.1	46	45.5	46	55.5	46	81.7	1986	0.24	--	--	82	0.12	43	189	1.22	270	9
03/31 (090-s)	50.5	54.1	58.7	17.0	1969	34.5	44	45.2	44	56.3	44	81.9	1986	0.06	--	--	87	0.09	41	90	0.45	306	9

Column Min's: 17.5 29.0 36.7 -13.0
 Column Avg's: 34.3 44.1 54.5 30.2 40.1 50.3
 Column Max's: 58.1 66.1 77.8 37.1 48.1 59.1 83.0
 Column Ttl's: 8838 2.48 3.58

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION													
	min	avg	min	year avg	max	Long Term avg	prec	snow	evap	hum %	ly	max	Lng-Trm											
mo da jul	Current											
04/01 (091-s)	45.0	52.8	59.8	18.0	1964	37.3	45	47.7	45	58.0	46	79.0	1963	0.27	83	0.09	43	199	1.29	335	9	
04/02 (092-m)	34.4	40.7	50.5	21.0	1961	37.1	45	47.6	44	58.3	44	82.0	1963	0.02	82	0.23	42	113	0.74	305	9	
04/03 (093-t)	32.8	34.3	35.5	19.0	1972	36.4	45	46.3	45	56.2	45	77.0	1956	0.04	84	0.17	45	55	0.27	207	9	
04/04 (094-w)	31.9	41.4	56.2	22.0	1964	36.1	47	47.0	47	58.1	47	81.7	1986	0.04	77	0.24	42	402	1.56	326	9	
04/05 (095-t)	30.6	41.9	57.4	17.0	1970	36.0	45	46.3	45	56.7	45	81.4	1988	0.00	74	0.20	44	382	1.51	242	9	
04/06 (096-f)	27.8	36.8	50.8	18.6	1982	36.9	45	45.7	45	55.2	45	76.0	1965	0.00	63	0.13	40	458	1.31	251	9	
04/07 (097-s)	23.1	32.9	44.8	15.5	1982	34.8	45	46.4	45	58.4	45	83.0	1954	0.00	57	0.13	40	477	1.60	366	9	
04/08 (098-s)	22.9	41.2	59.0	16.0	1972	35.5	45	46.4	45	57.5	45	79.0	1969	0.00	50	0.11	46	540	1.22	369	9	
04/09 (099-m)	34.4	52.3	67.2	17.0	1972	34.8	47	45.8	47	57.1	47	81.0	1953	0.00	39	0.09	45	449	1.33	344	9	
04/10 (100-t)	37.1	50.8	56.3	22.3	1989	33.8	46	45.6	46	57.4	46	82.0	1945	1.24	80	0.13	43	49	0.18	420	9	
04/11 (101-w)	31.4	38.3	49.3	23.3	1989	36.5	45	47.6	45	59.6	46	84.0	1945	0.07	76	0.10	45	372	1.65	439	9	
04/12 (102-t)	24.9	34.4	44.1	18.0	1976	37.7	45	48.9	45	60.0	45	80.0	1977	0.00	69	0.15	43	400	1.57	435	9	
04/13 (103-f)	28.0	41.6	53.9	20.0	1950	39.4	46	50.5	45	61.4	45	81.0	1960	0.00	65	0.11	43	503	1.38	433	9	
04/14 (104-s)	35.2	45.5	50.8	21.0	1950	39.4	45	51.6	45	63.8	45	80.0	1977	0.08	79	0.14	43	70	0.60	362	9	
04/15 (105-s)	30.4	44.9	59.9	25.0	1957	39.5	45	50.4	45	61.4	45	80.0	1954	0.00	73	0.11	42	479	1.34	317	9	
04/16 (106-m)	38.0	50.6	63.2	23.9	1988	38.4	45	50.2	45	62.1	45	82.0	1967	0.00	71	0.07	44	420	1.47	385	9	
04/17 (107-t)	28.0	42.5	54.4	25.0	1962	39.7	46	50.9	46	62.4	47	83.0	1964	0.04	61	0.09	45	427	1.44	330	9	
04/18 (108-w)	22.0	38.5	51.9	22.0	1990	40.6	46	52.6	46	64.7	46	85.0	1958	0.00	51	0.09	45	585	1.27	431	9	
04/19 (109-t)	33.9	49.7	64.6	20.8	1983	41.9	47	54.0	47	66.4	47	85.0	1977	0.01	50	0.12	45	306	1.07	431	9	
04/20 (110-f)	51.8	57.9	68.5	22.7	1983	43.1	47	54.8	47	66.2	47	90.0	1976	0.39	78	0.15	45	180	1.33	390	9	
04/21 (111-s)	47.7	57.8	66.1	26.9	1983	44.3	47	56.2	47	67.9	47	93.0	1976	0.17	77	0.08	42	302	1.56	415	9	
04/22 (112-s)	40.8	55.6	71.5	25.2	1986	44.5	47	56.2	47	67.9	47	87.2	1985	0.00	62	0.18	45	594	1.28	388	9	
04/23 (113-m)	45.8	61.9	76.1	23.5	1986	44.7	47	56.2	47	67.7	47	88.0	1960	0.00	57	0.20	42	547	1.41	453	9	
04/24 (114-t)	52.6	68.5	84.9	29.6	1983	44.3	47	55.1	47	65.7	47	89.0	1960	0.00	57	0.21	41	540	1.33	418	8	
04/25 (115-w)	58.3	72.1	87.0	23.6	1983	43.7	47	56.2	47	68.6	47	87.0	1990	0.00	55	0.14	43	511	1.27	524	9	
04/26 (116-t)	56.5	71.1	85.3	26.0	1972	44.0	47	55.8	47	67.6	47	88.0	1948	0.00	53	0.08	44	529	1.38	517	9	
04/27 (117-f)	56.8	72.4	86.7	29.0	1972	44.1	46	55.6	46	67.3	46	88.4	1986	0.00	50	0.12	46	541	1.23	430	9	
04/28 (118-s)	53.2	64.6	76.3	28.0	1976	42.7	46	54.5	46	66.3	46	83.0	1951	0.19	63	0.13	44	277	1.67	395	9	
04/29 (119-s)	48.7	56.8	65.5	24.0	1977	43.3	47	55.1	47	66.7	47	84.0	1951	0.00	75	0.11	42	387	1.70	473	9	
04/30 (120-m)	49.1	65.1	81.8	27.0	1977	45.4	47	57.2	47	69.1	47	88.0	1962	0.00	64	0.13	42	557	1.57	481	9	
Column Min/s:	22.0	32.9	35.5	15.5		33.8		45.6		55.2				0.00			39	0.07		49	0.18	207		
Column Avg/s:	38.4	50.5	62.6			39.9		51.1		62.5				0.09			66	0.13		388	1.28	387		
Column Max/s:	58.3	72.4	87.0			45.4		57.2		69.1		93.0		1.24			84	0.24		594	1.70	524		
Column Ttl/s:														2.56				4.03		11651			11612	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
	min	avg	max	min year	avgm yrs	Long Term	avg yrs	avgmx yrs	max year	liq	prec	snow	evap	hum	avg pr yrs	Long Term	ly	ly/m	max	Long-Term	
mo da jul
05/01 (121-t)	48.2	54.6	64.7	29.0	1963	45.6	47	57.3	47	69.1	47	88.0	1951	0.03	214	0.69	355	9	
05/02 (122-w)	43.9	51.5	58.1	29.0	1978	45.0	46	57.4	46	69.9	46	91.0	1951	0.00	253	1.04	422	8	
05/03 (123-t)	47.3	50.6	53.7	28.0	1978	44.2	47	56.6	47	69.0	47	89.0	1959	0.30	125	0.46	366	9	
05/04 (124-f)	47.4	55.1	64.1	29.0	1971	44.4	47	56.5	47	68.7	47	91.0	1949	1.34	56	0.81	429	9	
05/05 (125-s)	43.6	49.0	57.6	30.0	1973	46.0	46	57.8	46	69.7	46	92.0	1949	0.14	127	0.75	419	9	
05/06 (126-s)	39.3	50.9	64.7	32.0	1968	47.2	47	59.3	47	71.4	47	91.0	1949	0.00	461	1.43	458	8	
05/07 (127-m)	40.8	57.3	70.6	26.0	1974	46.3	47	57.9	47	69.6	47	84.0	1965	0.00	540	1.55	433	9	
05/08 (128-t)	48.4	63.9	76.4	30.0	1947	44.1	47	56.2	47	67.9	47	86.0	1965	0.00	566	1.50	496	9	
05/09 (129-w)	57.8	65.6	75.5	29.0	1947	46.2	46	57.3	46	68.5	46	88.0	1963	0.00	440	1.53	476	9	
05/10 (130-t)	42.9	51.7	61.4	28.0	1966	46.7	47	57.9	46	69.2	46	86.1	1987	0.07	349	1.87	515	9	
05/11 (131-f)	39.4	52.4	65.6	30.0	1945	47.6	47	59.3	47	70.9	47	87.0	1948	0.00	621	1.55	565	9	
05/12 (132-s)	47.9	52.1	57.1	34.0	1976	48.9	47	60.5	47	72.0	47	89.2	1982	0.55	101	1.24	423	9	
05/13 (133-s)	51.3	55.5	58.5	33.0	1946	49.6	47	60.6	47	71.9	47	90.2	1982	0.91	107	0.76	402	9	
05/14 (134-m)	47.2	58.4	71.6	34.0	1973	50.5	46	61.6	46	73.3	46	91.4	1982	0.00	510	1.66	452	9	
05/15 (135-t)	58.6	62.3	68.3	34.0	1973	50.4	47	62.4	47	74.7	47	91.1	1982	0.68	89	0.46	394	9	
05/16 (136-w)	61.0	65.8	71.0	30.0	1959	50.6	47	62.0	47	73.7	47	93.0	1962	0.49	210	1.22	484	9	
05/17 (137-t)	56.5	61.6	67.3	32.0	1973	50.5	47	62.4	47	73.9	47	92.0	1962	0.46	530	1.53	524	9	
05/18 (138-f)	52.1	61.7	72.7	31.0	1973	51.1	47	62.6	47	74.5	47	94.0	1962	0.00	659	1.35	434	9	
05/19 (139-s)	52.1	66.1	77.7	37.0	1945	52.4	47	63.6	47	75.0	47	93.0	1962	0.00	424	1.56	366	9	
05/20 (140-s)	59.4	65.9	74.2	36.0	1981	52.2	47	63.6	47	75.6	47	92.0	1962	0.20	196	1.51	342	9	
05/21 (141-m)	49.9	54.2	59.5	35.0	1954	51.9	47	63.7	47	75.8	47	91.0	1977	0.00	164	0.87	321	9	
05/22 (142-t)	47.4	54.1	66.0	39.0	1954	53.1	47	64.3	47	76.0	47	89.0	1975	0.00	430	1.83	414	9	
05/23 (143-w)	45.4	57.0	67.6	37.0	1963	52.5	47	64.1	47	76.1	47	87.0	1964	0.00	461	1.51	473	9	
05/24 (144-t)	44.5	61.6	75.0	39.0	1963	52.6	45	65.0	45	76.8	46	88.0	1965	0.00	597	1.49	536	8	
05/25 (145-f)	56.5	58.4	60.9	36.0	1949	53.3	46	64.7	46	76.1	47	91.0	1953	0.18	77	0.41	382	9	
05/26 (146-s)	57.9	60.9	65.0	36.6	1983	52.8	47	64.3	46	75.7	46	90.0	1944	0.49	113	0.64	464	9	
05/27 (147-s)	55.7	64.6	73.4	33.7	1983	52.1	47	63.6	47	75.1	47	90.0	1944	0.03	516	1.52	549	9	
05/28 (148-m)	57.3	59.3	62.0	36.0	1971	52.8	47	63.5	47	74.0	47	89.8	1987	0.57	106	0.46	382	9	
05/29 (149-t)	50.0	59.4	68.8	39.0	1949	53.3	46	64.5	45	75.5	45	91.3	1987	0.32	417	1.67	388	9	
05/30 (150-w)	39.9	55.1	67.4	34.8	1984	53.6	46	65.5	45	77.4	46	92.4	1988	0.00	674	1.39	444	9	
05/31 (151-t)	40.6	58.4	71.0	36.1	1984	54.6	46	66.8	46	79.2	47	93.8	1988	0.00	684	1.37	541	8	
Column Min's:	39.3	49.0	53.7	26.0		44.1		56.2		67.9				0.00			56	0.41	321		
Column Avg's:	49.4	57.9	66.7			49.7		61.4		73.1				0.22			349	1.21	440		
Column Max's:	61.0	66.1	77.7			54.6		66.8		79.2		94.0		1.34			684	1.87	565		
Column Ttl's:														6.76			10817		13649		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	max	min	avg	max	prec	evap	ly	max													
mo da julCurrent.....Long Term.....Long Term.....	avg yrs	avgmx yrs	max year	liq	snow	ly	ly/m													
	min	avg	max	avg yrs	avgmx yrs	max year	prec	snow	ly	ly/m													
06/01 (152-f)	52.0	68.4	83.0	39.0	1972	55.4	46	67.3	46	79.1	46	95.0	1988	0.00	--	--	57	0.21	40	617	1.28	487	9
06/02 (153-s)	--	--	--	42.0	1966	53.8	46	65.5	46	77.3	46	95.0	1951	--	--	--	--	0.21	43	--	--	468	8
06/03 (154-s)	53.7	68.5	80.3	41.0	1977	54.1	47	65.4	47	77.1	47	92.0	1949	0.04	--	--	60	0.18	42	647	1.34	467	8
06/04 (155-m)	46.5	49.9	53.7	41.4	1988	53.6	47	66.0	46	78.4	46	92.0	1944	0.00	--	--	74	0.03	44	160	0.54	441	9
06/05 (156-t)	37.9	56.4	70.1	37.9	1990	55.4	46	68.0	45	80.5	46	90.0	1944	0.00	--	--	63	0.08	43	627	1.54	459	9
06/06 (157-w)	54.3	66.5	79.8	40.0	1945	56.9	46	69.0	45	81.1	46	93.5	1988	0.54	--	--	74	0.22	45	289	1.55	494	9
06/07 (158-t)	62.9	68.4	74.9	44.0	1944	57.8	47	69.2	47	80.5	47	93.2	1988	0.01	--	--	78	0.05	43	250	1.29	482	9
06/08 (159-f)	63.3	74.8	85.3	39.0	1977	58.3	47	70.2	47	82.3	47	94.0	1952	0.73	--	--	75	0.11	44	450	1.44	559	9
06/09 (160-s)	61.2	74.5	84.5	44.0	1975	58.8	46	70.1	46	81.1	47	93.0	1953	0.21	--	--	68	0.14	46	575	1.58	541	9
06/10 (161-s)	56.9	66.0	73.8	39.0	1977	57.5	46	69.7	46	81.7	46	93.0	1954	0.00	--	--	69	0.18	44	522	1.77	498	9
06/11 (162-m)	52.7	65.7	77.5	34.0	1972	56.2	44	69.2	45	81.4	46	92.0	1946	0.00	--	--	62	0.06	46	641	1.54	576	9
06/12 (163-t)	58.0	67.0	79.7	42.0	1980	58.3	45	69.6	45	81.1	45	93.0	1954	0.00	--	--	58	0.15	45	527	1.56	365	8
06/13 (164-w)	58.5	74.0	86.5	43.1	1985	59.0	43	70.6	43	82.2	44	95.0	1956	0.00	--	--	58	0.19	42	645	1.32	539	8
06/14 (165-t)	67.1	75.2	89.1	43.0	1978	58.9	42	70.1	42	81.8	45	95.4	1988	0.59	--	--	72	0.19	46	441	1.39	552	8
06/15 (166-f)	66.2	74.4	83.8	21.7	1986	58.8	45	70.6	45	81.6	46	94.0	1988	0.06	--	--	68	0.15	44	552	1.56	442	8
06/16 (167-s)	61.9	75.8	89.4	42.0	1961	59.0	46	70.2	45	81.4	46	96.0	1952	0.00	--	--	63	0.16	42	574	1.32	420	9
06/17 (168-s)	69.9	80.1	90.7	42.0	1980	57.3	45	68.9	45	80.6	46	97.0	1957	0.00	--	--	69	0.09	46	564	1.36	526	9
06/18 (169-m)	66.3	79.7	88.8	47.0	1986	58.2	45	69.8	44	81.6	46	99.0	1944	0.00	--	--	57	0.08	44	637	1.56	543	9
06/19 (170-t)	57.4	68.6	78.6	47.0	1959	59.6	45	71.1	45	82.9	47	92.0	1953	0.00	--	--	64	0.11	46	610	1.72	476	8
06/20 (171-w)	61.4	65.7	71.8	42.0	1970	58.8	46	70.5	46	82.3	46	96.0	1953	0.13	--	--	79	0.16	45	121	0.98	401	9
06/21 (172-t)	65.3	74.6	86.1	47.0	1980	59.7	47	71.4	47	83.5	47	99.2	1988	0.00	--	--	62	0.09	44	646	1.50	558	9
06/22 (173-f)	60.5	67.0	76.6	45.0	1961	60.2	47	71.4	47	82.9	47	97.6	1988	0.25	--	--	76	0.11	45	196	1.15	439	9
06/23 (174-s)	56.5	61.4	66.5	46.2	1982	59.7	47	71.0	47	82.3	47	95.0	1948	0.02	--	--	77	0.17	43	234	1.70	494	9
06/24 (175-s)	54.5	64.0	75.2	45.8	1982	59.1	47	71.4	47	83.6	47	94.0	1949	0.02	--	--	63	0.14	42	613	1.60	598	9
06/25 (176-m)	47.0	66.5	82.6	41.0	1979	59.8	45	71.9	44	84.0	45	103.4	1988	0.00	--	--	48	0.14	42	697	1.37	621	9
06/26 (177-t)	56.7	70.8	83.1	45.3	1984	59.7	47	72.7	47	85.2	47	98.0	1952	0.01	--	--	56	0.20	45	630	1.34	610	9
06/27 (178-w)	60.2	73.9	89.1	45.0	1981	60.3	44	72.6	44	85.4	45	101.0	1944	0.00	--	--	64	0.17	46	545	1.46	531	8
06/28 (179-t)	65.2	76.6	91.1	46.9	1987	61.4	44	73.3	43	85.5	44	103.0	1944	0.00	--	--	66	0.21	45	540	1.27	556	8
06/29 (180-f)	68.6	76.2	85.5	49.0	1956	62.3	46	73.9	46	85.8	46	99.0	1952	0.01	--	--	67	0.16	45	364	1.28	452	9
06/30 (181-s)	68.3	78.5	92.0	45.2	1988	62.3	46	73.7	46	85.3	46	99.0	1953	0.00	--	--	68	0.13	45	502	1.41	488	9
Column Min's:	37.9	49.9	53.7	21.7		53.6		65.4		77.1				0.00			48	0.03		121	0.54	365	
Column Avg's:	59.0	70.0	81.0			58.3		70.1		82.0		103.4		0.09			66	0.14		497	1.40	503	
Column Max's:	69.9	80.1	92.0			62.3		73.9		85.8				0.73			79	0.22		697	1.77	621	
Column Tot's:														2.62				4.27		14416		15083	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	min	avg	prec	evap	ly	max												
mo da jul	Current	Long Term	liq	Long Term												
												
												
07/01 (182-s)	61.6	74.9	41.1	1988	61.6	46	84.5	46	97.0	1953	0.00	--	--	0.09	46	644	1.51	467	9	
07/02 (183-m)	57.8	69.8	49.0	1943	61.1	48	84.0	48	97.0	1954	0.00	--	--	0.10	46	659	1.38	430	9	
07/03 (184-t)	58.3	74.9	50.0	1945	61.4	48	85.1	48	97.0	1966	0.00	--	--	0.19	48	663	1.35	536	9	
07/04 (185-w)	68.9	81.7	48.0	1968	61.2	47	82.5	47	96.0	1948	0.00	--	--	0.13	42	592	1.22	484	9	
07/05 (186-t)	67.8	82.2	47.0	1979	61.5	47	83.2	47	97.0	1949	0.00	--	--	0.13	43	488	1.41	506	9	
07/06 (187-f)	58.0	67.9	43.0	1972	60.6	47	82.2	47	83.8	47	97.4	1988	--	--	0.13	44	566	1.75	526	9
07/07 (188-s)	51.7	66.1	45.9	1983	60.6	45	84.4	45	101.3	1988	0.00	--	--	0.12	43	577	1.67	576	9	
07/08 (189-s)	62.1	77.6	47.5	1984	61.7	46	86.0	46	101.4	1988	0.00	--	--	0.04	43	613	1.27	572	9	
07/09 (190-m)	69.3	79.1	52.0	1953	62.9	47	86.2	47	101.6	1988	0.46	--	--	0.13	43	412	1.50	493	9	
07/10 (191-t)	70.3	77.0	49.0	1963	62.8	47	85.5	46	98.0	1944	0.67	--	--	0.08	43	519	1.52	507	9	
07/11 (192-w)	67.7	71.2	48.0	1945	61.1	47	85.8	47	100.0	1944	1.67	--	--	0.17	45	156	1.35	384	9	
07/12 (193-t)	60.8	65.4	47.0	1974	61.6	46	85.3	46	96.9	1983	3.09	--	--	0.14	43	75	0.35	424	8	
07/13 (194-f)	59.3	62.6	47.0	1974	61.9	46	84.5	46	97.0	1954	0.26	--	--	0.11	43	104	0.40	416	8	
07/14 (195-s)	64.6	69.6	47.0	1950	62.4	46	85.5	47	103.0	1954	0.65	--	--	0.16	44	205	1.36	456	8	
07/15 (196-s)	60.4	66.7	48.3	1987	62.2	47	85.1	47	100.1	1988	0.00	--	--	0.15	46	524	1.63	507	9	
07/16 (197-m)	58.5	71.1	49.0	1945	62.3	47	86.4	47	99.6	1988	0.00	--	--	0.07	46	604	1.41	564	9	
07/17 (198-t)	60.9	73.3	48.0	1976	62.2	47	86.0	47	94.6	1983	0.00	--	--	0.08	44	618	1.29	568	9	
07/18 (199-w)	62.1	74.9	48.0	1976	63.0	48	86.8	48	97.0	1952	0.00	--	--	0.10	47	581	1.41	513	9	
07/19 (200-t)	62.9	76.4	47.0	1979	63.9	48	86.8	48	97.0	1946	0.00	--	--	0.17	44	582	1.30	488	9	
07/20 (201-f)	67.7	73.2	45.0	1947	63.2	48	85.7	47	98.0	1954	0.78	--	--	0.19	48	398	1.37	411	8	
07/21 (202-s)	67.5	72.3	46.0	1970	63.5	48	86.3	48	97.1	1983	0.45	--	--	0.16	44	274	1.49	482	9	
07/22 (203-s)	63.3	70.7	49.0	1947	63.6	48	85.9	48	100.0	1952	0.39	--	--	0.18	45	194	0.92	438	9	
07/23 (204-m)	60.9	68.7	47.0	1947	62.8	48	85.5	48	97.0	1952	0.06	--	--	0.20	41	476	1.64	540	9	
07/24 (205-t)	59.4	70.9	50.0	1947	63.1	47	86.0	47	99.0	1965	0.00	--	--	0.12	47	612	1.38	541	9	
07/25 (206-w)	57.2	71.1	53.0	1947	62.3	48	86.2	48	95.0	1944	0.00	--	--	0.17	48	629	1.38	470	8	
07/26 (207-t)	61.1	71.3	49.0	1946	62.8	48	86.1	48	99.0	1952	0.00	--	--	0.10	44	561	1.50	439	9	
07/27 (208-f)	59.3	73.3	47.0	1977	63.0	48	87.0	48	100.0	1952	0.00	--	--	0.12	45	510	1.43	507	9	
07/28 (209-s)	61.7	75.9	48.0	1977	63.7	48	85.8	48	100.0	1952	0.00	--	--	0.22	46	579	1.31	527	9	
07/29 (210-s)	65.0	77.1	46.0	1981	62.3	48	85.0	48	97.0	1953	0.00	--	--	0.09	44	561	1.26	571	9	
07/30 (211-m)	66.4	75.4	46.0	1981	62.1	47	86.0	47	99.0	1954	0.00	--	--	0.05	45	499	1.44	497	9	
07/31 (212-t)	58.9	68.6	52.0	1974	62.4	47	84.6	47	97.0	1954	0.00	--	--	0.11	46	437	1.69	414	9	
Column Min's:	51.7	62.6	41.1		60.6		83.8				0.00			0.04		75	0.35	384		
Column Avg's:	62.3	72.6	51.1		62.3		85.5				0.27			0.13		481	1.35	492		
Column Max's:	70.3	82.2	66.4		63.9		87.0		103.0		3.09			0.22		663	1.75	576		
Column Ttl's:											8.48			4.06		14912		15254		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	year	avg	yr	prec	evap	ly	max									
mo da	avg	yr	yr	yr	yr	yr	yr	yr	ly									
08/01 (213-w)	52.1	77.1	48.0	1971	61.1	47	73.2	47	85.4	47	97.0	1953	0.00	0.11	46	619	1.34	481	9
08/02 (214-t)	54.6	82.1	48.0	1976	61.2	47	73.4	47	85.6	47	96.0	1944	0.00	0.19	47	579	1.55	527	9
08/03 (215-f)	54.4	70.9	46.0	1965	62.6	46	74.5	46	86.6	46	97.0	1964	0.00	0.11	44	549	1.35	526	9
08/04 (216-s)	59.8	70.2	46.0	1976	62.3	44	73.1	44	84.5	45	98.0	1947	0.57	0.27	38	254	1.16	383	9
08/05 (217-s)	64.4	72.5	45.0	1972	61.4	46	72.6	46	84.1	46	98.0	1956	0.02	0.09	46	411	1.71	380	8
08/06 (218-m)	53.4	63.9	47.0	1948	61.3	45	72.6	45	84.3	45	98.0	1947	0.00	0.11	45	411	1.72	417	8
08/07 (219-t)	51.2	62.9	49.0	1976	60.8	46	71.8	46	83.5	46	93.0	1983	0.00	0.23	45	500	1.62	428	9
08/08 (220-w)	49.3	64.8	43.0	1976	60.6	47	72.7	47	84.9	47	94.1	1983	0.00	0.08	46	570	1.49	508	9
08/09 (221-t)	56.9	68.3	48.0	1976	62.0	46	73.0	46	84.0	46	98.0	1944	0.00	0.21	44	489	1.16	505	8
08/10 (222-f)	60.5	71.4	43.0	1972	61.5	48	72.8	48	84.3	48	100.0	1944	0.00	0.09	45	461	1.31	383	8
08/11 (223-s)	58.8	70.8	46.0	1972	60.9	47	71.9	47	83.3	47	97.0	1944	0.00	0.12	44	439	1.39	448	9
08/12 (224-s)	59.6	73.2	46.0	1967	59.2	48	71.1	48	83.3	48	94.0	1944	0.00	0.12	47	503	1.44	519	9
08/13 (225-m)	57.6	68.8	47.0	1971	59.8	48	71.6	48	83.6	48	94.0	1944	0.04	0.04	47	189	1.09	474	9
08/14 (226-t)	54.4	67.2	46.0	1964	60.5	48	73.1	48	85.9	48	95.0	1944	0.01	0.10	48	566	1.42	507	8
08/15 (227-w)	53.3	67.7	44.0	1979	62.2	47	73.7	47	85.6	47	96.0	1944	0.00	0.16	44	516	1.37	484	9
08/16 (228-t)	55.6	71.4	42.0	1979	61.1	46	72.4	46	84.1	48	95.0	1944	0.00	0.11	45	553	1.30	445	9
08/17 (229-f)	57.9	71.7	44.0	1976	61.1	47	72.6	47	84.3	47	99.6	1988	0.00	0.09	46	405	1.17	405	9
08/18 (230-s)	68.0	76.1	43.0	1981	60.0	46	71.6	46	83.9	46	95.0	1947	0.09	0.10	45	365	1.52	450	9
08/19 (231-s)	67.0	78.1	47.0	1976	59.9	42	71.8	42	84.3	42	98.0	1955	0.00	0.05	41	456	1.26	447	9
08/20 (232-m)	66.3	73.8	49.0	1977	59.4	43	71.5	43	84.0	43	101.4	1983	0.03	0.07	45	318	1.27	402	9
08/21 (233-t)	67.8	73.0	45.0	1950	58.8	44	71.3	44	83.9	44	99.0	1955	0.34	0.08	46	264	1.48	416	9
08/22 (234-w)	66.0	68.5	46.0	1950	59.6	43	70.9	43	82.4	43	95.5	1983	0.00	0.08	47	113	0.50	322	9
08/23 (235-t)	65.5	69.8	47.0	1973	59.6	43	71.0	43	82.8	43	95.0	1959	0.00	0.11	46	217	1.47	352	9
08/24 (236-f)	61.4	70.1	47.0	1946	58.1	43	70.1	43	82.6	43	95.0	1959	0.00	0.15	47	282	1.27	390	9
08/25 (237-s)	57.9	71.7	45.0	1977	57.7	43	70.1	43	82.6	43	96.0	1959	0.00	0.04	42	427	1.40	421	9
08/26 (238-s)	59.9	74.4	46.0	1958	58.6	44	71.0	43	83.6	43	97.0	1948	0.00	0.11	44	479	1.22	428	9
08/27 (239-m)	61.6	76.4	47.0	1945	59.6	43	71.4	43	83.6	43	99.0	1948	0.00	0.08	46	489	1.15	367	9
08/28 (240-t)	67.0	77.3	40.6	1986	60.8	41	71.8	41	82.9	42	96.0	1948	0.12	0.18	43	478	1.15	343	9
08/29 (241-w)	65.4	71.9	37.8	1986	59.6	42	71.6	42	84.1	42	98.0	1953	0.38	0.11	45	383	1.26	449	9
08/30 (242-t)	58.8	70.0	41.0	1946	59.5	44	71.9	43	84.4	43	100.0	1953	0.00	0.16	44	519	1.17	423	9
08/31 (243-f)	59.4	70.5	43.0	1976	59.8	45	71.4	45	83.3	45	102.0	1951	0.00	0.12	47	496	1.12	430	9

Column Min's:	49.3	62.9	37.8	57.7	70.1	82.4	61	0.04	0.50	322
Column Avg's:	59.5	70.7	82.8	60.3	72.0	84.1	67	0.12	1.32	434
Column Max's:	68.0	78.1	92.6	62.6	74.5	86.6	75	0.27	1.72	527
Column Ttl's:								3.67	13300	13460

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION													
	min	avg	min	avg	max	liq	prec	snow	evap	hum	ly	max	Long-Term										
mo da julCurrent.....Long Term.....	min year	avgmn yrs	max	prec	snow	evap	hum	avg pr yrs	ly	Ly/m	avg yrs										
09/01 (244-s)	62.4	74.8	88.4	42.0	1987	58.6	45	70.7	44	82.7	44	101.0	1953	0.00	--	--	67	0.15	45	430	1.21	377	9
09/02 (245-s)	64.9	74.5	86.9	44.0	1949	58.9	47	70.8	46	82.8	46	102.0	1953	0.00	--	--	71	0.15	47	284	1.28	372	9
09/03 (246-m)	61.7	69.7	81.1	44.0	1976	58.5	46	70.0	45	81.7	45	99.0	1953	0.00	--	--	66	0.12	44	448	1.33	410	8
09/04 (247-t)	56.5	71.2	85.5	39.2	1982	59.1	47	70.5	46	82.3	46	95.0	1953	0.00	--	--	62	0.16	44	471	1.12	445	9
09/05 (248-w)	63.2	76.6	93.1	40.0	1974	58.0	48	70.0	47	82.3	47	100.0	1954	0.00	--	--	66	0.06	45	429	1.14	395	9
09/06 (249-t)	67.1	79.6	93.2	38.1	1984	57.1	48	69.3	47	82.0	47	100.0	1954	0.00	--	--	65	0.10	48	418	1.23	416	9
09/07 (250-f)	65.6	72.8	78.0	37.5	1988	56.4	47	68.2	46	80.3	47	96.0	1945	0.08	--	--	72	0.06	46	170	1.13	362	9
09/08 (251-s)	63.4	68.6	76.7	39.1	1986	55.1	48	67.9	47	81.4	47	94.0	1959	0.44	--	--	74	0.02	44	191	1.20	432	9
09/09 (252-s)	60.2	69.4	78.8	39.6	1986	56.3	48	68.8	47	81.7	47	95.0	1955	1.52	--	--	73	0.07	46	282	1.42	392	9
09/10 (253-m)	56.1	68.8	84.2	41.0	1943	56.2	48	68.2	47	80.4	46	97.1	1983	0.00	--	--	65	0.11	46	414	1.30	361	9
09/11 (254-t)	58.7	70.3	81.2	40.0	1970	54.6	47	66.5	47	78.7	47	95.0	1952	0.00	--	--	65	0.07	44	379	1.16	327	9
09/12 (255-w)	65.1	70.1	77.1	40.0	1970	54.7	48	66.3	48	78.4	48	92.0	1952	0.51	--	--	73	0.22	45	180	0.87	312	9
09/13 (256-t)	65.7	71.5	82.0	36.0	1975	55.0	48	66.7	48	78.7	48	92.0	1948	0.01	--	--	73	0.06	45	310	1.13	386	9
09/14 (257-f)	59.6	69.2	78.4	33.0	1975	53.5	48	65.5	48	77.8	48	88.3	1982	0.76	--	--	74	0.21	43	215	1.25	344	9
09/15 (258-s)	54.7	62.4	73.1	34.0	1975	52.8	48	64.5	48	76.4	48	90.0	1955	0.00	--	--	69	0.13	44	332	1.47	331	9
09/16 (259-s)	46.1	56.3	67.6	38.8	1984	51.7	47	64.1	47	76.8	47	91.0	1948	0.00	--	--	71	0.04	47	310	1.42	334	9
09/17 (260-m)	39.9	52.6	65.4	37.0	1959	52.6	48	64.4	48	76.7	48	93.0	1948	0.00	--	--	61	0.07	44	471	1.29	400	9
09/18 (261-t)	43.2	53.0	61.0	35.0	1959	53.5	48	65.2	48	77.0	48	93.0	1955	0.02	--	--	66	0.08	43	216	1.36	323	9
09/19 (262-w)	55.1	59.7	64.9	37.0	1973	54.4	48	65.8	48	77.4	48	94.0	1955	0.37	--	--	75	0.11	44	52	0.53	313	9
09/20 (263-t)	50.0	59.5	71.5	38.0	1956	54.2	48	65.6	48	77.1	48	88.0	1978	0.01	--	--	65	0.14	42	384	1.43	358	9
09/21 (264-f)	47.7	60.4	71.2	34.0	1956	53.8	46	64.7	46	75.7	47	89.0	1978	0.08	--	--	69	0.16	46	266	1.03	309	9
09/22 (265-s)	48.7	59.6	71.9	33.0	1976	52.4	48	63.9	48	75.7	48	90.0	1970	0.11	--	--	66	0.11	46	394	1.11	299	9
09/23 (266-s)	40.8	48.1	56.0	29.0	1974	49.6	46	61.2	46	73.0	47	90.0	1970	0.07	--	--	74	0.09	46	231	1.62	272	9
09/24 (267-m)	34.1	49.1	63.7	29.0	1974	47.7	48	59.9	48	72.2	48	90.0	1959	0.00	--	--	62	0.06	46	439	1.08	300	9
09/25 (268-t)	41.0	56.1	70.9	35.0	1950	48.7	48	60.8	48	73.0	48	89.0	1970	0.00	--	--	63	0.08	43	432	1.07	374	9
09/26 (269-w)	51.8	63.4	78.8	37.0	1943	48.5	46	61.1	46	73.9	46	89.8	1986	0.00	--	--	62	0.07	45	420	--	358	9
09/27 (270-t)	48.9	64.7	81.8	34.0	1947	49.2	48	61.4	48	73.9	48	89.0	1946	0.00	--	--	59	0.13	48	399	1.11	321	8
09/28 (271-f)	57.4	67.4	80.3	35.4	1984	48.1	48	60.4	48	73.3	48	90.0	1959	0.00	--	--	60	0.08	46	323	1.19	360	9
09/29 (272-s)	58.1	65.6	78.2	32.0	1970	48.4	48	60.7	48	73.3	48	100.0	1953	0.37	--	--	72	0.07	46	186	1.08	315	9
09/30 (273-s)	45.1	58.2	69.5	34.0	1949	47.5	47	59.5	47	72.0	48	93.0	1953	0.00	--	--	65	0.11	46	300	1.33	282	9

Column Min's:	34.1	48.1	56.0	29.0
Column Avg's:	54.4	64.8	76.3	53.5
Column Max's:	67.1	79.6	93.2	59.1
Column Ttl's:				102.0
				0.00
				0.15
				0.22
				3.09
				52
				326
				471
				9776
				10580

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Long-Term	
mo da jul	Current	min	avg	max	liq	prec	snow	ly/m	avg	yr
10/01 (274-m)	37.4	52.4	67.9	47.4	59.9	47 72.5	48 88.0	1952	0.00	0.00	134	202
10/02 (275-t)	39.8	56.4	70.1	47.2	60.1	47 73.1	48 90.0	1953	0.00	0.00	438	326
10/03 (276-w)	50.7	66.3	80.1	45.8	47 58.1	46 69.9	47 91.0	1953	0.00	0.00	321	296
10/04 (277-t)	55.0	62.1	72.5	48	57.8	48 70.5	47 91.0	1951	1.76	0.00	379	294
10/05 (278-f)	47.4	62.6	78.0	47.4	47 57.1	47 69.1	47 89.0	1946	0.00	0.00	434	307
10/06 (279-s)	53.7	65.4	80.1	46.0	48 57.6	48 69.5	48 88.0	1946	0.00	0.00	413	308
10/07 (280-s)	52.4	64.5	76.2	44.3	47 56.5	47 69.1	47 87.0	1946	0.00	0.00	203	269
10/08 (281-m)	61.4	66.3	74.5	44.4	47 55.6	47 67.1	47 87.0	1949	0.00	0.00	238	285
10/09 (282-t)	55.9	62.0	69.0	45.1	47 55.9	47 67.0	47 86.0	1949	1.65	0.00	44	211
10/10 (283-w)	44.1	55.2	66.4	43.4	46 55.2	46 67.0	47 85.0	1949	0.24	0.00	49	238
10/11 (284-t)	39.2	47.5	57.8	43.5	47 55.3	46 67.1	46 84.0	1963	0.00	0.00	403	272
10/12 (285-f)	44.8	49.0	52.8	44.9	48 55.9	48 67.3	48 83.0	1947	0.14	0.00	51	182
10/13 (286-s)	49.0	52.0	56.2	44.0	48 56.0	48 68.4	48 83.5	1989	0.01	0.00	81	245
10/14 (287-s)	43.6	55.6	67.9	43.6	47 55.9	47 68.6	47 83.6	1989	0.01	0.00	380	269
10/15 (288-m)	41.2	53.7	65.7	42.1	48 55.7	48 69.5	48 84.0	1947	0.00	0.00	397	289
10/16 (289-t)	38.5	53.5	68.7	43.5	48 55.5	48 67.8	48 85.0	1947	0.00	0.00	263	247
10/17 (290-w)	51.1	64.4	77.4	43.1	48 54.4	48 65.8	48 85.0	1950	0.03	0.00	310	218
10/18 (291-t)	39.7	47.3	63.5	40.7	48 52.6	48 64.7	48 83.0	1950	0.53	0.00	109	218
10/19 (292-f)	32.5	42.6	53.0	39.7	47 51.0	47 62.5	47 86.0	1953	0.00	0.00	343	227
10/20 (293-s)	35.1	48.1	62.6	38.8	48 50.4	48 61.9	48 86.0	1953	0.00	0.00	329	161
10/21 (294-s)	43.8	57.4	71.0	40.7	48 52.2	48 63.6	48 86.0	1953	0.01	0.00	322	142
10/22 (295-m)	48.2	50.6	55.1	42.0	47 53.3	47 64.5	47 85.0	1947	0.47	0.00	37	177
10/23 (296-t)	37.0	49.0	58.6	42.5	48 53.3	48 64.5	48 85.0	1947	0.00	0.00	344	188
10/24 (297-w)	34.5	47.0	61.6	40.6	48 51.1	48 61.8	48 79.0	1963	0.00	0.00	244	173
10/25 (298-t)	31.6	41.4	49.4	39.2	48 49.5	48 60.0	48 80.0	1963	0.00	0.00	295	221
10/26 (299-f)	25.5	36.1	48.5	38.1	48 48.6	48 59.5	48 82.0	1963	0.00	0.00	368	254
10/27 (300-s)	29.8	45.5	59.7	38.1	48 49.5	48 60.8	48 78.0	1952	0.00	0.00	324	258
10/28 (301-s)	28.7	41.1	52.1	38.5	48 49.8	48 61.3	48 77.0	1946	0.00	0.00	250	259
10/29 (302-m)	24.9	37.6	53.1	38.4	47 48.9	46 59.7	46 79.0	1946	0.00	0.00	349	244
10/30 (303-t)	33.7	50.3	69.5	38.3	47 49.5	47 61.0	47 77.0	1971	0.00	0.00	318	238
10/31 (304-w)	40.7	55.1	71.2	41.3	47 51.8	47 62.6	47 83.0	1950	0.00	0.00	289	226
Column Min's:	24.9	36.1	48.5	38.1	48.6	59.5	91.0		0.00	0.00	37	142
Column Avg's:	41.6	52.8	64.8	42.5	54.0	65.7			0.16	0.08	273	240
Column Max's:	61.4	66.3	80.1	47.4	60.1	73.1			1.76	0.15	438	326
Column Ttl's:									4.85	2.38	8459	7444

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	prec	evap	ly	max													
mo da jul	Current	Long Term	avg yrs	avgmx yrs	liq	hum	ly/m	Lng-Term													
			avg	max	prec	%	avg	avg yrs													
11/01 (305-t)	41.3	55.9	73.1	21.0	1976	42.6	47	52.9	47	63.6	47	80.0	1950	0.00	46	0.12	46	312	0.85	231	9
11/02 (306-f)	47.4	57.3	71.1	21.0	1954	41.9	46	51.1	46	60.6	47	79.4	1987	0.00	40	0.15	42	260	0.97	190	8
11/03 (307-s)	45.8	57.8	71.5	17.0	1951	38.5	44	48.5	44	58.4	47	78.0	1987	0.00	47	0.08	45	285	0.94	184	8
11/04 (308-s)	48.3	58.6	74.0	18.0	1966	38.2	47	47.0	45	56.1	45	78.2	1987	0.00	56	0.18	43	246	0.94	147	9
11/05 (309-m)	38.0	51.5	60.9	22.0	1951	36.6	47	45.4	47	53.9	48	75.0	1959	0.50	68	0.14	42	34	0.19	128	9
11/06 (310-t)	30.9	38.8	42.3	21.9	1982	34.6	47	44.0	47	53.4	48	75.0	1977	0.00	64	0.08	41	77	0.24	183	9
11/07 (311-w)	26.9	36.0	49.0	16.0	1971	34.8	48	44.5	48	54.6	48	77.0	1975	0.00	74	0.09	44	140	1.10	135	9
11/08 (312-t)	22.9	33.3	42.0	11.0	1971	35.0	48	45.5	48	55.5	48	92.5	1985	0.01	79	0.10	42	295	0.84	166	8
11/09 (313-f)	35.2	38.5	42.7	17.0	1971	35.4	48	44.2	48	53.1	48	72.0	1975	0.50	84	0.12	44	35	0.13	145	9
11/10 (314-s)	34.4	40.0	47.7	19.0	1957	34.8	48	43.9	48	52.9	48	75.0	1975	0.00	85	0.23	48	185	1.08	103	9
11/11 (315-s)	24.2	38.1	49.4	12.9	1982	32.6	48	42.0	48	51.6	48	72.0	1949	0.00	73	0.06	45	266	1.01	138	8
11/12 (316-m)	24.9	35.2	48.5	17.0	1980	33.9	48	42.8	48	51.9	48	74.0	1945	0.00	76	0.04	43	252	0.82	188	9
11/13 (317-t)	23.9	33.6	45.8	11.8	1986	33.6	48	42.6	48	52.1	48	73.0	1955	0.00	73	0.06	46	285	0.82	181	9
11/14 (318-w)	29.0	40.7	56.8	10.8	1986	34.0	47	44.2	47	54.5	47	71.0	1955	0.00	70	0.11	48	268	0.77	191	9
11/15 (319-t)	39.4	52.7	68.5	17.0	1969	35.7	48	44.7	48	53.7	48	73.0	1964	0.00	73	0.13	42	270	0.76	128	9
11/16 (320-f)	39.0	50.5	65.6	13.0	1976	35.7	48	44.7	48	53.9	48	72.0	1971	0.09	83	0.21	46	184	0.80	128	9
11/17 (321-s)	30.9	38.5	48.4	10.0	1959	32.5	48	41.7	48	50.9	48	77.0	1958	0.00	81	0.06	43	259	0.77	170	9
11/18 (322-s)	27.6	35.3	46.0	11.0	1959	32.4	48	41.4	48	50.5	48	74.0	1958	0.00	84	0.07	44	216	1.21	125	9
11/19 (323-m)	34.5	40.2	45.6	13.0	1980	33.3	48	42.0	48	50.6	48	74.0	1953	0.00	82	0.12	44	56	0.24	126	9
11/20 (324-t)	38.0	45.1	54.5	14.0	1980	32.5	48	41.0	48	49.9	48	70.0	1953	0.00	76	0.20	44	235	0.71	122	9
11/21 (325-w)	37.6	49.7	66.2	12.0	1987	31.3	47	39.8	47	48.6	47	66.2	1990	0.00	77	0.09	44	166	0.72	163	9
11/22 (326-t)	38.1	51.6	56.2	11.0	1964	30.9	48	38.6	48	46.4	48	69.0	1979	0.50	94	0.07	36	12	0.08	133	9
11/23 (327-f)	35.3	42.3	52.6	11.0	1971	30.5	46	38.6	46	46.7	47	65.0	1963	0.01	81	0.13	41	219	1.00	141	9
11/24 (328-s)	35.2	44.6	52.8	4.0	1950	28.7	47	37.5	47	46.5	47	65.0	1974	0.00	69	0.08	48	131	0.83	141	9
11/25 (329-s)	46.0	52.0	62.3	5.0	1950	28.9	45	36.7	45	44.9	45	65.2	1987	0.00	70	0.11	45	171	1.00	147	9
11/26 (330-m)	42.4	55.7	67.5	12.0	1950	30.7	44	39.4	44	48.3	45	67.5	1990	0.00	80	0.19	45	184	0.81	109	9
11/27 (331-t)	60.8	64.8	72.1	9.0	1977	31.6	45	39.2	45	47.3	46	72.1	1990	0.04	85	0.14	45	155	0.87	86	9
11/28 (332-w)	30.6	47.8	65.8	7.0	1955	30.5	47	37.9	47	45.8	47	65.8	1990	0.17	89	0.15	44	34	0.25	72	9
11/29 (333-t)	24.6	31.5	41.3	9.0	1976	26.2	48	33.4	47	40.9	47	65.0	1960	0.00	82	0.07	43	260	0.81	120	9
11/30 (334-f)	21.1	31.7	42.0	-0.0	1958	25.6	47	32.9	47	40.3	47	66.0	1962	0.00	79	0.04	45	268	0.72	122	9

Column Min's:	21.1	31.5	41.3	0.0	25.6	32.9	40.3	0.00	40	0.04	72	0.08	72
Column Avg's:	35.1	45.0	56.1	42.3	51.2	63.6	92.5	0.06	74	0.11	145	0.74	145
Column Max's:	60.8	64.8	74.0	42.6	52.9	63.6	92.5	0.50	94	0.23	231	1.21	231
Column Ttl's:								1.82		3.42	5760		4343

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		S O L A R R A D I A T I O N															
	min	max	min	max	precip	evap	ly	max														
no da jul	avg	avg	avg	avg	liq	avg	ly/m	avg														
	yr	yr	yr	yr	yr	yr	yr	yr														
12/01 (335-s)	32.9	41.8	5.0	1976	25.2	48	33.8	48	42.6	48	67.0	1962	0.00	--	--	59	0.09	42	186	0.89	112	9
12/02 (336-s)	37.4	40.6	8.0	1966	27.5	47	35.5	47	43.5	47	71.1	1982	0.14	--	--	79	0.05	42	86	0.40	106	8
12/03 (337-m)	33.0	46.5	-1.0	1976	27.7	47	36.2	47	45.0	48	73.6	1982	1.13	--	--	94	0.14	41	32	0.24	107	8
12/04 (338-t)	24.2	26.7	6.0	1976	28.3	48	36.4	48	44.9	48	65.2	1982	0.01	--	--	83	0.09	42	120	0.82	116	9
12/05 (339-w)	19.2	27.9	6.0	1974	28.5	48	36.0	48	43.5	48	65.0	1960	0.00	--	--	77	0.09	44	233	0.71	107	8
12/06 (340-t)	29.7	35.8	2.7	1984	27.8	48	36.3	48	44.7	48	69.0	1956	0.00	--	--	78	0.10	40	186	0.81	123	9
12/07 (341-f)	26.9	33.1	-3.0	1977	27.4	48	35.0	48	42.7	48	66.0	1951	0.00	--	--	77	0.16	41	207	0.72	152	9
12/08 (342-s)	24.2	32.7	1.0	1977	28.4	48	35.3	48	42.9	48	68.0	1966	0.00	--	--	79	0.08	42	219	0.65	142	9
12/09 (343-s)	25.3	36.2	-2.0	1958	25.4	48	33.2	48	41.0	48	65.0	1952	0.00	--	--	87	0.14	43	226	0.66	154	9
12/10 (344-m)	33.1	40.6	-6.0	1958	24.6	48	31.5	48	38.2	48	60.0	1946	0.00	--	--	78	0.12	43	214	0.65	100	9
12/11 (345-t)	30.4	40.1	-8.0	1977	23.5	48	30.9	48	38.1	48	68.0	1971	0.00	--	--	78	0.12	42	218	0.65	101	9
12/12 (346-w)	37.0	47.3	-2.0	1962	25.6	48	32.6	48	39.5	48	63.0	1949	0.00	--	--	78	0.12	42	175	0.82	136	9
12/13 (347-t)	26.9	39.3	-4.0	1960	23.5	48	31.0	48	38.5	48	58.8	1984	0.00	--	--	82	0.06	42	171	0.73	114	9
12/14 (348-f)	22.2	30.1	2.0	1963	23.3	48	30.1	48	37.0	48	61.5	1984	0.01	--	--	78	0.10	40	222	0.68	136	9
12/15 (349-s)	33.8	43.7	-6.5	1989	21.4	48	29.6	48	37.9	48	63.0	1948	0.98	--	--	89	0.14	42	127	0.90	107	9
12/16 (350-s)	33.9	35.8	-11.0	1951	21.0	47	28.9	47	36.8	47	63.0	1948	0.00	--	--	89	0.07	43	55	0.42	95	9
12/17 (351-m)	34.2	38.2	-14.4	1989	20.5	48	28.7	48	37.3	48	65.1	1984	0.50	--	--	95	0.06	40	45	0.25	110	9
12/18 (352-t)	33.3	44.9	-6.0	1989	20.2	48	28.0	48	36.0	48	62.0	1967	1.40	--	--	97	0.11	44	12	0.07	112	9
12/19 (353-w)	26.2	30.7	-6.0	1963	21.7	47	28.7	47	35.9	47	57.0	1957	0.00	--	--	95	0.06	42	81	0.35	97	9
12/20 (354-t)	31.6	38.2	-7.0	1963	22.5	48	29.8	48	37.3	48	62.0	1949	0.01	--	--	92	0.11	41	98	0.45	116	9
12/21 (355-f)	45.0	51.2	-16.2	1989	22.1	46	29.7	46	37.7	47	66.0	1967	0.41	--	--	96	0.12	42	22	0.17	108	9
12/22 (356-s)	33.1	46.8	-23.1	1989	20.0	47	28.6	46	37.0	47	60.0	1949	0.45	--	--	96	0.07	41	29	0.26	115	9
12/23 (357-s)	19.6	26.8	-11.0	1989	22.5	47	29.9	46	37.4	46	60.0	1957	0.35	--	--	97	0.07	44	25	0.12	117	8
12/24 (358-m)	3.9	10.5	-14.3	1983	22.8	46	30.8	46	38.7	46	62.0	1964	0.00	--	--	83	0.09	41	219	0.77	107	9
12/25 (359-t)	5.2	16.8	-13.0	1983	20.8	47	29.1	47	37.5	47	62.6	1982	0.00	--	--	83	0.13	43	246	0.74	131	9
12/26 (360-w)	9.1	15.0	-6.0	1983	21.7	47	29.2	46	36.2	46	54.0	1971	0.00	--	--	79	0.08	39	151	0.55	106	9
12/27 (361-t)	10.4	19.4	-2.0	1950	22.6	47	30.8	47	38.5	47	67.0	1959	0.00	--	--	87	0.09	41	54	0.25	79	9
12/28 (362-f)	26.2	32.1	3.0	1950	21.9	47	30.1	46	38.2	46	64.9	1984	0.14	--	--	98	0.13	41	99	0.51	99	9
12/29 (363-s)	36.7	50.1	-4.2	1983	21.9	46	29.3	45	36.4	46	61.9	1984	0.01	--	--	96	0.09	44	31	0.19	109	9
12/30 (364-s)	25.5	41.6	-7.8	1983	22.9	44	30.7	44	39.3	45	61.0	1964	2.03	--	--	96	0.14	39	25	0.17	122	9
12/31 (365-m)	17.6	21.0	-10.0	1976	23.2	43	31.0	43	38.8	43	67.0	1951	0.13	--	--	91	0.07	42	77	0.61	99	8

Column Min's:	3.9	10.5	19.7	-23.1	20.0	28.0	35.9	0.00	59	0.05	12	0.07	79
Column Avg's:	26.7	34.9	44.0		23.8	31.5	39.3	0.25	86	0.10	126	0.52	114
Column Max's:	45.0	51.2	59.2		28.5	36.4	45.0	2.03	98	0.16	246	0.90	154
Column Ttl's:								7.70		3.09	3891		3535

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.