

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION		
	min	avg	min	year avg	max	prec	liq	evap	hum %	ly	max	avg	
no da jul	Current	Long Term	year	avgm	Long Term	prec	year	prec	avg	pr	ly/m	Lng-Trm	
01/01 (001-t)	16.4	26.1	34.3	16.4	1991	21.8	6	27.2	6	34.0	6	46.2	1989
01/02 (002-w)	25.9	29.9	33.2	14.7	1988	23.8	6	29.1	6	34.1	6	40.4	1986
01/03 (003-t)	20.3	24.0	28.5	15.2	1988	23.4	6	29.0	6	34.3	6	44.6	1990
01/04 (004-f)	19.1	22.5	29.4	3.4	1989	17.8	6	25.3	6	33.1	6	50.2	1990
01/05 (005-s)	18.8	27.3	35.5	3.9	1988	15.3	6	22.7	6	31.7	6	41.7	1987
01/06 (006-s)	29.8	30.8	32.5	5.5	1988	20.6	6	25.4	6	29.8	6	42.2	1987
01/07 (007-m)	15.9	25.2	30.2	-2.7	1988	19.0	6	26.6	6	34.3	6	48.5	1989
01/08 (008-t)	10.9	23.8	34.3	4.1	1986	17.7	6	25.8	6	34.6	6	51.3	1989
01/09 (009-w)	30.8	33.4	35.3	9.5	1989	20.7	6	26.9	6	32.2	6	44.5	1990
01/10 (010-t)	23.5	27.1	30.8	-2.7	1988	19.9	6	27.7	6	34.4	6	41.1	1989
01/11 (011-f)	24.8	31.1	36.2	1.2	1988	21.8	6	29.6	6	37.2	6	43.1	1990
01/12 (012-s)	22.0	30.3	36.9	20.9	1990	26.0	6	33.4	6	40.1	6	49.0	1989
01/13 (013-s)	21.1	26.3	31.2	10.4	1986	19.0	6	24.6	6	32.1	6	39.3	1988
01/14 (014-m)	28.2	32.6	36.0	4.1	1986	18.2	6	26.0	6	35.4	6	54.3	1987
01/15 (015-t)	32.5	38.6	51.0	-9.9	1986	21.5	6	29.9	6	38.2	6	51.0	1991
01/16 (016-w)	32.0	41.9	50.0	15.3	1986	27.1	6	35.2	6	42.1	6	51.6	1990
01/17 (017-t)	27.1	31.1	33.3	19.6	1987	33.7	6	38.2	6	41.9	6	55.4	1990
01/18 (018-f)	26.0	30.0	33.5	26.0	1991	31.0	6	36.8	6	44.0	6	56.3	1990
01/19 (019-s)	28.1	37.8	47.4	22.3	1987	27.7	6	33.8	6	39.7	6	47.4	1991
01/20 (020-s)	23.0	35.5	44.0	18.6	1989	26.0	6	33.3	6	40.1	6	57.3	1988
01/21 (021-m)	12.4	15.5	23.0	12.4	1991	21.1	6	25.6	6	32.4	6	39.1	1986
01/22 (022-t)	6.8	14.3	23.1	6.8	1991	21.3	6	27.5	6	34.5	6	45.0	1989
01/23 (023-w)	15.6	23.3	31.5	1.9	1987	19.8	6	27.8	6	36.9	6	55.3	1989
01/24 (024-t)	15.4	19.2	23.0	-1.5	1987	19.8	6	26.8	6	33.4	6	51.7	1990
01/25 (025-f)	11.5	13.9	16.2	-4.2	1987	19.6	6	26.6	6	34.7	6	56.0	1990
01/26 (026-s)	8.4	16.6	23.9	4.1	1987	16.1	6	23.6	6	31.3	6	49.6	1989
01/27 (027-s)	12.4	23.7	33.0	3.4	1986	13.2	6	23.0	6	31.1	6	52.5	1990
01/28 (028-m)	18.1	29.3	38.7	2.3	1986	15.0	6	23.6	6	33.6	6	54.0	1989
01/29 (029-t)	14.8	27.9	42.5	5.5	1986	20.5	6	28.7	6	36.9	6	45.8	1989
01/30 (030-w)	25.2	27.8	31.4	11.5	1986	27.8	6	32.3	6	37.9	6	53.9	1988
01/31 (031-t)	12.2	19.1	25.5	9.5	1986	25.1	6	32.4	6	41.3	6	59.6	1989
Column Min's:	6.8	13.9	16.2	-9.9		13.2		22.7		29.8		0.00	0.00
Column Avg's:	20.3	27.0	33.4			21.7		28.5		35.7		0.08	0.08
Column Max's:	32.5	41.9	51.0			33.7		38.2		44.0		0.37	0.37
Column Ttl's:												59.6	2.39
												1.33	1.33
												3775	3775
												19	19
												122	122
												264	264
												78	78
												164	164
												0.09	0.09
												0.04	0.04
												0.18	0.18
												1.24	1.24
												3775	3775

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max
mo da jul	Current	Current	Long Term	Long Term	liq	hum	Term	Lng-Term
	avg	avg	avg yrs	avg yrs	prec	avg pr	avg yrs	avg yrs
02/01 (032-f)	9.9	22.8	34.9	45.8	0.00	69	6	99
02/02 (033-s)	34.5	40.3	49.1	38.5	0.00	55	6	81
02/03 (034-s)	31.1	43.0	55.7	37.0	0.00	66	6	117
02/04 (035-m)	36.2	47.2	60.1	30.3	0.00	64	6	124
02/05 (036-t)	33.4	43.1	50.8	35.9	0.02	97	6	132
02/06 (037-w)	33.0	34.7	38.2	25.0	0.10	100	6	191
02/07 (038-t)	32.6	34.1	36.7	33.0	0.00	99	6	172
02/08 (039-f)	31.6	35.9	46.5	27.6	0.00	87	6	191
02/09 (040-s)	28.9	32.5	34.8	26.1	0.00	97	6	152
02/10 (041-s)	26.0	31.5	37.1	24.3	0.00	85	6	263
02/11 (042-m)	19.0	22.2	26.0	24.4	0.00	64	6	193
02/12 (043-t)	20.4	23.5	27.8	23.9	0.00	67	6	228
02/13 (044-w)	26.2	30.2	35.0	25.9	0.28	82	6	161
02/14 (045-t)	25.8	31.2	35.1	26.2	0.20	98	6	155
02/15 (046-f)	9.0	14.7	25.8	23.6	0.00	88	6	131
02/16 (047-s)	9.7	15.8	21.8	23.0	0.00	72	6	205
02/17 (048-s)	19.6	27.4	32.5	27.3	0.06	94	6	198
02/18 (049-m)	24.9	33.5	41.1	29.4	0.04	92	6	262
02/19 (050-t)	35.9	45.1	51.5	32.6	0.19	97	6	205
02/20 (051-w)	30.2	32.8	36.1	30.3	0.00	88	6	193
02/21 (052-t)	34.0	42.3	52.8	30.3	0.00	75	6	233
02/22 (053-f)	21.8	36.5	50.2	34.3	0.02	84	6	177
02/23 (054-s)	17.3	20.5	25.4	25.9	0.00	77	6	185
02/24 (055-s)	22.0	33.0	46.2	24.5	0.00	69	6	283
02/25 (056-m)	25.8	28.5	31.5	20.5	0.01	93	6	240
02/26 (057-t)	18.3	23.2	29.5	24.0	0.01	86	6	209
02/27 (058-w)	17.5	24.2	30.2	26.6	0.10	87	6	223
02/28 (059-t)	22.7	31.6	40.6	27.3	0.07	93	6	251
Column Min's:	9.0	14.7	21.8	20.5	0.00	55	6	81
Column Avg's:	24.9	31.5	38.7	27.3	0.04	83	6	188
Column Max's:	36.2	47.2	60.1	34.9	0.28	100	6	283
Column Ttl's:				64.4	1.10		4935	5254

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION		Long Term avg yrs											
	min	avg	min	year	avgm	yr	prec	liq	evap	hum		ly	max Ly/m	Lng-Trm avg yrs								
11/01 (305-f)	36.0	55.8	69.4	35.5	1988	40.4	6	50.8	6	61.2	6	72.2	1990	0.00	0.00	68	0.06	6	221	0.85	178	6
11/02 (306-s)	30.1	38.4	51.8	30.1	1991	39.6	6	47.4	6	57.7	6	74.0	1987	0.00	0.00	72	0.01	6	68	0.29	143	6
11/03 (307-s)	25.3	30.0	34.9	25.3	1991	39.2	6	46.6	6	55.4	6	74.9	1987	0.00	0.00	58	0.06	6	237	0.97	225	6
11/04 (308-m)	17.9	24.1	32.3	17.9	1991	37.7	6	45.8	6	54.2	6	69.6	1990	0.00	0.00	58	0.02	6	274	0.83	170	6
11/05 (309-t)	16.8	25.8	34.9	16.8	1991	35.3	6	44.0	6	53.8	6	62.6	1988	0.00	0.00	57	0.18	6	275	0.79	132	6
11/06 (310-w)	30.8	37.1	42.5	30.8	1991	36.2	6	41.7	6	48.3	6	58.6	1989	0.00	0.00	54	0.03	6	70	0.30	102	6
11/07 (311-t)	29.8	30.9	34.2	29.8	1991	35.6	6	40.7	6	45.7	6	55.8	1986	0.25	0.25	85	0.21	6	42	0.26	77	6
11/08 (312-f)	26.7	29.3	32.5	26.7	1991	38.7	6	44.4	6	50.9	6	66.5	1986	0.00	0.00	67	0.08	6	119	0.88	96	6
11/09 (313-s)	22.4	29.9	38.8	22.4	1991	33.7	6	41.2	6	49.7	6	55.9	1989	0.00	0.00	68	0.06	6	195	1.02	153	6
11/10 (314-s)	18.4	32.6	42.7	18.4	1991	32.0	6	38.3	6	43.9	6	58.4	1988	0.09	0.09	80	0.20	6	254	0.83	112	6
11/11 (315-m)	34.3	37.9	41.3	30.5	1987	33.2	6	37.5	6	42.8	6	52.8	1989	0.11	0.11	87	0.07	6	43	0.25	82	6
11/12 (316-t)	32.9	36.8	40.7	28.3	1988	31.2	6	37.6	6	44.2	6	51.5	1988	0.24	0.24	91	0.04	6	45	0.35	145	6
11/13 (317-w)	34.9	37.4	42.7	18.8	1986	31.6	6	39.4	6	48.1	6	71.7	1989	0.00	0.00	88	0.07	6	121	0.82	126	6
11/14 (318-t)	33.4	45.3	57.4	17.4	1986	33.8	6	43.0	6	52.3	6	67.5	1989	0.03	0.03	81	0.01	6	183	0.66	190	6
11/15 (319-f)	47.2	51.3	58.6	25.9	1986	39.1	6	49.5	6	60.6	6	71.8	1990	0.37	0.37	84	0.19	6	72	0.84	158	6
11/16 (320-s)	36.7	42.5	50.5	30.6	1989	38.4	6	46.8	6	57.7	6	67.4	1988	0.08	0.08	80	0.19	6	106	1.03	103	6
11/17 (321-s)	24.8	34.7	47.1	23.6	1989	33.7	7	40.7	7	46.9	7	63.2	1987	0.00	0.00	74	0.05	7	233	0.68	159	7
11/18 (322-m)	35.3	48.3	57.3	22.4	1989	31.4	7	39.7	7	47.4	7	59.4	1985	0.11	0.11	54	0.04	7	97	0.46	111	7
11/19 (323-t)	54.4	59.1	62.1	20.2	1989	36.6	7	42.9	7	50.0	7	72.1	1985	0.53	0.53	85	0.09	7	53	0.32	119	7
11/20 (324-w)	46.1	58.1	68.9	22.3	1987	33.2	7	41.4	7	52.1	7	68.9	1991	0.24	0.24	84	0.23	7	62	0.51	93	7
11/21 (325-t)	44.5	45.6	47.3	18.7	1987	31.3	7	35.2	7	39.3	7	53.6	1990	0.08	0.08	90	0.01	7	37	0.21	73	7
11/22 (326-f)	43.4	44.8	47.3	19.5	1987	31.3	7	37.1	7	42.2	7	55.5	1990	0.00	0.00	91	0.16	7	44	0.18	99	7
11/23 (327-s)	38.0	45.5	49.9	21.1	1989	31.4	7	38.5	7	45.1	7	52.3	1990	0.05	0.05	87	0.02	7	51	0.34	111	7
11/24 (328-s)	25.2	30.5	38.0	22.4	1989	29.5	7	35.4	7	43.4	7	50.6	1987	0.03	0.03	80	0.03	7	75	0.68	108	7
11/25 (329-m)	23.2	25.4	28.4	23.2	1991	31.1	7	38.9	7	46.9	7	61.6	1987	0.07	0.07	90	0.08	7	56	0.30	105	7
11/26 (330-t)	14.2	24.1	32.9	14.2	1991	32.5	7	42.0	7	50.8	7	61.2	1988	0.07	0.07	82	0.16	7	121	0.58	96	7
11/27 (331-w)	19.9	32.7	39.6	19.9	1991	34.1	7	44.2	7	53.2	7	72.5	1990	0.00	0.00	72	0.04	7	81	0.62	105	7
11/28 (332-t)	38.8	40.9	44.3	27.5	1989	33.5	7	40.7	7	49.6	7	68.5	1990	0.18	0.18	88	0.08	7	25	0.12	68	7
11/29 (333-f)	43.1	51.4	58.4	22.7	1989	33.2	7	37.8	7	41.6	7	58.4	1991	0.19	0.19	81	0.08	7	31	0.20	64	7
11/30 (334-s)	39.7	55.2	66.1	26.7	1986	32.2	7	39.1	7	45.2	7	66.1	1991	0.05	0.05	73	0.01	7	86	0.32	87	7
Column Min's:	14.2	24.1	28.4	14.2		29.5		35.2		39.3				0.00	0.00	54	0.01		25	0.12	64	
Column Avg's:	32.1	39.4	46.4	34.4		49.3		41.6		49.3				0.09	0.09	77	0.09		113	0.55	120	
Column Max's:	54.4	59.1	69.4	40.4		61.2		50.8		61.2		74.9		0.53	0.53	91	0.23		275	1.03	225	
Column Ttl's:														2.77	2.77		2.56		3377		3590	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
Current.....	Long Term.....	Long Term.....	Long Term.....	Long Term.....	Long Term.....							
	min	avg	min	avg	max	avg	prec	evap	hum	ly	max	avg						
12/01 (335-s)	38.5	39.6	40.7	37.1	7	42.7	7	59.6	1985	0.00	--	82	0.05	7	40	0.30	81	7
12/02 (336-m)	31.8	35.6	38.8	32.8	7	40.2	7	50.4	1985	0.57	--	73	0.16	7	88	0.57	88	7
12/03 (337-t)	30.5	37.4	48.2	33.0	7	40.9	7	52.6	1988	0.29	--	87	0.24	7	12	0.14	65	7
12/04 (338-w)	15.8	21.9	30.5	27.9	7	33.4	7	42.2	1990	0.00	--	83	0.05	7	80	0.77	87	7
12/05 (339-t)	11.5	18.8	29.4	29.0	7	33.8	7	40.3	1988	0.00	--	85	0.00	7	118	0.49	72	7
12/06 (340-f)	24.6	28.4	35.7	33.5	7	39.6	7	54.8	1988	0.00	--	81	0.02	7	62	0.79	70	7
12/07 (341-s)	28.5	44.2	51.3	33.9	7	39.3	7	51.3	1991	0.23	--	78	0.03	7	85	0.73	78	7
12/08 (342-s)	46.5	53.4	59.1	35.9	7	41.5	7	59.1	1991	0.00	--	81	0.00	7	74	0.39	89	7
12/09 (343-m)	35.4	42.4	61.3	36.8	7	46.2	7	61.3	1991	0.06	--	85	0.02	7	60	0.25	91	7
12/10 (344-t)	31.6	38.6	47.1	33.6	7	40.0	7	47.2	1990	0.00	--	75	0.00	7	187	0.60	81	7
12/11 (345-w)	34.1	39.0	47.6	31.8	7	37.7	7	47.6	1991	0.00	--	86	0.04	7	124	0.56	107	7
12/12 (346-t)	32.3	44.7	58.0	32.7	7	39.4	7	58.0	1991	0.14	--	77	0.04	7	46	0.28	83	7
12/13 (347-f)	42.2	48.1	59.6	31.1	7	38.7	7	59.6	1991	0.08	--	86	0.03	7	35	0.17	60	7
12/14 (348-s)	27.6	36.6	44.3	27.9	7	36.0	7	44.5	1988	0.13	--	82	0.06	7	39	0.63	96	7
12/15 (349-s)	19.1	27.0	31.3	27.6	7	36.4	7	51.7	1987	0.00	--	72	0.12	7	98	0.64	70	7
12/16 (350-m)	17.8	19.1	21.2	25.6	7	28.8	7	38.9	1990	0.00	--	73	0.01	7	86	0.42	65	7
12/17 (351-t)	21.1	30.1	38.3	24.8	7	30.3	7	44.3	1990	0.00	--	74	0.03	7	54	0.46	87	7
12/18 (352-w)	18.3	22.9	29.7	24.4	7	30.8	7	55.0	1990	0.00	--	71	0.12	7	72	0.50	77	7
12/19 (353-t)	11.1	19.9	30.9	25.7	7	32.9	7	46.7	1988	0.00	--	75	0.06	7	128	0.74	110	7
12/20 (354-f)	11.3	26.1	37.1	30.6	7	37.4	7	57.1	1988	0.06	--	65	0.06	7	128	0.54	81	7
12/21 (355-s)	32.3	34.1	35.8	29.8	7	36.4	7	59.3	1990	0.18	--	88	0.09	7	87	0.71	100	7
12/22 (356-s)	26.5	32.6	40.5	29.0	7	36.1	7	58.9	1990	0.00	--	81	0.06	7	188	0.59	108	7
12/23 (357-m)	31.4	35.2	37.1	31.2	7	36.8	7	54.9	1988	0.05	--	88	0.19	7	19	0.09	72	7
12/24 (358-t)	27.0	30.8	36.5	24.9	6	34.4	6	48.8	1987	0.00	--	74	0.02	6	107	0.64	97	6
12/25 (359-w)	23.2	31.9	34.8	26.3	7	31.3	7	51.2	1987	0.00	--	74	0.02	7	36	0.13	67	6
12/26 (360-t)	22.9	30.4	39.5	22.6	7	28.6	7	39.5	1991	0.00	--	82	0.00	7	165	0.80	101	7
12/27 (361-f)	22.5	32.5	39.2	27.0	7	34.0	7	51.6	1988	0.00	--	89	0.02	7	63	0.34	80	7
12/28 (362-s)	20.9	30.4	36.8	27.3	7	33.3	7	43.6	1988	0.09	--	87	0.13	7	99	0.46	86	7
12/29 (363-s)	32.3	35.7	38.9	29.8	7	36.1	7	60.5	1990	0.16	--	92	0.12	7	30	0.15	87	7
12/30 (364-m)	19.8	29.5	35.3	28.3	7	36.7	7	58.0	1990	0.01	--	87	0.28	7	65	0.58	89	6
12/31 (365-t)	17.1	24.4	36.5	30.3	7	36.2	7	44.5	1989	0.00	--	84	0.08	7	204	0.62	65	7
Column Min's:	11.1	18.8	21.2	22.6		28.6				0.00		65	0.00		12	0.09	60	
Column Avg's:	26.0	32.9	40.4	29.7		36.3				0.57		81	0.07		86	0.49	84	
Column Max's:	46.5	53.4	61.3	37.1		46.2		61.3		0.28		92	0.28		204	0.80	110	
Column Ttl's:										2.05			2.15		2679		2590	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION												
	min	avg	min	year	avgm	yr	avg	yr	avg	yr	prec	snow	evap	hum	ly	ly/m	max	Lng.Trm					
mo da jul	Current				
03/01 (060-f)	40.6	51.6	61.6	5.5	1986	22.6	6	31.2	6	39.2	6	61.6	1991	0.01	--	--	58	0.09	6	283	1.13	310	6
03/02 (061-s)	38.9	57.7	68.9	8.6	1989	26.7	6	37.0	6	47.6	6	68.9	1991	0.04	--	--	88	0.01	6	256	1.29	271	6
03/03 (062-s)	29.1	31.6	38.8	17.9	1990	24.2	6	28.6	6	36.1	6	42.0	1986	0.48	--	--	100	0.08	6	44	0.16	185	6
03/04 (063-m)	24.0	28.1	30.5	14.7	1988	22.4	6	29.2	6	35.6	6	61.7	1989	0.28	--	--	98	0.05	6	117	0.64	183	6
03/05 (064-t)	19.0	33.3	44.6	10.4	1988	20.0	6	29.2	6	40.0	6	47.0	1989	0.03	--	--	85	0.04	6	392	1.32	279	6
03/06 (065-w)	35.8	44.2	48.4	14.3	1990	22.9	6	31.4	6	38.8	6	60.1	1987	0.74	--	--	86	0.15	6	48	0.26	243	6
03/07 (066-t)	26.7	29.3	35.9	4.8	1990	19.7	6	27.5	6	35.7	6	67.5	1987	0.00	--	--	81	0.00	6	220	1.62	388	6
03/08 (067-f)	20.4	25.6	29.6	-4.9	1986	18.1	6	31.6	6	43.3	6	65.6	1987	0.00	--	--	81	0.00	6	311	1.48	390	6
03/09 (068-s)	22.0	31.1	40.7	16.8	1989	25.3	6	35.3	6	46.0	6	54.1	1988	0.00	--	--	86	0.09	6	197	0.83	161	6
03/10 (069-s)	27.3	31.1	34.6	14.8	1987	27.4	6	35.7	6	43.7	6	67.8	1986	0.01	--	--	95	0.12	6	203	1.27	315	6
03/11 (070-m)	22.0	25.9	28.7	10.9	1987	27.2	6	35.8	6	47.4	6	61.6	1989	0.00	--	--	65	0.00	6	484	1.18	325	6
03/12 (071-t)	14.9	23.6	29.4	14.9	1991	28.6	6	37.6	6	44.5	6	76.0	1990	0.00	--	--	79	0.06	6	469	1.17	245	6
03/13 (072-w)	21.7	30.0	37.1	14.8	1989	29.0	6	38.9	6	48.6	6	73.7	1990	0.00	--	--	78	0.04	6	355	1.25	261	6
03/14 (073-t)	28.5	32.2	37.6	19.9	1988	33.6	6	42.0	6	50.3	6	80.0	1990	0.00	--	--	89	0.04	6	457	1.60	261	6
03/15 (074-f)	22.0	32.0	42.1	18.3	1988	31.6	6	39.4	6	49.4	6	80.0	1990	0.00	--	--	84	0.02	6	508	1.17	306	6
03/16 (075-s)	19.8	31.0	42.8	19.8	1991	28.4	6	35.7	6	43.0	6	61.6	1990	0.00	--	--	82	0.01	6	503	1.20	304	6
03/17 (076-s)	21.3	40.5	57.4	21.1	1988	27.9	6	36.5	6	44.4	6	57.4	1991	0.02	--	--	60	0.03	6	357	1.21	339	6
03/18 (077-m)	32.3	40.9	48.5	19.5	1987	27.4	6	35.9	6	43.0	6	53.9	1986	0.32	--	--	96	0.16	6	72	1.09	219	6
03/19 (078-t)	33.1	39.4	47.2	19.3	1989	26.0	6	34.7	6	42.9	6	62.5	1986	0.02	--	--	87	0.04	6	251	1.26	276	6
03/20 (079-w)	28.0	39.4	50.7	12.9	1986	20.9	6	29.0	6	37.1	6	50.7	1991	0.00	--	--	78	0.04	6	459	1.21	342	6
03/21 (080-t)	36.7	52.1	67.2	7.7	1988	20.7	6	31.1	6	39.5	6	67.2	1991	0.00	--	--	70	0.01	6	356	1.35	417	6
03/22 (081-f)	35.1	37.5	42.1	5.4	1988	23.9	6	34.9	6	46.6	6	65.8	1990	0.11	--	--	97	0.03	6	158	0.82	387	6
03/23 (082-s)	37.4	55.7	69.4	21.8	1989	30.5	6	44.1	6	57.6	6	72.8	1988	0.39	--	--	81	0.07	6	249	1.42	371	6
03/24 (083-s)	36.1	39.7	51.0	21.4	1990	33.0	6	41.0	6	51.1	6	70.3	1987	0.29	--	--	94	0.07	6	90	1.29	291	6
03/25 (084-m)	29.6	38.6	43.9	21.4	1990	34.7	6	46.9	6	59.2	6	73.9	1986	0.00	--	--	90	0.21	6	301	1.35	344	6
03/26 (085-t)	28.9	45.0	54.4	17.8	1990	33.8	6	45.8	6	57.4	6	73.9	1986	0.00	--	--	86	0.04	6	142	0.44	269	6
03/27 (086-w)	53.1	63.7	74.5	14.8	1990	35.7	6	44.7	6	54.8	6	80.9	1989	0.04	--	--	76	0.02	6	220	1.26	291	6
03/28 (087-t)	38.7	46.0	68.3	23.6	1988	33.7	6	45.1	6	59.4	6	78.3	1989	0.82	--	--	71	0.27	6	476	1.52	405	6
03/29 (088-f)	27.6	33.4	46.6	27.6	1991	37.5	6	49.7	6	64.3	6	78.6	1986	0.00	--	--	79	0.02	6	276	1.03	338	6
03/30 (089-s)	21.3	28.0	33.5	21.3	1991	33.1	6	43.4	6	55.0	6	83.4	1986	0.00	--	--	70	0.31	6	373	1.71	210	6
03/31 (090-s)	20.8	34.8	49.8	20.8	1991	29.8	6	37.4	6	44.8	6	61.7	1986	0.01	--	--	72	0.07	6	512	1.35	320	6

Column Min's:	14.9	23.6	28.7	-4.9	18.1	27.5	35.6
Column Avg's:	28.8	37.8	47.0	27.6	37.0	46.7	58
Column Max's:	53.1	63.7	74.5	37.5	49.7	64.3	82
Column Ttl's:				83.4			100
							2.19
							9139
							44
							295
							512
							1.71
							9246

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	min	max	Long Term	Long Term	prec	evap	ly	max									
mo da jul	Current	Year	Year	avg yrs	avg pr yrs	liq	hum	ly/m	Ly/m									
	avgm	max	avgm	max	prec	%	ly	avg									
	Yrs	Yrs	Yrs	Yrs									
	Yrs	Yrs	Yrs	Yrs									
04/01 (091-m)	33.1	36.3	39.2	17.6	1987	32.3	6	40.9	6	50.5	6	80.7	1986	0.19	93	127	0.70	265	6
04/02 (092-t)	23.2	32.2	37.6	23.2	1991	33.2	6	40.3	6	49.4	6	67.4	1988	0.00	82	356	1.80	296	6
04/03 (093-w)	20.8	34.8	49.4	20.8	1991	34.4	6	41.8	6	49.3	6	64.1	1988	0.00	80	599	1.32	263	6
04/04 (094-t)	32.7	54.2	74.3	30.3	1987	37.3	6	45.2	6	54.2	6	74.3	1991	0.00	46	433	1.29	277	6
04/05 (095-f)	50.7	53.9	59.3	31.6	1990	39.4	6	47.3	6	58.0	6	78.1	1988	0.26	92	187	1.08	294	6
04/06 (096-s)	51.6	63.3	75.9	24.4	1990	40.0	6	48.8	6	57.7	6	78.0	1988	0.00	69	377	1.55	315	6
04/07 (097-s)	56.5	68.4	79.6	25.8	1990	37.6	6	45.9	6	54.7	6	79.6	1991	0.00	59	555	1.30	398	6
04/08 (098-m)	63.7	68.2	77.0	24.3	1989	37.1	6	44.7	6	53.3	6	77.0	1991	0.22	78	259	1.35	441	6
04/09 (099-t)	49.7	65.2	76.7	27.2	1989	35.1	6	44.5	6	53.5	6	76.7	1991	1.15	87	314	1.57	409	6
04/10 (100-w)	36.5	41.7	50.7	23.1	1989	32.0	6	39.6	6	47.4	6	62.1	1987	0.02	83	170	1.68	347	6
04/11 (101-t)	33.5	37.5	42.9	25.1	1989	31.2	6	38.2	6	45.3	6	62.7	1987	0.00	77	571	1.40	395	6
04/12 (102-f)	30.2	39.1	45.2	28.1	1986	32.3	6	40.1	6	48.8	6	62.6	1988	0.00	71	622	1.50	497	6
04/13 (103-s)	40.4	46.3	49.6	24.6	1986	33.9	6	42.5	6	51.4	6	60.8	1988	0.01	75	75	0.42	447	6
04/14 (104-s)	42.8	46.4	49.9	28.7	1986	36.5	6	48.5	6	58.3	6	67.4	1987	0.29	94	135	0.85	303	6
04/15 (105-m)	46.7	53.0	65.7	30.3	1989	39.3	6	46.9	6	56.1	6	65.7	1991	0.24	83	257	1.77	255	6
04/16 (106-t)	50.0	52.3	55.3	26.3	1989	36.3	6	44.7	6	52.7	6	61.5	1990	0.01	68	193	1.60	322	6
04/17 (107-w)	37.3	47.0	54.8	31.7	1990	37.1	6	47.4	6	59.5	6	70.1	1989	0.00	75	513	1.82	423	6
04/18 (108-t)	30.5	42.0	50.0	27.4	1989	32.8	6	41.5	6	53.3	6	64.7	1987	0.00	83	588	1.40	492	6
04/19 (109-f)	39.9	47.1	52.1	26.0	1989	34.5	6	48.2	6	59.9	6	75.8	1986	0.95	94	89	0.53	490	6
04/20 (110-s)	41.2	45.2	48.7	28.4	1989	41.9	6	51.5	6	60.4	6	74.8	1987	0.22	97	54	0.19	289	6
04/21 (111-s)	38.9	40.0	41.5	29.6	1988	37.9	6	46.3	6	55.7	6	78.1	1987	0.27	99	58	0.19	356	6
04/22 (112-m)	39.0	45.2	54.0	27.3	1989	33.0	6	41.3	6	49.8	6	59.4	1990	0.04	76	399	1.85	478	6
04/23 (113-t)	38.1	51.6	62.2	26.3	1989	36.1	6	48.0	6	61.0	6	73.1	1988	0.00	58	410	1.82	489	6
04/24 (114-w)	41.8	46.6	51.7	25.3	1989	36.1	6	47.6	6	57.8	6	82.7	1990	0.05	84	432	1.83	480	6
04/25 (115-t)	38.9	50.0	61.3	30.0	1988	42.2	6	53.5	6	65.9	6	81.2	1990	0.00	75	607	1.43	567	6
04/26 (116-f)	46.9	58.5	70.7	36.7	1988	44.7	6	56.3	6	68.1	6	79.9	1990	0.00	59	338	1.84	510	6
04/27 (117-s)	47.0	63.7	78.4	34.0	1987	43.4	6	56.9	6	71.7	6	83.9	1990	0.00	69	550	1.37	492	6
04/28 (118-s)	51.1	61.7	76.9	34.0	1987	48.4	6	56.2	6	65.9	6	88.8	1986	0.03	84	347	1.26	375	6
04/29 (119-m)	52.2	67.6	77.3	35.6	1987	44.7	6	53.8	6	64.7	6	77.3	1991	0.09	85	349	1.31	309	6
04/30 (120-t)	59.0	67.6	73.9	30.7	1987	44.3	6	54.0	6	63.4	6	75.7	1990	0.00	59	552	1.71	468	6
Column Min/s:	20.8	32.2	37.6	17.6		31.2		38.2		45.3		88.8		0.00	46	54	0.19	255	
Column Avg/s:	42.1	50.9	59.4	37.5		46.7		46.7		56.6		88.8		0.13	78	351	1.32	391	
Column Max/s:	63.7	68.4	79.6	48.4		56.9		56.9		71.7		88.8		1.15	99	622	1.85	567	
Column Ttl/s:														4.04		10516		11742	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	liq	ly	max Lng-Trm ly/m avg yrs
05/01 (121-w)	50.2	57.3	76.1	61.6	0.06	0.06	369	1.65
05/02 (122-t)	45.0	49.2	54.2	55.4	0.01	0.01	350	2.18
05/03 (123-f)	35.3	43.0	49.9	51.6	0.00	0.00	385	1.42
05/04 (124-s)	35.2	46.1	55.6	60.6	0.00	0.00	614	1.79
05/05 (125-s)	38.2	55.5	66.6	63.5	0.21	0.21	555	1.44
05/06 (126-m)	44.6	54.8	63.4	64.5	0.00	0.00	426	1.51
05/07 (127-t)	43.9	50.6	59.0	61.1	0.00	0.00	585	1.93
05/08 (128-w)	35.4	48.8	58.4	67.3	0.00	0.00	661	1.49
05/09 (129-t)	49.0	57.2	71.1	71.0	0.16	0.16	316	1.22
05/10 (130-f)	46.7	58.3	69.9	66.7	0.00	0.00	689	1.43
05/11 (131-s)	47.3	63.9	77.5	64.6	0.00	0.00	689	1.43
05/12 (132-s)	61.0	69.9	81.6	66.2	0.00	0.00	464	1.74
05/13 (133-m)	58.4	71.9	82.4	68.4	0.00	0.00	635	1.36
05/14 (134-t)	56.7	69.2	78.6	69.6	0.00	0.00	668	1.47
05/15 (135-w)	53.2	69.5	82.5	70.8	0.00	0.00	710	1.47
05/16 (136-t)	63.9	75.8	90.1	73.4	0.00	0.00	520	1.38
05/17 (137-f)	48.1	67.0	76.7	72.8	0.00	0.00	282	1.25
05/18 (138-s)	46.0	51.6	57.4	67.0	0.01	0.01	582	1.95
05/19 (139-s)	46.7	58.1	70.3	67.6	0.00	0.00	644	1.91
05/20 (140-m)	45.9	61.0	73.3	68.3	0.00	0.00	659	1.78
05/21 (141-t)	57.5	67.4	76.9	68.7	0.00	0.00	632	1.69
05/22 (142-w)	54.4	69.0	82.3	72.8	0.00	0.00	721	1.44
05/23 (143-t)	58.8	72.4	86.9	69.1	0.00	0.00	697	1.45
05/24 (144-f)	66.0	73.8	85.5	68.7	0.30	0.30	478	1.73
05/25 (145-s)	68.3	74.3	88.1	71.1	0.27	0.27	521	1.85
05/26 (146-s)	68.7	74.8	81.7	65.3	0.52	0.52	296	1.85
05/27 (147-m)	68.0	73.1	79.8	65.1	0.02	0.02	268	1.26
05/28 (148-t)	66.8	74.6	84.2	65.6	0.00	0.00	644	1.40
05/29 (149-w)	67.4	76.7	86.4	67.6	0.00	0.00	560	1.55
05/30 (150-t)	70.0	77.4	84.1	70.1	0.08	0.08	577	1.58
05/31 (151-f)	68.4	73.8	81.7	69.1	0.02	0.02	635	1.65
Column Min's:	35.2	43.0	49.9	51.6	0.00	0.00	268	1.22
Column Avg's:	53.7	64.1	74.6	68.6	0.05	0.13	543	1.59
Column Max's:	70.0	77.4	90.1	80.2	0.52	0.32	721	2.18
Column Ttl's:					1.66	3.88	16832	15198

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION												
	min	max	min	year avg	Long Term avg	max	prec	evap	% hum	Long Term avg	ly	max	Lng-Term avg										
06/01 (152-s)	57.7	68.4	75.9	44.6	1990	55.4	6	68.4	6	80.2	6	85.0	1986	0.11	--	--	86	0.15	6	611	1.88	528	6
06/02 (153-s)	51.8	65.0	76.2	41.2	1986	54.0	6	62.9	6	72.4	6	85.0	1987	0.00	--	--	81	0.14	6	529	1.90	585	6
06/03 (154-m)	52.8	66.3	77.6	38.3	1986	51.6	6	63.3	6	74.6	6	81.8	1989	0.00	--	--	78	0.17	6	742	1.46	646	6
06/04 (155-t)	53.1	60.1	66.5	39.4	1990	47.7	6	58.6	6	67.1	6	77.6	1986	0.00	--	--	83	0.00	6	713	1.81	648	6
06/05 (156-w)	46.5	60.1	71.2	36.7	1990	48.4	6	60.5	6	70.2	6	76.4	1988	0.00	--	--	73	0.38	6	778	1.51	526	6
06/06 (157-t)	47.9	62.8	75.2	46.5	1989	51.8	6	63.9	6	74.7	6	83.3	1988	0.00	--	--	76	0.12	6	748	1.80	568	6
06/07 (158-f)	46.1	61.9	73.8	46.1	1991	55.1	6	68.0	6	79.2	6	83.4	1989	0.00	--	--	73	0.05	6	759	1.51	641	6
06/08 (159-s)	47.9	64.9	78.3	46.9	1988	54.6	6	66.4	6	75.9	6	81.4	1987	0.00	--	--	66	0.05	6	754	1.49	542	6
06/09 (160-s)	52.0	68.6	81.6	43.0	1988	52.5	6	62.6	6	71.3	6	83.1	1990	0.00	--	--	71	0.09	6	751	1.52	579	6
06/10 (161-m)	60.5	73.6	84.2	40.6	1988	51.2	6	61.6	6	70.8	6	84.2	1991	0.00	--	--	66	0.35	6	667	1.59	495	6
06/11 (162-t)	61.7	71.4	79.4	40.9	1987	51.2	6	64.4	6	75.9	6	79.9	1986	0.00	--	--	81	0.39	6	359	1.56	581	6
06/12 (163-w)	55.6	67.7	77.0	47.3	1990	55.0	6	66.3	6	76.1	6	82.4	1988	0.00	--	--	76	0.34	6	708	1.82	418	6
06/13 (164-t)	43.8	57.7	67.2	43.8	1991	56.9	6	66.9	6	76.7	6	88.6	1990	0.00	--	--	71	0.00	6	818	1.58	607	6
06/14 (165-f)	43.1	68.1	87.8	43.1	1991	58.8	6	70.1	6	81.4	6	88.8	1988	0.00	--	--	51	0.03	6	768	1.53	542	6
06/15 (166-s)	67.5	79.2	94.4	56.1	1990	61.7	6	71.3	6	82.4	6	94.4	1991	0.50	--	--	62	0.24	6	560	1.55	528	5
06/16 (167-s)	66.2	72.2	80.0	52.3	1990	57.6	6	68.1	6	78.1	6	85.6	1986	0.06	--	--	89	0.10	6	558	1.87	516	6
06/17 (168-m)	60.9	69.1	76.8	44.4	1986	55.0	6	65.7	6	74.6	6	91.7	1990	0.00	--	--	86	0.04	6	745	1.77	666	6
06/18 (169-t)	55.5	69.2	77.4	43.0	1986	53.4	6	67.3	6	78.0	6	83.9	1990	0.00	--	--	88	0.04	6	498	1.30	667	6
06/19 (170-w)	61.9	72.1	82.4	51.1	1990	58.3	6	68.9	6	79.7	6	87.4	1987	0.00	--	--	83	0.11	6	701	1.57	528	6
06/20 (171-t)	57.3	72.3	85.2	47.9	1990	58.5	6	68.0	6	77.1	6	91.5	1988	0.00	--	--	79	0.27	6	745	1.49	447	6
06/21 (172-f)	58.6	73.7	87.0	48.5	1986	58.2	6	70.4	6	82.3	6	87.0	1991	0.00	--	--	69	0.13	6	738	1.48	557	6
06/22 (173-s)	59.0	66.0	73.9	59.0	1991	64.6	6	73.1	6	83.9	6	94.7	1988	0.00	--	--	82	0.20	6	519	1.50	450	6
06/23 (174-s)	53.3	64.0	74.2	53.3	1991	59.1	6	67.5	6	75.3	6	82.1	1989	0.03	--	--	73	0.15	6	635	1.72	558	6
06/24 (175-m)	47.0	65.4	78.6	47.0	1991	54.4	6	65.2	6	74.5	6	84.3	1989	0.00	--	--	70	0.17	6	728	1.58	542	6
06/25 (176-t)	59.8	71.7	84.1	43.8	1986	57.5	6	69.6	6	81.7	6	98.7	1988	0.00	--	--	66	0.00	6	703	1.47	685	6
06/26 (177-w)	62.7	75.1	89.1	47.2	1986	56.8	6	69.5	6	80.8	6	90.3	1989	0.00	--	--	67	0.03	6	627	1.49	584	6
06/27 (178-t)	65.0	76.1	89.1	48.5	1988	60.0	6	68.6	6	79.0	6	89.1	1991	0.00	--	--	63	0.05	6	697	1.48	520	6
06/28 (179-f)	67.5	78.3	89.1	46.5	1988	58.7	6	68.5	6	78.2	6	89.1	1991	0.00	--	--	71	0.01	6	667	1.47	482	6
06/29 (180-s)	72.0	79.2	87.8	50.2	1989	60.8	5	68.6	5	76.5	5	87.8	1991	0.00	--	--	74	0.02	5	604	1.57	589	5
06/30 (181-s)	57.2	71.6	79.8	45.5	1989	54.5	5	64.5	5	73.6	5	82.3	1990	0.00	--	--	85	0.05	6	418	1.57	531	5

Column Min's:	43.1	57.7	66.5	36.7	47.7	58.6	67.1
Column Avg's:	56.4	69.1	80.0	55.8	64.6	66.6	76.7
Column Max's:	72.0	79.2	94.4	64.6	83.9	98.7	98.7
Column Ttl's:							19848

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	min	avg	prec	evap	ly	max			
mo da jul	Current	Long Term	avgm	Long Term	liq	hum	avg	Lng-Term			
	min	avg	yr	avg	prec	%	pr	avg			
	max	yr	yr	yr	yr	yr	yr	yr			
	max	max	max	max	max	max	max	max			
07/01 (182-m)	51.7	67.7	49.7	65.4	0.00	66	0.02	702	1.80	513	6
07/02 (183-t)	64.2	70.6	47.0	67.1	0.00	81	0.10	477	1.74	556	6
07/03 (184-w)	62.0	75.4	49.9	70.3	0.06	74	0.02	699	1.47	624	6
07/04 (185-t)	66.1	73.4	48.5	72.9	0.64	86	0.11	401	1.66	542	6
07/05 (186-f)	67.5	75.0	53.4	72.9	0.00	77	0.00	656	1.56	592	6
07/06 (187-s)	65.6	77.4	49.0	73.6	0.00	76	0.00	689	1.50	643	6
07/07 (188-s)	66.2	80.8	46.6	74.6	0.16	78	0.04	599	1.53	583	6
07/08 (189-m)	65.4	71.7	55.1	74.0	0.34	83	0.10	612	1.86	548	6
07/09 (190-t)	52.4	65.2	52.4	73.5	0.00	73	0.13	751	1.61	540	6
07/10 (191-w)	51.3	65.9	51.3	73.1	0.00	69	0.02	617	1.96	547	6
07/11 (192-t)	53.7	67.7	53.7	69.9	0.00	70	0.04	727	1.51	461	6
07/12 (193-f)	51.5	69.2	51.5	69.9	0.00	80	0.13	410	1.69	361	6
07/13 (194-s)	58.3	68.9	55.1	70.8	0.07	90	0.05	230	1.43	483	6
07/14 (195-s)	55.5	67.9	55.5	68.9	0.01	72	0.23	740	1.49	497	6
07/15 (196-m)	51.0	65.5	49.4	66.5	0.00	75	0.03	750	1.47	585	6
07/16 (197-t)	49.9	69.4	49.9	70.1	0.00	65	0.06	743	1.46	541	6
07/17 (198-w)	61.6	75.1	52.8	72.8	0.00	61	0.02	667	1.49	616	6
07/18 (199-t)	67.4	78.1	55.9	75.5	0.00	68	0.01	620	1.57	610	6
07/19 (200-f)	69.6	80.1	65.3	76.3	0.02	67	0.03	650	1.37	514	6
07/20 (201-s)	70.7	81.2	61.0	74.5	0.00	71	0.24	636	1.35	432	6
07/21 (202-s)	71.2	80.0	57.8	72.7	0.00	76	0.08	449	1.47	494	6
07/22 (203-m)	68.5	81.2	53.8	72.4	0.00	76	0.10	416	1.26	470	6
07/23 (204-t)	60.2	77.9	54.1	71.7	0.00	77	0.07	338	1.36	504	6
07/24 (205-w)	60.0	71.2	55.5	72.2	0.00	67	0.00	668	1.76	626	6
07/25 (206-t)	61.0	72.7	54.2	73.1	0.00	65	0.06	676	1.53	543	6
07/26 (207-f)	57.1	67.5	55.2	71.6	0.00	68	0.02	679	1.80	535	6
07/27 (208-s)	49.0	63.5	49.0	69.8	0.00	69	0.05	725	1.48	564	6
07/28 (209-s)	49.1	66.6	49.1	70.9	0.00	66	0.00	619	1.77	545	6
07/29 (210-m)	62.8	72.2	53.1	71.9	0.15	74	0.04	311	1.53	504	6
07/30 (211-t)	58.3	69.3	58.3	72.0	0.00	82	0.42	453	1.65	473	6
07/31 (212-w)	55.5	68.8	55.5	69.0	0.00	74	0.00	672	1.42	551	6
Column Min's:	49.0	63.5	46.6	65.4	0.00	61	0.00	230	1.26	361	
Column Avg's:	59.8	72.2	61.3	71.6	0.05	73	0.07	593	1.57	535	
Column Max's:	71.2	81.2	68.0	76.3	0.64	90	0.42	751	1.96	643	
Column Ttl's:					1.45		2.22	18382		16597	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION													
	min	avg	max	min	avg	max	prec	evap	hum %	ly	ly/m	max Lng-Trm avg yrs											
08/01 (213-t)	62.9	75.3	88.2	49.9	1990	59.0	6	70.3	6	82.0	6	90.9	1988	0.00	0.00	64	0.00	6	668	1.56	508	6	
08/02 (214-f)	59.4	74.2	88.1	52.1	1990	61.4	6	72.2	6	83.6	6	93.0	1988	0.00	0.12	66	0.12	6	554	1.74	499	6	
08/03 (215-s)	66.2	73.3	83.5	55.3	1990	63.9	5	74.6	5	86.2	5	93.1	1988	0.02	0.01	83	0.01	5	260	1.46	487	5	
08/04 (216-s)	64.9	70.2	78.0	56.3	1986	64.7	6	73.1	6	83.0	6	93.2	1988	0.00	0.07	78	0.07	6	515	1.78	457	6	
08/05 (217-m)	52.6	67.0	75.3	52.6	1991	62.5	6	71.7	6	80.9	6	90.8	1988	0.00	0.12	70	0.12	6	611	1.69	439	6	
08/06 (218-t)	47.4	63.5	77.1	47.4	1991	59.0	6	68.7	6	79.4	6	88.2	1986	0.07	0.23	69	0.23	6	672	1.50	495	6	
08/07 (219-w)	49.7	66.5	80.0	49.7	1991	57.5	6	66.9	6	75.9	6	83.4	1987	0.00	0.28	73	0.28	6	626	1.44	532	6	
08/08 (220-t)	56.5	65.4	74.9	49.6	1989	58.0	6	67.1	6	77.2	6	87.4	1988	1.40	0.24	86	0.24	6	155	0.57	425	6	
08/09 (221-f)	61.9	67.0	76.7	48.8	1989	59.0	6	69.1	6	80.9	6	88.1	1988	0.30	0.09	87	0.09	6	292	1.41	435	6	
08/10 (222-s)	60.0	68.9	77.4	57.7	1989	60.9	6	69.2	6	78.7	6	84.0	1988	0.00	0.07	80	0.07	6	606	1.58	432	6	
08/11 (223-s)	60.1	70.8	80.2	50.1	1986	58.6	6	69.0	6	79.5	6	89.8	1988	0.00	0.00	76	0.00	6	659	1.40	508	6	
08/12 (224-m)	54.9	68.7	80.3	47.8	1986	57.8	6	69.4	6	81.4	6	89.1	1988	0.00	0.11	78	0.11	6	659	1.39	528	6	
08/13 (225-t)	59.0	69.3	83.0	51.0	1986	61.7	6	71.0	6	81.3	6	89.5	1988	0.00	0.23	76	0.23	6	474	-	452	5	
08/14 (226-w)	61.0	68.5	78.6	56.8	1990	63.6	6	72.0	6	83.2	6	92.2	1988	0.53	0.12	83	0.12	6	438	1.67	491	6	
08/15 (227-t)	59.9	70.7	80.7	55.9	1990	62.9	6	72.8	6	84.0	6	91.8	1987	0.00	0.02	79	0.02	6	371	1.42	486	6	
08/16 (228-f)	57.3	1989	62.7	5	72.3	5	83.1	5	91.7	1987	...	0.01	470	5
08/17 (229-s)	54.7	1989	64.2	5	73.1	5	84.7	5	92.4	1988	...	0.01	507	5
08/18 (230-s)	47.8	1989	60.0	5	69.3	5	78.0	5	81.2	1987	...	0.00	440	5
08/19 (231-m)	54.0	1988	59.6	5	67.6	5	76.0	5	79.7	1987	...	0.03	406	5
08/20 (232-t)	60.8	62.0	64.1	50.2	1988	58.4	6	66.7	6	74.8	6	85.9	1986	1.95	0.34	91	0.34	6	77	0.25	344	6	
08/21 (233-w)	55.3	65.0	73.6	49.2	1988	58.1	6	67.3	6	76.5	6	81.2	1987	0.22	0.10	83	0.10	6	490	1.65	413	6	
08/22 (234-t)	55.2	69.7	85.2	46.4	1988	57.5	6	67.4	6	77.5	6	85.2	1991	0.04	0.58	78	0.58	6	416	1.56	344	6	
08/23 (235-f)	59.3	69.5	77.4	55.7	1988	60.2	6	67.7	6	74.2	6	85.0	1986	0.00	0.22	82	0.22	6	593	1.28	331	6	
08/24 (236-s)	54.5	66.8	75.8	48.5	1987	56.8	6	65.2	6	72.8	6	77.3	1988	0.00	0.06	83	0.06	6	576	1.27	467	6	
08/25 (237-s)	57.7	71.6	85.7	42.8	1986	52.6	6	64.7	6	77.1	6	85.7	1991	0.00	0.00	83	0.00	6	506	1.24	428	6	
08/26 (238-m)	66.0	74.8	88.2	51.0	1989	57.8	6	67.0	6	77.5	6	88.2	1991	0.00	0.87	78	0.87	6	485	1.19	433	6	
08/27 (239-t)	63.3	73.4	87.6	49.5	1989	57.8	6	67.0	6	78.1	6	87.6	1991	0.00	0.27	80	0.27	6	505	1.32	342	6	
08/28 (240-w)	64.9	75.3	87.4	50.9	1986	59.4	6	66.8	6	76.8	6	91.4	1990	0.00	0.58	82	0.58	6	530	1.21	365	6	
08/29 (241-t)	62.7	75.4	89.3	42.7	1986	55.9	6	65.5	6	74.3	6	89.3	1991	0.00	0.21	76	0.21	6	539	1.23	427	6	
08/30 (242-f)	67.6	77.8	89.8	46.1	1986	54.2	6	65.6	6	76.7	6	89.8	1991	0.00	0.00	77	0.00	6	478	1.13	538	6	
08/31 (243-s)	61.2	71.2	76.8	49.0	1986	54.2	6	65.3	6	76.7	6	84.7	1989	0.09	0.04	82	0.04	6	493	1.72	502	6	

Column Min's:	47.4	62.0	64.1	42.7	52.6	64.7	72.8	0.00	64	0.00	77	0.25	331
Column Avg's:	59.4	70.1	80.8	59.4	68.9	79.1	79.1	0.17	79	0.16	491	1.37	449
Column Max's:	67.6	77.8	89.8	64.7	74.6	86.2	86.2	1.95	91	0.87	672	1.78	538
Column Ttl's:								4.62		5.03	13248		13931

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION		
	min	max	min	avg	max	Long Term	prec	snow	evap	hum	ly	max	Lng-Trm
mo da julCurrent.....
	min	max	min	avg	max	avg yrs	avgmx yrs	max Year	liq	prec	evap	pr yrs	avg pr yrs
09/01 (244-s)	51.4	60.5	67.8	49.3	1987	55.5	6	65.1	6	75.5	6	85.3	1990
09/02 (245-m)	49.7	64.6	79.7	49.7	1991	55.4	6	65.4	6	75.9	6	82.5	1988
09/03 (246-t)	61.0	74.9	89.4	47.7	1989	55.4	6	65.3	6	74.8	6	89.4	1991
09/04 (247-w)	53.5	65.3	71.2	46.5	1987	54.8	6	65.7	6	76.2	6	81.7	1986
09/05 (248-t)	48.5	60.8	75.2	48.5	1991	57.4	6	64.8	6	73.6	6	80.5	1989
09/06 (249-f)	46.6	61.2	75.1	46.6	1991	55.7	6	63.6	6	72.9	6	82.6	1990
09/07 (250-s)	51.3	67.0	82.1	47.1	1986	56.0	6	64.7	6	73.5	6	82.1	1991
09/08 (251-s)	61.6	71.0	83.8	44.1	1986	56.3	6	65.2	6	75.7	6	87.4	1989
09/09 (252-m)	64.2	74.1	87.2	45.0	1986	58.0	6	67.4	6	78.4	6	88.1	1989
09/10 (253-t)	66.8	73.7	84.8	51.9	1988	58.1	6	68.1	6	80.0	6	84.8	1991
09/11 (254-w)	55.3	64.2	71.5	47.5	1988	57.5	6	65.9	6	76.0	6	81.1	1987
09/12 (255-t)	53.1	62.3	74.4	49.0	1986	54.5	6	64.2	6	75.4	6	82.4	1990
09/13 (256-f)	53.4	66.4	80.7	47.7	1986	53.0	6	64.0	6	74.9	6	81.6	1990
09/14 (257-s)	58.2	70.1	81.6	41.0	1986	52.3	6	61.6	6	70.7	6	81.6	1991
09/15 (258-s)	70.6	80.3	92.5	43.8	1988	53.8	5	62.3	5	71.5	6	92.5	1991
09/16 (259-m)	71.9	79.3	92.5	42.7	1986	53.8	6	61.4	6	69.4	6	92.5	1991
09/17 (260-t)	55.1	65.8	72.5	42.0	1986	54.9	5	63.2	5	72.7	5	80.1	1987
09/18 (261-w)	55.1	64.0	79.5	36.7	1990	52.6	6	60.7	6	70.6	6	79.8	1988
09/19 (262-t)	47.0	54.6	60.1	47.0	1991	55.4	6	61.2	6	68.0	6	77.6	1988
09/20 (263-f)	46.0	50.8	58.0	46.0	1991	52.9	6	60.9	6	69.9	6	76.1	1987
09/21 (264-s)	41.2	50.7	61.2	41.2	1991	51.1	6	58.9	6	66.9	6	77.2	1989
09/22 (265-s)	40.4	58.1	72.6	40.4	1991	52.1	6	61.7	6	71.3	6	79.7	1989
09/23 (266-m)	46.5	57.4	66.1	43.4	1989	50.6	6	57.6	6	64.7	6	72.3	1986
09/24 (267-t)	41.7	52.9	63.3	40.6	1989	46.9	6	55.2	6	64.7	6	73.4	1986
09/25 (268-w)	49.0	55.0	63.9	33.8	1989	46.4	6	56.6	6	67.2	6	76.8	1986
09/26 (269-t)	47.9	51.7	56.5	44.5	1988	51.0	6	58.2	6	67.0	6	81.2	1986
09/27 (270-f)	41.1	47.7	54.5	35.3	1989	49.9	6	58.2	6	68.5	6	78.9	1988
09/28 (271-s)	36.5	45.6	56.3	35.5	1989	48.8	6	59.2	6	71.1	6	80.9	1987
09/29 (272-s)	38.3	50.0	62.2	38.3	1991	52.3	6	61.4	6	73.3	6	87.5	1986
09/30 (273-m)	39.6	59.8	78.3	39.6	1991	49.7	6	60.7	6	72.4	6	83.9	1986
Column Min's:	36.5	45.6	54.5	33.8		46.4		55.2		64.7		80.0	
Column Avg's:	51.4	62.0	73.2			53.4		62.3		72.1		92.5	
Column Max's:	71.9	80.3	92.5			58.1		68.1		80.0		11367	
Column Ttl's:													9900

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	max	min	year avg	max	yr	prec	evap	hum %	Long Term avg pr yrs	Ly	max Lng-Tm avg yrs				
10/01 (274-t)	57.7	63.6	44.5	1990	53.0	6	69.3	6	82.7	1988	0.00	76	301	1.26	276	6
10/02 (275-w)	58.9	68.8	44.6	1990	52.7	6	69.0	6	80.7	1991	0.00	64	377	1.15	210	6
10/03 (276-t)	52.6	60.9	41.9	1987	48.2	6	63.2	6	74.9	1990	0.11	85	165	1.16	216	6
10/04 (277-f)	53.9	63.2	37.9	1988	47.2	6	64.2	6	76.2	1991	0.69	88	192	1.36	246	6
10/05 (278-s)	45.8	60.0	39.0	1989	44.4	6	65.9	6	77.6	1990	0.24	85	128	1.08	281	6
10/06 (279-s)	38.8	44.2	38.8	1991	47.9	6	61.0	6	80.9	1990	0.14	77	300	1.32	264	6
10/07 (280-m)	40.8	45.2	36.5	1988	43.7	6	56.3	6	75.2	1990	0.10	78	64	0.56	201	6
10/08 (281-t)	39.6	52.4	34.1	1988	41.4	6	57.5	6	70.2	1986	0.00	55	381	1.01	178	6
10/09 (282-w)	50.4	59.6	33.9	1987	42.7	5	57.6	6	72.4	1991	0.00	57	266	1.16	149	5
10/10 (283-t)	37.6	51.8	36.3	1986	41.7	6	57.7	6	79.5	1990	0.52	82	145	1.13	180	6
10/11 (284-f)	41.3	46.8	40.1	1986	42.0	6	56.2	6	64.1	1986	0.19	88	119	0.49	229	6
10/12 (285-s)	40.2	46.6	36.7	1987	42.6	6	57.3	6	69.6	1986	0.32	88	128	1.03	195	6
10/13 (286-s)	33.8	44.4	33.1	1987	41.4	6	56.8	6	74.0	1989	0.09	81	294	1.29	206	6
10/14 (287-m)	33.3	48.2	32.0	1988	39.6	6	65.5	6	80.7	1989	0.14	76	248	1.09	259	6
10/15 (288-t)	41.4	47.5	38.3	1987	43.9	6	62.9	6	80.5	1989	0.01	78	184	0.82	246	6
10/16 (289-w)	33.2	41.9	33.2	1991	44.1	6	64.4	6	79.6	1989	0.00	69	349	0.94	275	6
10/17 (290-t)	31.6	45.4	31.6	1991	45.0	6	61.7	6	75.9	1990	0.00	76	347	0.91	177	6
10/18 (291-f)	41.3	49.9	31.9	1986	38.0	6	56.9	6	68.9	1990	0.00	75	293	1.07	150	6
10/19 (292-s)	39.7	44.2	28.3	1986	36.0	6	52.4	6	68.7	1987	0.22	83	89	0.66	166	6
10/20 (293-s)	32.9	41.6	32.7	1988	35.4	6	56.5	6	64.0	1987	0.00	80	283	1.03	240	6
10/21 (294-m)	36.4	48.3	32.4	1987	38.3	6	55.5	6	69.4	1990	0.00	57	290	1.01	185	6
10/22 (295-t)	41.3	55.9	32.0	1987	40.5	6	58.2	6	71.4	1991	0.00	52	257	0.89	193	6
10/23 (296-w)	55.1	65.0	36.9	1989	44.7	6	61.8	6	77.9	1991	0.00	62	287	0.80	216	6
10/24 (297-t)	60.5	67.1	35.1	1987	43.6	6	61.9	6	78.4	1991	0.04	79	247	0.96	191	6
10/25 (298-f)	62.1	65.9	27.7	1987	42.2	6	57.5	6	74.0	1991	0.62	82	100	0.83	150	6
10/26 (299-s)	56.6	66.3	26.6	1987	40.1	6	59.3	6	79.3	1991	0.00	77	221	0.87	194	6
10/27 (300-s)	51.5	59.8	29.4	1988	41.5	6	59.4	6	72.8	1989	0.15	85	32	0.17	164	6
10/28 (301-m)	40.3	50.3	32.2	1987	40.8	6	56.9	6	72.9	1989	0.00	83	276	1.08	172	6
10/29 (302-t)	34.3	51.2	29.7	1990	37.6	6	57.2	6	74.5	1989	0.00	49	301	0.90	205	6
10/30 (303-w)	36.5	51.3	24.0	1988	35.4	6	60.8	6	73.0	1989	0.00	48	293	0.82	228	6
10/31 (304-t)	41.2	49.3	22.5	1988	36.6	6	60.0	6	68.9	1989	0.00	73	209	0.95	227	6
Column Min's:	31.6	41.6	22.5	35.4	43.2	52.4	48	0.00					32	0.17	149	
Column Avg's:	43.9	53.4	42.3	50.5	60.0	69.3	74	0.12					231	0.96	209	
Column Max's:	62.1	68.8	62.1	68.8	80.7	82.7	88	0.69					381	1.36	281	
Column Ttl's:						3.58		3.58					7166		6469	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.