

DATE		A I R				T E M P E R A T U R E (degrees Fahrenheit)						WATER BALANCE (inches)				SOLAR RADIATION															
.....Current.....		min		avg		max		min		year		avgm		yrs		max		year		liq		%		Long Term		ly		max		Lng-Trm	
mo	da	jul																													
01/01	(001-t)	16.2	27.0	44.1	-9.0	1968	23.6	53	33.0	53	42.7	55	75.0	1952	0.00	--	--	86	0.16	50	261	0.81	110	10	261	0.81	110	10	110	10	
01/02	(002-w)	20.6	33.4	49.7	1.0	1940	21.6	55	31.4	55	41.3	55	62.0	1943	0.00	--	--	91	0.18	48	195	0.74	136	10	195	0.74	136	10	136	10	
01/03	(003-t)	17.9	27.4	31.1	-1.0	1979	22.9	55	32.2	54	41.0	54	64.0	1939	0.00	--	--	88	0.11	48	46	0.18	82	10	46	0.18	82	10	82	10	
01/04	(004-f)	12.6	22.2	36.8	1.0	1958	21.8	55	31.3	55	40.7	55	67.0	1950	0.00	--	--	78	0.13	49	259	1.06	122	10	259	1.06	122	10	122	10	
01/05	(005-s)	16.7	33.2	45.8	-9.0	1968	18.8	55	28.6	55	38.6	55	67.0	1950	0.12	--	--	92	0.11	52	26	0.11	144	10	26	0.11	144	10	144	10	
01/06	(006-s)	32.7	38.2	42.5	-6.0	1988	19.5	55	29.3	55	38.8	55	74.0	1946	0.69	--	--	101	0.10	47	29	0.15	132	10	29	0.15	132	10	132	10	
01/07	(007-m)	30.6	33.0	37.4	-3.0	1959	21.6	54	31.0	54	40.2	54	67.0	1937	0.37	--	--	93	0.12	48	130	1.05	121	10	130	1.05	121	10	121	10	
01/08	(008-t)	29.4	32.6	36.5	-22.0	1968	18.0	54	27.7	54	37.6	54	71.0	1937	0.04	--	--	94	0.07	49	62	0.37	128	10	62	0.37	128	10	128	10	
01/09	(009-w)	33.4	36.3	41.1	-28.0	1970	16.8	54	27.6	54	38.2	54	68.0	1949	0.01	--	--	101	0.05	44	47	0.21	144	10	47	0.21	144	10	144	10	
01/10	(010-t)	33.3	35.1	38.3	-10.1	1982	18.4	54	28.1	54	38.1	54	63.0	1939	0.23	--	--	95	0.15	47	64	0.28	116	10	64	0.28	116	10	116	10	
01/11	(011-f)	35.6	43.6	48.3	-10.0	1962	17.3	54	28.1	54	38.9	54	61.0	1963	0.24	--	--	100	0.09	50	27	0.15	140	10	27	0.15	140	10	140	10	
01/12	(012-s)	30.7	37.0	48.4	-11.0	1962	18.9	54	28.9	54	38.8	54	60.0	1963	0.01	--	--	98	0.05	48	34	0.30	141	10	34	0.30	141	10	141	10	
01/13	(013-s)	28.0	31.0	34.4	-17.0	1977	18.1	54	28.5	54	39.1	54	65.0	1960	0.00	--	--	86	0.07	46	80	0.42	142	10	80	0.42	142	10	142	10	
01/14	(014-m)	28.8	36.8	49.6	-20.0	1964	19.1	54	31.2	54	43.2	54	71.0	1972	0.00	--	--	82	0.14	52	222	0.72	115	10	222	0.72	115	10	115	10	
01/15	(015-t)	26.2	41.2	54.2	-11.0	1964	21.7	54	31.9	54	42.0	54	66.0	1952	0.03	--	--	78	0.21	49	205	0.73	131	10	205	0.73	131	10	131	10	
01/16	(016-w)	36.6	44.4	52.6	-15.0	1982	19.2	54	30.2	54	40.9	54	69.0	1950	0.12	--	--	96	0.08	45	60	0.86	155	10	60	0.86	155	10	155	10	
01/17	(017-t)	34.7	35.8	36.8	-23.0	1977	18.7	54	29.1	54	39.1	54	62.0	1943	0.02	--	--	92	0.06	49	26	0.23	97	10	26	0.23	97	10	97	10	
01/18	(018-f)	30.2	34.6	41.1	-24.0	1977	18.2	54	30.0	54	41.6	54	66.0	1951	0.00	--	--	82	0.12	46	183	0.96	134	10	183	0.96	134	10	134	10	
01/19	(019-s)	24.5	36.1	51.2	-14.1	1984	17.9	54	29.4	54	40.8	54	67.0	1949	0.00	--	--	88	0.11	48	147	1.04	138	10	147	1.04	138	10	138	10	
01/20	(020-s)	33.2	39.8	43.4	-17.7	1985	20.0	54	29.8	54	39.5	54	70.0	1951	0.15	--	--	97	0.12	49	32	0.12	150	10	32	0.12	150	10	150	10	
01/21	(021-m)	17.5	22.9	33.3	-25.1	1984	19.5	54	29.8	54	40.4	54	65.0	1951	0.00	--	--	89	0.10	51	121	0.76	158	10	121	0.76	158	10	158	10	
01/22	(022-t)	8.6	15.7	23.8	-13.2	1984	20.2	54	30.7	54	41.4	54	68.0	1959	0.00	--	--	77	0.12	43	263	0.90	150	10	263	0.90	150	10	150	10	
01/23	(023-w)	11.5	27.7	39.8	-19.0	1936	20.4	54	31.7	54	43.1	54	69.0	1967	0.00	--	--	79	0.09	50	175	0.89	182	10	175	0.89	182	10	182	10	
01/24	(024-t)	13.6	27.1	35.6	-22.0	1936	20.9	54	31.6	54	41.8	54	72.0	1943	0.00	--	--	72	0.18	50	202	0.85	158	10	202	0.85	158	10	158	10	
01/25	(025-f)	7.2	16.6	29.2	-22.0	1963	19.9	54	31.5	54	43.2	54	72.0	1950	0.00	--	--	74	0.09	48	284	0.81	138	10	284	0.81	138	10	138	10	
01/26	(026-s)	12.6	23.4	34.6	-22.0	1963	19.7	54	30.3	54	40.8	54	78.0	1950	0.00	--	--	83	0.07	46	84	0.38	168	10	84	0.38	168	10	168	10	
01/27	(027-s)	10.8	25.1	36.1	-11.0	1936	19.1	54	30.3	54	41.5	54	72.0	1967	0.21	--	--	94	0.12	49	91	0.79	206	10	91	0.79	206	10	206	10	
01/28	(028-m)	21.8	33.5	45.2	-31.0	1963	17.4	53	28.1	53	38.9	54	65.0	1944	0.06	--	--	92	0.06	47	262	0.92	179	10	262	0.92	179	10	179	10	
01/29	(029-t)	19.3	34.1	51.3	-31.0	1963	18.2	54	29.2	54	40.3	54	71.0	1947	0.00	--	--	96	0.13	49	186	0.98	139	10	186	0.98	139	10	139	10	
01/30	(030-w)	30.9	37.1	42.3	-21.0	1963	20.6	54	31.4	54	41.9	54	71.0	1975	0.32	--	--	100	0.16	45	28	0.10	120	10	28	0.10	120	10	120	10	
01/31	(031-t)	16.4	26.5	32.9	-16.0	1966	19.0	54	29.2	54	39.4	54	64.7	1988	0.00	--	--	70	0.09	53	271	0.97	160	10	271	0.97	160	10	160	10	
Column	Min's:	7.2	15.7	23.8	-31.0		16.8		27.6		37.6				0.00			70	0.05		26	0.10	82		26	0.10	82		82		
Column	Avg's:	23.3	31.9	40.9			19.6		30.0		40.4				0.08			89	0.11		132	0.61	140		132	0.61	140		140		
Column	Max's:	36.6	44.4	54.2			23.6		33.0		43.2		78.0		0.69			101	0.21		284	1.06	206		284	1.06	206		206		
Column	Ttl's:														2.62				3.44		4102		4336		4102		4336		4336		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)							WATER BALANCE (inches)				SOLAR RADIATION							
mo	da	min	avg	maxCurrent.....	min	year	avgmn	yrs	avg yrs	avgmx	yrs	max year	liq	snow	evap	% hum	Long Term	Term	ly	max	Lng-Trm	
	jul													prec				avg pr	yrs		ly/m	avg yrs	
02/01	(032-f)	14.2	28.7	48.9	-13.0	1936	18.6	53	29.8	53	41.0	53	69.4	1989	0.00	--	--	70	0.09	51	318	0.82	160
02/02	(033-s)	24.5	37.7	56.8	-11.0	1977	19.9	54	30.5	54	41.4	54	64.5	1990	0.00	--	--	66	0.17	50	223	0.95	132
02/03	(034-s)	21.1	37.3	62.6	-20.0	1951	18.2	54	29.0	54	40.0	54	62.6	1991	0.00	--	--	69	0.11	49	316	0.84	107
02/04	(035-m)	20.7	40.8	65.6	-14.3	1985	18.8	55	29.1	55	39.5	55	65.6	1991	0.00	--	--	80	0.11	48	250	1.05	151
02/05	(036-t)	37.9	48.5	61.6	-7.0	1965	19.7	55	30.4	55	41.2	55	70.0	1962	0.35	--	--	96	0.07	52	80	0.41	171
02/06	(037-w)	49.8	53.0	55.9	-12.0	1977	21.3	55	32.1	55	43.2	55	64.0	1938	0.54	--	--	99	0.15	52	61	0.39	182
02/07	(038-t)	37.1	41.1	50.0	-14.0	1977	21.1	55	31.0	55	41.1	55	61.0	1963	0.28	--	--	97	0.12	48	37	0.21	189
02/08	(039-f)	33.1	34.7	37.1	-11.0	1977	18.5	55	29.6	55	40.7	55	71.0	1937	0.00	--	--	95	0.05	46	37	0.13	186
02/09	(040-s)	32.2	36.1	43.8	-10.5	1985	19.5	55	30.6	55	41.7	55	71.0	1937	0.00	--	--	94	0.12	52	144	0.78	193
02/10	(041-s)	29.1	38.5	46.3	-10.0	1979	19.2	55	30.9	55	42.5	55	67.0	1959	0.00	--	--	86	0.09	52	175	1.15	196
02/11	(042-m)	21.5	29.4	38.1	-4.0	1958	19.5	55	31.2	55	42.8	55	68.0	1976	0.00	--	--	60	0.12	51	344	0.93	205
02/12	(043-t)	13.6	26.1	41.3	-11.0	1981	18.1	55	30.4	55	43.1	55	73.5	1984	0.00	--	--	70	0.05	48	369	0.92	240
02/13	(044-w)	23.3	36.9	49.2	-15.0	1955	21.4	56	32.6	56	43.6	56	72.8	1990	0.46	--	--	96	0.17	52	44	0.16	200
02/14	(045-f)	23.8	34.8	45.8	1.0	1943	22.7	55	33.9	55	45.1	55	70.0	1954	0.40	--	--	95	0.16	46	59	0.60	176
02/15	(046-f)	9.0	17.2	23.9	-6.0	1963	21.8	56	33.1	56	44.3	56	78.0	1945	0.00	--	--	78	0.17	47	196	0.97	205
02/16	(047-s)	5.2	16.8	28.2	-9.0	1963	21.8	56	33.0	56	44.2	56	74.0	1945	0.00	--	--	64	0.08	50	379	1.00	210
02/17	(048-s)	28.1	32.5	34.9	-5.0	1958	23.4	56	33.5	56	43.2	56	67.0	1948	0.06	--	--	84	0.09	51	63	0.28	142
02/18	(049-m)	33.8	43.1	52.1	-2.0	1936	21.3	56	33.7	56	46.3	56	72.0	1948	0.29	--	--	100	0.10	55	55	0.21	201
02/19	(050-t)	44.1	52.7	59.7	-7.0	1936	23.4	56	36.0	56	48.8	56	75.0	1939	0.08	--	--	97	0.07	55	103	0.71	221
02/20	(051-w)	28.9	38.2	45.7	-7.0	1936	22.6	56	34.4	56	46.3	56	74.0	1939	0.06	--	--	89	0.07	47	246	1.39	229
02/21	(052-t)	26.2	40.2	58.1	-11.0	1968	21.9	56	32.9	56	44.4	56	71.0	1937	0.00	--	--	79	0.08	51	290	1.09	235
02/22	(053-f)	28.8	40.7	55.8	-15.0	1963	21.6	56	34.2	56	46.5	56	70.5	1983	0.00	--	--	70	0.17	50	347	1.17	197
02/23	(054-s)	24.0	31.9	42.9	-15.0	1963	21.7	56	34.8	56	48.1	56	70.3	1985	0.00	--	--	65	0.08	54	390	1.02	222
02/24	(055-s)	21.9	39.4	58.6	-8.0	1963	24.0	56	35.7	56	47.4	56	68.0	1984	0.00	--	--	70	0.09	51	302	1.19	237
02/25	(056-m)	27.8	34.0	39.4	-8.0	1967	23.9	56	34.7	56	45.5	56	73.0	1961	0.00	--	--	72	0.09	50	143	0.56	267
02/26	(057-t)	22.8	27.9	36.6	-13.0	1967	23.0	56	34.9	56	46.8	56	75.0	1944	0.00	--	--	70	0.18	51	243	1.04	275
02/27	(058-w)	24.4	30.0	37.6	-3.0	1963	24.0	56	35.3	56	46.7	56	71.0	1962	0.00	--	--	82	0.11	50	184	1.31	180
02/28	(059-t)	26.6	42.0	61.4	4.3	1986	24.5	56	35.9	56	47.7	56	70.0	1939	0.00	--	--	68	0.12	54	375	1.13	332
Column Min's:		5.2	16.8	23.9	-20.0		18.1	29.0		39.5				0.00			60	0.05		37	0.13	107	
Column Avg's:		26.2	36.1	47.8		21.3	32.6			44.0				0.09			81	0.11		206	0.80	201	
Column Max's:		49.8	53.0	65.6		24.5	36.0			48.8		78.0		0.54			100	0.18		390	1.39	332	
Column Ttl's:														2.52				3.08		5773		5641	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION										
mo	da	Current.....		maxLong Term.....					liq prec	snow	evap	% hum	Long Term avg pr yrs	ly	max ly/m	Lng-Term avg yrs						
		min	avg		min year	avgmn yrs	avg yrs	avgmx yrs	max year														
11/01	(305-f)	39.4	53.5	67.2	22.0	1965	39.0	56	52.6	56	66.5	56	83.0	1950	--	--	66	0.13	54	92	0.51	231	10
11/02	(306-s)	29.0	40.2	49.0	19.0	1963	39.3	56	51.5	56	64.0	56	83.0	1946	--	--	60	0.14	54	134	0.97	192	10
11/03	(307-s)	26.0	30.3	36.9	17.0	1963	35.5	55	48.8	55	62.0	55	83.0	1946	--	--	67	0.12	54	157	0.83	174	9
11/04	(308-m)	13.1	22.7	28.3	13.1	1991	33.8	55	46.1	55	58.2	56	83.0	1961	--	--	64	0.10	49	142	0.78	163	9
11/05	(309-t)	10.4	24.6	40.4	10.4	1991	34.2	56	46.0	56	57.7	56	80.0	1948	--	--	67	0.10	54	318	0.97	147	10
11/06	(310-w)	31.1	39.9	54.0	17.4	1987	32.5	56	45.4	56	58.2	56	80.0	1977	--	--	47	0.06	53	213	0.91	182	10
11/07	(311-t)	28.4	34.5	38.2	10.0	1953	32.0	55	44.5	55	57.1	55	83.0	1938	--	--	87	0.07	53	50	0.21	126	9
11/08	(312-f)	21.8	29.6	40.6	12.0	1971	32.2	56	44.9	56	57.9	56	76.0	1945	--	--	69	0.10	51	207	1.05	200	10
11/09	(313-s)	14.0	26.0	41.0	14.0	1991	31.3	56	43.6	56	56.3	56	74.1	1983	--	--	70	0.10	52	259	0.82	166	10
11/10	(314-s)	20.4	33.7	47.8	14.0	1957	31.6	56	44.0	56	56.0	56	76.0	1975	--	--	71	0.17	53	127	0.99	128	10
11/11	(315-m)	23.5	37.0	49.3	12.0	1957	29.8	56	42.6	56	55.3	56	76.0	1949	--	--	75	0.07	54	227	1.14	139	10
11/12	(316-t)	20.6	32.0	40.9	15.0	1950	30.1	56	42.9	56	55.9	56	77.0	1949	--	--	90	0.06	51	49	0.20	188	10
11/13	(317-w)	27.7	38.2	50.7	-6.2	1986	30.1	56	43.1	56	56.1	56	79.0	1949	--	--	83	0.04	55	162	0.94	186	10
11/14	(318-t)	25.1	43.8	61.6	13.0	1943	29.6	54	43.7	54	57.5	55	74.0	1958	--	--	69	0.07	55	195	0.83	218	9
11/15	(319-f)	37.0	55.0	71.3	7.5	1986	30.7	56	44.3	56	57.9	56	74.0	1958	--	--	65	0.11	51	180	0.98	150	10
11/16	(320-s)	31.2	50.7	57.3	11.0	1969	31.2	56	44.3	56	57.2	56	75.0	1956	--	--	89	0.14	48	32	0.23	124	10
11/17	(321-s)	28.2	40.2	56.4	11.0	1976	30.9	55	43.2	55	55.3	56	76.0	1954	--	--	72	0.05	54	260	0.76	187	9
11/18	(322-m)	39.2	56.4	71.2	8.0	1959	30.1	56	42.9	56	55.6	56	80.0	1958	--	--	64	0.11	50	176	0.71	155	10
11/19	(323-t)	49.3	59.5	69.4	13.0	1951	31.7	56	43.6	56	55.4	56	77.0	1958	--	--	83	0.15	51	101	0.61	133	10
11/20	(324-w)	53.5	62.9	71.3	13.0	1951	31.4	56	42.8	56	54.3	56	77.0	1942	--	--	81	0.13	54	75	0.38	106	10
11/21	(325-t)	51.3	58.2	65.7	12.0	1951	29.0	55	40.6	55	52.0	55	72.0	1940	--	--	87	0.03	53	28	0.19	165	9
11/22	(326-f)	49.3	50.5	51.8	1.0	1964	29.3	56	39.5	56	49.9	56	72.0	1979	--	--	89	0.09	50	32	0.15	141	10
11/23	(327-s)	37.0	51.4	61.8	8.0	1964	27.8	56	38.9	56	50.0	56	70.0	1963	--	--	78	0.07	50	199	0.85	159	10
11/24	(328-s)	28.3	33.2	37.1	3.0	1956	26.8	56	38.2	56	50.0	56	69.0	1979	--	--	65	0.12	53	98	0.57	140	10
11/25	(329-m)	15.9	24.9	29.3	5.0	1938	25.9	55	37.1	55	48.1	55	69.0	1987	--	--	75	0.10	53	139	0.62	163	10
11/26	(330-t)	10.9	22.6	38.3	10.0	1950	27.1	56	38.4	56	49.8	56	71.7	1990	--	--	75	0.17	50	256	0.95	145	10
11/27	(331-w)	18.5	33.0	45.5	6.0	1950	28.5	55	39.8	55	50.3	55	78.6	1990	--	--	75	0.16	53	69	0.48	96	10
11/28	(332-t)	40.1	46.4	56.5	10.0	1955	28.2	55	39.3	55	50.4	55	68.5	1987	--	--	72	0.12	52	61	0.29	80	9
11/29	(333-f)	48.2	58.0	69.4	10.0	1952	25.8	55	36.4	55	46.9	55	69.4	1991	--	--	53	0.10	50	203	0.79	134	10
11/30	(334-s)	47.4	61.7	68.2	-11.0	1958	24.3	56	34.6	56	44.9	56	68.2	1991	--	--	72	0.05	52	75	0.64	141	10
Column	Min's:	10.4	22.6	28.3	-11.0		24.3		34.6		44.9						47	0.03		28	0.15	80	
Column	Avg's:	30.5	41.7	52.2			30.7		42.8		54.9		83.0				73	0.10		144	0.68	155	
Column	Max's:	53.5	62.9	71.3			39.3		52.6		66.5						90	0.17		318	1.14	231	
Column	Ttl's:																	3.03		4316		4659	

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION										
mo	daCurrent.....		max	min	year	avgmn	yrs	avg	Long Term	prec	liq	snow	evap	hum	% Long Term	ly	max	Lng-Term				
		min	avg																				
03/01	(060-f)	30.3	53.0	68.7	-1.0	1967	23.8	56	36.0	56	48.2	56	74.0	1972	--	--	60	0.11	50	230	1.05	313	10
03/02	(061-s)	52.3	63.5	75.2	-11.0	1980	25.2	56	37.0	56	48.9	56	75.2	1991	--	--	72	0.11	54	348	1.22	290	10
03/03	(062-s)	30.2	39.8	54.6	-15.0	1980	26.8	56	38.8	56	51.1	56	75.2	1983	--	--	96	0.13	53	36	0.12	257	10
03/04	(063-m)	26.5	31.2	41.3	-5.0	1943	28.0	56	40.4	56	53.0	56	81.4	1983	--	--	97	0.18	52	164	1.25	248	10
03/05	(064-t)	22.4	38.0	55.6	3.0	1960	27.7	56	40.3	56	53.1	56	81.6	1983	--	--	80	0.24	52	423	1.10	258	10
03/06	(065-w)	40.0	48.5	54.5	7.0	1960	27.4	56	39.5	56	51.3	56	77.0	1956	--	--	88	0.23	48	33	0.19	191	10
03/07	(066-t)	24.9	34.7	40.1	3.0	1960	26.6	56	37.9	56	49.6	56	80.5	1983	--	--	79	0.11	51	117	1.00	274	10
03/08	(067-f)	18.6	30.2	43.8	-7.0	1960	26.0	55	38.4	55	50.4	56	78.0	1974	--	--	72	0.10	52	457	1.13	267	10
03/09	(068-s)	19.3	34.2	52.3	6.0	1960	26.5	55	39.5	55	51.9	56	80.0	1974	--	--	74	0.07	52	324	1.41	283	10
03/10	(069-s)	29.2	34.6	44.5	8.0	1944	27.1	55	38.9	55	50.7	56	78.0	1974	--	--	83	0.10	52	227	1.39	325	10
03/11	(070-m)	25.6	36.7	49.9	13.0	1960	28.7	55	40.1	55	51.7	56	80.7	1990	--	--	72	0.15	53	419	1.15	287	10
03/12	(071-t)	26.5	32.2	39.7	6.0	1969	29.8	55	41.3	55	52.8	56	81.2	1990	--	--	71	0.16	49	133	0.55	288	10
03/13	(072-w)	33.1	35.7	39.1	-5.0	1960	29.5	55	41.8	55	54.4	56	80.9	1990	--	--	100	0.16	52	57	0.46	232	10
03/14	(073-t)	30.0	35.1	41.5	9.0	1960	29.3	55	42.4	55	55.6	56	82.7	1990	--	--	96	0.16	54	75	0.30	259	10
03/15	(074-f)	22.6	36.7	52.6	10.0	1960	30.2	55	42.0	55	54.2	56	83.0	1973	--	--	77	0.10	51	472	1.29	333	10
03/16	(075-s)	22.1	39.4	59.6	10.0	1970	30.7	56	42.9	56	55.4	56	85.0	1945	--	--	73	0.15	51	473	1.18	287	10
03/17	(076-s)	27.2	46.8	68.6	10.0	1941	27.9	56	40.5	56	53.1	56	79.0	1942	--	--	77	0.15	51	339	1.38	333	10
03/18	(077-m)	41.1	47.9	54.2	7.0	1941	28.1	55	40.0	56	52.3	56	76.0	1945	--	--	92	0.13	52	139	1.24	243	10
03/19	(078-t)	31.9	44.2	55.1	10.0	1939	29.5	56	41.5	56	53.7	56	81.0	1945	--	--	81	0.16	52	228	1.14	258	10
03/20	(079-w)	27.3	46.1	63.7	14.0	1956	30.8	56	43.8	56	56.9	56	80.0	1948	--	--	73	0.12	52	418	1.19	306	10
03/21	(080-t)	47.4	60.5	75.4	2.0	1965	30.7	56	43.4	56	56.3	56	84.0	1948	--	--	74	0.18	53	380	1.38	359	10
03/22	(081-f)	56.1	62.7	71.9	12.6	1986	30.7	56	43.3	56	56.0	56	85.0	1938	--	--	91	0.17	49	239	1.41	319	10
03/23	(082-s)	59.8	65.7	72.5	12.0	1959	30.3	56	43.2	56	56.2	56	84.0	1966	--	--	59	0.07	50	454	1.29	406	10
03/24	(083-s)	41.5	50.8	60.2	13.0	1940	31.5	56	45.2	56	59.1	56	83.0	1939	--	--	60	0.11	50	228	1.48	340	10
03/25	(084-m)	33.5	49.9	67.5	9.0	1974	30.2	56	44.2	56	58.4	56	87.0	1945	--	--	72	0.06	51	497	1.19	347	10
03/26	(085-t)	36.4	48.6	57.5	10.0	1940	32.2	56	44.2	56	56.3	56	83.0	1945	--	--	94	0.16	50	76	0.82	384	10
03/27	(086-w)	51.9	64.8	76.9	15.0	1937	32.2	56	45.2	56	57.9	56	83.0	1945	--	--	75	0.12	54	213	1.19	330	10
03/28	(087-t)	43.3	53.3	66.0	11.0	1966	31.7	56	45.4	56	59.1	56	86.0	1950	--	--	58	0.08	53	529	1.26	352	10
03/29	(088-f)	29.1	42.4	47.3	11.0	1966	34.8	56	49.2	56	63.3	56	83.0	1946	--	--	80	0.15	52	138	0.54	273	10
03/30	(089-s)	21.9	31.8	40.5	13.0	1941	35.7	56	48.9	56	62.1	56	83.0	1963	--	--	75	0.21	50	291	1.70	286	10
03/31	(090-s)	21.8	37.9	53.1	11.0	1969	34.8	56	47.4	56	60.0	56	87.9	1986	--	--	74	0.12	51	517	1.43	294	10
Column Min's:		18.6	30.2	39.1	-15.0		23.8		36.0		48.2						58	0.06		33	0.12	191	
Column Avg's:		33.0	44.4	56.2			29.5		42.0		54.6						78	0.14		280	1.08	297	
Column Max's:		59.8	65.7	76.9			35.7		49.2		63.3		87.9				100	0.24		529	1.70	406	
Column Ttl's:																				8674		9222	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E				(degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION										
mo	da	min	avg	max	min	year	avgmn	yrs	avg	yrs	avgmx	yrs	max	year	prec	snow	evap	hum	%	Long Term	ly	max	ly/m	avg	Trm
.....Current.....		
04/01	(091-m)	29.9	44.0	53.9	14.0	1964	35.6	56	48.5	56	61.2	56	82.5	1986	0.01	--	--	65	0.15	51	404	1.66	354	10	
04/02	(092-t)	24.4	39.2	56.2	21.0	1954	36.2	56	49.6	56	63.2	56	84.0	1963	0.00	--	--	60	0.16	51	565	1.32	367	10	
04/03	(093-w)	22.8	46.3	70.8	15.0	1965	35.3	56	48.3	56	61.4	56	85.0	1963	0.00	--	--	57	0.16	49	533	1.32	258	10	
04/04	(094-t)	35.6	55.7	74.6	18.0	1967	36.3	56	49.4	56	62.4	56	85.0	1963	0.01	--	--	66	0.17	52	367	1.14	344	10	
04/05	(095-f)	46.9	58.4	70.5	18.0	1970	35.2	56	48.1	56	60.9	56	87.0	1947	0.23	--	--	87	0.15	54	294	1.45	282	10	
04/06	(096-s)	38.9	59.9	79.1	20.0	1975	35.9	55	47.4	55	59.2	55	85.0	1947	0.00	--	--	71	0.14	55	525	1.43	243	10	
04/07	(097-s)	44.5	64.6	83.2	16.2	1982	34.4	56	47.3	56	60.2	56	87.0	1954	0.00	--	--	74	0.12	51	443	1.43	371	10	
04/08	(098-m)	54.5	66.2	78.3	19.0	1936	34.6	56	48.3	56	62.1	56	83.0	1948	0.03	--	--	84	0.15	54	260	1.38	349	10	
04/09	(099-t)	51.7	66.0	82.0	16.0	1972	34.8	56	48.1	56	61.5	56	85.0	1959	0.47	--	--	87	0.12	51	320	1.55	326	10	
04/10	(100-w)	31.9	46.6	54.2	17.0	1985	33.7	56	47.6	56	61.3	56	85.0	1945	0.00	--	--	76	0.07	50	428	1.78	411	10	
04/11	(101-t)	25.8	45.8	63.3	18.0	1960	34.9	55	48.7	55	62.5	56	85.0	1945	0.00	--	--	62	0.14	54	575	1.40	441	10	
04/12	(102-f)	41.7	52.8	66.2	18.0	1976	35.5	56	49.9	56	63.8	56	83.0	1941	0.07	--	--	44	0.12	50	376	1.43	470	10	
04/13	(103-s)	50.2	56.0	64.2	19.0	1976	37.1	56	50.7	56	64.1	56	88.0	1941	1.49	--	--	97	0.15	52	106	0.77	412	10	
04/14	(104-s)	56.8	65.6	75.8	17.0	1950	37.3	56	52.0	56	66.4	56	85.0	1941	0.12	--	--	86	0.13	53	285	1.75	330	10	
04/15	(105-m)	45.2	61.8	70.7	17.0	1957	39.3	56	52.9	56	66.2	56	83.5	1982	0.35	--	--	77	0.18	54	451	1.62	362	10	
04/16	(106-t)	38.8	58.6	78.3	22.0	1950	36.7	56	50.7	56	64.9	56	84.0	1945	0.00	--	--	65	0.09	53	599	1.32	411	10	
04/17	(107-w)	40.2	59.7	79.4	21.0	1962	37.2	56	51.7	56	65.9	56	83.0	1976	0.00	--	--	70	0.13	54	584	1.30	344	10	
04/18	(108-t)	40.1	56.7	70.6	19.7	1983	38.9	56	53.7	56	68.4	56	86.0	1955	0.00	--	--	59	0.13	51	585	1.41	422	10	
04/19	(109-f)	50.7	58.6	65.7	21.4	1983	39.8	56	54.3	56	68.8	56	87.0	1941	0.20	--	--	85	0.12	51	132	1.17	448	10	
04/20	(110-s)	40.9	45.9	50.7	21.4	1988	40.3	56	54.6	56	68.8	56	87.2	1985	0.00	--	--	94	0.12	55	74	0.38	387	10	
04/21	(111-s)	38.8	40.6	42.1	21.6	1983	40.3	56	55.0	56	69.6	56	89.5	1985	0.01	--	--	96	0.08	51	62	0.21	386	10	
04/22	(112-m)	35.6	46.1	57.3	25.0	1936	41.3	56	55.7	56	70.0	56	90.7	1985	0.00	--	--	82	0.12	54	243	1.19	400	10	
04/23	(113-t)	31.8	49.8	64.9	21.7	1982	41.9	56	56.9	56	72.1	56	88.0	1948	0.03	--	--	72	0.18	52	373	1.64	420	10	
04/24	(114-w)	37.7	49.6	60.8	24.0	1986	43.7	56	57.0	56	70.3	56	89.0	1960	0.02	--	--	78	0.19	51	306	1.68	347	10	
04/25	(115-t)	32.5	52.9	69.5	25.0	1956	41.5	55	56.3	55	71.0	55	90.0	1960	0.00	--	--	76	0.13	53	513	1.39	503	10	
04/26	(116-f)	48.7	63.3	81.1	25.0	1972	42.5	55	56.8	55	71.2	55	92.0	1948	0.00	--	--	74	0.08	51	478	1.43	514	10	
04/27	(117-s)	50.3	65.4	77.6	29.0	1972	44.1	56	57.4	56	70.8	56	93.0	1986	0.02	--	--	83	0.12	54	268	1.33	408	10	
04/28	(118-s)	56.9	68.2	78.7	22.0	1967	42.3	56	56.6	56	70.8	56	88.0	1957	0.02	--	--	89	0.12	54	317	1.41	371	10	
04/29	(119-m)	58.9	71.9	83.8	25.0	1967	42.3	56	58.0	56	73.2	56	87.0	1957	0.01	--	--	73	0.14	52	311	1.40	457	10	
04/30	(120-t)	49.7	66.0	76.5	28.0	1961	44.0	56	58.3	56	72.1	56	92.0	1942	0.00	--	--	63	0.06	50	597	1.46	515	10	
Column Min's:		22.8	39.2	42.1	14.0		33.7		47.3		59.2				0.00			44	0.06		62	0.21	243		
Column Avg's:		41.7	56.1	69.3			38.4		52.3		66.1		93.0		0.10			75	0.13		379	1.34	388		
Column Max's:		58.9	71.9	83.8			44.1		58.3		73.2				1.49			97	0.19		599	1.78	515		
Column Ttl's:															3.09				3.92		11374		11653		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E (degrees Fahrenheit)						WATER BALANCE (inches)				SOLAR RADIATION										
.....Current.....	Long Term.....		min year		avgmn yrs		avg yrs		avgmx yrs		max year		liq		%		ly		max		Lng-Trm		
mo	da	min	avg	max	min	year	avgmn	yrs	avg	yrs	avgmx	yrs	max	prec	snow	evap	hum	avg	pr	yrs	Long Term	ly	avg yrs	
05/01	(121-w)	44.4	59.8	75.6	27.0	1971	44.1	56	58.2	56	72.6	56	92.0	1951	0.15	--	--	73	0.13	54	515	1.57	343	10
05/02	(122-t)	40.1	58.6	70.7	23.0	1963	43.6	56	58.1	56	72.2	56	91.0	1951	0.00	--	--	58	0.12	56	649	1.47	413	10
05/03	(123-f)	48.8	61.7	75.9	26.0	1961	43.0	56	57.1	56	71.3	56	90.0	1959	0.00	--	--	57	0.15	55	602	1.37	395	10
05/04	(124-s)	53.0	62.3	75.4	24.9	1986	42.0	56	57.1	56	72.1	56	93.0	1949	0.02	--	--	78	0.09	53	310	1.24	391	10
05/05	(125-s)	52.6	65.9	79.0	27.0	1973	42.2	55	57.4	55	72.2	55	95.0	1949	0.03	--	--	86	0.11	53	316	1.34	400	10
05/06	(126-m)	47.8	57.1	64.9	25.0	1968	44.6	56	59.4	56	74.1	56	92.0	1949	0.15	--	--	83	0.12	54	173	1.55	383	10
05/07	(127-t)	37.9	55.6	71.1	26.0	1970	45.1	56	59.4	56	73.8	56	91.0	1959	0.00	--	--	71	0.18	55	662	1.64	493	10
05/08	(128-w)	42.9	62.9	80.7	27.0	1947	42.6	56	57.3	56	71.8	56	91.0	1940	0.00	--	--	73	0.15	55	485	1.41	489	10
05/09	(129-t)	58.4	62.3	70.0	26.0	1947	44.7	56	59.3	56	74.0	56	90.0	1936	0.25	--	--	91	0.12	54	257	1.72	450	10
05/10	(130-f)	58.6	66.8	79.9	17.0	1966	45.0	56	58.8	56	72.6	56	92.0	1936	0.04	--	--	88	0.07	52	365	1.61	516	10
05/11	(131-s)	52.6	69.3	86.1	26.0	1966	45.3	56	59.8	56	74.1	56	91.0	1936	0.00	--	--	76	0.11	55	564	1.52	564	10
05/12	(132-s)	56.8	70.9	85.1	29.0	1938	46.8	56	60.7	56	74.2	56	91.4	1982	0.00	--	--	82	0.10	52	540	1.60	408	10
05/13	(133-m)	57.7	72.2	86.8	30.0	1938	47.1	56	60.9	56	74.8	56	91.7	1982	0.00	--	--	80	0.22	55	546	1.46	410	9
05/14	(134-t)	59.4	73.2	89.5	32.0	1971	47.5	56	61.1	56	75.0	56	92.9	1982	0.00	--	--	82	0.15	50	473	1.45	468	10
05/15	(135-w)	56.6	73.7	95.1	31.4	1984	48.1	56	62.0	56	76.0	56	95.1	1991	0.00	--	--	76	0.17	51	607	1.34	397	9
05/16	(136-t)	57.4	72.5	88.1	29.6	1984	48.8	56	62.3	56	75.9	56	92.0	1962	0.11	--	--	83	0.16	53	505	1.55	488	10
05/17	(137-f)	66.1	74.8	85.9	30.7	1984	48.6	56	62.6	56	76.6	56	92.0	1962	0.07	--	--	84	0.13	54	505	1.59	566	10
05/18	(138-s)	61.9	67.6	74.2	30.0	1973	49.5	56	63.3	56	76.9	56	93.0	1962	0.00	--	--	91	0.11	51	238	1.28	441	10
05/19	(139-s)	59.3	68.1	78.3	35.0	1976	50.2	56	63.6	56	76.9	56	93.0	1962	0.00	--	--	86	0.13	52	385	1.55	379	10
05/20	(140-m)	52.8	64.6	76.8	34.0	1956	50.9	55	64.1	55	77.4	55	91.0	1964	0.00	--	--	84	0.11	54	462	1.36	398	9
05/21	(141-t)	51.5	68.1	84.5	31.0	1954	50.2	55	64.0	55	78.1	55	91.0	1941	0.00	--	--	80	0.16	50	566	1.83	418	9
05/22	(142-w)	57.1	72.8	88.1	32.0	1954	50.7	55	64.6	55	78.8	55	93.0	1941	0.00	--	--	79	0.15	50	523	1.60	381	9
05/23	(143-t)	59.3	73.8	89.5	29.0	1963	50.8	55	65.0	55	79.1	55	91.0	1939	0.00	--	--	80	0.18	53	471	1.66	418	9
05/24	(144-f)	63.8	74.9	88.3	32.0	1963	50.6	55	64.0	55	77.6	55	90.0	1964	0.00	--	--	81	0.14	54	464	1.64	538	9
05/25	(145-s)	62.8	77.3	90.7	33.0	1941	50.7	55	64.7	55	78.6	56	92.0	1939	0.00	--	--	76	0.09	54	610	1.56	479	9
05/26	(146-s)	68.8	77.2	88.1	33.6	1988	51.7	56	65.3	56	78.9	56	92.0	1965	0.01	--	--	81	0.13	53	474	1.74	454	10
05/27	(147-m)	65.8	70.9	77.1	30.0	1961	52.2	56	65.3	56	78.4	56	91.0	1941	0.37	--	--	93	0.13	55	174	1.14	508	10
05/28	(148-t)	64.2	74.8	88.4	33.0	1961	52.4	56	64.9	56	78.7	56	92.2	1987	0.05	--	--	86	0.18	52	576	1.64	413	10
05/29	(149-w)	65.1	76.6	92.0	33.0	1964	52.0	56	65.2	56	78.7	56	92.9	1987	0.01	--	--	82	0.13	53	529	1.46	414	10
05/30	(150-t)	65.6	77.7	89.3	33.0	1961	51.5	56	65.4	56	79.4	56	92.2	1988	0.00	--	--	84	0.08	50	556	1.57	524	10
05/31	(151-f)	70.3	79.1	90.2	30.0	1966	52.8	56	66.7	56	80.7	56	94.5	1988	0.00	--	--	81	0.11	55	575	1.58	555	10
Column Min's:		37.9	55.6	64.9	17.0		42.0		57.1		71.3		95.1		0.00			57	0.07		173	1.14	343	
Column Avg's:		56.8	69.1	82.4	47.9		61.9		75.8		80.7				0.37			80	0.13		473	1.52	448	
Column Max's:		70.3	79.1	95.1	52.8		66.7		80.7						0.04			93	0.22		662	1.83	566	
Column Ttl's:															1.26				4.11		14677		13894	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE			A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION												
mo	da	jul	min	avg	maxCurrent.....	min	year	avgmn yrs	Long Term.....	avg yrs	avgmx yrs	max year	liq prec	snow	evap	hum %	Long Term	ly	max ly/m	Lng-Term avg yrs					
06/01	(152-s)		65.8	74.9	88.7		37.0	1948	53.9	56	67.2	56	80.4	56	92.1	1988	--	--	87	0.15	54	368	1.68	478	10	
06/02	(153-s)		65.2	74.8	92.1		31.0	1966	54.4	56	67.4	56	80.7	56	94.0	1951	--	--	85	0.13	53	513	1.59	472	10	
06/03	(154-m)		64.9	73.3	84.7		36.0	1966	54.4	56	66.7	56	79.0	56	92.0	1951	--	--	86	0.14	53	451	1.69	508	10	
06/04	(155-t)		56.0	66.1	76.7		37.0	1969	51.8	56	65.0	56	78.2	56	90.0	1942	--	--	74	0.10	53	632	1.58	470	10	
06/05	(156-w)		51.2	62.5	75.6		37.0	1945	53.2	56	67.0	56	80.8	56	90.6	1984	--	--	69	0.06	54	617	1.73	493	10	
06/06	(157-t)		47.1	63.3	77.9		34.0	1945	54.8	56	69.0	56	83.2	56	92.1	1988	--	--	68	0.13	53	672	1.64	554	10	
06/07	(158-f)		46.7	65.2	83.1		39.0	1958	55.7	56	68.8	56	82.0	56	93.0	1952	--	--	69	0.11	56	627	1.75	489	10	
06/08	(159-s)		48.1	65.9	82.5		36.0	1977	56.0	56	69.4	56	82.8	56	93.6	1988	--	--	68	0.08	54	668	1.57	556	10	
06/09	(160-s)		48.7	68.6	87.7		41.0	1949	56.9	56	69.9	56	83.0	56	94.0	1953	--	--	69	0.14	53	653	1.48	531	10	
06/10	(161-m)		51.4	69.9	85.7		35.7	1988	57.1	55	69.6	55	82.0	55	93.0	1947	--	--	71	0.10	54	600	1.59	552	9	
06/11	(162-t)		58.8	71.0	83.8		31.0	1972	55.8	55	69.1	55	82.5	55	94.0	1963	--	--	78	0.10	52	375	1.56	568	10	
06/12	(163-w)		61.3	72.4	85.2		37.0	1972	56.4	56	69.2	56	82.2	56	95.5	1984	--	--	83	0.11	54	411	1.65	410	10	
06/13	(164-t)		55.3	72.4	90.6		40.0	1963	56.8	56	70.1	56	83.4	56	93.8	1984	--	--	72	0.20	53	685	1.48	532	10	
06/14	(165-f)		53.5	74.4	93.1		39.0	1959	57.0	56	69.9	56	82.8	56	95.7	1988	--	--	67	0.15	51	633	1.42	592	10	
06/15	(166-s)		62.3	75.5	90.7		40.0	1959	57.1	56	70.3	56	83.6	56	94.0	1952	--	--	86	0.17	52	504	1.61	491	9	
06/16	(167-s)		69.5	76.0	89.3		44.0	1959	57.7	56	70.1	56	82.7	56	96.0	1952	--	--	88	0.16	53	328	1.63	437	10	
06/17	(168-m)		68.2	74.4	83.9		40.0	1964	56.3	56	69.3	56	82.4	56	97.0	1936	--	--	86	0.14	54	360	1.45	501	10	
06/18	(169-t)		66.6	75.7	88.4		40.0	1965	57.2	56	70.1	56	82.9	56	98.0	1944	--	--	82	0.05	51	470	1.33	530	10	
06/19	(170-w)		63.9	76.0	88.3		41.0	1959	57.6	56	70.5	56	83.3	56	94.0	1949	--	--	83	0.09	51	526	1.55	496	10	
06/20	(171-t)		65.1	77.0	92.5		45.0	1965	57.4	56	70.6	56	83.9	56	96.8	1988	--	--	74	0.09	56	568	1.49	455	10	
06/21	(172-f)		62.6	75.3	92.5		43.0	1940	58.1	56	71.3	56	84.6	56	96.5	1988	--	--	79	0.18	52	464	1.39	546	10	
06/22	(173-s)		67.9	71.5	81.1		39.0	1963	58.0	56	70.5	56	83.2	56	98.9	1988	--	--	91	0.10	52	222	1.45	428	10	
06/23	(174-s)		61.9	70.4	82.1		39.0	1963	58.5	56	70.9	56	83.6	56	94.0	1966	--	--	86	0.13	54	392	1.53	513	10	
06/24	(175-m)		60.1	72.6	85.1		43.0	1961	57.7	56	71.1	56	84.3	56	96.0	1964	--	--	78	0.07	52	631	1.59	609	10	
06/25	(176-t)		59.0	72.2	85.8		41.0	1965	57.3	56	71.0	56	84.6	56	101.1	1988	--	--	78	0.09	54	578	1.56	624	10	
06/26	(177-w)		59.0	71.7	84.2		43.0	1967	57.1	56	71.4	56	85.3	56	98.0	1952	--	--	76	0.15	54	623	1.41	630	10	
06/27	(178-t)		58.9	74.3	90.0		44.0	1961	58.5	56	72.1	56	85.7	56	97.0	1944	--	--	75	0.09	53	598	1.64	555	10	
06/28	(179-f)		62.5	77.1	91.1		44.0	1970	59.6	56	73.1	56	86.6	56	98.0	1944	--	--	78	0.08	54	447	1.76	534	10	
06/29	(180-s)		--	--	--		46.0	1954	59.5	55	72.4	55	85.6	55	100.0	1952	--	--	--	0.20	54	--	--	--	432	9
06/30	(181-s)		--	--	--		44.2	1988	59.1	55	72.4	55	85.8	55	96.0	1936	--	--	--	0.19	53	--	--	--	507	9
Column Min's:			46.7	62.5	75.6		31.0		51.8		65.0		78.2				67	0.05				222	1.33	410		
Column Avg's:			59.3	71.9	86.2				56.7		69.8		83.0				78	0.12				522	1.56	516		
Column Max's:			69.5	77.1	93.1				59.6		73.1		86.6		101.1		91	0.20				685	1.76	630		
Column Ttl's:																		3.68				14616		15493		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R				T E M P E R A T U R E				(degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION																																																																																																																																																																																																																																																																																																																																																																							
.....Current.....		min		avg		max		min		year		avg		max		prec		liq		snow		evap		hum		avg		pr		Term		ly		max		Lng-Trm																																																																																																																																																																																																																																																																																																																																																					
mo	da	min	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year	avg	max	min	year																																																																																																																																																																																																																																																																																																																																																				
07/01	(182-m)	--	--	--	36.5	1988	59.7	55	72.1	55	84.5	55	96.0	1954	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	456	9																																																																																																																																																																																																																																																																																																																																																			
07/02	(183-t)	--	--	--	42.0	1988	58.7	55	71.8	55	84.9	55	97.0	1954	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	533	9																																																																																																																																																																																																																																																																																																																																																			
07/03	(184-w)	--	80.6	88.7	46.0	1945	59.2	55	72.3	55	85.6	56	97.0	1966	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	532	9																																																																																																																																																																																																																																																																																																																																																			
07/04	(185-t)	68.8	75.1	82.4	41.0	1968	59.4	56	72.0	56	84.7	56	98.0	1966	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.13	447	10																																																																																																																																																																																																																																																																																																																																																		
07/05	(186-f)	65.7	76.3	89.3	43.0	1968	60.3	56	72.4	56	84.9	56	100.0	1949	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.59	479	10																																																																																																																																																																																																																																																																																																																																																		
07/06	(187-s)	61.2	76.9	90.6	43.0	1972	59.7	55	72.1	55	84.6	55	100.3	1988	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	508	1.29	528	10																																																																																																																																																																																																																																																																																																																																																	
07/07	(188-s)	70.0	83.7	96.5	43.0	1972	58.9	56	71.9	56	85.0	56	103.7	1988	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	616	1.50	597	10																																																																																																																																																																																																																																																																																																																																																	
07/08	(189-m)	67.5	71.2	77.6	44.4	1984	59.7	56	72.6	56	85.6	56	105.4	1988	0.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	56	0.36	535	10																																																																																																																																																																																																																																																																																																																																																	
07/09	(190-t)	66.2	73.3	84.7	44.0	1963	61.3	56	73.7	56	86.6	56	103.3	1988	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	397	1.74	501	10																																																																																																																																																																																																																																																																																																																																																	
07/10	(191-w)	67.3	71.3	79.1	44.0	1963	60.8	56	73.5	56	86.5	56	100.0	1936	0.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	157	1.07	449	10																																																																																																																																																																																																																																																																																																																																																	
07/11	(192-t)	65.2	74.2	87.4	43.0	1963	60.1	56	72.5	56	85.6	56	98.0	1936	0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	456	1.43	441	10																																																																																																																																																																																																																																																																																																																																																	
07/12	(193-f)	66.5	73.3	79.7	42.0	1945	60.6	56	73.3	56	86.1	56	99.0	1936	0.85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	172	1.02	426	10																																																																																																																																																																																																																																																																																																																																																	
07/13	(194-s)	67.3	77.2	87.8	47.0	1945	61.1	56	73.2	56	85.6	56	99.0	1936	0.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	549	1.63	442	10																																																																																																																																																																																																																																																																																																																																																	
07/14	(195-s)	59.7	72.2	85.8	47.0	1940	60.9	56	73.8	56	86.8	56	102.0	1954	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	598	1.65	489	10																																																																																																																																																																																																																																																																																																																																																	
07/15	(196-m)	--	--	--	48.9	1987	61.2	55	73.7	55	86.5	55	103.7	1988	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.11	55	--	498	9																																																																																																																																																																																																																																																																																																																																															
07/16	(197-t)	--	--	--	44.0	1967	60.2	55	73.1	55	86.1	55	103.6	1988	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.16	53	--	561	9																																																																																																																																																																																																																																																																																																																																															
07/17	(198-w)	--	--	--	48.0	1954	59.7	55	73.3	55	87.0	55	97.8	1988	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.11	53	--	594	9																																																																																																																																																																																																																																																																																																																																															
07/18	(199-t)	--	82.1	93.0	48.0	1967	60.8	55	73.8	55	87.1	56	99.1	1988	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	69	0.09	53	207	--	553	8																																																																																																																																																																																																																																																																																																																																													
07/19	(200-f)	68.4	78.7	91.8	48.2	1984	62.5	56	74.9	56	87.6	56	97.0	1957	0.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	81	0.16	51	420	1.62	472	10																																																																																																																																																																																																																																																																																																																																													
07/20	(201-s)	68.3	80.3	93.2	45.0	1947	62.3	56	74.6	56	87.3	56	96.0	1957	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	77	0.13	54	460	1.42	436	10																																																																																																																																																																																																																																																																																																																																													
07/21	(202-s)	68.2	80.2	92.1	41.0	1965	61.6	56	73.4	56	85.6	56	99.1	1983	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	76	0.19	53	529	1.45	478	10																																																																																																																																																																																																																																																																																																																																													
07/22	(203-m)	69.9	82.3	94.7	43.0	1966	61.5	56	74.1	56	87.1	56	98.0	1952	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	73	0.15	53	536	1.45	510	10																																																																																																																																																																																																																																																																																																																																													
07/23	(204-t)	70.8	80.2	95.4	42.0	1947	62.3	56	74.5	56	87.2	56	98.4	1983	0.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	79	0.21	54	479	1.50	529	10																																																																																																																																																																																																																																																																																																																																													
07/24	(205-w)	63.9	75.1	90.2	43.0	1947	61.8	56	74.4	56	87.2	56	97.7	1987	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	69	0.14	54	595	1.47	553	10																																																																																																																																																																																																																																																																																																																																													
07/25	(206-t)	64.1	73.3	86.5	45.0	1947	61.7	56	74.4	56	87.2	56	98.0	1944	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	77	0.12	55	383	1.92	445	10																																																																																																																																																																																																																																																																																																																																													
07/26	(207-f)	67.6	74.6	86.2	52.0	1947	61.8	56	74.1	56	87.0	56	97.0	1936	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	78	0.09	55	374	1.43	421	10																																																																																																																																																																																																																																																																																																																																													
07/27	(208-s)	59.8	71.1	85.5	41.0	1962	61.8	56	74.3	56	87.4	56	102.0	1936	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	68	0.06	55	605	1.52	479	10																																																																																																																																																																																																																																																																																																																																													
07/28	(209-s)	55.5	70.1	84.3	47.0	1962	62.4	56	74.9	56	87.5	56	100.0	1952	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	72	0.18	52	381	1.47	494	10																																																																																																																																																																																																																																																																																																																																													
07/29	(210-m)	66.2	72.8	85.0	47.0	1965	62.3	56	74.4	56	86.9	56	98.0	1964	0.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85	0.13	55	357	1.44	544	10																																																																																																																																																																																																																																																																																																																																													
07/30	(211-t)	56.8	71.3	82.0	46.0	1965	61.0	56	73.4	56	86.2	56	98.0	1940	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80	0.10	52	465	1.46	438	10																																																																																																																																																																																																																																																																																																																																													
07/31	(212-w)	51.2	69.8	87.3	46.0	1965	60.9	56	73.3	56	86.1	56	96.0	1944	0.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	69	0.08	54	665	1.52	473	10																																																																																																																																																																																																																																																																																																																																													
Column Min's:	51.2	69.8	77.6	36.5	58.7	71.8	84.5	67	0.06	56	0.36	421																																																																																																																																																																																																																																																																																																																																																																													</

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R				T E M P E R A T U R E				(degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION			
	Current.....	Long Term.....		min year		avgm yrs		avg yrs		avgmx yrs		liq		evap		ly		max	
mo	da	min	avg	max										prec	snow	hum	avg	pr	ly/m	avg	ly/m
08/01	(213-t)	54.2	74.7	95.9		50.0	1952	60.7	56	73.7	56	86.8	56	0.00	--	--	0.12	52	637	1.34	491
08/02	(214-f)	60.4	79.2	99.7		50.0	1963	60.1	56	73.7	56	87.7	56	0.00	--	--	0.07	55	619	1.35	539
08/03	(215-s)	61.6	78.3	95.9		37.0	1965	61.1	56	74.0	56	87.2	56	0.08	--	--	0.10	55	410	1.34	500
08/04	(216-s)	61.6	74.6	86.5		42.0	1965	61.1	56	73.9	56	87.1	56	0.57	--	--	0.19	53	526	1.50	470
08/05	(217-m)	57.7	68.9	82.1		45.0	1951	61.4	56	73.2	56	85.6	56	0.00	--	--	0.16	56	477	1.96	385
08/06	(218-t)	57.7	66.6	76.3		41.0	1957	60.4	56	72.7	56	85.4	56	0.01	--	--	0.17	55	246	0.99	391
08/07	(219-w)	59.7	74.0	91.4		44.0	1957	59.8	56	72.3	56	85.3	56	0.00	--	--	0.10	53	611	1.30	417
08/08	(220-t)	58.9	73.5	94.2		42.7	1989	59.8	55	72.7	55	86.1	55	1.08	--	--	0.13	52	483	1.37	444
08/09	(221-f)	67.7	71.1	76.9		46.5	1989	61.0	56	73.4	56	86.3	56	1.45	--	--	0.08	54	143	1.22	452
08/10	(222-s)	59.3	72.0	84.1		44.0	1972	60.5	56	73.0	56	86.0	56	0.00	--	--	0.18	52	589	1.58	441
08/11	(223-s)	54.4	69.1	86.6		44.0	1972	59.4	56	71.9	56	84.8	56	0.00	--	--	0.15	51	615	1.35	386
08/12	(224-m)	55.3	70.1	87.8		41.0	1946	58.7	56	71.7	56	85.1	56	0.00	--	--	0.13	56	568	1.44	520
08/13	(225-t)	59.2	66.1	75.4		44.0	1964	58.7	56	71.8	56	85.2	56	0.04	--	--	0.11	54	151	0.85	424
08/14	(226-w)	59.9	70.4	83.9		43.0	1941	59.1	55	72.2	55	85.7	55	0.00	--	--	0.10	52	458	1.45	524
08/15	(227-t)	57.7	69.8	84.0		38.0	1964	59.8	56	72.7	56	86.1	56	0.00	--	--	0.15	56	543	1.37	490
08/16	(228-f)	55.2	71.3	87.5		40.0	1964	60.4	56	73.2	56	86.5	56	0.00	--	--	0.08	56	567	1.32	434
08/17	(229-s)	58.6	70.3	85.3		43.0	1964	59.9	56	72.6	56	85.9	56	1.05	--	--	0.13	55	333	1.32	405
08/18	(230-s)	64.5	72.8	85.2		43.0	1962	59.7	56	72.0	56	84.7	56	0.87	--	--	0.08	53	337	1.54	417
08/19	(231-m)	57.9	66.3	81.4		43.0	1953	58.6	56	71.7	56	85.5	56	0.14	--	--	0.21	56	333	1.60	435
08/20	(232-t)	57.7	64.4	74.8		43.0	1964	57.9	56	71.1	56	84.7	56	0.02	--	--	0.09	55	261	1.57	366
08/21	(233-w)	59.0	67.6	81.6		41.0	1950	57.5	54	71.0	54	84.6	55	0.00	--	--	0.14	54	557	1.59	406
08/22	(234-t)	55.7	70.4	86.6		39.7	1982	58.2	56	71.6	56	85.4	56	0.00	--	--	0.11	53	513	1.33	447
08/23	(235-f)	59.8	73.8	88.7		43.0	1950	58.0	56	71.1	56	84.4	56	0.00	--	--	0.15	53	524	1.26	357
08/24	(236-s)	62.0	75.1	92.1		41.0	1952	57.4	56	70.6	56	84.1	56	0.00	--	--	0.06	55	473	1.27	399
08/25	(237-s)	62.6	74.9	88.4		40.0	1951	56.7	56	70.4	56	84.3	56	0.00	--	--	0.14	54	497	1.23	432
08/26	(238-m)	61.6	72.7	86.3		40.0	1951	57.4	56	70.9	56	84.9	56	0.00	--	--	0.12	55	465	1.39	456
08/27	(239-t)	63.2	74.4	87.3		40.0	1945	58.5	56	71.5	56	84.8	56	0.00	--	--	0.10	56	390	1.55	371
08/28	(240-w)	66.2	76.3	89.8		40.9	1986	58.2	55	71.5	55	85.1	55	0.00	--	--	0.04	52	407	--	403
08/29	(241-t)	66.1	78.6	95.1		34.0	1965	59.1	55	71.9	55	85.0	55	0.00	--	--	0.14	55	482	1.25	354
08/30	(242-f)	67.0	76.1	85.9		42.0	1946	58.0	55	71.4	55	85.0	55	0.00	--	--	0.08	49	316	1.25	373
08/31	(243-s)	67.8	74.7	89.3		44.0	1946	58.1	55	71.3	55	85.0	55	0.52	--	--	0.12	54	318	1.40	399
Column	Min's:	54.2	64.4	74.8		34.0		56.7		70.4		84.1		0.00		64	0.04		143	0.85	354
Column	Avg/s:	60.3	72.2	86.6				59.2		72.2		85.5		0.19		78	0.12		447	1.38	430
Column	Max's:	67.8	79.2	99.7				61.4		74.0		87.7		1.45		89	0.21		637	1.96	539
Column	Ttl's:													5.83			3.73		13849		13328

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION												
mo	da	min	avg	maxCurrent.....	min	year avgmn yrs	Long Term.....	avg yrs avgmx yrs	max year	liq prec	snow	evap	% hum	Long Term avg pr yrs	ly	max ly/m	Lng-Trm avg yrs							
09/01	(244-s)	57.5	69.9	83.7		41.0	1963	57.2	56	70.8	56	84.7	56	101.0	1953	0.00	--	--	76	0.19	56	567	1.26	413	9
09/02	(245-m)	54.2	71.0	89.1		38.0	1967	56.6	56	70.2	56	84.1	56	102.0	1953	0.00	--	--	78	0.10	53	500	1.19	394	10
09/03	(246-t)	64.9	72.4	79.6		40.0	1946	56.5	56	70.1	56	83.8	56	101.0	1953	0.00	--	--	85	0.14	53	211	0.78	419	9
09/04	(247-w)	68.1	70.3	73.3		41.0	1952	57.3	56	70.4	56	83.7	56	96.0	1953	0.62	--	--	89	0.09	53	93	0.41	377	10
09/05	(248-t)	59.8	66.2	73.8		41.4	1982	56.4	56	69.7	56	83.1	56	97.0	1954	0.06	--	--	87	0.12	56	136	0.69	354	10
09/06	(249-f)	59.1	68.7	85.0		39.0	1962	55.8	56	69.4	56	83.5	56	99.0	1954	0.01	--	--	78	0.06	55	454	1.31	431	10
09/07	(250-s)	52.3	67.4	86.1		36.0	1988	54.6	56	68.2	56	82.2	56	97.0	1945	0.00	--	--	71	0.04	52	538	1.25	381	10
09/08	(251-s)	49.9	67.7	86.8		36.0	1951	54.2	56	68.5	56	83.1	56	97.0	1939	0.00	--	--	73	0.03	54	510	1.20	391	9
09/09	(252-m)	58.3	71.0	82.4		35.0	1944	54.3	55	68.9	55	83.9	55	97.2	1983	0.00	--	--	85	0.09	53	271	1.11	404	10
09/10	(253-t)	70.7	75.1	83.4		36.0	1943	55.3	56	68.8	56	82.9	56	101.4	1983	1.12	--	--	85	0.11	53	247	1.40	344	10
09/11	(254-w)	59.8	71.6	84.3		36.0	1969	52.8	56	66.3	56	80.1	56	98.7	1983	0.01	--	--	80	0.10	56	422	1.46	335	10
09/12	(255-t)	55.3	66.8	80.9		38.0	1967	52.6	56	66.0	56	79.8	56	93.0	1952	0.58	--	--	83	0.14	54	284	1.24	293	10
09/13	(256-f)	--	75.3	--		35.0	1953	53.2	55	66.6	55	80.6	55	97.0	1939	--	--	--	82	0.12	52	440	--	394	9
09/14	(257-s)	--	--	--		30.0	1964	52.7	55	66.2	55	80.3	55	98.0	1939	--	--	--	--	0.19	53	--	--	360	9
09/15	(258-s)	--	--	--		33.0	1964	51.5	55	65.7	55	80.0	55	93.0	1939	--	--	--	--	0.14	50	--	--	365	9
09/16	(259-m)	--	83.2	90.3		29.0	1966	49.5	55	64.1	55	79.0	56	95.0	1939	0.00	--	--	72	0.08	56	342	--	332	9
09/17	(260-t)	59.8	72.7	84.8		33.0	1966	50.6	56	64.3	56	78.3	56	93.0	1955	0.00	--	--	73	0.08	54	451	1.39	412	9
09/18	(261-w)	58.6	70.1	84.7		31.0	1937	51.2	56	64.9	56	78.9	56	92.0	1955	0.02	--	--	80	0.05	55	363	1.46	352	10
09/19	(262-t)	48.0	58.2	66.6		32.0	1959	53.1	56	65.4	56	78.0	56	92.2	1983	0.01	--	--	73	0.09	55	263	1.49	307	10
09/20	(263-f)	40.4	51.0	64.3		33.0	1959	51.8	56	64.8	56	78.0	56	93.0	1940	0.00	--	--	72	0.18	53	504	1.23	400	10
09/21	(264-s)	35.8	50.9	70.0		28.0	1956	51.0	56	64.1	56	77.8	56	94.0	1940	0.00	--	--	73	0.15	54	499	1.18	355	10
09/22	(265-s)	39.6	56.7	72.5		31.0	1962	49.8	55	63.5	55	77.4	55	91.0	1936	0.04	--	--	81	0.12	53	283	1.32	303	9
09/23	(266-m)	44.5	60.4	72.3		29.0	1967	47.8	56	61.8	56	76.0	56	92.0	1945	0.11	--	--	80	0.09	52	330	1.40	292	10
09/24	(267-t)	41.0	50.6	60.9		28.6	1983	46.3	56	60.4	56	74.3	56	92.0	1937	1.15	--	--	90	0.17	51	87	0.47	273	9
09/25	(268-w)	49.4	54.4	65.3		27.0	1963	45.7	56	60.0	56	74.5	56	92.0	1961	0.22	--	--	85	0.04	53	265	1.18	366	10
09/26	(269-t)	38.0	53.0	65.2		31.0	1950	45.6	56	60.0	56	74.7	56	89.0	1959	0.00	--	--	73	0.07	53	409	1.45	309	10
09/27	(270-f)	32.0	48.2	65.7		31.0	1947	45.9	56	60.7	56	76.2	56	90.0	1946	0.00	--	--	72	0.12	54	474	1.15	322	10
09/28	(271-s)	40.4	54.9	72.2		31.0	1947	45.3	56	60.1	56	75.5	56	90.0	1939	0.00	--	--	75	0.10	53	364	1.41	341	10
09/29	(272-s)	42.1	59.5	79.1		27.0	1951	45.6	56	59.8	56	74.5	56	95.0	1953	0.00	--	--	76	0.05	55	398	1.27	344	10
09/30	(273-m)	46.4	61.1	81.9		28.0	1963	45.8	56	59.7	56	73.7	56	95.0	1953	0.00	--	--	77	0.17	53	349	1.40	287	10
Column	Min's:	32.0	48.2	60.9		27.0		45.3		59.7		73.7				0.00			71	0.03		87	0.41	273	
Column	Avg's:	51.0	64.2	77.2				51.5		65.3		79.4				0.15			79	0.11		359	1.20	355	
Column	Max's:	70.7	83.2	90.3				57.3		70.8		84.7		102.0		1.15			90	0.19		567	1.49	431	
Column	Ttl's:															3.95				3.22		10054		10650	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)				SOLAR RADIATION												
mo	da	min	avg	max	min	year	avgmn	yr	avg	yr	avgmx	yr	max	year	prec	show	evap	hum	%	Long	Term	ly	ly/m	max	Long-Trm	
10/01	(274-t)	49.4	63.2	80.9	28.0	1963	46.9	56	59.7	56	73.1	56	89.0	1952	0.00	--	--	--	74	0.13	53	411	1.13	263	10	
10/02	(275-w)	47.2	62.4	79.6	26.0	1946	45.1	56	59.5	56	74.6	56	89.0	1953	0.00	--	--	--	75	0.07	54	385	1.16	330	10	
10/03	(276-t)	49.4	63.7	80.3	27.0	1974	43.8	56	58.3	56	72.8	56	91.0	1951	0.10	--	--	--	82	0.06	55	330	1.25	263	9	
10/04	(277-f)	53.7	66.7	82.0	24.9	1987	43.6	56	58.2	56	73.3	56	93.0	1951	0.00	--	--	--	79	0.09	55	376	1.19	318	10	
10/05	(278-s)	39.8	56.7	64.9	24.0	1965	43.6	56	57.8	56	72.1	56	90.0	1946	0.40	--	--	--	87	0.04	55	56	0.76	293	10	
10/06	(279-s)	35.3	44.6	54.4	24.0	1965	43.4	55	57.3	56	72.2	56	90.0	1941	0.00	--	--	--	68	0.08	55	345	1.41	379	10	
10/07	(280-m)	29.4	41.4	56.5	12.4	1986	41.5	55	56.2	56	71.3	55	90.0	1941	0.00	--	--	--	74	0.12	52	335	1.35	291	10	
10/08	(281-t)	28.3	45.4	65.5	24.0	1953	40.6	55	54.6	56	68.7	55	90.0	1939	0.00	--	--	--	71	0.08	51	423	1.06	308	10	
10/09	(282-w)	34.7	52.6	73.3	7.9	1983	42.6	56	57.0	56	70.9	55	91.0	1949	0.00	--	--	--	70	0.14	51	395	1.01	270	10	
10/10	(283-t)	39.3	53.5	67.0	25.0	1945	42.5	55	56.0	56	69.4	55	91.0	1949	0.03	--	--	--	83	0.08	54	191	1.28	230	10	
10/11	(284-f)	43.9	51.7	56.1	5.9	1983	39.7	56	54.6	56	68.3	55	91.0	1949	0.10	--	--	--	89	0.03	53	85	0.46	226	9	
10/12	(285-s)	41.3	49.3	62.9	6.4	1983	39.6	56	54.9	56	70.5	56	88.0	1949	0.02	--	--	--	85	0.08	54	213	1.08	211	9	
10/13	(286-s)	33.6	43.9	60.1	16.5	1988	40.6	56	55.4	56	70.6	56	88.0	1947	0.00	--	--	--	82	0.07	54	279	1.26	226	10	
10/14	(287-m)	30.8	50.4	71.1	17.9	1988	39.9	56	55.2	56	71.0	56	86.0	1954	0.05	--	--	--	73	0.07	53	325	1.23	293	10	
10/15	(288-t)	44.4	50.6	58.9	12.7	1986	38.6	55	53.8	56	70.1	56	87.0	1947	0.01	--	--	--	78	0.07	55	199	1.06	296	10	
10/16	(289-w)	30.4	43.3	59.5	10.4	1986	38.0	55	52.4	56	70.9	56	93.5	1984	0.00	--	--	--	71	0.08	55	380	1.00	276	9	
10/17	(290-t)	25.8	43.1	66.5	23.5	1982	39.3	55	53.2	56	69.4	56	85.0	1950	0.00	--	--	--	69	0.08	54	374	0.97	241	9	
10/18	(291-f)	32.1	52.6	76.0	13.1	1986	37.7	55	52.9	55	68.2	56	86.0	1938	0.00	--	--	--	70	0.17	55	345	0.91	220	9	
10/19	(292-s)	28.5	45.9	54.6	8.4	1986	36.5	56	51.7	56	66.8	56	87.0	1953	0.00	--	--	--	82	0.04	53	149	0.94	222	10	
10/20	(293-s)	23.3	38.1	57.4	19.0	1964	35.6	56	50.2	56	65.0	56	88.0	1953	0.00	--	--	--	75	0.12	52	326	1.14	198	10	
10/21	(294-m)	27.4	44.5	68.5	13.0	1952	36.1	56	51.3	56	66.7	56	86.0	1953	0.00	--	--	--	69	0.06	56	329	1.03	185	10	
10/22	(295-t)	36.4	54.6	77.3	15.0	1952	38.3	56	52.8	56	67.4	56	86.0	1947	0.00	--	--	--	76	0.12	53	284	0.86	197	10	
10/23	(296-w)	39.9	57.9	74.9	17.0	1952	37.5	56	52.5	56	67.5	56	88.0	1947	0.03	--	--	--	82	0.07	55	197	0.92	180	10	
10/24	(297-t)	53.7	65.3	80.5	16.0	1964	38.4	56	51.7	56	65.3	56	82.0	1963	0.01	--	--	--	79	0.09	53	206	0.94	188	9	
10/25	(298-f)	54.8	65.8	82.3	17.0	1960	37.4	56	50.2	56	63.1	56	83.0	1963	0.00	--	--	--	72	0.07	52	287	0.99	208	10	
10/26	(299-s)	49.9	64.3	83.0	15.0	1962	36.2	56	49.7	56	64.1	56	98.7	1984	0.00	--	--	--	71	0.05	54	288	0.96	277	10	
10/27	(300-s)	53.1	61.2	70.3	11.0	1962	35.1	56	49.2	56	63.6	56	85.0	1963	0.05	--	--	--	87	0.07	51	114	0.82	242	10	
10/28	(301-m)	55.8	63.2	71.0	17.0	1976	34.5	55	48.9	55	63.9	56	97.4	1986	0.00	--	--	--	79	0.05	56	173	0.63	256	9	
10/29	(302-t)	49.4	62.1	77.1	1.4	1984	33.4	56	48.2	56	63.3	56	83.0	1946	0.00	--	--	--	53	0.04	54	206	0.86	253	9	
10/30	(303-w)	43.6	57.6	73.9	15.0	1952	35.4	56	49.6	56	64.4	56	82.0	1950	0.00	--	--	--	62	0.06	53	191	0.85	237	10	
10/31	(304-t)	45.5	59.1	75.3	16.0	1965	36.3	56	50.5	56	65.4	56	85.0	1950	0.00	--	--	--	59	0.09	52	252	0.91	235	10	
Column	Min's:	23.3	38.1	54.4	1.4		33.4		48.2		63.1				0.00			53	0.03				56	0.46	180	
Column	Avg's:	40.3	54.0	69.7			39.3		53.7		68.5		98.7		0.03			75	0.08				273	1.01	252	
Column	Max's:	55.8	66.7	83.0			46.9		59.7		74.6				0.40			89	0.17				423	1.41	379	
Column	Ttl's:														0.80				2.47				8449		7812	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.