

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	max	prec	evap	ly	ly/m									
01/01 (001-t)	15.3	25.1	20.6	75	29.0	75	37.5	75	66.1	1985	0.00	0.11	67	253	0.82	126	10
01/02 (002-w)	19.0	30.2	20.3	75	27.7	75	35.2	75	54.0	1921	0.00	0.09	62	222	0.65	117	10
01/03 (003-t)	13.5	22.9	20.3	75	28.1	75	35.5	75	62.0	1950	0.00	0.07	69	76	0.78	103	9
01/04 (004-f)	10.2	18.7	19.5	75	27.1	75	34.7	75	63.0	1950	0.00	0.05	65	244	0.69	144	10
01/05 (005-s)	13.1	27.5	18.1	75	26.7	75	35.4	75	59.0	1939	0.21	0.07	68	34	0.16	138	10
01/06 (006-s)	28.0	31.6	19.2	75	27.4	75	35.6	75	65.0	1946	0.00	0.07	64	45	0.28	89	10
01/07 (007-m)	19.2	27.3	21.0	74	28.4	74	35.7	75	61.0	1946	0.00	0.05	65	177	0.71	113	10
01/08 (008-t)	18.3	26.0	17.5	75	25.5	75	33.5	75	65.0	1937	0.00	0.07	72	198	0.74	138	10
01/09 (009-w)	30.9	33.5	17.4	74	26.3	74	35.1	75	68.0	1928	0.06	0.07	68	31	0.14	120	10
01/10 (010-t)	28.4	29.4	17.6	75	25.5	75	33.5	75	57.0	1950	0.00	0.06	68	39	0.19	97	10
01/11 (011-f)	29.3	32.8	17.9	75	25.5	75	33.2	75	54.0	1929	0.59	0.07	64	29	0.12	139	10
01/12 (012-s)	23.9	32.0	16.6	75	25.3	75	33.9	75	57.0	1932	0.00	0.03	66	30	0.20	116	10
01/13 (013-s)	23.5	26.5	16.7	75	25.7	75	34.6	75	64.0	1972	0.01	0.07	59	88	0.95	136	10
01/14 (014-m)	28.2	31.5	18.6	74	27.5	74	36.4	75	68.0	1932	0.00	0.08	71	62	0.20	123	10
01/15 (015-t)	29.5	39.7	17.9	75	26.6	75	35.2	75	68.0	1928	0.00	0.09	69	217	0.67	140	10
01/16 (016-w)	34.8	43.3	15.4	75	24.8	75	33.7	75	57.0	1949	0.42	0.04	66	94	1.06	158	10
01/17 (017-t)	26.5	31.3	17.9	75	26.1	75	34.2	75	62.2	1990	0.03	0.07	72	46	0.47	120	10
01/18 (018-f)	25.6	29.8	18.2	75	27.2	75	36.1	75	62.0	1929	0.00	0.06	70	203	0.84	102	10
01/19 (019-s)	28.6	36.5	17.2	75	26.3	75	35.2	75	64.0	1929	0.00	0.09	68	210	0.94	136	10
01/20 (020-s)	29.8	37.3	18.0	75	26.5	75	34.9	75	62.0	1951	0.17	0.07	68	41	0.62	126	10
01/21 (021-m)	9.9	17.6	17.3	75	26.5	75	35.8	75	61.0	1935	0.01	0.11	65	195	1.22	158	10
01/22 (022-t)	-2.2	10.6	18.7	75	27.3	75	36.1	75	67.0	1933	0.05	0.08	68	297	1.05	138	10
01/23 (023-w)	14.0	22.9	17.4	75	26.8	75	35.9	75	64.0	1967	0.00	0.06	71	105	0.53	155	10
01/24 (024-t)	8.2	16.7	17.5	75	26.5	75	35.4	75	61.0	1950	0.00	0.09	68	181	0.90	158	9
01/25 (025-f)	-3.8	7.6	18.4	74	27.6	74	37.1	75	72.0	1950	0.00	0.05	67	305	0.97	136	10
01/26 (026-s)	-2.6	15.9	15.5	75	25.1	75	34.6	75	67.0	1950	0.01	0.09	71	155	0.63	145	10
01/27 (027-s)	13.3	24.7	14.6	75	24.0	75	33.2	75	57.0	1974	0.10	0.06	70	232	0.81	197	10
01/28 (028-m)	13.3	28.7	15.0	75	24.3	75	33.5	75	58.0	1974	0.01	0.07	65	326	0.94	178	10
01/29 (029-t)	8.1	27.3	16.8	75	24.9	75	33.0	75	62.0	1975	0.07	0.09	63	225	0.92	138	10
01/30 (030-w)	26.7	30.8	17.6	75	26.0	75	34.5	75	59.0	1947	0.28	0.11	71	66	0.42	111	10
01/31 (031-t)	14.0	19.1	16.1	74	25.1	74	34.1	75	67.3	1990	0.00	0.03	66	162	1.07	149	10
Column Min's:	-3.8	7.6	14.6		24.0		33.0				0.00	0.03		29	0.12	89	
Column Avg's:	18.5	26.9	17.8		26.4		34.9				0.07	0.07		148	0.67	134	
Column Max's:	34.8	43.3	21.0		29.0		37.5		72.0		0.59	0.11		326	1.22	197	
Column Tt'l's:											2.02	2.22		4588		4144	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION												
mo	da	min	avg	max	min year	avgmn yrs	Long Term	avg yrs	avgmx yrs	max year	liq	prec	snow	evap	hum	avg	pr	lyrs	ly	max	Long Term	avg	lyrs	
02/01	(032-f)	10.9	24.7	36.8	-7.0	1971	17.4	74	25.7	74	33.6	74	63.6	1989	0.00	0.00	0.00	0.04	63	236	0.82	152	10	
02/02	(033-s)	30.5	39.7	48.2	-8.0	1961	17.7	74	26.0	74	34.3	74	59.0	1973	0.00	0.00	0.00	0.08	67	281	0.79	111	10	
02/03	(034-s)	29.2	42.3	54.9	-15.7	1985	16.3	73	25.6	73	34.7	74	54.9	1991	0.00	0.00	0.00	0.04	66	291	0.81	102	10	
02/04	(035-m)	28.7	45.7	60.9	-20.9	1985	16.8	74	26.1	74	35.7	75	62.0	1924	0.00	0.00	0.00	0.09	67	275	0.88	147	10	
02/05	(036-t)	39.2	48.7	54.2	-20.0	1918	16.6	75	25.8	75	34.9	75	60.0	1938	0.00	0.00	0.00	0.07	72	62	0.48	140	10	
02/06	(037-w)	35.4	37.9	40.9	-12.0	1979	19.2	74	27.5	74	36.1	75	61.0	1963	0.13	0.13	0.00	0.09	68	35	0.19	183	10	
02/07	(038-t)	33.1	35.4	37.7	-3.0	1948	17.9	74	26.5	74	35.2	75	58.0	1925	0.13	0.13	0.00	0.08	68	46	0.21	160	10	
02/08	(039-f)	29.4	32.1	37.6	-20.0	1977	16.5	73	26.2	73	35.8	75	67.0	1937	0.00	0.00	0.00	0.03	65	124	0.98	207	10	
02/09	(040-s)	29.2	31.4	33.1	-18.0	1934	16.4	74	26.1	74	35.3	75	65.0	1937	0.00	0.00	0.00	0.05	69	44	0.17	177	10	
02/10	(041-s)	27.4	33.2	42.3	-21.0	1975	15.8	75	25.6	75	35.5	75	63.0	1959	0.00	0.00	0.00	0.08	68	241	1.07	243	10	
02/11	(042-m)	17.8	22.3	28.8	-22.0	1979	16.3	75	26.0	75	35.6	75	71.0	1932	0.00	0.00	0.00	0.08	65	214	1.14	196	10	
02/12	(043-t)	17.1	24.2	31.5	-15.0	1917	16.6	75	26.6	75	36.6	75	69.0	1932	0.00	0.00	0.00	0.04	68	308	0.90	212	10	
02/13	(044-w)	25.2	33.7	40.2	-21.0	1979	18.4	74	28.3	74	38.1	74	68.0	1938	0.28	0.28	0.00	0.10	66	87	0.80	186	10	
02/14	(045-t)	25.1	32.4	39.3	-13.0	1979	20.1	74	29.3	74	38.5	74	64.0	1918	0.18	0.18	0.00	0.09	67	81	0.65	155	10	
02/15	(046-f)	9.3	15.7	25.1	-15.0	1978	19.2	74	28.3	74	37.6	75	66.0	1954	0.01	0.01	0.00	0.09	66	224	0.95	169	10	
02/16	(047-s)	3.9	12.8	19.9	-9.0	1943	18.1	75	27.6	75	36.9	75	66.6	1990	0.00	0.00	0.00	0.06	71	320	1.47	202	10	
02/17	(048-s)	19.8	26.7	38.2	-14.0	1979	19.0	74	29.2	73	39.1	74	63.0	1954	0.01	0.01	0.00	0.05	71	187	0.67	172	10	
02/18	(049-m)	23.5	33.7	43.5	-14.0	1979	19.6	74	29.6	74	39.6	74	60.0	1938	0.16	0.16	0.00	0.04	66	52	0.21	214	10	
02/19	(050-t)	38.1	48.2	53.4	-9.0	1936	20.7	75	30.5	75	40.2	75	64.0	1939	0.27	0.27	0.00	0.09	68	56	0.33	203	10	
02/20	(051-w)	31.5	33.4	38.0	-15.0	1929	19.3	75	28.7	75	38.4	75	62.0	1939	0.05	0.05	0.00	0.07	68	133	1.16	200	10	
02/21	(052-t)	32.6	42.2	56.9	-12.0	1978	18.5	74	28.5	74	38.6	74	64.0	1930	0.00	0.00	0.00	0.06	67	274	1.26	189	10	
02/22	(053-f)	24.9	38.5	46.3	-11.0	1963	21.5	75	31.4	75	41.2	75	69.0	1930	0.00	0.00	0.00	0.10	69	157	1.20	175	10	
02/23	(054-s)	17.5	24.4	32.8	-9.0	1964	21.9	75	31.1	75	40.5	75	64.3	1984	0.00	0.00	0.00	0.07	70	371	1.06	186	10	
02/24	(055-s)	24.8	35.4	48.8	-8.0	1924	22.0	75	31.5	75	40.9	75	69.0	1961	0.00	0.00	0.00	0.06	68	277	1.29	216	10	
02/25	(056-m)	22.7	28.9	33.5	-4.0	1964	21.7	75	30.5	75	39.0	75	69.0	1957	0.00	0.00	0.00	0.10	66	89	0.40	227	10	
02/26	(057-t)	18.8	23.9	30.3	-24.0	1963	20.6	75	30.2	75	39.8	75	68.0	1917	0.00	0.00	0.00	0.10	69	210	1.22	265	10	
02/27	(058-w)	18.3	25.0	31.9	-23.0	1963	20.5	75	30.0	75	39.5	75	62.0	1977	0.01	0.01	0.00	0.04	64	271	1.09	224	10	
02/28	(059-t)	18.1	33.8	45.4	-15.0	1934	20.6	75	30.2	75	39.7	75	66.0	1939	0.06	0.06	0.00	0.04	68	129	0.59	276	10	
Column Min's:		3.9	12.8	19.9	-24.0		15.8	25.6	33.6						0.00	0.00	0.00	0.03	55	35	0.17	102		
Column Avg's:		24.4	32.4	40.4	18.8	28.2	37.5								0.05	0.05	0.00	0.07	83	181	0.81	189		
Column Max's:		39.2	48.7	60.9	22.0	31.5	41.2	71.0							0.28	0.28	0.00	0.10	101	371	1.47	276		
Column Ttl's:												1.29			1.93				1.93	5075			5289	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max
mo da jul	avg	avg	avg yrs	avg yrs	liq	ly	ly/m	avg yrs
11/01 (305-f)	30.2	52.7	21.0	59.5	0.00	..	215	0.92
11/02 (306-s)	26.7	38.7	20.0	58.1	0.00	..	73	0.31
11/03 (307-s)	15.5	26.7	15.5	56.6	0.00	..	191	1.03
11/04 (308-m)	9.1	18.2	9.1	53.8	0.00	..	277	0.94
11/05 (309-t)	6.8	21.5	6.8	52.5	0.00	..	296	0.81
11/06 (310-w)	28.9	36.1	14.0	52.0	0.00	..	104	0.92
11/07 (311-t)	28.7	31.2	18.0	52.2	0.01	..	76	0.36
11/08 (312-f)	14.1	27.1	14.0	52.5	0.00	..	229	0.99
11/09 (313-s)	7.7	21.9	7.7	51.9	0.00	..	270	0.87
11/10 (314-s)	10.0	31.4	10.0	51.8	0.26	..	212	0.77
11/11 (315-m)	28.0	34.8	16.0	50.8	0.08	..	56	0.43
11/12 (316-t)	27.1	31.9	15.0	50.0	0.22	..	50	0.36
11/13 (317-w)	32.7	34.0	16.0	50.2	0.00	..	59	0.29
11/14 (318-t)	31.1	43.9	10.9	51.3	0.05	..	176	0.86
11/15 (319-f)	46.7	52.5	11.0	51.0	0.02	..	84	0.92
11/16 (320-s)	29.3	43.4	5.0	52.1	0.00	..	159	1.06
11/17 (321-s)	20.0	33.9	6.0	50.7	0.00	..	261	0.72
11/18 (322-m)	31.1	46.3	8.0	50.6	0.00	..	105	0.51
11/19 (323-t)	54.1	60.0	14.0	49.4	0.02	..	96	0.98
11/20 (324-w)	48.1	61.5	14.0	49.1	0.00	..	76	0.66
11/21 (325-t)	44.5	48.5	7.0	47.0	0.34	..	34	0.16
11/22 (326-f)	40.9	44.9	9.0	46.4	0.02	..	41	0.18
11/23 (327-s)	42.4	45.7	3.0	46.2	0.01	..	57	0.29
11/24 (328-s)	24.4	30.5	8.0	44.5	0.01	..	105	0.80
11/25 (329-m)	21.7	24.0	5.0	43.1	0.00	..	85	0.79
11/26 (330-t)	13.6	22.9	7.0	44.0	0.00	..	224	0.67
11/27 (331-w)	16.0	31.8	6.0	44.9	0.00	..	88	0.70
11/28 (332-t)	38.3	42.3	4.0	44.4	0.06	..	29	0.20
11/29 (333-f)	50.2	55.5	5.0	41.4	0.00	..	100	0.62
11/30 (334-s)	39.7	56.9	-3.0	41.2	0.02	..	59	0.33
Column Min's:	6.8	18.2	3.0	33.5	0.00	..	29	0.16
Column Avg's:	28.6	38.4	31.7	40.7	0.04	..	130	0.65
Column Max's:	54.1	61.5	38.6	49.0	0.34	..	296	1.06
Column Ttl's:				79.0	1.12	..	3887	3915

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		W A T E R		W A T E R B A L A N C E (inches)		S O L A R R A D I A T I O N															
	min	avg	min	avg	prec	evap	long	term	ly	max														
mo da jul	Current	Long Term	Long Term	Long Term	precip	evap	avg	Term	ly/m	avg														
		avg	avg	avg	yr	yr	yr	yr		yr														
12/01 (335-s)	35.7	39.3	43.1	5.0	1976	24.4	75	32.9	75	41.5	75	66.0	1934	0.00	84	0.09	69	66	0.40	104	10
12/02 (336-m)	34.0	36.6	39.5	2.0	1966	24.7	75	32.5	75	40.5	75	66.8	1982	1.16	79	0.11	69	40	0.25	99	10
12/03 (337-t)	29.7	39.1	57.4	-10.0	1976	25.7	75	33.5	75	41.6	75	75.1	1982	0.69	88	0.07	67	14	0.09	92	10
12/04 (338-w)	14.0	18.5	29.7	-6.0	1966	26.3	75	33.8	75	41.6	75	67.0	1941	0.01	81	0.08	67	178	0.79	105	10
12/05 (339-t)	8.6	18.7	34.2	-0.0	1976	26.1	75	34.3	75	42.5	75	66.0	1956	0.00	80	0.08	67	113	0.63	86	10
12/06 (340-f)	25.1	29.2	37.6	2.0	1974	26.3	75	34.2	75	42.1	75	68.0	1953	0.00	75	0.10	66	151	0.80	93	10
12/07 (341-s)	28.7	43.8	49.8	2.0	1926	25.3	75	33.3	75	41.2	75	62.0	1956	0.00	75	0.09	67	72	0.35	118	10
12/08 (342-s)	49.4	54.0	58.3	2.0	1977	26.4	75	34.0	75	41.9	75	66.0	1966	0.02	77	0.08	60	62	0.61	124	10
12/09 (343-m)	36.1	44.9	57.4	-8.0	1917	24.5	75	32.3	75	40.0	75	65.0	1952	0.01	87	0.09	62	51	0.24	116	10
12/10 (344-t)	28.4	37.0	45.7	-10.0	1968	22.5	75	29.9	75	36.9	75	70.0	1971	0.00	80	0.08	65	197	0.62	93	10
12/11 (345-w)	29.6	40.1	49.0	-12.0	1958	22.3	75	29.8	75	37.4	75	70.0	1971	0.00	81	0.12	68	135	0.71	101	10
12/12 (346-t)	26.7	42.8	57.5	-9.6	1988	23.3	75	31.5	75	39.5	75	62.0	1965	0.00	75	0.10	64	49	0.40	100	10
12/13 (347-f)	45.2	51.0	60.5	-5.0	1917	22.6	75	31.3	75	40.0	75	62.0	1927	0.72	85	0.14	66	16	0.14	85	10
12/14 (348-s)	27.6	38.1	46.2	-7.0	1958	21.1	75	29.1	75	36.7	75	63.0	1975	0.06	76	0.08	67	68	0.60	128	10
12/15 (349-s)	17.2	25.1	30.8	-3.0	1943	20.2	75	28.1	75	35.9	75	65.0	1971	0.00	62	0.07	68	143	0.65	83	10
12/16 (350-m)	12.0	17.6	22.7	-9.0	1951	20.1	75	28.2	75	36.2	75	62.1	1984	0.00	69	0.11	67	152	0.71	94	10
12/17 (351-t)	22.7	31.6	41.4	-15.3	1989	20.9	75	28.7	75	36.4	75	61.4	1984	0.00	65	0.09	63	108	0.71	121	10
12/18 (352-w)	11.3	21.4	27.4	-15.0	1989	19.1	75	27.5	75	35.8	75	59.0	1967	0.00	77	0.07	68	154	0.74	118	10
12/19 (353-t)	1.2	14.3	30.9	-10.1	1989	19.6	75	27.7	75	35.8	75	60.0	1967	0.00	80	0.05	65	213	0.94	109	10
12/20 (354-f)	4.3	24.3	38.3	-5.1	1985	20.2	75	28.3	75	36.3	75	60.0	1957	0.01	64	0.07	65	139	0.60	120	10
12/21 (355-s)	25.6	32.7	37.9	-12.0	1942	20.3	75	28.3	75	36.3	75	60.2	1990	0.09	82	0.05	67	139	0.85	97	10
12/22 (356-s)	21.1	29.8	37.0	-12.0	1944	19.9	75	28.0	75	35.9	75	62.0	1949	0.00	86	0.06	66	232	0.73	128	10
12/23 (357-m)	30.6	36.3	41.7	-10.1	1989	21.6	75	29.7	75	37.9	75	59.0	1957	0.08	90	0.06	67	28	0.24	108	10
12/24 (358-t)	26.7	29.9	32.6	-19.8	1989	22.0	75	30.4	75	38.8	75	64.0	1964	0.00	72	0.08	64	160	0.79	123	10
12/25 (359-w)	19.6	30.9	39.7	-12.8	1983	20.4	75	28.7	75	36.9	75	64.9	1982	0.00	79	0.09	62	125	0.69	111	10
12/26 (360-t)	17.2	27.3	38.9	-9.0	1983	20.0	75	27.5	75	35.1	75	62.5	1982	0.00	85	0.08	66	158	0.92	112	10
12/27 (361-f)	21.2	30.4	42.6	-7.0	1944	20.5	75	28.0	75	35.4	75	61.0	1936	0.00	84	0.06	69	131	0.73	92	10
12/28 (362-s)	19.1	29.9	38.2	-12.0	1950	19.7	75	28.3	75	36.6	75	67.4	1982	0.04	87	0.08	69	62	0.20	85	10
12/29 (363-s)	31.9	36.0	40.1	-7.0	1924	19.2	75	27.7	75	35.9	75	62.9	1984	0.10	90	0.08	65	25	0.12	99	10
12/30 (364-m)	24.9	30.8	33.1	-15.0	1917	20.0	75	28.0	75	35.9	75	62.1	1990	0.00	87	0.10	67	47	0.24	125	10
12/31 (365-t)	17.9	25.1	35.3	-13.0	1963	20.9	72	29.5	72	38.0	72	61.0	1972	0.00	84	0.07	66	209	0.79	109	9
Column Min's:	1.2	14.3	22.7	-19.8		19.1		27.5		35.1				0.00				62	0.05		14	0.09	83	
Column Avg's:	24.0	32.5	41.1			22.1		30.2		38.1				0.10				80	0.08		111	0.56	106	
Column Max's:	49.4	54.0	60.5			26.4		34.3		42.5		75.1		1.16				90	0.14		232	0.94	128	
Column Ttl's:														2.99					2.58		3437		3278	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	liq	ly	max Lng-Trm avg yrs
03/01 (060-f)	39.9	51.1	6.0	19.0	0.00	0.12	215	1.04
03/02 (061-s)	52.3	58.7	9.0	19.0	0.00	0.12	290	1.20
03/03 (062-s)	30.6	36.3	8.1	19.0	1.12	0.00	53	0.19
03/04 (063-m)	24.6	28.4	12.6	19.0	0.11	0.00	84	0.35
03/05 (064-t)	23.1	34.4	5.3	19.0	0.00	0.00	383	1.44
03/06 (065-w)	37.0	44.2	2.0	19.0	0.78	0.00	27	0.11
03/07 (066-t)	24.1	30.5	5.1	19.0	0.00	0.00	176	1.33
03/08 (067-f)	19.5	28.1	14.8	19.0	0.00	0.00	398	1.45
03/09 (068-s)	18.9	31.0	14.1	19.0	0.03	0.00	271	1.18
03/10 (069-s)	24.9	31.3	12.3	19.0	0.05	0.00	106	1.28
03/11 (070-m)	17.4	26.3	9.0	19.0	0.00	0.00	393	1.44
03/12 (071-t)	12.9	26.5	11.0	19.0	0.00	0.00	450	1.14
03/13 (072-w)	27.8	32.5	5.0	19.0	0.00	0.00	125	0.64
03/14 (073-t)	26.5	36.7	10.0	19.0	0.00	0.00	441	1.49
03/15 (074-f)	22.3	33.6	1.0	19.0	0.00	0.00	375	1.49
03/16 (075-s)	17.3	34.3	2.0	19.0	0.00	0.00	480	1.15
03/17 (076-s)	18.9	41.9	5.0	19.0	0.00	0.00	348	1.45
03/18 (077-m)	36.1	43.9	3.0	19.0	0.13	0.00	78	1.60
03/19 (078-t)	33.7	40.6	1.0	19.0	0.06	0.00	194	1.15
03/20 (079-w)	25.2	43.3	7.0	19.0	0.00	0.00	458	1.17
03/21 (080-t)	40.1	54.4	3.7	19.0	0.00	0.00	330	1.54
03/22 (081-f)	49.9	56.9	8.0	19.0	0.06	0.00	106	0.74
03/23 (082-s)	53.3	60.6	7.0	19.0	0.09	0.00	288	1.37
03/24 (083-s)	37.1	42.7	6.0	19.0	0.16	0.00	72	0.92
03/25 (084-m)	28.5	42.5	5.0	19.0	0.00	0.00	366	1.58
03/26 (085-t)	28.0	43.7	12.0	19.0	0.01	0.00	81	0.31
03/27 (086-w)	50.1	62.9	10.0	19.0	0.02	0.00	198	0.86
03/28 (087-t)	39.5	49.0	7.3	19.0	0.00	0.00	532	1.26
03/29 (088-f)	28.8	36.1	12.0	19.0	0.00	0.00	222	0.72
03/30 (089-s)	18.6	29.2	9.0	19.0	0.00	0.00	388	1.73
03/31 (090-s)	16.2	34.1	9.0	19.0	0.01	0.00	476	1.28
Column Min's:	12.9	26.3	-14.8	31.9	0.00	0.00	27	0.11
Column Avg's:	29.8	40.2		37.3	0.09	0.00	271	1.12
Column Max's:	53.3	62.9		43.4	1.12	0.16	532	1.73
Column Ttl's:				83.8	2.75	3.00	8404	8749

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	avg	min	year avg	yr	avg	yr	yr	yr	ly	max	Long-Term								
mo da jul	Current	ly/m	avg yrs								
04/01 (091-m)	29.7	37.7	45.9	6.0	1964	32.1	75	42.9	75	53.9	75	81.4	1986	0.04	0.10	71	281	1.58	344	10
04/02 (092-t)	22.3	34.9	46.2	14.0	1919	32.8	75	44.2	75	55.5	75	81.0	1963	0.01	0.15	71	443	1.73	323	10
04/03 (093-w)	16.5	38.4	62.5	14.0	1965	31.1	75	43.3	75	55.5	75	78.0	1934	0.00	0.15	66	595	1.30	268	10
04/04 (094-t)	28.0	52.6	73.7	11.0	1964	32.9	75	43.9	75	55.0	75	78.0	1969	0.00	0.16	72	439	1.29	262	10
04/05 (095-f)	43.5	54.9	65.6	17.0	1944	33.7	75	45.6	75	57.7	75	78.0	1921	0.10	0.08	72	247	1.64	324	10
04/06 (096-s)	48.0	61.6	73.5	17.8	1982	34.5	75	45.1	75	56.1	75	82.0	1929	0.00	0.09	70	454	1.27	249	10
04/07 (097-s)	49.7	65.8	80.0	16.0	1943	32.6	75	44.3	75	56.0	75	82.0	1929	0.00	0.08	70	542	1.28	313	10
04/08 (098-m)	56.7	65.9	77.6	12.0	1972	32.3	75	43.8	75	55.3	75	78.0	1954	0.36	0.10	68	271	1.41	381	10
04/09 (099-t)	53.9	65.1	76.5	7.9	1985	31.7	75	43.2	75	54.8	75	76.5	1991	0.40	0.09	71	337	1.59	387	10
04/10 (100-w)	36.3	41.9	53.7	5.9	1985	31.9	75	44.2	75	56.6	75	80.0	1945	0.00	0.12	70	115	1.48	375	10
04/11 (101-t)	25.8	39.0	51.0	18.0	1975	32.7	75	45.1	75	57.5	75	81.0	1977	0.00	0.09	71	591	1.40	368	10
04/12 (102-f)	26.9	44.3	58.1	16.0	1975	32.8	75	45.3	75	57.6	75	82.0	1977	0.00	0.11	71	568	1.44	461	10
04/13 (103-s)	44.3	47.4	50.3	17.0	1950	35.4	75	46.4	75	57.5	75	83.0	1941	0.07	0.07	71	74	0.30	354	10
04/14 (104-s)	43.5	46.0	49.0	9.0	1950	35.7	75	47.8	75	59.6	75	80.0	1941	0.21	0.13	71	88	0.44	320	10
04/15 (105-m)	45.5	52.8	64.8	19.0	1926	36.4	75	48.0	75	59.6	75	81.0	1976	0.46	0.13	72	280	1.70	295	10
04/16 (106-t)	48.2	55.6	68.4	16.0	1928	35.0	75	47.0	75	59.0	75	83.0	1976	0.09	0.12	72	300	1.57	354	10
04/17 (107-w)	37.7	49.4	62.0	17.0	1980	36.7	75	48.6	75	60.5	75	84.0	1976	0.15	0.09	71	410	1.69	279	10
04/18 (108-t)	29.4	46.3	62.0	17.0	1928	36.5	75	49.2	75	62.0	75	87.0	1976	0.00	0.10	68	570	1.36	458	10
04/19 (109-f)	45.0	49.4	56.9	16.0	1928	37.2	75	50.1	75	62.9	75	88.0	1958	0.40	0.10	71	118	0.50	416	10
04/20 (110-s)	42.4	46.4	49.3	20.0	1926	39.2	75	51.3	75	63.4	75	83.3	1987	0.04	0.15	69	64	0.25	331	10
04/21 (111-s)	38.4	40.9	43.6	20.0	1981	38.4	75	51.0	75	63.4	75	85.0	1954	0.21	0.11	69	52	0.16	401	10
04/22 (112-m)	38.1	45.4	56.6	22.0	1936	38.1	75	50.6	75	63.4	75	87.4	1985	0.00	0.10	71	333	1.63	440	10
04/23 (113-t)	40.5	50.3	60.9	18.0	1967	38.1	75	51.1	75	64.1	75	88.0	1925	0.01	0.12	69	395	1.69	450	10
04/24 (114-w)	37.9	46.0	55.0	21.2	1989	38.1	75	50.5	75	62.8	75	89.0	1925	0.08	0.11	70	383	1.87	362	10
04/25 (115-t)	32.1	51.1	67.5	24.0	1918	38.9	75	51.5	75	64.0	75	89.8	1990	0.00	0.09	72	541	1.49	514	10
04/26 (116-f)	43.6	55.2	71.9	25.8	1988	38.3	75	51.7	75	65.0	75	88.8	1990	0.06	0.08	68	298	1.67	478	10
04/27 (117-s)	41.9	62.4	81.4	20.0	1971	38.1	75	51.1	75	64.1	75	93.7	1990	0.00	0.12	71	482	1.50	460	10
04/28 (118-s)	54.8	66.6	77.5	20.0	1934	39.1	75	51.9	75	64.4	75	88.3	1990	0.03	0.12	73	262	0.76	364	10
04/29 (119-m)	61.2	68.3	76.4	23.0	1922	39.1	75	52.6	75	65.7	75	82.0	1970	0.25	0.11	70	335	1.24	419	10
04/30 (120-t)	51.7	65.2	71.6	24.0	1931	41.6	75	54.4	75	67.0	75	86.0	1942	0.00	0.13	68	544	1.62	471	10
Column Min's:	16.5	34.9	43.6	5.9	31.1	42.9	53.9	42.9	53.9	53.9	75	81.4	1986	0.00	0.07	71	52	0.16	249	10
Column Avg's:	40.5	51.6	63.0	35.7	47.9	60.0	60.0	47.9	60.0	60.0	75	93.7	1976	0.10	0.11	71	347	1.30	374	10
Column Max's:	61.2	68.3	81.4	41.6	54.4	67.0	67.0	54.4	67.0	67.0	75	93.7	1990	0.46	0.16	71	595	1.87	514	10
Column Ttl's:														2.97	3.30	71	10412	11221		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	precip	evap	ly	ly/m										
05/01 (121-w)	49.7	59.2	41.3	75	54.1	75	66.9	75	89.0	1942	0.27	69	0.09	73	450	1.53	348	10
05/02 (122-t)	43.6	51.2	41.1	75	53.9	75	66.9	75	85.0	1936	0.01	65	0.11	71	424	1.92	374	10
05/03 (123-f)	40.4	49.1	40.4	75	53.3	74	66.2	74	84.0	1942	0.00	73	0.12	73	550	1.84	382	10
05/04 (124-s)	37.2	53.9	40.5	75	53.9	75	67.1	75	86.0	1928	0.00	66	0.07	71	496	1.63	461	10
05/05 (125-s)	42.8	62.7	42.5	75	55.6	75	68.4	75	90.0	1918	0.43	75	0.10	69	505	1.69	368	9
05/06 (126-m)	46.0	57.1	42.9	75	56.3	75	69.5	75	89.0	1959	0.00	84	0.13	69	282	1.61	449	10
05/07 (127-t)	39.8	50.7	43.1	75	56.0	75	68.7	75	88.0	1959	0.00	68	0.11	74	584	1.92	465	9
05/08 (128-w)	35.1	54.9	41.0	75	54.3	75	67.3	75	86.0	1936	0.00	69	0.11	73	589	1.44	460	10
05/09 (129-t)	49.6	59.6	42.8	75	55.0	75	67.1	75	87.0	1979	0.04	85	0.13	70	458	1.61	455	10
05/10 (130-f)	45.1	62.5	43.4	75	55.5	75	67.4	75	89.0	1936	0.00	75	0.14	70	584	1.52	509	10
05/11 (131-s)	43.1	63.9	42.4	75	55.4	75	68.2	75	87.0	1930	0.00	68	0.15	72	658	1.37	548	10
05/12 (132-s)	51.4	69.9	43.7	75	56.0	75	67.9	75	86.0	1979	0.08	81	0.22	70	461	1.58	477	10
05/13 (133-m)	60.6	73.2	44.7	75	56.7	75	68.6	75	86.4	1991	0.11	81	0.18	73	519	1.56	403	10
05/14 (134-t)	57.5	71.6	43.8	75	56.9	75	70.0	75	89.0	1962	0.00	75	0.15	72	619	1.40	507	10
05/15 (135-w)	49.9	70.3	45.3	75	57.6	75	69.9	75	88.8	1991	0.00	66	0.14	72	664	1.40	373	10
05/16 (136-t)	53.6	72.4	45.7	75	58.4	75	71.3	75	89.0	1962	0.00	70	0.10	72	612	1.32	472	10
05/17 (137-f)	57.3	71.7	45.2	75	58.1	75	70.8	75	88.0	1962	0.03	86	0.13	70	371	1.59	514	10
05/18 (138-s)	49.0	58.2	46.6	75	59.2	75	71.9	75	91.0	1962	0.00	76	0.12	74	364	1.60	387	10
05/19 (139-s)	51.5	62.0	48.3	75	60.7	75	73.1	75	94.0	1964	0.00	73	0.15	73	514	1.80	351	10
05/20 (140-m)	46.7	60.8	48.8	75	60.6	75	72.5	75	89.0	1934	0.00	83	0.10	70	382	1.65	326	10
05/21 (141-t)	53.5	68.6	47.1	75	60.4	75	73.6	75	89.0	1941	0.00	77	0.10	72	650	1.44	395	10
05/22 (142-w)	53.7	70.6	47.8	75	60.9	75	73.9	75	89.0	1941	0.00	68	0.18	68	661	1.50	475	10
05/23 (143-t)	51.6	71.3	47.4	75	60.0	75	72.6	75	89.4	1991	0.00	67	0.13	73	609	1.46	404	10
05/24 (144-f)	60.5	72.4	47.1	75	60.0	75	72.9	75	90.0	1964	0.00	83	0.13	68	384	1.75	481	10
05/25 (145-s)	67.8	75.6	47.4	75	60.5	75	73.5	75	87.0	1964	0.00	85	0.15	72	335	1.45	467	10
05/26 (146-s)	68.1	75.5	47.8	75	60.8	75	73.6	75	87.0	1918	0.00	85	0.10	71	374	1.66	452	10
05/27 (147-m)	62.9	69.9	48.1	75	61.0	75	73.8	75	87.4	1987	0.12	93	0.15	74	171	0.55	437	10
05/28 (148-t)	63.5	73.8	49.4	75	62.0	75	74.7	75	89.0	1987	0.26	88	0.12	74	507	1.53	429	10
05/29 (149-w)	66.5	77.3	48.8	75	61.7	75	74.5	75	89.3	1987	0.19	85	0.09	75	466	1.53	437	10
05/30 (150-t)	67.3	75.6	49.1	74	62.4	74	75.7	75	89.1	1988	0.45	88	0.09	75	388	1.58	452	10
05/31 (151-f)	66.2	74.5	51.5	75	64.2	74	76.8	74	93.0	1934	0.04	83	0.08	73	649	1.79	542	10

Column Min's:	35.1	49.1	58.7	20.0	40.4	53.3	66.2	0.00	65	0.07	171	0.55	326
Column Avg's:	52.6	65.8	78.7	45.3	58.1	70.8	76.8	0.07	77	0.12	493	1.56	439
Column Max's:	68.1	77.3	89.4	51.5	64.2	76.8	94.0	0.45	93	0.22	664	1.92	548
Column Totals:								2.03		3.87	15280		13600

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max Lng-Trm avg yrs
06/01 (152-s)	58.6	83.4	32.0	96.0	0.13	--	406	1.74
06/02 (153-s)	55.1	79.3	30.0	96.0	0.00	--	451	1.36
06/03 (154-m)	54.9	82.2	31.8	96.0	0.00	--	661	1.52
06/04 (155-t)	49.0	71.2	32.0	96.0	0.00	--	648	1.89
06/05 (156-w)	43.3	59.5	32.3	97.0	0.00	--	544	1.90
06/06 (157-t)	42.0	61.0	32.0	95.0	0.00	--	478	2.03
06/07 (158-f)	42.6	61.9	34.0	91.0	0.00	--	620	1.66
06/08 (159-s)	45.5	64.2	33.0	96.0	0.00	--	634	1.55
06/09 (160-s)	46.3	68.1	36.9	89.9	0.00	--	689	1.48
06/10 (161-m)	54.2	72.6	33.7	90.0	0.00	--	585	1.56
06/11 (162-t)	64.0	70.2	29.0	92.0	0.72	--	302	1.47
06/12 (163-w)	55.9	69.4	35.0	90.1	0.00	--	568	1.64
06/13 (164-t)	46.4	61.8	37.0	92.5	0.00	--	755	1.48
06/14 (165-f)	42.2	65.9	35.0	93.0	0.00	--	731	1.46
06/15 (166-s)	59.0	76.7	34.0	93.0	0.00	--	601	1.55
06/16 (167-s)	66.0	74.2	35.0	93.3	0.05	--	444	1.73
06/17 (168-m)	61.1	72.6	33.0	92.0	0.01	--	676	1.50
06/18 (169-t)	58.5	73.6	35.0	94.0	0.00	--	520	1.72
06/19 (170-w)	60.8	73.6	42.0	92.4	0.00	--	603	1.60
06/20 (171-t)	56.5	74.2	40.0	93.0	0.00	--	656	1.52
06/21 (172-f)	56.3	75.7	38.0	95.0	0.00	--	653	1.51
06/22 (173-s)	59.3	66.1	36.0	95.6	0.41	--	162	0.61
06/23 (174-s)	53.1	62.6	35.0	91.0	0.17	--	220	1.49
06/24 (175-m)	49.3	66.1	36.0	94.0	0.00	--	697	1.57
06/25 (176-t)	50.8	69.2	36.7	96.0	0.00	--	643	1.49
06/26 (177-w)	55.0	71.6	39.0	97.0	0.00	--	591	1.48
06/27 (178-t)	56.5	73.3	40.0	95.0	0.01	--	605	1.64
06/28 (179-f)	59.8	77.3	37.9	96.0	0.00	--	469	1.65
06/29 (180-s)	69.7	78.6	41.5	95.0	0.00	--	463	1.53
06/30 (181-s)	62.0	75.9	37.0	93.0	0.68	--	384	1.62

Column Min's:	42.0	59.5	29.0	63.4	0.00	61	0.07	162	0.61	407
Column Avg's:	54.5	69.5	54.5	67.0	0.07	74	0.13	549	1.57	503
Column Max's:	69.7	78.6	58.8	70.5	0.72	91	0.24	755	2.03	642
Column Ttl's:			97.0	82.5	2.18		3.93	16459		15096

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max Lng-Trm avg yrs
07/01 (182-m)	55.3	72.0	39.0	58.1	0.00	--	665	1.82
07/02 (183-t)	64.3	74.9	38.3	56.7	0.28	--	466	1.85
07/03 (184-w)	65.4	74.9	42.0	56.6	0.00	--	532	1.60
07/04 (185-t)	65.7	72.0	39.0	56.3	0.50	--	299	1.31
07/05 (186-f)	64.9	73.6	40.0	56.8	0.37	--	521	1.54
07/06 (187-s)	64.8	73.3	38.0	56.4	2.03	--	406	1.53
07/07 (188-s)	65.7	79.0	41.0	56.9	1.31	--	614	1.63
07/08 (189-m)	60.8	73.1	42.2	57.8	0.28	--	461	--
07/09 (190-t)	56.2	67.4	38.0	57.9	0.00	--	570	1.76
07/10 (191-w)	55.8	70.0	39.0	58.4	0.00	--	684	1.59
07/11 (192-t)	53.1	69.1	42.9	57.6	0.00	--	633	1.55
07/12 (193-f)	55.1	68.2	42.0	58.2	0.00	--	187	0.85
07/13 (194-s)	64.6	73.0	43.0	59.0	0.05	--	512	1.59
07/14 (195-s)	51.5	67.5	41.0	58.3	0.00	--	607	1.82
07/15 (196-m)	46.9	66.3	39.0	58.0	0.00	--	699	1.59
07/16 (197-t)	49.5	69.7	41.0	58.3	0.00	--	691	1.39
07/17 (198-w)	52.8	72.1	41.0	57.1	0.00	--	665	1.40
07/18 (199-t)	60.8	75.6	40.0	57.1	0.00	--	613	1.34
07/19 (200-f)	62.7	78.5	41.0	59.9	0.00	--	617	1.38
07/20 (201-s)	69.4	81.0	35.0	59.8	0.00	--	618	1.39
07/21 (202-s)	71.0	80.5	38.0	59.5	0.00	--	523	1.40
07/22 (203-m)	67.5	78.8	42.0	59.6	0.00	--	410	1.52
07/23 (204-t)	59.3	75.5	41.0	59.6	0.52	--	307	1.50
07/24 (205-w)	55.5	69.5	45.4	59.0	0.00	--	617	1.53
07/25 (206-t)	63.8	72.6	43.0	58.4	0.00	--	578	1.69
07/26 (207-f)	54.5	68.8	42.0	58.6	0.00	--	574	1.84
07/27 (208-s)	49.4	64.5	41.0	59.5	0.00	--	689	1.43
07/28 (209-s)	45.3	65.1	42.0	59.6	0.00	--	525	1.81
07/29 (210-m)	59.6	68.9	43.0	59.6	0.00	--	341	1.74
07/30 (211-t)	51.6	68.6	41.0	57.9	0.01	--	421	1.50
07/31 (212-w)	48.3	67.3	42.0	58.8	0.00	--	644	1.63
Column Min's:	45.3	64.5	35.0	56.4	0.00	--	187	0.85
Column Avg's:	58.4	72.0	58.3	58.3	0.17	--	538	1.55
Column Max's:	71.0	81.0	59.9	84.5	2.03	104.0	699	1.85
Column Tt's:					5.35		16689	15481

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R				T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION			
mo	da	min	avg	max	min	year	avgm	yr	Long Term	yr	avg	pr	yr	ly	max	Lng-Tm	
									avg	yr	yr	yr	yr	ly	ly/m	avg	
08/01	(213-t)	55.3	73.3	91.7	43.0	1918	57.7	74	70.1	74	82.7	74	95.0	1933	0.00	0.11	72
08/02	(214-f)	52.2	74.5	94.9	40.0	1924	57.5	74	70.4	74	83.5	74	95.7	1988	0.00	0.09	72
08/03	(215-s)	62.3	74.0	86.3	41.0	1920	59.1	74	70.9	74	82.7	74	96.0	1930	0.01	0.18	69
08/04	(216-s)	56.4	70.0	84.0	41.0	1966	58.7	75	70.6	75	82.6	75	100.0	1930	0.01	0.13	71
08/05	(217-m)	47.7	64.0	80.3	40.0	1951	58.0	75	70.4	75	83.0	75	100.0	1918	0.00	0.11	73
08/06	(218-t)	41.4	63.8	81.6	41.4	1991	58.1	75	70.3	75	82.7	75	103.0	1918	0.00	0.16	72
08/07	(219-w)	49.8	70.1	87.8	42.0	1971	57.9	75	70.4	75	82.9	75	101.0	1918	0.00	0.11	72
08/08	(220-t)	51.0	65.0	83.5	41.0	1975	58.7	75	70.7	75	82.9	75	97.0	1918	0.17	0.14	68
08/09	(221-f)	56.5	65.8	74.1	39.4	1989	58.8	75	70.5	75	82.4	75	96.0	1928	0.19	0.15	73
08/10	(222-s)	52.9	66.5	80.7	41.0	1927	58.4	75	70.0	75	81.8	75	91.0	1918	0.00	0.11	71
08/11	(223-s)	52.3	68.2	85.1	40.0	1972	57.4	75	69.4	75	81.6	75	93.0	1918	0.00	0.12	74
08/12	(224-m)	47.4	68.0	85.9	38.0	1930	56.4	75	69.0	74	81.6	74	94.0	1947	0.00	0.08	73
08/13	(225-t)	52.0	70.5	87.4	38.0	1930	56.9	75	69.6	75	82.5	75	95.0	1918	0.00	0.09	74
08/14	(226-w)	62.4	70.2	82.9	41.0	1964	57.8	75	70.3	75	82.9	75	95.0	1918	0.04	0.13	74
08/15	(227-t)	61.6	71.4	86.2	38.0	1962	57.0	75	69.7	74	82.6	74	93.0	1959	0.00	0.15	70
08/16	(228-f)	62.2	74.2	87.5	38.0	1979	57.3	75	69.6	74	82.0	74	95.0	1918	0.00	0.12	72
08/17	(229-s)	64.7	72.3	87.9	40.0	1976	57.8	75	69.7	74	82.0	74	97.7	1988	0.08	0.04	74
08/18	(230-s)	63.3	70.4	82.6	36.0	1981	56.7	75	68.7	74	81.1	74	93.0	1922	0.21	0.09	74
08/19	(231-m)	58.1	67.9	85.9	38.0	1924	56.8	75	68.6	74	81.1	74	92.0	1947	0.03	0.05	71
08/20	(232-t)	60.6	64.3	73.0	36.0	1929	55.2	75	67.7	74	80.3	74	96.0	1968	0.01	0.04	75
08/21	(233-w)	51.8	63.3	75.1	37.0	1922	54.5	75	67.5	74	80.6	74	94.0	1936	0.00	0.09	71
08/22	(234-t)	52.1	70.4	83.4	34.0	1923	54.9	74	67.5	73	80.1	73	92.0	1918	0.00	0.09	73
08/23	(235-f)	58.0	72.4	88.2	39.0	1952	55.3	74	67.8	73	80.4	73	94.0	1918	0.00	0.07	75
08/24	(236-s)	55.3	71.1	87.4	36.0	1942	54.4	75	67.2	74	80.0	74	93.0	1968	0.00	0.13	74
08/25	(237-s)	58.0	73.1	87.3	33.4	1982	53.3	75	67.0	73	80.7	73	94.0	1948	0.00	0.06	73
08/26	(238-m)	60.3	73.0	87.5	33.4	1982	54.3	75	67.5	74	80.8	73	95.0	1948	0.00	0.06	75
08/27	(239-t)	55.6	71.8	89.3	33.4	1982	56.0	74	68.5	73	80.8	73	97.0	1948	0.00	0.05	73
08/28	(240-w)	60.3	76.1	92.0	33.4	1982	56.3	73	68.2	72	80.7	71	95.0	1948	0.00	0.07	72
08/29	(241-t)	60.9	77.6	96.4	33.4	1982	55.8	73	68.1	72	81.1	71	96.4	1991	0.00	0.11	71
08/30	(242-f)	62.7	78.4	94.4	34.2	1986	55.4	71	68.4	71	81.4	72	98.0	1953	0.00	0.16	71
08/31	(243-s)	59.8	73.6	88.6	37.0	1986	56.1	72	68.4	72	80.8	72	94.0	1924	0.02	0.11	73
Column Min's:		41.4	63.3	73.0	33.4		53.3		67.0		80.0				0.00	0.04	
Column Avg's:		56.3	70.5	85.8	56.7		56.7		69.1		81.7				0.02	0.10	
Column Max's:		64.7	78.4	96.4	59.1		59.1		70.9		83.5		103.0		0.21	0.18	
Column Ttl's:														0.77	3.20		13998

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max Lng-Trm
mo da jul	Current	Current	avgm yrs	avgmx yrs	liq	avg pr yrs	ly/m	avg yrs
09/01 (244-s)	44.1	78.8	38.0	81.2	0.00	0.06	583	1.29
09/02 (245-m)	41.1	85.7	40.0	80.3	0.00	0.16	525	1.25
09/03 (246-t)	58.6	87.3	36.0	80.5	0.07	0.10	503	1.24
09/04 (247-w)	47.8	77.9	37.0	80.5	0.40	0.09	343	1.52
09/05 (248-t)	42.8	79.2	36.0	79.6	0.00	0.09	530	1.26
09/06 (249-f)	44.9	82.1	33.0	78.5	0.00	0.11	532	1.22
09/07 (250-s)	43.2	85.4	34.0	78.8	0.00	0.05	518	1.23
09/08 (251-s)	54.0	89.0	31.9	79.4	0.00	0.05	431	1.22
09/09 (252-m)	53.4	88.3	31.2	79.6	0.03	0.10	425	1.20
09/10 (253-t)	66.8	81.2	34.0	79.1	0.33	0.08	215	1.51
09/11 (254-w)	53.8	78.4	35.0	77.0	0.00	0.10	434	1.53
09/12 (255-t)	53.4	74.1	31.0	76.6	0.00	0.10	342	1.35
09/13 (256-f)	53.9	82.3	29.0	77.3	0.00	0.14	287	1.31
09/14 (257-s)	60.3	86.3	26.0	76.9	0.00	0.23	386	1.17
09/15 (258-s)	69.4	91.1	24.0	75.8	0.00	0.07	406	1.21
09/16 (259-m)	69.0	91.4	27.0	74.2	0.00	0.12	426	1.15
09/17 (260-t)	58.2	80.1	29.0	74.4	0.02	0.08	423	1.50
09/18 (261-w)	56.5	80.5	32.0	75.2	0.03	0.14	245	1.53
09/19 (262-t)	41.7	84.9	28.0	74.7	0.08	0.09	373	1.67
09/20 (263-f)	35.6	88.9	33.0	75.3	0.00	0.17	234	1.52
09/21 (264-s)	33.4	84.0	32.0	73.4	0.00	0.25	354	1.62
09/22 (265-s)	30.1	73.3	30.1	73.0	0.03	0.07	423	1.48
09/23 (266-m)	39.8	68.4	29.0	72.0	0.27	0.10	373	1.38
09/24 (267-t)	35.0	67.3	26.0	71.7	0.35	0.07	285	1.29
09/25 (268-w)	49.0	66.0	29.0	71.6	0.12	0.09	302	1.47
09/26 (269-t)	39.4	60.7	29.0	71.9	0.00	0.07	328	1.61
09/27 (270-f)	36.1	58.5	30.0	71.3	0.00	0.14	365	1.38
09/28 (271-s)	27.6	64.1	27.6	70.7	0.00	0.11	447	1.17
09/29 (272-s)	36.3	52.5	26.0	70.2	0.00	0.13	427	1.08
09/30 (273-m)	33.2	56.8	30.0	69.9	0.00	0.09	386	1.31
Column Min's:	27.6	58.5	24.0	69.9	0.00	0.05	215	1.08
Column Avg's:	46.9	61.9	50.6	75.7	0.06	0.11	395	1.36
Column Max's:	69.4	80.3	55.6	81.2	0.40	0.25	583	1.67
Column Ttl's:					1.73	3.25	11851	10138

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min year	max year	prec	liq	ly	max Lng-Trm avg yrs		
10/01 (274-t)	58.3	68.0	25.0 1918	45.3 75	57.3 74	69.2 74	90.0 1927	347 1.23	238 10	
10/02 (275-w)	54.4	66.7	28.0 1930	45.2 74	57.4 74	69.9 75	89.0 1927	393 1.07	289 10	
10/03 (276-t)	50.5	60.4	28.0 1975	45.3 75	57.0 75	68.8 75	86.0 1953	173 0.97	264 10	
10/04 (277-f)	47.8	64.6	25.0 1974	44.6 75	56.5 75	68.7 75	86.0 1951	260 1.04	293 10	
10/05 (278-s)	37.9	59.3	26.0 1974	44.4 75	56.5 75	68.5 75	88.0 1922	136 0.82	275 10	
10/06 (279-s)	37.6	43.8	25.0 1965	44.3 75	55.7 75	67.4 75	88.0 1922	323 1.25	296 9	
10/07 (280-m)	31.4	42.6	21.0 1923	42.7 74	54.2 74	65.9 75	85.0 1941	268 1.32	247 9	
10/08 (281-t)	31.0	48.6	23.0 1923	40.5 73	53.1 74	65.6 75	86.0 1939	406 1.04	238 9	
10/09 (282-w)	46.9	60.0	23.0 1923	41.9 75	53.7 75	65.7 75	85.0 1939	336 1.09	209 10	
10/10 (283-t)	36.7	52.2	24.0 1972	41.3 75	53.3 75	65.4 75	87.0 1949	49 0.33	197 10	
10/11 (284-f)	37.2	44.2	21.0 1964	41.3 75	53.5 75	65.8 75	86.0 1928	76 0.41	233 10	
10/12 (285-s)	35.0	43.6	20.0 1964	42.6 75	53.9 75	65.2 75	85.0 1928	107 0.46	185 10	
10/13 (286-s)	28.7	42.1	23.8 1988	40.1 75	52.4 75	65.0 75	83.0 1969	195 1.30	210 10	
10/14 (287-m)	28.1	48.5	21.0 1934	40.0 75	52.8 75	65.7 75	84.0 1989	298 1.03	248 10	
10/15 (288-t)	38.9	46.0	24.0 1939	39.9 75	53.4 75	66.9 75	81.0 1930	124 0.81	247 10	
10/16 (289-w)	25.6	39.5	22.0 1944	40.1 75	53.5 75	67.0 75	82.0 1947	373 0.97	259 9	
10/17 (290-t)	24.6	44.4	22.0 1981	40.7 75	52.7 75	64.8 75	82.0 1963	360 0.93	197 10	
10/18 (291-f)	36.1	52.9	24.0 1929	38.9 75	50.9 75	62.9 75	82.0 1953	318 1.01	202 10	
10/19 (292-s)	32.4	42.6	20.0 1974	38.3 75	49.7 75	61.2 75	82.0 1953	94 0.87	201 10	
10/20 (293-s)	27.8	38.1	18.0 1972	37.8 75	49.1 75	60.6 75	79.0 1953	299 1.10	198 10	
10/21 (294-m)	24.6	41.4	19.0 1952	38.5 75	49.7 75	60.8 75	80.0 1949	335 1.04	169 10	
10/22 (295-t)	29.6	50.8	23.0 1923	38.7 75	50.4 75	62.2 75	81.0 1947	284 0.90	152 10	
10/23 (296-w)	42.0	59.8	20.0 1969	38.7 75	50.1 75	61.5 75	79.0 1947	303 0.85	186 10	
10/24 (297-t)	58.0	65.5	17.0 1964	37.3 75	48.3 75	59.6 75	80.0 1963	233 1.01	170 10	
10/25 (298-f)	59.1	66.6	22.0 1981	37.9 75	48.1 75	58.5 75	80.0 1989	240 1.02	207 10	
10/26 (299-s)	53.2	64.1	19.8 1987	36.9 75	47.8 75	59.1 75	80.0 1963	260 0.86	212 10	
10/27 (300-s)	55.7	62.3	18.0 1979	36.3 75	47.7 75	59.2 75	81.8 1989	93 0.50	214 10	
10/28 (301-m)	45.2	53.4	18.0 1936	36.8 75	48.1 75	59.6 75	80.5 1989	216 0.89	236 10	
10/29 (302-t)	36.9	50.1	16.0 1965	35.3 75	46.8 75	58.3 75	79.0 1989	286 0.97	250 10	
10/30 (303-w)	27.1	50.8	18.0 1980	35.4 75	47.3 75	59.3 75	77.0 1971	291 0.84	236 10	
10/31 (304-t)	33.3	49.4	15.0 1988	36.9 73	47.9 73	59.4 74	78.0 1933	218 1.00	227 9	
Column Min's:	24.6	38.1	15.0	35.3	46.8	58.3	90.0	49	0.33	152
Column Avg's:	39.1	52.3	65.9	40.1	51.9	63.8	90.0	248	0.93	225
Column Max's:	59.1	68.0	80.7	45.3	57.4	69.9	90.0	406	1.32	296
Column Ttl's:								7694		6985

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.