

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION											
	min	avg	max	min year	avgm yrs	Long Term..... avg yrs	prec	snow	evap	hum %	Long Term avg pr yrs	ly	max Ly/m	Lng-Trm avg yrs							
01/01 (001-t)	14.8	25.9	39.8	10.4	1986	22.9	10	31.3	10	40.7	10	60.7	1985	0.00	85	0.08	10	244	0.70	140	10
01/02 (002-w)	20.5	29.8	41.1	3.7	1988	22.3	10	29.6	10	37.3	10	46.0	1986	0.00	88	0.01	10	225	0.69	134	10
01/03 (003-t)	14.4	24.0	31.1	12.0	1988	24.9	10	31.0	10	37.8	10	47.6	1982	0.00	81	0.04	10	93	0.93	105	10
01/04 (004-f)	10.4	21.3	35.4	5.4	1988	22.2	10	30.3	10	39.8	10	55.9	1982	0.00	69	0.02	10	235	0.82	136	10
01/05 (005-s)	20.6	31.1	38.6	-1.8	1988	20.7	10	28.3	10	37.2	10	43.8	1987	0.17	87	0.05	10	29	0.14	148	10
01/06 (006-s)	31.1	33.1	36.3	-6.7	1988	25.0	10	32.0	10	39.4	10	54.4	1987	0.06	97	0.02	10	47	0.25	120	10
01/07 (007-m)	26.2	30.8	36.8	3.2	1988	21.7	10	30.3	10	38.7	10	62.9	1989	0.00	89	0.09	10	177	0.91	131	10
01/08 (008-t)	26.6	29.8	32.3	1.6	1986	18.4	10	26.6	10	37.0	10	60.0	1989	0.00	92	0.00	10	63	0.24	153	10
01/09 (009-w)	30.2	32.7	34.5	-7.2	1982	18.4	10	26.4	10	35.5	10	51.0	1990	0.01	97	0.03	10	41	0.27	137	10
01/10 (010-t)	29.6	31.3	32.7	-16.2	1982	17.8	10	25.0	10	33.9	10	52.3	1983	0.10	94	0.05	10	32	0.14	134	10
01/11 (011-f)	32.5	39.8	49.2	-6.7	1982	17.2	10	26.4	10	36.6	10	49.4	1986	0.36	98	0.05	10	25	0.17	158	10
01/12 (012-s)	27.8	30.9	36.0	-0.6	1982	20.3	10	28.2	10	36.3	10	53.6	1989	0.00	96	0.02	10	22	0.11	148	10
01/13 (013-s)	28.4	30.1	32.9	9.7	1985	17.0	10	25.6	10	36.9	10	51.3	1987	0.00	92	0.01	10	83	0.62	174	10
01/14 (014-m)	30.2	38.3	48.7	1.2	1988	19.3	10	27.7	10	36.7	10	50.3	1987	0.00	85	0.05	10	217	0.82	132	10
01/15 (015-t)	31.5	40.9	50.5	-9.2	1982	18.7	10	28.6	10	38.8	10	58.4	1990	0.08	82	0.01	10	171	0.73	159	10
01/16 (016-w)	33.1	40.0	45.8	-14.6	1982	19.3	10	29.6	10	40.8	10	61.7	1990	0.05	96	0.01	10	35	0.39	162	10
01/17 (017-t)	28.5	31.3	33.8	-20.2	1982	23.9	10	30.2	10	35.9	10	57.9	1990	0.00	96	0.06	10	34	0.24	93	10
01/18 (018-f)	28.4	32.9	42.2	-3.1	1982	21.9	10	29.6	10	38.8	10	56.5	1990	0.00	83	0.07	10	240	0.94	132	10
01/19 (019-s)	25.8	37.0	47.9	-17.1	1984	15.5	10	25.5	10	35.0	10	50.9	1989	0.00	82	0.17	10	128	0.97	134	10
01/20 (020-s)	21.1	36.7	44.8	-25.1	1985	14.1	10	24.1	10	31.9	10	53.1	1988	0.02	92	0.05	10	49	0.78	131	10
01/21 (021-m)	8.8	17.6	27.2	-22.4	1984	11.9	10	21.9	10	31.2	10	54.0	1986	0.00	85	0.09	10	158	1.10	165	10
01/22 (022-t)	1.6	11.3	20.8	-4.4	1984	17.7	10	26.3	10	38.2	10	54.4	1986	0.00	74	0.20	10	260	0.98	155	10
01/23 (023-w)	16.5	28.7	39.4	1.4	1987	19.1	10	29.0	10	39.8	10	54.8	1989	0.00	77	0.05	10	178	1.12	162	10
01/24 (024-t)	10.4	20.7	30.3	-2.0	1987	21.5	10	29.4	10	37.3	10	58.5	1990	0.00	72	0.01	10	261	1.02	157	10
01/25 (025-f)	5.4	15.5	26.5	3.2	1988	18.9	10	27.1	10	36.1	10	60.7	1989	0.00	68	0.06	10	269	0.89	131	10
01/26 (026-s)	12.6	20.2	31.4	-4.4	1985	13.9	10	22.9	10	33.2	10	57.3	1989	0.01	86	0.01	10	118	0.70	174	10
01/27 (027-s)	9.1	23.3	33.9	-0.6	1982	12.3	10	23.9	10	34.2	10	54.8	1990	0.04	94	0.00	10	154	1.12	202	10
01/28 (028-m)	15.3	25.3	36.5	-1.8	1986	18.2	10	27.3	10	35.8	10	53.4	1989	0.00	93	0.00	10	293	1.09	181	10
01/29 (029-t)	14.3	28.0	38.3	13.5	1982	22.1	10	31.2	10	40.1	10	56.3	1988	0.17	97	0.07	10	116	0.58	124	10
01/30 (030-w)	20.9	29.2	36.3	9.1	1986	25.1	10	33.6	10	42.1	10	60.7	1988	0.35	96	0.19	10	59	0.31	111	10
01/31 (031-t)	17.2	21.8	30.3	10.6	1984	24.9	10	33.1	10	43.0	10	63.9	1989	0.00	76	0.20	10	305	0.86	191	10

Column Min's:	1.6	11.3	20.8	-25.1	11.9	21.9	31.2	0.00	68	0.00	22	0.11	93
Column Avg's:	20.8	28.7	36.8	19.6	28.1	37.3	0.05	87	0.06	141	0.67	146	
Column Max's:	33.1	40.9	50.5	25.1	33.6	43.0	0.36	98	0.20	305	1.12	202	
Column Totals:							1.42	1.77	4361				4514

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	min	max	prec	evap	ly	max														
02/01 (032-f)	18.7	33.7	10.0	19.85	28.0	10	36.7	10	45.5	10	67.6	1989	0.00	0.00	58	0.28	10	298	0.86	152	10	
02/02 (033-s)	36.1	43.7	56.1	3.3	1985	28.6	10	36.6	10	47.1	10	56.4	1984	0.00	0.00	49	0.14	10	283	0.83	134	10
02/03 (034-s)	28.2	44.3	62.5	-13.0	1985	23.5	10	31.1	10	39.4	10	62.5	1991	0.00	0.00	55	0.21	10	308	0.87	103	10
02/04 (035-m)	32.4	48.6	64.3	-5.1	1985	21.1	10	29.4	10	38.4	10	64.3	1991	0.00	0.00	66	0.15	10	269	1.03	190	10
02/05 (036-t)	47.0	50.5	53.7	-2.2	1988	21.0	10	29.8	10	38.1	10	61.6	1986	0.52	0.00	95	0.07	10	60	0.26	157	10
02/06 (037-w)	38.5	43.6	49.2	-4.0	1988	16.4	10	24.8	10	33.5	10	54.8	1990	0.91	0.00	97	0.18	10	31	0.18	192	10
02/07 (038-t)	32.2	34.8	38.6	-0.6	1985	15.3	10	24.3	10	33.6	10	56.8	1987	0.00	0.00	96	0.02	10	58	0.25	202	10
02/08 (039-f)	30.2	34.2	44.7	-2.0	1985	15.6	10	26.5	10	38.6	10	62.1	1990	0.00	0.00	92	0.03	10	155	1.17	244	10
02/09 (040-s)	28.7	34.0	39.4	-6.2	1985	16.4	10	27.5	10	36.2	10	57.7	1990	0.00	0.00	97	0.06	10	90	0.29	175	10
02/10 (041-s)	27.8	36.1	45.0	-13.0	1982	19.0	10	27.5	10	36.1	10	51.2	1984	0.00	0.00	78	0.04	10	301	1.14	218	10
02/11 (042-m)	19.6	27.4	37.4	3.7	1982	23.1	10	31.4	10	41.3	10	57.8	1984	0.00	0.00	68	0.11	10	336	0.95	216	10
02/12 (043-t)	14.4	26.6	39.8	-0.2	1988	18.8	10	29.4	10	39.6	10	70.5	1984	0.00	0.00	65	0.03	10	356	0.93	247	10
02/13 (044-w)	27.3	39.3	45.7	-3.3	1988	22.0	10	31.2	10	40.2	10	67.9	1990	0.05	0.00	88	0.09	10	30	0.22	201	10
02/14 (045-t)	18.5	29.3	42.5	8.6	1988	21.7	10	31.7	10	45.8	10	60.9	1984	0.02	0.00	94	0.04	10	89	0.80	191	10
02/15 (046-f)	3.0	11.8	18.5	0.9	1985	21.7	10	30.9	10	41.6	10	60.5	1984	0.00	0.00	81	0.21	10	257	0.94	210	10
02/16 (047-s)	1.4	15.6	28.5	1.4	1991	21.7	10	32.8	10	43.0	10	58.9	1990	0.00	0.00	68	0.05	10	370	1.01	224	10
02/17 (048-s)	28.4	32.6	34.4	-13.5	1982	25.3	10	35.1	10	41.8	10	59.1	1986	0.00	0.00	81	0.07	10	53	0.17	155	10
02/18 (049-m)	33.2	43.0	52.0	17.8	1985	28.8	9	32.7	10	47.5	10	64.5	1986	0.31	0.00	98	0.04	10	34	0.25	239	10
02/19 (050-t)	34.9	46.7	54.0	16.4	1987	28.9	9	39.0	9	47.9	10	61.0	1986	0.01	0.00	94	0.03	10	37	0.20	216	9
02/20 (051-w)	30.0	36.6	45.6	15.9	1988	27.3	10	37.3	10	48.4	10	66.1	1983	0.00	0.00	78	0.04	10	348	1.20	246	10
02/21 (052-t)	30.5	45.2	61.9	6.1	1988	26.5	10	37.0	10	48.6	10	68.5	1983	0.00	0.00	65	0.03	10	315	1.12	240	9
02/22 (053-f)	28.6	41.1	49.2	22.2	1989	31.9	10	41.5	10	51.7	10	68.9	1983	0.00	0.00	64	0.06	10	341	1.21	212	10
02/23 (054-s)	21.6	29.5	39.5	7.9	1989	27.0	10	37.3	10	49.4	10	70.1	1985	0.00	0.00	69	0.02	10	381	1.01	276	10
02/24 (055-s)	26.5	36.8	52.1	5.2	1989	23.7	10	33.5	10	43.3	10	63.7	1985	0.00	0.00	70	0.08	10	281	0.98	221	10
02/25 (056-m)	24.4	29.4	35.5	4.5	1990	20.7	10	28.4	10	37.4	10	50.5	1987	0.00	0.00	71	0.01	10	249	0.88	288	10
02/26 (057-t)	15.5	25.1	35.2	6.8	1990	21.0	10	30.6	10	40.8	10	54.1	1985	0.00	0.00	72	0.03	10	379	1.29	265	10
02/27 (058-w)	23.6	29.3	36.1	12.6	1986	24.1	10	32.0	10	40.5	10	50.2	1983	0.00	0.00	82	0.07	10	170	0.99	212	10
02/28 (059-t)	29.0	44.3	62.4	5.2	1986	22.8	10	33.5	10	46.3	10	62.4	1991	0.00	0.00	63	0.08	10	285	1.36	301	10
Column Min's:	1.4	11.8	18.5	-13.5		15.3		24.3		33.5		70.5		0.00	0.00	49	0.01		30	0.17	103	
Column Avg's:	26.1	35.5	45.5			22.9		32.1		42.2				0.07	0.08	77	0.08		220	0.80	212	
Column Max's:	47.0	50.5	64.3			31.9		41.5		51.7				0.91	0.28	98	0.28		381	1.36	301	
Column Ttl's:														1.82	2.27				6164		5927	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min year	max year	prec	evap	ly	max Lng-Trm avg yrs												
11/01 (305-f)	40.1	51.2	28.7	1989	44.4	10	55.8	10	69.3	10	81.6	1987	0.21	77	0.18	10	55	0.67	208	10
11/02 (306-s)	26.9	33.6	40.0	1991	41.0	10	50.1	10	60.0	10	79.9	1987	0.00	73	0.05	10	183	1.18	184	10
11/03 (307-s)	19.1	25.8	33.4	1991	34.6	10	46.7	10	56.8	10	79.5	1987	0.00	67	0.06	10	246	1.18	181	10
11/04 (308-m)	17.4	21.2	25.9	1991	37.0	9	44.1	9	52.3	9	78.8	1987	0.00	70	0.10	9	148	1.04	176	9
11/05 (309-t)	12.2	26.5	37.0	1991	32.5	10	42.3	10	50.7	10	64.9	1989	0.00	66	0.09	9	290	0.94	163	9
11/06 (310-w)	32.5	37.7	43.3	1982	32.7	9	41.3	9	50.7	10	61.1	1985	0.00	62	0.02	10	84	0.35	177	9
11/07 (311-t)	17.4	26.1	33.0	1991	30.5	9	42.0	10	53.1	10	61.9	1982	0.01	87	0.06	10	134	0.51	153	10
11/08 (312-f)	13.3	22.0	32.1	1991	34.1	10	45.8	10	58.5	10	71.8	1983	0.00	76	0.05	10	308	0.85	212	9
11/09 (313-s)	15.4	27.0	41.9	1991	34.4	10	44.5	10	55.9	10	69.8	1983	0.00	71	0.16	10	303	0.84	170	10
11/10 (314-s)	19.0	31.6	46.7	1991	34.1	10	44.2	10	54.0	10	69.2	1982	0.00	78	0.34	10	296	0.88	139	10
11/11 (315-m)	25.9	36.6	51.8	1987	32.8	10	40.8	10	50.4	10	70.9	1989	0.00	74	0.06	10	285	0.81	157	10
11/12 (316-t)	26.9	32.6	36.1	1987	29.6	10	40.4	10	51.4	10	64.2	1982	0.03	99	0.14	10	50	0.21	168	10
11/13 (317-w)	34.5	41.9	54.5	1986	31.2	10	40.2	10	51.5	10	73.1	1989	0.00	82	0.02	10	229	0.89	203	10
11/14 (318-t)	34.6	47.9	58.8	1986	30.7	10	43.4	10	56.4	10	67.4	1985	0.00	76	0.01	10	136	0.62	192	10
11/15 (319-f)	45.8	51.7	57.6	1982	36.8	10	46.6	10	55.5	10	73.3	1990	0.03	81	0.25	10	55	0.71	123	10
11/16 (320-s)	34.5	48.1	53.6	1982	32.5	10	43.8	10	54.0	10	73.1	1987	0.01	95	0.06	10	46	0.33	136	9
11/17 (321-s)	31.2	42.6	56.7	1989	30.7	10	40.4	10	51.4	10	66.1	1987	0.00	71	0.01	10	230	0.79	188	10
11/18 (322-m)	46.1	56.9	64.8	1989	33.3	10	42.7	10	51.5	10	73.3	1985	0.06	78	0.03	10	72	0.64	122	10
11/19 (323-t)	57.7	61.6	64.8	1989	38.9	10	46.8	10	55.0	10	74.0	1985	0.20	91	0.07	10	54	0.50	121	10
11/20 (324-w)	49.4	61.0	65.7	1984	35.8	10	44.8	10	55.1	10	67.9	1985	0.21	92	0.17	10	72	0.36	128	10
11/21 (325-t)	47.9	49.2	50.6	1987	31.8	10	39.3	10	48.0	10	69.4	1990	0.00	94	0.14	10	43	0.30	167	10
11/22 (326-f)	42.3	47.6	50.6	1984	31.1	10	39.8	10	49.1	10	62.6	1983	0.00	92	0.08	10	51	0.27	140	10
11/23 (327-s)	31.1	41.5	53.9	1989	31.2	10	41.4	10	52.4	10	62.3	1983	0.01	91	0.15	10	91	0.77	138	10
11/24 (328-s)	21.8	27.3	31.1	1982	26.0	10	35.9	10	46.8	10	62.7	1990	0.00	80	0.05	10	68	0.30	147	10
11/25 (329-m)	14.0	19.9	28.6	1991	28.9	10	39.1	10	49.8	10	65.7	1990	0.00	84	0.08	10	182	1.03	144	10
11/26 (330-t)	8.8	23.0	36.6	1991	36.1	10	45.7	10	56.1	10	66.9	1990	0.00	76	0.19	10	262	0.82	119	10
11/27 (331-w)	25.6	37.7	46.0	1991	38.3	10	45.7	10	53.8	10	75.9	1990	0.02	78	0.23	10	70	0.85	80	10
11/28 (332-t)	39.6	47.2	55.9	1988	33.4	10	41.7	10	52.7	10	68.1	1990	0.08	80	0.25	10	75	0.37	77	10
11/29 (333-f)	54.0	60.0	67.9	1988	31.9	10	38.1	10	46.4	10	67.9	1991	0.00	65	0.00	10	179	0.76	140	10
11/30 (334-s)	37.4	54.4	65.9	1990	31.4	10	39.8	10	48.9	10	65.9	1991	0.73	79	0.08	10	123	0.59	127	10
Column Min's:	8.8	19.9	25.9	7.0	26.0	35.9	46.4	62	0.00	77	0.21	43	0.00	62	0.00	77	43	0.21	77	77
Column Avg's:	30.7	39.7	48.3	33.6	43.1	53.3	81.6	80	0.11	147	0.68	153	0.05	80	0.11	147	147	0.68	153	153
Column Max's:	57.7	61.6	67.9	44.4	55.8	69.3	81.6	99	0.34	308	1.18	212	0.73	99	0.34	308	308	1.18	212	212
Column Ttl's:													1.60		3.18		4420		4580	4580

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	max	min	max	avg	yr	prec	evap	ly	max											
mo da jul	Current	.....	Long Term	.....	avg yrs	max year	liq	hum	ly/m	avg yrs											
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....											
12/01 (335-s)	36.1	37.8	39.9	19.6	1983	30.9	10	38.2	10	46.7	10	64.9	1982	0.01	89	0.02	10	39	0.17	122	10
12/02 (336-m)	33.6	35.4	38.3	11.7	1985	28.7	9	35.5	9	42.1	9	73.3	1982	1.17	95	0.19	9	20	0.19	97	9
12/03 (337-t)	18.1	33.1	44.5	9.0	1985	27.7	10	36.3	10	45.7	10	73.3	1982	0.01	93	0.16	10	29	0.35	102	9
12/04 (338-w)	9.1	12.9	18.6	9.1	1991	26.4	10	31.6	10	38.4	10	66.8	1982	0.00	80	0.02	10	137	0.85	132	10
12/05 (339-t)	9.0	25.6	39.9	9.0	1991	25.9	10	34.4	10	42.0	10	62.3	1982	0.00	73	0.07	10	190	0.83	131	10
12/06 (340-f)	26.5	36.4	44.3	3.7	1984	23.8	10	33.3	9	42.2	9	58.3	1988	0.00	78	0.02	10	215	0.66	136	9
12/07 (341-s)	38.7	49.8	58.0	2.1	1984	25.4	10	33.4	10	41.7	10	58.0	1991	0.00	71	0.01	10	171	0.81	153	10
12/08 (342-s)	52.9	57.3	63.6	16.0	1989	29.5	10	37.3	10	46.9	10	63.6	1991	0.07	78	0.02	10	86	0.72	124	9
12/09 (343-m)	30.3	45.9	59.3	10.8	1989	23.5	10	35.6	10	46.5	10	59.3	1991	0.00	89	0.04	10	61	0.21	152	10
12/10 (344-t)	27.8	32.3	38.9	14.8	1986	25.5	10	33.9	10	42.2	10	56.2	1990	0.00	98	0.07	10	79	0.32	107	10
12/11 (345-w)	30.9	39.9	50.7	8.1	1988	25.0	10	34.1	10	42.7	10	60.3	1990	0.00	88	0.17	10	89	0.40	103	10
12/12 (346-t)	43.1	50.7	59.1	2.7	1988	26.5	10	34.6	10	42.6	10	60.8	1990	0.06	85	0.02	10	42	0.32	134	10
12/13 (347-f)	47.0	50.6	58.9	5.9	1989	24.6	10	32.3	10	41.9	10	59.4	1984	0.55	95	0.10	10	34	0.18	116	10
12/14 (348-s)	26.2	37.2	47.8	0.5	1985	22.4	10	32.6	10	43.0	10	64.3	1984	0.04	76	0.09	10	177	0.84	140	10
12/15 (349-s)	19.1	26.2	37.7	-6.5	1989	23.5	10	32.2	10	41.6	10	59.3	1990	0.00	64	0.18	10	129	0.76	109	10
12/16 (350-m)	11.5	23.3	34.4	-9.9	1989	20.2	10	28.2	10	35.9	10	66.0	1984	0.00	62	0.00	10	152	0.73	119	10
12/17 (351-t)	28.4	36.8	46.5	-10.8	1989	21.3	10	28.5	10	36.9	10	69.1	1984	0.00	64	0.08	10	205	0.64	127	10
12/18 (352-w)	12.6	22.2	27.4	-8.3	1989	15.9	10	25.1	10	34.7	10	53.9	1990	0.00	67	0.15	10	139	0.88	115	10
12/19 (353-t)	10.9	21.6	33.4	-4.0	1985	19.2	10	27.5	10	36.7	10	59.0	1988	0.00	74	0.05	10	210	0.68	133	10
12/20 (354-f)	20.4	32.0	42.4	-5.8	1989	22.6	10	30.7	10	39.4	10	57.7	1988	0.00	58	0.01	10	86	0.54	110	10
12/21 (355-s)	24.6	33.6	42.2	-17.7	1989	21.3	10	29.9	10	40.6	10	58.3	1990	0.11	93	0.18	10	127	0.90	114	10
12/22 (356-s)	25.6	34.1	42.3	-21.3	1989	16.0	10	27.8	10	40.8	10	55.0	1990	0.00	99	0.03	10	42	0.15	123	10
12/23 (357-m)	31.9	40.6	44.3	-8.7	1989	21.2	10	30.1	10	38.4	10	58.3	1988	0.60	97	0.14	10	46	0.46	119	10
12/24 (358-t)	23.0	32.3	42.5	-14.3	1989	17.6	10	27.0	10	36.2	10	65.9	1982	0.00	78	0.12	10	209	0.64	116	10
12/25 (359-w)	22.8	31.6	45.1	-11.9	1983	18.2	10	25.0	10	33.1	10	63.1	1982	0.00	89	0.13	10	206	0.70	139	10
12/26 (360-t)	18.9	31.1	47.5	-4.2	1983	16.4	10	24.9	10	34.3	10	53.9	1982	0.00	88	0.02	10	182	0.73	109	10
12/27 (361-f)	22.8	34.5	47.9	6.4	1989	23.8	10	33.9	10	42.1	10	63.0	1984	0.00	85	0.17	10	201	0.64	90	10
12/28 (362-s)	33.7	35.5	39.2	6.3	1985	24.7	10	33.9	10	42.4	10	66.9	1984	0.10	93	0.15	10	53	0.38	88	10
12/29 (363-s)	33.4	35.4	37.1	-4.7	1983	21.3	10	30.6	10	37.8	10	65.1	1984	0.18	97	0.13	10	35	0.19	104	10
12/30 (364-m)	31.6	33.1	34.7	-11.7	1983	20.2	10	28.5	10	38.5	10	63.4	1990	0.00	93	0.27	10	44	0.16	115	10
12/31 (365-t)	32.1	33.5	34.7	-0.0	1983	20.8	9	28.9	9	36.8	9	47.1	1989	0.00	93	0.04	9	22	0.08	97	9
Column Min's:	9.0	12.9	18.6	-21.3		15.9		24.9		33.1				0.00	58	0.00		20	0.08	88	
Column Avg's:	26.9	34.9	43.3			22.9		31.5		40.3				0.09	83	0.09		112	0.52	119	
Column Max's:	52.9	57.3	63.6			30.9		38.2		46.9		73.3		1.17	99	0.27		215	0.90	153	
Column Ttl's:														2.90		2.85		3457		3676	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Long-Term	
mo da jul	Current	Current	min year	avgm yrs	Long Term	avgm yrs	liq	prec	evap	ly	ly/m	avg yrs
03/01 (060-f)	43.4	53.2	7.0	24.5	36.2	10	0.23	0.06	--	200	1.30	300
03/02 (061-s)	35.9	53.6	16.4	27.6	39.5	10	0.06	0.06	--	87	0.53	268
03/03 (062-s)	25.7	30.4	11.5	26.8	35.7	10	0.00	0.00	--	60	0.19	265
03/04 (063-m)	26.2	35.0	12.6	28.3	39.2	10	0.00	0.00	--	415	1.10	228
03/05 (064-t)	25.9	43.2	14.0	28.2	38.3	10	0.00	0.00	--	415	1.16	237
03/06 (065-w)	32.9	46.4	19.4	28.4	36.8	10	0.36	0.00	--	41	0.37	207
03/07 (066-t)	25.7	33.3	13.1	23.9	35.2	10	0.00	0.00	--	384	1.46	334
03/08 (067-f)	19.3	31.9	6.4	25.9	38.7	9	0.00	0.00	--	455	1.12	257
03/09 (068-s)	27.6	35.6	-0.6	27.4	38.9	9	0.00	0.00	--	308	1.36	288
03/10 (069-s)	29.0	35.0	7.9	28.2	39.1	9	0.00	0.00	--	178	1.56	294
03/11 (070-m)	25.3	37.0	13.1	30.9	41.5	9	0.00	0.00	--	399	1.49	310
03/12 (071-t)	30.2	31.5	9.9	31.9	40.0	9	0.81	0.81	--	53	0.19	252
03/13 (072-w)	31.7	33.0	23.0	33.3	42.0	9	0.58	0.58	--	30	0.15	237
03/14 (073-t)	30.2	34.2	20.4	33.5	44.5	9	0.01	0.01	--	371	1.66	283
03/15 (074-f)	27.6	37.0	20.4	32.8	42.4	10	0.00	0.00	--	473	1.40	278
03/16 (075-s)	28.0	41.3	21.0	32.2	42.8	10	0.00	0.00	--	474	1.34	322
03/17 (076-s)	37.1	46.7	25.8	32.4	42.9	10	0.05	0.05	--	179	1.13	325
03/18 (077-m)	39.5	44.0	18.6	32.7	41.3	10	0.00	0.00	--	88	0.64	208
03/19 (078-t)	34.2	44.6	20.1	30.8	40.7	10	0.00	0.00	--	403	1.33	273
03/20 (079-w)	30.8	48.6	18.3	30.8	41.3	10	0.00	0.00	--	370	1.21	304
03/21 (080-t)	51.6	63.8	12.0	28.6	38.4	10	0.49	0.49	--	461	1.33	390
03/22 (081-f)	55.0	60.4	16.4	31.5	40.1	10	0.49	0.49	--	143	1.18	292
03/23 (082-s)	53.7	61.3	16.3	34.6	45.1	10	0.00	0.00	--	443	1.44	384
03/24 (083-s)	33.2	43.0	20.1	33.6	44.2	10	0.00	0.00	--	119	0.78	356
03/25 (084-m)	33.4	51.7	18.8	34.6	46.1	10	0.00	0.00	--	472	1.40	368
03/26 (085-t)	47.0	52.8	24.6	34.8	46.1	10	0.60	0.60	--	112	1.25	335
03/27 (086-w)	50.9	64.7	20.1	37.5	47.5	10	0.18	0.18	--	181	0.89	337
03/28 (087-t)	35.6	47.3	16.3	36.9	48.4	10	0.00	0.00	--	547	1.27	338
03/29 (088-f)	30.8	37.5	26.3	39.7	50.5	10	0.00	0.00	--	216	1.23	265
03/30 (089-s)	24.9	32.6	24.9	37.9	46.0	10	0.00	0.00	--	559	1.35	284
03/31 (090-s)	22.4	37.2	22.4	35.7	45.9	10	0.04	0.04	--	409	1.66	324

Column Min's:	19.3	30.4	34.2	23.9	35.2	45.4	0.00	0.00	59	0.01	30	0.15	207
Column Avg's:	33.7	43.5	53.9	31.5	41.8	53.1	0.13	0.13	76	0.11	292	1.11	295
Column Max's:	55.0	64.7	76.8	39.7	50.5	61.4	0.81	0.81	97	0.30	559	1.66	390
Column Ttl's:				84.1			3.90	3.90		3.41	9045		9143

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	avg	max	prec	evap	ly	max
04/01 (091-m)	32.1	43.2	25.8	37.1	47.0	58.0	0.00	--	551	1.54
04/02 (092-t)	25.1	39.8	25.1	36.1	46.5	57.2	0.00	--	560	1.33
04/03 (093-w)	31.1	49.8	22.0	37.3	47.2	56.6	0.00	--	475	1.32
04/04 (094-t)	46.1	54.9	27.5	38.6	49.6	60.9	0.08	--	166	0.85
04/05 (095-f)	53.9	61.0	28.4	40.5	50.2	60.2	0.00	--	456	1.52
04/06 (096-s)	46.8	63.7	19.5	38.0	46.2	57.0	0.02	--	532	1.27
04/07 (097-s)	55.4	68.7	16.9	35.0	46.0	58.0	0.00	--	443	--
04/08 (098-m)	62.0	66.4	25.2	35.9	45.1	55.0	0.04	--	201	1.53
04/09 (099-t)	--	--	22.5	32.8	42.3	52.0	--	--	--	--
04/10 (100-w)	--	43.9	22.7	38.5	44.5	56.0	0.00	--	309	--
04/11 (101-t)	31.4	45.1	22.7	38.9	45.4	58.2	0.00	--	482	1.43
04/12 (102-f)	40.1	49.2	27.5	35.4	49.6	63.5	0.29	--	436	1.43
04/13 (103-s)	48.5	58.3	27.4	40.5	53.1	64.7	1.63	--	112	0.68
04/14 (104-s)	59.6	64.1	28.5	41.9	54.1	66.7	0.18	--	226	1.44
04/15 (105-m)	52.1	60.0	30.5	39.9	49.4	59.6	0.11	--	514	1.73
04/16 (106-t)	49.6	63.1	27.6	40.9	51.7	63.1	0.00	--	605	1.33
04/17 (107-w)	48.2	60.1	29.2	39.8	50.5	60.6	0.00	--	564	1.49
04/18 (108-t)	42.5	55.0	23.7	37.1	49.0	60.6	0.00	--	482	1.44
04/19 (109-f)	45.0	48.7	21.5	38.8	50.6	62.9	0.51	--	52	0.22
04/20 (110-s)	38.8	42.8	23.5	39.2	52.7	64.1	0.00	--	90	0.44
04/21 (111-s)	37.3	40.5	27.9	40.5	52.4	62.9	0.00	--	123	0.78
04/22 (112-m)	38.8	48.6	27.1	40.9	52.7	65.9	0.00	--	494	1.87
04/23 (113-t)	40.2	50.6	23.8	41.4	54.4	67.2	0.21	--	323	1.77
04/24 (114-w)	37.7	50.1	31.0	40.6	52.9	65.4	0.00	--	638	1.56
04/25 (115-t)	39.5	53.8	29.6	41.5	58.1	73.7	0.00	--	441	1.51
04/26 (116-f)	53.1	63.8	34.2	49.1	63.8	77.5	0.00	--	413	1.53
04/27 (117-s)	54.2	63.9	38.3	51.6	62.8	75.1	0.02	--	229	1.32
04/28 (118-s)	54.2	62.5	33.4	47.8	58.4	69.2	0.07	--	153	0.79
04/29 (119-m)	60.5	67.7	34.3	46.2	58.9	71.7	0.02	--	279	1.06
04/30 (120-t)	57.0	66.3	36.6	48.0	59.8	71.8	0.00	--	664	1.42
Column Min's:	25.1	39.8	16.9	32.0	42.3	52.0	0.00	46	52	0.22
Column Avg's:	45.7	55.4	39.9	51.5	63.8	77.5	0.11	73	380	1.28
Column Max's:	62.0	68.7	80.0	51.6	63.8	88.1	1.63	93	664	1.87
Column Ttl's:							3.18	3.35	11013	11792

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max Lng-Term avg yrs
05/01 (121-w)	50.1	58.9	33.8	46.0	0.03	--	461	1.88
05/02 (122-t)	40.5	58.6	36.9	43.9	0.00	--	653	1.69
05/03 (123-f)	45.5	58.4	31.0	42.7	0.09	--	544	1.46
05/04 (124-s)	53.1	59.2	31.0	41.8	0.03	--	245	1.27
05/05 (125-s)	54.8	63.6	39.4	45.8	0.29	--	227	1.40
05/06 (126-m)	46.1	49.2	33.6	47.0	0.00	--	165	1.22
05/07 (127-t)	39.8	57.7	31.9	46.4	0.00	--	661	1.47
05/08 (128-w)	48.8	63.2	33.8	45.7	0.06	--	435	1.40
05/09 (129-t)	56.3	62.1	33.1	47.0	0.03	--	297	1.48
05/10 (130-f)	57.7	67.4	36.1	46.6	0.00	--	390	1.68
05/11 (131-s)	60.5	72.1	38.1	50.1	0.00	--	566	1.50
05/12 (132-s)	60.4	71.0	40.7	52.2	0.06	--	467	1.65
05/13 (133-m)	61.0	72.7	44.8	53.4	0.71	--	535	1.50
05/14 (134-t)	60.5	70.9	43.1	53.7	0.78	--	387	1.47
05/15 (135-w)	58.9	72.6	40.2	53.4	0.00	--	637	1.42
05/16 (136-t)	61.6	73.7	39.4	52.1	0.08	--	543	1.42
05/17 (137-f)	64.5	74.1	36.7	49.7	0.61	--	568	1.61
05/18 (138-s)	55.2	62.3	42.2	53.4	0.58	--	271	1.14
05/19 (139-s)	53.1	64.4	40.6	54.3	0.00	--	435	1.35
05/20 (140-m)	60.5	69.4	45.7	56.6	0.00	--	639	1.45
05/21 (141-t)	59.0	69.8	45.0	54.3	0.00	--	596	1.67
05/22 (142-w)	62.9	71.8	43.1	56.1	0.00	--	362	1.32
05/23 (143-t)	64.0	71.0	41.0	52.8	0.00	--	243	1.38
05/24 (144-f)	66.3	75.5	43.7	50.9	0.00	--	498	1.62
05/25 (145-s)	68.6	76.9	39.8	54.7	0.01	--	504	1.71
05/26 (146-s)	71.0	73.6	34.5	55.3	0.12	--	261	0.98
05/27 (147-m)	68.0	73.8	35.8	55.6	0.05	--	391	1.92
05/28 (148-t)	65.7	77.5	43.4	54.6	0.00	--	625	1.55
05/29 (149-w)	66.9	74.9	36.8	55.8	0.10	--	374	1.98
05/30 (150-t)	70.5	79.4	35.9	55.7	0.00	--	558	1.52
05/31 (151-f)	68.7	79.4	38.6	57.3	0.00	--	552	1.61

Column Min's:	Column Avg's:	Column Max's:	Column Tot's:
39.8	49.2	58.0	60
58.7	68.6	79.8	80
71.0	79.4	90.0	88
			3.63
			92.4
			14090
			4.61
			60
			0.01
			0.15
			0.41
			165
			0.98
			354
			455
			1.51
			457
			661
			1.98
			595
			14179

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	prec	liq	ly	max Lng-Term avg yrs													
06/01 (152-s)	65.2	77.0	89.4	45.6	1983	56.1	10	81.7	10	93.1	1988	0.00	--	--	78	0.05	10	561	1.80	536	10
06/02 (153-s)	66.1	76.9	91.3	43.5	1983	56.5	9	79.6	9	91.3	1991	0.00	--	--	78	0.08	9	565	1.72	501	9
06/03 (154-m)	67.4	74.8	85.2	45.5	1986	57.0	10	77.4	10	85.2	1991	0.00	--	--	78	0.09	9	552	1.60	503	9
06/04 (155-t)	57.9	66.5	75.5	40.3	1990	51.8	10	62.9	10	82.3	1984	0.00	--	--	67	0.02	10	707	1.48	482	10
06/05 (156-w)	53.9	64.3	74.8	36.5	1990	53.9	9	65.3	9	85.0	1984	0.00	--	--	62	0.14	10	631	1.85	473	9
06/06 (157-t)	53.3	65.9	77.6	49.4	1989	55.7	10	68.4	10	92.1	1988	0.00	--	--	55	0.11	10	661	1.72	528	10
06/07 (158-f)	52.3	67.5	80.7	46.7	1983	58.4	10	69.4	10	92.2	1988	0.00	--	--	61	0.16	10	605	1.79	486	9
06/08 (159-s)	53.8	68.9	82.7	47.7	1983	58.9	10	72.5	10	93.7	1988	0.00	--	--	63	0.16	10	493	1.73	556	10
06/09 (160-s)	54.5	71.0	86.1	44.8	1988	59.1	10	70.9	10	87.6	1984	0.00	--	--	63	0.05	10	697	1.46	549	10
06/10 (161-m)	57.4	72.6	83.9	38.7	1988	55.3	9	67.5	10	88.5	1984	0.00	--	--	70	0.01	10	508	1.50	543	10
06/11 (162-t)	67.4	74.1	83.7	41.3	1988	54.2	10	68.9	10	81.6	10	0.02	--	--	75	0.06	10	451	1.54	549	10
06/12 (163-w)	63.7	74.4	86.7	47.2	1985	57.2	10	68.4	10	78.8	10	0.00	--	--	73	0.08	10	622	1.60	454	10
06/13 (164-t)	60.7	75.2	89.8	44.2	1985	58.2	10	70.8	10	84.5	10	0.00	--	--	67	0.10	10	621	1.56	589	10
06/14 (165-f)	62.3	77.1	89.8	46.7	1985	58.0	9	71.6	9	84.5	9	0.00	--	--	71	0.17	9	619	1.47	602	9
06/15 (166-s)	68.1	81.3	92.4	54.8	1982	60.6	9	71.9	9	83.7	10	0.50	--	--	73	0.17	10	612	1.67	464	8
06/16 (167-s)	66.8	72.6	83.3	53.7	1989	62.1	10	70.9	10	81.0	10	0.01	--	--	84	0.18	10	349	1.94	421	10
06/17 (168-m)	63.7	74.0	84.8	48.2	1989	58.7	10	70.7	10	81.7	10	0.00	--	--	76	0.01	10	582	1.52	559	10
06/18 (169-t)	65.5	76.8	88.2	47.4	1986	59.2	10	71.6	10	83.5	10	0.00	--	--	67	0.01	10	561	1.53	570	10
06/19 (170-w)	64.1	76.9	89.0	49.8	1982	59.3	10	71.1	10	83.0	10	0.00	--	--	71	0.07	10	593	1.36	518	10
06/20 (171-t)	67.2	79.2	92.7	45.9	1982	60.4	10	71.5	10	83.1	10	0.00	--	--	65	0.17	10	602	1.52	455	10
06/21 (172-f)	64.9	77.8	90.3	53.5	1986	62.7	10	73.7	10	85.7	10	0.00	--	--	68	0.13	10	475	1.26	581	10
06/22 (173-s)	64.1	70.9	84.0	51.2	1982	63.0	10	72.8	10	85.0	10	1.81	--	--	85	0.26	10	231	1.27	452	10
06/23 (174-s)	60.6	68.1	77.2	47.9	1982	61.7	10	71.7	10	82.9	10	0.00	--	--	82	0.02	10	451	1.71	528	10
06/24 (175-m)	62.4	73.5	84.9	47.0	1982	59.0	10	72.0	10	84.2	10	0.00	--	--	76	0.12	10	614	1.51	631	10
06/25 (176-t)	64.4	75.0	85.8	50.0	1982	58.9	10	73.0	10	86.9	10	0.00	--	--	78	0.00	10	570	1.57	636	10
06/26 (177-w)	65.9	73.9	85.7	47.8	1984	57.9	10	72.7	10	85.7	10	0.00	--	--	77	0.00	10	490	1.48	598	10
06/27 (178-t)	63.3	75.2	86.8	50.4	1988	60.0	10	72.3	10	84.6	10	0.00	--	--	74	0.07	10	644	1.63	543	10
06/28 (179-f)	66.4	76.6	86.7	49.1	1987	60.7	10	72.8	10	85.2	10	0.00	--	--	77	0.25	10	476	1.84	543	10
06/29 (180-s)	69.3	79.2	91.1	54.8	1985	62.5	10	72.1	10	82.3	10	0.00	--	--	73	0.05	10	586	1.51	483	10
06/30 (181-s)	70.6	82.4	94.7	53.3	1989	61.6	10	72.1	10	82.9	10	0.00	--	--	73	0.09	10	621	1.47	539	10

Column Min's:	52.3	64.3	74.8	36.5	51.8	62.9	72.8	0.00	0.00	55	0.00	231	1.26	421
Column Avg's:	62.8	74.0	85.8	58.6	70.4	82.2	85.2	0.08	0.72	72	0.10	558	1.59	529
Column Max's:	70.6	82.4	94.7	63.0	86.9	86.9	103.1	1.81	2.88	85	0.26	707	1.94	636
Column Ttl's:								2.34	16750					15872

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	avg	min	avg	liq	prec	ly	max Lng-Term avg yrs										
07/01 (182-m)	71.9	83.7	45.1	1988	60.5	10	71.2	10	82.6	10	95.7	1991	0.00	0.00	631	1.49	475	10
07/02 (183-t)	68.7	79.5	50.6	1988	60.9	10	71.1	10	82.5	10	94.2	1991	0.00	0.00	564	1.58	451	10
07/03 (184-w)	65.3	77.0	52.0	1986	61.0	10	72.9	10	84.5	10	89.6	1988	0.00	0.00	563	1.64	567	9
07/04 (185-t)	70.4	75.9	47.6	1986	63.8	10	74.0	10	85.4	10	94.2	1988	0.00	0.00	448	1.90	476	10
07/05 (186-f)	64.8	78.0	55.5	1983	63.5	10	75.1	10	86.8	10	97.3	1988	0.00	0.00	605	1.73	519	9
07/06 (187-s)	67.9	80.1	50.3	1983	62.5	10	73.8	10	85.9	10	97.6	1988	0.13	0.00	614	1.41	546	9
07/07 (188-s)	74.7	84.1	48.2	1983	61.9	10	74.6	10	87.2	10	99.7	1988	0.00	0.00	624	1.56	598	9
07/08 (189-m)	66.6	71.3	48.0	1984	62.9	10	75.3	10	87.6	10	101.7	1988	1.32	0.00	140	0.89	536	10
07/09 (190-t)	62.1	71.3	54.4	1984	66.3	10	77.3	10	89.2	10	103.0	1988	0.01	0.00	403	1.88	509	10
07/10 (191-w)	65.2	70.1	62.1	1985	68.1	10	77.2	10	87.3	10	98.2	1988	0.85	0.00	213	1.15	493	10
07/11 (192-t)	63.6	73.9	52.3	1985	64.6	10	74.2	10	85.3	10	93.7	1989	0.00	0.00	369	1.40	393	10
07/12 (193-f)	67.5	75.6	56.3	1984	63.3	10	73.7	10	85.3	10	94.2	1989	0.33	0.00	409	1.67	461	10
07/13 (194-s)	64.9	75.9	58.7	1982	63.6	10	73.1	10	83.7	10	93.0	1983	0.00	0.00	613	1.66	448	10
07/14 (195-s)	62.6	71.7	53.3	1987	63.2	10	74.1	10	84.9	10	93.3	1983	0.00	0.00	608	1.65	488	10
07/15 (196-m)	59.5	71.9	49.5	1987	60.2	9	72.5	9	84.7	10	102.8	1988	0.00	0.00	679	1.48	502	9
07/16 (197-t)	56.9	72.8	55.4	1985	62.5	10	74.6	10	86.8	10	99.5	1988	0.00	0.00	684	1.40	582	9
07/17 (198-w)	59.5	75.6	52.8	1984	61.5	10	74.7	10	88.1	10	95.2	1988	0.00	0.00	633	1.54	597	10
07/18 (199-t)	62.6	76.9	53.4	1984	62.7	10	74.9	10	88.3	10	94.0	1986	0.00	0.00	648	1.39	557	10
07/19 (200-f)	66.1	78.6	58.5	1986	54.2	10	75.3	10	86.6	10	92.6	1983	0.00	0.00	522	1.35	510	10
07/20 (201-s)	69.9	81.1	54.7	1984	65.7	10	74.9	10	85.3	10	92.7	1991	0.00	0.00	604	1.46	407	10
07/21 (202-s)	71.6	81.9	57.4	1982	65.3	10	75.7	10	88.2	10	97.3	1983	0.00	0.00	583	1.54	547	10
07/22 (203-m)	72.5	83.8	59.1	1984	64.8	10	75.1	10	86.6	10	96.8	1983	0.00	0.00	613	1.42	458	10
07/23 (204-t)	67.2	81.1	53.9	1985	62.9	10	74.5	10	87.5	10	97.8	1983	0.00	0.00	557	1.79	558	10
07/24 (205-w)	57.3	71.9	52.3	1985	61.8	10	74.6	10	88.0	10	93.1	1986	0.00	0.00	533	1.56	568	10
07/25 (206-t)	65.7	73.1	58.3	1990	64.3	10	74.7	10	86.2	10	92.1	1987	0.00	0.00	493	1.88	476	10
07/26 (207-f)	61.4	72.8	57.8	1987	62.0	9	72.8	9	85.3	9	90.7	1987	0.00	0.00	641	1.59	494	9
07/27 (208-s)	60.2	72.0	56.2	1985	60.4	9	71.3	9	84.2	10	88.6	1989	0.00	0.00	653	1.38	510	9
07/28 (209-s)	56.7	68.5	55.1	1985	60.2	10	73.1	10	85.6	10	94.4	1983	0.00	0.00	433	1.66	543	10
07/29 (210-m)	57.2	73.3	56.7	1982	61.0	10	73.7	10	86.7	10	93.3	1988	0.00	0.00	528	1.40	574	10
07/30 (211-t)	59.2	69.7	53.9	1984	62.4	10	73.4	10	85.8	10	94.7	1983	0.00	0.00	545	1.82	476	10
07/31 (212-w)	53.9	70.8	53.9	1991	62.7	10	72.4	10	84.9	10	89.8	1987	0.00	0.00	662	1.40	435	10
Column Min's:	53.9	68.5	-28.5		54.2		71.1		82.5				0.00	0.00	140	0.89	393	
Column Avg's:	64.3	75.6	87.6		62.6		74.1		86.0				0.09	0.12	542	1.54	508	
Column Max's:	74.7	84.1	96.0		68.1		77.3		89.2		103.0		1.32	0.57	684	1.90	598	
Column Ttl's:													2.64	3.62	16815		15754	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	max	min	max	prec	evap	ly	max																
mo da jul	Current	.....	Long Term	.....	liq	.....	Long Term	.....																
	avg	max	avg yrs	avgmx yrs	prec	evap	avg pr yrs	ly/m																
			max year	max year																				
08/01 (213-t)	60.8	78.1	95.4	55.0	1990	61.4	10	72.9	10	85.9	10	95.4	1991	0.00	--	--	60	0.03	10	646	1.34	512	10	
08/02 (214-f)	63.6	82.3	98.5	53.9	1990	60.8	9	73.6	9	86.8	9	98.5	1991	0.00	--	--	55	0.01	9	629	1.37	546	9	
08/03 (215-s)	66.9	79.5	95.6	53.9	1985	61.4	8	73.8	8	88.0	9	95.6	1991	0.20	--	--	65	0.02	9	420	1.66	500	8	
08/04 (216-s)	64.4	74.3	85.5	51.0	1986	62.3	8	72.5	8	86.9	9	93.0	1987	0.00	--	--	68	0.19	10	621	1.38	433	8	
08/05 (217-m)	60.1	69.5	81.7	53.6	1986	64.9	9	73.3	9	84.1	9	94.0	1983	0.00	--	--	71	0.06	9	340	1.62	428	9	
08/06 (218-t)	59.4	63.8	71.5	54.9	1990	62.7	9	72.2	9	83.4	9	90.5	1983	0.42	--	--	82	0.07	9	157	0.97	412	8	
08/07 (219-w)	59.3	72.9	87.5	51.0	1990	63.4	9	73.6	9	86.3	9	91.7	1983	0.00	--	--	69	0.07	9	609	1.31	509	9	
08/08 (220-t)	61.4	72.2	91.1	50.6	1990	61.6	9	73.6	9	87.2	9	93.6	1983	0.30	--	--	77	0.04	9	440	1.29	511	8	
08/09 (221-f)	60.2	66.3	68.5	57.5	1990	60.9	9	73.2	9	84.4	10	92.5	1988	0.00	--	--	85	0.00	10	110	0.63	451	9	
08/10 (222-s)	57.2	69.7	83.0	54.1	1989	60.4	10	71.1	10	83.6	10	94.9	1988	0.01	--	--	68	0.05	10	639	1.54	428	10	
08/11 (223-s)	55.5	69.5	84.5	55.5	1989	59.9	9	71.2	10	84.4	10	93.8	1988	0.00	--	--	66	0.13	10	515	1.60	485	10	
08/12 (224-m)	59.0	72.7	85.8	47.5	1982	58.3	10	70.1	10	84.4	10	91.4	1988	0.00	--	--	59	0.05	10	488	1.54	492	10	
08/13 (225-t)	58.1	68.7	81.4	49.0	1982	58.1	10	70.8	10	84.5	10	93.8	1985	0.00	--	--	72	0.02	10	386	1.21	497	10	
08/14 (226-w)	54.9	66.7	85.8	49.9	1982	58.9	10	72.1	10	87.3	10	93.5	1985	0.02	--	--	76	0.02	10	435	1.39	540	10	
08/15 (227-t)	56.7	70.9	85.9	54.0	1982	60.7	10	73.1	10	87.6	10	96.1	1988	0.00	--	--	67	0.06	10	588	1.35	490	10	
08/16 (228-f)	58.8	74.2	89.4	58.4	1984	62.2	10	74.1	10	87.2	10	99.2	1988	0.00	--	--	66	0.02	10	516	1.45	466	10	
08/17 (229-s)	64.9	70.6	82.4	59.9	1990	63.9	10	74.1	10	86.9	10	99.3	1988	0.55	--	--	81	0.09	10	283	1.46	388	10	
08/18 (230-s)	64.8	73.0	85.5	50.8	1982	63.6	10	74.1	10	86.9	10	98.4	1988	0.06	--	--	73	0.09	10	446	1.56	483	10	
08/19 (231-m)	59.2	64.9	77.0	51.5	1982	61.8	10	71.5	10	84.5	10	98.8	1983	0.36	--	--	80	0.06	10	319	1.70	427	10	
08/20 (232-t)	56.4	64.9	76.2	54.8	1984	61.4	10	70.9	10	83.7	10	99.9	1983	0.01	--	--	77	0.28	10	327	1.77	399	10	
08/21 (233-w)	52.3	67.2	81.6	51.5	1982	60.1	10	71.1	10	83.9	10	100.3	1983	0.00	--	--	73	0.12	10	535	1.60	453	10	
08/22 (234-t)	59.0	72.6	86.6	46.0	1982	60.9	10	71.6	10	84.1	10	92.5	1987	0.00	--	--	70	0.05	10	570	1.27	371	10	
08/23 (235-f)	62.8	75.7	89.8	53.9	1987	61.6	10	70.9	10	82.5	10	90.3	1983	0.00	--	--	69	0.14	10	435	1.35	368	10	
08/24 (236-s)	63.7	76.4	91.7	51.1	1987	60.1	10	69.8	10	81.0	10	93.1	1983	0.00	--	--	69	0.12	10	458	1.35	426	10	
08/25 (237-s)	64.6	77.1	90.7	48.8	1984	57.8	10	69.8	10	82.5	10	95.4	1983	0.00	--	--	69	0.06	10	479	1.27	433	10	
08/26 (238-m)	65.1	74.7	85.9	50.4	1982	58.7	10	71.3	10	85.8	10	95.4	1983	0.00	--	--	74	0.07	10	457	1.35	455	10	
08/27 (239-t)	66.7	74.5	85.9	52.4	1988	61.3	10	71.3	10	84.8	10	92.5	1983	0.00	--	--	78	0.02	10	335	1.55	356	10	
08/28 (240-w)	67.4	74.9	90.0	42.0	1986	60.1	10	68.9	10	80.3	10	92.1	1990	0.05	--	--	80	0.20	10	288	1.38	346	10	
08/29 (241-t)	67.7	79.2	93.5	38.0	1986	57.1	10	68.7	10	81.9	10	93.5	1991	0.00	--	--	71	0.18	10	451	1.18	469	10	
08/30 (242-f)	69.4	75.9	86.7	42.5	1986	57.2	10	69.2	10	82.5	10	95.2	1983	0.14	--	--	78	0.04	10	369	1.38	425	10	
08/31 (243-s)	65.7	73.1	88.3	46.5	1986	56.6	10	69.0	10	82.9	10	88.3	1991	0.86	--	--	80	0.09	10	235	1.20	429	10	
Column Min's:	52.3	63.8	68.5	38.0		56.6		68.7		80.3		100.3		0.00			55	0.00		110	0.63	346		
Column Avg's:	61.5	72.5	85.9		60.6		71.7		84.7					0.10			72	0.08		436	1.39	449		
Column Max's:	69.4	82.3	98.5		64.9		74.1		88.0					0.86			85	0.28		646	1.77	546		
Column Ttl's:														2.98				2.45		13526			13928	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	max	min	avg	max	prec	liq	evap	hum	ly	max	Lng-Trm
mo da jul	.....Current.....	.....Long Term.....	.....	avg yrs	avgmx yrs	max Year	prec	liq	evap	hum	ly	Ly/m	avg yrs
09/01 (244-s)	57.9	69.6	83.9	42.3	1987	56.9	10	68.8	10	82.4	10	88.7	1990
09/02 (245-m)	55.2	70.2	87.2	43.4	1987	58.9	10	71.7	10	85.9	10	92.4	1984
09/03 (246-t)	62.6	71.1	85.9	47.6	1982	58.4	10	68.2	10	80.0	10	91.7	1983
09/04 (247-w)	66.1	70.1	75.9	42.7	1982	57.8	10	69.0	10	81.8	10	89.6	1983
09/05 (248-t)	56.8	68.4	82.2	43.8	1982	57.2	10	68.6	10	82.0	10	92.0	1990
09/06 (249-f)	54.4	69.0	84.8	40.4	1988	56.2	10	68.8	10	82.8	10	92.6	1990
09/07 (250-s)	55.9	70.7	86.8	38.8	1988	57.5	10	69.4	10	83.0	10	93.7	1985
09/08 (251-s)	56.5	70.3	86.4	41.5	1988	56.0	10	68.4	10	83.2	10	92.5	1985
09/09 (252-m)	61.9	71.7	81.1	39.7	1986	57.3	10	69.7	10	83.8	10	95.4	1983
09/10 (253-t)	70.6	78.2	89.1	52.4	1986	61.1	10	71.9	10	85.3	9	97.4	1983
09/11 (254-w)	60.9	72.3	84.8	52.1	1985	60.3	10	70.6	10	82.3	10	94.2	1983
09/12 (255-t)	58.6	69.1	82.5	42.7	1985	58.7	10	68.0	10	79.3	10	83.7	1983
09/13 (256-f)	66.0	78.2	95.1	42.7	1985	57.2	10	68.5	10	83.0	10	95.1	1991
09/14 (257-s)	64.6	76.8	92.1	40.0	1985	55.0	10	66.3	10	79.6	10	92.1	1991
09/15 (258-s)	67.0	78.7	92.0	41.7	1985	53.9	10	65.1	10	77.7	10	92.0	1991
09/16 (259-m)	71.2	79.4	91.7	40.0	1985	53.3	10	63.6	10	76.4	10	91.7	1991
09/17 (260-t)	62.6	70.0	78.8	39.5	1984	50.4	10	62.8	10	77.3	10	82.6	1983
09/18 (261-w)	50.8	61.3	73.1	43.0	1984	53.3	10	64.6	10	76.3	10	91.9	1983
09/19 (262-t)	44.3	53.3	64.8	44.3	1991	53.3	10	64.2	10	76.4	10	91.1	1983
09/20 (263-f)	37.6	50.0	63.2	37.6	1991	51.0	10	63.6	10	77.8	10	87.2	1985
09/21 (264-s)	37.2	52.1	68.7	37.2	1991	48.7	10	60.4	10	73.7	10	87.8	1984
09/22 (265-s)	42.3	56.2	71.1	35.5	1983	50.0	10	61.6	10	75.3	10	88.5	1984
09/23 (266-m)	43.5	59.1	70.8	36.5	1983	49.0	10	59.1	10	71.0	10	84.7	1986
09/24 (267-t)	41.4	53.6	68.7	33.5	1983	46.9	10	56.7	10	68.0	10	80.9	1987
09/25 (268-w)	39.2	55.6	68.8	36.1	1983	46.2	10	60.1	10	74.2	10	88.3	1986
09/26 (269-t)	38.9	52.1	63.1	37.6	1987	48.7	10	59.9	10	73.0	10	89.6	1986
09/27 (270-f)	36.0	53.1	69.6	36.0	1991	45.8	10	58.0	10	72.4	10	87.6	1987
09/28 (271-s)	47.1	57.3	72.8	36.7	1989	47.4	10	61.0	10	77.3	10	89.8	1986
09/29 (272-s)	47.6	63.0	82.2	39.1	1984	51.2	10	63.0	10	76.9	10	88.3	1986
09/30 (273-m)	50.2	67.4	85.5	44.0	1984	50.4	10	62.0	10	75.6	10	86.3	1986
Column Min's:	36.0	50.0	63.1	33.5		45.8		56.7		68.0			
Column Avg's:	53.5	65.6	79.4			53.6		65.1		78.5			
Column Max's:	71.2	79.4	95.1			61.1		71.9		85.9		97.4	
Column Ttl's:												11990	11115

0.00 0.14 10 568 1.26 410 10  
0.00 0.01 10 470 1.20 427 10  
0.42 0.25 10 267 1.22 391 10  
0.31 0.03 10 170 0.80 431 10  
0.00 0.03 10 533 1.29 417 10  
0.00 0.00 10 523 1.23 453 10  
0.00 0.00 10 518 1.21 417 10  
0.00 0.01 10 511 1.27 433 10  
0.00 0.23 10 206 1.00 379 10  
0.00 0.14 10 453 1.47 353 10  
0.00 0.11 10 267 1.14 313 10  
0.12 0.01 10 416 1.32 394 10  
0.00 0.22 10 414 1.28 357 10  
0.01 0.00 10 372 1.21 364 10  
0.00 0.12 10 433 1.34 357 9  
0.00 0.01 10 417 1.37 424 10  
0.12 0.04 10 124 0.79 310 10  
0.00 0.10 10 464 1.44 337 10  
0.00 0.12 10 501 1.26 397 10  
0.00 0.04 10 505 1.19 355 10  
0.41 0.07 10 248 1.20 307 10  
0.02 0.12 10 492 1.17 311 10  
0.00 0.28 10 291 1.24 291 9  
0.00 0.06 10 466 1.14 379 10  
0.01 0.02 10 428 1.40 386 10  
0.00 0.17 10 463 1.13 338 10  
0.00 0.00 10 277 1.48 389 10  
0.00 0.02 10 384 1.31 319 10  
0.00 0.04 10 426 1.06 307 10  
0.00 0.00 124 0.79 291  
0.05 0.08 400 1.23 371  
0.42 0.28 568 1.48 453  
1.42 2.40 11990

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	avg	liq	evap	ly	max											
mo da jul	Current	.....Long Term	Year	Yrs	prec	snow	ly	Lng-Term											
	.....	.....	avg	avg	.....	.....	.....	avg											
	.....	.....	Yrs	Yrs	.....	.....	.....	Yrs											
	.....	.....	Yrs	Yrs	.....	.....	.....	.....											
	.....	.....	Yrs	Yrs	.....	.....	.....	.....											
10/01 (274-t)	53.4	67.4	81.9	34.4	1987	48.6	10	59.1	10	70.5	10	84.5	1982	0.00	--	401	1.25	286	10
10/02 (275-w)	54.0	67.1	81.8	30.1	1985	46.9	10	74.8	10	85.1	1983	0.00	--	340	1.20	344	10		
10/03 (276-t)	56.9	65.0	76.0	33.8	1987	48.1	10	59.9	10	85.3	1981	0.01	--	216	1.07	322	10		
10/04 (277-f)	60.3	71.8	84.5	29.2	1987	48.1	10	58.9	10	84.5	1981	0.00	--	286	1.21	305	10		
10/05 (278-s)	42.3	55.4	70.8	34.3	1989	45.6	10	57.2	10	69.7	10	82.8	1982	0.17	--	177	1.60	292	10
10/06 (279-s)	35.4	42.5	50.6	30.9	1988	43.1	10	53.9	10	66.2	10	84.0	1982	0.00	--	236	1.34	284	10
10/07 (280-m)	32.7	43.4	58.1	32.7	1991	42.7	10	52.6	10	64.7	10	75.8	1990	0.00	--	428	1.10	282	10
10/08 (281-t)	31.4	50.8	70.0	31.4	1991	43.9	10	55.9	10	66.6	10	80.0	1982	0.00	--	411	1.04	320	10
10/09 (282-w)	44.1	60.9	76.9	28.6	1989	46.3	10	56.9	10	69.6	10	79.7	1985	0.00	--	364	0.99	237	10
10/10 (283-t)	47.7	56.1	64.5	40.8	1986	46.9	10	57.1	10	68.8	10	83.5	1985	0.65	--	148	0.71	242	10
10/11 (284-f)	42.9	52.1	65.7	30.0	1988	42.3	10	53.3	10	64.5	10	75.7	1984	0.00	--	207	0.95	246	10
10/12 (285-s)	39.9	49.2	63.7	27.0	1988	45.5	10	54.0	10	64.4	10	82.2	1985	0.02	--	251	1.28	190	10
10/13 (286-s)	34.9	46.1	61.0	24.3	1988	42.2	10	52.7	10	66.3	10	85.6	1989	0.00	--	397	1.28	274	10
10/14 (287-m)	38.7	48.5	59.4	28.0	1987	42.6	10	53.8	10	66.4	10	84.9	1989	0.05	--	114	0.76	276	10
10/15 (288-t)	35.1	44.5	58.9	30.7	1986	41.5	10	54.6	10	70.0	10	82.6	1989	0.00	--	293	1.16	312	10
10/16 (289-w)	26.5	41.0	58.1	26.5	1991	39.6	10	52.6	10	66.0	10	77.8	1984	0.00	--	386	0.99	257	9
10/17 (290-t)	28.9	48.3	66.7	28.9	1991	43.4	9	56.0	9	67.2	10	77.8	1990	0.00	--	382	0.98	241	9
10/18 (291-f)	43.2	59.9	75.3	31.8	1987	40.6	10	52.3	10	65.8	10	79.1	1985	0.00	--	341	0.90	240	10
10/19 (292-s)	30.9	45.2	59.0	30.9	1991	39.3	10	50.3	10	61.2	10	70.9	1987	0.02	--	299	1.27	240	10
10/20 (293-s)	26.0	39.6	57.1	26.0	1991	36.4	10	46.5	10	57.6	10	68.7	1986	0.00	--	348	1.02	179	10
10/21 (294-m)	27.5	47.3	68.1	26.6	1987	40.4	10	49.4	10	59.5	10	76.8	1986	0.00	--	363	0.95	208	10
10/22 (295-t)	42.4	59.3	78.4	22.7	1987	39.7	10	49.7	10	60.3	10	78.4	1991	0.00	--	324	1.00	206	10
10/23 (296-w)	52.9	62.2	70.3	29.2	1988	44.8	10	52.8	10	62.1	10	71.0	1989	0.00	--	189	0.83	179	10
10/24 (297-t)	55.7	62.2	72.7	29.6	1982	44.3	10	53.3	10	64.8	10	78.5	1985	0.51	--	144	1.05	187	10
10/25 (298-f)	61.2	68.0	77.9	25.7	1987	40.6	10	50.7	10	61.5	10	77.9	1991	0.00	--	154	0.86	215	9
10/26 (299-s)	60.9	66.9	76.3	23.8	1988	39.8	10	51.2	10	65.4	10	76.4	1984	0.30	--	186	1.04	264	10
10/27 (300-s)	60.2	65.0	71.6	24.4	1988	39.9	10	53.0	10	66.6	10	77.6	1984	0.07	--	125	0.80	253	10
10/28 (301-m)	54.5	58.6	63.6	29.3	1987	41.4	10	52.4	10	64.9	10	77.1	1989	0.00	--	75	0.33	253	10
10/29 (302-t)	53.9	65.3	80.7	23.7	1988	39.8	10	49.9	10	62.7	10	80.7	1991	0.00	--	213	0.74	229	10
10/30 (303-w)	58.2	64.0	73.0	26.0	1988	40.0	10	51.0	10	64.7	10	75.3	1989	0.00	--	124	0.84	235	10
10/31 (304-t)	48.3	57.4	65.5	22.4	1988	42.0	10	54.2	10	67.5	10	77.1	1990	0.00	--	143	0.72	214	10
Column Min's:	26.0	39.6	50.6	22.4		36.4		46.5		57.6		85.6		0.00		75	0.33	179	
Column Avg's:	44.5	55.8	69.0	42.8		53.7		66.0		74.8				0.06		260	1.01	252	
Column Max's:	61.2	71.8	84.5	48.6		60.4		74.8						0.65		428	1.60	344	
Column Ttl's:														1.80		8065		7812	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.