

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	prec	evap	ly	max													
mo da jul	Current	Long Term	avg	avg	liq	hum	ly/m	Lng-Trm													
	avg	avg	yr	yr	yr	yr	yr	avg													
			yr	yr	yr	yr	yr	yr													
02/01 (032-f)	5.0	23.0	38.8	-11.0	1971	15.7	39	24.8	39	33.5	39	58.0	1968	0.00	84	0.04	33	244	0.94	147	10
02/02 (033-s)	32.6	36.5	41.3	-8.3	1985	17.1	39	24.8	39	32.8	39	58.0	1968	0.00	80	0.10	34	284	0.81	129	10
02/03 (034-s)	33.8	39.6	50.2	-9.8	1985	15.1	39	22.9	39	31.1	39	52.0	1973	0.00	88	0.03	30	289	0.82	125	10
02/04 (035-m)	31.0	43.4	56.1	-8.1	1982	14.9	39	23.5	39	32.1	39	56.1	1991	0.00	89	0.08	33	254	0.81	186	10
02/05 (036-t)	33.9	41.6	46.2	-7.0	1974	15.9	39	24.8	39	33.8	39	59.0	1962	0.00	99	0.04	36	75	0.27	181	10
02/06 (037-w)	32.1	34.4	36.1	-11.0	1977	16.4	38	23.7	38	31.2	38	53.0	1965	0.02	101	0.06	33	46	0.18	197	10
02/07 (038-t)	33.2	34.2	36.2	-10.0	1978	14.6	38	23.2	38	31.5	38	50.0	1965	0.00	98	0.03	35	46	0.19	220	10
02/08 (039-f)	31.6	35.5	42.9	-10.0	1967	14.1	39	22.9	38	31.6	38	57.5	1990	0.00	95	0.01	33	258	1.22	259	10
02/09 (040-s)	30.9	33.0	34.6	-7.6	1985	14.3	38	23.4	38	31.6	39	61.0	1966	0.00	99	0.03	36	46	0.15	219	10
02/10 (041-s)	25.3	32.1	40.1	-13.7	1982	15.1	39	23.9	39	32.8	39	57.0	1965	0.00	81	0.14	35	276	1.10	239	10
02/11 (042-m)	19.3	24.3	30.0	-13.7	1982	16.6	38	25.3	37	34.1	37	54.0	1960	0.00	72	0.08	32	254	1.21	223	10
02/12 (043-t)	11.8	23.0	33.9	-7.0	1981	16.4	38	24.9	38	33.2	38	62.7	1984	0.00	78	0.03	32	342	0.92	247	10
02/13 (044-w)	25.5	31.2	36.5	-5.0	1979	16.8	38	25.4	38	33.7	38	67.0	1990	0.17	92	0.04	35	62	0.34	196	10
02/14 (045-t)	21.3	28.7	32.3	-2.9	1988	18.0	39	27.9	39	37.4	39	79.0	1959	0.11	98	0.04	37	192	0.79	208	10
02/15 (046-f)	7.5	14.1	21.3	-1.0	1978	20.0	38	27.5	38	35.5	38	70.0	1954	0.00	83	0.04	36	260	1.13	203	10
02/16 (047-s)	4.5	14.3	27.1	-4.0	1963	19.4	38	27.5	38	35.9	38	69.0	1954	0.00	79	0.06	37	350	1.10	225	10
02/17 (048-s)	25.4	32.6	41.6	-10.0	1973	19.3	38	27.0	38	34.8	39	51.0	1961	0.02	88	0.09	35	236	0.88	207	10
02/18 (049-m)	32.5	36.2	45.8	-8.0	1979	21.0	39	29.0	39	37.3	39	60.0	1961	0.11	99	0.04	37	62	0.36	222	10
02/19 (050-t)	33.9	42.0	49.1	-1.0	1978	22.3	39	30.7	39	39.2	39	59.0	1954	0.04	97	0.03	33	41	0.17	187	10
02/20 (051-w)	30.0	34.4	41.0	-4.0	1978	21.3	39	29.4	39	37.8	39	63.7	1983	0.00	88	0.05	33	231	1.22	249	10
02/21 (052-t)	34.4	42.4	53.2	-10.0	1978	20.7	39	30.1	39	40.0	39	67.2	1983	0.00	86	0.06	34	206	1.13	226	10
02/22 (053-f)	25.2	38.2	44.7	-9.0	1978	22.5	39	31.1	39	40.2	39	64.1	1983	0.00	78	0.14	31	299	1.13	215	10
02/23 (054-s)	18.7	25.0	32.5	-4.0	1978	22.9	39	31.3	39	40.1	39	63.4	1984	0.00	75	0.07	31	362	1.12	240	10
02/24 (055-s)	26.5	34.1	46.5	2.0	1967	23.9	39	31.9	39	39.9	39	62.0	1961	0.00	82	0.04	35	279	1.09	205	9
02/25 (056-m)	22.9	26.7	30.3	-0.0	1967	22.0	39	30.4	39	39.1	39	69.0	1957	0.00	76	0.09	34	173	0.75	287	10
02/26 (057-t)	15.7	22.2	28.7	-18.0	1963	20.2	39	29.3	39	38.9	39	66.0	1957	0.00	84	0.07	37	199	1.39	263	10
02/27 (058-w)	18.6	25.7	31.4	-13.0	1963	20.9	39	29.2	39	37.6	39	61.0	1976	0.00	88	0.08	31	199	1.11	251	10
02/28 (059-t)	23.1	36.1	50.2	1.0	1978	22.3	39	30.8	39	39.5	39	64.0	1976	0.03	91	0.05	37	326	1.01	309	10
Column Min's:	4.5	14.1	21.3	-18.0		14.1		22.9		31.1		79.0		0.00	72	0.01		41	0.15	125	
Column Avg's:	24.5	31.6	39.2			18.6		27.0		35.6				0.02	87	0.06		210	0.83	217	
Column Max's:	34.4	43.4	56.1			23.9		31.9		40.2				0.17	101	0.14		362	1.39	309	
Column Ttl's:														0.50		1.66		5891		6065	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	max	min year	max year	prec	evap	ly	max											
mo da jul	avg	avg	avgm yrs	avgm yrs	liq	snow	ly/m	ly/m											
			avgm yrs	avgm yrs	prec	avgm yrs	ly/m	avg											
			avgm yrs	avgm yrs	avg pr yrs	avg pr yrs	ly/m	avg											
			avgm yrs	avgm yrs	avg pr yrs	avg pr yrs	ly/m	avg											
11/01 (305-f)	40.6	49.8	22.0	1954	40.5	40	61.1	40	78.0	1968	0.18	83	0.12	39	90	0.62	167	10	
11/02 (306-s)	26.2	31.8	40.7	23.0	1954	40.6	40	57.5	40	77.0	1961	0.00	83	0.13	39	86	0.92	163	9
11/03 (307-s)	19.7	23.7	27.1	19.7	1991	37.5	40	57.2	40	74.9	1987	0.00	74	0.07	35	184	1.11	186	9
11/04 (308-m)	18.2	22.4	29.4	17.0	1966	37.7	40	54.3	40	74.0	1964	0.00	71	0.08	37	219	1.01	148	10
11/05 (309-t)	15.2	26.9	35.2	15.2	1991	36.1	40	53.2	40	72.0	1959	0.00	65	0.10	37	258	0.86	124	10
11/06 (310-w)	25.8	34.9	39.6	20.0	1967	33.9	40	42.8	40	73.0	1978	0.00	69	0.04	36	83	0.87	141	10
11/07 (311-t)	10.6	21.7	28.9	10.6	1991	32.8	40	41.7	40	76.0	1975	0.09	88	0.07	34	213	1.03	143	10
11/08 (312-f)	7.2	18.6	33.8	7.2	1991	33.6	40	42.5	40	69.7	1986	0.00	78	0.09	36	325	0.85	178	10
11/09 (313-s)	9.1	23.7	37.6	9.1	1991	34.8	40	42.8	40	75.0	1975	0.00	81	0.10	38	313	0.89	151	10
11/10 (314-s)	17.3	28.9	41.0	17.3	1991	33.2	40	42.4	40	73.0	1975	0.00	89	0.14	38	225	0.91	137	10
11/11 (315-m)	27.4	36.1	48.8	19.0	1952	31.9	40	49.5	40	72.0	1964	0.00	84	0.06	38	268	0.77	110	10
11/12 (316-t)	26.5	33.6	37.7	17.0	1976	32.5	40	49.4	40	72.0	1964	0.12	92	0.04	37	56	0.36	156	10
11/13 (317-w)	34.4	40.5	51.4	13.1	1986	31.9	40	41.0	40	73.0	1955	0.00	89	0.03	37	185	0.93	178	10
11/14 (318-t)	36.5	47.4	59.6	12.0	1986	33.9	40	53.4	40	71.0	1971	0.05	87	0.14	38	181	0.98	172	10
11/15 (319-f)	48.5	51.3	53.7	16.0	1967	34.9	40	43.4	40	71.0	1956	0.07	88	0.15	37	43	0.28	112	10
11/16 (320-s)	29.0	42.7	52.0	14.0	1967	33.5	40	42.8	40	69.0	1987	0.00	89	0.16	40	117	0.93	104	10
11/17 (321-s)	25.3	35.8	48.0	12.0	1959	32.4	40	41.6	40	78.0	1958	0.00	85	0.05	38	239	0.77	190	10
11/18 (322-m)	38.5	52.5	60.5	9.0	1959	32.9	40	41.8	40	70.0	1953	0.27	82	0.08	37	52	0.26	123	10
11/19 (323-t)	57.4	60.2	64.1	19.1	1986	33.3	40	41.4	40	70.0	1953	0.30	88	0.09	37	53	0.35	123	10
11/20 (324-w)	45.5	54.9	63.7	17.1	1984	31.8	40	39.9	40	69.0	1953	0.74	89	0.15	38	38	0.33	116	10
11/21 (325-t)	43.2	44.8	45.9	12.0	1969	31.1	39	39.0	39	66.0	1953	0.02	90	0.09	39	40	0.30	126	10
11/22 (326-f)	44.1	45.4	47.8	11.0	1964	29.4	39	37.5	39	64.0	1979	0.00	89	0.05	36	49	0.25	132	10
11/23 (327-s)	30.4	43.0	54.8	10.0	1971	29.3	39	37.9	39	63.0	1968	0.05	89	0.09	37	109	0.81	121	10
11/24 (328-s)	22.1	26.5	30.5	11.0	1970	28.4	39	36.2	39	63.0	1974	0.00	88	0.05	38	54	0.25	124	10
11/25 (329-m)	18.7	23.0	27.4	16.0	1970	28.4	39	36.2	39	62.0	1973	0.00	89	0.09	37	197	0.83	135	10
11/26 (330-t)	12.7	23.3	30.5	12.7	1991	30.5	39	38.2	39	64.5	1984	0.00	82	0.13	35	237	0.73	115	10
11/27 (331-w)	27.4	34.8	40.9	9.0	1956	31.0	39	38.8	39	68.4	1990	0.13	86	0.12	38	57	0.35	86	10
11/28 (332-t)	36.9	43.0	50.5	2.0	1955	28.9	38	36.1	38	68.0	1960	0.06	89	0.13	37	29	0.16	64	10
11/29 (333-f)	47.0	54.8	63.7	6.0	1958	25.1	39	32.6	39	65.0	1960	0.01	83	0.06	37	114	0.52	101	10
11/30 (334-s)	37.4	51.6	61.6	-1.0	1958	25.2	40	31.9	40	62.0	1962	0.02	84	0.02	33	124	0.55	120	10
Column Min's:	7.2	18.6	27.1	-1.0	25.1	31.9	38.9	31.9	38.9	65	0.00	65	0.02	29	0.16	64			
Column Avg's:	29.3	37.6	45.5	32.6	41.0	49.6	49.6	41.0	49.6	84	0.07	84	0.09	141	0.66	135			
Column Max's:	57.4	60.2	64.1	40.6	61.1	78.0	78.0	61.1	78.0	92	0.74	92	0.16	325	1.11	190			
Column Ttl's:																			4046

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max Lng-Trm ly/m avg yrs
12/01 (335-s)	34.0	36.6	9.0	24.9	0.00	--	85	0.75
12/02 (336-m)	32.4	34.2	1.0	19.66	0.58	--	54	0.39
12/03 (337-t)	20.1	32.7	-8.0	19.76	0.04	--	43	0.46
12/04 (338-w)	9.1	13.4	-0.0	19.66	0.00	--	173	0.74
12/05 (339-t)	9.1	12.4	-0.0	19.76	0.00	--	92	0.48
12/06 (340-f)	23.2	28.5	-2.0	19.64	0.00	--	174	0.83
12/07 (341-s)	38.0	45.9	-1.0	19.77	0.00	--	98	0.75
12/08 (342-s)	49.0	55.2	-0.0	19.77	0.00	--	98	0.69
12/09 (343-m)	27.8	40.9	-5.0	19.64	0.00	--	66	0.29
12/10 (344-t)	26.2	33.0	-8.0	19.58	0.00	--	81	0.43
12/11 (345-w)	32.7	38.2	-7.0	19.77	0.00	--	61	0.35
12/12 (346-t)	31.2	46.7	-10.0	19.62	0.17	--	28	0.19
12/13 (347-f)	42.9	47.2	-9.0	19.58	0.03	--	52	0.24
12/14 (348-s)	25.8	35.1	-1.0	19.58	0.04	--	108	0.79
12/15 (349-s)	17.4	23.7	-5.0	19.58	0.00	--	105	0.45
12/16 (350-m)	9.5	19.5	-4.7	19.89	0.00	--	92	0.32
12/17 (351-t)	25.3	32.8	-7.8	19.89	0.00	--	157	0.76
12/18 (352-w)	12.7	21.7	-4.5	19.89	0.00	--	169	0.76
12/19 (353-t)	8.6	19.2	-8.0	19.63	0.00	--	230	0.72
12/20 (354-f)	15.9	30.8	-8.0	19.63	0.10	--	92	0.53
12/21 (355-s)	27.2	33.7	-14.3	19.89	0.05	--	192	0.61
12/22 (356-s)	27.1	31.6	-19.8	19.89	0.00	--	48	0.18
12/23 (357-m)	30.5	35.2	-14.8	19.89	0.10	--	45	0.22
12/24 (358-t)	22.7	30.8	-15.3	19.83	0.00	--	195	0.60
12/25 (359-w)	21.7	30.2	-11.4	19.83	0.00	--	202	0.64
12/26 (360-t)	28.0	31.7	-7.1	19.83	0.00	--	123	0.72
12/27 (361-f)	23.9	31.7	-6.0	19.62	0.00	--	171	0.73
12/28 (362-s)	26.6	31.9	-0.0	19.78	0.08	--	66	0.34
12/29 (363-s)	32.0	33.6	-8.0	19.83	0.04	--	51	0.42
12/30 (364-m)	29.2	31.4	-11.2	19.83	0.00	--	38	0.26
12/31 (365-t)	26.9	28.5	-16.0	19.76	0.00	--	36	0.12
Column Min's:	8.6	13.4	-19.8	18.6	0.00	73	28	0.12
Column Avg's:	25.4	32.5	40.0	21.9	0.04	86	104	0.51
Column Max's:	49.0	55.2	62.8	27.4	0.58	92	230	0.83
Column Ttl's:					1.23	3225		3292

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	avg	prec	evap	ly	max	
mo da jul	Current	Long Term	min year	avg yrs	liq	hum	Term	ly/m	avg yrs
			avgm yrs	avgm yrs	prec	%	Long Term		
			max yrs	max yrs			avg pr yrs		
			max year	max year					
03/01 (060-f)	39.8	49.9	21.9	31.7	39	41.6	39	66.0	1976
03/02 (061-s)	34.7	53.6	22.7	32.3	39	41.9	39	63.3	1991
03/03 (062-s)	24.6	27.3	23.6	32.5	39	42.0	39	72.2	1983
03/04 (063-m)	22.2	31.1	25.4	35.1	39	44.8	39	80.6	1983
03/05 (064-t)	22.5	39.5	25.1	34.2	39	44.2	39	73.0	1983
03/06 (065-w)	32.9	45.4	24.4	33.3	39	42.0	39	68.1	1983
03/07 (066-t)	20.4	30.1	23.2	32.6	39	42.7	39	72.3	1987
03/08 (067-f)	14.0	28.5	20.5	31.9	39	42.8	39	71.8	1987
03/09 (068-s)	26.0	36.1	24.0	33.0	39	42.8	39	63.0	1973
03/10 (069-s)	20.0	32.0	24.8	34.3	39	43.4	39	68.0	1955
03/11 (070-m)	17.0	27.3	26.2	36.1	39	46.3	39	75.2	1990
03/12 (071-t)	19.3	26.5	27.9	36.7	39	45.7	39	75.6	1990
03/13 (072-w)	28.5	32.2	27.4	37.3	39	47.5	39	75.7	1990
03/14 (073-t)	25.9	34.0	29.2	38.0	39	47.2	39	79.2	1990
03/15 (074-f)	18.5	34.4	28.0	37.6	39	46.5	39	77.4	1990
03/16 (075-s)	17.1	35.7	27.3	37.0	39	47.1	39	73.0	1977
03/17 (076-s)	24.4	40.2	24.7	35.1	38	46.3	39	71.0	1966
03/18 (077-m)	37.6	42.2	25.6	34.7	37	44.6	38	70.0	1969
03/19 (078-t)	34.4	42.5	27.1	36.9	39	46.8	39	72.0	1968
03/20 (079-w)	29.5	47.3	29.1	37.5	39	46.2	39	72.0	1969
03/21 (080-t)	47.4	58.8	28.2	37.8	39	47.6	39	74.1	1991
03/22 (081-f)	45.5	55.6	27.9	38.0	38	48.8	38	71.0	1953
03/23 (082-s)	40.4	55.9	28.6	39.3	39	50.1	39	73.2	1988
03/24 (083-s)	37.6	41.7	27.7	38.9	39	50.4	39	73.6	1987
03/25 (084-m)	31.1	46.1	27.9	38.9	39	49.9	39	75.3	1986
03/26 (085-t)	41.6	52.1	29.4	38.6	39	48.0	39	76.0	1967
03/27 (086-w)	47.5	64.1	29.7	39.0	39	50.6	39	79.3	1989
03/28 (087-t)	35.5	43.5	31.0	39.0	39	51.8	39	73.7	1989
03/29 (088-f)	26.9	34.4	33.5	43.9	39	54.8	39	78.1	1986
03/30 (089-s)	22.1	29.5	32.7	39.0	39	53.2	39	80.5	1986
03/31 (090-s)	21.1	34.7	31.4	39.0	39	53.8	39	80.7	1986
Column Min's:	14.0	26.5	20.5	31.7		41.6			
Column Avg's:	29.2	40.4	27.0	36.7		46.8			
Column Max's:	47.5	64.1	33.5	43.9		54.8		80.7	
Column Ttl's:									9000

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	avg	avg yrs	max yrs	liq	evap	ly	max											
mo da jul	Current	prec	snow	ly/m	Lng-Term											
										avg yrs											
04/01 (091-m)	28.0	36.9	46.1	33.5	38	44.3	38	55.4	38	80.0	1986	0.00	--	--	82	0.11	36	273	1.93	316	10
04/02 (092-t)	19.6	34.8	53.0	34.2	38	44.9	38	55.9	38	80.0	1963	0.00	--	--	59	0.15	36	581	1.31	295	10
04/03 (093-w)	22.8	42.6	63.3	33.3	38	44.3	38	55.4	37	75.0	1963	0.00	--	--	53	0.13	36	555	1.33	264	10
04/04 (094-t)	33.4	53.7	71.0	32.8	38	44.0	37	55.4	37	75.0	1956	0.15	--	--	69	0.25	34	300	1.32	273	10
04/05 (095-f)	51.6	58.3	68.0	33.4	37	44.2	37	55.9	38	82.2	1988	0.04	--	--	89	0.14	35	438	1.60	250	10
04/06 (096-s)	51.1	64.1	79.7	34.7	37	44.5	37	54.6	37	79.7	1991	0.00	--	--	73	0.09	34	531	1.25	288	9
04/07 (097-s)	57.4	69.0	82.7	33.0	38	45.0	38	57.5	38	83.0	1954	0.00	--	--	68	0.10	36	544	1.33	409	10
04/08 (098-m)	58.1	65.4	73.9	31.4	38	44.2	38	56.9	38	81.0	1954	0.20	--	--	90	0.05	37	165	0.90	395	10
04/09 (099-t)	45.0	61.8	75.7	32.3	37	43.7	37	55.2	37	79.0	1967	0.01	--	--	91	0.08	35	306	1.59	347	9
04/10 (100-w)	31.8	40.2	47.3	31.8	37	43.0	37	54.2	37	77.0	1967	0.02	--	--	85	0.09	35	265	1.84	380	9
04/11 (101-t)	23.0	38.5	51.1	33.3	38	44.7	38	56.4	38	80.0	1977	0.00	--	--	69	0.06	35	527	1.43	390	9
04/12 (102-f)	34.0	43.4	55.4	34.9	38	47.1	38	59.6	38	82.0	1971	0.00	--	--	63	0.06	36	514	1.34	393	10
04/13 (103-s)	42.5	47.7	53.5	36.9	38	49.0	38	61.0	38	82.0	1977	0.21	--	--	94	0.08	36	69	0.29	383	10
04/14 (104-s)	44.8	58.0	71.9	38.7	38	50.8	38	62.9	38	82.0	1977	0.37	--	--	93	0.18	37	235	1.47	351	10
04/15 (105-m)	51.3	57.7	64.1	38.3	38	49.9	38	61.5	38	78.0	1954	0.70	--	--	85	0.09	34	381	1.85	306	10
04/16 (106-t)	49.2	56.7	66.6	37.6	38	50.0	38	62.3	38	82.0	1976	0.04	--	--	75	0.05	34	490	1.34	388	10
04/17 (107-w)	43.8	52.8	63.8	39.1	38	51.2	38	63.2	38	85.0	1976	0.46	--	--	80	0.09	35	547	1.60	386	10
04/18 (108-t)	36.7	46.3	55.7	39.2	36	51.1	36	63.2	38	84.0	1976	0.00	--	--	85	0.10	35	531	1.53	466	10
04/19 (109-f)	43.6	45.6	47.4	39.3	38	51.5	38	63.6	38	85.1	1985	1.10	--	--	95	0.15	35	40	0.16	433	10
04/20 (110-s)	37.0	40.1	45.0	39.7	38	52.0	38	64.1	38	86.2	1987	0.14	--	--	96	0.15	35	78	0.26	342	10
04/21 (111-s)	37.0	38.9	41.3	41.1	38	53.3	38	65.5	38	87.9	1987	0.02	--	--	96	0.09	33	78	0.20	448	10
04/22 (112-m)	35.3	46.4	59.4	42.0	38	53.6	38	65.5	38	89.3	1985	0.00	--	--	79	0.15	36	525	1.69	401	10
04/23 (113-t)	36.1	49.1	62.6	40.3	38	52.7	38	65.3	38	87.0	1980	0.28	--	--	85	0.16	37	299	1.63	488	10
04/24 (114-w)	39.7	46.1	56.6	40.5	37	52.3	37	64.1	37	87.6	1990	0.03	--	--	94	0.07	38	180	1.26	402	9
04/25 (115-t)	34.8	51.9	65.3	40.0	38	52.9	38	65.8	38	87.5	1990	0.00	--	--	84	0.08	38	533	1.47	523	10
04/26 (116-f)	49.7	60.3	74.2	42.1	38	54.0	38	66.0	38	85.1	1990	0.00	--	--	83	0.04	37	472	1.59	535	10
04/27 (117-s)	51.5	65.3	78.7	42.2	38	54.1	38	66.4	38	89.9	1990	0.00	--	--	87	0.10	36	396	1.74	463	10
04/28 (118-s)	54.5	66.1	75.3	42.7	38	54.4	38	66.0	38	82.0	1962	0.00	--	--	89	0.20	35	299	0.92	384	10
04/29 (119-m)	56.0	67.1	78.0	42.2	38	54.0	38	65.9	38	83.0	1970	0.00	--	--	88	0.09	37	253	1.59	467	10
04/30 (120-t)	55.6	64.9	73.2	42.7	38	55.5	38	68.2	38	89.0	1962	0.02	--	--	62	0.06	36	657	1.58	459	10
Column Min's:	19.6	34.8	41.3	31.4		43.0		54.2				0.00			53	0.04		40	0.16	250	
Column Avg's:	41.8	52.3	63.3	37.4		49.2		61.1				0.13			81	0.11		369	1.31	388	
Column Max's:	58.1	69.0	82.7	42.7		55.5		68.2		89.9		1.10			96	0.25		657	1.93	535	
Column Ttl's:												3.79				3.24		11062		11625	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Long Term										
mo da jul	Current	Year	Year	Yrs	Yrs	Yrs	Yrs	Yrs	ly/m	avg yrs										
05/01 (121-w)	46.3	54.3	28.0	42.5	39	54.9	39	67.3	39	87.0	1965	0.22	--	--	85	0.05	38	318	1.89	375	10
05/02 (122-t)	41.4	53.8	30.0	41.6	39	55.3	39	68.9	39	86.0	1955	0.00	--	--	67	0.09	39	663	1.65	489	10
05/03 (123-f)	37.1	50.1	30.1	41.7	39	54.8	39	67.7	39	87.0	1955	0.00	--	--	71	0.06	39	674	1.55	410	10
05/04 (124-s)	45.8	53.4	28.0	40.9	39	54.6	39	68.1	39	87.0	1955	0.00	--	--	73	0.09	35	360	1.47	472	10
05/05 (125-s)	48.5	56.9	30.0	44.1	39	56.2	39	68.4	39	86.0	1959	0.66	--	--	86	0.07	37	157	0.71	417	10
05/06 (126-m)	42.4	48.1	28.0	45.1	39	58.1	39	71.1	39	89.1	1982	0.04	--	--	90	0.15	37	141	0.68	442	10
05/07 (127-t)	41.1	52.2	25.0	43.8	39	57.0	39	70.3	39	86.0	1959	0.00	--	--	77	0.08	38	648	1.81	475	10
05/08 (128-w)	43.0	54.8	28.0	44.0	39	56.0	39	68.1	39	86.0	1963	0.03	--	--	76	0.09	38	495	1.46	497	9
05/09 (129-t)	51.3	63.6	28.0	44.7	39	56.2	39	67.6	39	89.0	1963	0.00	--	--	77	0.14	38	524	1.61	501	10
05/10 (130-f)	48.5	65.3	26.0	44.8	38	56.8	38	68.8	39	86.3	1987	0.00	--	--	76	0.11	37	621	1.62	536	10
05/11 (131-s)	52.7	71.3	32.0	46.6	39	58.5	39	70.1	39	88.3	1991	0.00	--	--	70	0.12	36	647	1.41	587	10
05/12 (132-s)	60.8	75.0	35.0	46.8	39	59.1	39	71.0	39	88.6	1991	0.00	--	--	75	0.18	37	648	1.38	432	10
05/13 (133-m)	60.2	74.8	34.0	47.3	39	59.2	39	70.8	39	92.4	1982	0.00	--	--	78	0.09	34	604	1.48	439	10
05/14 (134-t)	61.7	75.1	34.0	48.3	38	60.1	38	72.2	38	94.2	1982	0.00	--	--	70	0.06	37	628	1.47	494	10
05/15 (135-w)	52.9	73.5	34.0	47.3	38	60.4	38	73.1	39	92.0	1962	0.00	--	--	59	0.12	38	685	1.42	421	10
05/16 (136-t)	59.1	76.2	30.0	47.2	39	59.7	39	72.2	39	93.1	1991	0.03	--	--	68	0.08	35	575	1.43	507	10
05/17 (137-f)	51.3	70.5	32.0	48.3	39	60.6	39	72.8	39	94.0	1962	0.00	--	--	84	0.10	37	446	1.59	515	10
05/18 (138-s)	50.1	53.0	32.0	47.8	39	61.0	39	73.9	39	94.0	1962	0.01	--	--	82	0.18	39	295	1.53	427	10
05/19 (139-s)	49.1	60.2	35.8	48.5	38	62.4	38	73.7	38	88.0	1964	0.00	--	--	76	0.08	38	616	1.64	326	10
05/20 (140-m)	51.0	64.3	33.0	49.4	38	61.4	38	73.3	39	91.0	1962	0.00	--	--	69	0.15	36	702	1.44	372	10
05/21 (141-t)	52.0	71.2	34.0	49.2	39	62.0	39	74.8	39	91.0	1977	0.00	--	--	71	0.07	39	672	1.66	406	10
05/22 (142-w)	59.0	75.9	32.0	49.3	39	63.3	39	75.9	39	92.2	1991	0.00	--	--	64	0.16	38	575	1.55	475	10
05/23 (143-t)	61.9	75.0	29.0	49.6	39	62.5	39	74.4	39	91.0	1964	0.08	--	--	77	0.11	39	501	1.56	470	10
05/24 (144-f)	66.7	74.7	35.0	49.4	39	62.7	38	75.0	38	87.0	1962	0.25	--	--	88	0.07	39	432	1.75	496	9
05/25 (145-s)	70.0	74.7	36.5	49.8	39	63.3	39	75.3	39	88.0	1977	0.49	--	--	90	0.18	34	284	1.55	385	10
05/26 (146-s)	69.9	73.5	35.0	49.3	39	62.6	39	74.5	39	88.0	1975	0.35	--	--	91	0.20	37	261	2.01	501	10
05/27 (147-m)	67.0	74.1	32.0	49.1	37	63.4	37	75.5	38	88.2	1987	0.00	--	--	89	0.10	36	379	1.82	514	9
05/28 (148-t)	69.6	79.7	39.0	49.2	38	63.8	38	75.6	38	91.3	1987	0.00	--	--	81	0.09	37	663	1.53	433	9
05/29 (149-w)	70.6	80.3	34.0	49.8	39	64.8	39	76.7	39	94.1	1991	0.00	--	--	77	0.06	37	600	1.48	496	9
05/30 (150-t)	68.3	78.1	36.0	49.5	39	66.1	39	78.1	39	93.2	1988	0.50	--	--	84	0.11	38	462	1.61	479	10
05/31 (151-f)	66.7	75.6	32.0	49.6	38	66.2	38	78.6	38	94.4	1988	0.93	--	--	88	0.16	37	658	1.63	550	10

Column Min's:	37.1	48.1	25.0	40.9	54.6	67.3	0.00	59	0.05	141	0.68	326
Column Avg's:	55.4	67.1	80.1	47.8	60.1	72.4	0.12	78	0.11	514	1.53	463
Column Max's:	70.6	80.3	94.1	54.5	66.2	78.6	0.93	91	0.20	702	2.01	587
Column Ttl's:							3.59	3.40		15934		14339

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Lng-Term												
mo da jul	Current	min year	avgmn yrs	Long Term	avg yrs	avgmx yrs	ly/m	avg yrs												
06/01 (152-s)	66.4	74.9	87.5	39.0	1966	54.4	40	66.7	40	78.7	40	93.5	1988	0.01	--	--	84	0.15	37	636	1.84	541	10
06/02 (153-s)	63.1	70.5	81.2	40.0	1966	52.5	40	64.2	40	76.1	40	91.0	1978	0.00	--	--	90	0.14	39	417	1.90	461	10
06/03 (154-m)	58.4	70.8	82.9	39.0	1977	51.5	40	63.3	40	75.1	40	85.0	1963	0.00	--	--	76	0.18	37	658	1.61	510	10
06/04 (155-t)	53.2	62.7	70.6	37.0	1965	52.4	40	65.2	40	77.7	40	90.0	1955	0.00	--	--	71	0.02	40	744	1.73	541	10
06/05 (156-w)	49.7	63.2	74.7	39.5	1990	54.9	39	67.7	39	80.2	39	93.0	1971	0.00	--	--	68	0.12	40	674	1.83	499	10
06/06 (157-t)	51.3	66.0	78.3	40.0	1954	56.4	40	68.5	40	80.5	40	94.0	1988	0.00	--	--	63	0.20	37	733	1.64	508	10
06/07 (158-f)	51.0	67.8	81.2	44.0	1958	57.4	40	69.2	40	81.4	40	92.6	1988	0.00	--	--	60	0.07	38	739	1.61	607	10
06/08 (159-s)	51.9	70.5	85.5	41.0	1960	58.4	40	69.8	40	81.1	40	91.0	1952	0.00	--	--	58	0.14	37	666	1.65	558	10
06/09 (160-s)	57.1	73.2	86.7	39.0	1969	57.2	40	69.0	40	80.5	40	93.1	1984	0.00	--	--	61	0.21	39	682	1.62	595	10
06/10 (161-m)	59.8	73.1	86.3	40.0	1972	56.3	40	69.1	40	81.8	40	92.9	1984	0.01	--	--	74	0.08	35	534	1.50	571	10
06/11 (162-t)	63.2	72.1	84.8	37.0	1972	56.0	40	68.9	40	81.5	40	94.0	1968	0.18	--	--	84	0.06	38	424	1.64	550	10
06/12 (163-w)	60.5	73.0	84.9	41.0	1980	57.5	40	69.4	40	81.6	40	95.0	1967	0.00	--	--	76	0.12	37	608	1.62	436	10
06/13 (164-t)	54.9	68.6	82.3	43.0	1978	57.6	40	69.4	40	81.3	40	95.5	1984	0.00	--	--	68	0.20	38	752	1.47	603	10
06/14 (165-f)	56.5	76.4	91.9	39.0	1959	58.4	40	69.5	40	80.8	40	97.3	1988	0.00	--	--	61	0.20	39	679	1.49	530	10
06/15 (166-s)	70.7	81.7	93.5	42.0	1978	58.9	40	70.1	40	81.5	40	96.0	1967	0.08	--	--	73	0.10	40	634	1.64	440	9
06/16 (167-s)	67.0	74.0	81.7	42.0	1961	57.4	40	69.4	40	81.1	40	96.0	1952	0.27	--	--	86	0.11	39	370	2.01	465	10
06/17 (168-m)	62.6	73.5	85.3	44.0	1969	56.5	40	68.7	40	81.0	40	95.0	1957	0.00	--	--	71	0.08	40	689	1.62	582	10
06/18 (169-t)	62.5	73.9	85.8	46.0	1960	57.5	40	69.8	40	81.6	40	93.0	1957	0.00	--	--	70	0.03	38	714	1.62	606	10
06/19 (170-w)	60.4	75.0	87.6	48.7	1985	58.7	40	70.9	40	83.0	40	93.6	1984	0.00	--	--	72	0.05	35	717	1.56	484	10
06/20 (171-t)	60.3	78.1	92.9	43.0	1970	58.0	40	70.6	40	83.2	40	97.0	1953	0.00	--	--	62	0.09	39	712	1.46	498	10
06/21 (172-f)	60.5	79.1	94.6	42.0	1963	59.0	40	71.4	40	83.6	40	100.6	1988	0.00	--	--	60	0.13	40	645	1.52	602	10
06/22 (173-s)	61.2	69.9	78.2	41.0	1963	58.9	40	70.4	40	82.1	40	98.8	1988	0.00	--	--	87	0.17	37	404	1.40	449	10
06/23 (174-s)	55.9	65.9	75.9	45.0	1963	58.5	40	70.1	40	81.6	40	97.3	1983	0.00	--	--	81	0.11	40	459	1.70	504	10
06/24 (175-m)	56.7	71.4	85.0	43.0	1961	57.8	40	70.2	40	82.5	40	94.0	1952	0.00	--	--	72	0.09	39	520	1.60	624	10
06/25 (176-t)	64.2	75.8	89.2	44.0	1979	58.0	40	70.8	40	83.4	40	105.5	1988	0.00	--	--	70	0.12	38	516	1.52	628	10
06/26 (177-w)	68.7	78.2	90.2	45.0	1961	57.9	40	71.1	40	83.8	40	100.0	1952	0.00	--	--	68	0.10	39	629	1.52	592	10
06/27 (178-t)	63.9	78.0	92.1	46.2	1988	59.6	40	71.8	40	84.3	40	96.0	1971	0.00	--	--	67	0.12	39	671	1.46	519	10
06/28 (179-f)	65.6	78.4	89.3	49.0	1954	60.3	40	72.2	40	84.5	40	99.0	1971	0.00	--	--	74	0.14	37	527	1.64	453	10
06/29 (180-s)	69.8	80.0	91.7	47.9	1989	62.0	40	73.5	40	84.9	40	101.0	1952	0.00	--	--	72	0.14	40	567	1.66	525	10
06/30 (181-s)	70.3	77.8	94.2	44.4	1988	62.5	40	73.6	40	85.0	40	96.0	1953	0.17	--	--	84	0.11	39	394	1.43	493	10

Column Min's:	49.7	62.7	70.6	37.0	51.5	63.3	75.1
Column Avg's:	60.6	73.1	85.5	57.4	69.5	81.5	81.5
Column Max's:	70.7	81.7	94.6	62.5	73.6	85.0	105.5
Column Tot's:							0.72
							18114
							15974

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
mo da jul	Current	Long Term	avg yrs	avgm yrs	liq	snow	ly/m	Lng-Tm
	min	avg	avg yrs	avgm yrs	prec	evap	ly	avg yrs
08/01 (213-t)	62.5	76.8	48.0	59.8	0.00	--	668	1.44
08/02 (214-f)	60.0	77.9	44.0	59.8	0.00	--	565	1.52
08/03 (215-s)	69.4	74.5	44.0	60.8	0.70	--	353	1.80
08/04 (216-s)	60.3	70.4	47.0	61.4	0.00	--	604	1.70
08/05 (217-m)	54.5	66.3	45.0	60.6	0.00	--	482	1.68
08/06 (218-t)	54.2	66.7	47.0	60.6	0.00	--	387	1.79
08/07 (219-w)	56.2	70.4	49.8	59.8	0.00	--	597	1.39
08/08 (220-t)	60.1	65.0	41.5	60.2	0.53	--	119	0.56
08/09 (221-f)	60.2	67.2	44.0	61.0	0.02	--	241	1.55
08/10 (222-s)	54.4	67.7	45.0	61.4	0.00	--	616	1.64
08/11 (223-s)	53.6	68.9	45.0	67.9	0.00	--	618	1.40
08/12 (224-m)	54.2	69.4	44.0	66.7	0.00	--	614	1.47
08/13 (225-t)	54.4	69.3	45.0	67.9	0.00	--	525	1.60
08/14 (226-w)	62.4	70.1	41.0	66.4	0.00	--	414	1.56
08/15 (227-t)	57.0	71.8	41.0	67.5	0.00	--	523	1.25
08/16 (228-f)	61.1	75.2	44.0	69.8	0.00	--	507	1.38
08/17 (229-s)	64.8	72.0	44.0	71.2	0.40	--	244	1.22
08/18 (230-s)	61.3	72.0	43.0	69.7	0.05	--	547	1.53
08/19 (231-m)	61.1	65.3	48.0	59.0	0.38	--	209	1.69
08/20 (232-t)	54.8	63.4	47.6	58.5	0.10	--	230	1.43
08/21 (233-w)	49.4	64.9	46.2	58.9	0.00	--	551	1.47
08/22 (234-t)	59.6	73.5	46.3	60.1	0.00	--	529	1.51
08/23 (235-f)	61.7	71.3	44.0	67.7	0.00	--	578	1.46
08/24 (236-s)	60.4	70.1	40.2	68.2	0.00	--	589	1.30
08/25 (237-s)	59.2	74.8	45.0	66.8	0.00	--	480	1.32
08/26 (238-m)	65.2	77.3	46.0	68.4	0.00	--	545	1.23
08/27 (239-t)	61.5	76.6	45.0	69.4	0.00	--	520	1.46
08/28 (240-w)	67.7	80.0	41.8	68.6	0.00	--	421	1.36
08/29 (241-t)	68.2	81.6	37.4	69.9	0.28	--	501	1.32
08/30 (242-f)	70.4	77.5	41.0	68.9	0.07	--	356	1.21
08/31 (243-s)	58.0	72.3	45.0	68.2	0.00	--	509	1.33
Column Min's:	49.4	63.4	37.4	56.3	0.00	64	119	0.56
Column Avg's:	59.9	71.6	59.0	68.2	0.08	77	472	1.44
Column Max's:	70.4	81.6	61.4	84.8	0.70	91	668	1.80
Column Ttl's:			99.3	84.8	2.53	3.16	14642	13923

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
	min	avg	max	min	year	avg	yr	avg	yr	max	Ly/m	Long-Term	avg	yr				
09/01 (244-s)	53.2	63.1	74.1	42.0	1963	57.4	40	69.4	40	81.8	40	96.0	1953	0.00	590	1.31	426	10
09/02 (245-m)	48.2	67.6	88.3	40.0	1958	57.8	40	69.6	40	81.6	40	98.0	1953	0.00	580	1.30	412	10
09/03 (246-t)	57.2	71.0	89.8	42.6	1987	56.8	40	68.6	40	80.5	40	99.0	1953	0.96	317	1.37	405	10
09/04 (247-w)	57.2	67.2	77.6	41.3	1982	57.3	40	69.7	40	82.4	40	95.0	1960	0.01	182	-	452	9
09/05 (248-t)	49.2	65.8	81.7	42.0	1957	56.7	40	68.7	40	81.2	40	93.0	1954	0.00	557	1.43	405	10
09/06 (249-f)	51.9	68.3	83.6	39.0	1962	54.6	40	67.5	39	80.3	39	93.0	1954	0.00	533	1.23	356	10
09/07 (250-s)	55.7	71.8	89.2	38.4	1988	54.8	40	67.0	40	79.3	40	94.0	1964	0.00	513	1.20	367	10
09/08 (251-s)	58.6	74.8	91.1	34.8	1986	53.8	40	66.9	40	80.5	40	95.0	1964	0.00	482	1.49	456	10
09/09 (252-m)	64.7	74.8	84.0	39.5	1986	54.8	40	67.6	40	80.7	40	95.0	1978	0.18	227	1.35	334	9
09/10 (253-t)	65.4	75.5	83.4	41.0	1969	54.2	39	66.7	39	79.3	39	95.6	1983	0.00	355	1.57	338	9
09/11 (254-w)	56.5	65.9	77.9	38.0	1967	53.6	40	65.9	40	78.7	40	95.0	1952	0.00	526	1.36	361	10
09/12 (255-t)	60.5	63.5	68.6	39.0	1958	53.4	40	65.6	40	77.9	40	95.0	1952	0.03	142	1.11	321	9
09/13 (256-f)	61.1	73.5	88.2	36.0	1964	53.7	40	65.4	40	77.5	40	96.0	1952	0.00	468	1.22	366	10
09/14 (257-s)	62.2	75.3	89.4	34.0	1963	51.9	39	64.3	39	76.9	40	89.4	1991	0.00	288	1.05	301	10
09/15 (258-s)	71.3	81.5	93.7	36.0	1953	52.5	40	63.9	40	75.5	40	93.7	1991	0.00	462	1.35	333	10
09/16 (259-m)	71.2	80.1	90.7	36.7	1984	51.1	40	62.7	40	74.4	40	92.0	1955	0.00	388	1.31	307	10
09/17 (260-t)	57.6	67.2	77.4	32.0	1959	51.2	40	63.1	40	75.4	40	96.0	1955	0.00	398	1.57	412	10
09/18 (261-w)	54.3	61.1	71.9	33.0	1959	52.8	40	64.0	40	75.5	40	94.0	1955	0.00	135	0.65	309	10
09/19 (262-t)	41.0	52.1	62.7	36.5	1982	52.5	40	64.2	40	75.9	40	94.0	1955	0.00	340	1.58	331	10
09/20 (263-f)	33.0	46.9	61.3	33.0	1991	53.2	40	64.2	40	75.5	40	90.0	1955	0.00	414	1.62	338	10
09/21 (264-s)	31.2	50.5	68.3	30.0	1962	51.9	39	62.9	39	74.1	39	91.0	1970	0.00	502	1.19	324	9
09/22 (265-s)	43.6	59.2	73.5	37.0	1953	51.1	40	62.7	40	74.5	40	89.0	1980	0.15	270	1.27	293	10
09/23 (266-m)	41.1	56.9	66.0	27.0	1974	48.6	40	60.0	40	71.2	40	90.0	1980	0.04	472	1.32	296	9
09/24 (267-t)	34.6	49.2	63.0	29.0	1974	46.6	40	58.7	40	71.0	40	88.0	1960	0.00	236	1.08	295	10
09/25 (268-w)	34.3	51.7	67.2	32.0	1989	48.3	40	60.4	40	72.5	40	88.7	1986	0.00	408	1.30	346	10
09/26 (269-t)	37.5	49.6	60.1	35.0	1966	48.7	40	60.4	40	72.2	40	88.2	1986	0.00	413	1.59	350	10
09/27 (270-f)	30.9	46.9	61.4	30.9	1991	47.2	40	59.3	40	71.7	40	86.3	1987	0.00	443	1.29	322	10
09/28 (271-s)	27.8	48.0	68.9	27.8	1991	45.7	39	58.7	39	71.8	39	89.0	1973	0.00	438	1.39	336	9
09/29 (272-s)	37.6	54.8	71.3	30.0	1961	46.7	39	59.1	39	71.7	39	89.6	1986	0.00	452	1.09	327	10
09/30 (273-m)	46.5	66.0	85.9	32.0	1957	47.6	40	59.8	40	72.3	40	96.0	1953	0.00	397	1.10	310	10

Column Min's:	27.8	46.9	60.1	27.0	45.7	58.7	71.0	55	0.02	135	0.65	293
Column Avg's:	49.8	63.3	77.0	52.2	64.2	76.5	71	0.09	398	1.30	351	
Column Max's:	71.3	81.5	93.7	57.8	69.7	82.4	85	0.24	590	1.62	456	
Column Ttl's:								2.83	11928		10529	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

