

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	max	min	max	prec	evap	Ly	max					
mo da jul	Current	avg	year	avgm	yr	yr	yr	Ly/m	avg yrs				
01/01 (001-t)	13.0	20.5*	28.0	-4.0	1968	23.0	31	31.5	30	39.8	31	66.0	1985
01/02 (002-w)	22.0	31.5*	41.0	1.0	1968	22.3	32	30.8	31	39.1	31	66.0	1985
01/03 (003-t)	22.0	35.0*	48.0	-1.0	1979	24.2	31	31.6	30	38.8	31	56.0	1966
01/04 (004-f)	10.0	19.5*	29.0	-1.0	1979	21.8	31	29.7	31	38.0	32	60.0	1982
01/05 (005-s)	10.0	21.5*	33.0	-1.0	1968	20.6	32	28.8	32	37.0	32	59.0	1990
01/06 (006-s)	28.0	36.5*	45.0	-2.0	1988	22.8	32	29.9	32	37.0	32	55.0	1962
01/07 (007-m)	25.0	31.5*	38.0	-5.0	1970	23.0	32	31.1	32	39.2	32	57.0	1987
01/08 (008-t)	24.0	29.5*	35.0	-11.0	1968	18.7	32	27.1	32	35.6	32	64.0	1965
01/09 (009-w)	25.0	31.0*	37.0	-5.0	1976	17.5	32	26.4	32	35.2	32	64.0	1965
01/10 (010-t)	27.0	33.0*	39.0	-13.0	1982	17.5	32	26.6	32	35.6	32	61.0	1975
01/11 (011-f)	28.0	36.0*	44.0	-14.0	1982	16.5	32	25.5	32	34.6	32	61.0	1975
01/12 (012-s)	28.0	40.0*	52.0	-5.0	1978	16.8	32	26.4	32	36.0	32	65.0	1960
01/13 (013-s)	24.0	29.0*	34.0	-9.0	1977	18.4	32	28.1	31	37.9	31	67.0	1972
01/14 (014-m)	25.0	30.0*	35.0	-7.0	1964	20.3	32	29.1	32	37.9	32	58.0	1971
01/15 (015-t)	26.0	37.5*	49.0	-4.0	1979	20.5	31	29.5	31	38.5	32	58.0	1960
01/16 (016-w)	30.0	41.0*	52.0	-10.0	1972	17.9	31	27.2	31	36.6	31	60.0	1974
01/17 (017-t)	29.0	39.0*	49.0	-20.0	1977	19.5	32	28.3	31	37.7	31	61.0	1973
01/18 (018-f)	26.0	30.5*	35.0	-16.0	1977	21.8	31	30.2	31	39.3	32	63.0	1973
01/19 (019-s)	23.0	31.5*	40.0	-8.0	1984	20.8	32	29.4	32	37.9	32	62.0	1974
01/20 (020-s)	24.0	37.5*	51.0	-22.0	1985	18.0	32	29.3	32	37.5	32	60.0	1989
01/21 (021-m)	11.0	26.5*	42.0	-23.0	1985	21.9	32	27.7	32	36.5	32	61.0	1990
01/22 (022-t)	-0.0	11.5*	23.0	-16.0	1984	21.3	31	30.4	31	38.6	32	65.0	1967
01/23 (023-w)	-0.0	12.0*	24.0	-3.0	1963	22.5	32	31.9	32	41.2	32	67.0	1967
01/24 (024-t)	18.0	29.0*	40.0	-19.0	1963	20.7	32	30.2	31	40.2	31	70.0	1967
01/25 (025-f)	6.0	20.0*	34.0	-9.0	1963	21.7	31	31.6	31	41.5	31	68.0	1972
01/26 (026-s)	5.0	16.0*	27.0	-0.0	1978	21.6	32	32.2	32	42.8	32	71.0	1967
01/27 (027-s)	12.0	23.5*	35.0	-4.0	1978	18.8	32	28.0	32	37.2	32	68.0	1967
01/28 (028-m)	20.0	30.0*	40.0	-16.0	1963	18.4	32	27.5	32	36.5	32	64.0	1970
01/29 (029-t)	20.0	29.5*	39.0	-12.0	1977	19.7	32	28.6	32	37.4	32	69.0	1975
01/30 (030-w)	20.0	34.0*	48.0	-12.0	1966	20.1	32	29.2	32	38.3	32	58.0	1988
01/31 (031-t)	17.0	27.5*	38.0	-9.0	1965	19.7	32	29.1	32	38.4	32	62.0	1988

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	0.0	11.5	23.0	
Column Avg's:	19.3	29.1	38.8	
Column Max's:	30.0	41.0	52.0	
Column Ttl's:				71.0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	max	Long Term	avg	prec	evap	ly	max	Long-Term
mo da jul	Current	Current	year	year	avg yrs	avg	prec	evap	ly	ly/m	avg yrs
11/01 (305-f)	52.0	61.5*	20.0	71.0	33	54.9	33	66.2	33	77.0	1968
11/02 (306-s)	33.0	51.0*	26.0	69.0	33	53.8	33	64.6	33	81.0	1961
11/03 (307-s)	23.0	33.5*	23.0	44.0	33	50.7	33	61.1	33	81.0	1961
11/04 (308-m)	16.0	26.0*	16.0	36.0	33	48.8	33	59.4	33	79.0	1987
11/05 (309-t)	10.0	20.5*	10.0	31.0	32	47.6	32	57.1	33	79.0	1975
11/06 (310-w)	16.0	27.5*	16.0	39.0	32	45.8	30	57.0	31	76.0	1975
11/07 (311-t)	28.0	40.0*	20.0	52.0	32	44.2	31	53.1	32	70.0	1965
11/08 (312-f)	17.0	25.0*	15.0	33.0	33	44.1	33	53.5	33	71.0	1980
11/09 (313-s)	16.0	25.5*	16.0	35.0	33	46.6	33	56.4	33	76.0	1975
11/10 (314-s)	17.0	28.5*	17.0	40.0	33	46.6	33	57.3	33	72.0	1977
11/11 (315-m)	20.0	34.5*	20.0	49.0	33	43.8	33	53.7	33	71.0	1964
11/12 (316-t)	22.0	36.0*	21.0	50.0	33	44.1	33	53.0	33	72.0	1964
11/13 (317-w)	27.0	34.0*	16.0	41.0	33	43.1	33	53.0	33	70.0	1964
11/14 (318-t)	33.0	41.5*	11.0	48.0	33	42.8	33	52.6	33	74.0	1971
11/15 (319-f)	38.0	49.0*	13.0	60.0	33	44.6	33	54.7	33	74.0	1964
11/16 (320-s)	44.0	55.0*	18.0	66.0	32	46.2	32	55.9	32	71.0	1990
11/17 (321-s)	30.0	42.5*	13.0	55.0	33	45.1	32	56.3	32	74.0	1987
11/18 (322-m)	30.0	44.0*	10.0	58.0	32	43.4	32	52.6	33	71.0	1971
11/19 (323-t)	51.0	60.5*	18.0	70.0	33	42.8	33	52.1	33	74.0	1985
11/20 (324-w)	55.0	61.0*	19.0	80.0	33	43.0	33	52.4	33	73.0	1985
11/21 (325-t)	52.0	59.5*	14.0	67.0	33	42.3	33	51.8	33	68.0	1979
11/22 (326-f)	44.0	50.5*	8.0	57.0	33	40.8	33	49.4	33	70.0	1979
11/23 (327-s)	44.0	48.5*	14.0	53.0	33	41.2	33	50.1	33	67.0	1963
11/24 (328-s)	26.0	43.0*	10.0	60.0	33	41.3	33	50.7	33	67.0	1973
11/25 (329-m)	20.0	26.5*	10.0	33.0	33	39.5	33	48.8	33	66.0	1973
11/26 (330-t)	9.0	18.5*	9.0	28.0	33	42.2	33	52.4	33	68.0	1987
11/27 (331-w)	9.0	23.0*	9.0	37.0	33	45.3	33	54.5	33	71.0	1990
11/28 (332-t)	30.0	38.0*	20.0	46.0	33	42.6	33	51.5	33	76.0	1990
11/29 (333-f)	39.0	48.0*	12.0	57.0	33	37.5	33	46.5	33	67.0	1987
11/30 (334-s)	52.0	60.5*	2.0	69.0	32	35.2	32	43.1	33	69.0	1991

Column	Min/s	Avg/s	Max/s	Ttl/s
Column Min/s	9.0	18.5	28.0	43.1
Column Avg/s	30.1	40.4	50.8	54.0
Column Max/s	55.0	61.5	71.0	66.2
Column Ttl/s				81.0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	avg
mo da jul	Current	Current	year	year	avg yrs	avg	prec	evap	ly	ly/m	avg yrs
12/01 (335-s)	35.0	51.0*	6.0	1964	33	37.0	33	45.9	33	69.0	1970
12/02 (336-m)	33.0	37.0*	14.0	1966	33	38.6	33	48.7	33	67.0	1970
12/03 (337-t)	35.0	48.5*	4.0	1976	29.4	38.3	32	47.1	33	76.0	1982
12/04 (338-w)	14.0	26.5*	13.0	1966	29.0	33	38.9	33	48.8	33	76.0
12/05 (339-t)	7.0	12.5*	7.0	1991	28.1	33	36.9	33	45.8	33	68.0
12/06 (340-f)	14.0	26.0*	14.0	1991	28.0	33	37.0	32	46.0	32	67.0
12/07 (341-s)	31.0	45.0*	-0.0	1977	27.5	32	36.1	32	44.4	33	63.0
12/08 (342-s)	41.0	49.5*	3.0	1977	27.7	33	36.1	33	44.5	33	69.0
12/09 (343-m)	51.0	57.0*	8.0	1989	27.4	33	35.6	33	43.9	33	64.0
12/10 (344-t)	23.0	40.5*	3.0	1977	24.5	33	33.9	33	43.3	33	71.0
12/11 (345-w)	24.0	34.5*	3.0	1977	27.2	33	35.1	33	42.9	33	65.0
12/12 (346-t)	30.0	42.0*	-6.0	1962	28.8	33	36.9	33	45.1	33	64.0
12/13 (347-f)	43.0	52.0*	-6.0	1962	27.2	33	36.0	32	44.5	32	63.0
12/14 (348-s)	44.0	52.0*	6.0	1985	24.3	32	33.4	32	43.2	33	66.0
12/15 (349-s)	17.0	32.5*	1.0	1963	25.5	33	33.7	32	42.4	32	67.0
12/16 (350-m)	13.0	26.0*	-8.0	1989	24.0	33	33.0	32	42.2	32	63.0
12/17 (351-t)	15.0	25.5*	-12.0	1989	23.1	33	31.8	33	40.4	33	66.0
12/18 (352-w)	19.0	34.5*	-10.0	1989	22.0	33	31.4	33	40.8	33	68.0
12/19 (353-t)	8.0	19.0*	-8.0	1989	22.6	33	31.6	33	40.7	33	63.0
12/20 (354-f)	10.0	21.0*	-7.0	1963	23.1	33	31.9	33	40.7	33	59.0
12/21 (355-s)	20.0	33.0*	-9.0	1963	22.4	33	30.8	33	39.1	33	70.0
12/22 (356-s)	25.0	32.5*	-22.0	1989	21.6	33	30.3	33	38.9	33	69.0
12/23 (357-m)	30.0	42.5*	-22.0	1989	23.2	33	32.5	33	41.9	33	65.0
12/24 (358-t)	27.0	41.0*	-18.0	1989	25.7	33	34.0	33	42.3	33	68.0
12/25 (359-w)	21.0	30.0*	-12.0	1983	22.4	33	32.2	33	42.1	33	67.0
12/26 (360-t)	19.0	31.0*	-7.0	1983	23.1	33	30.7	33	38.2	33	67.0
12/27 (361-f)	20.0	33.5*	-0.0	1985	22.9	33	31.0	33	39.1	33	67.0
12/28 (362-s)	26.0	36.5*	4.0	1977	24.1	33	32.5	33	41.0	33	65.0
12/29 (363-s)	31.0	36.0*	-0.0	1961	23.5	33	32.5	33	41.6	33	68.0
12/30 (364-m)	31.0	35.5*	-3.0	1983	24.5	33	32.5	33	40.6	33	67.0
12/31 (365-t)	31.0	34.0*	-3.0	1983	24.1	32	32.6	32	40.7	33	66.0

Column	Min's	7.0	12.5	18.0	-22.0	21.6	30.3	38.2	0.00	0.04
Column	Avg's	25.4	36.1	46.7	25.3	34.0	42.8	48.8	0.18	0.12
Column	Max's	51.0	57.0	67.0	29.4	38.9	48.8	76.0	1.92	0.19
Column	Ttl's								5.61	3.72

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	min	avg	Long Term	max	prec	evap	ly	max	avg		
mo da jul	Current	Current	Year	Year	avg yrs	Year	Year	Year	Year	ly/m	ly/m		
03/01 (060-f)	28.0	44.0*	26.5	32	37.1	32	47.7	32	72.0	1972	0.00	0.09	29
03/02 (061-s)	42.0	54.0*	28.3	32	38.6	32	48.9	32	74.0	1976	0.23	0.11	26
03/03 (062-s)	32.0	51.0*	30.7	32	40.3	32	49.9	32	74.0	1976	0.00	0.09	29
03/04 (063-m)	21.0	31.0*	31.3	32	40.9	32	50.5	32	80.0	1976	0.38	0.41	27
03/05 (064-t)	23.0	35.5*	30.1	32	41.5	32	53.0	32	78.0	1976	0.00	0.24	29
03/06 (065-w)	25.0	41.0*	27.6	30	38.0	29	48.6	31	79.0	1983	0.06	0.19	28
03/07 (066-t)	26.0	41.0*	30.2	32	40.1	31	49.6	31	78.0	1974	0.71	0.07	31
03/08 (067-f)	16.0	29.5*	28.6	29	39.3	29	50.1	31	79.0	1974	0.00	0.10	29
03/09 (068-s)	20.0	31.0*	29.3	32	39.5	31	50.2	31	77.0	1974	0.00	0.22	31
03/10 (069-s)	23.0	37.5*	29.9	30	39.2	30	49.7	32	76.0	1973	0.03	0.17	28
03/11 (070-m)	20.0	30.0*	30.7	32	41.4	31	52.3	31	75.0	1977	0.00	0.10	28
03/12 (071-t)	23.0	36.0*	33.7	32	43.8	32	54.0	32	79.0	1990	0.00	0.20	27
03/13 (072-w)	26.0	32.0*	31.7	32	42.5	32	53.2	32	79.0	1967	0.90	0.17	32
03/14 (073-t)	28.0	34.0*	32.9	32	42.9	32	53.0	32	79.0	1990	0.23	0.08	30
03/15 (074-f)	22.0	31.0*	32.5	32	43.1	32	53.7	32	79.0	1990	0.00	0.11	30
03/16 (075-s)	25.0	37.0*	31.4	32	42.5	32	53.7	32	77.0	1984	0.00	0.19	30
03/17 (076-s)	26.0	41.0*	30.5	32	41.6	32	52.8	32	77.0	1982	0.00	0.07	30
03/18 (077-m)	37.0	51.5*	30.4	31	42.5	31	54.5	31	75.0	1989	0.66	0.10	32
03/19 (078-t)	31.0	41.0*	32.0	32	43.1	32	54.3	32	75.0	1982	0.00	0.12	27
03/20 (079-w)	28.0	42.0*	33.4	32	44.0	32	54.6	32	73.0	1979	0.00	0.10	29
03/21 (080-t)	30.0	46.5*	32.5	32	44.0	32	55.4	32	74.0	1975	0.10	0.34	30
03/22 (081-f)	52.0	65.0*	31.1	32	41.3	32	51.4	32	79.0	1966	1.05	0.14	31
03/23 (082-s)	53.0	61.0*	32.3	32	42.7	32	53.0	32	76.0	1966	0.66	0.07	30
03/24 (083-s)	47.0	58.5*	32.2	30	43.8	30	55.5	30	77.0	1988	0.00	0.15	26
03/25 (084-m)	31.0	43.5*	33.8	31	43.8	30	53.6	31	76.0	1967	0.00	0.06	28
03/26 (085-t)	35.0	52.0*	33.6	31	44.5	31	55.9	32	78.0	1967	0.00	0.15	28
03/27 (086-w)	45.0	55.5*	33.8	32	45.3	32	56.8	32	77.0	1967	1.00	0.07	30
03/28 (087-t)	35.0	54.0*	37.0	32	48.3	32	59.6	32	78.0	1989	0.22	0.08	32
03/29 (088-f)	36.0	48.0*	40.1	32	51.4	32	62.7	32	81.0	1989	0.00	0.22	29
03/30 (089-s)	23.0	33.5*	39.6	32	50.1	32	60.7	32	79.0	1977	0.03	0.18	28
03/31 (090-s)	21.0	31.5*	37.7	32	48.2	32	58.8	32	81.0	1986	0.00	0.25	31

Column Min's:	16.0	29.5	38.0	47.7	0.00	0.06
Column Avg's:	30.0	42.5	55.0	53.5	0.20	0.15
Column Max's:	53.0	63.0	74.0	62.7	1.05	0.41
Column Ttl's:				81.0	6.26	4.64

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION							
	min	avg	max	min year	avgm yrs	Long Term avg yrs	avgm yrs	max yrs	max year	ly	max Ly/m	Long-Term avg yrs					
04/01 (091-m)	25.0	38.0*	51.0	18.0	1964	38.7	33	49.9	33	61.2	33	83.0	1986	0.01	--	--	--
04/02 (092-t)	25.0	40.0*	55.0	23.0	1961	39.3	33	50.3	33	61.3	33	79.0	1963	0.00	--	--	--
04/03 (093-w)	27.0	40.0*	53.0	23.0	1972	38.0	32	50.1	32	62.2	32	80.0	1974	0.00	--	--	--
04/04 (094-t)	36.0	53.5*	71.0	23.0	1964	38.8	32	49.4	32	60.0	32	79.0	1974	0.00	--	--	--
04/05 (095-f)	49.0	60.0*	71.0	22.0	1987	37.1	33	48.7	33	60.2	33	82.0	1986	0.38	--	--	--
04/06 (096-s)	42.0	56.0*	70.0	21.0	1982	37.7	33	48.4	33	59.1	33	82.0	1988	0.00	--	--	--
04/07 (097-s)	51.0	64.0*	77.0	18.0	1982	36.8	33	49.2	33	61.7	33	79.0	1959	0.00	--	--	--
04/08 (098-m)	54.0	66.0*	78.0	21.0	1972	38.0	32	49.5	32	60.9	32	80.0	1959	0.03	--	--	--
04/09 (099-t)	56.0	66.5*	77.0	20.0	1972	37.8	33	48.7	33	59.6	33	80.0	1967	0.15	--	--	--
04/10 (100-w)	40.0	60.0*	80.0	22.0	1985	35.5	33	47.1	33	58.8	33	80.0	1991	1.38	--	--	--
04/11 (101-t)	28.0	39.5*	51.0	23.0	1989	36.7	32	48.9	32	60.7	33	81.0	1977	0.00	--	--	--
04/12 (102-f)	31.0	45.0*	59.0	23.0	1976	39.3	31	50.7	30	61.8	30	82.0	1977	0.00	--	--	--
04/13 (103-s)	39.0	52.0*	65.0	23.0	1990	42.3	33	53.4	33	64.6	33	82.0	1972	0.75	--	--	--
04/14 (104-s)	48.0	58.5*	69.0	26.0	1973	41.5	33	53.9	33	66.3	33	81.0	1977	0.13	--	--	--
04/15 (105-m)	53.0	64.0*	75.0	28.0	1962	42.1	33	54.4	33	66.7	33	79.0	1976	0.94	--	--	--
04/16 (106-t)	43.0	55.5*	68.0	25.0	1962	40.4	33	52.3	33	64.2	33	81.0	1960	0.00	--	--	--
04/17 (107-w)	43.0	59.0*	75.0	29.0	1980	43.6	32	55.2	32	66.7	32	81.0	1969	0.00	--	--	--
04/18 (108-t)	41.0	59.5*	78.0	25.0	1990	44.7	33	55.9	31	67.3	31	84.0	1977	0.00	--	--	--
04/19 (109-f)	42.0	56.0*	70.0	24.0	1983	43.3	31	54.7	31	67.0	33	84.0	1976	0.16	--	--	--
04/20 (110-s)	39.0	52.0*	65.0	25.0	1983	44.3	33	56.1	33	67.8	33	86.0	1976	0.37	--	--	--
04/21 (111-s)	34.0	40.5*	47.0	29.0	1981	45.5	33	56.6	33	67.7	33	83.0	1976	0.01	--	--	--
04/22 (112-m)	34.0	39.0*	44.0	27.0	1986	46.0	33	56.9	33	67.8	33	85.0	1985	0.01	--	--	--
04/23 (113-t)	38.0	48.0*	58.0	24.0	1986	46.3	33	57.4	33	68.6	33	85.0	1985	0.00	--	--	--
04/24 (114-w)	35.0	49.0*	63.0	31.0	1986	44.7	33	55.7	33	66.7	33	84.0	1960	0.19	--	--	--
04/25 (115-t)	35.0	48.5*	62.0	31.0	1967	43.3	32	55.2	31	66.8	32	85.0	1960	0.00	--	--	--
04/26 (116-f)	38.0	52.0*	66.0	31.0	1972	45.2	33	56.8	33	68.5	33	87.0	1990	0.01	--	--	--
04/27 (117-s)	49.0	63.5*	78.0	29.0	1976	46.5	33	58.1	33	69.7	33	85.0	1986	0.00	--	--	--
04/28 (118-s)	53.0	64.5*	76.0	27.0	1976	47.4	33	58.9	33	70.4	33	88.0	1986	0.04	--	--	--
04/29 (119-m)	56.0	65.5*	75.0	31.0	1977	45.3	33	57.2	33	69.1	33	84.0	1970	0.11	--	--	--
04/30 (120-t)	55.0	67.0*	79.0	35.0	1988	47.9	33	58.8	33	69.6	33	85.0	1962	0.00	--	--	--
Column Min's:	25.0	38.0	44.0	18.0		35.5		47.1		58.8				0.00			0.06
Column Avg's:	41.3	54.1	66.9			41.8		53.3		64.8				0.16			0.14
Column Max's:	56.0	67.0	80.0			47.9		58.9		70.4		88.0		1.38			0.29
Column Ttl's:														4.67			4.21

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE		A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION									
mo	da	min	avg	max	min	year	avg	yr	max	Long-Term							
		Current			yr	avg	yr	yr	ly/m	avg							
					yr	yr	yr	yr	ly	yr							
05/01	(121-w)	48.0	62.0*	76.0	28.0	1963	47.3	32	58.9	32	70.5	32	84.0	1962	0.00	0.10	31
05/02	(122-t)	40.0	55.5*	71.0	30.0	1963	45.0	32	56.8	32	68.5	32	80.0	1965	0.00	0.17	31
05/03	(123-f)	43.0	57.0*	71.0	34.0	1967	44.5	32	56.4	32	68.2	32	84.0	1987	0.00	0.17	32
05/04	(124-s)	49.0	61.5*	74.0	28.0	1966	44.2	32	56.6	32	69.0	32	82.0	1969	0.10	0.13	32
05/05	(125-s)	51.0	62.5*	74.0	35.0	1973	46.0	32	58.3	32	70.6	32	84.0	1969	0.00	0.14	31
05/06	(126-m)	51.0	62.0*	73.0	32.0	1968	49.3	31	60.5	31	71.9	32	84.0	1980	0.58	0.12	32
05/07	(127-t)	39.0	47.5*	56.0	31.0	1974	47.2	31	58.5	31	70.1	32	84.0	1969	0.00	0.21	31
05/08	(128-w)	47.0	60.0*	73.0	33.0	1989	48.8	32	60.4	32	72.0	32	85.0	1986	0.00	0.32	31
05/09	(129-t)	52.0	65.5*	79.0	32.0	1980	47.5	32	58.7	32	69.8	32	88.0	1963	0.18	0.13	32
05/10	(130-f)	58.0	61.0*	64.0	25.0	1966	46.7	32	57.7	32	68.7	32	86.0	1963	0.07	0.08	31
05/11	(131-s)	58.0	68.5*	79.0	34.0	1977	48.0	32	60.1	32	72.2	32	84.0	1987	0.00	0.12	31
05/12	(132-s)	62.0	74.0*	86.0	39.0	1960	50.9	32	62.1	32	73.4	32	86.0	1979	0.00	0.08	30
05/13	(133-m)	61.0	71.5*	82.0	40.0	1971	49.9	32	61.2	32	72.5	32	87.0	1982	0.17	0.20	32
05/14	(134-t)	64.0	74.5*	85.0	38.0	1971	52.5	32	63.9	32	75.3	32	88.0	1962	0.00	0.15	30
05/15	(135-w)	60.0	72.5*	85.0	36.0	1973	52.8	32	63.9	32	74.9	32	88.0	1982	0.00	0.15	32
05/16	(136-t)	63.0	76.0*	89.0	37.0	1984	52.3	31	63.8	31	75.2	31	90.0	1962	0.00	0.09	29
05/17	(137-f)	68.0	77.5*	87.0	35.0	1973	52.1	32	63.2	32	74.3	32	92.0	1962	0.12	0.23	32
05/18	(138-s)	63.0	74.5*	86.0	37.0	1973	52.5	32	63.9	32	75.4	32	93.0	1962	0.00	0.15	31
05/19	(139-s)	58.0	64.5*	71.0	33.0	1976	53.4	32	64.7	32	76.0	32	91.0	1964	0.18	0.13	31
05/20	(140-m)	56.0	67.5*	79.0	42.0	1961	55.0	32	65.5	32	76.1	32	89.0	1962	0.00	0.10	29
05/21	(141-t)	56.0	65.5*	75.0	41.0	1968	53.6	31	65.1	31	76.8	32	90.0	1987	0.00	0.07	30
05/22	(142-w)	61.0	72.0*	83.0	40.0	1968	53.5	32	64.9	32	76.4	32	89.0	1964	0.00	0.14	30
05/23	(143-t)	64.0	74.0*	84.0	35.0	1963	53.7	32	65.0	32	76.2	32	86.0	1964	0.00	0.24	31
05/24	(144-f)	65.0	72.5*	80.0	39.0	1963	55.4	31	66.4	30	77.2	30	88.0	1970	0.18	0.18	30
05/25	(145-s)	67.0	77.0*	87.0	40.0	1988	53.9	31	65.3	31	77.0	32	89.0	1965	0.00	0.12	32
05/26	(146-s)	70.0	78.5*	87.0	38.0	1988	53.9	32	65.4	32	77.0	32	87.0	1965	0.05	0.21	31
05/27	(147-m)	69.0	77.0*	85.0	34.0	1961	54.1	32	65.2	32	76.2	32	87.0	1967	0.42	0.27	31
05/28	(148-t)	65.0	72.5*	80.0	40.0	1971	54.0	32	65.4	32	76.8	32	89.0	1977	0.58	0.19	29
05/29	(149-w)	65.0	76.0*	87.0	38.0	1964	55.7	32	66.4	31	76.6	31	90.0	1987	0.00	0.21	30
05/30	(150-t)	67.0	77.0*	87.0	38.0	1984	55.6	31	65.9	31	76.1	31	90.0	1987	0.04	0.18	30
05/31	(151-f)	71.0	80.0*	89.0	40.0	1966	55.4	31	66.3	30	77.6	31	89.0	1991	0.00	0.17	31

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	39.0	47.5	56.0	25.0
Column Avg's:	58.4	69.0	79.5	68.2
Column Max's:	71.0	80.0	89.0	73.8
Column Ttl's:				77.6
				93.0
				0.00
				0.09
				0.58
				2.67

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]





DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION							
	min	avg	max	min	year avg	max	prec	evap	hum %	ly	max Lng-Trm ly/m avg yrs						
07/01 (182-m)	69.0	80.5*	92.0	43.0	1988	62.9	33	73.9	33	84.9	33	95.0	1968	0.00	0.00	0.18	33
07/02 (183-t)	71.0	82.0*	93.0	48.0	1988	62.2	33	73.1	33	84.1	33	97.0	1970	0.00	0.00	0.15	33
07/03 (184-w)	67.0	80.5*	94.0	53.0	1959	62.4	33	72.7	33	83.0	33	95.0	1966	0.02	0.02	0.27	33
07/04 (185-t)	63.0	75.0*	87.0	48.0	1968	61.2	32	72.3	32	83.4	32	94.0	1966	1.50	1.50	0.25	32
07/05 (186-f)	64.0	72.0*	80.0	49.0	1968	61.8	33	72.5	33	83.2	33	95.0	1988	0.00	0.00	0.12	33
07/06 (187-s)	67.0	77.0*	87.0	46.0	1972	62.4	33	72.6	33	82.8	33	95.0	1988	0.00	0.00	0.10	32
07/07 (188-s)	68.0	79.5*	91.0	50.0	1972	61.3	33	72.4	33	83.4	33	97.0	1988	0.02	0.02	0.07	33
07/08 (189-m)	68.0	80.5*	93.0	48.0	1984	62.4	33	73.9	33	85.3	33	100.0	1988	0.01	0.01	0.03	33
07/09 (190-t)	62.0	66.0*	70.0	51.0	1961	63.6	33	74.8	33	86.0	33	102.0	1988	3.72	3.72	0.23	33
07/10 (191-w)	64.0	73.5*	83.0	52.0	1963	64.5	33	75.1	33	85.7	33	101.0	1988	0.00	0.00	0.15	33
07/11 (192-t)	64.0	72.5*	81.0	49.0	1963	63.9	33	74.2	33	84.5	33	98.0	1988	0.33	0.33	0.13	32
07/12 (193-f)	65.0	74.0*	83.0	53.0	1963	62.3	33	73.6	33	84.9	33	94.0	1989	0.67	0.67	0.29	32
07/13 (194-s)	67.0	76.5*	86.0	54.0	1976	63.0	33	73.8	33	84.6	33	96.0	1966	0.04	0.04	0.13	33
07/14 (195-s)	62.0	74.0*	86.0	50.0	1975	63.2	33	73.9	33	84.5	33	93.0	1966	0.00	0.00	0.28	33
07/15 (196-m)	61.0	71.0*	81.0	53.0	1987	63.3	33	73.7	33	84.2	33	93.0	1985	0.00	0.00	0.18	31
07/16 (197-t)	61.0	71.5*	82.0	52.0	1967	63.1	33	73.8	33	84.5	33	100.0	1988	0.00	0.00	0.07	31
07/17 (198-w)	61.0	73.5*	86.0	51.0	1976	63.0	33	74.6	32	86.0	32	100.0	1988	0.00	0.00	0.04	32
07/18 (199-t)	63.0	75.5*	88.0	53.0	1967	63.1	32	74.6	32	85.9	32	96.0	1988	0.00	0.00	0.06	33
07/19 (200-f)	63.0	76.5*	90.0	53.0	1984	64.3	33	75.4	33	86.6	33	96.0	1988	0.00	0.00	0.15	33
07/20 (201-s)	69.0	78.5*	88.0	56.0	1984	64.3	33	75.0	33	85.7	33	95.0	1972	0.00	0.00	0.22	31
07/21 (202-s)	70.0	80.5*	91.0	49.0	1970	62.9	32	74.4	32	85.9	32	95.0	1980	0.00	0.00	0.17	33
07/22 (203-m)	71.0	81.0*	91.0	53.0	1970	63.9	33	75.1	33	86.3	33	95.0	1972	0.00	0.00	0.15	31
07/23 (204-t)	72.0	82.5*	93.0	55.0	1977	65.6	33	75.6	32	85.7	32	94.0	1987	0.00	0.00	0.24	32
07/24 (205-w)	61.0	76.0*	91.0	55.0	1990	64.6	32	75.3	32	86.1	33	97.0	1983	0.34	0.34	0.21	31
07/25 (206-t)	64.0	73.5*	83.0	54.0	1990	65.0	32	75.3	32	85.7	32	95.0	1987	0.00	0.00	0.17	33
07/26 (207-f)	64.0	72.0*	80.0	56.0	1990	64.4	33	74.6	33	84.9	33	96.0	1987	0.00	0.00	0.11	33
07/27 (208-s)	60.0	71.5*	83.0	47.0	1962	63.5	33	74.2	33	84.8	33	93.0	1964	0.00	0.00	0.09	33
07/28 (209-s)	58.0	69.5*	81.0	53.0	1962	64.3	33	74.2	32	84.2	32	95.0	1964	0.00	0.00	0.19	32
07/29 (210-m)	58.0	68.5*	79.0	55.0	1965	63.1	32	73.3	32	83.7	33	92.0	1983	0.00	0.00	0.11	32
07/30 (211-t)	62.0	74.0*	86.0	51.0	1965	62.7	33	73.0	33	83.3	33	94.0	1983	0.00	0.00	0.07	32
07/31 (212-w)	52.0	66.0*	80.0	52.0	1991	62.4	33	73.1	33	83.9	33	94.0	1983	0.00	0.00	0.17	33

Column	Min's	Avg's	Max's	Ttl's
Column	52.0	66.0	70.0	43.0
Column	64.2	75.0	85.8	
Column	72.0	82.5	94.0	
Column				102.0
Column				82.8
Column				84.8
Column				86.6
Column				0.00
Column				0.21
Column				3.72
Column				6.65
Column				0.03
Column				0.15
Column				0.29
Column				4.78

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]



DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	max	precip	evap	ly	ly/m									
09/01 (244-s)	60.0	73.5*	45.0	59.5	32	70.9	32	82.5	33	90.0	1960	0.23					
09/02 (245-m)	56.0	68.5*	46.0	1987	60.5	33	71.4	33	82.2	33	93.0	1973	0.00				
09/03 (246-t)	60.0	72.5*	46.0	1987	61.1	32	72.0	32	83.0	33	92.0	1984	0.01				
09/04 (247-w)	67.0	74.0*	46.0	1974	60.7	32	71.2	32	81.7	32	92.0	1964	0.10				
09/05 (248-t)	59.0	65.5*	47.0	1974	59.7	33	70.8	32	81.6	32	94.0	1960	1.76				
09/06 (249-f)	57.0	66.5*	43.0	1984	57.7	33	69.3	32	80.7	32	90.0	1961	0.02				
09/07 (250-s)	53.0	67.0*	41.0	1988	57.4	32	69.8	32	82.1	33	94.0	1964	0.00				
09/08 (251-s)	52.0	67.0*	43.0	1986	57.7	33	70.1	33	82.5	33	94.0	1964	0.00				
09/09 (252-m)	56.0	70.0*	43.0	1986	58.6	33	70.0	33	81.3	33	94.0	1964	0.00				
09/10 (253-t)	64.0	70.0*	44.0	1969	57.8	33	69.7	33	81.6	33	97.0	1964	0.42				
09/11 (254-w)	63.0	74.0*	39.0	1976	56.6	33	68.8	31	80.5	31	96.0	1983	0.12				
09/12 (255-t)	56.0	69.0*	45.0	1969	56.3	30	67.9	30	79.9	32	95.0	1983	0.00				
09/13 (256-f)	58.0	70.5*	40.0	1975	56.3	33	67.8	32	79.1	32	91.0	1961	0.00				
09/14 (257-s)	65.0	78.0*	37.0	1964	56.3	32	68.7	31	80.8	32	92.0	1984	0.00				
09/15 (258-s)	64.0	77.0*	40.0	1964	55.7	32	67.4	32	78.9	33	91.0	1970	0.00				
09/16 (259-m)	65.0	77.5*	39.0	1961	53.8	32	65.3	32	76.9	32	90.0	1991	0.00				
09/17 (260-t)	64.0	77.0*	38.0	1959	54.7	33	65.2	33	76.6	33	92.0	1970	0.00				
09/18 (261-w)	58.0	69.5*	38.0	1959	54.2	33	65.2	33	76.2	33	88.0	1965	0.00				
09/19 (262-t)	49.0	65.0*	40.0	1973	54.5	33	65.8	33	77.1	33	92.0	1983	0.02				
09/20 (263-f)	38.0	52.0*	38.0	1991	55.3	33	66.3	33	77.2	33	91.0	1983	0.00				
09/21 (264-s)	38.0	49.5*	35.0	1962	53.2	33	65.6	33	78.1	33	94.0	1970	0.00				
09/22 (265-s)	38.0	52.5*	35.0	1976	53.3	33	64.9	33	76.5	33	92.0	1970	0.00				
09/23 (266-m)	48.0	61.0*	35.0	1974	51.4	33	63.1	33	74.8	33	91.0	1970	0.13				
09/24 (267-t)	43.0	56.5*	33.0	1983	50.5	33	61.9	33	73.2	33	92.0	1961	0.00				
09/25 (268-w)	44.0	50.5*	34.0	1983	50.6	33	61.7	33	72.7	33	90.0	1959	0.56				
09/26 (269-t)	45.0	55.5*	39.0	1965	50.4	33	62.5	33	74.6	33	88.0	1986	0.00				
09/27 (270-f)	33.0	48.5*	33.0	1991	50.2	32	61.7	32	73.1	32	87.0	1959	0.00				
09/28 (271-s)	33.0	49.0*	33.0	1991	49.6	33	60.8	33	72.0	33	92.0	1959	0.00				
09/29 (272-s)	41.0	56.5*	35.0	1962	48.7	33	60.7	33	72.7	33	89.0	1986	0.00				
09/30 (273-m)	47.0	63.5*	35.0	1963	50.1	33	62.2	33	74.4	33	88.0	1986	0.00				

Column Min/s:	33.0	48.5	57.0	33.0	48.7	60.7	72.0	0.00	0.03
Column Avg/s:	52.5	64.9	77.3	55.1	66.6	78.2	0.11	0.11	0.11
Column Max/s:	67.0	78.0	91.0	61.1	72.0	83.0	97.0	1.76	0.27
Column Ttl/s:								3.37	3.27

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]



DATE		A I R				T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
mo	da	min	avg	max	min	year	avgm	yr	avg	yr	avg	yr	max	Long-Term	ly	ly/m	avg	yr
		Current																
10/01	(274-t)	50.0	66.0*	82.0	33.0	1974	48.9	33	61.6	33	74.3	33	87.0	1986	0.00		0.17	33
10/02	(275-w)	52.0	66.5*	81.0	31.0	1974	48.6	32	60.4	32	72.5	33	83.0	1971	0.00		0.09	33
10/03	(276-t)	53.0	67.0*	81.0	26.0	1974	47.9	33	59.8	33	71.7	33	90.0	1959	0.00		0.04	33
10/04	(277-f)	56.0	67.5*	79.0	29.0	1987	46.4	33	58.8	33	71.3	33	89.0	1959	0.00		0.11	33
10/05	(278-s)	58.0	70.0*	82.0	29.0	1968	44.7	32	58.2	32	71.8	33	90.0	1959	0.44		0.08	33
10/06	(279-s)	38.0	50.5*	63.0	28.0	1964	44.6	31	57.2	31	69.8	31	84.0	1963	0.28		0.10	30
10/07	(280-m)	31.0	42.5*	54.0	28.0	1964	44.3	33	56.4	32	68.3	32	85.0	1982	0.00		0.10	33
10/08	(281-t)	31.0	44.0*	57.0	30.0	1988	45.1	32	56.7	32	68.3	32	80.0	1990	0.00		0.23	31
10/09	(282-w)	41.0	53.5*	66.0	27.0	1989	46.0	33	57.7	33	69.5	33	81.0	1970	0.00		0.06	33
10/10	(283-t)	45.0	59.0*	73.0	27.0	1989	44.9	33	57.1	33	69.3	33	81.0	1962	0.00		0.08	31
10/11	(284-f)	43.0	55.5*	68.0	23.0	1964	45.5	32	57.8	32	70.1	32	84.0	1961	0.03		0.03	32
10/12	(285-s)	33.0	49.0*	65.0	26.0	1988	45.2	33	57.3	32	69.2	32	85.0	1961	0.00		0.06	32
10/13	(286-s)	32.0	48.5*	65.0	24.0	1988	46.5	32	58.1	32	69.8	32	86.0	1969	0.00		0.14	31
10/14	(287-m)	32.0	46.0*	60.0	23.0	1988	44.8	31	56.3	31	68.4	32	84.0	1969	0.00		0.06	33
10/15	(288-t)	34.0	52.0*	70.0	27.0	1979	44.3	33	57.0	33	69.7	33	83.0	1962	0.28		0.06	32
10/16	(289-w)	29.0	44.0*	59.0	29.0	1991	45.2	33	56.9	33	68.7	33	83.0	1963	0.00		0.05	32
10/17	(290-t)	26.0	40.5*	55.0	26.0	1991	42.9	33	55.0	33	67.0	33	82.0	1963	0.00		0.17	32
10/18	(291-f)	26.0	45.0*	64.0	24.0	1976	41.3	33	54.2	33	67.2	33	83.0	1963	0.00		0.14	33
10/19	(292-s)	43.0	59.0*	75.0	29.0	1976	40.5	33	52.3	33	64.1	33	83.0	1963	0.00		0.07	33
10/20	(293-s)	25.0	38.5*	52.0	25.0	1972	40.7	33	51.8	33	62.9	33	82.0	1963	0.00		0.12	33
10/21	(294-m)	25.0	39.5*	54.0	23.0	1974	40.3	32	52.0	30	63.3	30	78.0	1979	0.00		0.22	33
10/22	(295-t)	30.0	48.5*	67.0	22.0	1987	40.8	31	53.0	31	65.4	33	82.0	1963	0.00		0.08	33
10/23	(296-w)	46.0	62.0*	78.0	24.0	1969	42.3	32	53.7	32	65.2	33	82.0	1963	0.00		0.14	31
10/24	(297-t)	53.0	61.5*	70.0	22.0	1981	41.7	33	52.3	33	63.0	33	82.0	1963	0.06		0.10	31
10/25	(298-f)	55.0	65.0*	75.0	22.0	1981	41.3	32	52.1	32	62.6	33	83.0	1963	0.00		0.09	31
10/26	(299-s)	58.0	69.0*	80.0	21.0	1962	38.8	33	50.0	33	61.2	33	82.0	1963	0.00		0.07	32
10/27	(300-s)	57.0	67.5*	78.0	20.0	1962	38.9	33	50.3	32	62.1	32	81.0	1963	0.19		0.07	33
10/28	(301-m)	57.0	62.0*	67.0	18.0	1976	38.8	32	50.5	32	62.7	33	79.0	1971	0.23		0.07	31
10/29	(302-t)	52.0	61.0*	70.0	20.0	1976	39.1	33	50.6	33	62.1	33	78.0	1971	0.01		0.09	33
10/30	(303-w)	53.0	65.0*	77.0	25.0	1988	39.3	33	50.3	33	61.2	33	79.0	1971	0.00		0.05	33
10/31	(304-t)	52.0	62.5*	73.0	26.0	1988	42.9	33	53.9	33	64.8	33	78.0	1971	0.03		0.07	32

Column	Min/s:	25.0	38.5	52.0	18.0	38.8	50.0	61.2	0.00	0.03
Column	Avg/s:	42.5	55.7	69.0	43.3	55.1	67.0	74.3	0.05	0.10
Column	Max/s:	58.0	70.0	82.0	48.9	61.6	74.3	90.0	0.44	0.23
Column	Ttl/s:								1.55	3.01

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]