

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | | | | | |
|---------------|-------|------|--|------|------------------------|------|-----------------|------|------|----|------|-----|------|------|------|------|------|------|------|------|-----|-----|------|
| | min | max | min | max | prec | evap | ly | max | | | | | | | | | | | | | | | |
| mo da jul | avg | avg | yr | yr | ly | yr | yr | ly/m | | | | | | | | | | | | | | | |
| 01/01 (001-t) | 17.4 | 25.4 | 34.8 | 34.8 | 8.0 | 1977 | 23.3 | 46 | 31.0 | 46 | 38.9 | 46 | 67.0 | 1952 | 0.00 | 0.00 | 0.17 | 45 | 263 | 0.77 | 145 | 10 | |
| 01/02 (002-w) | 22.7 | 30.1 | 41.9 | 41.9 | -5.0 | 1974 | 21.5 | 47 | 28.9 | 47 | 36.4 | 47 | 55.0 | 1954 | 0.00 | 0.00 | 0.08 | 45 | 237 | 0.66 | 129 | 10 | |
| 01/03 (003-t) | 15.0 | 22.9 | 27.6 | 27.6 | -3.0 | 1979 | 22.4 | 47 | 29.6 | 47 | 36.8 | 47 | 61.0 | 1950 | 0.00 | 0.00 | 0.11 | 38 | 66 | 0.42 | 88 | 10 | |
| 01/04 (004-f) | 11.5 | 20.6 | 29.8 | 29.8 | -8.0 | 1981 | 20.4 | 47 | 28.2 | 47 | 36.1 | 47 | 61.0 | 1950 | 0.00 | 0.00 | 0.14 | 43 | 233 | 0.78 | 133 | 10 | |
| 01/05 (005-s) | 22.8 | 30.8 | 37.7 | 37.7 | -9.0 | 1959 | 19.9 | 48 | 27.1 | 48 | 34.5 | 48 | 59.0 | 1955 | 0.18 | 0.18 | 0.08 | 45 | 31 | 0.17 | 143 | 10 | |
| 01/06 (006-s) | 30.2 | 32.1 | 34.7 | 34.7 | -5.3 | 1988 | 22.1 | 48 | 28.7 | 48 | 35.5 | 48 | 68.0 | 1946 | 0.06 | 0.06 | 0.10 | 44 | 40 | 0.19 | 110 | 10 | |
| 01/07 (007-m) | 24.8 | 29.6 | 34.9 | 34.9 | -14.0 | 1970 | 20.9 | 48 | 28.4 | 48 | 35.7 | 48 | 64.0 | 1946 | 0.00 | 0.00 | 0.05 | 43 | 202 | 0.92 | 133 | 10 | |
| 01/08 (008-t) | 22.3 | 27.5 | 31.8 | 31.8 | -14.0 | 1970 | 17.0 | 48 | 24.8 | 48 | 32.9 | 48 | 61.0 | 1965 | 0.00 | 0.00 | 0.06 | 43 | 71 | 0.30 | 147 | 10 | |
| 01/09 (009-w) | 29.8 | 32.1 | 33.9 | 33.9 | -11.0 | 1970 | 16.9 | 48 | 25.9 | 48 | 34.8 | 48 | 62.0 | 1949 | 0.00 | 0.00 | 0.07 | 39 | 34 | 0.22 | 132 | 10 | |
| 01/10 (010-t) | 28.9 | 30.1 | 31.6 | 31.6 | -14.4 | 1982 | 17.7 | 48 | 25.0 | 48 | 32.4 | 48 | 57.0 | 1949 | 0.15 | 0.15 | 0.09 | 40 | 37 | 0.16 | 125 | 10 | |
| 01/11 (011-f) | 31.6 | 37.7 | 46.2 | 46.2 | -11.0 | 1979 | 16.9 | 48 | 25.3 | 48 | 33.8 | 48 | 57.0 | 1975 | 0.24 | 0.24 | 0.09 | 42 | 25 | 0.12 | 138 | 10 | |
| 01/12 (012-s) | 26.4 | 30.5 | 37.6 | 37.6 | -11.0 | 1979 | 18.1 | 48 | 26.2 | 48 | 34.3 | 48 | 61.0 | 1960 | 0.00 | 0.00 | 0.04 | 41 | 18 | 0.15 | 150 | 10 | |
| 01/13 (013-s) | 25.7 | 29.2 | 34.5 | 34.5 | -18.0 | 1977 | 18.1 | 48 | 26.5 | 48 | 35.3 | 48 | 62.0 | 1950 | 0.00 | 0.00 | 0.05 | 43 | 121 | 0.90 | 171 | 10 | |
| 01/14 (014-m) | 29.8 | 35.3 | 45.1 | 45.1 | -16.0 | 1977 | 20.4 | 48 | 28.8 | 48 | 37.5 | 48 | 58.0 | 1950 | 0.00 | 0.00 | 0.11 | 44 | 174 | 0.87 | 116 | 10 | |
| 01/15 (015-t) | 31.4 | 39.8 | 49.0 | 49.0 | -14.1 | 1982 | 19.8 | 48 | 28.4 | 48 | 36.9 | 48 | 63.0 | 1953 | 0.09 | 0.09 | 0.13 | 45 | 185 | 0.71 | 159 | 10 | |
| 01/16 (016-w) | 32.4 | 40.3 | 48.8 | 48.8 | -15.3 | 1982 | 17.2 | 48 | 26.2 | 48 | 35.2 | 48 | 60.0 | 1953 | 0.17 | 0.17 | 0.04 | 40 | 42 | 0.54 | 153 | 10 | |
| 01/17 (017-t) | 26.9 | 30.4 | 33.8 | 33.8 | -20.0 | 1977 | 17.2 | 48 | 25.8 | 48 | 34.3 | 48 | 64.0 | 1952 | 0.02 | 0.02 | 0.10 | 42 | 22 | 0.18 | 104 | 10 | |
| 01/18 (018-f) | 26.8 | 30.9 | 37.5 | 37.5 | -19.0 | 1977 | 18.9 | 48 | 28.2 | 47 | 37.3 | 47 | 60.0 | 1951 | 0.00 | 0.00 | 0.05 | 45 | 24.7 | 0.89 | 141 | 10 | |
| 01/19 (019-s) | 28.1 | 36.0 | 46.7 | 46.7 | -16.2 | 1984 | 19.9 | 47 | 28.4 | 47 | 36.9 | 48 | 62.0 | 1949 | 0.00 | 0.00 | 0.11 | 45 | 150 | 1.02 | 141 | 10 | |
| 01/20 (020-s) | 24.4 | 36.7 | 42.2 | 42.2 | -23.6 | 1985 | 20.8 | 48 | 28.6 | 48 | 36.2 | 48 | 63.0 | 1951 | 0.14 | 0.14 | 0.12 | 38 | 36 | 0.32 | 143 | 10 | |
| 01/21 (021-m) | 12.0 | 18.1 | 25.7 | 25.7 | -24.9 | 1984 | 19.6 | 48 | 28.0 | 48 | 36.2 | 48 | 60.0 | 1951 | 0.03 | 0.03 | 0.21 | 39 | 221 | 1.27 | 167 | 10 | |
| 01/22 (022-t) | 1.2 | 11.2 | 17.2 | 17.2 | -8.0 | 1978 | 20.5 | 48 | 28.4 | 48 | 36.6 | 48 | 61.0 | 1967 | 0.00 | 0.00 | 0.08 | 39 | 300 | 0.91 | 145 | 10 | |
| 01/23 (023-w) | 12.7 | 26.1 | 34.7 | 34.7 | -9.0 | 1977 | 19.9 | 48 | 28.9 | 48 | 37.7 | 48 | 68.0 | 1967 | 0.00 | 0.00 | 0.08 | 42 | 159 | 1.17 | 171 | 10 | |
| 01/24 (024-t) | 5.4 | 17.5 | 26.1 | 26.1 | -17.0 | 1963 | 20.0 | 48 | 28.1 | 48 | 36.0 | 48 | 65.0 | 1950 | 0.00 | 0.00 | 0.10 | 44 | 279 | 0.80 | 153 | 10 | |
| 01/25 (025-f) | 2.1 | 12.3 | 24.6 | 24.6 | -7.0 | 1961 | 20.6 | 48 | 29.4 | 48 | 38.2 | 48 | 73.0 | 1950 | 0.00 | 0.00 | 0.04 | 42 | 321 | 0.98 | 149 | 10 | |
| 01/26 (026-s) | 9.9 | 19.4 | 31.3 | 31.3 | -7.1 | 1985 | 20.4 | 48 | 29.1 | 48 | 37.9 | 48 | 70.0 | 1950 | 0.02 | 0.02 | 0.19 | 43 | 145 | 0.64 | 176 | 10 | |
| 01/27 (027-s) | 6.1 | 22.4 | 34.1 | 34.1 | -2.0 | 1955 | 18.4 | 48 | 27.5 | 48 | 36.4 | 48 | 62.0 | 1944 | 0.15 | 0.15 | 0.11 | 44 | 214 | 1.27 | 213 | 10 | |
| 01/28 (028-m) | 7.3 | 23.7 | 37.1 | 37.1 | -9.0 | 1963 | 18.4 | 48 | 26.6 | 47 | 34.4 | 47 | 58.0 | 1944 | 0.00 | 0.00 | 0.08 | 44 | 206 | 0.60 | 182 | 10 | |
| 01/29 (029-t) | 10.6 | 26.7 | 41.7 | 41.7 | -11.0 | 1977 | 18.6 | 48 | 27.1 | 48 | 35.6 | 48 | 64.0 | 1970 | 0.12 | 0.12 | 0.12 | 40 | 162 | 0.82 | 135 | 10 | |
| 01/30 (030-w) | 20.8 | 29.1 | 34.9 | 34.9 | -8.0 | 1966 | 18.9 | 48 | 27.4 | 48 | 36.0 | 48 | 64.0 | 1975 | 0.23 | 0.23 | 0.10 | 42 | 60 | 0.29 | 142 | 10 | |
| 01/31 (031-t) | 15.0 | 19.8 | 25.3 | 25.3 | -3.0 | 1972 | 18.4 | 48 | 26.2 | 48 | 34.2 | 48 | 59.9 | 1989 | 0.00 | 0.00 | 0.05 | 40 | 241 | 1.12 | 174 | 10 | |
| Column Min's: | 1.2 | 11.2 | 17.2 | 17.2 | -24.9 | | 16.9 | 24.8 | 32.4 | 75 | 0.04 | 88 | 0.00 | 0.00 | 0.05 | 0.05 | 0.10 | 0.04 | 18 | 0.12 | 88 | 88 | |
| Column Avg's: | 19.7 | 27.6 | 35.3 | 35.3 | | | 19.5 | 27.6 | 35.8 | 89 | 0.10 | 144 | 0.05 | 0.05 | 0.24 | 0.24 | 0.21 | 0.10 | 147 | 0.65 | 144 | 144 | |
| Column Max's: | 32.4 | 40.3 | 49.0 | 49.0 | | | 23.3 | 31.0 | 38.9 | 98 | 0.21 | 213 | 0.24 | 0.24 | 1.60 | 1.60 | 2.95 | 0.21 | 321 | 1.27 | 213 | 213 | |
| Column Ttl's: | | | | | | | | | | | | | | | | | | | | | | | 4542 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | AIR | | TEMPERATURE (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|---------|---------|----------------------------------|-----------|------------------------|------------|-----------------|-----------|
| | min | max | min | max | precip | evap | ly | max |
| mo da jul | Current | Current | Long Term | Long Term | liq | Long Term | ly/m | Long Term |
| | avg | avg | avg yrs | avg yrs | precip | avg pr yrs | ly | avg yrs |
| 02/01 (032-f) | 15.5 | 30.5 | 19.8 | 48 | 0.00 | 0.12 | 293 | 0.82 |
| 02/02 (033-s) | 32.1 | 39.7 | 19.0 | 48 | 0.00 | 0.13 | 265 | 0.81 |
| 02/03 (034-s) | 31.6 | 41.7 | 17.2 | 48 | 0.00 | 0.06 | 306 | 0.84 |
| 02/04 (035-m) | 33.8 | 46.2 | 18.2 | 48 | 0.00 | 0.09 | 250 | 1.13 |
| 02/05 (036-t) | 44.4 | 49.0 | 19.6 | 48 | 0.06 | 0.08 | 71 | 0.43 |
| 02/06 (037-w) | 36.7 | 40.7 | 19.3 | 48 | 0.89 | 0.10 | 36 | 0.18 |
| 02/07 (038-t) | 31.1 | 34.6 | 18.0 | 48 | 0.00 | 0.06 | 62 | 0.25 |
| 02/08 (039-f) | 29.9 | 32.6 | 16.5 | 47 | 0.00 | 0.05 | 146 | 1.13 |
| 02/09 (040-s) | 28.9 | 32.7 | 17.0 | 48 | 0.00 | 0.08 | 56 | 0.19 |
| 02/10 (041-s) | 27.1 | 34.6 | 18.4 | 48 | 0.00 | 0.11 | 260 | 1.19 |
| 02/11 (042-m) | 20.6 | 26.3 | 19.1 | 48 | 0.00 | 0.09 | 331 | 1.11 |
| 02/12 (043-t) | 13.8 | 24.8 | 19.2 | 47 | 0.00 | 0.06 | 373 | 0.92 |
| 02/13 (044-w) | 27.4 | 36.8 | 21.4 | 48 | 0.38 | 0.20 | 47 | 0.22 |
| 02/14 (045-t) | 19.9 | 29.0 | 22.4 | 48 | 0.32 | 0.09 | 128 | 0.62 |
| 02/15 (046-f) | 4.1 | 12.7 | 21.6 | 48 | 0.00 | 0.12 | 264 | 0.99 |
| 02/16 (047-s) | 0.5 | 13.3 | 22.1 | 48 | 0.00 | 0.06 | 386 | 1.01 |
| 02/17 (048-s) | 26.3 | 30.9 | 23.4 | 48 | 0.00 | 0.06 | 127 | 0.56 |
| 02/18 (049-m) | 31.2 | 36.1 | 23.5 | 47 | 0.32 | 0.05 | 33 | 0.19 |
| 02/19 (050-t) | 33.8 | 43.2 | 25.2 | 47 | 0.01 | 0.05 | 42 | 0.25 |
| 02/20 (051-w) | 27.8 | 33.3 | 23.3 | 48 | 0.00 | 0.06 | 282 | 1.34 |
| 02/21 (052-t) | 31.5 | 42.4 | 22.4 | 47 | 0.00 | 0.12 | 320 | 1.02 |
| 02/22 (053-f) | 27.4 | 39.4 | 25.2 | 48 | 0.00 | 0.13 | 320 | 1.22 |
| 02/23 (054-s) | 20.8 | 27.8 | 25.2 | 48 | 0.00 | 0.09 | 379 | 0.99 |
| 02/24 (055-s) | 27.3 | 36.8 | 25.3 | 47 | 0.00 | 0.10 | 303 | 1.23 |
| 02/25 (056-m) | 25.1 | 27.8 | 24.8 | 48 | 0.00 | 0.11 | 199 | 0.95 |
| 02/26 (057-t) | 17.1 | 24.8 | 24.2 | 48 | 0.00 | 0.14 | 375 | 1.35 |
| 02/27 (058-w) | 22.7 | 27.5 | 24.0 | 48 | 0.00 | 0.10 | 183 | 1.20 |
| 02/28 (059-t) | 25.3 | 41.0 | 25.0 | 48 | 0.00 | 0.07 | 293 | 1.29 |
| Column Min's: | 0.5 | 12.7 | 16.5 | 25.6 | 0.00 | 0.05 | 33 | 0.18 |
| Column Avg's: | 25.5 | 33.4 | 21.4 | 30.4 | 0.07 | 0.09 | 219 | 0.84 |
| Column Max's: | 44.4 | 49.0 | 25.3 | 34.6 | 0.89 | 0.20 | 386 | 1.35 |
| Column Ttl's: | | | | | 1.98 | 2.58 | 6130 | 5852 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | | | SOLAR RADIATION | | | | | | | | | |
|---------------|-------|-------|-------|--|----------|-------|---------------|------------------------|-------|-------|-------|-----------------|-------|-------|-------|--------------|----|------|------|------|----|
| | min | avg | max | min | year avg | max | Long Term avg | prec | snow | evap | hum % | Long Term avg | ly | ly/m | max | Lng-Term avg | | | | | |
| mo da jul | | | | | | | | | | | | | | | | | | | | | |
| 11/01 (305-f) | 41.7 | 51.1 | 60.7 | 21.0 | 1976 | 42.6 | 48 | 52.9 | 48 | 63.6 | 48 | 80.0 | 1950 | 0.05 | 74 | 0.12 | 47 | 89 | 0.50 | 217 | 10 |
| 11/02 (306-s) | 26.2 | 33.5 | 41.7 | 21.0 | 1954 | 41.5 | 47 | 50.7 | 47 | 60.2 | 48 | 79.4 | 1987 | 0.00 | 74 | 0.15 | 43 | 157 | 1.17 | 186 | 9 |
| 11/03 (307-s) | 16.3 | 25.3 | 34.1 | 16.3 | 1991 | 38.0 | 45 | 47.9 | 45 | 57.9 | 48 | 78.0 | 1987 | 0.00 | 69 | 0.07 | 46 | 264 | 1.12 | 193 | 9 |
| 11/04 (308-m) | 15.6 | 20.9 | 28.9 | 15.6 | 1991 | 37.7 | 48 | 46.4 | 46 | 55.5 | 46 | 78.2 | 1987 | 0.00 | 68 | 0.17 | 44 | 189 | 1.13 | 152 | 10 |
| 11/05 (309-t) | 10.9 | 24.8 | 36.1 | 10.9 | 1991 | 36.1 | 48 | 45.0 | 48 | 53.6 | 49 | 75.0 | 1959 | 0.00 | 64 | 0.14 | 43 | 299 | 0.85 | 145 | 10 |
| 11/06 (310-w) | 32.2 | 37.3 | 42.9 | 21.9 | 1982 | 34.5 | 48 | 43.9 | 48 | 53.2 | 49 | 75.0 | 1977 | 0.00 | 60 | 0.08 | 42 | 88 | 0.35 | 174 | 10 |
| 11/07 (311-t) | 15.2 | 25.6 | 32.2 | 15.2 | 1991 | 34.4 | 49 | 44.1 | 49 | 54.2 | 49 | 77.0 | 1975 | 0.06 | 85 | 0.09 | 45 | 114 | 0.54 | 133 | 10 |
| 11/08 (312-f) | 9.9 | 20.9 | 34.1 | 9.9 | 1991 | 34.5 | 49 | 45.0 | 49 | 55.0 | 49 | 92.5 | 1985 | 0.00 | 73 | 0.09 | 43 | 319 | 0.83 | 183 | 9 |
| 11/09 (313-s) | 14.5 | 25.4 | 38.3 | 14.5 | 1991 | 35.0 | 49 | 43.9 | 49 | 52.8 | 49 | 72.0 | 1975 | 0.00 | 73 | 0.12 | 45 | 302 | 0.82 | 161 | 10 |
| 11/10 (314-s) | 17.6 | 29.9 | 47.7 | 17.6 | 1991 | 34.5 | 49 | 43.6 | 49 | 52.8 | 49 | 75.0 | 1975 | 0.00 | 80 | 0.22 | 49 | 290 | 0.81 | 122 | 10 |
| 11/11 (315-m) | 23.8 | 33.7 | 49.4 | 12.9 | 1982 | 32.5 | 49 | 41.8 | 49 | 51.5 | 49 | 72.0 | 1949 | 0.00 | 79 | 0.06 | 46 | 273 | 0.80 | 153 | 9 |
| 11/12 (316-t) | 23.2 | 31.6 | 36.7 | 17.0 | 1980 | 33.7 | 49 | 42.6 | 49 | 51.5 | 49 | 74.0 | 1945 | 0.08 | 98 | 0.05 | 44 | 48 | 0.25 | 174 | 10 |
| 11/13 (317-w) | 33.4 | 38.6 | 49.6 | 11.8 | 1986 | 33.6 | 49 | 42.5 | 49 | 52.0 | 49 | 73.0 | 1955 | 0.00 | 88 | 0.06 | 47 | 219 | 0.89 | 185 | 10 |
| 11/14 (318-t) | 31.8 | 46.3 | 62.2 | 10.8 | 1986 | 34.0 | 48 | 44.2 | 48 | 54.6 | 48 | 71.0 | 1955 | 0.00 | 78 | 0.10 | 49 | 147 | 1.02 | 187 | 10 |
| 11/15 (319-f) | 44.2 | 51.4 | 60.8 | 17.0 | 1969 | 35.9 | 49 | 44.9 | 49 | 53.8 | 49 | 73.0 | 1964 | 0.07 | 78 | 0.13 | 43 | 91 | 0.60 | 124 | 10 |
| 11/16 (320-s) | 29.4 | 44.9 | 52.0 | 13.0 | 1976 | 35.6 | 49 | 44.7 | 49 | 53.9 | 49 | 72.0 | 1971 | 0.02 | 95 | 0.21 | 47 | 80 | 0.46 | 124 | 10 |
| 11/17 (321-s) | 28.5 | 38.3 | 51.3 | 10.0 | 1959 | 32.4 | 49 | 41.6 | 49 | 50.9 | 49 | 77.0 | 1958 | 0.00 | 80 | 0.06 | 44 | 259 | 0.75 | 179 | 10 |
| 11/18 (322-m) | 39.8 | 53.6 | 64.6 | 11.0 | 1959 | 32.6 | 49 | 41.7 | 49 | 50.8 | 49 | 74.0 | 1958 | 0.09 | 81 | 0.08 | 45 | 80 | 0.49 | 120 | 10 |
| 11/19 (323-t) | 55.3 | 59.5 | 64.2 | 13.0 | 1980 | 33.8 | 49 | 42.3 | 49 | 50.9 | 49 | 74.0 | 1953 | 0.16 | 93 | 0.12 | 45 | 79 | 0.76 | 122 | 10 |
| 11/20 (324-w) | 47.4 | 60.2 | 64.5 | 14.0 | 1980 | 32.8 | 49 | 41.3 | 49 | 50.1 | 49 | 70.0 | 1953 | 0.03 | 93 | 0.19 | 45 | 56 | 0.32 | 116 | 10 |
| 11/21 (325-t) | 46.5 | 48.6 | 50.7 | 12.0 | 1987 | 31.6 | 48 | 40.0 | 48 | 48.6 | 48 | 66.2 | 1990 | 0.02 | 96 | 0.09 | 45 | 33 | 0.20 | 150 | 10 |
| 11/22 (326-f) | 44.0 | 46.8 | 50.3 | 11.0 | 1964 | 31.2 | 49 | 38.8 | 49 | 46.4 | 49 | 69.0 | 1979 | 0.00 | 94 | 0.06 | 37 | 50 | 0.28 | 125 | 10 |
| 11/23 (327-s) | 31.4 | 45.2 | 58.0 | 11.0 | 1971 | 30.6 | 47 | 38.8 | 47 | 47.0 | 48 | 65.0 | 1963 | 0.02 | 91 | 0.13 | 42 | 138 | 0.86 | 141 | 10 |
| 11/24 (328-s) | 20.8 | 27.0 | 31.4 | 4.0 | 1950 | 28.5 | 48 | 37.3 | 48 | 46.2 | 48 | 65.0 | 1974 | 0.00 | 83 | 0.08 | 49 | 66 | 0.26 | 133 | 10 |
| 11/25 (329-m) | 14.8 | 20.5 | 26.2 | 5.0 | 1950 | 28.6 | 46 | 36.4 | 46 | 44.5 | 46 | 65.2 | 1987 | 0.01 | 84 | 0.11 | 46 | 195 | 0.95 | 151 | 10 |
| 11/26 (330-t) | 9.7 | 22.4 | 34.4 | 9.7 | 1991 | 30.2 | 45 | 39.0 | 45 | 48.0 | 46 | 67.5 | 1990 | 0.00 | 77 | 0.19 | 46 | 262 | 0.92 | 124 | 10 |
| 11/27 (331-w) | 24.6 | 34.5 | 43.3 | 9.0 | 1977 | 31.5 | 46 | 39.1 | 46 | 47.2 | 47 | 72.1 | 1990 | 0.04 | 83 | 0.14 | 46 | 63 | 0.80 | 83 | 10 |
| 11/28 (332-t) | 38.5 | 43.7 | 52.1 | 7.0 | 1955 | 30.7 | 48 | 38.0 | 48 | 45.9 | 48 | 65.8 | 1990 | 0.28 | 90 | 0.15 | 45 | 58 | 0.30 | 71 | 10 |
| 11/29 (333-f) | 50.3 | 56.0 | 66.1 | 9.0 | 1976 | 26.7 | 49 | 33.9 | 48 | 41.4 | 48 | 66.1 | 1991 | 0.00 | 75 | 0.07 | 44 | 166 | 0.80 | 125 | 10 |
| 11/30 (334-s) | 37.0 | 54.1 | 65.9 | -0.0 | 1958 | 25.8 | 48 | 33.4 | 48 | 40.9 | 48 | 66.0 | 1962 | 0.30 | 85 | 0.05 | 46 | 108 | 0.62 | 120 | 10 |
| Column Min's: | 9.7 | 20.5 | 26.2 | 0.0 | | 25.8 | | 33.4 | | 40.9 | | | | 0.00 | 60 | 0.05 | | 33 | 0.20 | 71 | |
| Column Avg's: | 29.2 | 38.4 | 47.7 | | | 33.4 | | 42.2 | | 51.2 | | 92.5 | | 0.04 | 81 | 0.11 | | 153 | 0.68 | 146 | |
| Column Max's: | 55.3 | 60.2 | 66.1 | | | 42.6 | | 52.9 | | 63.6 | | | | 0.30 | 98 | 0.22 | | 319 | 1.17 | 217 | |
| Column Ttl's: | | | | | | | | | | | | | | 1.23 | | 3.38 | | 4582 | | 4373 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | T E M P E R A T U R E | | (degrees Fahrenheit) | | Long Term | | WATER BALANCE (inches) | | SOLAR RADIATION | | | |
|---------------|-------------------|---------------------|-----------------------|-------|----------------------|------|-----------|------|------------------------|------|-----------------|------|------|-----------|
| | min | avg | max | min | year | avgm | yr | avg | yr | prec | liq | ly | max | Long-Term |
| mo da jul |Current..... |Long Term..... | | min | year | avgm | yr | avg | yr | prec | liq | evap | ly/m | avg yrs |
| 12/01 (335-s) | 35.9 | 37.5 | 39.5 | 5.0 | 1976 | 25.4 | 49 | 33.9 | 49 | 42.6 | 49 | 67.0 | 1962 | 0.00 |
| 12/02 (336-m) | 32.9 | 35.1 | 39.6 | 8.0 | 1966 | 27.6 | 48 | 35.5 | 48 | 43.4 | 48 | 71.1 | 1982 | 1.51 |
| 12/03 (337-t) | 18.5 | 34.5 | 49.4 | -1.0 | 1976 | 27.5 | 48 | 36.2 | 48 | 45.1 | 49 | 73.6 | 1982 | 0.06 |
| 12/04 (338-w) | 9.9 | 13.3 | 18.5 | 6.0 | 1976 | 27.9 | 49 | 35.9 | 49 | 44.3 | 49 | 65.2 | 1982 | 0.00 |
| 12/05 (339-t) | 9.7 | 23.0 | 37.4 | 6.0 | 1974 | 28.1 | 49 | 35.7 | 49 | 43.4 | 49 | 65.0 | 1960 | 0.01 |
| 12/06 (340-f) | 25.3 | 33.4 | 38.5 | 2.7 | 1984 | 27.8 | 49 | 36.3 | 49 | 44.6 | 49 | 69.0 | 1956 | 0.00 |
| 12/07 (341-s) | 34.5 | 45.9 | 55.7 | -3.0 | 1977 | 27.6 | 49 | 35.2 | 49 | 43.0 | 49 | 66.0 | 1951 | 0.00 |
| 12/08 (342-s) | 49.2 | 54.9 | 61.7 | 1.0 | 1977 | 28.8 | 49 | 35.7 | 49 | 43.3 | 49 | 68.0 | 1966 | 0.03 |
| 12/09 (343-m) | 29.3 | 44.8 | 58.6 | -2.0 | 1958 | 25.5 | 49 | 33.4 | 49 | 41.3 | 49 | 65.0 | 1952 | 0.00 |
| 12/10 (344-t) | 27.0 | 33.4 | 43.2 | -6.0 | 1958 | 24.7 | 49 | 31.5 | 49 | 38.4 | 49 | 60.0 | 1946 | 0.01 |
| 12/11 (345-w) | 30.2 | 40.2 | 50.0 | -8.0 | 1977 | 23.6 | 49 | 31.1 | 49 | 38.4 | 49 | 68.0 | 1971 | 0.01 |
| 12/12 (346-t) | 40.6 | 49.1 | 58.6 | -2.0 | 1962 | 25.9 | 49 | 32.9 | 49 | 39.9 | 49 | 63.0 | 1949 | 0.04 |
| 12/13 (347-f) | 46.6 | 50.2 | 58.0 | -4.0 | 1960 | 23.9 | 49 | 31.4 | 49 | 38.9 | 49 | 58.8 | 1984 | 0.46 |
| 12/14 (348-s) | 25.9 | 36.5 | 47.3 | 2.0 | 1963 | 23.4 | 49 | 30.3 | 49 | 37.2 | 49 | 61.5 | 1984 | 0.01 |
| 12/15 (349-s) | 18.7 | 25.1 | 33.1 | -6.5 | 1989 | 21.3 | 49 | 29.6 | 49 | 37.8 | 49 | 63.0 | 1948 | 0.00 |
| 12/16 (350-m) | 11.5 | 21.4 | 32.2 | -11.0 | 1951 | 20.8 | 48 | 28.8 | 48 | 36.8 | 48 | 63.0 | 1948 | 0.00 |
| 12/17 (351-t) | 27.8 | 34.8 | 44.1 | -14.4 | 1989 | 20.6 | 49 | 28.8 | 49 | 37.4 | 49 | 65.1 | 1984 | 0.00 |
| 12/18 (352-w) | 11.7 | 21.4 | 28.0 | -6.0 | 1989 | 20.0 | 49 | 27.8 | 49 | 35.9 | 49 | 62.0 | 1967 | 0.00 |
| 12/19 (353-t) | 10.2 | 19.6 | 30.0 | -6.0 | 1963 | 21.4 | 48 | 28.5 | 48 | 35.8 | 48 | 57.0 | 1957 | 0.00 |
| 12/20 (354-f) | 20.6 | 31.4 | 40.2 | -7.0 | 1963 | 22.4 | 49 | 29.9 | 49 | 37.3 | 49 | 62.0 | 1949 | 0.00 |
| 12/21 (355-s) | 26.7 | 33.5 | 40.2 | -16.2 | 1989 | 22.2 | 47 | 29.8 | 47 | 37.8 | 48 | 66.0 | 1967 | 0.14 |
| 12/22 (356-s) | 25.8 | 32.2 | 38.9 | -23.1 | 1989 | 20.1 | 48 | 28.7 | 47 | 37.1 | 48 | 60.0 | 1949 | 0.00 |
| 12/23 (357-m) | 31.4 | 38.9 | 45.2 | -11.0 | 1989 | 22.7 | 48 | 30.1 | 47 | 37.6 | 47 | 60.0 | 1957 | 0.44 |
| 12/24 (358-t) | 24.7 | 31.2 | 37.6 | -14.3 | 1983 | 22.8 | 47 | 30.8 | 47 | 38.7 | 47 | 62.0 | 1964 | 0.00 |
| 12/25 (359-w) | 21.1 | 28.3 | 39.1 | -13.0 | 1983 | 20.8 | 48 | 29.1 | 48 | 37.5 | 48 | 62.6 | 1982 | 0.00 |
| 12/26 (360-t) | 20.4 | 30.3 | 43.8 | -6.0 | 1983 | 21.7 | 48 | 29.2 | 47 | 36.4 | 47 | 54.0 | 1971 | 0.00 |
| 12/27 (361-f) | 24.4 | 33.0 | 43.0 | -2.0 | 1950 | 22.6 | 48 | 30.8 | 48 | 38.6 | 48 | 67.0 | 1959 | 0.00 |
| 12/28 (362-s) | 30.6 | 33.7 | 37.1 | 3.0 | 1950 | 22.0 | 48 | 30.2 | 47 | 38.2 | 47 | 64.9 | 1984 | 0.09 |
| 12/29 (363-s) | 32.6 | 34.3 | 35.6 | -4.2 | 1983 | 22.1 | 47 | 29.4 | 46 | 36.4 | 47 | 61.9 | 1984 | 0.10 |
| 12/30 (364-m) | 30.6 | 31.8 | 34.1 | -7.8 | 1983 | 23.0 | 45 | 30.8 | 45 | 39.2 | 46 | 61.0 | 1964 | 0.00 |
| 12/31 (365-t) | 30.5 | 31.2 | 32.6 | -10.0 | 1976 | 23.4 | 44 | 31.0 | 44 | 38.7 | 44 | 67.0 | 1951 | 0.00 |
| Column Min's: | 9.7 | 13.3 | 18.5 | -23.1 | | 20.0 | | 27.8 | | 35.8 | | | | 0.00 |
| Column Avg's: | 26.3 | 33.7 | 41.6 | | | 23.8 | | 31.6 | | 39.4 | | | | 0.09 |
| Column Max's: | 49.2 | 54.9 | 61.7 | | | 28.8 | | 36.3 | | 45.1 | | 73.6 | | 1.51 |
| Column Tot's: | | | | | | | | | | | | | | 2.91 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

62 0.06 21 0.11 92
 87 0.10 109 0.52 113
 100 0.16 233 0.89 152
 3.09 3375 3517

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | | | | | |
|---------------|---------|-----------|--|----------|------------------------|------|-----------------|----------|----|------|----|------|------|------|----|----|----|------|----|-----|------|-----|----|
| | min | avg | min | avg | prec | evap | ly | max | | | | | | | | | | | | | | | |
| mo da jul | Current | Long Term | avg yrs | avgm yrs | liq | hum | Term | Lng-Term | | | | | | | | | | | | | | | |
| | min | avg | avg yrs | avgm yrs | prec | % | avg pr yrs | ly/m | | | | | | | | | | | | | | | |
| | | | max | max | | | | | | | | | | | | | | | | | | | |
| | | | min | max | | | | | | | | | | | | | | | | | | | |
| | | | min | max | | | | | | | | | | | | | | | | | | | |
| 03/01 (060-f) | 37.1 | 50.6 | 62.9 | 3.9 | 1986 | 25.0 | 47 | 34.9 | 47 | 45.0 | 47 | 71.0 | 1976 | 0.01 | -- | -- | 66 | 0.07 | 44 | 215 | 1.14 | 298 | 10 |
| 03/02 (061-s) | 38.9 | 54.5 | 63.5 | -4.0 | 1978 | 25.4 | 48 | 35.7 | 48 | 46.2 | 48 | 65.8 | 1983 | 0.00 | -- | -- | 90 | 0.07 | 43 | 105 | 1.20 | 267 | 10 |
| 03/03 (062-s) | 24.8 | 30.2 | 38.9 | -3.0 | 1980 | 27.2 | 48 | 36.9 | 48 | 46.9 | 48 | 72.0 | 1976 | 0.00 | -- | -- | 96 | 0.08 | 40 | 67 | 0.29 | 267 | 10 |
| 03/04 (063-m) | 24.4 | 32.6 | 47.9 | 4.0 | 1978 | 29.3 | 48 | 38.6 | 48 | 48.1 | 48 | 77.3 | 1983 | 0.01 | -- | -- | 79 | 0.28 | 42 | 392 | 1.10 | 227 | 10 |
| 03/05 (064-t) | 23.5 | 40.0 | 56.2 | -6.0 | 1978 | 28.2 | 48 | 38.4 | 48 | 48.8 | 48 | 78.0 | 1976 | 0.00 | -- | -- | 74 | 0.21 | 43 | 427 | 1.07 | 229 | 10 |
| 03/06 (065-w) | 33.9 | 44.6 | 51.1 | -2.0 | 1978 | 27.6 | 48 | 36.4 | 47 | 45.6 | 47 | 70.0 | 1946 | 0.42 | -- | -- | 89 | 0.16 | 47 | 36 | 0.26 | 206 | 10 |
| 03/07 (066-t) | 25.0 | 32.0 | 42.0 | 9.1 | 1986 | 27.6 | 48 | 36.3 | 48 | 45.5 | 48 | 75.2 | 1983 | 0.00 | -- | -- | 80 | 0.08 | 43 | 357 | 1.47 | 330 | 10 |
| 03/08 (067-f) | 19.4 | 29.8 | 42.0 | 1.9 | 1984 | 25.6 | 48 | 36.1 | 48 | 46.6 | 48 | 73.0 | 1974 | 0.00 | -- | -- | 69 | 0.08 | 40 | 449 | 1.11 | 300 | 10 |
| 03/09 (068-s) | 26.2 | 33.3 | 50.1 | -13.0 | 1984 | 25.8 | 47 | 35.9 | 47 | 46.6 | 47 | 78.0 | 1974 | 0.09 | -- | -- | 79 | 0.11 | 46 | 270 | 1.43 | 279 | 10 |
| 03/10 (069-s) | 27.9 | 33.0 | 38.5 | -1.5 | 1984 | 27.6 | 48 | 37.1 | 48 | 46.5 | 48 | 72.0 | 1974 | 0.03 | -- | -- | 91 | 0.12 | 44 | 148 | 1.24 | 299 | 9 |
| 03/11 (070-m) | 26.2 | 33.4 | 44.1 | 8.4 | 1984 | 29.0 | 48 | 38.3 | 48 | 47.9 | 48 | 76.1 | 1990 | 0.00 | -- | -- | 82 | 0.11 | 41 | 404 | 1.22 | 268 | 10 |
| 03/12 (071-t) | 24.1 | 28.0 | 32.5 | 4.0 | 1948 | 29.4 | 48 | 38.9 | 48 | 48.6 | 48 | 74.0 | 1973 | 0.17 | -- | -- | 82 | 0.12 | 40 | 116 | 0.43 | 259 | 10 |
| 03/13 (072-w) | 29.4 | 31.7 | 33.5 | 6.0 | 1960 | 30.7 | 47 | 40.5 | 47 | 50.6 | 47 | 77.8 | 1990 | 0.93 | -- | -- | 95 | 0.13 | 45 | 78 | 0.31 | 265 | 9 |
| 03/14 (073-t) | 29.4 | 33.3 | 40.0 | 14.0 | 1981 | 30.8 | 48 | 40.8 | 47 | 51.2 | 47 | 77.7 | 1990 | 0.00 | -- | -- | 83 | 0.09 | 43 | 482 | 1.29 | 293 | 10 |
| 03/15 (074-f) | 25.3 | 34.5 | 44.7 | 8.0 | 1970 | 30.9 | 48 | 40.2 | 47 | 49.8 | 47 | 76.6 | 1990 | 0.00 | -- | -- | 85 | 0.07 | 42 | 491 | 1.23 | 276 | 10 |
| 03/16 (075-s) | 28.0 | 39.1 | 51.5 | 9.0 | 1970 | 30.1 | 48 | 39.9 | 47 | 50.1 | 47 | 82.0 | 1945 | 0.00 | -- | -- | 74 | 0.08 | 43 | 467 | 1.27 | 292 | 10 |
| 03/17 (076-s) | 34.6 | 45.0 | 55.7 | 13.0 | 1967 | 29.1 | 48 | 39.1 | 48 | 49.2 | 48 | 73.0 | 1945 | 0.44 | -- | -- | 76 | 0.10 | 43 | 225 | 1.24 | 303 | 10 |
| 03/18 (077-m) | 36.5 | 42.3 | 47.3 | 12.0 | 1964 | 28.6 | 48 | 38.2 | 48 | 48.3 | 48 | 73.0 | 1945 | 0.01 | -- | -- | 95 | 0.09 | 46 | 57 | 0.66 | 208 | 10 |
| 03/19 (078-t) | 34.7 | 41.7 | 53.4 | 13.0 | 1965 | 30.3 | 48 | 40.1 | 48 | 50.2 | 48 | 75.0 | 1968 | 0.00 | -- | -- | 86 | 0.15 | 45 | 320 | 1.45 | 266 | 10 |
| 03/20 (079-w) | 30.6 | 46.8 | 60.4 | 16.0 | 1965 | 31.1 | 48 | 40.5 | 48 | 50.0 | 48 | 78.0 | 1948 | 0.00 | -- | -- | 78 | 0.11 | 43 | 402 | 1.21 | 282 | 10 |
| 03/21 (080-t) | 47.2 | 59.7 | 74.0 | 14.2 | 1986 | 31.7 | 48 | 40.7 | 48 | 50.1 | 48 | 80.0 | 1948 | 0.00 | -- | -- | 74 | 0.14 | 41 | 436 | 1.29 | 372 | 10 |
| 03/22 (081-f) | 54.1 | 59.1 | 67.4 | 15.0 | 1959 | 31.3 | 48 | 41.3 | 48 | 51.7 | 48 | 74.0 | 1966 | 1.15 | -- | -- | 91 | 0.18 | 43 | 153 | 0.91 | 284 | 10 |
| 03/23 (082-s) | 52.6 | 59.4 | 66.2 | 17.0 | 1960 | 32.6 | 48 | 42.8 | 48 | 53.3 | 48 | 73.7 | 1988 | 0.00 | -- | -- | 69 | 0.08 | 46 | 426 | 1.32 | 351 | 10 |
| 03/24 (083-s) | 37.2 | 41.6 | 53.2 | 6.0 | 1974 | 32.3 | 48 | 42.9 | 48 | 54.0 | 48 | 74.9 | 1988 | 0.00 | -- | -- | 86 | 0.08 | 44 | 77 | 0.35 | 339 | 10 |
| 03/25 (084-m) | 34.3 | 48.8 | 64.1 | 1.0 | 1974 | 32.0 | 48 | 43.0 | 48 | 54.2 | 48 | 83.0 | 1945 | 0.00 | -- | -- | 77 | 0.08 | 44 | 489 | 1.17 | 337 | 10 |
| 03/26 (085-t) | 45.7 | 50.5 | 57.7 | 6.0 | 1974 | 33.0 | 48 | 42.9 | 48 | 53.0 | 48 | 78.0 | 1950 | 0.54 | -- | -- | 88 | 0.14 | 42 | 91 | 0.94 | 334 | 10 |
| 03/27 (086-w) | 52.1 | 62.2 | 68.5 | 12.0 | 1955 | 33.5 | 48 | 44.3 | 47 | 55.3 | 47 | 81.0 | 1945 | 0.09 | -- | -- | 84 | 0.09 | 41 | 178 | 0.89 | 311 | 10 |
| 03/28 (087-t) | 36.6 | 46.2 | 56.5 | 16.0 | 1955 | 34.0 | 47 | 44.7 | 47 | 55.3 | 47 | 81.0 | 1945 | 0.00 | -- | -- | 69 | 0.09 | 43 | 544 | 1.26 | 337 | 10 |
| 03/29 (088-f) | 29.6 | 36.0 | 46.1 | 22.0 | 1964 | 36.9 | 47 | 47.8 | 47 | 58.9 | 47 | 79.0 | 1963 | 0.00 | -- | -- | 76 | 0.17 | 47 | 223 | 1.03 | 248 | 10 |
| 03/30 (089-s) | 25.9 | 31.7 | 43.0 | 16.0 | 1964 | 35.8 | 47 | 45.2 | 47 | 55.2 | 47 | 81.7 | 1986 | 0.00 | -- | -- | 66 | 0.11 | 44 | 487 | 1.64 | 292 | 10 |
| 03/31 (090-s) | 23.3 | 35.9 | 49.8 | 17.0 | 1969 | 34.3 | 45 | 45.0 | 45 | 56.2 | 45 | 81.9 | 1986 | 0.02 | -- | -- | 77 | 0.09 | 42 | 423 | 1.32 | 318 | 10 |

| | | | | | | | |
|---------------|------|------|------|-------|------|------|------|
| Column Min's: | 19.4 | 28.0 | 32.5 | -13.0 | 25.0 | 34.9 | 45.0 |
| Column Avg's: | 32.9 | 41.5 | 51.7 | | 30.2 | 40.1 | 50.3 |
| Column Max's: | 54.1 | 62.2 | 74.0 | | 36.9 | 47.8 | 58.9 |
| Column Ttl's: | | | | | | | 83.0 |
| | | | | | | | 3.91 |
| | | | | | | | 66 |
| | | | | | | | 81 |
| | | | | | | | 96 |
| | | | | | | | 3.56 |
| | | | | | | | 9035 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | | A I R | | T E M P E R A T U R E | | (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | |
|---------------|---------|-------------------|-------|-----------------------|----------|----------------------|-----------|------------------------|------|-----------------|-----------|----|------|------|------|----|------|----|-------|------|-------|----|
| mo | da | min | avg | max | min year | avgm yrs | Long Term | avgm yrs | ly | max | Long-Term | | | | | | | | | | | |
| | jul |Current..... | | | | | | | ly/m | ly/m | avg yrs | | | | | | | | | | | |
| 04/01 | (091-m) | 32.0 | 40.9 | 53.9 | 18.0 | 1964 | 37.2 | 46 | 47.5 | 46 | 58.0 | 47 | 79.0 | 1963 | 0.03 | 73 | 0.08 | 44 | 505 | 1.65 | 352 | 10 |
| 04/02 | (092-t) | 22.7 | 37.7 | 53.5 | 21.0 | 1961 | 36.8 | 46 | 47.4 | 45 | 58.2 | 45 | 82.0 | 1963 | 0.00 | 61 | 0.23 | 43 | 583 | 1.31 | 333 | 10 |
| 04/03 | (093-w) | 30.1 | 46.4 | 62.4 | 19.0 | 1972 | 36.3 | 46 | 46.3 | 46 | 56.3 | 46 | 77.0 | 1956 | 0.00 | 51 | 0.17 | 46 | 502 | 1.28 | 237 | 10 |
| 04/04 | (094-t) | 45.9 | 56.1 | 67.3 | 22.0 | 1964 | 36.3 | 48 | 47.2 | 48 | 58.3 | 48 | 81.7 | 1986 | 0.16 | 58 | 0.23 | 43 | 245 | 0.95 | 318 | 10 |
| 04/05 | (095-f) | 50.0 | 58.4 | 70.6 | 17.0 | 1970 | 36.4 | 46 | 46.6 | 46 | 57.0 | 46 | 81.4 | 1988 | 0.07 | 83 | 0.20 | 45 | 444 | 1.58 | 262 | 10 |
| 04/06 | (096-s) | 46.1 | 61.4 | 76.8 | 18.6 | 1982 | 37.1 | 46 | 46.1 | 46 | 55.7 | 46 | 76.8 | 1991 | 0.00 | 70 | 0.13 | 41 | 526 | 1.24 | 278 | 10 |
| 04/07 | (097-s) | 51.3 | 65.8 | 79.8 | 15.5 | 1982 | 35.1 | 46 | 46.9 | 46 | 58.9 | 46 | 83.0 | 1954 | 0.00 | 75 | 0.13 | 41 | 469 | 1.43 | 376 | 10 |
| 04/08 | (098-m) | 58.5 | 64.7 | 73.2 | 16.0 | 1972 | 36.0 | 46 | 46.8 | 46 | 57.8 | 46 | 79.0 | 1969 | 0.21 | 88 | 0.11 | 47 | 219 | 1.49 | 354 | 10 |
| 04/09 | (099-t) | 44.5 | 60.7 | 75.9 | 17.0 | 1972 | 35.0 | 48 | 46.1 | 48 | 57.5 | 48 | 81.0 | 1953 | 0.31 | 89 | 0.10 | 46 | 191 | 1.54 | 329 | 10 |
| 04/10 | (100-w) | 32.5 | 41.3 | 48.8 | 22.3 | 1989 | 33.7 | 47 | 45.5 | 47 | 57.2 | 47 | 82.0 | 1945 | 0.00 | 82 | 0.13 | 44 | 254 | 1.51 | 403 | 10 |
| 04/11 | (101-t) | 26.5 | 41.5 | 55.2 | 23.3 | 1989 | 36.3 | 46 | 47.5 | 46 | 59.5 | 47 | 84.0 | 1945 | 0.00 | 73 | 0.10 | 46 | 529 | 1.45 | 448 | 10 |
| 04/12 | (102-f) | 37.7 | 47.3 | 56.9 | 18.0 | 1976 | 37.7 | 46 | 48.9 | 46 | 59.9 | 46 | 80.0 | 1977 | 0.04 | 53 | 0.15 | 44 | 469 | 1.26 | 438 | 10 |
| 04/13 | (103-s) | 46.2 | 54.2 | 63.2 | 20.0 | 1950 | 39.6 | 47 | 50.6 | 46 | 61.4 | 46 | 81.0 | 1960 | 1.17 | 93 | 0.13 | 44 | 92 | 0.39 | 399 | 10 |
| 04/14 | (104-s) | 53.4 | 60.7 | 71.1 | 21.0 | 1950 | 39.7 | 46 | 51.8 | 46 | 64.0 | 46 | 80.0 | 1977 | 0.37 | 91 | 0.14 | 44 | 176 | 1.68 | 343 | 10 |
| 04/15 | (105-m) | 48.7 | 57.9 | 63.5 | 25.0 | 1957 | 39.7 | 46 | 50.6 | 46 | 61.4 | 46 | 80.0 | 1954 | 0.23 | 82 | 0.12 | 43 | 463 | 1.78 | 331 | 10 |
| 04/16 | (106-t) | 45.5 | 60.0 | 74.6 | 23.9 | 1988 | 38.5 | 46 | 50.4 | 46 | 62.4 | 46 | 82.0 | 1967 | 0.00 | 70 | 0.07 | 45 | 591 | 1.34 | 406 | 10 |
| 04/17 | (107-w) | 46.2 | 57.3 | 68.0 | 25.0 | 1962 | 39.8 | 47 | 51.1 | 47 | 62.5 | 48 | 83.0 | 1964 | 0.00 | 76 | 0.09 | 46 | 583 | 1.45 | 356 | 10 |
| 04/18 | (108-t) | 39.8 | 51.7 | 62.6 | 22.0 | 1990 | 40.6 | 47 | 52.6 | 47 | 64.7 | 47 | 85.0 | 1958 | 0.00 | 76 | 0.09 | 46 | 522 | 1.45 | 440 | 10 |
| 04/19 | (109-f) | 44.9 | 49.8 | 58.4 | 20.8 | 1983 | 41.9 | 48 | 53.9 | 48 | 66.3 | 48 | 85.0 | 1977 | 0.50 | 92 | 0.13 | 46 | 68 | 0.52 | 395 | 10 |
| 04/20 | (110-s) | 37.0 | 40.4 | 45.2 | 22.7 | 1983 | 43.0 | 48 | 54.5 | 48 | 65.8 | 48 | 90.0 | 1976 | 0.01 | 94 | 0.15 | 46 | 67 | 0.22 | 357 | 10 |
| 04/21 | (111-s) | 35.8 | 38.0 | 40.8 | 26.9 | 1983 | 44.2 | 48 | 55.8 | 48 | 67.3 | 48 | 93.0 | 1976 | 0.02 | 94 | 0.08 | 43 | 76 | 0.36 | 381 | 10 |
| 04/22 | (112-m) | 37.6 | 45.4 | 57.1 | 25.2 | 1986 | 44.4 | 48 | 55.9 | 48 | 67.7 | 48 | 87.2 | 1985 | 0.00 | 82 | 0.18 | 46 | 387 | 1.89 | 388 | 10 |
| 04/23 | (113-t) | 36.4 | 48.7 | 62.6 | 23.5 | 1986 | 44.6 | 48 | 56.0 | 48 | 67.6 | 48 | 88.0 | 1960 | 0.20 | 81 | 0.20 | 43 | 357 | 1.50 | 444 | 10 |
| 04/24 | (114-w) | 38.5 | 46.5 | 58.1 | 29.6 | 1983 | 44.2 | 48 | 54.9 | 48 | 65.6 | 48 | 89.0 | 1960 | 0.00 | 87 | 0.21 | 42 | 212 | 1.78 | 395 | 9 |
| 04/25 | (115-t) | 38.0 | 52.2 | 64.2 | 23.6 | 1983 | 43.5 | 48 | 56.1 | 48 | 68.5 | 48 | 87.0 | 1990 | 0.00 | 82 | 0.14 | 44 | 525 | 1.58 | 525 | 10 |
| 04/26 | (116-f) | 52.5 | 62.6 | 74.8 | 26.0 | 1972 | 44.2 | 48 | 56.0 | 48 | 67.7 | 48 | 88.0 | 1948 | 0.00 | 77 | 0.08 | 45 | 356 | 1.61 | 501 | 10 |
| 04/27 | (117-s) | 56.4 | 65.7 | 73.8 | 29.0 | 1972 | 44.4 | 47 | 55.8 | 47 | 67.4 | 47 | 88.4 | 1986 | 0.00 | 85 | 0.11 | 47 | 303 | 1.68 | 417 | 10 |
| 04/28 | (118-s) | 56.8 | 65.6 | 74.4 | 28.0 | 1976 | 43.0 | 47 | 54.7 | 47 | 66.5 | 47 | 83.0 | 1951 | 0.15 | 88 | 0.13 | 45 | 242 | 0.90 | 379 | 10 |
| 04/29 | (119-m) | 61.6 | 67.2 | 77.8 | 24.0 | 1977 | 43.7 | 48 | 55.3 | 48 | 66.9 | 48 | 84.0 | 1951 | 0.07 | 87 | 0.11 | 43 | 244 | 0.95 | 450 | 10 |
| 04/30 | (120-t) | 54.8 | 64.5 | 75.4 | 27.0 | 1977 | 45.6 | 48 | 57.4 | 48 | 69.2 | 48 | 88.0 | 1962 | 0.00 | 65 | 0.13 | 43 | 644 | 1.45 | 497 | 10 |
| Column Min's: | | 22.7 | 37.7 | 40.8 | 15.5 | | 33.7 | | 45.5 | | 55.7 | | | | 0.00 | 51 | 0.07 | | 67 | 0.22 | 237 | |
| Column Avg's: | | 43.6 | 53.7 | 64.7 | | | 39.9 | | 51.2 | | 62.6 | | | | 0.12 | 79 | 0.14 | | 361 | 1.31 | 384 | |
| Column Max's: | | 61.6 | 67.2 | 79.8 | | | 45.6 | | 57.4 | | 69.2 | | 93.0 | | 1.17 | 94 | 0.23 | | 644 | 1.89 | 525 | |
| Column Tot's: | | | | | | | | | | | | | | | 3.54 | | 4.05 | | 10844 | | 11532 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|---------|-----------|--|-----------|------------------------|-----------|-----------------|----------|
| | min | max | min | max | prec | evap | ly | max |
| mo da jul | Current | Long Term | avg yrs | avgmx yrs | liq | Long Term | ly/m | Lng-Term |
| | avg | avg | avg | avg | avg | avg | avg | avg |
| 05/01 (121-w) | 51.3 | 58.2 | 45.7 | 48 | 0.05 | -- | 439 | 1.87 |
| 05/02 (122-t) | 41.7 | 58.5 | 44.9 | 47 | 0.00 | -- | 637 | 1.49 |
| 05/03 (123-f) | 42.6 | 55.9 | 44.2 | 48 | 0.00 | -- | 588 | 1.37 |
| 05/04 (124-s) | 49.2 | 56.8 | 44.5 | 48 | 0.10 | -- | 234 | 1.22 |
| 05/05 (125-s) | 55.6 | 62.2 | 46.2 | 47 | 0.31 | -- | 184 | 1.11 |
| 05/06 (126-m) | 44.8 | 50.0 | 47.2 | 48 | 0.03 | -- | 193 | 2.05 |
| 05/07 (127-t) | 42.6 | 55.9 | 46.2 | 48 | 0.00 | -- | 669 | 1.48 |
| 05/08 (128-w) | 48.0 | 62.1 | 44.2 | 48 | 0.01 | -- | 479 | 1.36 |
| 05/09 (129-t) | 57.0 | 62.7 | 46.4 | 47 | 0.01 | -- | 361 | 1.66 |
| 05/10 (130-f) | 57.9 | 66.8 | 47.0 | 48 | 0.00 | -- | 469 | 1.84 |
| 05/11 (131-s) | 58.5 | 71.8 | 47.9 | 48 | 0.00 | -- | 551 | 1.47 |
| 05/12 (132-s) | 60.6 | 73.3 | 49.2 | 48 | 0.00 | -- | 544 | 1.62 |
| 05/13 (133-m) | 60.5 | 74.1 | 49.8 | 48 | 0.00 | -- | 531 | 1.52 |
| 05/14 (134-t) | 62.4 | 74.3 | 50.7 | 47 | 0.01 | -- | 557 | 1.45 |
| 05/15 (135-w) | 58.9 | 75.8 | 50.5 | 48 | 0.00 | -- | 624 | 1.34 |
| 05/16 (136-t) | 64.9 | 74.8 | 50.9 | 48 | 0.30 | -- | 478 | 1.48 |
| 05/17 (137-f) | 61.3 | 74.0 | 50.8 | 48 | 0.23 | -- | 509 | 1.54 |
| 05/18 (138-s) | 53.0 | 59.2 | 51.1 | 48 | 1.04 | -- | 249 | 0.86 |
| 05/19 (139-s) | 51.2 | 64.0 | 52.4 | 48 | 0.00 | -- | 446 | 1.54 |
| 05/20 (140-m) | 57.0 | 66.2 | 52.3 | 48 | 0.00 | -- | 633 | 1.38 |
| 05/21 (141-t) | 57.7 | 69.3 | 52.0 | 48 | 0.00 | -- | 639 | 1.89 |
| 05/22 (142-w) | 63.5 | 74.1 | 53.3 | 48 | 0.00 | -- | 471 | 1.47 |
| 05/23 (143-t) | 61.2 | 72.4 | 52.7 | 48 | 0.03 | -- | 325 | 1.50 |
| 05/24 (144-f) | 67.2 | 75.6 | 53.0 | 46 | 0.00 | -- | 562 | 1.62 |
| 05/25 (145-s) | 70.4 | 78.7 | 53.7 | 47 | 0.00 | -- | 524 | 1.66 |
| 05/26 (146-s) | 69.7 | 74.2 | 53.1 | 48 | 0.24 | -- | 342 | 1.86 |
| 05/27 (147-m) | 67.7 | 72.4 | 52.4 | 48 | 0.68 | -- | 308 | 1.37 |
| 05/28 (148-t) | 65.6 | 77.3 | 53.1 | 48 | 0.00 | -- | 626 | 1.53 |
| 05/29 (149-w) | 67.0 | 77.8 | 53.6 | 47 | 0.00 | -- | 508 | 1.82 |
| 05/30 (150-t) | 70.9 | 78.9 | 54.0 | 47 | 0.00 | -- | 553 | 1.58 |
| 05/31 (151-f) | 67.0 | 77.7 | 54.9 | 47 | 0.24 | -- | 575 | 1.53 |

| | | | | | | | | | |
|---------------|------|------|------|----|------|------|-------|------|-------|
| Column Min's: | 41.7 | 50.0 | 44.2 | 48 | 0.00 | 57 | 184 | 0.86 | 353 |
| Column Avg's: | 58.3 | 68.5 | 49.9 | 48 | 0.11 | 78 | 478 | 1.53 | 444 |
| Column Max's: | 70.9 | 78.9 | 54.9 | 48 | 1.04 | 90 | 669 | 2.05 | 564 |
| Column Ttl's: | | | | | 3.28 | 4.67 | 14808 | | 13765 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | | | | | |
|---------------|-------|------|--|----------|------------------------|----------|-----------------|---------|----|------|----|-------|------|------|----|----|----|------|----|-----|------|-----|----|
| | min | max | min | max | prec | liq | ly | max | | | | | | | | | | | | | | | |
| mo da jul | avg | avg | avg yrs | avg yrs | evap | prec | ly/m | ly/m | | | | | | | | | | | | | | | |
| | | | avgm yrs | avgm yrs | pr | max year | | avg yrs | | | | | | | | | | | | | | | |
| 06/01 (152-s) | 65.2 | 77.1 | 90.2 | 39.0 | 1972 | 55.6 | 47 | 67.5 | 47 | 79.4 | 47 | 95.0 | 1988 | 0.22 | -- | -- | 80 | 0.21 | 41 | 586 | 1.48 | 497 | 10 |
| 06/02 (153-s) | 65.7 | 74.8 | 91.5 | 42.0 | 1966 | 54.1 | 47 | 65.7 | 47 | 77.6 | 47 | 95.0 | 1951 | 0.16 | -- | -- | 83 | 0.21 | 44 | 464 | 1.71 | 468 | 9 |
| 06/03 (154-m) | 64.9 | 72.3 | 83.6 | 41.0 | 1977 | 54.3 | 48 | 65.6 | 48 | 77.2 | 48 | 92.0 | 1949 | 0.00 | -- | -- | 80 | 0.18 | 43 | 503 | 1.78 | 471 | 9 |
| 06/04 (155-t) | 56.3 | 64.5 | 74.0 | 41.4 | 1988 | 53.7 | 48 | 65.9 | 47 | 78.3 | 47 | 92.0 | 1944 | 0.00 | -- | -- | 71 | 0.03 | 45 | 716 | 1.47 | 468 | 10 |
| 06/05 (156-w) | 53.1 | 63.2 | 74.2 | 37.9 | 1990 | 55.3 | 47 | 67.9 | 46 | 80.4 | 47 | 90.0 | 1944 | 0.00 | -- | -- | 67 | 0.07 | 44 | 640 | 1.88 | 477 | 10 |
| 06/06 (157-t) | 53.1 | 65.2 | 77.9 | 40.0 | 1945 | 56.9 | 47 | 69.0 | 46 | 81.1 | 47 | 93.5 | 1988 | 0.00 | -- | -- | 59 | 0.22 | 46 | 665 | 1.70 | 511 | 10 |
| 06/07 (158-f) | 52.8 | 67.8 | 81.7 | 44.0 | 1944 | 57.7 | 48 | 69.1 | 48 | 80.6 | 48 | 93.2 | 1988 | 0.00 | -- | -- | 57 | 0.05 | 44 | 621 | 1.74 | 496 | 10 |
| 06/08 (159-s) | 54.9 | 69.6 | 83.6 | 39.0 | 1977 | 58.2 | 48 | 70.2 | 48 | 82.3 | 48 | 94.0 | 1952 | 0.00 | -- | -- | 56 | 0.10 | 48 | 693 | 1.57 | 573 | 10 |
| 06/09 (160-s) | 54.3 | 72.6 | 86.5 | 44.0 | 1975 | 58.7 | 47 | 70.2 | 47 | 81.2 | 48 | 93.0 | 1953 | 0.00 | -- | -- | 58 | 0.14 | 47 | 599 | 1.55 | 547 | 10 |
| 06/10 (161-m) | 58.9 | 73.3 | 85.1 | 39.0 | 1977 | 57.6 | 47 | 69.8 | 47 | 81.8 | 47 | 93.0 | 1954 | 0.00 | -- | -- | 66 | 0.18 | 45 | 544 | 1.50 | 502 | 10 |
| 06/11 (162-t) | 65.5 | 71.9 | 83.3 | 34.0 | 1972 | 56.4 | 45 | 69.2 | 46 | 81.5 | 47 | 92.0 | 1946 | 0.47 | -- | -- | 81 | 0.07 | 47 | 321 | 1.51 | 550 | 10 |
| 06/12 (163-w) | 64.8 | 73.8 | 86.4 | 42.0 | 1980 | 58.5 | 46 | 69.7 | 46 | 81.2 | 46 | 93.0 | 1954 | 0.00 | -- | -- | 76 | 0.15 | 46 | 589 | 1.60 | 390 | 9 |
| 06/13 (164-t) | 60.1 | 72.8 | 87.8 | 43.1 | 1985 | 59.0 | 44 | 70.7 | 44 | 82.3 | 45 | 95.0 | 1956 | 0.00 | -- | -- | 71 | 0.18 | 43 | 705 | 1.49 | 558 | 9 |
| 06/14 (165-f) | 62.1 | 76.9 | 89.9 | 43.0 | 1978 | 58.9 | 43 | 70.3 | 43 | 81.9 | 46 | 95.4 | 1988 | 0.00 | -- | -- | 62 | 0.18 | 47 | 669 | 1.44 | 565 | 9 |
| 06/15 (166-s) | 70.0 | 78.9 | 88.2 | 21.7 | 1986 | 59.1 | 46 | 70.8 | 46 | 81.8 | 47 | 94.0 | 1988 | 0.05 | -- | -- | 82 | 0.14 | 45 | 532 | 1.62 | 452 | 9 |
| 06/16 (167-s) | 65.9 | 73.4 | 85.6 | 42.0 | 1961 | 59.1 | 47 | 70.3 | 46 | 81.5 | 47 | 96.0 | 1952 | 0.11 | -- | -- | 85 | 0.16 | 43 | 383 | 1.66 | 416 | 10 |
| 06/17 (168-m) | 63.6 | 73.2 | 83.6 | 42.0 | 1980 | 57.5 | 46 | 69.0 | 46 | 80.7 | 47 | 97.0 | 1957 | 0.01 | -- | -- | 76 | 0.09 | 47 | 575 | 1.68 | 531 | 10 |
| 06/18 (169-t) | 64.3 | 76.3 | 88.5 | 47.0 | 1986 | 58.3 | 46 | 69.9 | 45 | 81.8 | 47 | 99.0 | 1944 | 0.00 | -- | -- | 68 | 0.08 | 45 | 653 | 1.62 | 554 | 10 |
| 06/19 (170-w) | 64.5 | 76.6 | 87.6 | 47.0 | 1959 | 59.7 | 46 | 71.3 | 46 | 83.0 | 48 | 92.0 | 1953 | 0.00 | -- | -- | 76 | 0.11 | 47 | 577 | 1.35 | 487 | 9 |
| 06/20 (171-t) | 64.3 | 78.1 | 93.5 | 42.0 | 1970 | 59.0 | 47 | 70.7 | 47 | 82.6 | 47 | 96.0 | 1953 | 0.00 | -- | -- | 67 | 0.16 | 46 | 617 | 1.48 | 422 | 10 |
| 06/21 (172-f) | 65.9 | 79.6 | 92.0 | 47.0 | 1980 | 59.8 | 48 | 71.6 | 48 | 83.6 | 48 | 99.2 | 1988 | 0.00 | -- | -- | 61 | 0.09 | 45 | 589 | 1.43 | 561 | 10 |
| 06/22 (173-s) | 62.1 | 71.2 | 81.7 | 45.0 | 1961 | 60.3 | 48 | 71.4 | 48 | 82.9 | 48 | 97.6 | 1988 | 0.64 | -- | -- | 87 | 0.12 | 46 | 233 | 0.98 | 418 | 10 |
| 06/23 (174-s) | 57.1 | 68.5 | 80.9 | 46.2 | 1982 | 59.6 | 48 | 70.9 | 48 | 82.3 | 48 | 95.0 | 1948 | 0.00 | -- | -- | 83 | 0.17 | 44 | 466 | 1.53 | 491 | 10 |
| 06/24 (175-m) | 62.2 | 71.9 | 83.5 | 45.8 | 1982 | 59.2 | 48 | 71.4 | 48 | 83.6 | 48 | 94.0 | 1949 | 0.00 | -- | -- | 79 | 0.14 | 43 | 607 | 1.59 | 599 | 10 |
| 06/25 (176-t) | 63.9 | 74.0 | 85.6 | 41.0 | 1979 | 59.8 | 46 | 71.9 | 45 | 84.0 | 46 | 103.4 | 1988 | 0.00 | -- | -- | 75 | 0.14 | 43 | 608 | 1.51 | 620 | 10 |
| 06/26 (177-w) | 63.5 | 73.0 | 86.4 | 45.3 | 1984 | 59.8 | 48 | 72.7 | 48 | 85.2 | 48 | 98.0 | 1952 | 0.00 | -- | -- | 78 | 0.20 | 46 | 572 | 1.46 | 606 | 10 |
| 06/27 (178-t) | 59.1 | 74.7 | 87.3 | 45.0 | 1981 | 60.3 | 45 | 72.6 | 45 | 85.4 | 46 | 101.0 | 1944 | 0.00 | -- | -- | 75 | 0.17 | 47 | 681 | 1.46 | 548 | 9 |
| 06/28 (179-f) | 65.2 | 77.5 | 89.1 | 46.9 | 1987 | 61.5 | 45 | 73.4 | 44 | 85.6 | 45 | 103.0 | 1944 | 0.00 | -- | -- | 77 | 0.21 | 46 | 539 | 1.70 | 554 | 9 |
| 06/29 (180-s) | 68.1 | 78.0 | 87.9 | 49.0 | 1956 | 62.4 | 47 | 74.0 | 47 | 85.8 | 47 | 99.0 | 1952 | 0.00 | -- | -- | 80 | 0.15 | 46 | 475 | 1.49 | 454 | 10 |
| 06/30 (181-s) | 66.2 | 80.6 | 93.3 | 45.2 | 1988 | 62.4 | 47 | 73.9 | 47 | 85.5 | 47 | 99.0 | 1953 | 0.00 | -- | -- | 77 | 0.13 | 46 | 570 | 1.47 | 496 | 10 |

| | | | | | | | | | | | | | | |
|---------------|------|------|------|------|------|------|------|------|------|----|------|------|------|-------|
| Column Min's: | 52.8 | 63.2 | 74.0 | 21.7 | 53.7 | 65.6 | 77.2 | 0.00 | 0.00 | 56 | 0.03 | 233 | 0.98 | 390 |
| Column Avg's: | 61.9 | 73.4 | 85.7 | 58.4 | 70.2 | 82.1 | 77.2 | 0.06 | 0.06 | 73 | 0.14 | 566 | 1.55 | 509 |
| Column Max's: | 70.0 | 80.6 | 93.5 | 62.4 | 74.0 | 85.8 | 85.8 | 0.64 | 0.64 | 87 | 0.22 | 716 | 1.88 | 620 |
| Column Ttl's: | | | | | | | | 1.66 | 1.66 | | 4.23 | 1692 | | 15282 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | |
|---------------|-------|------|--|------|------------------------|------|-----------------|-----------------------------|
| | min | avg | min | avg | prec | evap | ly | max Lng-Trm ly/m avg yrs |
| 07/01 (182-m) | 69.5 | 78.6 | 41.1 | 84.7 | 0.00 | 81 | 522 | 1.50 |
| 07/02 (183-t) | 68.5 | 78.4 | 49.0 | 84.2 | 0.00 | 76 | 630 | 1.58 |
| 07/03 (184-w) | 68.3 | 77.5 | 50.0 | 85.1 | 0.00 | 75 | 617 | 1.62 |
| 07/04 (185-t) | 67.4 | 74.5 | 48.0 | 84.1 | 0.00 | 81 | 432 | 1.96 |
| 07/05 (186-f) | 64.9 | 77.1 | 48.0 | 85.1 | 0.00 | 69 | 626 | 1.64 |
| 07/06 (187-s) | 66.4 | 78.7 | 43.0 | 83.9 | 0.07 | 77 | 626 | 1.42 |
| 07/07 (188-s) | 69.3 | 81.9 | 45.9 | 84.6 | 0.01 | 74 | 548 | 1.55 |
| 07/08 (189-m) | 65.6 | 71.8 | 47.5 | 85.9 | 0.50 | 86 | 268 | 1.66 |
| 07/09 (190-t) | 59.5 | 70.8 | 52.0 | 86.1 | 0.00 | 83 | 376 | 1.75 |
| 07/10 (191-w) | 65.0 | 70.9 | 49.0 | 85.4 | 0.34 | 85 | 287 | 1.19 |
| 07/11 (192-t) | 60.6 | 73.9 | 48.0 | 85.8 | 0.00 | 73 | 571 | 1.74 |
| 07/12 (193-f) | 68.5 | 73.7 | 47.0 | 85.2 | 0.10 | 86 | 228 | 1.58 |
| 07/13 (194-s) | 63.2 | 75.1 | 47.0 | 84.6 | 0.00 | 78 | 637 | 1.74 |
| 07/14 (195-s) | 61.5 | 71.9 | 47.0 | 85.5 | 0.00 | 74 | 626 | 1.64 |
| 07/15 (196-m) | 58.9 | 71.4 | 48.3 | 85.1 | 0.00 | 66 | 701 | 1.44 |
| 07/16 (197-t) | 54.1 | 72.8 | 49.0 | 86.5 | 0.00 | 61 | 700 | 1.41 |
| 07/17 (198-w) | 57.8 | 75.3 | 48.0 | 86.1 | 0.00 | 65 | 662 | 1.40 |
| 07/18 (199-t) | 60.9 | 77.3 | 48.0 | 86.9 | 0.00 | 66 | 653 | 1.41 |
| 07/19 (200-f) | 63.3 | 77.1 | 47.0 | 86.1 | 0.00 | 78 | 444 | 1.38 |
| 07/20 (201-s) | 68.1 | 80.3 | 45.0 | 85.8 | 0.00 | 75 | 567 | 1.41 |
| 07/21 (202-s) | 69.0 | 81.1 | 46.0 | 86.4 | 0.00 | 74 | 537 | 1.54 |
| 07/22 (203-m) | 70.0 | 82.9 | 49.0 | 86.1 | 0.00 | 70 | 593 | 1.36 |
| 07/23 (204-t) | 63.3 | 79.0 | 47.0 | 85.6 | 0.35 | 76 | 456 | 1.62 |
| 07/24 (205-w) | 56.5 | 71.7 | 50.0 | 86.0 | 0.00 | 65 | 559 | 1.56 |
| 07/25 (206-t) | 62.0 | 72.4 | 53.0 | 86.2 | 0.00 | 71 | 476 | 1.69 |
| 07/26 (207-f) | 56.9 | 71.0 | 49.0 | 86.1 | 0.00 | 69 | 587 | 1.62 |
| 07/27 (208-s) | 58.6 | 69.6 | 47.0 | 86.9 | 0.00 | 59 | 674 | 1.57 |
| 07/28 (209-s) | 54.8 | 67.0 | 48.0 | 85.7 | 0.00 | 66 | 407 | 1.32 |
| 07/29 (210-m) | 60.5 | 74.1 | 46.0 | 85.0 | 0.00 | 64 | 562 | 1.46 |
| 07/30 (211-t) | 54.6 | 69.1 | 46.0 | 85.9 | 0.00 | 73 | 530 | 1.80 |
| 07/31 (212-w) | 49.0 | 69.9 | 49.0 | 84.7 | 0.00 | 62 | 664 | 1.36 |
| Column Min's: | 49.0 | 67.0 | 41.1 | 83.9 | 0.00 | 59 | 228 | 1.19 |
| Column Avg's: | 62.5 | 74.7 | 62.3 | 85.6 | 0.04 | 73 | 541 | 1.55 |
| Column Max's: | 70.0 | 82.9 | 63.8 | 86.9 | 0.50 | 86 | 701 | 1.96 |
| Column Ttl's: | | | | | 1.37 | 3.99 | 16766 | 15413 |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | | | T E M P E R A T U R E (degrees Fahrenheit) | | | | WATER BALANCE (inches) | | | | SOLAR RADIATION | | | | | | | | | | | |
|---------------|-------|------|------|---------|--|----------|---------|-----------|------------------------|-----|------|------|-----------------|------|------|------|-----|----------|------|----|-------|------|-------|----|
| | min | avg | max | Current | min year | avgm yrs | max yrs | Long Term | prec | liq | snow | evap | hum | % | ly | ly/m | max | Lng-Term | | | | | | |
| mo da jul | | | | | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | | | | | | |
| 08/01 (213-t) | 57.6 | 77.4 | 96.1 | | 48.0 | 1971 | 61.0 | 48 | 73.3 | 48 | 85.7 | 48 | 97.0 | 1953 | 0.00 | -- | -- | 61 | 0.11 | 47 | 628 | 1.43 | 496 | 10 |
| 08/02 (214-f) | 61.6 | 80.6 | 97.3 | | 48.0 | 1976 | 61.2 | 48 | 73.5 | 48 | 85.9 | 48 | 97.3 | 1991 | 0.00 | -- | -- | 60 | 0.19 | 48 | 619 | 1.37 | 537 | 10 |
| 08/03 (215-s) | 68.5 | 76.7 | 86.8 | | 46.0 | 1965 | 62.7 | 47 | 74.6 | 47 | 86.6 | 47 | 97.0 | 1964 | 0.08 | -- | -- | 74 | 0.11 | 45 | 237 | 1.52 | 497 | 10 |
| 08/04 (216-s) | 59.8 | 73.2 | 85.3 | | 46.0 | 1976 | 62.3 | 45 | 73.1 | 45 | 84.5 | 46 | 98.0 | 1947 | 0.66 | -- | -- | 73 | 0.28 | 39 | 634 | 1.59 | 408 | 10 |
| 08/05 (217-m) | 57.7 | 68.3 | 82.1 | | 45.0 | 1972 | 61.4 | 47 | 72.5 | 47 | 84.1 | 47 | 98.0 | 1956 | 0.00 | -- | -- | 72 | 0.08 | 47 | 502 | 1.92 | 394 | 9 |
| 08/06 (218-t) | 62.0 | 64.6 | 70.4 | | 47.0 | 1948 | 61.3 | 46 | 72.4 | 46 | 84.0 | 46 | 98.0 | 1947 | 0.10 | -- | -- | 80 | 0.11 | 46 | 191 | 1.05 | 392 | 9 |
| 08/07 (219-w) | 59.4 | 72.8 | 87.5 | | 49.0 | 1976 | 60.8 | 47 | 71.9 | 47 | 83.6 | 47 | 93.0 | 1983 | 0.00 | -- | -- | 65 | 0.23 | 46 | 622 | 1.32 | 447 | 10 |
| 08/08 (220-t) | 60.2 | 70.3 | 87.6 | | 43.0 | 1976 | 60.6 | 48 | 72.7 | 48 | 85.0 | 48 | 94.1 | 1983 | 0.24 | -- | -- | 73 | 0.08 | 47 | 387 | 1.34 | 496 | 10 |
| 08/09 (221-f) | 58.6 | 65.4 | 68.8 | | 48.0 | 1976 | 61.9 | 47 | 72.8 | 47 | 83.7 | 47 | 98.0 | 1944 | 0.21 | -- | -- | 86 | 0.21 | 45 | 97 | 0.59 | 459 | 9 |
| 08/10 (222-s) | 54.3 | 67.9 | 82.8 | | 43.0 | 1972 | 61.4 | 49 | 72.7 | 49 | 84.3 | 49 | 100.0 | 1944 | 0.00 | -- | -- | 73 | 0.09 | 46 | 562 | 1.53 | 402 | 9 |
| 08/11 (223-s) | 52.6 | 69.2 | 85.5 | | 46.0 | 1972 | 60.7 | 48 | 71.8 | 48 | 83.3 | 48 | 97.0 | 1944 | 0.00 | -- | -- | 69 | 0.12 | 45 | 581 | 1.54 | 461 | 10 |
| 08/12 (224-m) | 55.3 | 70.9 | 87.4 | | 46.0 | 1967 | 59.1 | 49 | 71.1 | 49 | 83.4 | 49 | 94.0 | 1944 | 0.00 | -- | -- | 62 | 0.12 | 48 | 603 | 1.47 | 527 | 10 |
| 08/13 (225-t) | 59.9 | 68.2 | 80.7 | | 47.0 | 1971 | 59.8 | 49 | 71.5 | 49 | 83.5 | 49 | 94.0 | 1944 | 0.00 | -- | -- | 77 | 0.04 | 48 | 266 | 1.33 | 453 | 10 |
| 08/14 (226-w) | 58.0 | 67.7 | 85.0 | | 46.0 | 1964 | 60.4 | 49 | 73.0 | 49 | 85.9 | 49 | 95.0 | 1944 | 0.00 | -- | -- | 76 | 0.10 | 49 | 393 | 1.42 | 494 | 9 |
| 08/15 (227-t) | 56.3 | 70.4 | 86.9 | | 44.0 | 1979 | 62.1 | 48 | 73.7 | 48 | 85.6 | 48 | 96.0 | 1944 | 0.00 | -- | -- | 71 | 0.16 | 45 | 553 | 1.35 | 491 | 10 |
| 08/16 (228-f) | 58.7 | 73.0 | 88.5 | | 42.0 | 1979 | 61.1 | 47 | 72.4 | 47 | 84.2 | 47 | 95.0 | 1944 | 0.00 | -- | -- | 69 | 0.11 | 46 | 515 | 1.33 | 452 | 10 |
| 08/17 (229-s) | 64.5 | 71.1 | 83.6 | | 44.0 | 1976 | 61.1 | 48 | 72.5 | 48 | 84.3 | 48 | 99.6 | 1988 | 0.83 | -- | -- | 81 | 0.11 | 47 | 303 | 1.55 | 395 | 10 |
| 08/18 (230-s) | 62.9 | 72.5 | 84.0 | | 43.0 | 1981 | 60.0 | 47 | 71.7 | 47 | 83.9 | 47 | 95.0 | 1947 | 0.00 | -- | -- | 78 | 0.10 | 46 | 389 | 1.54 | 444 | 10 |
| 08/19 (231-m) | 59.9 | 66.1 | 77.2 | | 47.0 | 1976 | 59.9 | 43 | 71.7 | 43 | 84.1 | 43 | 98.0 | 1955 | 0.16 | -- | -- | 80 | 0.05 | 42 | 385 | 1.96 | 441 | 10 |
| 08/20 (232-t) | 56.2 | 64.7 | 75.7 | | 49.0 | 1977 | 59.3 | 44 | 71.3 | 44 | 83.8 | 44 | 101.4 | 1983 | 0.01 | -- | -- | 82 | 0.07 | 46 | 314 | 1.65 | 393 | 10 |
| 08/21 (233-w) | 49.7 | 66.3 | 81.4 | | 45.0 | 1950 | 58.6 | 45 | 71.2 | 44 | 83.8 | 45 | 99.0 | 1955 | 0.00 | -- | -- | 74 | 0.08 | 47 | 552 | 1.49 | 429 | 10 |
| 08/22 (234-t) | 58.3 | 72.0 | 86.1 | | 46.0 | 1950 | 59.6 | 44 | 70.9 | 44 | 82.5 | 44 | 95.5 | 1983 | 0.00 | -- | -- | 73 | 0.08 | 48 | 563 | 1.25 | 346 | 10 |
| 08/23 (235-f) | 63.2 | 75.9 | 92.7 | | 47.0 | 1973 | 59.7 | 44 | 71.1 | 44 | 83.0 | 44 | 95.0 | 1959 | 0.00 | -- | -- | 70 | 0.11 | 47 | 519 | 1.41 | 368 | 10 |
| 08/24 (236-s) | 62.5 | 75.0 | 90.9 | | 47.0 | 1946 | 58.2 | 44 | 70.3 | 44 | 82.7 | 44 | 95.0 | 1959 | 0.00 | -- | -- | 71 | 0.14 | 48 | 506 | 1.33 | 402 | 10 |
| 08/25 (237-s) | 63.4 | 76.2 | 91.2 | | 45.0 | 1977 | 57.8 | 44 | 70.2 | 44 | 82.8 | 44 | 96.0 | 1959 | 0.00 | -- | -- | 72 | 0.04 | 43 | 475 | 1.26 | 426 | 10 |
| 08/26 (238-m) | 64.6 | 74.4 | 88.3 | | 46.0 | 1958 | 58.7 | 45 | 71.1 | 44 | 83.7 | 44 | 97.0 | 1948 | 0.00 | -- | -- | 73 | 0.11 | 45 | 479 | 1.38 | 433 | 10 |
| 08/27 (239-t) | 64.2 | 74.1 | 88.2 | | 47.0 | 1945 | 59.7 | 44 | 71.5 | 44 | 83.7 | 44 | 99.0 | 1948 | 0.00 | -- | -- | 78 | 0.08 | 47 | 353 | 1.59 | 365 | 10 |
| 08/28 (240-w) | 65.7 | 76.8 | 91.7 | | 40.6 | 1986 | 60.9 | 42 | 71.9 | 42 | 83.1 | 43 | 96.0 | 1948 | 0.00 | -- | -- | 76 | 0.18 | 44 | 368 | 1.46 | 345 | 10 |
| 08/29 (241-t) | 65.7 | 78.6 | 93.8 | | 37.8 | 1986 | 59.7 | 43 | 71.7 | 43 | 84.3 | 43 | 98.0 | 1953 | 0.00 | -- | -- | 71 | 0.11 | 46 | 439 | 1.30 | 448 | 10 |
| 08/30 (242-f) | 65.7 | 77.4 | 91.7 | | 41.0 | 1946 | 59.6 | 45 | 72.0 | 44 | 84.5 | 44 | 100.0 | 1953 | 0.00 | -- | -- | 74 | 0.15 | 45 | 399 | 1.40 | 421 | 10 |
| 08/31 (243-s) | 61.5 | 72.5 | 85.1 | | 43.0 | 1976 | 59.8 | 46 | 71.4 | 46 | 83.4 | 46 | 102.0 | 1951 | 0.26 | -- | -- | 78 | 0.12 | 48 | 255 | 1.23 | 412 | 10 |
| Column Min's: | 49.7 | 64.6 | 68.8 | | 37.8 | 57.8 | 70.2 | 44 | 70.2 | 44 | 82.5 | 44 | 96.0 | 1959 | 0.00 | -- | -- | 60 | 0.04 | | 97 | 0.59 | 345 | |
| Column Avg's: | 60.3 | 71.9 | 85.8 | | 60.3 | 60.3 | 72.0 | 44 | 72.0 | 44 | 84.1 | 44 | 97.0 | 1948 | 0.08 | -- | -- | 73 | 0.12 | | 442 | 1.42 | 435 | |
| Column Max's: | 68.5 | 80.6 | 97.3 | | 62.7 | 62.7 | 74.6 | 44 | 74.6 | 44 | 86.6 | 44 | 102.0 | | 0.83 | -- | -- | 86 | 0.28 | | 634 | 1.96 | 537 | |
| Column Ttl's: | | | | | | | | | | | | | | | 2.55 | -- | -- | | 3.67 | | 13689 | | 13474 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | A I R | | T E M P E R A T U R E (degrees Fahrenheit) | | WATER BALANCE (inches) | | SOLAR RADIATION | | | | | | | | | | | | | | | | |
|---------------|---------|-----------|--|------|------------------------|------|-----------------|------|------|------|------|-------|------|------|----|----|----|------|----|-------|------|-------|----|
| | min | avg | min | avg | prec | evap | ly | max | | | | | | | | | | | | | | | |
| mo da jul | Current | Long Term | Year | Year | liq | Year | Year | Ly/m | | | | | | | | | | | | | | | |
| | | | avg | avg | prec | evap | avg | avg | | | | | | | | | | | | | | | |
| | | | yr | yr | yr | yr | yr | yr | | | | | | | | | | | | | | | |
| | | | max | max | yr | yr | yr | yr | | | | | | | | | | | | | | | |
| | | | yr | yr | yr | yr | yr | yr | | | | | | | | | | | | | | | |
| 09/01 (244-s) | 56.8 | 67.2 | 82.8 | 42.0 | 1987 | 58.6 | 46 | 70.6 | 45 | 82.7 | 45 | 101.0 | 1953 | 0.00 | -- | -- | 63 | 0.15 | 46 | 588 | 1.29 | 398 | 10 |
| 09/02 (245-m) | 51.7 | 70.0 | 89.0 | 44.0 | 1949 | 58.8 | 48 | 70.8 | 47 | 83.0 | 47 | 102.0 | 1953 | 0.00 | -- | -- | 57 | 0.15 | 48 | 550 | 1.26 | 390 | 10 |
| 09/03 (246-t) | 63.7 | 72.6 | 87.9 | 44.0 | 1976 | 58.6 | 47 | 70.0 | 46 | 81.8 | 46 | 99.0 | 1953 | 0.49 | -- | -- | 79 | 0.13 | 45 | 334 | 1.29 | 402 | 9 |
| 09/04 (247-w) | 62.7 | 69.3 | 74.9 | 39.2 | 1982 | 59.1 | 48 | 70.5 | 47 | 82.2 | 47 | 95.0 | 1953 | 0.00 | -- | -- | 81 | 0.15 | 45 | 210 | 1.28 | 421 | 10 |
| 09/05 (248-t) | 54.9 | 67.2 | 81.1 | 40.0 | 1974 | 58.0 | 49 | 69.9 | 48 | 82.3 | 48 | 100.0 | 1954 | 0.00 | -- | -- | 67 | 0.06 | 46 | 521 | 1.28 | 408 | 10 |
| 09/06 (249-f) | 51.8 | 68.9 | 85.6 | 38.1 | 1984 | 57.0 | 49 | 69.3 | 48 | 82.1 | 48 | 100.0 | 1954 | 0.00 | -- | -- | 63 | 0.10 | 49 | 531 | 1.22 | 428 | 10 |
| 09/07 (250-s) | 55.3 | 71.2 | 86.7 | 37.5 | 1988 | 56.4 | 48 | 68.3 | 47 | 80.4 | 48 | 96.0 | 1945 | 0.00 | -- | -- | 61 | 0.06 | 47 | 521 | 1.21 | 378 | 10 |
| 09/08 (251-s) | 55.7 | 72.2 | 87.7 | 39.1 | 1986 | 55.1 | 49 | 68.0 | 48 | 81.5 | 48 | 94.0 | 1959 | 0.00 | -- | -- | 57 | 0.02 | 45 | 505 | 1.20 | 439 | 10 |
| 09/09 (252-m) | 64.4 | 72.8 | 81.8 | 39.6 | 1986 | 56.4 | 49 | 68.9 | 48 | 81.7 | 48 | 95.0 | 1955 | 0.05 | -- | -- | 80 | 0.07 | 47 | 241 | 1.18 | 377 | 10 |
| 09/10 (253-t) | 65.9 | 77.0 | 89.9 | 41.0 | 1943 | 56.4 | 49 | 68.4 | 48 | 80.6 | 47 | 97.1 | 1983 | 0.00 | -- | -- | 74 | 0.11 | 47 | 379 | 1.42 | 363 | 10 |
| 09/11 (254-w) | 60.3 | 70.2 | 85.1 | 40.0 | 1970 | 54.8 | 48 | 66.6 | 48 | 78.9 | 48 | 95.0 | 1952 | 0.00 | -- | -- | 69 | 0.07 | 45 | 488 | 1.39 | 343 | 10 |
| 09/12 (255-t) | 58.8 | 65.4 | 77.7 | 40.0 | 1970 | 54.8 | 49 | 66.3 | 49 | 78.4 | 49 | 92.0 | 1952 | 0.44 | -- | -- | 81 | 0.22 | 46 | 196 | 1.29 | 300 | 10 |
| 09/13 (256-f) | 63.7 | 75.4 | 94.0 | 36.0 | 1975 | 55.1 | 49 | 66.8 | 49 | 79.0 | 49 | 94.0 | 1991 | 1.26 | -- | -- | 74 | 0.08 | 46 | 434 | 1.14 | 391 | 10 |
| 09/14 (257-s) | 65.6 | 76.4 | 90.2 | 33.0 | 1975 | 53.8 | 49 | 65.8 | 49 | 78.1 | 49 | 90.2 | 1991 | 0.00 | -- | -- | 75 | 0.21 | 44 | 366 | 1.20 | 346 | 10 |
| 09/15 (258-s) | 66.9 | 78.5 | 91.4 | 34.0 | 1975 | 53.1 | 49 | 64.8 | 49 | 76.7 | 49 | 91.4 | 1991 | 0.00 | -- | -- | 73 | 0.12 | 45 | 422 | 1.24 | 340 | 10 |
| 09/16 (259-m) | 70.5 | 79.0 | 90.9 | 38.8 | 1984 | 52.1 | 48 | 64.4 | 48 | 77.1 | 48 | 91.0 | 1948 | 0.07 | -- | -- | 71 | 0.04 | 48 | 450 | 1.27 | 345 | 10 |
| 09/17 (260-t) | 63.4 | 70.2 | 80.5 | 37.0 | 1959 | 52.8 | 49 | 64.5 | 49 | 76.7 | 49 | 93.0 | 1948 | 0.01 | -- | -- | 65 | 0.07 | 45 | 426 | 1.16 | 403 | 10 |
| 09/18 (261-w) | 53.4 | 63.8 | 74.1 | 35.0 | 1959 | 53.5 | 49 | 65.2 | 49 | 76.9 | 49 | 93.0 | 1955 | 0.10 | -- | -- | 76 | 0.08 | 44 | 154 | 0.91 | 306 | 10 |
| 09/19 (262-t) | 43.4 | 54.5 | 65.7 | 37.0 | 1973 | 54.1 | 49 | 65.5 | 49 | 77.1 | 49 | 94.0 | 1955 | 0.00 | -- | -- | 67 | 0.11 | 45 | 392 | 1.50 | 321 | 10 |
| 09/20 (263-f) | 34.7 | 47.9 | 61.9 | 34.7 | 1991 | 53.9 | 49 | 65.2 | 49 | 76.8 | 49 | 88.0 | 1978 | 0.00 | -- | -- | 66 | 0.14 | 43 | 499 | 1.19 | 372 | 10 |
| 09/21 (264-s) | 34.6 | 51.2 | 65.9 | 34.0 | 1956 | 53.4 | 47 | 64.4 | 47 | 75.5 | 48 | 89.0 | 1978 | 0.00 | -- | -- | 62 | 0.16 | 47 | 501 | 1.18 | 328 | 10 |
| 09/22 (265-s) | 44.5 | 58.0 | 72.8 | 33.0 | 1976 | 52.2 | 49 | 63.8 | 49 | 75.7 | 49 | 90.0 | 1970 | 0.45 | -- | -- | 73 | 0.12 | 47 | 319 | 1.43 | 301 | 10 |
| 09/23 (266-m) | 42.8 | 58.6 | 70.6 | 29.0 | 1974 | 49.4 | 47 | 61.1 | 47 | 72.9 | 48 | 90.0 | 1970 | 0.03 | -- | -- | 68 | 0.09 | 47 | 466 | 1.17 | 292 | 10 |
| 09/24 (267-t) | 44.0 | 53.4 | 65.1 | 29.0 | 1974 | 47.6 | 49 | 59.8 | 49 | 72.1 | 49 | 90.0 | 1959 | 0.00 | -- | -- | 75 | 0.06 | 47 | 213 | 1.32 | 292 | 10 |
| 09/25 (268-w) | 39.7 | 54.6 | 67.6 | 35.0 | 1950 | 48.5 | 49 | 60.7 | 49 | 72.9 | 49 | 89.0 | 1970 | 0.00 | -- | -- | 69 | 0.08 | 44 | 467 | 1.14 | 384 | 10 |
| 09/26 (269-t) | 34.9 | 51.9 | 64.2 | 34.9 | 1991 | 48.2 | 47 | 60.9 | 47 | 73.7 | 47 | 89.8 | 1986 | 0.00 | -- | -- | 66 | 0.07 | 46 | 387 | 1.44 | 361 | 10 |
| 09/27 (270-f) | 33.8 | 50.1 | 66.7 | 33.8 | 1991 | 48.9 | 49 | 61.2 | 49 | 73.7 | 49 | 89.0 | 1946 | 0.00 | -- | -- | 59 | 0.13 | 49 | 465 | 1.13 | 337 | 9 |
| 09/28 (271-s) | 39.2 | 51.6 | 64.1 | 35.4 | 1984 | 47.9 | 49 | 60.3 | 49 | 73.1 | 49 | 90.0 | 1959 | 0.00 | -- | -- | 68 | 0.08 | 47 | 144 | 1.03 | 338 | 10 |
| 09/29 (272-s) | 48.2 | 60.2 | 73.9 | 32.0 | 1970 | 48.4 | 49 | 60.7 | 49 | 73.3 | 49 | 100.0 | 1953 | 0.00 | -- | -- | 69 | 0.06 | 47 | 284 | 1.37 | 312 | 10 |
| 09/30 (273-m) | 48.8 | 64.9 | 83.8 | 34.0 | 1949 | 47.5 | 48 | 59.6 | 48 | 72.2 | 49 | 93.0 | 1953 | 0.00 | -- | -- | 57 | 0.10 | 47 | 377 | 1.28 | 291 | 10 |
| Column Min's: | 33.8 | 47.9 | 61.9 | 29.0 | | 47.5 | 47.5 | 59.6 | 47.5 | 72.1 | 47.5 | 102.0 | | 0.00 | | | 57 | 0.02 | | 144 | 0.91 | 291 | |
| Column Avg's: | 52.5 | 64.8 | 78.4 | | | 53.5 | 53.5 | 65.4 | 53.5 | 77.6 | 53.5 | | | 0.10 | | | 69 | 0.10 | | 394 | 1.25 | 357 | |
| Column Max's: | 70.5 | 79.0 | 94.0 | | | 59.1 | 59.1 | 70.8 | 59.1 | 83.0 | 59.1 | | | 1.26 | | | 81 | 0.22 | | 588 | 1.50 | 439 | |
| Column Ttl's: | | | | | | | | | | | | | | 2.90 | | | | 3.09 | | 11830 | | 10707 | |

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

| DATE | | A I R | | | T E M P E R A T U R E | | | (degrees Fahrenheit) | | | WATER BALANCE (inches) | | | SOLAR RADIATION | | | | | | | | |
|-------|---------|---------|------|------|-----------------------|------|------|----------------------|-----------|----|------------------------|-----|------|-----------------|------|-----|------|------|-----------|------|-----|----|
| mo | da | min | avg | max | min | year | avgm | yr | avg | yr | avgm | yr | max | ly | ly/m | max | ly/m | avg | yr | | | |
| | | Current | | | | | | | Long Term | | prec | liq | prec | evap | hum | avg | pr | Term | Long Term | | | |
| | | | | | | | | | avg | yr | yr | yr | yr | yr | yr | yr | yr | yr | yr | | | |
| 10/01 | (274-t) | 54.8 | 66.5 | 81.1 | 32.8 | 1987 | 47.5 | 48 | 60.0 | 48 | 72.7 | 49 | 88.0 | 1952 | 0.00 | 61 | 0.12 | 47 | 376 | 1.23 | 222 | 9 |
| 10/02 | (275-w) | 54.8 | 66.0 | 79.8 | 29.0 | 1974 | 47.3 | 48 | 60.2 | 48 | 73.3 | 49 | 90.0 | 1953 | 0.00 | 67 | 0.09 | 47 | 345 | 1.20 | 328 | 10 |
| 10/03 | (276-t) | 57.4 | 64.5 | 77.5 | 13.5 | 1984 | 46.0 | 48 | 58.2 | 47 | 70.1 | 48 | 91.0 | 1953 | 0.00 | 79 | 0.08 | 48 | 202 | 1.11 | 285 | 9 |
| 10/04 | (277-f) | 56.8 | 69.9 | 83.1 | 25.5 | 1987 | 46.0 | 49 | 58.1 | 49 | 70.7 | 49 | 91.0 | 1951 | 0.00 | 71 | 0.10 | 46 | 296 | 1.19 | 294 | 10 |
| 10/05 | (278-s) | 39.2 | 55.5 | 68.5 | 31.2 | 1988 | 45.3 | 48 | 57.1 | 48 | 69.0 | 48 | 89.0 | 1946 | 0.08 | 79 | 0.07 | 46 | 119 | 1.19 | 288 | 10 |
| 10/06 | (279-s) | 35.2 | 42.2 | 52.4 | 27.0 | 1980 | 45.7 | 49 | 57.3 | 49 | 69.1 | 49 | 88.0 | 1946 | 0.00 | 74 | 0.08 | 47 | 255 | 1.38 | 303 | 10 |
| 10/07 | (280-m) | 29.9 | 42.2 | 57.8 | 28.0 | 1952 | 44.0 | 48 | 56.2 | 48 | 68.9 | 48 | 87.0 | 1946 | 0.00 | 66 | 0.07 | 45 | 385 | 1.31 | 281 | 10 |
| 10/08 | (281-t) | 32.3 | 49.7 | 67.2 | 29.0 | 1974 | 44.2 | 48 | 55.5 | 48 | 67.1 | 48 | 87.0 | 1949 | 0.00 | 58 | 0.07 | 46 | 406 | 1.03 | 297 | 10 |
| 10/09 | (282-w) | 43.9 | 59.0 | 74.5 | 26.2 | 1989 | 45.1 | 48 | 55.9 | 48 | 67.1 | 48 | 86.0 | 1949 | 0.00 | 53 | 0.11 | 46 | 352 | 1.06 | 225 | 10 |
| 10/10 | (283-t) | 43.2 | 54.2 | 62.2 | 31.0 | 1976 | 43.4 | 47 | 55.2 | 47 | 66.9 | 48 | 85.0 | 1949 | 0.50 | 81 | 0.09 | 47 | 123 | 0.92 | 226 | 10 |
| 10/11 | (284-f) | 42.1 | 48.4 | 57.4 | 27.0 | 1964 | 43.5 | 48 | 55.2 | 47 | 66.9 | 47 | 84.0 | 1963 | 0.18 | 81 | 0.06 | 48 | 117 | 0.64 | 257 | 10 |
| 10/12 | (285-s) | 35.2 | 46.6 | 58.1 | 24.2 | 1988 | 43.7 | 49 | 55.7 | 49 | 67.1 | 49 | 83.0 | 1947 | 0.05 | 82 | 0.06 | 47 | 182 | 1.32 | 182 | 10 |
| 10/13 | (286-s) | 32.0 | 44.5 | 58.2 | 21.1 | 1988 | 43.8 | 49 | 55.8 | 49 | 68.1 | 49 | 83.5 | 1989 | 0.00 | 73 | 0.10 | 47 | 395 | 1.25 | 260 | 10 |
| 10/14 | (287-m) | 40.9 | 50.4 | 65.6 | 21.0 | 1979 | 43.5 | 48 | 55.8 | 48 | 68.5 | 48 | 83.6 | 1989 | 0.36 | 76 | 0.05 | 47 | 204 | 1.01 | 263 | 10 |
| 10/15 | (288-t) | 33.5 | 44.2 | 57.2 | 28.0 | 1969 | 41.9 | 49 | 55.4 | 49 | 69.3 | 49 | 84.0 | 1947 | 0.00 | 75 | 0.08 | 48 | 225 | 1.25 | 283 | 10 |
| 10/16 | (289-w) | 26.9 | 40.3 | 56.1 | 26.9 | 1991 | 43.2 | 49 | 55.2 | 49 | 67.5 | 49 | 85.0 | 1947 | 0.00 | 69 | 0.06 | 46 | 384 | 0.98 | 262 | 9 |
| 10/17 | (290-t) | 30.2 | 47.3 | 64.6 | 22.0 | 1970 | 42.8 | 49 | 54.3 | 49 | 65.8 | 49 | 85.0 | 1950 | 0.00 | 58 | 0.10 | 48 | 374 | 0.97 | 235 | 9 |
| 10/18 | (291-f) | 43.2 | 57.5 | 72.8 | 19.0 | 1976 | 40.8 | 49 | 52.7 | 49 | 64.9 | 49 | 83.0 | 1950 | 0.00 | 58 | 0.15 | 48 | 339 | 0.91 | 230 | 10 |
| 10/19 | (292-s) | 28.9 | 44.0 | 61.8 | 21.0 | 1976 | 39.5 | 48 | 50.9 | 48 | 62.5 | 48 | 86.0 | 1953 | 0.09 | 75 | 0.05 | 48 | 304 | 1.27 | 234 | 10 |
| 10/20 | (293-s) | 25.0 | 39.0 | 53.7 | 23.0 | 1972 | 38.6 | 49 | 50.1 | 49 | 61.7 | 49 | 86.0 | 1953 | 0.01 | 68 | 0.06 | 46 | 353 | 1.02 | 180 | 10 |
| 10/21 | (294-m) | 31.0 | 46.8 | 64.7 | 19.0 | 1974 | 40.6 | 49 | 52.1 | 49 | 63.6 | 49 | 86.0 | 1953 | 0.00 | 57 | 0.08 | 46 | 355 | 0.94 | 163 | 10 |
| 10/22 | (295-t) | 42.0 | 58.0 | 75.3 | 22.0 | 1974 | 42.0 | 48 | 53.4 | 48 | 64.8 | 48 | 85.0 | 1947 | 0.00 | 64 | 0.06 | 43 | 264 | 0.87 | 185 | 10 |
| 10/23 | (296-w) | 51.0 | 61.4 | 73.5 | 19.0 | 1969 | 42.7 | 49 | 53.5 | 49 | 64.6 | 49 | 85.0 | 1947 | 0.00 | 81 | 0.08 | 47 | 204 | 1.11 | 189 | 10 |
| 10/24 | (297-t) | 56.8 | 64.0 | 76.9 | 16.0 | 1981 | 40.9 | 49 | 51.4 | 49 | 62.2 | 49 | 79.0 | 1963 | 0.00 | 79 | 0.10 | 44 | 220 | 1.04 | 178 | 10 |
| 10/25 | (298-f) | 59.8 | 66.3 | 77.4 | 22.0 | 1981 | 39.6 | 49 | 49.8 | 49 | 60.4 | 49 | 80.0 | 1963 | 0.01 | 76 | 0.08 | 47 | 188 | 1.10 | 217 | 10 |
| 10/26 | (299-s) | 59.0 | 66.1 | 78.0 | 21.0 | 1962 | 38.5 | 49 | 48.9 | 49 | 59.8 | 49 | 82.0 | 1963 | 0.00 | 72 | 0.05 | 44 | 185 | 1.12 | 247 | 10 |
| 10/27 | (300-s) | 54.2 | 63.2 | 70.9 | 15.0 | 1976 | 38.4 | 49 | 49.8 | 49 | 61.0 | 49 | 78.0 | 1952 | 0.06 | 88 | 0.06 | 46 | 115 | 0.72 | 244 | 10 |
| 10/28 | (301-m) | 53.6 | 56.4 | 61.6 | 16.0 | 1976 | 38.8 | 49 | 49.9 | 49 | 61.3 | 49 | 77.0 | 1946 | 0.00 | 89 | 0.09 | 43 | 112 | 0.46 | 244 | 10 |
| 10/29 | (302-t) | 52.1 | 61.5 | 74.6 | 23.6 | 1988 | 38.6 | 48 | 49.2 | 47 | 60.0 | 47 | 79.0 | 1946 | 0.00 | 64 | 0.02 | 47 | 211 | 0.95 | 241 | 10 |
| 10/30 | (303-w) | 54.3 | 61.3 | 70.5 | 19.0 | 1980 | 38.6 | 48 | 49.7 | 48 | 61.2 | 48 | 77.0 | 1971 | 0.00 | 67 | 0.04 | 46 | 127 | 0.54 | 227 | 10 |
| 10/31 | (304-t) | 49.3 | 55.9 | 59.8 | 23.8 | 1988 | 41.5 | 48 | 51.9 | 48 | 62.6 | 48 | 83.0 | 1950 | 0.00 | 84 | 0.05 | 45 | 71 | 0.34 | 211 | 10 |

Column Min's: 25.0 39.0 52.4 13.5 38.4 48.9 59.8 53 0.02 71 0.34 163
 Column Avg's: 43.5 54.6 67.5 42.5 54.0 65.8 73.3 72 0.08 251 1.01 241
 Column Max's: 59.8 69.9 83.1 47.5 60.2 73.3 91.0 89 0.15 406 1.38 328
 Column Ttl's: 7788 1.34 7481 2.36

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.