

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
01/01 (001-t)	17.0	26.2	37.2	37.2	0.00	0.00	219	0.65
01/02 (002-w)	20.4	29.3	39.5	39.5	0.00	0.00	215	0.83
01/03 (003-t)	18.4	23.5	28.7	28.7	0.00	0.00	110	0.79
01/04 (004-f)	12.9	20.8	31.4	31.4	0.00	0.00	223	0.65
01/05 (005-s)	17.8	28.8	37.1	37.1	0.13	0.20	34	0.15
01/06 (006-s)	28.5	31.8	34.7	34.7	0.01	0.00	60	0.30
01/07 (007-m)	20.0	28.0	33.5	33.5	0.00	0.00	183	0.89
01/08 (008-t)	18.3	26.9	34.8	34.8	0.00	0.00	173	0.72
01/09 (009-w)	31.0	33.4	35.0	35.0	0.01	0.00	27	0.21
01/10 (010-t)	28.9	29.8	31.0	31.0	0.00	0.00	39	0.16
01/11 (011-f)	29.8	37.2	44.5	44.5	0.44	0.00	17	0.09
01/12 (012-s)	22.8	31.3	43.8	43.8	0.00	0.00	21	0.10
01/13 (013-s)	22.4	27.6	33.0	33.0	0.00	0.00	135	0.91
01/14 (014-m)	29.9	34.2	39.8	39.8	0.00	0.00	56	0.25
01/15 (015-t)	32.2	41.5	52.8	52.8	0.09	0.00	203	0.64
01/16 (016-w)	33.8	43.8	52.7	52.7	0.27	0.00	58	0.77
01/17 (017-t)	26.9	30.9	34.0	34.0	0.01	0.00	21	0.11
01/18 (018-f)	26.3	30.2	36.8	36.8	0.00	0.00	213	0.79
01/19 (019-s)	28.0	37.0	46.6	46.6	0.00	0.00	184	1.06
01/20 (020-s)	26.0	36.8	41.3	41.3	0.15	2.52	35	0.22
01/21 (021-m)	9.7	16.8	25.9	25.9	0.02	0.00	187	1.01
01/22 (022-t)	-2.4	11.5	24.5	24.5	0.00	0.00	287	0.85
01/23 (023-w)	14.7	23.8	30.9	30.9	0.00	0.00	89	0.46
01/24 (024-t)	7.2	15.7	24.4	24.4	0.00	0.00	226	1.02
01/25 (025-f)	-0.8	8.5	19.3	19.3	0.00	0.20	284	0.88
01/26 (026-s)	5.0	17.6	26.9	26.9	0.01	0.20	144	0.63
01/27 (027-s)	12.6	24.7	35.6	35.6	0.10	0.98	229	0.91
01/28 (028-m)	16.9	28.0	39.1	39.1	0.00	0.00	272	0.84
01/29 (029-t)	11.3	27.8	42.7	42.7	0.11	0.39	194	1.04
01/30 (030-w)	22.7	29.5	34.4	34.4	0.27	0.00	56	0.30
01/31 (031-t)	13.8	18.4	22.6	22.6	0.00	0.00	157	1.09
Column Min's:	-2.4	8.5	19.3	19.3	0.00	0.00	68	0.06
Column Avg's:	19.4	27.5	35.3	35.3	0.05	0.14	140	0.62
Column Max's:	33.8	43.8	52.8	52.8	0.44	2.52	287	1.09
Column Tot's:					1.62	4.49	4331	4042

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	max	min	max	liq	prec	ly	max					
mo da jul	avg	avg	avg	avg	evap	hum	ly/m	avg					
	yr	yr	yr	yr	yr	yr	yr	yr					
02/01 (032-f)	14.2	28.3	42.3	-7.0	1936	17.5	90	25.5	89	33.4	89	62.7	1989
02/02 (033-s)	33.8	40.2	49.6	-15.0	1918	16.1	91	25.0	90	34.0	90	63.0	1903
02/03 (034-s)	33.1	43.7	57.2	-13.0	1951	16.2	91	24.7	91	33.4	91	57.2	1991
02/04 (035-m)	33.5	47.9	61.9	-14.4	1985	16.8	91	25.6	91	34.5	91	61.9	1991
02/05 (036-t)	39.9	48.5	53.9	-18.0	1918	17.3	91	25.9	91	34.3	91	59.0	1938
02/06 (037-w)	36.2	37.6	39.9	-11.0	1906	17.9	91	26.1	91	34.3	91	56.0	1938
02/07 (038-t)	31.1	35.2	37.7	-14.0	1906	17.4	91	25.3	91	33.1	91	60.0	1925
02/08 (039-f)	30.7	33.1	39.5	-13.0	1977	16.6	91	25.6	91	34.4	91	66.0	1925
02/09 (040-s)	28.2	31.5	33.0	-15.0	1948	15.9	91	25.1	91	34.2	91	66.0	1937
02/10 (041-s)	27.2	33.5	40.8	-16.0	1912	15.9	91	25.0	91	34.0	91	63.0	1959
02/11 (042-m)	15.6	22.9	29.4	-12.0	1979	15.8	91	25.2	91	34.6	91	72.0	1932
02/12 (043-t)	12.4	23.7	34.8	-14.0	1917	17.9	91	26.8	91	35.9	91	67.1	1984
02/13 (044-w)	23.4	33.7	41.4	-15.0	1917	19.0	91	28.0	91	37.2	91	66.9	1990
02/14 (045-t)	23.4	31.6	39.1	-12.0	1905	20.5	91	29.3	91	38.1	91	64.0	1950
02/15 (046-f)	7.5	14.1	23.5	-8.0	1978	19.2	91	28.1	91	37.3	91	66.0	1954
02/16 (047-s)	3.9	13.5	21.8	-10.0	1904	17.8	91	27.1	91	36.3	91	66.0	1927
02/17 (048-s)	21.8	31.1	40.9	-11.0	1979	19.7	91	28.0	91	36.4	91	64.0	1927
02/18 (049-m)	30.4	37.6	48.0	-6.0	1936	19.5	91	29.2	91	39.1	91	63.0	1948
02/19 (050-t)	37.1	48.5	53.5	-12.0	1910	20.7	91	30.0	91	39.2	91	67.0	1939
02/20 (051-w)	30.2	33.8	38.5	-11.0	1936	19.3	91	28.7	91	38.1	91	68.0	1930
02/21 (052-t)	32.7	43.5	59.2	-5.0	1963	19.9	91	29.2	91	38.6	91	69.0	1930
02/22 (053-f)	26.9	38.5	46.0	-11.0	1963	22.2	91	31.5	91	40.7	91	70.0	1930
02/23 (054-s)	17.9	25.4	33.3	-5.0	1964	22.7	91	31.0	91	39.5	91	65.6	1984
02/24 (055-s)	25.5	36.4	50.7	-8.0	1910	22.1	91	31.2	91	40.3	91	68.0	1961
02/25 (056-m)	21.8	27.7	32.6	-18.0	1914	20.9	91	30.0	91	38.8	91	68.0	1930
02/26 (057-t)	19.2	23.7	30.5	-18.0	1963	21.5	91	30.4	91	39.3	91	69.0	1944
02/27 (058-w)	17.5	25.8	33.4	-20.0	1963	21.0	91	30.0	91	39.1	91	63.0	1976
02/28 (059-t)	24.6	37.6	49.6	-9.0	1934	21.7	90	30.6	90	39.8	91	66.0	1939

Column Min's: 3.9 13.5 21.8 -20.0
 Column Avg's: 25.0 33.2 41.5 18.9 27.8 36.7 40.7 72.0
 Column Max's: 39.9 48.5 61.9 22.7 31.5 40.7 72.0
 Column Ttl's: 5024 584

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R				T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION		
mo	da	Current.....	Long Term.....	Long Term.....			Long Term.....	Long Term.....	Long Term.....		
		min	avg	max	min	year	avgmn	yr	avg	yr	avgmx	yr	max	yr	ly	Ly/m
						yr										
11/01	(305-f)	37.7	54.2	66.5	21.0	1925	39.0	92	49.1	91	59.5	91	80.0	1950	162	0.74
11/02	(306-s)	27.3	36.0	48.5	17.0	1905	37.3	92	47.4	92	57.6	92	78.2	1987	75	0.77
11/03	(307-s)	17.8	26.8	34.5	15.0	1951	34.8	92	45.2	92	55.7	92	79.0	1961	227	1.05
11/04	(308-m)	13.5	19.7	26.3	13.5	1991	35.1	91	44.3	91	53.6	91	74.0	1935	152	1.05
11/05	(309-t)	10.4	24.6	35.0	10.4	1991	34.5	92	43.5	92	52.4	92	75.0	1948	294	0.81
11/06	(310-w)	31.7	36.8	43.8	18.0	1901	33.5	92	42.8	92	52.2	92	73.0	1924	97	0.42
11/07	(311-t)	24.9	29.6	32.7	13.0	1930	33.8	91	42.9	91	52.1	92	78.0	1938	74	0.46
11/08	(312-f)	16.0	25.2	35.2	16.0	1991	34.1	92	43.3	91	52.3	91	71.0	1945	272	0.78
11/09	(313-s)	12.2	25.3	40.1	12.2	1991	33.7	92	42.8	92	52.0	92	73.0	1975	259	0.82
11/10	(314-s)	16.2	32.4	47.7	16.2	1991	32.3	92	41.6	91	50.7	91	70.0	1949	270	0.76
11/11	(315-m)	26.5	35.1	43.4	16.0	1957	33.2	92	42.0	92	50.8	92	74.0	1915	162	0.80
11/12	(316-t)	22.5	29.6	34.0	12.0	1913	31.8	92	41.0	92	50.1	92	74.0	1949	38	0.26
11/13	(317-w)	32.6	36.1	41.0	10.0	1911	32.1	92	41.0	92	49.9	92	72.0	1909	133	0.73
11/14	(318-t)	30.8	44.0	53.9	10.4	1986	31.2	92	40.7	91	50.3	91	72.0	1909	172	0.97
11/15	(319-f)	47.2	52.8	61.2	12.0	1933	33.2	92	41.4	92	49.8	92	73.0	1927	94	0.98
11/16	(320-s)	27.8	42.8	51.3	1.0	1933	31.3	92	40.9	92	50.5	92	71.0	1931	155	1.01
11/17	(321-s)	22.0	33.8	49.4	5.0	1933	31.7	92	40.5	92	49.4	92	74.0	1958	256	0.74
11/18	(322-m)	33.8	50.2	62.6	8.0	1959	32.3	92	41.5	92	50.6	92	70.0	1941	83	0.80
11/19	(323-t)	57.2	60.3	64.2	13.0	1903	32.3	92	40.6	92	49.0	92	72.5	1985	51	0.38
11/20	(324-w)	47.2	61.0	66.9	11.0	1903	31.5	92	40.1	92	48.7	92	72.0	1931	60	0.53
11/21	(325-t)	47.2	48.9	53.2	12.0	1964	31.3	92	39.3	92	47.3	92	72.0	1906	43	0.30
11/22	(326-f)	43.4	46.4	49.5	10.0	1964	30.8	91	38.8	91	46.9	92	73.0	1913	52	0.26
11/23	(327-s)	36.1	46.4	55.0	10.0	1971	29.5	92	37.9	92	46.2	92	74.0	1931	102	0.82
11/24	(328-s)	23.5	28.9	36.1	7.0	1950	28.8	92	36.3	92	44.1	92	68.0	1931	72	0.41
11/25	(329-m)	20.4	23.2	26.7	6.0	1950	26.9	92	35.3	91	43.7	91	68.0	1908	77	0.66
11/26	(330-t)	15.0	23.4	32.8	7.0	1950	29.2	91	36.8	91	44.5	91	66.0	1908	231	0.67
11/27	(331-w)	22.9	33.4	40.1	1.0	1930	29.0	91	36.7	91	44.3	92	72.5	1920	56	0.34
11/28	(332-t)	38.6	42.9	52.2	1.0	1930	27.8	92	35.6	91	43.8	91	69.0	1909	31	0.18
11/29	(333-f)	52.3	57.5	66.1	1.0	1958	25.9	92	33.6	92	41.5	92	66.1	1991	111	0.56
11/30	(334-s)	38.5	55.5	64.1	-2.0	1929	26.2	92	33.9	92	41.6	92	70.0	1934	63	0.28

Column Min's:	10.4	19.7	26.3	-2.0	25.9	33.6	41.5	48	0.04	31	0.18	63
Column Avg's:	29.8	38.8	47.1	31.8	40.6	49.4	71	0.09	131	0.64	129	
Column Max's:	57.2	61.0	66.9	39.0	49.1	59.5	80.0	91	0.15	294	1.05	190
Column Tot's:									1.78	5.00	3924	3856

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)			SOLAR RADIATION														
	min	avg	min	max	prec	liq	evap	hum	ly	max Lng-Trm ly/m avg yrs												
12/01 (335-s)	35.8	38.3	3.0	40.6	25.9	92	33.9	91	41.9	91	66.0	1934	0.00	0.00	0.00	79	0.06	82	46	0.28	88	10
12/02 (336-m)	33.5	36.0	-2.0	43.1	25.4	92	33.1	92	41.0	92	67.3	1982	1.10	0.00	0.00	77	0.10	78	38	0.20	90	10
12/03 (337-t)	28.9	38.4	-6.0	55.1	25.4	92	33.4	92	41.5	92	74.9	1982	0.23	0.51	0.00	84	0.07	80	17	0.18	92	10
12/04 (338-w)	9.7	16.0	3.0	28.9	25.9	92	33.3	92	41.0	92	71.0	1941	0.00	0.00	0.00	77	0.08	79	106	0.58	98	10
12/05 (339-t)	8.4	18.9	6.0	37.2	26.4	92	34.0	92	41.6	92	66.0	1909	0.00	0.00	0.00	73	0.10	80	88	0.50	74	10
12/06 (340-f)	23.9	29.2	6.0	38.6	26.0	92	33.6	92	41.1	92	68.0	1956	0.00	0.00	0.00	73	0.09	81	121	0.74	92	10
12/07 (341-s)	32.0	46.0	-0.0	55.1	26.2	92	33.4	92	40.7	92	63.0	1956	0.00	0.00	0.00	69	0.11	79	109	0.74	128	10
12/08 (342-s)	49.9	55.1	4.0	60.6	26.4	92	33.5	92	40.7	92	66.0	1966	0.02	0.00	0.00	74	0.09	74	54	0.27	125	10
12/09 (343-m)	36.8	45.1	-8.0	58.2	23.6	92	31.0	92	38.5	92	63.0	1952	0.00	0.00	0.00	82	0.13	74	45	0.16	106	10
12/10 (344-t)	26.7	35.0	-10.0	44.3	22.4	92	29.2	92	36.0	92	68.0	1971	0.00	0.00	0.00	80	0.10	74	188	0.61	86	10
12/11 (345-w)	33.3	39.2	-14.0	48.1	23.7	92	30.1	92	36.5	92	61.0	1931	0.00	0.00	0.00	80	0.10	71	89	0.59	101	10
12/12 (346-t)	30.0	45.6	-10.0	58.3	23.3	92	31.4	92	39.4	92	60.0	1931	0.02	0.00	0.00	75	0.10	72	47	0.21	101	10
12/13 (347-f)	44.5	50.0	-7.0	59.6	23.2	92	30.2	92	37.3	92	64.0	1901	0.33	0.00	0.00	91	0.15	81	14	0.13	82	10
12/14 (348-s)	27.5	37.1	-4.0	44.6	21.5	92	29.0	92	36.4	92	63.0	1901	0.03	0.00	0.00	76	0.12	76	84	0.64	122	10
12/15 (349-s)	16.8	24.5	-10.0	31.8	19.9	92	27.5	92	35.2	92	65.0	1971	0.00	0.51	0.00	63	0.11	80	112	0.71	88	10
12/16 (350-m)	9.7	17.9	-13.0	25.2	19.5	91	27.4	91	35.2	92	62.9	1984	0.00	0.00	0.00	67	0.07	73	119	0.57	90	10
12/17 (351-t)	25.2	32.2	-12.0	42.4	20.6	92	28.0	92	35.3	92	61.9	1984	0.00	2.01	0.00	63	0.10	75	130	0.68	119	10
12/18 (352-w)	17.0	21.8	-11.7	25.8	19.2	92	26.9	92	34.7	92	61.0	1967	0.01	0.98	0.00	77	0.09	74	151	0.83	113	10
12/19 (353-t)	8.6	18.4	-10.0	31.6	19.9	92	27.4	92	34.9	92	57.0	1957	0.01	0.00	0.00	78	0.05	78	163	0.77	106	10
12/20 (354-f)	9.1	26.0	-9.0	35.8	20.1	92	27.6	91	35.0	91	59.0	1957	0.01	0.20	0.00	66	0.05	80	115	0.57	111	10
12/21 (355-s)	28.5	33.7	-11.0	39.6	20.8	92	27.9	92	35.0	92	65.0	1967	0.12	0.00	0.00	80	0.09	73	186	0.65	100	10
12/22 (356-s)	24.0	30.6	-17.5	38.5	20.0	92	28.3	92	36.4	92	61.0	1949	0.00	0.00	0.00	93	0.09	74	131	0.86	112	10
12/23 (357-m)	31.8	37.3	-8.0	42.1	22.3	92	29.8	92	37.3	92	59.0	1933	0.09	0.00	0.00	93	0.09	79	32	0.20	106	10
12/24 (358-t)	26.3	31.0	-16.2	35.7	22.6	92	30.0	92	37.3	92	64.0	1964	0.00	0.00	0.00	66	0.09	77	184	0.62	117	10
12/25 (359-w)	23.4	30.1	-13.4	37.7	21.2	92	28.6	92	35.9	92	64.2	1982	0.00	0.00	0.00	85	0.11	73	112	0.75	104	10
12/26 (360-t)	18.8	28.0	-9.2	39.5	19.7	92	26.9	92	34.3	92	59.0	1932	0.00	0.00	0.00	87	0.09	76	127	0.79	106	10
12/27 (361-f)	20.1	28.6	-16.0	39.1	21.0	92	28.5	92	35.8	92	63.0	1904	0.00	0.00	0.00	89	0.09	82	110	0.57	85	10
12/28 (362-s)	22.4	30.9	-14.0	38.5	19.7	92	28.1	92	36.4	92	65.0	1982	0.03	0.00	0.00	89	0.10	80	62	0.27	85	10
12/29 (363-s)	31.4	33.4	-5.0	34.9	20.3	92	27.8	92	35.0	92	62.6	1984	0.07	0.00	0.00	99	0.11	79	24	0.10	95	10
12/30 (364-m)	27.8	31.7	-19.0	33.8	20.7	92	27.9	92	35.1	92	61.0	1971	0.01	0.00	0.00	89	0.12	79	26	0.10	116	10
12/31 (365-t)	25.8	28.2	-8.0	30.9	21.4	91	29.2	91	36.7	91	63.0	1951	0.00	0.00	0.00	76	0.08	76	72	0.48	82	9

Column Min's:	8.4	16.0	25.2	-19.0	19.2	26.9	34.3	0.00	0.00	0.00	63	0.05	14	0.10	74
Column Avg's:	25.4	32.7	41.1	29.9	37.4	74.9	0.07	0.15	79	0.09	94	0.50	101		
Column Max's:	49.9	55.1	60.6	34.0	41.9	2.08	2.01	188	0.86	128					
Column Tot's:						2902	2.93								

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max
mo da jul	avg	avg	avg yrs	avg yrs	liq	hum	Ly/m	avg yrs
03/01 (060-f)	44.3	53.0	22.7	31.9	0.00	43	212	1.12
03/02 (061-s)	49.9	58.1	23.1	32.3	0.08	81	174	1.33
03/03 (062-s)	28.0	31.2	24.2	33.5	0.32	95	49	0.23
03/04 (063-m)	25.6	28.2	25.3	34.9	0.34	92	116	0.75
03/05 (064-t)	24.4	36.5	24.6	34.1	0.00	73	373	1.08
03/06 (065-w)	35.8	44.5	24.9	34.2	0.63	84	26	0.17
03/07 (066-t)	26.5	31.0	25.2	33.5	0.00	71	233	1.44
03/08 (067-f)	20.1	28.1	23.8	33.0	0.00	65	423	1.12
03/09 (068-s)	22.6	33.5	24.1	33.4	0.02	69	251	1.31
03/10 (069-s)	26.4	31.2	25.0	34.6	0.00	89	111	0.57
03/11 (070-m)	18.3	27.2	26.0	35.5	0.00	78	238	1.38
03/12 (071-t)	15.6	26.0	27.8	37.4	0.00	71	254	0.62
03/13 (072-w)	29.7	33.0	28.2	38.0	0.00	70	97	0.49
03/14 (073-t)	29.7	36.0	28.1	37.8	0.00	67	442	1.17
03/15 (074-f)	23.5	34.2	27.8	37.1	0.00	72	380	1.52
03/16 (075-s)	19.0	35.8	27.7	37.0	0.00	63	434	1.27
03/17 (076-s)	24.4	43.1	25.8	36.2	0.14	64	306	1.31
03/18 (077-m)	37.4	44.1	26.3	36.7	0.13	92	80	1.14
03/19 (078-t)	36.0	42.0	28.3	38.8	0.02	76	266	1.31
03/20 (079-w)	30.0	47.0	28.3	38.7	0.00	64	422	1.40
03/21 (080-t)	49.0	58.8	28.9	39.0	0.00	57	371	1.42
03/22 (081-f)	56.3	59.2	28.9	38.8	0.21	86	53	0.29
03/23 (082-s)	54.5	61.0	29.0	40.2	0.03	62	320	1.38
03/24 (083-s)	37.8	42.6	30.5	41.3	0.07	81	81	0.78
03/25 (084-m)	36.3	45.3	31.1	42.5	0.00	69	480	1.17
03/26 (085-t)	37.1	48.4	32.1	43.0	0.16	82	67	0.32
03/27 (086-w)	51.8	62.6	31.5	42.6	0.07	74	185	0.93
03/28 (087-t)	40.4	47.6	31.7	42.2	0.00	54	521	1.20
03/29 (088-f)	27.6	35.5	31.9	43.3	0.00	63	230	0.89
03/30 (089-s)	23.0	30.3	32.4	42.7	0.00	53	454	1.70
03/31 (090-s)	18.8	35.2	32.5	43.3	0.00	68	452	1.25

Column	Min's	Avg's	Max's	Ttl's
Column	15.6	26.0	34.0	26
Column	32.3	41.0	51.6	261
Column	56.3	62.6	73.2	521
Column				8101

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	max	min	max	prec	evap	ly	max	
mo da jul	avg	avg	avg	avg	liq	hum	ly/m	Lng-Term	
			yr	yr	yr	yr	yr	avg	
			yr	yr	yr	yr	yr	yr	
04/01 (091-m)	30.7	37.6	7.0	43.4	0.02	0.00	218	1.69	334
04/02 (092-t)	25.5	35.3	15.0	43.4	0.00	0.00	523	1.28	312
04/03 (093-w)	20.4	41.8	17.0	43.0	0.00	0.00	565	1.24	253
04/04 (094-t)	33.1	54.0	18.0	44.0	0.03	0.00	369	1.22	260
04/05 (095-f)	50.6	56.7	19.0	45.3	0.16	0.00	265	1.52	285
04/06 (096-s)	44.2	61.4	17.9	45.9	0.00	0.00	472	1.25	265
04/07 (097-s)	55.3	67.9	12.6	44.7	0.00	0.00	527	1.38	354
04/08 (098-m)	62.0	67.1	11.8	43.2	0.02	0.00	255	1.40	368
04/09 (099-t)	49.1	64.1	15.0	43.0	0.86	0.00	267	1.45	392
04/10 (100-w)	34.5	41.2	13.0	44.2	0.01	0.00	116	0.84	380
04/11 (101-t)	26.6	39.0	17.0	46.0	0.00	0.00	536	1.44	386
04/12 (102-f)	32.0	45.1	20.0	46.1	0.00	0.00	516	1.32	456
04/13 (103-s)	47.7	50.3	19.0	47.0	0.30	0.00	56	0.21	356
04/14 (104-s)	46.8	52.6	12.0	48.0	0.45	0.00	129	0.89	336
04/15 (105-m)	49.6	56.7	21.0	47.9	0.34	0.00	322	1.72	302
04/16 (106-t)	49.8	58.5	19.0	47.9	0.00	0.00	425	1.59	397
04/17 (107-w)	41.2	51.3	21.0	49.1	0.01	0.00	416	1.38	283
04/18 (108-t)	31.2	46.7	22.0	49.8	0.00	0.00	522	1.32	485
04/19 (109-f)	44.4	50.7	19.7	50.5	0.37	0.00	84	0.39	427
04/20 (110-s)	39.3	44.1	21.0	50.8	0.10	0.00	46	0.17	335
04/21 (111-s)	37.9	39.5	20.0	50.6	0.07	0.00	42	0.15	416
04/22 (112-m)	37.8	45.5	22.0	51.0	0.01	0.00	333	1.74	409
04/23 (113-t)	38.9	50.4	21.0	51.2	0.19	0.00	374	1.70	450
04/24 (114-w)	37.6	46.3	24.0	51.0	0.05	0.00	284	1.81	367
04/25 (115-t)	35.7	52.3	26.0	52.0	0.00	0.00	534	1.37	534
04/26 (116-f)	48.6	59.5	25.0	52.2	0.02	0.00	446	1.56	514
04/27 (117-s)	46.4	64.5	24.0	51.9	0.00	0.00	381	1.57	446
04/28 (118-s)	59.9	69.0	24.0	52.4	0.00	0.00	292	0.93	372
04/29 (119-m)	62.9	70.4	24.0	53.7	0.00	0.00	261	1.21	409
04/30 (120-t)	56.2	66.1	25.0	54.6	0.00	0.00	569	1.43	485
Column Min's:	20.4	35.3	7.0	43.0	0.00	0.00	42	0.15	253
Column Avg's:	42.5	52.9	36.7	48.1	0.10	0.00	338	1.24	379
Column Max's:	62.9	70.4	42.9	54.6	0.86	0.00	569	1.81	534
Column Ttl's:					3.01	0.00	10125	3.35	11368

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	max	min	max	prec	evap	ly	max Lng-Trm ly/m avg yrs											
05/01 (121-w)	51.7	59.5	73.3	79.2	42.1	92	66.3	92	89.0	1942	0.01	0.28	56	0.05	84	442	1.49	352	10
05/02 (122-t)	44.4	54.2	64.5	64.5	41.9	92	66.8	92	84.0	1926	0.00	0.30	48	0.09	83	564	1.78	410	10
05/03 (123-f)	39.2	50.1	64.5	64.5	26.9	1986	42.0	92	85.0	1913	0.00	0.21	63	0.11	88	616	1.45	385	10
05/04 (124-s)	43.6	55.2	69.5	69.5	26.5	1986	41.4	92	97.0	1902	0.00	0.20	58	0.09	84	434	1.71	454	10
05/05 (125-s)	44.7	62.3	79.2	79.2	25.0	1900	43.2	92	88.0	1949	0.56	0.37	71	0.10	83	382	1.67	379	10
05/06 (126-m)	44.8	54.1	62.8	62.8	25.0	1910	45.0	92	88.0	1949	0.00	0.22	78	0.09	81	254	1.57	436	10
05/07 (127-t)	41.7	52.1	63.7	63.7	25.0	1970	43.8	92	86.0	1936	0.00	0.26	60	0.13	83	654	1.68	441	10
05/08 (128-w)	42.8	57.1	72.9	72.9	29.0	1928	42.6	92	86.0	1930	0.00	0.28	65	0.16	82	510	1.31	474	10
05/09 (129-t)	52.3	62.0	74.6	74.6	26.2	1983	44.4	92	86.0	1930	0.00	0.06	74	0.11	85	459	1.53	479	10
05/10 (130-f)	47.5	64.5	81.1	81.1	24.0	1966	43.2	92	90.0	1936	0.00	0.30	68	0.13	82	571	1.50	497	10
05/11 (131-s)	48.6	67.4	85.4	85.4	25.0	1913	44.0	92	89.0	1936	0.00	0.14	62	0.15	85	612	1.37	577	10
05/12 (132-s)	55.1	71.9	86.6	86.6	26.0	1913	44.8	92	86.6	1991	0.00	0.22	70	0.19	88	497	1.49	473	10
05/13 (133-m)	59.6	73.5	88.5	88.5	30.0	1928	45.8	92	88.5	1991	0.08	0.30	71	0.14	81	610	1.37	410	10
05/14 (134-t)	59.9	72.6	88.3	88.3	31.0	1939	46.3	91	89.0	1962	0.00	0.29	62	0.13	82	621	1.36	528	9
05/15 (135-w)	54.5	73.5	90.6	90.6	28.0	1910	46.3	91	90.6	1991	0.00	0.29	55	0.13	87	640	1.32	415	9
05/16 (136-t)	57.6	73.1	89.2	89.2	29.1	1984	46.6	91	89.2	1991	0.07	0.27	67	0.13	86	567	1.43	482	9
05/17 (137-f)	54.4	71.6	83.1	83.1	28.0	1929	46.2	92	88.0	1900	0.03	0.27	79	0.12	86	403	1.52	477	10
05/18 (138-s)	50.7	56.9	66.9	66.9	30.0	1915	48.1	92	90.0	1962	0.03	0.15	78	0.14	81	317	1.57	402	10
05/19 (139-s)	48.5	62.0	73.7	73.7	32.0	1925	48.9	92	91.0	1911	0.00	0.17	72	0.16	84	402	1.70	333	10
05/20 (140-m)	56.8	66.3	78.6	78.6	31.0	1929	48.9	92	90.0	1911	0.00	0.19	70	0.15	90	461	1.62	312	10
05/21 (141-t)	55.9	70.4	84.9	84.9	31.0	1905	48.1	91	90.0	1934	0.00	0.26	69	0.08	79	651	1.46	419	10
05/22 (142-w)	56.7	71.5	89.3	89.3	31.0	1907	49.3	92	91.0	1941	0.00	0.20	67	0.12	86	474	1.45	441	10
05/23 (143-t)	55.9	73.7	90.9	90.9	32.0	1932	49.7	92	90.9	1991	0.00	0.25	60	0.13	85	539	1.39	427	10
05/24 (144-f)	64.1	73.2	83.6	83.6	27.0	1963	49.0	92	87.0	1933	0.12	0.20	81	0.13	84	364	1.52	543	10
05/25 (145-s)	66.8	73.8	81.4	81.4	30.0	1925	48.9	92	89.0	1914	0.47	0.21	85	0.17	82	289	1.49	413	10
05/26 (146-s)	71.0	75.0	81.7	81.7	30.0	1930	49.7	92	90.0	1939	0.03	0.13	84	0.13	86	247	1.66	455	10
05/27 (147-m)	67.5	71.6	78.6	78.6	28.0	1915	50.0	92	90.0	1941	0.25	0.12	87	0.16	85	219	0.85	475	10
05/28 (148-t)	65.2	77.5	90.8	90.8	32.0	1907	50.4	92	92.0	1911	0.00	0.26	76	0.12	84	560	1.56	414	10
05/29 (149-w)	68.4	80.0	91.1	91.1	33.0	1949	49.8	92	91.1	1991	0.00	0.27	72	0.12	82	531	1.49	417	10
05/30 (150-t)	66.7	75.9	88.1	88.1	31.0	1930	51.1	92	91.9	1988	1.32	0.60	83	0.15	84	429	1.50	428	10
05/31 (151-f)	65.5	75.1	86.7	86.7	32.0	1930	51.5	92	94.0	1919	0.26	0.21	78	0.13	86	595	1.63	543	10
Column Min's:	39.2	50.1	62.8	62.8	24.0		41.4		66.3		0.00	0.06	48	0.05		219	0.85	312	
Column Avg's:	54.9	67.0	80.1	80.1			46.5		70.6		0.10	0.24	70	0.13		481	1.50	442	
Column Max's:	71.0	80.0	91.1	91.1			51.5		76.2	97.0	1.32	0.60	87	0.19		654	1.78	577	
Column Ttl's:											3.23	7.48		3.94		14914		13691	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)					WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	year avgn	Long Term	avg	max	precip	evap	ly	max	Long Term												
mo da jul	avg		avgn	avgn	avgn	avgn	avgn	avgn	avgn	ly/m	ly/m	avgn												
			avgn	avgn	avgn	avgn	avgn	avgn	avgn															
06/01 (152-s)	64.5	74.2	85.0	34.0	1930	52.3	92	64.4	92	76.3	92	96.0	1934	0.00	--	0.40	76	0.12	81	616	1.65	506	10	
06/02 (153-s)	60.0	69.0	82.1	33.0	1966	52.9	91	64.3	91	75.6	91	95.0	1934	0.09	--	0.15	80	0.15	83	388	1.68	481	10	
06/03 (154-m)	57.5	69.7	80.5	35.0	1977	51.6	91	63.6	91	75.4	91	96.0	1934	0.00	--	0.31	67	0.13	83	673	1.39	486	10	
06/04 (155-t)	51.5	62.2	69.6	35.0	1929	51.3	92	64.1	92	76.7	92	98.0	1934	0.00	--	0.31	65	0.10	86	657	1.82	485	10	
06/05 (156-w)	48.2	60.7	72.5	36.3	1990	53.5	92	65.5	92	77.3	92	97.0	1925	0.00	--	0.23	62	0.09	80	524	1.83	443	10	
06/06 (157-t)	45.9	61.6	74.6	33.0	1945	53.4	92	66.1	92	78.7	92	95.0	1925	0.00	--	0.20	61	0.20	79	494	1.85	411	10	
06/07 (158-f)	46.7	62.7	79.2	34.0	1945	54.6	92	66.1	92	77.7	92	93.0	1933	0.00	--	0.23	59	0.15	84	563	1.64	556	10	
06/08 (159-s)	44.3	64.0	82.5	31.0	1912	53.7	92	65.5	91	77.3	91	96.0	1933	0.00	--	0.23	60	0.14	86	616	1.60	549	10	
06/09 (160-s)	49.9	69.2	86.4	34.0	1913	53.5	92	65.9	92	78.2	92	95.0	1933	0.00	--	0.32	61	0.12	85	683	1.38	536	10	
06/10 (161-m)	56.7	72.1	84.8	32.0	1913	53.5	92	66.1	92	78.5	92	94.0	1911	0.06	--	0.33	63	0.12	86	577	1.46	506	10	
06/11 (162-t)	64.1	71.0	81.9	31.0	1972	54.3	92	66.6	92	78.7	92	94.0	1933	0.24	--	0.24	79	0.12	86	381	1.46	549	9	
06/12 (163-w)	61.8	71.2	81.4	39.0	1913	55.2	92	67.1	92	79.0	92	93.0	1933	0.00	--	0.28	71	0.11	83	584	1.57	393	10	
06/13 (164-t)	52.0	65.6	80.0	42.0	1913	55.9	92	67.5	92	79.1	92	92.2	1983	0.00	--	0.41	57	0.12	84	718	1.42	552	10	
06/14 (165-f)	46.4	70.6	88.6	40.0	1923	56.2	92	67.9	92	79.5	92	93.8	1988	0.00	--	0.30	57	0.19	83	677	1.46	518	10	
06/15 (166-s)	64.6	77.3	88.5	34.0	1933	55.7	92	67.4	92	79.0	92	95.0	1925	0.03	--	0.30	73	0.12	86	551	1.49	496	9	
06/16 (167-s)	65.7	74.1	83.7	36.0	1908	55.4	91	67.0	91	78.6	91	93.0	1913	0.00	--	0.22	79	0.19	87	453	1.60	425	10	
06/17 (168-m)	61.8	72.6	84.0	36.0	1914	55.2	92	67.3	92	79.3	92	92.0	1934	0.00	--	0.31	67	0.14	86	607	1.54	525	10	
06/18 (169-t)	59.7	73.4	87.2	38.0	1950	56.0	91	67.8	90	79.6	90	95.0	1944	0.00	--	0.28	71	0.11	85	605	1.53	546	10	
06/19 (170-w)	62.9	75.1	87.9	42.0	1909	56.5	92	68.4	92	80.2	92	94.0	1923	0.00	--	0.30	72	0.15	88	547	1.39	404	10	
06/20 (171-t)	59.8	75.2	92.6	36.0	1914	56.3	92	68.5	91	80.5	91	95.0	1933	0.00	--	0.35	59	0.09	84	680	1.42	447	10	
06/21 (172-f)	58.3	77.5	94.6	42.0	1940	57.2	92	69.0	92	80.8	92	99.1	1988	0.00	--	0.33	55	0.11	84	663	1.39	564	10	
06/22 (173-s)	--	--	--	38.0	1963	57.0	91	68.8	91	80.6	91	97.6	1988	0.12	--	0.15	--	0.10	87	--	--	--	472	8
06/23 (174-s)	--	68.6	74.0	38.0	1963	56.5	91	68.6	91	80.5	91	94.0	1911	0.00	--	0.17	79	0.11	86	216	--	478	9	
06/24 (175-m)	56.2	70.3	86.6	37.0	1915	56.3	92	69.1	92	81.6	92	95.0	1914	0.00	--	0.26	62	0.09	82	634	1.54	588	10	
06/25 (176-t)	54.8	71.3	86.7	40.0	1979	57.5	92	69.9	92	82.1	92	101.4	1988	0.00	--	0.24	66	0.16	83	511	1.49	617	10	
06/26 (177-w)	58.0	74.0	90.7	43.0	1922	57.7	92	70.0	92	82.1	92	99.0	1952	0.00	--	0.33	64	0.15	87	637	1.38	594	10	
06/27 (178-t)	58.2	75.6	89.9	42.0	1927	58.2	92	70.1	92	82.0	92	95.0	1913	0.00	--	0.33	63	0.17	84	663	1.57	495	10	
06/28 (179-f)	62.5	77.8	90.0	43.0	1988	58.8	92	70.5	92	82.1	92	97.0	1934	0.00	--	0.33	68	0.12	88	522	1.70	453	10	
06/29 (180-s)	68.6	79.3	90.7	45.0	1905	59.4	92	71.0	92	82.6	92	97.0	1934	0.16	--	0.34	68	0.15	87	525	1.54	496	10	
06/30 (181-s)	67.2	77.6	94.0	39.0	1923	59.2	91	70.8	91	82.6	91	96.0	1913	0.97	--	0.49	78	0.15	88	457	1.49	495	10	

Column	Min's	Avg's	Max's	Ttl's
Column	44.3	60.7	69.6	31.0
Column	57.4	71.2	84.5	51.3
Column	68.6	79.3	94.6	55.5
Column				59.4
Column				75.4
Column				79.4
Column				82.6
Column				101.4
Column				0.00
Column				0.06
Column				0.97
Column				1.67
Column				3.97
Column				16422
Column				216
Column				566
Column				718
Column				15066

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These data are provided as a public service solely for informational use.

DATE	AIR T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	max	precip	evap	ly	max	
07/01 (182-m)	60.9	75.1	0.00	0.17	614	1.49	520
07/02 (183-t)	70.6	83.5	0.07	0.29	403	1.75	416
07/03 (184-w)	68.6	78.9	0.00	0.34	663	1.41	478
07/04 (185-t)	70.0	76.9	0.00	0.27	467	1.77	452
07/05 (186-f)	67.4	76.1	0.00	0.36	612	1.56	434
07/06 (187-s)	64.6	79.8	0.00	0.37	615	1.48	456
07/07 (188-s)	74.9	82.1	0.05	0.38	552	1.53	562
07/08 (189-m)	65.1	76.4	0.00	0.27	416	1.72	566
07/09 (190-t)	61.6	70.6	0.00	0.24	472	1.62	441
07/10 (191-w)	56.5	72.6	0.00	0.31	626	1.55	528
07/11 (192-t)	55.9	72.7	0.00	0.29	540	1.57	448
07/12 (193-f)	57.9	69.2	0.17	0.12	157	1.07	453
07/13 (194-s)	63.9	73.1	0.00	0.30	521	1.58	504
07/14 (195-s)	56.7	70.7	0.00	0.31	562	1.59	484
07/15 (196-m)	49.6	68.7	0.00	0.35	681	1.38	504
07/16 (197-t)	50.7	72.8	0.00	0.34	680	1.36	564
07/17 (198-w)	55.4	74.9	0.00	0.43	661	1.37	549
07/18 (199-t)	61.2	78.4	0.00	0.37	607	1.30	540
07/19 (200-f)	63.1	80.6	0.00	0.43	593	1.41	480
07/20 (201-s)	70.5	83.2	0.00	0.41	572	1.34	436
07/21 (202-s)	71.9	81.9	0.05	0.39	499	1.39	498
07/22 (203-m)	70.0	80.6	0.01	0.29	356	1.37	459
07/23 (204-t)	62.7	78.2	0.45	0.40	412	1.41	527
07/24 (205-w)	61.1	71.9	0.00	0.34	614	1.57	545
07/25 (206-t)	61.6	74.0	0.00	0.37	637	1.36	522
07/26 (207-f)	57.3	68.7	0.00	0.31	499	1.69	405
07/27 (208-s)	51.7	66.0	0.00	0.35	625	1.64	515
07/28 (209-s)	49.1	67.7	0.00	0.34	458	1.43	512
07/29 (210-m)	60.3	69.8	0.06	0.18	254	1.38	516
07/30 (211-t)	56.0	69.4	0.00	0.25	464	1.55	460
07/31 (212-w)	51.6	69.5	0.00	0.35	635	1.47	466
Column Min's:	49.1	66.0	0.00	0.12	157	1.07	405
Column Avg's:	61.2	74.4	0.03	0.32	531	1.49	492
Column Max's:	74.9	83.2	0.45	0.43	681	1.77	566
Column Ttl's:			0.86	9.92	16467	4.17	15240

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N											
	min	avg	max	min	year avg	max	year	prec	liq	snow	evap	hum %	ly	max	Long-Term avg							
08/01 (213-t)	60.5	76.5	93.2	44.0	1952	58.4	92	70.6	91	83.0	91	97.0	1933	0.00	0.41	52	0.11	87	616	1.49	470	10
08/02 (214-f)	56.5	78.4	97.1	46.0	1905	58.7	92	71.0	92	83.5	92	98.0	1930	0.00	0.39	51	0.07	86	592	1.33	495	10
08/03 (215-s)	68.5	74.9	85.8	43.0	1920	59.7	92	71.4	92	83.1	92	98.0	1930	0.13	0.17	75	0.13	87	241	1.18	475	10
08/04 (216-s)	61.6	72.0	82.8	42.0	1912	59.4	92	71.1	92	83.1	92	102.0	1930	0.01	0.29	67	0.13	85	497	1.54	385	10
08/05 (217-m)	52.6	66.4	81.2	41.0	1912	58.7	91	70.8	91	83.1	91	101.0	1918	0.00	0.26	61	0.13	85	460	1.72	408	10
08/06 (218-t)	48.1	65.5	79.6	45.0	1910	59.2	92	71.0	92	82.9	92	105.0	1918	0.00	0.19	59	0.08	86	376	1.14	400	10
08/07 (219-w)	53.4	70.4	89.5	47.0	1950	58.8	92	71.2	92	83.8	92	102.0	1918	0.00	0.33	52	0.21	84	613	1.31	458	10
08/08 (220-t)	53.2	65.0	82.7	43.0	1903	60.3	92	71.9	92	83.8	92	97.0	1916	0.74	0.20	76	0.14	86	231	1.40	445	10
08/09 (221-f)	58.2	66.3	74.3	42.0	1922	59.8	91	71.5	91	83.3	92	97.0	1930	0.01	0.09	84	0.12	88	171	0.82	463	10
08/10 (222-s)	53.4	67.1	81.6	40.0	1972	59.7	92	71.0	92	82.4	92	97.0	1911	0.00	0.27	66	0.14	88	554	1.45	444	10
08/11 (223-s)	52.3	68.5	85.8	43.0	1972	58.5	92	70.0	92	81.4	92	95.0	1918	0.00	0.29	59	0.15	86	548	1.45	457	10
08/12 (224-m)	51.9	69.5	87.5	40.0	1930	57.6	92	69.7	92	81.8	92	93.3	1988	0.00	0.27	57	0.13	87	566	1.38	516	10
08/13 (225-t)	56.5	69.3	87.4	41.0	1930	57.8	92	70.2	92	82.7	92	96.0	1918	0.00	0.17	67	0.09	90	306	1.32	409	10
08/14 (226-w)	61.7	69.7	82.8	43.0	1916	58.3	92	70.6	92	83.1	92	93.0	1910	0.12	0.20	71	0.12	85	422	1.38	482	10
08/15 (227-t)	57.1	71.9	86.1	39.0	1962	57.8	92	70.0	92	82.4	92	95.0	1944	0.00	0.34	59	0.17	89	535	1.30	489	10
08/16 (228-f)	62.8	76.0	89.5	40.0	1979	58.8	91	70.8	91	82.8	92	94.0	1910	0.00	0.36	51	0.12	86	505	1.33	459	9
08/17 (229-s)	66.0	73.2	87.2	44.0	1976	59.3	92	70.6	92	82.1	92	96.5	1988	0.66	0.34	68	0.08	86	318	1.38	423	10
08/18 (230-s)	64.7	72.6	84.5	43.0	1953	58.3	92	70.1	92	82.1	92	96.0	1922	0.00	0.19	76	0.14	89	357	1.53	417	10
08/19 (231-m)	59.9	65.7	79.3	41.0	1953	57.7	92	69.5	92	81.4	92	95.0	1936	0.44	0.25	85	0.11	84	227	1.45	386	10
08/20 (232-t)	60.7	65.0	73.2	41.0	1929	57.1	92	69.0	92	80.9	92	97.0	1962	0.06	0.15	85	0.15	83	312	1.73	407	10
08/21 (233-w)	58.3	66.6	78.1	40.0	1922	56.9	91	69.2	91	81.4	92	95.0	1916	0.00	0.27	72	0.14	86	525	1.53	400	10
08/22 (234-t)	59.3	73.0	86.6	40.9	1982	56.4	92	68.7	92	80.9	92	99.0	1916	0.00	0.23	65	0.10	86	439	1.53	313	10
08/23 (235-f)	62.2	73.5	88.2	42.0	1923	56.5	91	68.7	91	81.0	92	96.0	1916	0.00	0.28	66	0.05	89	518	1.43	337	9
08/24 (236-s)	58.4	71.7	88.3	40.0	1923	56.2	91	68.3	91	80.4	92	93.0	1954	0.00	0.26	68	0.09	85	523	1.21	407	10
08/25 (237-s)	59.3	75.1	91.5	37.0	1942	55.1	92	67.8	92	80.5	92	95.0	1948	0.00	0.25	68	0.07	85	466	1.22	432	10
08/26 (238-m)	63.1	75.4	89.6	41.0	1923	55.3	92	68.1	91	81.2	91	99.0	1948	0.00	0.26	65	0.08	87	509	1.19	422	10
08/27 (239-t)	60.2	74.6	90.8	38.0	1910	56.9	92	68.9	92	80.9	92	98.0	1948	0.00	0.24	70	0.11	87	443	1.35	378	10
08/28 (240-w)	65.7	78.4	94.4	41.0	1968	57.2	90	68.9	90	80.5	91	97.0	1953	0.02	0.28	70	0.13	83	534	1.30	360	9
08/29 (241-t)	67.1	80.6	95.7	35.7	1982	56.8	92	68.8	92	80.9	92	95.7	1991	0.00	0.27	66	0.10	84	458	1.17	380	9
08/30 (242-f)	67.9	78.4	95.1	36.0	1946	56.5	91	68.6	91	80.9	92	97.0	1953	0.88	0.58	70	0.12	88	423	1.12	450	9
08/31 (243-s)	61.4	72.3	84.0	36.0	1915	55.9	92	68.2	92	80.5	92	96.0	1953	0.00	0.30	73	0.17	88	429	1.44	414	10

Column Min's:	48.1	65.0	73.2	35.7	55.1	67.8	80.4	0.00	0.09	51	0.05	171	0.82	313
Column Avg's:	59.4	71.7	86.2	60.3	69.9	71.9	82.0	0.10	0.27	67	0.12	442	1.36	425
Column Max's:	68.5	80.6	97.1	60.3	71.9	83.8	105.0	0.88	0.58	85	0.21	616	1.73	516
Column Ttl's:								3.07	8.38		3.68	13714		13181

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	max	liq	%	ly	max													
mo da jul	Current	prec	evap	ly/m	Lng-Trm													
	avg yrs													
	avg yrs													
09/01 (244-s)	50.8	63.9	77.6	40.0	1967	56.1	92	68.3	92	80.6	92	97.0	1953	0.00	--	0.29	57	576	1.25	405	10
09/02 (245-m)	46.9	66.8	86.9	38.0	1909	55.6	92	68.1	92	80.6	92	99.0	1953	0.00	--	0.22	63	516	1.40	387	10
09/03 (246-t)	58.1	70.4	88.1	36.0	1946	55.9	92	67.9	92	79.9	92	99.0	1953	1.18	--	0.65	78	426	1.12	393	10
09/04 (247-w)	52.1	66.6	75.2	39.0	1946	56.2	92	68.0	92	79.9	92	96.0	1953	0.58	--	0.18	77	331	1.35	415	10
09/05 (248-t)	47.7	62.7	79.1	37.0	1902	54.5	92	66.7	92	78.8	92	99.0	1954	0.00	--	0.13	89	481	1.41	389	10
09/06 (249-f)	50.5	65.4	83.3	36.0	1962	54.5	92	66.6	92	78.8	92	97.0	1954	0.00	--	0.20	60	504	1.17	361	10
09/07 (250-s)	49.4	66.8	85.3	36.0	1962	53.6	92	66.1	92	78.5	92	99.0	1939	0.00	--	0.24	62	507	1.17	341	10
09/08 (251-s)	55.7	71.0	90.0	34.7	1986	54.1	92	67.0	92	80.1	92	95.0	1922	0.00	--	0.21	65	469	1.50	446	10
09/09 (252-m)	59.4	72.2	88.4	35.6	1986	54.6	92	67.0	92	79.4	92	93.0	1922	0.11	--	0.20	75	359	1.30	386	10
09/10 (253-t)	69.6	75.2	86.3	34.0	1910	53.7	92	65.9	92	78.4	92	93.8	1983	0.00	--	0.17	77	309	1.51	324	10
09/11 (254-w)	54.9	66.6	77.3	33.0	1917	52.9	92	64.9	92	76.9	92	95.0	1925	0.00	--	0.23	69	485	1.40	336	10
09/12 (255-t)	55.7	64.6	76.6	33.0	1943	53.0	92	64.9	92	76.9	92	93.0	1952	0.00	--	0.13	72	277	1.23	295	10
09/13 (256-f)	63.3	73.0	86.8	36.0	1964	53.1	91	64.9	91	76.9	92	92.0	1939	0.00	--	0.16	74	361	1.20	393	9
09/14 (257-s)	62.9	74.3	86.4	31.0	1923	51.9	91	63.8	91	76.0	91	98.0	1939	0.00	--	0.15	78	342	1.33	350	8
09/15 (258-s)	69.7	79.4	90.2	29.0	1923	53.0	92	64.3	92	75.8	92	96.0	1939	0.00	--	0.27	69	420	1.27	311	10
09/16 (259-m)	71.4	79.8	92.5	33.0	1923	51.5	92	63.2	92	75.1	92	95.0	1939	0.15	--	0.38	65	440	1.12	285	10
09/17 (260-t)	61.9	69.3	78.2	31.0	1959	50.5	92	62.6	92	74.8	92	92.0	1948	0.00	--	0.23	66	429	1.38	387	9
09/18 (261-w)	56.6	64.9	79.3	31.0	1959	50.2	92	62.5	92	74.9	92	91.0	1955	0.08	--	0.17	72	239	1.44	324	10
09/19 (262-t)	42.4	54.0	64.2	30.0	1916	51.8	92	63.4	92	75.1	92	93.0	1908	0.01	--	0.18	63	402	1.44	311	10
09/20 (263-f)	36.5	47.5	57.7	33.0	1956	52.6	92	63.6	92	74.7	92	93.0	1908	0.00	--	0.02	70	314	1.62	365	10
09/21 (264-s)	31.6	49.1	65.6	29.0	1956	51.2	91	62.4	91	73.7	91	93.0	1914	0.00	--	0.23	65	461	1.31	285	9
09/22 (265-s)	35.0	56.6	73.7	31.0	1904	49.0	92	60.9	92	72.8	92	93.0	1908	0.10	--	0.30	65	375	1.56	287	10
09/23 (266-m)	42.8	57.8	68.0	28.0	1913	47.9	92	60.1	92	72.5	92	93.0	1908	0.22	--	0.20	69	415	1.31	250	10
09/24 (267-t)	37.0	50.7	66.1	29.0	1944	47.6	92	60.0	92	72.4	92	95.0	1908	0.10	--	0.12	79	266	1.33	316	10
09/25 (268-w)	50.7	56.1	64.9	30.0	1944	48.0	92	60.1	92	72.2	92	95.0	1908	0.10	--	0.14	75	313	1.32	348	10
09/26 (269-t)	39.2	51.2	57.9	30.0	1928	46.9	92	59.4	92	71.8	92	89.0	1900	0.00	--	0.15	64	255	1.49	304	10
09/27 (270-f)	31.8	45.6	59.6	29.0	1947	46.7	92	59.0	92	71.5	92	89.0	1946	0.00	--	0.14	62	432	1.34	309	10
09/28 (271-s)	30.3	47.9	66.0	27.0	1942	45.6	91	58.1	91	70.8	91	88.0	1946	0.00	--	0.11	66	414	1.08	345	9
09/29 (272-s)	41.1	54.8	70.3	27.0	1942	45.9	92	58.1	92	70.6	92	94.0	1953	0.00	--	0.21	63	421	1.03	318	10
09/30 (273-m)	40.7	59.2	77.8	28.0	1908	45.0	92	57.0	92	69.2	92	89.0	1953	0.00	--	0.16	66	300	1.11	301	10
Column Min's:	30.3	45.6	57.7	27.0		45.0		57.0		69.2				0.00		0.02	57	239	1.03	250	
Column Avg's:	49.9	62.8	76.6	51.4		63.5		75.7		80.6		99.0		0.09		0.21	68	395	1.32	342	
Column Max's:	71.4	79.8	92.5	56.2		68.3		80.6						1.18		0.65	79	576	1.62	446	
Column Ttl's:														2.63		6.22		11839		10267	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	avg	min	avg	prec	liq	ly	max																
mo da julCurrent.....Long Term.....	min year	avgm yrs	avg yrs	avgm yrs	avgm yrs	ly/m	Lng-Trm															
	max	max	max	max	max	max	max	avg	avg															
10/01 (274-t)	55.9	67.6	80.3	27.0	1918	45.4	92	57.0	92	68.5	92	88.0	1927	0.00	0.00	--	0.26	51	0.10	85	371	1.24	250	10
10/02 (275-w)	56.4	67.4	80.5	28.0	1930	45.4	92	57.4	92	69.4	92	87.0	1919	0.00	0.00	--	0.23	57	0.05	84	372	1.09	305	10
10/03 (276-t)	55.1	62.3	71.9	25.0	1908	44.8	92	57.1	91	69.4	91	87.0	1919	0.06	0.06	--	0.07	82	0.07	85	165	1.03	269	10
10/04 (277-f)	54.1	68.2	81.4	28.0	1935	45.6	92	57.6	92	69.9	92	88.0	1922	0.00	0.00	--	0.21	73	0.10	86	264	1.12	291	10
10/05 (278-s)	42.7	58.2	69.4	26.0	1901	45.2	92	57.2	92	69.1	92	91.0	1922	0.09	0.09	--	0.16	74	0.09	86	113	0.73	278	10
10/06 (279-s)	38.9	43.6	50.7	27.0	1964	45.0	92	56.5	92	68.1	92	89.0	1922	0.00	0.00	--	0.13	66	0.13	83	278	1.27	284	10
10/07 (280-m)	32.4	42.1	54.4	25.0	1935	42.9	92	54.7	92	66.7	92	85.0	1939	0.00	0.00	--	0.10	68	0.09	87	265	1.35	250	10
10/08 (281-t)	27.1	48.2	66.1	24.0	1952	41.1	92	53.7	92	66.3	92	88.0	1939	0.00	0.00	--	0.22	53	0.07	87	395	1.01	266	10
10/09 (282-w)	48.4	60.8	74.0	25.2	1989	42.8	90	54.2	90	65.8	91	89.0	1916	0.00	0.00	--	0.23	38	0.09	85	325	1.00	186	8
10/10 (283-t)	40.1	53.0	61.5	22.0	1964	42.4	91	53.9	91	65.7	91	87.0	1949	0.49	0.49	--	0.12	74	0.09	87	106	0.86	162	9
10/11 (284-f)	39.5	45.7	50.2	18.0	1964	41.5	92	53.4	92	65.4	92	88.0	1928	0.08	0.08	--	0.03	89	0.05	84	67	0.30	231	10
10/12 (285-s)	39.2	45.9	53.9	22.0	1906	42.1	92	53.3	92	64.6	92	88.0	1928	0.03	0.03	--	0.07	83	0.07	84	147	0.96	179	10
10/13 (286-s)	34.1	43.3	55.1	24.0	1908	40.7	92	52.8	92	65.0	92	82.0	1920	0.00	0.00	--	0.09	82	0.07	86	258	1.40	213	10
10/14 (287-m)	32.6	49.8	66.8	24.0	1917	40.2	91	52.6	91	65.2	92	83.4	1989	0.13	0.13	--	0.14	70	0.05	86	297	1.07	255	10
10/15 (288-t)	39.0	46.8	55.7	23.0	1939	41.0	91	53.7	91	66.5	92	82.0	1953	0.00	0.00	--	0.11	69	0.08	85	236	1.18	260	10
10/16 (289-w)	27.5	40.7	55.7	22.0	1944	42.3	92	53.9	92	65.7	92	83.0	1938	0.00	0.00	--	0.09	64	0.06	82	368	0.94	278	10
10/17 (290-t)	27.9	46.8	66.4	27.0	1940	41.5	92	53.0	92	64.5	92	84.0	1938	0.00	0.00	--	0.14	53	0.08	87	361	0.92	203	10
10/18 (291-f)	44.4	55.9	71.9	24.0	1939	40.2	91	51.5	91	62.9	92	83.0	1908	0.00	0.00	--	0.16	49	0.13	84	317	0.98	205	10
10/19 (292-s)	28.9	42.1	52.3	23.0	1922	38.6	92	50.3	92	62.1	92	84.0	1953	0.12	0.12	--	0.02	80	0.07	87	93	0.61	197	10
10/20 (293-s)	24.6	38.6	55.9	21.0	1930	38.3	92	49.7	92	61.1	92	82.0	1920	0.00	0.00	--	0.20	69	0.04	83	349	0.89	180	10
10/21 (294-m)	26.2	44.2	64.1	19.0	1952	39.1	91	50.6	91	62.1	92	82.0	1920	0.00	0.00	--	0.03	56	0.04	82	336	0.90	150	10
10/22 (295-t)	37.0	55.8	73.3	16.0	1930	39.4	92	51.0	92	62.6	92	82.0	1920	0.00	0.00	--	0.11	56	0.09	85	291	1.06	158	10
10/23 (296-w)	48.3	63.0	75.4	20.0	1944	39.0	92	50.1	92	61.1	92	79.0	1901	0.00	0.00	--	0.25	70	0.08	83	270	0.85	193	10
10/24 (297-t)	60.2	67.0	77.2	19.0	1964	38.5	91	48.7	91	59.1	92	80.0	1963	0.00	0.00	--	0.15	72	0.11	88	220	0.91	164	9
10/25 (298-f)	61.3	68.5	77.5	23.0	1960	37.9	92	48.3	92	58.7	92	80.0	1963	0.00	0.00	--	0.15	65	0.06	87	202	0.94	197	10
10/26 (299-s)	57.5	67.7	77.9	17.0	1930	36.6	91	47.8	91	59.3	92	81.0	1963	0.00	0.00	--	0.25	63	0.06	87	247	0.91	225	9
10/27 (300-s)	53.9	61.1	67.1	20.0	1949	37.0	92	47.8	92	58.7	92	81.0	1927	0.08	0.08	--	0.06	81	0.06	83	53	0.24	206	10
10/28 (301-m)	50.3	55.0	62.2	19.0	1936	36.5	92	47.0	92	57.5	92	82.0	1927	0.00	0.00	--	0.14	67	0.09	84	163	0.67	233	10
10/29 (302-t)	47.5	57.0	70.0	18.0	1925	35.3	92	46.4	92	57.7	92	79.0	1922	0.00	0.00	--	0.16	31	0.05	88	215	0.88	242	10
10/30 (303-w)	41.9	56.0	72.6	19.0	1928	35.9	92	47.4	92	58.8	92	78.0	1950	0.00	0.00	--	0.10	36	0.04	82	216	0.89	227	10
10/31 (304-t)	40.8	53.6	64.1	16.9	1988	37.1	92	48.0	92	59.1	92	81.0	1950	0.00	0.00	--	0.01	63	0.07	84	204	0.96	208	10

Column Min's:	24.6	38.6	50.2	16.0	35.3	46.4	57.5	0.00	0.01	31	0.04	53	0.24	150
Column Avg's:	42.4	54.1	66.3	40.6	45.6	52.1	63.8	0.03	0.14	65	0.08	244	0.94	224
Column Max's:	61.3	68.5	81.4	45.6	69.9	57.6	69.9	1.08	0.26	89	0.13	395	1.40	305
Column Ttl's:								1.08	4.19		2.33	7564		6945

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.