

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	prec	evap	liq	snow	ly	max										
mo da jul	Current	Current	Long Term	Long Term	prec	evap	prec	snow	ly	ly/m										
	avg	avg	avg yrs	avg yrs	year	year	year	pr yrs	Term	avg yrs										
01/01 (001-w)	34.0	36.5*	39.0	-6.0	1968	23.1	92	31.0	92	38.9	92	65.0	1985	0.00	0.00	0.00	0.00	0.00	0.12	78
01/02 (002-t)	30.0	38.0*	46.0	-3.0	1968	23.2	93	30.9	93	38.6	93	61.0	1916	0.00	0.00	0.00	0.00	0.00	0.11	80
01/03 (003-f)	42.0	46.0*	50.0	-13.0	1904	23.5	93	30.4	93	37.3	93	63.0	1950	0.00	0.00	0.00	0.00	0.00	0.11	74
01/04 (004-s)	37.0	41.5*	46.0	-17.0	1904	21.6	93	28.9	93	36.1	93	65.0	1950	0.00	0.00	0.00	0.00	0.00	0.09	82
01/05 (005-s)	37.0	38.0*	39.0	-18.0	1904	21.7	93	29.1	93	36.5	93	61.0	1939	0.00	0.00	0.00	0.00	0.00	0.09	83
01/06 (006-m)	35.0	36.0*	37.0	-6.0	1924	23.4	93	30.4	93	37.3	93	69.0	1946	0.00	0.00	0.00	0.00	0.00	0.12	77
01/07 (007-t)	35.0	36.5*	38.0	-7.0	1970	23.4	93	30.2	93	37.1	93	63.0	1907	0.00	0.00	0.00	0.00	0.00	0.09	80
01/08 (008-w)	29.0	35.0*	41.0	-7.0	1942	20.9	93	28.5	93	36.1	93	65.0	1937	0.00	0.00	0.00	0.00	0.00	0.10	79
01/09 (009-t)	39.0	43.5*	48.0	-5.0	1979	20.4	93	28.3	93	36.2	93	63.0	1946	0.00	0.00	0.00	0.00	0.00	0.05	75
01/10 (010-f)	30.0	34.5*	39.0	-11.0	1910	20.3	93	27.8	93	35.3	93	59.0	1975	0.04	0.04	0.00	0.00	0.00	0.08	78
01/11 (011-s)	27.0	34.5*	42.0	-6.0	1982	21.4	93	28.5	93	35.7	93	57.0	1975	0.00	0.00	0.00	0.00	0.00	0.10	82
01/12 (012-s)	32.0	36.0*	40.0	-13.0	1918	20.7	93	28.1	93	35.5	93	67.0	1916	0.00	0.00	0.00	0.00	0.00	0.10	75
01/13 (013-m)	36.0	41.0*	46.0	-23.0	1912	20.8	93	28.8	93	36.8	93	64.0	1932	0.25	0.25	0.00	0.00	0.00	0.13	77
01/14 (014-t)	19.0	35.5*	52.0	-9.0	1912	22.1	93	30.0	93	37.8	93	70.0	1932	0.60	0.60	0.00	0.00	0.00	0.13	71
01/15 (015-w)	15.0	22.5*	30.0	-9.0	1972	21.3	93	29.1	93	36.9	93	65.0	1932	0.10	0.10	0.00	0.00	0.00	0.13	81
01/16 (016-t)	5.0	13.5*	22.0	-13.0	1977	20.0	93	28.0	93	36.0	93	60.0	1949	0.00	0.00	0.00	0.00	0.00	0.07	81
01/17 (017-f)	20.0	27.5*	35.0	-19.0	1977	21.1	92	28.7	92	36.2	93	63.0	1952	0.00	0.00	0.00	0.00	0.00	0.11	77
01/18 (018-s)	8.0	14.0*	20.0	-8.0	1977	21.5	92	29.2	92	36.9	93	68.0	1929	0.00	0.00	0.00	0.00	0.00	0.09	78
01/19 (019-s)	5.0	14.5*	24.0	-11.0	1940	21.1	93	29.1	93	37.1	93	68.0	1907	0.00	0.00	0.00	0.00	0.00	0.09	79
01/20 (020-m)	25.0	28.5*	32.0	-21.0	1918	22.1	93	30.2	93	38.4	93	68.0	1906	0.05	0.05	0.00	0.00	0.00	0.15	72
01/21 (021-t)	22.0	33.5*	45.0	-18.0	1918	22.8	93	31.0	93	39.2	93	72.0	1906	0.00	0.00	0.00	0.00	0.00	0.19	78
01/22 (022-w)	27.0	38.0*	49.0	-14.0	1936	23.2	93	31.0	93	38.8	93	68.0	1933	0.00	0.00	0.00	0.00	0.00	0.13	77
01/23 (023-t)	30.0	38.5*	47.0	-17.0	1936	21.1	93	29.6	93	38.1	93	64.0	1967	0.00	0.00	0.00	0.00	0.00	0.10	77
01/24 (024-f)	18.0	24.0*	30.0	-17.0	1963	21.5	93	29.5	93	37.4	93	67.0	1909	0.03	0.03	0.00	0.00	0.00	0.11	78
01/25 (025-s)	20.0	24.5*	29.0	-11.0	1961	21.5	93	29.7	93	37.9	93	74.0	1950	0.05	0.05	0.00	0.00	0.00	0.06	77
01/26 (026-s)	19.0	24.5*	30.0	-8.0	1915	20.2	93	28.3	93	36.4	93	69.0	1950	0.20	0.20	0.00	0.00	0.00	0.17	80
01/27 (027-m)	20.0	30.0*	40.0	-12.0	1904	19.6	93	27.7	93	35.7	93	68.0	1916	0.00	0.00	0.00	0.00	0.00	0.08	82
01/28 (028-t)	26.0	32.5*	39.0	-12.0	1963	19.1	93	27.1	93	35.0	93	66.0	1914	0.00	0.00	0.00	0.00	0.00	0.07	68
01/29 (029-w)	32.0	33.5*	35.0	-10.0	1915	20.0	93	27.6	93	35.1	93	65.0	1975	0.00	0.00	0.00	0.00	0.00	0.11	72
01/30 (030-t)	28.0	35.5*	43.0	-8.0	1915	20.8	93	28.7	93	36.6	93	63.0	1947	0.00	0.00	0.00	0.00	0.00	0.13	75
01/31 (031-f)	35.0	37.5*	40.0	-4.0	1936	20.1	93	28.0	93	35.8	93	62.0	1917	0.05	0.05	0.00	0.00	0.00	0.10	81

Column Min's:	5.0	13.5	20.0	-23.0	19.1	27.1	35.0	0.00	0.05
Column Avg's:	26.4	32.4	38.5	21.4	29.1	36.9	0.04	0.11	
Column Max's:	42.0	46.0	52.0	23.5	31.0	39.2	0.60	0.19	
Column Ttl's:							1.37	3.31	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		W A T E R B A L A N C E (inches)		S O L A R R A D I A T I O N		
	min	max	min year	max year	prec	evap	ly	max Lng-Trm ly/m avg yrs	
02/01 (032-s)	20.0	25.0*	20.2	28.0	93	35.7	93	64.0	1989
02/02 (033-s)	18.0	30.5*	19.8	28.1	93	36.4	93	66.0	1989
02/03 (034-m)	26.0	39.0*	20.2	28.0	93	35.7	93	61.0	1927
02/04 (035-t)	32.0	39.5*	20.8	28.7	93	36.6	93	62.0	1962
02/05 (036-w)	25.0	32.5*	20.5	28.2	93	35.9	93	64.0	1986
02/06 (037-t)	22.0	34.5*	21.9	29.3	93	36.7	93	58.0	1925
02/07 (038-f)	32.0	35.5*	20.7	28.3	93	35.8	93	61.0	1925
02/08 (039-s)	22.0	27.0*	20.5	28.5	93	36.6	93	70.0	1937
02/09 (040-s)	16.0	23.5*	20.0	28.5	93	37.0	93	68.0	1937
02/10 (041-m)	18.0	31.0*	20.0	28.4	93	36.7	93	70.0	1932
02/11 (042-t)	24.0	34.0*	20.0	28.5	92	37.0	92	71.0	1932
02/12 (043-w)	18.0	24.0*	22.0	29.9	93	37.9	93	69.0	1984
02/13 (044-t)	29.0	35.5*	23.6	31.7	93	39.9	93	66.0	1990
02/14 (045-f)	34.0	37.0*	24.1	32.5	93	40.9	93	69.0	1918
02/15 (046-s)	39.0	49.5*	22.7	31.2	93	39.7	93	70.0	1954
02/16 (047-s)	40.0	41.5*	22.2	30.1	93	37.9	93	68.0	1927
02/17 (048-m)	35.0	42.0*	23.7	31.4	93	39.2	93	67.0	1911
02/18 (049-t)	45.0	52.5*	23.5	32.5	91	41.4	92	65.0	1948
02/19 (050-w)	38.0	44.0*	24.2	32.8	92	41.4	92	71.0	1939
02/20 (051-t)	38.0	39.0*	22.7	31.6	93	40.5	93	68.0	1939
02/21 (052-f)	32.0	41.0*	24.4	33.0	93	41.7	93	68.0	1930
02/22 (053-s)	40.0	52.5*	25.6	34.0	93	42.5	93	70.0	1930
02/23 (054-s)	37.0	48.5*	26.1	34.4	93	42.7	93	66.0	1985
02/24 (055-m)	38.0	44.0*	25.4	33.8	93	42.3	93	70.0	1961
02/25 (056-t)	38.0	42.0*	25.2	32.9	92	40.5	92	72.0	1957
02/26 (057-w)	35.0	36.0*	24.7	32.9	92	41.1	92	72.0	1944
02/27 (058-t)	38.0	45.5*	25.0	33.2	93	41.5	93	64.0	1955
02/28 (059-f)	32.0	46.0*	25.9	34.1	91	42.4	91	65.0	1955
02/29 (060-s)	25.0	29.0*	25.9	33.8	22	41.8	22	70.0	1976

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	16.0	23.5	30.0	19.8
Column Avg's:	30.6	38.0	45.4	22.8
Column Max's:	45.0	52.5	65.0	26.1
Column Ttl's:				72.0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	avg	Long Term	max	prec	evap	ly	max	avg	
mo da jul	Current	Current	year	year	avg yrs	avgmx yrs	liq	hum	ly/m	ly/m	Term	
							prec	%			pr yrs	
							year				pr yrs	
11/01 (306-s)	45.2	47.9	20.0	1908	40.8	93	51.0	93	61.3	93	80.0	1950
11/02 (307-m)	51.2	57.9	19.0	1905	39.7	93	49.4	93	59.2	93	77.0	1933
11/03 (308-t)	40.5	55.3	20.0	1991	37.0	93	47.5	93	57.9	93	81.0	1987
11/04 (309-w)	39.0	46.7	15.0	1991	37.6	93	46.5	93	55.6	93	80.0	1987
11/05 (310-t)	32.4	35.6	11.0	1991	36.7	93	45.3	93	54.0	93	77.0	1987
11/06 (311-f)	32.9	35.5	13.0	1991	35.4	93	44.9	93	54.4	93	77.0	1975
11/07 (312-s)	28.7	34.7	16.0	1903	36.2	93	45.1	93	54.0	93	80.0	1938
11/08 (313-s)	26.8	36.8	13.0	1971	36.1	93	45.2	93	54.2	93	73.0	1938
11/09 (314-m)	30.9	41.6	14.0	1991	35.1	93	44.3	93	53.5	93	76.0	1975
11/10 (315-t)	45.2	49.2	19.0	1991	34.4	93	43.5	93	52.5	93	72.0	1949
11/11 (316-w)	51.0	54.1	20.0	1957	35.3	93	44.3	93	53.3	93	75.0	1915
11/12 (317-t)	38.8	53.7	19.0	1911	34.5	93	43.4	93	52.3	93	75.0	1949
11/13 (318-f)	27.8	34.8	14.0	1911	34.1	93	43.0	93	51.9	93	73.0	1955
11/14 (319-s)	25.1	29.2	10.0	1986	32.8	93	42.4	93	52.0	93	74.0	1909
11/15 (320-s)	21.9	28.0	14.0	1916	34.8	93	43.2	93	51.5	93	73.0	1953
11/16 (321-m)	20.1	31.5	10.0	1933	33.8	93	42.9	93	52.1	93	74.0	1931
11/17 (322-t)	35.5	47.9	12.0	1959	34.1	93	43.1	93	52.1	93	78.0	1958
11/18 (323-w)	42.1	43.4	11.0	1939	35.0	92	43.2	92	51.5	92	72.0	1941
11/19 (324-t)	37.6	42.9	15.0	1903	34.3	93	42.7	93	51.2	93	73.0	1930
11/20 (325-f)	39.3	51.2	11.0	1903	34.0	93	42.9	93	51.8	93	75.0	1931
11/21 (326-s)	50.2	54.7	15.0	1964	34.3	93	42.5	93	50.6	93	74.0	1934
11/22 (327-s)	53.7	59.1	12.0	1964	32.8	93	40.8	93	48.7	93	75.0	1931
11/23 (328-m)	44.3	46.4	12.0	1971	31.4	93	39.5	93	47.7	93	74.0	1931
11/24 (329-t)	42.7	45.1	7.0	1950	30.6	93	38.0	93	45.6	93	70.0	1931
11/25 (330-w)	44.0	48.8	6.0	1950	29.3	93	37.1	93	45.0	93	74.0	1915
11/26 (331-t)	35.0	41.9	14.0	1991	31.4	92	39.2	92	47.1	93	69.0	1990
11/27 (332-f)	32.5	33.8	2.0	1930	31.9	93	39.1	93	46.3	93	75.0	1990
11/28 (333-s)	30.8	33.0	6.0	1930	30.1	93	37.7	93	45.3	93	67.0	1990
11/29 (334-s)	27.0	31.3	5.0	1958	28.8	90	36.4	90	43.8	91	70.0	1927
11/30 (335-m)	24.4	31.3	-5.0	1958	27.9	93	35.8	93	43.6	93	72.0	1934
Column Min/s:	20.1	28.0	-5.0		27.9		35.8		43.6		69	0.05
Column Avg/s:	36.6	42.8			34.0		42.7		51.3		84	0.10
Column Max/s:	53.7	59.1			40.8		51.0		61.3		92	0.17
Column Ttl/s:												3.10

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION					
	min	max	min	max	prec	liq	snow	evap	hum	avg	pr	Term	max	avg	Term	
mo da jul	Current	Current	Long Term	Long Term	avg yrs	avgmx yrs	avgmx yrs	max year	%	ly	ly/m	ly	ly/m	ly	ly/m	
03/01 (061-s)	28.0	44.5*	61.0	5.0	1986	26.3	93	34.9	93	43.6	93	65.0	1972	0.00	0.07	81
03/02 (062-m)	39.0	56.0*	73.0	-0.0	1980	26.8	93	35.5	93	44.2	93	73.0	1992	0.00	0.09	81
03/03 (063-t)	39.0	52.5*	66.0	1.0	1980	27.9	93	37.0	93	46.0	93	75.0	1974	0.00	0.09	81
03/04 (064-w)	39.0	57.0*	75.0	2.0	1943	29.1	93	38.1	93	47.1	93	78.0	1976	0.00	0.22	78
03/05 (065-t)	44.0	58.0*	72.0	1.0	1978	28.4	93	37.6	93	46.7	93	78.0	1983	0.00	0.12	82
03/06 (066-f)	53.0	57.5*	62.0	2.0	1901	29.0	93	37.9	93	46.9	93	76.0	1973	0.00	0.17	81
03/07 (067-s)	52.0	58.5*	65.0	7.0	1960	29.2	93	37.1	93	45.1	93	77.0	1974	0.74	0.14	79
03/08 (068-s)	48.0	52.0*	56.0	-0.0	1960	27.6	93	36.3	93	45.0	93	80.0	1974	0.15	0.09	74
03/09 (069-m)	42.0	54.0*	66.0	-6.0	1984	28.3	93	37.3	93	46.3	93	77.0	1974	0.00	0.11	77
03/10 (070-t)	22.0	42.0*	62.0	2.0	1984	28.4	93	37.8	93	47.2	93	77.0	1973	0.00	0.07	82
03/11 (071-w)	17.0	22.5*	28.0	9.0	1934	29.9	93	38.8	93	47.8	93	76.0	1990	0.34	0.15	81
03/12 (072-t)	19.0	26.0*	33.0	4.0	1948	31.0	93	40.1	93	49.2	93	75.0	1990	0.00	0.10	81
03/13 (073-f)	17.0	24.5*	32.0	5.0	1960	32.3	93	41.2	93	50.1	93	78.0	1990	0.00	0.18	86
03/14 (074-s)	23.0	29.5*	36.0	15.0	1926	31.3	93	40.5	93	49.8	93	78.0	1990	0.00	0.12	79
03/15 (075-s)	19.0	26.5*	34.0	10.0	1932	31.3	93	40.5	93	49.7	93	79.0	1990	0.05	0.09	82
03/16 (076-m)	16.0	29.5*	43.0	3.0	1916	31.0	92	40.2	92	49.3	93	77.0	1945	0.00	0.13	80
03/17 (077-t)	34.0	45.0*	56.0	-0.0	1900	29.1	93	39.2	93	49.2	93	73.0	1942	0.00	0.07	77
03/18 (078-w)	33.0	36.0*	39.0	-0.0	1906	30.1	93	39.8	93	49.4	93	75.0	1903	0.10	0.11	81
03/19 (079-t)	26.0	32.5*	39.0	9.0	1934	32.5	93	42.1	93	51.8	93	79.0	1921	1.00	0.19	82
03/20 (080-f)	23.0	34.0*	45.0	15.0	1923	32.6	93	42.7	92	52.7	92	79.0	1921	0.00	0.13	85
03/21 (081-s)	28.0	35.5*	43.0	11.0	1906	31.9	92	42.0	91	52.1	91	78.0	1948	0.05	0.15	83
03/22 (082-s)	29.0	37.5*	46.0	13.0	1906	32.2	92	41.5	92	50.9	92	82.0	1938	0.00	0.10	81
03/23 (083-m)	20.0	31.0*	42.0	-0.0	1906	32.3	92	42.8	92	53.2	92	79.0	1907	0.07	0.09	82
03/24 (084-t)	25.0	39.0*	53.0	11.0	1974	34.2	92	44.5	92	54.9	92	85.0	1910	0.00	0.09	85
03/25 (085-w)	32.0	40.0*	48.0	5.0	1974	34.9	92	45.7	92	56.6	92	85.0	1929	0.00	0.13	82
03/26 (086-t)	40.0	47.5*	55.0	15.0	1955	36.4	92	45.8	92	55.2	92	79.0	1907	0.25	0.15	82
03/27 (087-f)	32.0	38.0*	44.0	15.0	1955	34.9	93	44.9	93	54.9	93	80.0	1910	0.15	0.15	82
03/28 (088-s)	29.0	39.0*	49.0	16.0	1955	34.6	93	44.6	93	54.6	93	82.0	1910	0.00	0.10	86
03/29 (089-s)	29.0	36.0*	43.0	11.0	1915	36.4	93	46.6	93	56.8	93	83.0	1910	0.00	0.15	85
03/30 (090-m)	36.0	39.0*	42.0	16.0	1915	36.5	93	46.2	93	55.9	93	82.0	1986	0.04	0.13	77
03/31 (091-t)	30.0	43.0*	56.0	10.0	1923	36.1	93	46.4	93	56.7	93	82.0	1981	0.50	0.12	82
Column Min's:	16.0	22.5	28.0	-6.0	26.3	34.9	43.6	0.00	0.07	0.07	81	0.00	0.07	0.07	81	
Column Avg's:	31.1	40.8	50.5	31.4	40.8	50.3	0.11	0.12	0.12	82	0.00	0.11	0.12	0.12	82	
Column Max's:	53.0	58.5	75.0	36.5	46.6	56.8	1.00	0.22	0.22	82	1.00	1.00	0.22	0.22	82	
Column Ttl's:							85.0	3.44	3.80	3.80	86	3.44	3.80	3.80	86	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min	year avg	Long Term avg	yr	yr	yr	yr	max	Long Term	
mo da jul	Current	Current	year	avgm	Long Term	prec	evap	ly	ly	ly/m	avg yrs	
05/01 (122-f)	39.2	60.1	30.0	1903	45.4	93	56.5	93	67.7	93	87.0	1942
05/02 (123-s)	52.6	67.1	31.0	1907	45.7	93	57.2	93	68.6	93	87.0	1959
05/03 (124-s)	42.9	55.7	30.0	1978	46.0	93	57.1	92	68.3	92	87.0	1938
05/04 (125-m)	40.9	47.0	30.0	1903	45.4	93	56.8	92	68.3	92	89.0	1949
05/05 (126-t)	36.5	46.3	29.0	1907	46.3	93	58.1	92	70.0	92	91.0	1949
05/06 (127-w)	40.6	50.8	30.0	1910	48.1	93	59.5	92	71.0	92	90.0	1959
05/07 (128-t)	37.2	54.0	31.0	1974	48.0	93	59.1	92	70.2	92	87.0	1926
05/08 (129-f)	46.7	56.5	30.0	1947	46.2	93	58.0	92	69.7	92	87.0	1926
05/09 (130-s)	48.6	54.7	29.0	1947	47.6	93	58.2	92	68.9	92	89.0	1930
05/10 (131-s)	41.8	59.7	27.0	1906	46.8	92	58.3	91	69.6	91	90.0	1930
05/11 (132-m)	47.1	65.7	29.0	1913	48.5	91	59.7	90	70.6	90	86.0	1936
05/12 (133-t)	51.9	69.5	31.0	1913	48.7	92	59.8	91	70.8	91	88.0	1982
05/13 (134-w)	55.2	64.1	34.0	1901	49.4	93	60.2	92	70.9	92	89.0	1962
05/14 (135-t)	47.5	57.4	31.0	1917	50.1	93	61.0	93	71.9	93	93.0	1962
05/15 (136-f)	52.8	62.8	30.0	1910	50.1	93	61.3	93	72.6	93	92.0	1991
05/16 (137-s)	48.9	68.4	31.0	1904	50.3	93	61.8	93	73.2	93	90.0	1962
05/17 (138-s)	59.1	71.1	35.0	1984	50.4	93	62.0	93	73.5	93	93.0	1962
05/18 (139-m)	53.9	62.1	34.0	1915	51.6	90	62.6	90	73.7	91	94.0	1962
05/19 (140-t)	48.9	64.8	37.0	1916	52.3	93	63.4	93	74.5	93	90.0	1964
05/20 (141-w)	59.4	69.5	36.0	1929	52.6	93	63.3	93	74.0	93	92.0	1962
05/21 (142-t)	54.2	70.0	32.0	1907	52.7	93	64.1	93	75.4	93	91.0	1934
05/22 (143-f)	53.5	72.4	33.0	1924	53.2	93	64.8	93	76.4	93	92.0	1941
05/23 (144-s)	57.7	70.7	33.0	1963	53.5	93	64.7	93	75.9	93	91.0	1939
05/24 (145-s)	44.6	49.2	36.0	1905	52.8	93	63.8	93	74.8	93	90.0	1975
05/25 (146-m)	38.2	50.1	31.0	1925	53.3	93	64.3	93	75.3	93	93.0	1975
05/26 (147-t)	44.4	51.2	34.0	1961	53.7	93	64.4	93	75.1	93	94.0	1911
05/27 (148-w)	42.3	51.9	32.0	1961	53.7	91	64.4	91	75.2	91	94.0	1911
05/28 (149-t)	37.0	55.8	34.0	1907	54.3	92	64.8	92	75.1	92	93.0	1911
05/29 (150-f)	43.8	53.9	33.0	1902	53.9	93	64.8	93	75.7	93	94.0	1914
05/30 (151-s)	52.0	57.5	36.0	1984	54.4	93	65.4	93	76.4	93	92.0	1953
05/31 (152-s)	49.8	56.3	38.0	1984	55.9	91	66.9	91	78.0	92	94.0	1988
Column Min's:	36.5	46.3	27.0		45.4		56.5		67.7			
Column Avg's:	47.4	59.6	31.6		50.4		61.5		72.6		94.0	
Column Max's:	59.4	72.4	87.4		55.9		66.9		78.0			
Column Ttl's:												3.38

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min	year avg	long term avg	prec	evap	ly	max	avg									
mo da jul	Current	liq	ly/m	Lng-Trm									
			yr	yr	yr	yr	yr	yr	yr	yr									
06/01 (153-m)	44.8	59.9	73.2	41.0	1916	56.4	93	67.4	93	78.4	93	98.0	1934	0.01	0.10	82
06/02 (154-t)	49.6	63.0	76.6	38.0	1910	56.3	93	67.0	93	77.6	93	94.0	1934	0.00	0.16	87
06/03 (155-w)	49.7	68.1	81.0	40.0	1929	55.9	91	66.8	91	77.6	91	94.0	1934	0.00	0.12	81
06/04 (156-t)	63.1	65.3	70.3	40.0	1929	56.1	93	67.5	93	78.8	93	96.0	1925	0.35	0.12	82
06/05 (157-f)	62.0	66.8	76.2	39.0	1990	57.7	92	68.7	92	79.8	92	96.0	1925	0.29	0.10	87
06/06 (158-s)	57.8	69.8	82.1	40.0	1945	57.5	92	68.9	92	80.3	92	98.0	1925	0.02	0.14	89
06/07 (159-s)	64.8	69.5	74.3	39.0	1977	58.4	92	68.8	92	79.2	92	96.0	1933	0.21	0.14	84
06/08 (160-m)	59.0	68.2	78.4	36.0	1912	57.3	93	68.4	93	79.6	93	98.0	1933	0.00	0.12	89
06/09 (161-t)	56.0	65.2	75.1	38.0	1913	57.8	92	69.0	92	80.3	93	95.0	1914	0.00	0.15	84
06/10 (162-w)	49.7	65.0	77.3	39.0	1913	57.4	92	68.8	92	80.2	93	98.0	1911	0.00	0.15	82
06/11 (163-t)	54.8	68.5	79.2	35.0	1972	58.0	91	69.3	91	80.5	92	96.0	1933	0.00	0.09	87
06/12 (164-f)	54.7	70.6	85.4	42.0	1906	59.4	93	70.3	93	81.2	93	94.0	1902	0.00	0.12	81
06/13 (165-s)	58.4	73.2	86.4	40.0	1988	58.7	93	69.8	93	81.0	93	94.0	1902	0.00	0.23	83
06/14 (166-s)	59.6	70.9	81.7	43.0	1933	59.4	91	70.2	91	81.2	92	92.0	1956	0.00	0.20	84
06/15 (167-m)	62.0	71.6	80.3	40.0	1933	59.5	92	70.2	92	80.9	92	95.0	1988	0.00	0.16	82
06/16 (168-t)	57.2	73.8	86.0	41.0	1908	59.6	92	70.2	92	80.7	92	95.0	1952	0.00	0.15	84
06/17 (169-w)	68.8	78.9	89.2	41.0	1914	59.1	92	70.1	92	81.1	92	94.0	1934	0.00	0.14	87
06/18 (170-t)	63.8	71.6	82.9	46.0	1903	60.0	92	70.8	92	81.6	92	95.0	1944	1.21	0.17	88
06/19 (171-f)	56.6	66.6	75.1	45.0	1909	60.2	92	71.2	92	82.1	92	95.0	1933	0.00	0.14	87
06/20 (172-s)	51.1	55.6	60.2	39.0	1914	59.7	93	71.0	93	82.3	93	98.0	1953	0.00	0.09	87
06/21 (173-s)	44.6	53.0	61.4	44.6	1992	61.1	92	71.5	92	82.0	92	97.0	1933	0.00	0.13	85
06/22 (174-m)	40.4	57.2	69.9	40.4	1992	60.7	92	71.4	92	82.0	92	99.0	1988	0.00	0.16	89
06/23 (175-t)	55.7	64.0	72.4	41.0	1902	60.6	92	71.4	92	82.2	92	99.0	1988	0.17	0.15	86
06/24 (176-w)	55.3	66.5	77.2	44.0	1915	60.5	91	71.8	91	83.1	91	97.0	1914	0.24	0.10	83
06/25 (177-t)	57.4	68.8	79.0	43.0	1979	61.1	92	72.2	92	83.4	92	96.0	1914	0.00	0.18	85
06/26 (178-f)	59.2	71.1	81.7	49.0	1902	61.6	92	73.2	92	84.8	92	102.0	1988	0.00	0.09	86
06/27 (179-s)	54.5	64.9	75.5	45.0	1927	62.0	92	73.0	92	84.1	92	97.0	1913	0.00	0.18	84
06/28 (180-s)	51.2	67.3	81.7	48.0	1926	62.3	92	73.3	92	84.3	92	100.0	1934	0.00	0.19	90
06/29 (181-m)	53.9	70.9	84.1	47.0	1923	62.7	93	73.8	93	84.8	93	100.0	1934	0.00	0.14	81
06/30 (182-t)	60.8	75.4	87.2	43.0	1914	62.3	92	73.4	92	84.5	92	98.0	1953	0.00	0.14	84
Column Min's:	40.4	53.0	60.2	35.0		55.9		66.8		77.6				0.00	0.09				
Column Avg's:	55.9	67.4	78.0			59.3		70.3		81.3				0.08	0.14				
Column Max's:	68.8	78.9	89.2			62.7		73.8		84.8		102.0		1.21	0.23				
Column Ttl's:														2.50	4.25				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION						
	min	avg	min	year	avgm	yr	long	Term	prec	snow	evap	hum	ly	max	Long-Term		
mo da jul	Current	ly/m	avg yrs		
07/01 (183-w)	68.5	75.7	84.3	46.0	1988	62.3	93	73.4	93	84.5	93	98.0	1953	0.00	87	0.15	92
07/02 (184-t)	66.4	78.8	90.0	47.0	1918	62.2	93	73.1	93	84.0	93	98.0	1911	0.00	78	0.13	88
07/03 (185-f)	63.7	72.8	82.8	48.0	1904	62.1	93	73.0	93	83.9	93	101.0	1911	0.19	86	0.14	84
07/04 (186-s)	57.1	69.5	80.1	47.0	1968	61.4	92	72.6	92	83.8	92	102.0	1911	0.00	73	0.10	89
07/05 (187-s)	59.9	71.1	84.5	47.0	1922	62.5	93	73.3	93	84.2	93	96.0	1911	0.08	86	0.16	88
07/06 (188-m)	55.3	66.3	75.7	43.0	1972	62.7	93	73.7	92	84.6	92	97.0	1988	0.00	69	0.13	88
07/07 (189-t)	51.1	67.4	77.7	46.0	1989	62.5	93	73.7	93	84.8	93	102.0	1988	0.00	70	0.17	88
07/08 (190-w)	65.6	75.9	83.0	45.0	1989	62.5	93	73.9	93	85.3	93	100.0	1988	0.13	82	0.11	84
07/09 (191-t)	69.8	79.9	88.4	46.0	1989	63.4	93	74.4	93	85.3	93	101.0	1936	0.00	78	0.12	84
07/10 (192-f)	69.3	77.4	88.8	45.0	1989	63.7	93	74.3	93	85.0	93	101.0	1936	0.08	85	0.18	83
07/11 (193-s)	67.0	76.0	83.9	44.0	1989	62.8	92	74.0	92	85.2	92	104.0	1936	0.02	83	0.14	87
07/12 (194-s)	68.2	77.2	87.0	43.0	1989	62.9	93	73.9	93	85.0	93	104.0	1936	0.35	86	0.14	87
07/13 (195-m)	67.2	78.2	89.0	42.0	1989	63.6	93	74.4	93	85.2	93	101.0	1936	4.66	87	0.19	86
07/14 (196-t)	68.3	79.3	87.8	41.0	1989	62.9	93	74.3	93	85.6	93	107.0	1936	0.41	81	0.20	83
07/15 (197-w)	64.7	72.0	80.6	41.0	1989	63.1	93	74.0	93	84.9	93	101.0	1954	0.38	91	0.18	85
07/16 (198-t)	64.5	71.7	85.8	48.0	1903	63.2	93	74.0	93	84.8	93	99.0	1931	1.07	89	0.06	88
07/17 (199-f)	63.6	70.2	77.8	50.0	1903	63.1	93	74.4	93	85.7	93	101.0	1988	1.24	92	0.12	85
07/18 (200-s)	62.0	71.5	81.3	48.0	1924	63.2	93	74.6	93	86.0	93	96.0	1930	0.02	83	0.15	86
07/19 (201-s)	59.5	72.2	82.5	49.0	1909	64.1	93	75.1	93	86.0	93	99.0	1930	0.01	80	0.13	86
07/20 (202-m)	63.8	71.0	84.8	47.0	1947	63.4	93	74.4	93	85.5	93	102.0	1930	0.28	90	0.16	91
07/21 (203-t)	64.5	67.5	71.1	48.0	1970	63.2	93	74.1	93	84.9	93	106.0	1934	0.25	91	0.23	86
07/22 (204-w)	61.7	68.4	77.0	50.0	1947	63.7	93	74.8	93	85.8	93	105.0	1934	0.02	86	0.14	85
07/23 (205-t)	66.8	73.0	83.1	47.0	1947	63.8	93	74.8	93	85.8	93	101.0	1933	0.08	90	0.14	86
07/24 (206-f)	66.4	73.1	84.4	50.0	1906	63.6	93	74.6	93	85.6	93	103.0	1934	0.11	88	0.16	88
07/25 (207-s)	63.4	71.4	82.3	49.0	1904	63.2	93	74.3	93	85.3	93	104.0	1934	0.00	85	0.06	87
07/26 (208-s)	70.2	74.9	81.9	49.0	1920	63.5	93	74.6	93	85.7	93	101.0	1934	0.29	90	0.10	89
07/27 (209-m)	63.8	72.8	80.3	47.0	1920	63.9	93	75.1	93	86.2	93	99.0	1936	0.02	82	0.15	86
07/28 (210-t)	56.0	69.4	80.1	50.0	1920	64.4	93	75.1	93	85.8	93	99.0	1930	0.00	79	0.22	89
07/29 (211-w)	59.6	69.6	83.7	48.0	1925	64.6	92	74.8	92	84.9	92	99.0	1940	0.72	88	0.10	87
07/30 (212-t)	61.1	72.4	83.3	49.0	1981	63.3	92	74.4	92	85.5	92	98.0	1940	0.13	86	0.07	84
07/31 (213-f)	53.8	65.5	72.1	51.0	1914	63.6	92	74.3	92	85.0	92	97.0	1954	0.00	91	0.14	87

Column Min's:	51.1	65.5	71.1	41.0	61.4	72.6	83.8	0.00	69	0.06
Column Avg's:	63.3	72.6	82.4	63.2	74.2	75.1	85.2	0.34	84	0.14
Column Max's:	70.2	79.9	90.0	64.6	75.1	86.2	86.2	107.0	92	0.23
Column Ttl's:								10.54		4.37

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	precip	evap	ly	ly/m													
08/01 (214-s)	49.6	64.2	48.0	77.9	62.2	93	73.2	92	84.3	92	96.0	1933	0.01	--	--	78	0.13	87	--	--	
08/02 (215-s)	53.3	66.1	49.0	78.3	62.4	93	73.5	92	84.7	92	96.0	1930	0.00	--	--	80	0.14	84	--	--	
08/03 (216-m)	58.4	68.1	43.0	80.3	63.4	93	74.3	92	85.2	92	99.0	1991	0.03	--	--	87	0.11	87	--	--	
08/04 (217-t)	57.3	66.7	46.0	75.7	63.2	93	73.9	92	84.6	92	98.0	1930	0.00	--	--	76	0.12	85	--	--	
08/05 (218-w)	52.7	64.4	45.0	76.7	63.1	93	73.8	92	84.4	92	100.0	1918	0.00	--	--	77	0.11	86	--	--	
08/06 (219-t)	51.8	66.5	49.0	79.8	63.0	93	73.8	92	84.5	92	103.0	1918	0.00	--	--	73	0.11	83	--	--	
08/07 (220-f)	59.7	73.2	50.0	84.5	63.0	93	73.7	92	84.4	92	98.0	1918	0.00	--	--	82	0.13	85	--	--	
08/08 (221-s)	67.0	74.4	46.0	84.5	63.6	93	74.2	92	84.9	92	95.0	1900	0.72	--	--	90	0.09	87	--	--	
08/09 (222-s)	64.4	75.9	46.0	86.4	63.3	93	73.9	92	84.5	92	99.0	1934	0.01	--	--	84	0.14	87	--	--	
08/10 (223-m)	66.7	77.9	45.0	91.1	63.1	93	73.8	92	84.5	92	99.0	1911	0.03	--	--	86	0.21	89	--	--	
08/11 (224-t)	60.3	72.1	49.0	80.0	62.2	93	72.7	93	83.1	93	96.0	1926	0.08	--	--	82	0.12	86	--	--	
08/12 (225-w)	56.0	68.7	41.0	80.6	61.2	93	72.3	93	83.4	93	95.0	1900	0.00	--	--	75	0.19	86	--	--	
08/13 (226-t)	60.6	67.5	49.0	75.5	61.5	93	72.4	93	83.3	93	96.0	1936	0.01	--	--	83	0.08	83	--	--	
08/14 (227-f)	57.2	65.1	46.0	75.8	62.3	93	73.2	93	84.1	93	95.0	1944	0.02	--	--	83	0.09	87	--	--	
08/15 (228-s)	60.3	63.4	44.0	70.5	62.0	92	72.8	91	83.6	92	96.0	1910	0.25	--	--	90	0.09	85	--	--	
08/16 (229-s)	59.5	65.7	46.0	76.0	62.5	93	73.3	92	84.1	92	95.0	1913	0.00	--	--	83	0.11	87	--	--	
08/17 (230-m)	53.5	65.2	43.0	79.1	62.9	93	73.4	93	84.0	93	102.0	1988	0.00	--	--	76	0.13	79	--	--	
08/18 (231-t)	52.1	67.1	48.0	78.8	62.5	93	73.0	93	83.5	93	99.0	1988	0.01	--	--	77	0.14	85	--	--	
08/19 (232-w)	55.6	67.4	44.0	75.6	61.3	93	72.3	93	83.3	93	102.0	1936	0.03	--	--	77	0.10	87	--	--	
08/20 (233-t)	50.3	62.8	46.0	74.7	60.5	93	71.5	93	82.6	93	101.0	1983	0.00	--	--	74	0.15	85	--	--	
08/21 (234-f)	51.2	65.9	45.0	79.3	60.7	93	71.7	93	82.8	93	98.0	1955	0.00	--	--	76	0.13	85	--	--	
08/22 (235-s)	58.9	70.1	46.0	81.2	60.6	93	71.4	93	82.1	93	98.0	1936	0.00	--	--	83	0.08	91	--	--	
08/23 (236-s)	64.4	73.2	41.0	82.3	60.2	93	71.1	93	82.1	93	95.0	1936	0.00	--	--	84	0.10	90	--	--	
08/24 (237-m)	67.1	74.8	45.0	84.5	59.7	93	70.8	93	82.1	93	95.0	1959	0.00	--	--	85	0.09	90	--	--	
08/25 (238-t)	64.5	76.3	44.0	88.1	59.4	93	71.0	92	82.4	92	96.0	1959	0.00	--	--	81	0.08	88	--	--	
08/26 (239-w)	65.1	76.4	46.0	87.9	59.5	93	71.0	93	82.6	93	97.0	1948	0.01	--	--	83	0.10	85	--	--	
08/27 (240-t)	67.1	72.7	43.0	86.4	60.4	93	71.7	93	83.0	93	98.0	1948	1.52	--	--	89	0.05	89	--	--	
08/28 (241-f)	56.0	63.4	45.0	67.5	60.4	93	71.4	93	82.3	93	96.0	1948	0.24	--	--	89	0.15	86	--	--	
08/29 (242-s)	49.4	61.2	38.0	71.7	59.9	93	71.3	92	82.7	92	98.0	1953	0.00	--	--	78	0.09	89	--	--	
08/30 (243-s)	55.6	67.4	43.0	78.6	60.5	93	71.7	93	82.9	93	99.0	1953	0.00	--	--	85	0.15	88	--	--	
08/31 (244-m)	53.3	63.5	40.0	73.9	59.9	93	70.9	93	82.0	93	98.0	1924	0.00	--	--	80	0.12	91	--	--	
Column Min's:	49.4	61.2	38.0	59.4	59.4		70.8		82.0				0.00			73	0.05				
Column Avg's:	58.0	68.6	58.0	61.6	61.6		72.5		83.5				0.10			81	0.12				
Column Max's:	67.1	77.9	67.1	77.9	77.9		81.1		91.1				1.52			90	0.21				
Column Totals:											103.0		2.97				3.63				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	max	min	avg	max	prec	evap	ly	max									
mo da jul	Current	Long Term	Long Term	avg yrs	avgm yrs	avgm yrs	liq	hum	ly/m	Long Trm									
							prec	%		avg yrs									
09/01 (245-t)	49.9	64.8	78.7	44.0	1987	59.9	92	71.2	92	82.4	92	99.0	1953	0.01	--	--	76	0.06	87
09/02 (246-w)	57.8	67.8	76.1	38.0	1909	59.3	92	70.6	92	81.9	92	100.0	1953	0.01	--	--	86	0.13	86
09/03 (247-t)	66.6	71.8	79.2	42.0	1908	59.9	92	70.5	92	81.1	92	101.0	1953	0.08	--	--	89	0.13	87
09/04 (248-f)	62.7	69.2	77.1	43.0	1908	59.7	92	70.5	92	81.3	92	96.0	1953	0.00	--	--	87	0.12	85
09/05 (249-s)	39.0	1902	57.9	91	69.5	91	81.1	91	98.0	1954	..	--	--	--	0.17	87
09/06 (250-s)	67.1	76.8	84.4	39.0	1988	57.9	92	69.5	92	81.1	92	99.0	1954	0.00	--	--	81	0.07	87
09/07 (251-m)	64.6	73.0	85.5	42.0	1962	57.7	92	69.3	92	80.8	92	99.0	1939	0.05	--	--	86	0.04	86
09/08 (252-t)	63.2	71.4	80.2	40.0	1986	58.0	91	70.0	91	82.0	91	100.0	1939	0.23	--	--	87	0.07	87
09/09 (253-w)	60.0	73.7	85.6	40.0	1986	58.0	91	69.8	91	81.5	91	96.0	1925	0.00	--	--	84	0.05	88
09/10 (254-t)	51.7	66.0	74.2	38.0	1924	57.1	91	68.4	91	79.6	91	96.0	1983	0.21	--	--	80	0.07	82
09/11 (255-f)	46.5	56.4	68.6	35.0	1917	56.1	91	67.3	91	78.6	91	95.0	1925	0.01	--	--	81	0.08	88
09/12 (256-s)	43.2	57.2	70.4	36.0	1917	56.2	91	67.4	91	78.7	91	94.0	1908	0.00	--	--	78	0.11	89
09/13 (257-s)	46.1	61.5	77.2	40.0	1964	56.6	91	67.5	91	78.4	91	96.0	1939	0.01	--	--	78	0.16	83
09/14 (258-m)	53.9	67.6	83.4	32.0	1902	54.7	90	66.4	90	78.2	90	100.0	1939	0.01	--	--	81	0.12	90
09/15 (259-t)	57.8	70.8	86.4	33.0	1902	55.7	90	66.8	90	78.0	90	98.0	1939	0.00	--	--	78	0.10	84
09/16 (260-w)	59.8	71.1	83.8	36.0	1902	54.5	90	65.6	90	76.7	90	97.0	1939	0.01	--	--	75	0.09	87
09/17 (261-t)	59.1	71.5	83.9	35.0	1959	53.5	91	65.1	91	76.7	91	93.0	1991	0.00	--	--	77	0.09	86
09/18 (262-f)	58.6	69.1	74.6	33.0	1959	53.8	92	65.0	92	76.2	92	94.0	1954	0.00	--	--	90	0.07	89
09/19 (263-s)	48.2	57.7	68.3	34.0	1916	54.3	92	65.7	92	77.1	92	95.0	1954	0.22	--	--	78	0.08	87
09/20 (264-s)	44.5	61.1	74.2	36.0	1991	55.4	92	66.1	92	76.8	92	94.0	1940	0.02	--	--	73	0.13	86
09/21 (265-m)	63.9	70.8	81.3	32.0	1962	54.2	91	65.3	91	76.4	91	94.0	1908	1.24	--	--	90	0.07	86
09/22 (266-t)	50.7	64.5	71.0	32.0	1918	52.4	92	63.7	92	75.0	92	91.0	1908	0.34	--	--	87	0.11	90
09/23 (267-w)	43.7	51.6	60.6	30.0	1913	51.1	91	62.8	91	74.5	91	90.0	1908	0.00	--	--	75	0.10	87
09/24 (268-t)	39.9	53.1	66.7	34.0	1928	50.9	92	62.6	92	74.3	92	92.0	1908	0.00	--	--	67	0.06	87
09/25 (269-f)	41.0	56.0	70.5	35.0	1903	50.8	92	62.7	91	74.4	91	93.0	1900	0.01	--	--	75	0.10	85
09/26 (270-s)	50.4	63.8	76.6	32.0	1928	50.3	92	62.3	92	74.4	92	92.0	1900	0.03	--	--	85	0.06	85
09/27 (271-s)	47.5	62.9	71.1	32.0	1947	50.5	92	61.8	92	73.0	92	91.0	1986	0.01	--	--	79	0.13	88
09/28 (272-m)	42.5	58.2	75.0	32.0	1909	48.7	91	60.5	91	72.2	92	93.0	1959	0.00	--	--	67	0.12	88
09/29 (273-t)	37.5	47.3	58.5	31.0	1942	49.5	92	60.7	92	71.9	92	97.0	1953	0.01	--	--	73	0.14	89
09/30 (274-w)	33.8	47.8	62.6	32.0	1908	48.5	91	59.9	91	71.3	91	92.0	1953	0.00	--	--	74	0.09	91
Column Min's:	33.8	47.3	58.5	30.0		48.5		59.9		71.3				0.00			67	0.04	
Column Avg's:	52.1	63.9	75.4			54.8		66.2		77.5				0.09			80	0.10	
Column Max's:	67.1	76.8	86.4			59.9		71.2		82.4		101.0		1.24			90	0.17	
Column Ttl's:														2.51				2.92	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
mo	da	min	avg	max	min	year	avg	yr	prec	liq	ly	max	Long-Term	
						yr	yr	yr	yr	yr	yr	ly/m	avg	
		Current			Long Term	max	yr	yr	yr	yr	yr		yr	
10/01	(275-t)	36.5	51.5	69.0	32.0	1918	48.1	93	59.8	92	71.5	92	89.0	1952
10/02	(276-f)	42.5	57.5	73.8	29.0	1908	47.6	93	59.8	92	71.8	92	90.0	1919
10/03	(277-s)	44.0	59.6	77.7	28.0	1908	47.9	93	59.9	93	71.9	93	89.0	1919
10/04	(278-s)	49.8	56.8	66.4	26.0	1987	48.7	93	60.3	93	72.0	93	89.0	1951
10/05	(279-m)	43.7	52.4	62.9	30.0	1901	48.4	92	59.7	92	71.1	92	89.0	1922
10/06	(280-t)	36.4	50.9	69.8	28.0	1988	47.1	93	58.6	92	70.0	92	86.0	1927
10/07	(281-w)	37.1	54.4	73.2	26.0	1935	45.4	93	57.0	92	68.6	92	87.0	1939
10/08	(282-t)	44.6	57.0	64.7	29.0	1952	44.6	93	56.2	93	67.7	93	91.0	1939
10/09	(283-f)	46.4	54.8	62.7	26.0	1989	45.6	93	56.7	92	67.7	92	89.0	1939
10/10	(284-s)	45.3	54.5	67.2	27.0	1915	45.0	93	56.5	92	68.0	92	85.0	1913
10/11	(285-s)	44.8	52.0	58.0	22.0	1964	45.1	93	56.3	93	67.5	93	88.0	1928
10/12	(286-m)	45.2	55.2	64.5	23.0	1906	44.9	93	56.0	93	67.2	93	85.0	1928
10/13	(287-t)	37.5	50.5	63.6	26.0	1988	44.1	93	55.4	93	66.6	93	85.0	1928
10/14	(288-w)	48.0	64.5	81.3	25.0	1988	43.2	93	55.3	93	67.4	93	85.0	1989
10/15	(289-t)	55.9	62.0	74.1	25.0	1988	43.3	93	56.0	93	68.8	93	84.0	1928
10/16	(290-f)	40.7	53.8	62.0	23.0	1988	44.0	93	56.0	93	67.9	93	85.0	1947
10/17	(291-s)	33.3	41.4	51.0	24.0	1988	43.2	92	54.8	92	66.3	93	82.0	1910
10/18	(292-s)	32.2	39.4	48.8	23.0	1988	42.7	93	53.8	93	64.9	93	84.0	1938
10/19	(293-m)	25.6	34.0	43.7	25.6	1992	41.5	93	52.7	93	63.9	93	85.0	1953
10/20	(294-t)	27.3	36.7	45.1	24.0	1930	40.5	93	51.8	93	63.1	93	85.0	1953
10/21	(295-w)	35.7	46.3	56.2	20.0	1952	41.6	93	52.6	93	63.5	93	85.0	1953
10/22	(296-t)	30.5	44.4	62.8	19.0	1930	41.3	93	53.0	93	64.7	93	84.0	1953
10/23	(297-f)	35.0	53.8	73.0	26.0	1976	41.4	93	52.2	93	63.0	93	83.0	1947
10/24	(298-s)	37.9	55.2	65.4	21.0	1981	40.8	93	51.3	93	61.7	93	83.0	1920
10/25	(299-s)	33.8	42.2	54.2	22.0	1960	40.1	93	50.4	93	60.7	93	83.0	1947
10/26	(300-m)	33.9	52.4	71.2	21.0	1930	39.4	93	50.1	93	60.9	93	82.0	1963
10/27	(301-t)	38.4	50.9	63.3	20.0	1903	39.8	93	50.4	93	60.9	93	80.0	1927
10/28	(302-w)	31.6	47.6	64.2	21.0	1976	38.2	93	49.2	93	60.3	93	82.0	1927
10/29	(303-t)	45.4	49.6	54.7	20.0	1925	38.4	93	49.2	93	60.0	93	81.0	1922
10/30	(304-f)	43.8	45.5	47.4	19.0	1988	39.4	93	50.0	93	60.5	93	81.0	1927
10/31	(305-s)	41.4	47.7	54.6	20.0	1908	40.1	93	50.6	93	61.1	93	83.0	1950

Column	Min's	Avg's	Max's	Ttl's
Column	25.6	34.0	43.7	19.0
Column	39.5	50.8	62.8	49.2
Column	55.9	64.5	81.3	43.3
Column				48.7
Column				60.3
Column				72.0
Column				91.0
Column				0.00
Column				0.06
Column				0.89
Column				1.75
Column				58
Column				77
Column				91
Column				0.05
Column				0.08
Column				0.12
Column				2.42

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.