

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
	min	avg	max	min	avg	max	prec	liq	evap	hum	ly	max	Lng-Trm								
mo da julCurrent.....Long Term.....	min year	avgm yrs	max year	prec	prec	avg pr yrs	%	ly	ly/m	avg yrs								
02/01 (032-s)	14.9	25.2	31.0	-8.0	1936	19.5	56	28.5	56	37.5	56	66.2	1989	0.06	71	0.07	53	142	1.05	156	11
02/02 (033-s)	11.5	25.1	38.0	-10.0	1971	19.7	56	29.2	56	38.9	56	60.0	1973	0.00	65	0.16	54	267	0.90	131	11
02/03 (034-m)	24.0	36.7	51.3	-5.0	1951	18.4	56	28.1	56	38.1	56	58.7	1991	0.00	54	0.11	52	265	0.76	108	11
02/04 (035-t)	29.3	37.9	48.5	-9.0	1970	19.2	56	28.8	56	38.4	56	65.0	1962	0.00	67	0.09	55	61	0.50	133	11
02/05 (036-w)	25.2	30.2	39.1	-8.0	1979	20.5	56	29.7	56	38.9	56	65.7	1986	0.00	57	0.06	53	286	0.82	183	10
02/06 (037-t)	18.8	34.3	50.6	-13.0	1979	22.0	56	30.9	56	40.0	56	58.0	1938	0.00	52	0.13	54	292	0.82	195	11
02/07 (038-f)	26.9	31.3	36.2	-3.0	1962	20.8	56	29.3	56	38.0	56	56.0	1963	0.00	76	0.12	51	108	0.64	156	11
02/08 (039-s)	18.1	25.5	34.7	-12.0	1977	18.4	56	28.3	56	38.2	56	71.0	1937	0.04	76	0.03	50	179	1.17	187	11
02/09 (040-s)	12.2	19.6	28.3	-6.0	1979	19.4	56	29.1	56	38.8	56	69.0	1937	0.01	62	0.09	51	225	0.98	186	11
02/10 (041-m)	12.4	27.7	42.5	-9.0	1979	20.1	56	30.4	56	40.8	56	66.0	1959	0.00	45	0.10	54	292	0.83	226	11
02/11 (042-t)	22.4	35.0	41.5	-8.0	1979	20.3	56	30.4	56	40.6	56	61.0	1976	0.00	55	0.08	53	60	0.36	172	11
02/12 (043-w)	12.2	21.9	29.8	-11.0	1981	19.2	55	29.3	55	39.9	56	71.5	1984	0.00	46	0.06	52	263	0.88	230	11
02/13 (044-t)	25.1	34.2	40.5	-19.0	1979	21.3	56	31.4	56	41.6	56	68.4	1990	0.32	86	0.14	54	26	0.11	185	11
02/14 (045-f)	32.7	35.0	37.4	1.0	1943	23.1	55	32.9	55	42.9	55	70.0	1950	0.00	85	0.13	53	50	0.15	154	11
02/15 (046-s)	37.2	48.0	55.2	-5.0	1943	22.1	55	31.9	55	41.6	55	74.0	1954	0.33	84	0.07	51	37	0.20	178	11
02/16 (047-s)	33.9	36.7	45.2	-11.0	1963	22.8	55	32.4	55	42.1	55	68.0	1954	0.01	83	0.06	51	42	0.21	189	11
02/17 (048-m)	32.5	40.1	47.7	-8.0	1979	24.1	56	32.8	56	41.7	56	68.0	1961	0.00	71	0.07	53	172	0.50	156	11
02/18 (049-t)	40.6	48.3	58.2	-2.0	1936	23.5	56	34.1	56	45.1	56	67.0	1981	0.02	77	0.06	53	143	0.68	214	11
02/19 (050-w)	34.4	43.3	51.3	-13.0	1936	25.5	56	35.6	56	45.7	56	70.0	1939	0.15	81	0.08	53	66	0.29	193	11
02/20 (051-t)	34.4	35.8	37.3	-5.0	1936	23.5	56	33.2	56	43.1	56	70.0	1939	0.02	83	0.07	50	41	0.34	200	11
02/21 (052-f)	33.6	41.0	52.6	-5.0	1968	22.6	56	33.4	56	44.5	56	69.5	1983	0.00	63	0.08	51	290	0.97	237	11
02/22 (053-s)	40.7	52.0	65.7	-10.0	1963	24.3	56	35.0	56	45.8	56	71.0	1975	0.00	37	0.13	49	314	0.94	206	11
02/23 (054-s)	38.7	50.5	62.4	-3.0	1939	24.3	56	34.6	56	45.4	56	68.0	1943	0.16	43	0.05	53	168	0.74	213	11
02/24 (055-m)	41.4	44.7	48.2	7.0	1947	25.8	56	35.5	56	45.1	56	70.0	1961	0.05	75	0.09	52	87	0.45	213	11
02/25 (056-t)	35.0	44.1	48.7	-3.0	1967	23.3	55	33.3	55	43.5	55	70.0	1957	0.00	75	0.07	49	63	0.26	264	11
02/26 (057-w)	31.6	33.1	35.2	-7.0	1963	23.6	55	33.4	55	43.3	55	71.0	1944	0.00	68	0.16	50	64	0.23	253	11
02/27 (058-t)	31.9	41.1	51.3	-11.0	1963	24.0	56	34.6	56	45.3	56	66.0	1936	0.00	56	0.08	51	300	1.21	213	11
02/28 (059-f)	31.6	44.3	55.1	4.1	1986	26.1	56	36.1	56	46.0	56	70.0	1939	0.18	59	0.07	52	116	0.78	303	11
02/29 (060-s)	22.3	26.3	32.2	8.0	1980	24.8	15	33.1	15	41.9	15	73.0	1976	0.01	51	0.01	14	308	1.31	296	3
Column Min's:	11.5	19.6	28.3	-19.0		18.4		28.1		37.5				0.00	37	0.01		26	0.11	108	
Column Avg's:	27.8	36.2	44.7			31.9		41.8		41.8		74.0		0.05	66	0.09		163	0.66	198	
Column Max's:	41.4	52.0	65.7			36.1		46.0		46.0				0.33	86	0.16		314	1.31	303	
Column Ttl's:														1.36		2.52		4727		5730	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N											
	mo	da	jul	min	avg	max	min	year	avg	max	yr	ly	ly/m	max	avg	yr					
12/01 (336-t)	29.9	33.3	39.3	5.0	1964	25.3	56	34.8	56	44.4	56	68.0	1970	0.00	74	0.06	52	126	0.84	116	10
12/02 (337-w)	31.1	33.6	38.1	7.0	1942	26.3	56	35.4	56	45.0	56	69.5	1982	0.04	79	0.10	47	61	0.46	105	10
12/03 (338-t)	26.4	31.4	35.9	-10.0	1976	27.1	57	35.9	57	45.0	57	76.1	1982	0.00	66	0.07	56	99	0.71	97	11
12/04 (339-f)	27.7	35.3	41.5	5.0	1940	28.1	57	36.8	57	45.8	57	70.8	1982	0.07	72	0.10	51	39	0.15	115	11
12/05 (340-s)	19.1	24.3	31.6	6.0	1974	27.7	57	36.8	57	46.1	57	67.4	1982	0.00	65	0.08	53	100	0.67	87	11
12/06 (341-s)	15.4	22.3	27.4	10.2	1984	27.7	57	36.7	57	45.7	57	70.0	1956	0.00	66	0.09	54	91	0.53	117	11
12/07 (342-m)	26.7	29.2	31.4	-0.0	1977	27.4	57	35.6	57	44.0	57	66.0	1951	0.00	75	0.13	56	51	0.21	128	11
12/08 (343-t)	26.5	28.8	30.8	3.0	1977	27.3	57	36.0	57	44.8	57	69.0	1966	0.00	64	0.09	52	36	0.18	123	11
12/09 (344-w)	25.8	30.7	37.0	4.0	1958	25.6	57	34.5	57	43.3	57	68.0	1946	0.00	57	0.12	55	186	0.64	146	11
12/10 (345-t)	31.8	33.9	37.0	-9.0	1958	24.7	57	32.6	57	40.7	57	74.0	1971	0.48	91	0.07	53	25	0.14	96	11
12/11 (346-f)	32.0	33.4	35.2	-4.0	1958	24.5	57	32.5	57	40.6	57	71.0	1971	0.16	92	0.11	50	20	0.12	94	11
12/12 (347-s)	33.1	34.7	36.4	-8.0	1962	26.9	56	34.6	56	42.6	56	65.0	1965	0.00	83	0.15	52	34	0.19	108	11
12/13 (348-s)	30.4	33.4	40.1	-11.0	1962	23.6	55	32.3	55	40.9	55	62.0	1948	0.00	77	0.11	50	108	0.62	112	10
12/14 (349-m)	25.0	30.7	35.1	-0.0	1942	22.8	55	31.4	55	40.1	55	67.0	1975	0.00	91	0.06	48	73	0.26	128	10
12/15 (350-t)	28.2	41.0	53.2	-1.0	1958	22.7	55	31.5	55	40.5	55	69.0	1971	0.00	77	0.12	51	125	0.78	108	10
12/16 (351-w)	47.9	50.5	53.4	-8.0	1951	22.2	56	30.9	56	39.7	56	66.0	1971	0.02	83	0.06	53	25	0.23	82	11
12/17 (352-t)	33.9	42.0	48.4	-10.3	1989	22.4	55	30.7	55	39.2	56	67.4	1984	0.54	89	0.05	54	70	0.75	115	11
12/18 (353-f)	30.1	33.8	38.8	-7.1	1989	21.1	56	29.9	56	38.9	56	66.0	1967	0.00	71	0.09	53	101	0.47	131	11
12/19 (354-s)	30.5	43.9	51.0	-0.2	1985	22.5	56	31.0	56	39.4	56	64.0	1959	0.02	60	0.08	53	107	0.65	112	11
12/20 (355-s)	23.3	35.6	47.4	-10.0	1963	22.8	57	31.2	57	39.5	57	61.0	1957	0.18	73	0.07	53	115	0.42	106	11
12/21 (356-m)	19.1	31.0	42.0	-8.7	1969	22.3	57	30.7	57	39.1	57	69.0	1967	0.00	68	0.08	53	158	0.87	112	10
12/22 (357-t)	33.0	39.0	47.9	-17.1	1989	20.9	57	30.5	57	40.1	57	66.0	1967	0.00	65	0.08	55	186	0.71	131	11
12/23 (358-w)	35.3	41.7	45.9	-11.2	1989	24.1	57	32.5	57	41.1	57	63.0	1957	0.00	67	0.09	54	119	0.76	114	11
12/24 (359-t)	15.6	21.5	37.0	-11.6	1983	23.6	57	32.4	57	41.5	57	67.0	1964	0.00	47	0.06	53	204	0.64	129	11
12/25 (360-f)	16.8	25.3	32.1	-12.1	1983	22.7	57	31.0	57	39.3	57	66.0	1964	0.00	60	0.08	53	27	0.20	113	11
12/26 (361-s)	13.8	19.3	26.9	-5.0	1980	22.8	57	30.7	57	38.7	57	62.4	1982	0.00	49	0.10	56	206	0.64	122	11
12/27 (362-s)	14.6	28.0	41.1	-2.0	1950	24.0	57	32.4	57	40.7	57	65.0	1959	0.00	38	0.08	51	207	0.64	108	11
12/28 (363-m)	35.2	38.9	43.8	-1.0	1969	24.4	57	32.7	57	41.1	57	71.2	1982	0.00	73	0.08	55	70	0.25	80	11
12/29 (364-t)	39.1	43.7	49.0	-1.0	1961	24.5	57	33.0	57	41.4	57	67.1	1984	0.09	92	0.10	55	45	0.22	114	11
12/30 (365-w)	49.0	54.5	59.6	-3.0	1976	24.6	57	32.7	57	40.7	57	65.0	1971	0.06	87	0.09	53	27	0.17	114	11
12/31 (366-t)	36.1	51.6	59.7	-5.0	1976	24.1	53	32.2	53	40.4	54	69.0	1951	0.26	83	0.08	49	15	0.10	88	10

Column Min's:	13.8	19.3	26.9	-17.1	20.9	29.9	38.7	0.00	38	0.05	15	0.10	80
Column Avg's:	28.5	34.7	41.1	24.4	33.0	41.6	76.1	0.06	72	0.09	92	0.46	111
Column Max's:	49.0	54.5	59.7	28.1	36.8	46.1	76.1	0.54	92	0.15	207	0.87	146
Column Ttl's:								1.92		2.73	2856	3451	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	prec	evap	ly	max													
mo da jul	avg	avg	avgm	avgm	liq	hum	ly/m	ly/m													
			yr	yr		%		avg													
			yr	yr				Term													
			yr	yr				yr													
03/01 (061-s)	22.6	40.9	2.0	1960	24.6	57	35.2	57	45.9	57	73.0	1972	0.00	0.00	39	0.09	52	397	1.01	319	11
03/02 (062-m)	43.6	56.2	4.0	1980	25.8	57	36.3	57	47.2	57	75.0	1976	0.00	0.00	33	0.08	50	378	0.99	294	11
03/03 (063-t)	40.6	54.0	4.0	1980	28.1	57	39.0	57	50.3	57	77.0	1974	0.00	0.00	49	0.11	55	340	0.98	295	11
03/04 (064-w)	40.7	59.2	5.0	1943	29.6	56	40.5	56	51.1	57	80.0	1976	0.00	0.00	35	0.12	52	376	0.98	247	11
03/05 (065-t)	45.2	58.9	0.0	1978	29.1	57	40.3	57	51.9	57	80.7	1983	0.00	0.00	40	0.22	54	177	0.76	219	11
03/06 (066-f)	54.2	56.6	1.0	1960	28.5	56	38.9	56	49.2	57	75.0	1973	0.64	0.64	66	0.24	52	54	0.22	187	11
03/07 (067-s)	51.9	55.3	3.0	1960	28.1	57	37.5	57	47.3	57	78.0	1983	0.22	0.22	72	0.09	52	163	1.53	254	11
03/08 (068-s)	49.8	52.1	0.1	1986	25.6	57	37.1	57	48.6	57	78.0	1974	0.05	0.05	73	0.07	52	79	0.43	262	11
03/09 (069-m)	40.6	56.0	0.5	1984	26.9	57	37.9	57	48.8	57	78.0	1974	0.00	0.00	56	0.06	52	353	1.28	270	11
03/10 (070-t)	26.0	49.4	7.5	1984	27.3	57	38.2	57	49.1	57	77.0	1973	0.23	0.23	70	0.10	55	94	0.99	298	11
03/11 (071-w)	16.2	20.8	4.0	1960	28.2	56	38.6	56	49.3	56	75.2	1990	0.06	0.06	54	0.09	53	171	1.40	219	10
03/12 (072-t)	16.2	23.1	7.0	1969	29.7	56	40.6	56	51.6	56	78.3	1990	0.04	0.04	34	0.11	52	308	1.40	265	10
03/13 (073-f)	16.8	22.8	1.0	1960	30.1	56	41.2	56	52.3	56	79.7	1990	0.00	0.00	32	0.12	54	328	1.42	277	10
03/14 (074-s)	19.9	26.5	12.0	1968	31.0	56	42.2	56	53.7	56	82.0	1973	0.03	0.03	44	0.14	53	178	0.79	255	10
03/15 (075-s)	18.8	25.6	8.0	1979	31.4	57	41.7	57	52.2	57	82.0	1944	0.02	0.02	35	0.04	48	404	1.39	326	11
03/16 (076-m)	12.2	27.4	9.0	1979	31.2	57	41.3	57	51.4	57	85.0	1945	0.00	0.00	31	0.14	51	486	1.16	316	10
03/17 (077-t)	32.7	41.8	7.0	1941	28.5	57	39.8	57	51.4	57	72.8	1989	0.93	0.93	33	0.12	53	86	0.53	323	10
03/18 (078-w)	32.4	34.8	7.0	1941	28.5	57	39.1	57	49.9	57	78.0	1945	0.05	0.05	55	0.15	55	45	0.16	199	10
03/19 (079-t)	26.4	34.0	10.0	1939	30.1	57	40.8	57	51.8	57	79.0	1945	0.15	0.15	72	0.13	55	117	0.69	261	9
03/20 (080-f)	22.5	32.6	11.0	1956	31.4	57	42.9	57	54.5	57	80.0	1948	0.01	0.01	58	0.08	51	357	1.28	284	11
03/21 (081-s)	27.3	33.2	9.3	1986	30.9	56	41.9	56	53.3	56	82.0	1948	0.08	0.08	56	0.14	47	297	1.44	348	11
03/22 (082-s)	27.4	34.5	8.0	1965	30.8	57	41.8	57	53.0	57	81.0	1938	0.26	0.26	68	0.12	54	44	0.34	286	11
03/23 (083-m)	18.7	29.8	12.0	1940	31.3	57	43.6	57	55.9	57	78.0	1966	0.00	0.00	52	0.06	52	331	1.38	382	11
03/24 (084-t)	23.4	37.9	10.0	1940	32.2	57	44.2	57	56.3	57	81.0	1939	0.00	0.00	47	0.10	55	444	1.47	327	11
03/25 (085-w)	34.1	43.6	5.0	1974	32.0	57	44.1	57	56.4	57	87.0	1945	0.03	0.03	43	0.09	54	215	0.67	349	11
03/26 (086-t)	40.5	43.9	9.0	1940	32.7	57	43.9	57	55.1	57	79.0	1967	0.60	0.60	74	0.09	52	82	0.40	350	11
03/27 (087-f)	31.4	36.4	15.0	1955	32.8	57	44.6	57	56.3	57	86.0	1950	0.01	0.01	69	0.10	52	126	1.03	284	11
03/28 (088-s)	29.9	37.9	13.1	1982	33.1	57	46.0	57	58.8	57	83.0	1945	0.00	0.00	45	0.06	54	503	1.23	373	11
03/29 (089-s)	24.3	36.6	15.0	1966	37.0	57	49.4	57	61.4	57	81.0	1946	0.00	0.00	37	0.18	49	195	0.87	290	11
03/30 (090-m)	35.1	41.0	11.0	1941	35.9	57	47.4	57	59.1	57	82.0	1986	0.54	0.54	68	0.15	53	60	0.28	288	11
03/31 (091-t)	29.8	42.0	12.0	1969	35.7	55	47.7	55	59.9	55	82.5	1986	0.00	0.00	53	0.09	53	498	1.48	311	11
Column Min's:	12.2	20.8	-5.0		24.6		35.2		45.9				0.00	0.00	31	0.04		44	0.16	187	
Column Avg's:	30.7	40.2			30.3		41.4		52.7				0.13	0.13	51	0.11		248	0.97	289	
Column Max's:	54.2	59.2			37.0		49.4		61.4		87.0		0.93	0.93	74	0.24		503	1.53	382	
Column Ttl's:													3.95	3.95		3.48		7686		8958	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	max	min	year avg	max	precip	evap	ly	max	avg	Term							
mo da jul	Current	liq	%	ly/m	ly/m	avg	yr							
04/01 (092-w)	28.4	35.8	42.5	13.0	1964	37.1	55	60.1	55	81.4	1986	0.10	62	0.11	54	175	1.27	313	11
04/02 (093-t)	23.9	27.5	34.1	22.0	1961	36.2	55	59.1	55	82.0	1963	0.00	59	0.16	51	271	1.55	332	11
04/03 (094-f)	22.7	31.9	41.2	16.0	1965	35.3	55	58.9	55	82.0	1940	0.00	48	0.16	53	390	1.49	263	11
04/04 (095-s)	28.9	34.9	46.0	17.0	1964	36.8	55	59.3	55	82.8	1986	0.05	60	0.15	55	226	1.00	278	11
04/05 (096-s)	25.8	39.4	52.9	20.0	1944	36.5	54	59.8	54	93.0	1947	0.00	41	0.12	52	565	1.30	336	11
04/06 (097-m)	26.7	45.1	60.5	19.0	1975	35.4	55	57.3	55	81.0	1942	0.00	32	0.14	50	444	1.21	272	11
04/07 (098-t)	43.6	55.5	66.5	16.0	1982	35.1	56	59.4	56	86.0	1954	0.00	24	0.10	50	443	1.28	352	11
04/08 (099-w)	45.2	54.7	65.6	19.0	1972	35.3	55	60.0	55	79.0	1948	0.01	43	0.11	53	524	1.32	389	10
04/09 (100-t)	44.1	56.7	68.3	16.0	1972	35.0	55	59.4	55	83.0	1953	0.12	33	0.19	54	350	1.34	397	10
04/10 (101-f)	47.8	58.9	73.3	17.9	1985	34.8	55	61.2	55	86.0	1945	0.20	33	0.08	52	301	1.26	393	10
04/11 (102-s)	55.8	67.0	78.1	21.6	1989	37.3	55	61.6	55	85.0	1945	0.01	31	0.05	50	453	1.31	438	10
04/12 (103-s)	34.3	48.7	63.9	19.0	1976	37.9	55	62.4	55	85.0	1941	0.03	38	0.15	52	378	1.57	473	10
04/13 (104-m)	29.6	41.2	52.6	21.0	1940	38.6	55	62.4	55	84.0	1941	0.00	26	0.13	50	457	1.59	401	10
04/14 (105-t)	40.2	46.3	54.8	19.0	1950	40.0	55	65.0	55	86.0	1941	0.00	25	0.14	53	216	1.59	289	10
04/15 (106-w)	43.6	56.2	70.4	19.0	1943	41.1	56	63.6	56	82.0	1941	0.02	23	0.12	54	416	1.36	325	11
04/16 (107-t)	53.6	64.4	78.8	22.0	1962	38.5	56	64.3	56	84.0	1976	0.05	29	0.11	52	351	1.43	403	11
04/17 (108-f)	52.3	61.3	68.0	20.0	1962	40.4	56	65.0	56	84.0	1976	0.28	52	0.10	54	195	0.97	297	11
04/18 (109-s)	51.8	62.0	74.4	22.9	1983	41.2	56	67.3	56	87.0	1976	0.08	50	0.11	53	303	1.64	430	11
04/19 (110-s)	58.8	70.0	81.2	19.8	1983	41.8	56	67.1	56	88.0	1941	0.00	29	0.13	52	450	1.35	444	11
04/20 (111-m)	63.3	70.8	79.5	26.7	1988	43.0	56	68.0	56	86.0	1954	0.00	23	0.11	53	424	1.60	360	11
04/21 (112-t)	58.4	64.0	69.7	23.0	1953	43.0	56	68.4	56	87.3	1985	0.50	48	0.08	53	130	0.64	361	11
04/22 (113-w)	45.6	56.0	63.9	26.0	1936	42.7	56	68.3	56	89.3	1985	0.00	36	0.13	56	304	1.62	351	11
04/23 (114-t)	40.4	61.7	79.0	25.0	1936	43.6	55	69.1	55	87.6	1985	0.00	28	0.17	56	611	1.37	452	11
04/24 (115-f)	51.5	62.7	71.8	28.2	1986	44.7	56	67.9	56	88.0	1960	0.06	25	0.14	55	353	1.67	335	11
04/25 (116-s)	40.5	45.5	51.5	26.0	1963	43.5	56	68.5	56	88.0	1948	0.07	44	0.12	55	182	0.88	475	11
04/26 (117-s)	39.8	43.8	51.6	27.0	1972	43.8	55	69.4	55	91.0	1948	0.06	51	0.10	52	165	0.94	461	10
04/27 (118-m)	38.8	46.0	57.5	25.0	1971	44.2	55	68.7	56	90.3	1990	0.02	42	0.11	55	354	1.37	405	10
04/28 (119-t)	32.3	46.6	60.2	23.0	1947	43.9	56	69.0	56	86.1	1986	0.00	30	0.08	55	519	1.57	400	11
04/29 (120-w)	31.9	50.4	63.0	27.0	1977	43.9	56	70.9	56	85.0	1951	0.00	23	0.11	53	508	1.41	443	11
04/30 (121-t)	44.2	50.7	57.7	27.0	1961	46.1	54	71.3	54	90.0	1942	0.14	44	0.04	52	119	0.55	479	10
Column Min's:	22.7	27.5	34.1	13.0		34.8		46.2		57.3		0.00	23	0.04		119	0.55	263	
Column Avg's:	41.5	51.9	62.6			39.9		52.1		64.4		0.06	38	0.12		353	1.32	378	
Column Max's:	63.3	70.8	81.2			46.1		58.8		71.3	93.0	0.50	62	0.19		611	1.67	479	
Column Ttl's:												1.80		3.55		10577		11347	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	min	avg	prec	evap	ly	max												
mo da jul	Current	Long Term	Year	Year	liq	hum	ly/m	avg												
			avgm	avgm	prec	%		Term												
			Yrs	Yrs	Year			avg												
			Yrs	Yrs	Year			Yrs												
05/01 (122-f)	33.3	56.9	74.0	25.0	1978	45.5	56	58.3	56	71.0	56	92.0	1942	0.00	486	1.44	321	10
05/02 (123-s)	60.5	69.3	80.3	24.0	1963	44.8	55	57.8	55	71.0	55	89.0	1951	0.34	403	1.55	385	10
05/03 (124-s)	44.1	57.4	70.5	26.0	1978	44.5	56	57.1	56	69.9	56	88.0	1942	0.01	645	1.38	398	11
05/04 (125-m)	43.1	47.4	55.1	28.0	1971	44.0	56	56.8	56	69.6	56	91.0	1949	0.15	220	0.97	391	11
05/05 (126-t)	41.5	46.1	57.5	30.0	1979	44.5	56	57.9	56	71.4	56	91.0	1949	0.01	345	1.73	397	11
05/06 (127-w)	39.4	49.0	59.6	27.0	1968	47.5	56	60.0	56	72.7	56	87.0	1949	0.00	420	1.53	396	11
05/07 (128-t)	40.2	54.2	65.7	24.0	1970	45.8	56	58.4	56	70.9	56	90.0	1936	0.00	661	1.38	473	11
05/08 (129-f)	46.3	56.5	70.0	27.0	1947	44.7	56	58.0	56	71.0	56	89.0	1940	0.33	401	1.64	456	11
05/09 (130-s)	48.5	51.8	59.8	27.4	1983	46.0	56	58.3	56	70.7	56	89.0	1936	0.00	185	1.19	426	11
05/10 (131-s)	45.5	60.3	77.6	21.0	1966	46.2	56	58.6	56	71.0	56	91.0	1936	0.00	630	1.44	522	11
05/11 (132-m)	49.0	66.7	82.4	29.0	1941	46.7	56	59.8	56	72.8	56	90.0	1936	0.00	641	1.37	555	11
05/12 (133-t)	52.4	69.4	83.7	29.0	1938	47.8	56	60.3	56	72.4	56	87.9	1982	0.00	613	1.36	485	11
05/13 (134-w)	57.8	67.1	79.1	32.0	1938	48.5	57	60.7	57	73.0	57	88.8	1982	0.00	484	1.27	417	11
05/14 (135-t)	49.4	60.5	75.7	35.0	1939	49.2	57	61.6	57	74.5	57	89.8	1985	0.00	554	1.40	499	11
05/15 (136-f)	51.5	62.5	78.4	32.0	1964	49.5	57	61.8	57	74.0	57	90.5	1991	0.00	323	1.57	407	11
05/16 (137-s)	53.2	70.0	85.9	30.0	1959	49.9	57	62.5	57	75.2	57	90.0	1962	0.00	645	1.39	479	11
05/17 (138-s)	59.5	71.8	84.0	31.9	1984	49.6	57	62.1	57	74.5	57	90.0	1962	0.08	541	1.52	545	11
05/18 (139-m)	54.4	64.2	70.6	34.0	1941	50.6	57	62.8	57	75.1	57	92.6	1982	0.08	184	0.59	407	11
05/19 (140-t)	50.6	63.0	79.0	35.0	1976	51.9	57	64.0	57	76.2	57	89.0	1962	0.10	411	1.89	360	11
05/20 (141-w)	58.3	69.2	81.4	34.0	1961	51.9	57	63.8	57	76.2	57	89.0	1977	0.00	661	1.47	394	11
05/21 (142-t)	54.8	68.5	83.8	38.0	1954	51.3	57	63.9	57	76.6	57	91.0	1941	0.04	689	1.40	416	11
05/22 (143-f)	49.5	70.1	86.7	35.0	1961	51.3	57	64.0	57	77.1	57	91.0	1941	0.00	682	1.39	439	11
05/23 (144-s)	56.8	70.6	83.9	29.0	1963	52.1	57	64.5	57	77.2	57	89.4	1991	0.00	582	1.49	425	11
05/24 (145-s)	42.2	51.2	64.3	31.0	1963	51.3	57	63.6	57	76.2	57	87.0	1944	0.20	134	0.86	504	11
05/25 (146-m)	40.4	49.2	61.2	34.0	1941	51.4	57	63.9	57	76.6	57	90.0	1939	0.00	451	1.99	465	11
05/26 (147-t)	45.8	51.5	60.6	33.0	1969	51.9	57	64.4	57	77.0	57	92.0	1939	0.00	276	1.86	446	11
05/27 (148-w)	43.9	52.8	63.7	32.0	1961	52.1	57	64.2	57	76.4	57	89.0	1941	0.00	453	1.72	455	10
05/28 (149-t)	36.7	55.5	71.9	36.0	1971	52.7	57	64.5	57	76.7	57	91.0	1941	0.00	667	1.60	417	11
05/29 (150-f)	42.4	53.5	60.5	34.0	1949	51.7	56	64.4	56	77.1	57	91.0	1941	0.20	133	0.35	385	11
05/30 (151-s)	50.5	57.6	66.2	32.0	1961	52.0	56	64.7	56	77.6	56	92.2	1988	0.50	185	1.26	452	10
05/31 (152-s)	53.6	56.2	62.3	34.0	1966	53.8	54	66.3	54	79.2	55	91.5	1988	0.10	150	1.31	495	10
Column Min's:	33.3	46.1	55.1	21.0		44.0	56.8	69.6		69.6		92.6		0.00	15	0.04	133	0.35	321	
Column Avg's:	48.2	59.7	72.1	49.1		61.6	74.2			74.2				0.07	34	0.13	447	1.40	439	
Column Max's:	60.5	71.8	86.7	53.8		66.3	79.2			79.2				0.50	57	0.20	689	1.99	555	
Column Ttl's:														2.14	13855	4.09			13612	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	year	avgm	yr	Long Term	avg	pr	yr	ly	ly/m	max	ly/m	avg	yr				
06/01 (153-m)	54.2	61.1	72.8	39.0	1966	55.5	56	67.5	56	79.7	56	91.0	1951	0.08	0.09	56	449	1.68	526	11
06/02 (154-t)	48.2	63.1	77.5	33.0	1966	54.7	55	66.6	55	78.7	55	94.0	1951	0.00	0.24	51	541	1.76	445	10
06/03 (155-w)	49.4	66.6	80.3	40.0	1977	54.3	55	66.0	55	77.6	56	92.0	1951	0.00	0.21	55	601	1.50	495	10
06/04 (156-t)	61.4	63.9	67.8	40.0	1961	52.8	56	65.4	56	78.3	56	89.0	1949	0.17	0.07	53	171	0.91	430	11
06/05 (157-f)	60.7	66.3	78.9	39.5	1990	54.1	56	66.8	56	79.8	56	90.0	1953	0.16	0.12	54	338	1.63	463	10
06/06 (158-s)	60.5	69.6	81.2	38.0	1945	55.7	56	68.6	56	81.5	56	93.0	1936	0.00	0.11	56	506	1.60	501	11
06/07 (159-s)	64.4	69.5	75.8	39.0	1958	56.5	55	68.5	55	80.7	55	95.0	1952	0.00	0.14	56	228	0.88	474	11
06/08 (160-m)	63.2	71.4	81.7	36.0	1977	56.3	55	69.0	55	81.7	55	91.0	1952	0.00	0.08	56	320	1.60	538	11
06/09 (161-t)	56.7	66.1	76.6	42.0	1975	57.4	55	69.5	55	81.9	55	91.0	1966	0.00	0.14	56	685	1.54	515	11
06/10 (162-w)	50.7	64.3	77.4	38.0	1977	57.5	54	69.9	54	82.4	54	92.0	1947	0.00	0.13	55	664	1.54	518	11
06/11 (163-t)	53.4	67.9	83.7	30.0	1972	56.1	56	69.0	56	81.9	56	90.8	1984	0.00	0.12	56	574	1.57	581	11
06/12 (164-f)	56.8	71.4	85.7	38.0	1980	57.7	56	69.7	56	81.8	56	92.7	1984	0.00	0.16	56	699	1.42	418	11
06/13 (165-s)	58.9	70.9	85.5	42.0	1974	58.1	55	69.7	55	81.7	55	92.0	1984	0.00	0.13	55	567	1.54	495	11
06/14 (166-s)	57.7	68.0	76.5	36.0	1978	57.1	56	69.5	56	82.0	56	93.2	1988	0.00	0.24	55	416	1.39	557	11
06/15 (167-m)	61.0	71.2	82.4	41.0	1959	58.1	56	70.1	56	82.0	56	96.0	1952	0.00	0.12	56	517	1.40	494	10
06/16 (168-t)	58.9	72.3	87.8	40.0	1961	58.6	56	70.0	56	81.7	56	98.0	1952	0.00	0.23	56	520	1.38	446	11
06/17 (169-w)	64.2	74.6	84.9	40.0	1980	57.0	56	68.8	56	80.9	56	98.0	1936	0.00	0.13	55	585	1.49	535	11
06/18 (170-t)	62.9	70.3	78.3	42.0	1950	57.4	55	69.4	55	81.4	55	96.0	1944	0.44	0.14	55	389	1.65	496	10
06/19 (171-f)	54.5	67.7	78.6	43.0	1965	58.4	55	70.5	55	82.9	56	96.0	1949	0.05	0.09	56	493	1.88	444	10
06/20 (172-s)	49.7	55.3	62.9	45.0	1970	58.2	57	70.2	57	82.4	57	97.0	1953	0.01	0.09	57	175	1.65	406	10
06/21 (173-s)	43.8	52.3	61.0	42.0	1940	58.4	57	70.3	57	82.5	57	100.0	1953	0.00	0.14	54	367	1.76	514	11
06/22 (174-m)	38.2	55.6	70.1	38.2	1992	58.2	57	70.2	57	82.3	57	95.9	1988	0.00	0.14	53	609	1.63	446	11
06/23 (175-t)	50.4	62.2	71.9	44.0	1963	58.7	57	70.4	57	82.3	57	96.0	1950	0.00	0.21	55	424	1.60	489	11
06/24 (176-w)	57.4	66.9	77.6	41.0	1961	58.2	57	70.6	57	83.0	57	95.0	1950	0.00	0.14	57	401	1.55	560	11
06/25 (177-t)	56.7	66.8	79.9	40.0	1979	58.2	57	71.0	57	84.1	57	97.1	1988	0.00	0.10	57	459	1.73	618	11
06/26 (178-f)	55.8	69.3	83.6	44.0	1960	58.0	57	71.4	57	84.6	57	98.0	1952	0.00	0.18	55	489	1.59	626	11
06/27 (179-s)	54.4	66.0	78.3	45.0	1961	59.3	57	71.9	57	84.9	57	96.0	1959	0.00	0.15	54	647	1.65	535	11
06/28 (180-s)	51.1	67.5	82.7	43.0	1970	60.2	56	72.5	56	85.0	56	97.0	1952	0.00	0.10	56	689	1.55	522	11
06/29 (181-m)	51.0	70.8	87.5	48.0	1958	60.7	55	72.8	55	85.2	55	98.0	1952	0.15	0.22	54	588	1.40	472	10
06/30 (182-t)	63.2	75.3	88.4	45.0	1940	60.4	55	72.3	55	84.5	55	95.0	1959	0.00	0.13	56	494	1.51	498	10
Column Min's:	38.2	52.3	61.0	30.0		52.8		65.4		77.6				0.00	0.07		171	0.88	406	
Column Avg's:	55.6	66.8	78.6			57.4		69.6		82.0				0.05	0.14		487	1.53	502	
Column Max's:	64.4	75.3	88.4			60.7		72.8		85.2		100.0		0.44	0.24		699	1.88	626	
Column Ttl's:														1.46	4.29		14605		15057	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	avg	max	Long Term	prec	evap	ly	max		
mo da jul	Current	min year	avgmn yrs	max	Long Term	liq	prec	snow	ly	LY/m	avg yrs
07/01 (183-w)	67.7	73.0	43.4	1988	60.5	56	71.6	56	83.0	56	95.0	1953
07/02 (184-t)	63.5	76.3	44.0	1965	58.9	56	71.1	56	83.6	56	97.0	1966
07/03 (185-f)	67.1	75.4	47.0	1979	60.1	56	72.0	56	84.1	56	98.0	1966
07/04 (186-s)	61.0	69.7	42.0	1963	59.6	56	71.3	56	83.4	56	97.0	1949
07/05 (187-s)	61.8	68.6	44.0	1979	60.1	56	71.4	56	83.1	56	97.0	1949
07/06 (188-m)	57.3	67.2	42.0	1972	59.7	56	71.7	56	83.8	56	98.1	1988
07/07 (189-t)	50.8	66.4	40.0	1972	58.9	56	71.6	56	84.6	56	102.6	1988
07/08 (190-w)	63.1	73.3	46.0	1984	60.6	56	73.1	56	85.5	56	102.4	1988
07/09 (191-t)	71.0	79.5	40.0	1963	62.5	56	73.5	56	85.3	56	100.0	1936
07/10 (192-f)	68.4	75.2	41.0	1963	61.6	56	72.9	56	84.5	56	100.0	1936
07/11 (193-s)	67.7	76.0	45.0	1963	61.1	56	72.8	56	85.2	56	98.0	1936
07/12 (194-s)	67.3	75.4	47.0	1963	61.2	55	73.0	55	85.2	55	100.0	1936
07/13 (195-m)	67.2	76.8	47.0	1940	61.2	56	72.8	56	84.7	56	97.0	1936
07/14 (196-t)	67.6	78.9	49.0	1940	62.3	56	73.6	56	85.1	56	102.0	1954
07/15 (197-w)	67.2	72.2	49.0	1960	61.5	56	73.1	56	85.0	56	100.4	1988
07/16 (198-t)	66.2	73.0	47.0	1967	61.1	56	73.0	56	85.1	56	102.1	1988
07/17 (199-f)	63.7	70.4	49.0	1974	60.6	56	73.2	56	85.9	56	94.0	1952
07/18 (200-s)	61.5	66.9	49.0	1967	61.0	56	73.5	56	86.4	56	98.0	1988
07/19 (201-s)	61.6	69.9	50.0	1976	63.0	57	74.2	57	85.9	57	93.8	1991
07/20 (202-m)	64.2	71.1	49.0	1947	62.8	56	73.7	56	85.2	56	95.0	1940
07/21 (203-t)	62.4	67.0	45.0	1966	61.7	56	73.1	56	85.0	57	95.4	1987
07/22 (204-w)	60.2	69.1	48.0	1965	61.3	57	73.3	57	85.8	57	95.0	1940
07/23 (205-t)	68.2	71.8	45.0	1947	62.3	57	73.7	57	85.6	57	95.0	1952
07/24 (206-f)	67.3	70.8	50.0	1947	62.7	57	74.1	57	85.7	57	95.0	1940
07/25 (207-s)	66.0	71.0	50.0	1952	62.2	57	74.1	57	86.3	57	96.0	1940
07/26 (208-s)	67.4	71.9	52.0	1965	62.3	57	74.0	57	86.3	57	98.0	1941
07/27 (209-m)	63.4	72.4	46.0	1962	62.1	57	74.0	57	86.6	57	99.0	1936
07/28 (210-t)	57.5	69.2	44.0	1962	62.7	57	74.3	57	85.9	57	97.0	1940
07/29 (211-w)	60.9	69.9	48.0	1965	62.0	57	73.4	57	85.1	57	99.0	1940
07/30 (212-t)	61.2	72.2	46.0	1981	61.1	56	73.0	56	85.4	57	99.0	1940
07/31 (213-f)	58.3	67.8	42.0	1956	61.5	54	73.2	54	85.0	54	95.0	1954
Column Min's:	50.8	66.4	40.0	58.9	61.3	71.1	83.0	0.00	64	154	0.96	395
Column Avg's:	63.8	71.9	82.4	63.0	63.0	73.0	85.1	0.25	78	418	1.55	476
Column Max's:	71.0	79.5	88.3	83.0	86.6	86.6	102.6	1.42	90	663	1.84	556
Column Ttl's:								7.81		12963		14771

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION															
	min	avg	maxCurrent.....Long Term.....	min year	avgm yrs	max yrs	avgm yrs	max	Lng-Trm													
mo da jul	51.5	65.0	78.8	50.0	1947	60.7	57	72.7	57	85.1	57	94.0	1955	0.00	0.00	68	0.16	56	641	1.58	488	11
08/01 (214-s)	51.5	65.0	78.8			50.0	1947	60.7	57	72.7	57	85.1	57	94.0	1955	0.00	0.00	68	0.16	56	641	1.58	488	11
08/02 (215-s)	54.6	66.4	77.6			48.0	1959	61.0	57	73.5	57	86.2	57	97.6	1991	0.00	0.00	68	0.04	56	607	1.54	525	11
08/03 (216-m)	59.1	65.8	77.1			44.0	1965	61.7	57	73.4	57	85.7	57	98.0	1955	0.13	0.13	82	0.16	55	314	1.60	461	11
08/04 (217-t)	59.4	67.9	78.2			46.0	1965	61.9	57	73.2	57	85.1	57	98.0	1944	0.00	0.00	71	0.22	54	559	1.59	456	11
08/05 (218-w)	52.8	64.0	75.5			48.0	1972	61.2	57	72.4	57	84.2	57	95.0	1944	0.00	0.00	66	0.18	55	556	1.70	403	11
08/06 (219-t)	52.6	67.8	83.8			43.0	1957	60.6	57	71.7	57	83.5	57	96.0	1944	0.00	0.00	65	0.14	57	617	1.48	405	11
08/07 (220-f)	62.6	71.9	82.6			46.0	1957	60.3	57	72.1	57	84.3	57	91.1	1982	0.00	0.00	72	0.09	55	548	1.32	414	11
08/08 (221-s)	68.0	72.1	78.5			46.2	1989	60.7	57	72.8	57	85.3	57	94.0	1941	0.14	0.14	81	0.14	56	191	1.31	454	11
08/09 (222-s)	64.2	73.9	84.8			48.9	1989	61.6	57	73.0	57	84.9	57	94.0	1949	0.00	0.00	77	0.14	53	548	1.49	441	11
08/10 (223-m)	66.5	77.4	88.2			42.0	1972	61.3	57	72.8	57	84.5	57	100.0	1944	0.00	0.00	79	0.22	56	481	1.40	462	11
08/11 (224-t)	58.7	71.9	79.9			44.0	1965	59.6	56	71.2	56	83.1	56	98.0	1944	0.81	0.81	79	0.22	57	309	1.39	400	11
08/12 (225-w)	54.6	67.5	81.8			46.0	1968	59.6	57	71.7	57	84.2	57	103.0	1944	0.00	0.00	68	0.14	55	547	1.54	532	11
08/13 (226-t)	58.6	66.8	77.9			42.0	1941	59.5	57	71.7	57	84.3	57	101.0	1944	0.01	0.01	77	0.04	57	366	1.35	445	11
08/14 (227-f)	58.1	66.6	78.3			45.0	1964	60.0	57	72.3	57	85.1	57	97.0	1944	0.00	0.00	76	0.06	55	382	1.50	499	11
08/15 (228-s)	59.0	62.9	68.2			40.0	1964	61.1	57	72.5	57	84.4	57	98.0	1944	0.54	0.54	89	0.11	55	101	0.55	450	11
08/16 (229-s)	59.2	65.5	77.5			43.0	1963	61.2	57	72.8	57	85.0	57	95.0	1965	0.00	0.00	79	0.13	56	364	1.47	465	11
08/17 (230-m)	55.7	64.8	75.5			43.0	1979	61.1	57	72.4	57	84.3	57	98.2	1988	0.00	0.00	78	0.13	55	416	1.39	397	11
08/18 (231-t)	54.5	66.5	78.8			42.0	1962	59.5	57	71.3	57	83.7	57	93.7	1988	0.00	0.00	72	0.13	54	507	1.46	396	11
08/19 (232-w)	58.1	66.2	79.2			44.0	1977	59.5	56	71.2	56	83.6	56	95.0	1947	0.01	0.01	72	0.13	55	380	1.61	441	10
08/20 (233-t)	50.2	63.4	74.6			45.0	1964	58.6	55	70.6	55	82.7	56	100.9	1983	0.00	0.00	63	0.08	55	595	1.37	376	9
08/21 (234-f)	50.6	66.4	82.2			45.0	1950	58.3	56	70.7	56	83.4	56	100.0	1936	0.00	0.00	65	0.10	54	573	1.26	403	9
08/22 (235-s)	58.9	70.2	80.9			42.5	1982	59.2	56	71.3	56	83.8	56	99.0	1936	0.00	0.00	74	0.06	56	360	1.10	382	10
08/23 (236-s)	65.9	73.8	84.5			44.0	1973	59.0	55	71.0	55	83.6	55	98.0	1936	0.00	0.00	72	0.13	56	458	1.40	304	9
08/24 (237-m)	66.2	74.7	84.3			39.0	1971	58.8	55	70.6	55	82.9	55	95.0	1936	0.00	0.00	74	0.08	56	472	1.54	352	9
08/25 (238-t)	66.2	76.1	90.0			44.0	1942	57.9	56	70.8	56	83.8	57	97.0	1948	0.00	0.00	73	0.05	55	424	--	435	10
08/26 (239-w)	67.3	76.7	87.8			45.0	1958	58.4	57	71.1	57	84.2	57	99.0	1948	0.01	0.01	75	0.11	53	401	1.27	449	11
08/27 (240-t)	68.5	75.8	85.1			45.0	1945	59.9	57	72.2	57	84.9	57	101.0	1948	0.40	0.40	78	0.09	57	427	1.29	386	10
08/28 (241-f)	56.2	63.6	69.3			43.0	1968	60.1	57	71.8	57	83.9	57	98.0	1953	1.15	1.15	91	0.08	57	85	0.87	359	11
08/29 (242-s)	50.5	59.8	69.0			36.0	1965	59.8	57	71.7	57	83.9	57	100.0	1953	0.00	0.00	68	0.13	57	563	1.47	400	11
08/30 (243-s)	54.6	66.7	78.1			41.1	1986	58.9	57	71.5	57	84.0	57	102.0	1953	0.00	0.00	73	0.07	55	433	1.27	411	11
08/31 (244-m)	56.5	65.2	74.9			44.0	1976	59.3	56	71.4	56	83.9	56	101.0	1953	0.00	0.00	69	0.12	57	500	1.42	416	10
Column Min's:	50.2	59.8	68.2			36.0		57.9		70.6		82.7				0.00	0.00	63	0.04		85	0.55	304	
Column Avg's:	58.7	68.5	79.4			60.0		71.9		71.9		84.2				0.10	0.10	74	0.12		443	1.38	426	
Column Max's:	68.5	77.4	90.0			61.9		73.5		73.5		86.2		103.0		1.15	1.15	91	0.22		641	1.70	532	
Column Totals:																3.20	3.20		3.68		13725		13207	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				S O L A R R A D I A T I O N										
	min	avg	maxCurrent.....	min	year	avgmn	yrLong Term.....	avg	pr	yr	ly	max	Lng-Tm						
mo da jul					yr	yr	yr	yr	yr	yr	yr	yr	yr	ly/m	avg yrs						
09/01 (245-t)	50.9	64.3	78.3	41.0	1967	58.1	57	70.1	57	82.4	57	102.0	1953	0.00	0.17	56	529	1.42	406	11	
09/02 (246-w)	56.7	66.6	77.0	41.0	1958	58.2	57	70.2	57	82.5	57	103.0	1953	0.18	0.15	55	249	1.11	369	11	
09/03 (247-t)	66.5	70.1	77.5	42.0	1946	57.9	57	70.3	57	83.2	57	104.0	1953	0.16	0.12	57	258	1.30	405	11	
09/04 (248-f)	65.5	70.3	80.7	43.0	1974	58.6	57	70.8	57	83.4	57	99.0	1953	0.00	0.16	56	289	1.23	351	11	
09/05 (249-s)	65.6	72.3	80.7	42.0	1957	57.3	56	69.4	56	81.7	56	98.0	1954	0.00	0.10	56	277	1.26	380	10	
09/06 (250-s)	65.8	73.2	84.2	37.0	1962	56.5	57	69.0	57	81.9	57	98.0	1954	0.03	0.05	56	439	1.40	416	11	
09/07 (251-m)	65.1	73.9	84.1	37.8	1988	55.9	57	68.6	57	81.6	57	97.0	1945	0.04	0.04	57	409	1.33	359	11	
09/08 (252-t)	65.8	72.2	81.9	34.0	1949	55.4	57	68.6	57	82.3	57	97.0	1939	0.01	0.04	55	329	1.34	409	11	
09/09 (253-w)	63.3	72.3	83.3	41.0	1958	56.2	57	69.1	57	82.2	57	94.0	1964	0.00	0.04	55	389	1.36	409	11	
09/10 (254-t)	53.5	68.6	76.7	38.0	1943	56.2	57	68.8	57	81.8	57	96.7	1983	0.11	0.10	56	259	1.43	356	11	
09/11 (255-f)	47.4	57.8	70.0	35.0	1969	53.8	57	66.3	57	79.2	57	96.0	1952	0.00	0.05	57	354	1.66	348	11	
09/12 (256-s)	45.1	58.3	71.7	40.0	1969	53.8	57	66.0	57	78.7	57	96.0	1952	0.00	0.12	55	501	1.31	309	11	
09/13 (257-s)	44.5	61.1	76.8	37.0	1975	54.6	57	67.1	57	80.2	57	96.0	1952	0.00	0.09	55	455	1.17	387	11	
09/14 (258-m)	57.7	68.3	81.6	33.0	1975	54.7	57	66.6	57	79.0	57	94.0	1936	0.00	0.19	55	399	1.25	353	11	
09/15 (259-t)	60.8	70.4	83.7	37.0	1964	53.3	57	65.9	57	78.8	57	96.0	1936	0.00	0.07	55	429	1.22	364	11	
09/16 (260-w)	60.1	70.4	81.9	32.0	1966	52.3	57	64.9	57	77.8	57	93.0	1939	0.00	0.08	57	417	1.17	329	11	
09/17 (261-t)	61.1	70.6	80.9	33.0	1959	52.3	57	64.8	57	77.5	57	93.0	1955	0.00	0.07	57	444	1.11	370	11	
09/18 (262-f)	62.3	67.3	70.8	32.0	1959	53.3	57	65.1	57	77.2	57	93.0	1955	0.25	0.07	57	105	0.60	287	11	
09/19 (263-s)	48.7	59.0	70.8	35.0	1959	54.1	57	65.2	57	76.6	57	91.0	1955	0.00	0.09	55	468	1.29	321	11	
09/20 (264-s)	42.3	60.9	77.8	34.0	1937	53.5	57	65.6	57	77.9	57	92.0	1947	0.00	0.10	56	443	1.11	387	11	
09/21 (265-m)	66.1	72.2	82.4	27.0	1962	52.8	57	64.5	57	76.5	57	90.0	1940	0.30	0.11	56	267	1.17	307	11	
09/22 (266-t)	55.9	65.5	70.0	34.0	1962	51.4	56	63.7	56	76.0	56	91.0	1946	0.53	0.12	53	63	0.45	269	10	
09/23 (267-w)	43.8	51.3	59.8	30.0	1974	50.2	56	62.2	56	74.6	56	93.0	1936	0.00	0.05	55	406	1.47	283	10	
09/24 (268-t)	40.7	52.3	66.3	29.0	1974	48.5	56	60.6	56	72.9	56	90.0	1961	0.00	0.14	55	466	1.12	310	10	
09/25 (269-f)	42.4	57.2	74.8	31.0	1942	48.3	56	61.0	56	73.9	56	88.0	1959	0.00	0.08	55	473	1.26	365	10	
09/26 (270-s)	51.8	64.6	77.9	32.0	1965	47.7	56	61.0	56	74.7	56	88.0	1958	0.06	0.04	55	361	1.20	334	9	
09/27 (271-s)	50.3	64.4	72.5	33.0	1947	47.9	56	60.8	56	74.0	56	92.0	1946	0.26	0.09	56	381	1.25	314	10	
09/28 (272-m)	42.4	58.3	73.0	31.0	1942	48.5	56	61.1	56	73.9	56	91.0	1959	0.00	0.12	56	434	1.07	340	10	
09/29 (273-t)	38.8	48.0	59.3	30.0	1942	46.9	57	59.9	57	73.4	57	93.0	1953	0.00	0.08	56	417	1.29	337	11	
09/30 (274-w)	33.3	47.0	62.6	30.0	1963	47.9	55	60.4	55	73.3	55	96.0	1953	0.00	0.06	56	361	1.25	312	10	
Column Min's:	33.3	47.0	59.3	27.0		46.9		59.9		72.9				0.00	0.04			63	0.45	269	
Column Avg's:	53.8	64.3	75.6			53.2		65.6		78.3				0.06	0.09			369	1.22	350	
Column Max's:	66.5	73.9	84.2			58.6		70.8		83.4		104.0		0.53	0.19			529	1.66	416	
Column Ttl's:														1.93	2.79			11071		10486	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

