

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N			
	min	avg	max	min	avg	max	prec	liq	evap	hum	ly	max	avg
mo da jul	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
01/01 (001-w)	22.5	33.0	48.8	-9.0	1968	23.6	54	33.0	54	42.8	56	75.0	1952
01/02 (002-t)	21.9	34.6	48.2	1.0	1940	21.6	56	31.4	56	41.4	56	62.0	1943
01/03 (003-f)	44.2	48.2	53.9	-1.0	1979	23.3	56	32.5	55	41.3	55	64.0	1939
01/04 (004-s)	40.3	45.2	49.2	1.0	1958	22.1	56	31.5	56	40.8	56	67.0	1950
01/05 (005-s)	36.2	37.9	40.3	-9.0	1968	19.1	56	28.7	56	38.7	56	67.0	1950
01/06 (006-m)	34.8	36.1	37.2	-6.0	1988	19.8	56	29.4	56	38.7	56	74.0	1946
01/07 (007-t)	31.9	35.1	37.7	-3.0	1959	21.8	55	31.1	55	40.2	55	67.0	1937
01/08 (008-w)	20.1	33.6	44.3	-22.0	1968	18.0	55	27.8	55	37.7	55	71.0	1937
01/09 (009-t)	37.1	45.7	55.7	-28.0	1970	17.2	55	27.9	55	38.5	55	68.0	1949
01/10 (010-f)	31.7	35.9	39.0	-10.1	1982	18.7	55	28.3	55	38.1	55	63.0	1939
01/11 (011-s)	25.3	32.7	45.2	-10.0	1962	17.4	55	28.2	55	39.0	55	61.0	1963
01/12 (012-s)	20.9	34.2	45.2	-11.0	1962	19.0	55	29.0	55	38.9	55	60.0	1963
01/13 (013-m)	40.5	46.3	51.4	-17.0	1977	18.5	55	28.8	55	39.3	55	65.0	1960
01/14 (014-t)	17.2	34.7	57.3	-20.0	1964	19.1	55	31.2	55	43.4	55	71.0	1972
01/15 (015-w)	14.4	22.2	29.4	-11.0	1964	21.6	55	31.8	55	41.7	55	66.0	1952
01/16 (016-t)	1.0	10.9	20.7	-15.0	1982	18.8	55	29.8	55	40.6	55	69.0	1950
01/17 (017-f)	20.7	27.9	35.9	-23.0	1977	18.8	55	29.1	55	39.1	55	62.0	1943
01/18 (018-s)	10.8	18.2	23.9	-24.0	1977	18.1	55	29.8	55	41.2	55	66.0	1951
01/19 (019-s)	0.3	13.3	24.6	-14.1	1984	17.5	55	29.1	55	40.5	55	67.0	1949
01/20 (020-m)	17.1	29.0	35.3	-17.7	1985	19.9	55	29.7	55	39.5	55	70.0	1951
01/21 (021-t)	14.5	31.9	55.1	-25.1	1984	19.4	55	29.8	55	40.7	55	65.0	1951
01/22 (022-w)	22.3	37.0	50.8	-13.2	1984	20.3	55	30.8	55	41.5	55	68.0	1959
01/23 (023-t)	31.4	42.0	49.7	-19.0	1936	20.6	55	31.9	55	43.2	55	69.0	1967
01/24 (024-f)	13.1	24.3	32.7	-22.0	1936	20.8	55	31.5	55	41.7	55	72.0	1943
01/25 (025-s)	12.6	24.0	32.3	-22.0	1963	19.8	55	31.4	55	43.0	55	72.0	1950
01/26 (026-s)	16.8	26.1	36.6	-22.0	1963	19.7	55	30.2	55	40.7	55	78.0	1950
01/27 (027-m)	16.4	28.2	44.5	-11.0	1936	19.1	55	30.3	55	41.6	55	72.0	1967
01/28 (028-t)	20.3	30.3	37.4	-31.0	1963	17.4	54	28.2	54	38.9	55	65.0	1944
01/29 (029-w)	22.4	30.9	43.0	-31.0	1963	18.3	55	29.3	55	40.4	55	71.0	1947
01/30 (030-t)	20.3	36.1	50.6	-21.0	1963	20.6	55	31.4	55	42.1	55	71.0	1975
01/31 (031-f)	33.0	35.9	41.3	-16.0	1966	19.2	55	29.3	55	39.4	55	64.7	1988

Column Min's:	0.3	10.9	20.7	-31.0	17.2	27.8	37.7	0.00	52	0.05	28	0.11	82
Column Avg's:	23.0	32.3	41.8	19.6	30.1	40.5	40.5	0.04	78	0.11	127	0.60	139
Column Max's:	44.2	48.2	57.3	23.6	33.0	43.4	78.0	0.69	88	0.20	279	1.08	201
Column Tot's:								1.24		3.37	3926		4298

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		W A T E R		B A L A N C E (inches)		S O L A R R A D I A T I O N			
	min	avg	min	max	prec	liq	evap	hum	ly	max		
mo da jul	avg	max	avg	max	prec	liq	evap	hum	ly	max		
02/01 (032-s)	17.3	28.4	34.2		0.02	0.02	--	--	187	1.11	163	11
02/02 (033-s)	13.5	26.5	44.4		0.00	0.00	--	70	306	0.85	147	11
02/03 (034-m)	19.3	34.9	58.0		0.00	0.00	--	70	284	0.79	123	11
02/04 (035-t)	28.9	38.5	53.3		0.00	0.00	--	79	90	0.50	145	11
02/05 (036-w)	22.0	32.4	41.9		0.00	0.00	--	62	297	0.85	182	11
02/06 (037-t)	17.0	32.5	55.3		0.00	0.00	--	66	311	0.84	194	11
02/07 (038-f)	20.7	29.7	38.1		0.02	0.02	--	84	72	0.36	178	11
02/08 (039-s)	20.3	27.0	31.8		0.01	0.01	--	76	207	1.26	188	11
02/09 (040-s)	15.0	22.4	32.8		0.00	0.00	--	66	307	1.09	203	11
02/10 (041-m)	12.0	28.0	48.8		0.00	0.00	--	63	308	0.86	206	11
02/11 (042-t)	24.9	36.3	46.2		0.00	0.00	--	71	68	0.30	193	11
02/12 (043-w)	17.8	26.4	33.2		0.00	0.00	--	63	213	0.89	238	11
02/13 (044-t)	28.7	37.7	45.0		0.78	0.78	--	90	44	0.38	185	11
02/14 (045-f)	34.9	38.6	43.8		0.02	0.02	--	87	69	0.26	166	11
02/15 (046-s)	39.5	51.3	61.3		0.12	0.12	--	85	81	0.55	193	11
02/16 (047-s)	36.3	40.3	47.9		0.01	0.01	--	80	74	0.40	198	11
02/17 (048-m)	30.9	40.0	48.8		0.00	0.00	--	75	146	0.40	143	11
02/18 (049-t)	39.9	50.1	65.2		0.01	0.01	--	77	191	0.73	200	11
02/19 (050-w)	37.8	45.3	53.9		0.02	0.02	--	80	48	0.21	205	11
02/20 (051-t)	28.3	37.5	41.3		0.01	0.01	--	82	65	0.25	214	11
02/21 (052-f)	27.0	42.1	58.9		0.00	0.00	--	72	307	0.96	242	11
02/22 (053-s)	32.7	47.3	68.9		0.00	0.00	--	59	332	0.96	210	11
02/23 (054-s)	29.1	42.7	56.5		0.33	0.33	--	82	87	0.30	209	11
02/24 (055-m)	42.4	46.5	49.8		0.01	0.01	--	87	110	0.45	225	11
02/25 (056-t)	39.3	45.6	50.5		0.00	0.00	--	87	74	0.26	249	11
02/26 (057-w)	32.1	35.2	39.3		0.00	0.00	--	79	63	0.25	256	11
02/27 (058-t)	33.7	42.8	53.3		0.00	0.00	--	66	324	1.16	193	11
02/28 (059-f)	37.0	48.9	60.3		0.19	0.19	--	68	237	1.05	323	11
02/29 (060-s)	22.2	31.0	39.9		0.01	0.01	--	60	415	1.14	356	3

Column Min's:	12.0	22.4	31.8	-20.0	18.1	29.1	39.7	0.00	59	0.03	44	0.21	123
Column Avg's:	27.6	37.4	48.4		21.4	32.7	44.2	0.05	75	0.11	183	0.67	204
Column Max's:	42.4	51.3	68.9		24.7	36.1	48.8	0.78	90	0.19	415	1.26	356
Column Ttl's:								1.56		3.10	5317		5927

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E (degrees Fahrenheit)						WATER BALANCE (inches)			SOLAR RADIATION									
mo da jul		.....Current.....		.....Long Term.....		.....						max			Lng-Trm							
		min	avg	min	avg	min	avg	min	avg	min	max	ly	ly	ly	ly	ly	ly	avg yrs				
11/01	(306-s)	47.0	50.9	57.9	39.1	57	52.6	57	66.4	57	83.0	1950	0.18	--	--	91	0.13	55	38	0.37	214	11
11/02	(307-m)	49.3	60.4	67.7	39.5	57	51.7	57	64.1	57	83.0	1946	0.51	--	--	79	0.14	55	86	0.82	182	11
11/03	(308-t)	36.7	53.5	70.9	35.5	56	48.9	56	62.2	56	83.0	1946	0.00	--	--	60	0.12	55	304	0.82	187	10
11/04	(309-w)	41.8	50.4	66.9	33.9	56	46.2	56	58.4	57	83.0	1961	0.01	--	--	66	0.10	50	32	0.15	149	10
11/05	(310-t)	36.0	39.0	42.0	10.4	1991	34.3	57	45.9	57	80.0	1948	0.30	--	--	80	0.11	55	39	0.22	138	11
11/06	(311-f)	35.4	37.2	43.4	17.4	1987	32.5	57	45.3	57	80.0	1977	0.00	--	--	72	0.06	54	140	1.07	178	11
11/07	(312-s)	33.4	37.0	44.5	10.0	1953	32.1	56	44.4	56	83.0	1938	0.00	--	--	69	0.07	54	165	0.69	129	10
11/08	(313-s)	27.4	37.2	49.5	12.0	1971	32.1	57	44.8	57	76.0	1945	0.00	--	--	73	0.10	52	232	0.99	203	11
11/09	(314-m)	23.6	40.4	56.2	14.0	1991	31.2	57	43.6	57	56.3	1983	0.00	--	--	66	0.09	53	209	1.08	170	11
11/10	(315-t)	39.3	52.7	62.7	14.0	1957	31.8	57	44.1	57	76.0	1975	0.00	--	--	49	0.17	54	154	1.19	131	11
11/11	(316-w)	53.9	55.6	59.5	12.0	1957	30.3	57	42.8	57	55.3	1949	0.53	--	--	86	0.07	55	29	0.17	129	11
11/12	(317-t)	42.3	55.4	64.7	15.0	1950	30.3	57	43.2	57	77.0	1949	0.65	--	--	88	0.07	52	39	0.26	175	11
11/13	(318-f)	30.5	38.5	49.1	-6.2	1986	30.1	57	43.1	57	56.0	1949	0.00	--	--	49	0.04	56	227	0.83	190	11
11/14	(319-s)	22.4	31.0	40.0	13.0	1943	29.5	55	43.4	55	57.2	1958	0.00	--	--	70	0.07	56	177	0.84	214	10
11/15	(320-s)	18.0	29.3	36.7	7.5	1986	30.5	57	44.1	57	57.5	1958	0.00	--	--	71	0.11	52	176	0.93	153	11
11/16	(321-m)	14.2	30.6	44.6	11.0	1969	30.9	57	44.1	57	57.0	1956	0.00	--	--	66	0.14	49	224	0.88	133	11
11/17	(322-t)	37.9	50.6	59.3	11.0	1976	31.0	56	43.3	56	55.4	1954	0.00	--	--	53	0.05	55	102	0.48	179	10
11/18	(323-w)	44.1	49.2	58.2	8.0	1959	30.3	57	43.0	57	80.0	1958	0.09	--	--	91	0.11	51	70	0.65	148	11
11/19	(324-t)	39.1	44.6	54.2	13.0	1951	31.8	57	43.6	57	55.4	1958	0.00	--	--	89	0.15	52	142	0.67	134	11
11/20	(325-f)	36.1	50.7	68.2	13.0	1951	31.4	57	42.9	57	54.6	1942	0.00	--	--	68	0.13	55	240	0.71	118	11
11/21	(326-s)	49.2	54.3	58.0	12.0	1951	29.4	56	40.8	56	52.1	1940	0.43	--	--	95	0.04	54	45	0.26	153	10
11/22	(327-s)	55.1	60.2	65.7	1.0	1964	29.8	57	39.8	57	50.2	1979	0.40	--	--	96	0.09	51	48	0.25	133	11
11/23	(328-m)	45.2	48.9	59.6	8.0	1964	28.1	57	39.1	57	50.2	1963	0.00	--	--	65	0.07	51	54	0.23	149	11
11/24	(329-t)	43.8	46.5	50.2	3.0	1956	27.1	57	38.4	57	50.0	1979	0.35	--	--	88	0.12	54	62	0.23	133	11
11/25	(330-w)	46.5	50.6	59.7	5.0	1938	26.3	56	37.3	56	48.3	1987	0.00	--	--	97	0.10	54	86	0.34	156	11
11/26	(331-t)	39.2	46.7	57.1	10.0	1950	27.3	57	38.6	57	49.9	1990	0.00	--	--	61	0.17	51	107	0.92	142	11
11/27	(332-f)	34.7	36.7	39.2	6.0	1950	29.3	56	39.8	56	50.1	1990	0.00	--	--	65	0.16	54	54	0.45	92	11
11/28	(333-s)	32.5	34.9	37.8	10.0	1955	28.5	56	39.2	56	50.2	1987	0.00	--	--	81	0.12	53	50	0.24	77	10
11/29	(334-s)	21.2	30.5	34.2	10.0	1952	25.8	56	36.2	56	46.7	1991	0.00	--	--	70	0.10	51	51	0.19	126	11
11/30	(335-m)	18.5	31.8	44.9	-11.0	1958	24.2	57	34.6	57	44.9	1991	0.02	--	--	82	0.05	53	142	0.63	142	11

Column	Min's	Avg's	Max's	Ttl's
Column	14.2	29.3	34.2	-11.0
Column	36.5	44.5	53.4	
Column	55.1	60.4	70.9	
Column				83.0
Column				44.9
Column				54.9
Column				66.4
Column				34.6
Column				42.8
Column				52.6
Column				24.2
Column				30.8
Column				39.5
Column				83.0
Column				49
Column				75
Column				97
Column				3.05
Column				3524
Column				4557

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	max	min	avg	max	prec	liq	ly	max												
mo da jul	Current	Long Term	Current	Long Term	Current	Long Term	evap	hum	ly/m	Lng-Term												
	min	avg	max	min	avg	max	prec	avg	pr	avg												
	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr												
12/01 (336-t)	28.0	33.1	38.5	-0.0	1958	23.2	57	33.9	57	44.8	57	69.0	1975	0.00	0.00	79	0.10	53	148	0.80	136	11
12/02 (337-w)	29.8	35.1	42.5	7.0	1960	24.2	57	35.5	57	47.2	57	78.2	1982	0.03	0.03	79	0.14	52	92	0.51	102	11
12/03 (338-t)	27.3	32.3	36.1	-0.0	1976	25.9	57	36.6	57	47.8	57	78.2	1982	0.00	0.00	63	0.09	52	92	0.49	92	11
12/04 (339-f)	31.3	38.5	47.5	1.0	1966	27.0	57	37.0	57	47.2	57	71.0	1982	0.02	0.02	70	0.12	52	52	0.37	109	11
12/05 (340-s)	14.4	24.2	33.0	7.0	1966	25.5	57	36.7	57	47.8	57	67.0	1956	0.00	0.00	54	0.11	50	132	0.78	100	11
12/06 (341-s)	14.0	24.1	32.4	8.4	1984	25.2	57	36.6	57	48.1	57	71.0	1951	0.00	0.00	63	0.10	55	86	0.62	126	11
12/07 (342-m)	29.9	32.0	34.7	-0.0	1977	24.9	57	35.5	57	46.2	57	72.0	1956	0.00	0.00	77	0.16	53	41	0.26	150	11
12/08 (343-t)	28.6	30.4	32.6	3.0	1977	25.4	57	36.1	57	47.1	57	68.0	1952	0.00	0.00	63	0.13	52	41	0.24	120	11
12/09 (344-w)	26.8	32.2	38.6	4.0	1968	23.9	57	35.1	57	46.1	57	73.0	1966	0.04	0.04	57	0.16	55	170	0.62	140	11
12/10 (345-t)	34.4	37.6	41.3	-3.0	1958	23.7	57	32.8	57	41.9	57	62.0	1946	0.65	0.65	94	0.10	51	28	0.14	101	11
12/11 (346-f)	33.4	35.2	36.7	2.0	1958	23.1	57	32.6	57	42.1	57	75.0	1971	0.02	0.02	87	0.10	52	16	0.07	102	11
12/12 (347-s)	35.0	36.8	39.2	-3.0	1937	25.0	57	33.9	57	43.0	57	67.0	1979	0.00	0.00	76	0.14	53	44	0.20	121	11
12/13 (348-s)	34.4	35.7	37.1	-16.0	1962	23.8	57	33.8	57	43.5	57	67.0	1948	0.00	0.00	75	0.14	51	38	0.17	102	11
12/14 (349-m)	26.5	35.9	46.7	4.0	1958	22.8	57	32.0	57	41.3	57	64.4	1984	0.00	0.00	77	0.07	50	132	0.62	149	11
12/15 (350-t)	23.7	37.7	55.3	-2.0	1958	21.6	57	31.5	57	41.6	57	65.0	1948	0.00	0.00	79	0.18	53	118	0.73	116	11
12/16 (351-w)	42.8	50.3	55.8	-13.2	1989	21.4	57	31.4	57	41.4	57	71.0	1971	0.00	0.00	90	0.06	51	37	0.30	101	11
12/17 (352-t)	35.9	43.9	49.9	-15.3	1989	20.1	57	31.1	57	42.1	57	70.7	1984	0.66	0.66	87	0.07	53	123	0.88	113	11
12/18 (353-f)	26.1	34.9	42.2	-10.5	1989	19.8	57	30.6	57	41.7	57	62.0	1939	0.00	0.00	69	0.11	53	130	0.74	135	11
12/19 (354-s)	26.5	42.8	53.8	-1.0	1951	20.8	57	30.9	57	40.9	57	68.0	1967	0.03	0.03	69	0.06	52	64	0.46	114	11
12/20 (355-s)	19.6	36.7	48.9	-10.0	1963	22.5	57	32.7	57	42.7	57	62.0	1970	0.29	0.29	70	0.09	52	104	0.35	96	11
12/21 (356-m)	17.1	30.9	42.3	-11.0	1942	21.9	57	31.8	57	41.3	57	65.2	1990	0.00	0.00	72	0.16	52	143	0.85	99	11
12/22 (357-t)	32.9	41.0	51.8	-17.7	1989	20.6	57	30.8	57	40.8	57	70.0	1967	0.00	0.00	68	0.08	54	189	0.81	119	11
12/23 (358-w)	36.1	45.2	50.5	-19.5	1989	22.1	57	32.7	57	43.7	57	64.0	1941	0.02	0.02	69	0.10	53	130	0.74	121	11
12/24 (359-t)	15.7	23.5	40.1	-15.7	1989	22.4	57	32.9	57	43.5	57	67.0	1955	0.00	0.00	51	0.10	50	201	0.82	135	11
12/25 (360-f)	15.3	26.8	36.2	-10.8	1983	21.7	57	31.9	57	42.2	57	70.8	1982	0.00	0.00	68	0.10	51	32	0.18	121	11
12/26 (361-s)	12.6	21.1	30.6	-7.2	1989	21.6	57	31.2	56	41.1	56	62.9	1982	0.00	0.00	48	0.12	51	218	0.65	133	11
12/27 (362-s)	10.4	27.3	45.5	-7.4	1989	23.5	57	33.4	57	43.2	57	65.7	1982	0.00	0.00	55	0.08	53	233	0.67	104	11
12/28 (363-m)	35.2	40.6	47.4	1.0	1950	23.6	57	33.8	57	43.9	57	72.5	1984	0.00	0.00	80	0.09	52	88	0.38	95	11
12/29 (364-t)	41.3	45.8	49.2	-0.0	1963	23.6	56	33.3	56	42.3	57	71.5	1984	0.12	0.12	97	0.12	51	48	0.33	106	11
12/30 (365-w)	48.4	56.5	63.7	-7.0	1963	23.3	57	32.8	57	42.4	57	67.5	1990	0.00	0.00	83	0.12	50	57	0.30	112	11
12/31 (366-t)	36.1	53.4	61.0	-5.0	1963	23.1	56	33.4	56	43.3	56	76.0	1951	0.11	0.11	82	0.08	51	27	0.17	93	10

Column Min's:	10.4	21.1	30.6	-19.5	19.8	30.6	40.8
Column Avg's:	28.0	36.2	43.9	33.4	23.1	43.6	48.1
Column Max's:	48.4	56.5	63.7	37.0	27.0	48.1	78.2
Column Ttl's:							1.99

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

3054  
 3563

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	max	min	max	prec	liq	evap	hum	avg	Term	ly	max								
mo da jul	avg	avg	yr	yr	yr	yr	yr	yr	yr	yr	yr	ly/m	ly/m							
03/01 (061-s)	19.9	40.8	61.6	-1.0	1967	23.7	57	36.1	57	48.4	57	74.0	1972	0.00	0.10	51	420	1.05	323	11
03/02 (062-m)	33.8	56.7	76.5	-11.0	1980	25.3	57	37.3	57	49.4	57	76.5	1992	0.00	0.10	55	387	1.11	299	11
03/03 (063-t)	36.4	55.4	76.1	-15.0	1980	26.9	57	39.1	57	51.5	57	76.1	1992	0.00	0.13	54	381	1.01	268	11
03/04 (064-w)	34.8	54.4	78.1	-5.0	1943	28.1	57	40.6	57	53.4	57	81.4	1983	0.00	0.18	53	351	1.00	258	11
03/05 (065-t)	43.5	57.7	77.6	3.0	1960	27.9	57	40.6	57	53.5	57	81.6	1983	0.00	0.24	53	232	1.04	256	11
03/06 (066-f)	51.7	57.5	65.7	7.0	1960	27.9	57	39.8	57	51.6	57	77.0	1956	0.38	0.23	49	134	1.22	186	11
03/07 (067-s)	49.9	56.9	65.7	3.0	1960	27.0	57	38.3	57	49.9	57	80.5	1983	0.41	0.12	52	201	1.23	267	11
03/08 (068-s)	41.1	53.5	58.6	-7.0	1960	26.2	56	38.7	56	50.5	57	78.0	1974	0.03	0.09	53	114	0.51	253	11
03/09 (069-m)	35.3	55.0	72.7	6.0	1960	26.6	56	39.8	56	52.2	57	80.0	1974	0.00	0.07	53	333	1.41	287	11
03/10 (070-t)	28.7	48.7	63.3	8.0	1944	27.1	56	39.1	56	51.0	57	78.0	1974	0.37	0.11	53	96	1.16	304	11
03/11 (071-w)	18.9	24.1	28.9	13.0	1960	28.5	56	39.8	56	51.3	57	80.7	1990	0.00	0.15	54	224	1.30	281	11
03/12 (072-t)	17.4	25.8	33.8	6.0	1969	29.6	56	41.0	56	52.5	57	81.2	1990	0.00	0.15	50	248	1.31	285	11
03/13 (073-f)	18.1	24.9	33.9	-5.0	1960	29.3	56	41.5	56	54.0	57	80.9	1990	0.00	0.15	53	387	1.45	246	11
03/14 (074-s)	17.6	28.3	37.1	9.0	1960	29.1	56	42.1	56	55.3	57	82.7	1990	0.01	0.16	55	154	0.88	249	11
03/15 (075-s)	21.4	28.5	35.1	10.0	1960	30.1	56	41.8	56	53.9	57	83.0	1973	0.00	0.09	52	431	1.30	342	11
03/16 (076-m)	14.0	29.8	45.6	10.0	1970	30.4	57	42.6	57	55.2	57	85.0	1945	0.00	0.14	52	503	1.18	307	11
03/17 (077-t)	26.2	48.4	59.2	10.0	1941	27.9	57	40.6	57	53.2	57	79.0	1942	0.01	0.15	52	151	1.12	316	11
03/18 (078-w)	39.3	44.0	54.9	7.0	1941	28.3	56	40.1	57	52.3	57	76.0	1945	1.11	0.14	53	36	0.15	225	11
03/19 (079-t)	28.6	37.5	52.8	10.0	1939	29.5	57	41.5	57	53.6	57	81.0	1945	0.22	0.17	53	103	0.74	244	11
03/20 (080-f)	23.9	35.3	46.2	14.0	1956	30.7	57	43.6	57	56.7	57	80.0	1948	0.13	0.12	53	363	1.23	311	11
03/21 (081-s)	29.2	37.3	49.9	2.0	1965	30.7	57	43.3	57	56.2	57	84.0	1948	0.00	0.18	54	459	1.34	368	11
03/22 (082-s)	30.3	38.7	47.9	12.6	1986	30.7	57	43.2	57	55.9	57	85.0	1938	0.22	0.17	50	48	0.52	295	11
03/23 (083-m)	22.3	33.1	43.7	12.0	1959	30.1	57	43.0	57	56.0	57	84.0	1966	0.00	0.07	51	455	1.47	411	11
03/24 (084-t)	20.8	38.0	56.2	13.0	1940	31.3	57	45.1	57	59.1	57	83.0	1939	0.00	0.11	51	434	1.33	348	11
03/25 (085-w)	25.5	39.8	51.1	9.0	1974	30.1	57	44.1	57	58.3	57	87.0	1945	0.01	0.06	52	130	0.52	327	11
03/26 (086-t)	41.3	47.0	55.1	10.0	1940	32.4	57	44.3	57	56.3	57	83.0	1945	0.10	0.16	51	139	1.04	362	11
03/27 (087-f)	31.7	37.4	41.5	15.0	1937	32.2	57	45.0	57	57.6	57	83.0	1945	0.00	0.11	55	73	0.77	307	11
03/28 (088-s)	31.8	40.1	52.6	11.0	1966	31.7	57	45.3	57	58.9	57	86.0	1950	0.00	0.08	54	513	1.26	367	11
03/29 (089-s)	26.9	38.8	46.7	11.0	1966	34.7	57	49.1	57	63.0	57	83.0	1946	0.00	0.14	53	123	0.76	260	11
03/30 (090-m)	37.8	43.7	51.0	13.0	1941	35.7	57	48.8	57	61.9	57	83.0	1963	0.43	0.21	51	58	0.17	265	11
03/31 (091-t)	28.9	42.8	55.8	11.0	1969	34.7	57	47.3	57	59.9	57	87.9	1986	0.00	0.12	52	489	1.49	311	11
Column Min's:	14.0	24.1	28.9	-15.0		23.7		36.1		48.4		87.9		0.00	0.06		36	0.15	186	
Column Avg's:	29.9	41.9	54.0			29.5		42.0		54.6				0.11	0.14		264	1.03	294	
Column Max's:	51.7	57.7	78.1			35.7		49.1		63.0				1.11	0.24		513	1.49	411	
Column Ttl's:														3.43	4.20		8170		9128	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	precip	evap	ly	ly/m
04/01 (092-w)	38.5	56	48.5	56	61.2	56	82.5	1986
04/02 (093-t)	38.5	56	49.6	56	63.2	56	84.0	1963
04/03 (094-f)	38.5	56	48.3	56	61.4	56	85.0	1963
04/04 (095-s)	38.5	56	49.4	56	62.4	56	85.0	1963
04/05 (096-s)	38.5	56	48.1	56	60.9	56	87.0	1947
04/06 (097-m)	38.5	56	47.4	55	59.2	55	85.0	1947
04/07 (098-t)	61.6	68.9	47.3	56	60.4	57	87.0	1954
04/08 (099-w)	43.2	56.7	48.4	57	62.2	57	83.0	1948
04/09 (100-t)	42.7	57.1	48.2	57	61.7	57	85.0	1959
04/10 (101-f)	50.2	60.6	47.8	57	61.6	57	85.0	1945
04/11 (102-s)	51.6	66.5	49.0	56	62.9	57	85.0	1945
04/12 (103-s)	39.7	52.8	49.9	57	63.9	57	83.0	1941
04/13 (104-m)	35.2	45.2	50.6	57	64.0	57	88.0	1941
04/14 (105-t)	45.5	46.9	51.9	57	66.1	57	85.0	1941
04/15 (106-w)	42.9	56.1	53.0	57	66.3	57	83.5	1982
04/16 (107-t)	47.3	64.3	51.0	57	65.2	57	84.0	1945
04/17 (108-f)	59.6	66.6	52.0	57	66.1	57	83.0	1976
04/18 (109-s)	56.6	64.6	53.9	57	68.6	57	86.0	1955
04/19 (110-s)	51.5	68.3	54.5	57	69.1	57	87.0	1941
04/20 (111-m)	60.4	72.9	54.9	57	69.1	57	87.2	1985
04/21 (112-t)	59.0	66.3	55.2	57	69.6	57	89.5	1985
04/22 (113-w)	42.0	56.1	55.7	57	69.9	57	90.7	1985
04/23 (114-t)	36.5	60.5	56.9	57	72.3	57	88.0	1948
04/24 (115-f)	52.3	63.0	57.1	57	70.4	57	89.0	1960
04/25 (116-s)	41.3	45.8	56.1	56	70.7	56	90.0	1960
04/26 (117-s)	39.9	43.8	56.6	56	70.8	56	92.0	1948
04/27 (118-m)	42.2	45.4	57.2	57	70.4	57	93.0	1986
04/28 (119-t)	34.3	46.7	56.4	57	70.6	57	88.0	1957
04/29 (120-w)	29.3	49.4	57.8	57	73.1	57	87.0	1957
04/30 (121-t)	41.1	54.6	58.2	57	72.0	57	92.0	1942
Column Min's:	29.3	38.5	47.3	59.2	59.2	59.2	86	0.31
Column Avg's:	45.4	56.4	52.4	66.2	66.2	66.2	346	1.33
Column Max's:	60.4	72.9	58.2	73.1	73.1	73.1	599	1.84
Column Tot's:							8662	11552

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	max	prec	evap	ly	max											
mo da jul	Current	Long Term	avg yrs	avgm yrs	liq	hum	ly/m	Lng-Term											
			avgm yrs	max yrs	prec	%		avg yrs											
05/01 (122-f)	35.3	59.5	83.0	27.0	1971	44.0	57	58.3	57	72.8	57	92.0	1951	0.00	63	574	1.29	364	11
05/02 (123-s)	53.2	69.7	82.6	23.0	1963	43.8	57	58.3	57	72.4	57	91.0	1951	0.07	68	458	1.62	417	11
05/03 (124-s)	44.1	59.2	73.6	26.0	1961	43.0	57	57.2	57	71.4	57	90.0	1959	0.00	47	655	1.39	419	11
05/04 (125-m)	36.9	48.8	60.5	24.9	1986	41.9	57	56.9	57	71.9	57	93.0	1949	0.00	64	416	1.79	393	11
05/05 (126-t)	37.6	44.4	54.4	27.0	1973	42.1	56	57.1	56	71.9	56	95.0	1949	0.07	86	214	1.52	383	11
05/06 (127-w)	33.0	47.0	61.2	25.0	1968	44.4	57	59.2	57	73.9	57	92.0	1949	0.01	72	336	1.56	378	11
05/07 (128-t)	32.8	52.4	67.3	26.0	1970	44.9	57	59.3	57	73.7	57	91.0	1959	0.00	53	657	1.39	508	11
05/08 (129-f)	45.2	54.1	67.4	27.0	1947	42.6	57	57.3	57	71.7	57	91.0	1940	1.18	73	364	1.78	477	11
05/09 (130-s)	42.0	50.6	58.0	26.0	1947	44.7	57	59.2	57	73.7	57	90.0	1936	0.50	85	168	0.76	424	11
05/10 (131-s)	40.8	56.9	78.0	17.0	1966	45.0	57	58.8	57	72.7	57	92.0	1936	0.00	69	624	1.38	526	11
05/11 (132-m)	42.7	63.6	84.2	26.0	1966	45.3	57	59.9	57	74.3	57	91.0	1936	0.00	62	661	1.40	573	11
05/12 (133-t)	47.2	67.0	85.7	29.0	1938	46.9	57	60.8	57	74.4	57	91.4	1982	0.00	62	591	1.40	425	11
05/13 (134-w)	54.2	64.2	76.8	30.0	1938	47.2	57	61.0	57	74.8	57	91.7	1982	0.22	82	245	1.06	394	10
05/14 (135-t)	46.7	63.1	79.2	32.0	1971	47.5	57	61.2	57	75.1	57	92.9	1982	0.00	60	582	1.49	479	11
05/15 (136-f)	52.8	63.0	80.5	31.4	1984	48.1	57	62.0	57	76.1	57	95.1	1991	0.02	58	421	1.74	400	11
05/16 (137-s)	50.6	68.9	87.2	29.6	1984	48.8	57	62.4	57	76.1	57	92.0	1962	0.00	64	627	1.39	500	11
05/17 (138-s)	55.6	71.5	86.3	30.7	1984	48.7	57	62.8	57	76.8	57	92.0	1962	0.41	65	543	1.50	564	11
05/18 (139-m)	60.1	65.8	71.1	30.0	1973	49.7	57	63.3	57	76.8	57	93.0	1962	0.77	84	140	0.51	413	11
05/19 (140-t)	57.2	64.4	74.7	35.0	1976	50.4	57	63.6	57	76.8	57	93.0	1962	0.02	82	323	1.61	374	11
05/20 (141-w)	57.6	68.6	79.7	34.0	1956	51.0	56	64.2	56	77.4	56	91.0	1964	0.00	71	478	1.67	406	10
05/21 (142-t)	52.8	67.7	85.1	31.0	1954	50.2	56	64.1	56	78.2	56	91.0	1941	0.00	58	539	1.23	430	10
05/22 (143-f)	48.9	68.3	88.2	32.0	1954	50.7	56	64.7	56	79.0	56	93.0	1941	0.00	58	547	1.22	397	10
05/23 (144-s)	52.4	69.2	82.6	29.0	1963	50.9	56	65.1	56	79.2	56	91.0	1939	0.00	66	500	1.31	426	10
05/24 (145-s)	46.3	54.7	67.0	32.0	1963	50.5	56	63.9	56	77.4	56	90.0	1964	0.05	84	120	0.59	496	10
05/25 (146-m)	43.4	48.6	59.2	33.0	1941	50.5	56	64.4	56	78.3	57	92.0	1939	0.00	69	417	1.68	473	10
05/26 (147-t)	45.8	53.6	63.9	33.6	1988	51.5	57	65.1	57	78.6	57	92.0	1965	0.00	68	352	1.88	444	11
05/27 (148-w)	41.2	53.9	65.3	30.0	1961	52.0	57	65.1	57	78.2	57	91.0	1941	0.05	67	406	1.55	499	11
05/28 (149-t)	38.0	54.6	72.2	33.0	1961	52.2	57	64.7	57	77.6	57	92.2	1987	0.00	61	558	1.53	426	11
05/29 (150-f)	45.2	52.8	58.5	33.0	1964	51.9	57	65.0	57	78.4	57	92.9	1987	0.68	85	110	0.54	386	11
05/30 (151-s)	51.9	59.6	68.4	33.0	1961	51.5	57	65.3	57	79.3	57	92.2	1988	0.04	81	233	1.34	498	11
05/31 (152-s)	53.2	57.8	61.2	30.0	1966	52.8	57	66.5	57	80.4	57	94.5	1988	0.04	83	154	0.66	518	11
Column Min's:	32.8	44.4	54.4	17.0		41.9		56.9		71.4				0.00	47	110	0.51	364	
Column Avg's:	46.6	59.5	73.0			47.9		61.8		75.8				0.13	69	420	1.35	445	
Column Max's:	60.1	71.5	88.2			52.8		66.5		80.4		95.1		1.18	86	661	1.88	573	
Column Ttl's:														4.13		13013		13810	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min	max	precip	evap	ly	max												
mo da jul	avg	avg	avg	avg	liq	avg	avg	ly/m												
	Current	Long Term	Current	Long Term	precip	avg	Term	avg												
	min	max	min	max	precip	avg	pr	avg												
	min	max	min	max	precip	avg	pr	avg												
	min	max	min	max	precip	avg	pr	avg												
06/01 (153-m)	50.6	61.0	37.0	1948	53.9	57	67.1	57	80.3	57	92.1	1988	0.00	0.00	0.15	55	522	1.66	482	11
06/02 (154-t)	45.0	61.6	31.0	1966	54.2	57	67.3	57	80.7	57	94.0	1951	0.00	0.00	0.13	54	563	1.63	480	11
06/03 (155-w)	47.2	66.9	36.0	1966	54.2	57	66.7	57	79.1	57	92.0	1951	0.00	0.00	0.14	54	575	1.51	514	11
06/04 (156-t)	62.6	64.7	37.0	1969	52.0	57	65.0	57	78.0	57	90.0	1942	0.97	0.00	0.12	54	147	0.70	440	11
06/05 (157-f)	58.1	65.7	37.0	1945	53.2	57	66.9	57	80.7	57	90.6	1984	0.30	0.00	0.07	55	344	1.76	479	11
06/06 (158-s)	57.7	70.5	34.0	1945	54.8	57	69.0	57	83.2	57	92.1	1988	0.09	0.00	0.13	54	520	1.44	551	11
06/07 (159-s)	60.9	69.1	39.0	1958	55.8	57	68.8	57	82.0	57	93.0	1952	0.44	0.00	0.12	57	217	1.03	464	11
06/08 (160-m)	63.7	70.1	36.0	1977	56.1	57	69.5	57	82.7	57	93.6	1988	0.05	0.00	0.08	55	230	0.85	525	11
06/09 (161-t)	58.6	66.9	41.0	1949	56.9	57	69.9	57	82.9	57	94.0	1953	0.00	0.00	0.14	54	524	1.46	530	11
06/10 (162-w)	49.5	64.3	35.7	1988	56.9	56	81.9	56	93.0	1947	0.00	0.00	0.10	55	630	1.65	560	10		
06/11 (163-t)	50.9	65.7	31.0	1972	55.7	56	69.1	56	82.5	56	94.0	1963	0.00	0.00	0.10	53	493	1.31	561	11
06/12 (164-f)	51.9	69.1	37.0	1972	56.4	57	69.2	57	82.3	57	95.5	1984	0.00	0.00	0.11	55	677	1.46	434	11
06/13 (165-s)	54.8	70.4	40.0	1963	56.8	57	70.1	57	83.4	57	93.8	1984	0.00	0.00	0.19	54	609	1.54	539	11
06/14 (166-s)	63.4	68.3	39.0	1959	57.1	57	69.8	57	82.7	57	95.7	1988	0.66	0.00	0.16	52	217	1.35	558	11
06/15 (167-m)	59.5	70.9	40.0	1959	57.1	57	70.3	57	83.6	57	94.0	1952	0.01	0.00	0.17	53	435	1.27	486	10
06/16 (168-t)	57.4	73.1	44.0	1959	57.7	57	70.1	57	82.8	57	96.0	1952	0.00	0.00	0.15	54	612	1.48	453	11
06/17 (169-w)	63.5	76.2	40.0	1964	56.4	57	69.4	57	82.5	57	97.0	1936	0.00	0.00	0.14	55	575	1.56	508	11
06/18 (170-t)	64.5	71.8	40.0	1965	57.3	57	70.1	57	82.9	57	98.0	1944	2.03	0.00	0.09	52	386	1.60	517	11
06/19 (171-f)	58.3	70.0	41.0	1959	57.6	57	70.4	57	83.2	57	94.0	1949	0.00	0.00	0.09	52	514	1.72	498	11
06/20 (172-s)	51.6	59.1	45.0	1965	57.3	57	70.4	57	83.6	57	96.8	1988	0.00	0.00	0.09	57	344	1.53	445	11
06/21 (173-s)	43.4	55.9	43.0	1940	57.9	57	71.0	57	84.3	57	96.5	1988	0.00	0.00	0.17	53	560	2.05	547	11
06/22 (174-m)	38.6	55.6	38.6	1992	57.7	57	70.2	57	83.0	57	98.9	1988	0.00	0.00	0.10	53	629	1.64	446	11
06/23 (175-t)	50.4	63.8	39.0	1963	58.4	57	70.8	57	83.5	57	94.0	1966	0.00	0.00	0.12	55	428	1.87	505	11
06/24 (176-w)	56.5	67.6	43.0	1961	57.7	57	71.1	57	84.3	57	96.0	1964	0.06	0.00	0.07	53	483	1.59	597	11
06/25 (177-t)	56.2	68.5	41.0	1965	57.3	57	71.0	57	84.6	57	101.1	1988	0.00	0.00	0.09	55	582	1.60	620	11
06/26 (178-f)	55.9	70.0	43.0	1967	57.1	57	71.4	57	85.3	57	98.0	1952	0.00	0.00	0.15	55	466	1.52	615	11
06/27 (179-s)	49.3	64.6	44.0	1961	58.3	57	71.9	57	85.6	57	97.0	1944	0.00	0.00	0.09	54	578	1.66	557	11
06/28 (180-s)	47.3	66.4	44.0	1970	59.4	57	73.0	57	86.6	57	98.0	1944	0.00	0.00	0.08	55	691	1.55	548	11
06/29 (181-m)	53.2	70.2	46.0	1954	59.4	56	72.4	56	85.6	56	100.0	1952	0.01	0.00	0.20	55	493	1.37	439	10
06/30 (182-t)	63.3	72.9	44.2	1988	59.2	56	72.4	56	85.8	56	96.0	1936	1.31	0.00	0.21	54	372	1.39	494	10
Column Min's:	38.6	55.6	31.0		52.0		65.0		78.0		101.1		0.00	0.00	0.07		147	0.70	434	
Column Avg's:	54.8	67.0			56.7		69.8		83.0				0.20	0.00	0.13		480	1.49	513	
Column Max's:	64.5	76.2			59.4		73.0		86.6				2.03	0.00	0.21		691	2.05	620	
Column Ttl's:													5.93	0.00	3.75		14406		15392	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)				W A T E R			B A L A N C E (inches)			S O L A R R A D I A T I O N									
mo	da	min	avg	max	min	year avg	max	yr	liq	snow	evap	% hum	avg	pr	ly	ly/m	max	Lng-Trm						
		.....Current.....			.....Long Term.....				.....			.....			.....									
		.....			.....				.....			.....			.....									
07/01	(183-w)	67.4	75.4	86.1	36.5	1988	59.9	56	72.2	56	84.5	56	96.0	1954	0.02	..	..	74	0.13	51	456	1.73	456	10
07/02	(184-t)	63.7	75.9	89.9	42.0	1988	58.8	56	71.9	56	85.0	56	97.0	1954	0.00	..	..	73	0.07	54	536	1.47	533	10
07/03	(185-f)	68.5	73.4	82.2	46.0	1945	59.3	56	72.3	56	85.6	57	97.0	1966	0.22	..	..	76	0.20	56	384	1.80	517	10
07/04	(186-s)	56.4	69.2	80.3	41.0	1968	59.4	57	71.9	57	84.7	57	98.0	1966	0.00	..	..	66	0.20	55	638	1.68	464	11
07/05	(187-s)	58.7	70.6	83.1	43.0	1968	60.2	57	72.3	57	84.9	57	100.0	1949	0.24	..	..	76	0.18	53	409	1.49	473	11
07/06	(188-m)	55.8	68.9	77.6	43.0	1972	59.6	56	72.1	56	84.5	56	100.3	1988	0.00	..	..	62	0.16	55	705	1.45	544	11
07/07	(189-t)	50.4	66.4	78.1	43.0	1972	58.8	57	71.8	57	84.9	57	103.7	1988	0.00	..	..	64	0.09	56	481	1.27	586	11
07/08	(190-w)	63.2	76.9	88.7	44.4	1984	59.8	57	72.7	57	85.6	57	105.4	1988	0.01	..	..	69	0.12	57	458	1.58	528	11
07/09	(191-t)	72.2	80.9	89.5	44.0	1963	61.4	57	73.9	57	86.7	57	103.3	1988	0.00	..	..	72	0.10	56	388	1.49	491	11
07/10	(192-f)	69.7	79.3	90.9	44.0	1963	61.0	57	73.6	57	86.5	57	100.0	1936	0.66	..	..	68	0.29	55	590	1.48	462	11
07/11	(193-s)	67.0	73.5	87.4	43.0	1963	60.2	57	72.5	57	85.7	57	98.0	1936	0.52	..	..	78	0.21	54	380	1.77	436	11
07/12	(194-s)	66.9	77.7	90.0	42.0	1945	60.7	57	73.3	57	86.2	57	99.0	1936	0.01	..	..	68	0.17	54	557	1.80	438	11
07/13	(195-m)	74.9	82.1	90.5	47.0	1945	61.3	57	73.3	57	85.6	57	99.0	1936	0.00	..	..	63	0.21	54	494	1.52	447	11
07/14	(196-t)	68.4	79.4	88.6	47.0	1940	61.1	57	73.9	57	86.8	57	102.0	1954	0.00	..	..	68	0.13	55	573	1.56	497	11
07/15	(197-w)	65.4	74.3	82.7	48.9	1987	61.3	56	73.7	56	86.4	56	103.7	1988	0.00	..	..	75	0.10	56	334	1.69	482	10
07/16	(198-t)	62.4	74.2	85.3	44.0	1967	60.2	56	73.1	56	86.1	56	103.6	1988	0.01	..	..	75	0.15	54	545	1.59	560	10
07/17	(199-f)	62.4	72.5	80.1	48.0	1954	59.8	56	73.3	56	86.8	56	97.8	1988	0.26	..	..	78	0.11	54	264	1.62	561	10
07/18	(200-s)	61.9	68.5	82.9	48.0	1967	60.8	56	73.7	56	87.0	57	99.1	1988	0.28	..	..	80	0.09	54	452	1.52	542	9
07/19	(201-s)	59.2	70.8	84.5	48.2	1984	62.5	57	74.8	57	87.5	57	97.0	1957	0.00	..	..	73	0.16	52	547	1.46	479	11
07/20	(202-m)	59.9	73.9	87.8	45.0	1947	62.3	57	74.6	57	87.3	57	96.0	1957	0.00	..	..	67	0.13	55	598	1.62	451	11
07/21	(203-t)	64.4	70.5	82.2	41.0	1965	61.6	57	73.3	57	85.5	57	99.1	1983	0.73	..	..	78	0.20	54	281	1.49	460	11
07/22	(204-w)	65.1	70.4	82.0	43.0	1966	61.6	57	74.0	57	87.0	57	98.0	1952	0.01	..	..	78	0.15	54	282	1.14	489	11
07/23	(205-t)	69.1	75.1	84.7	42.0	1947	62.4	57	74.5	57	87.1	57	98.4	1983	0.01	..	..	77	0.20	55	341	1.60	512	11
07/24	(206-f)	66.6	74.7	84.9	43.0	1947	61.9	57	74.4	57	87.1	57	97.7	1987	0.55	..	..	77	0.15	55	381	1.36	538	11
07/25	(207-s)	64.4	72.5	83.6	45.0	1947	61.7	57	74.3	57	87.1	57	98.0	1944	0.00	..	..	75	0.12	56	410	1.53	442	11
07/26	(208-s)	68.2	73.9	82.1	52.0	1947	61.9	57	74.1	57	86.9	57	97.0	1936	2.20	..	..	80	0.13	56	230	1.60	404	11
07/27	(209-m)	63.4	71.8	77.9	41.0	1962	61.9	57	74.3	57	87.2	57	102.0	1936	0.46	..	..	80	0.07	56	204	1.01	454	11
07/28	(210-t)	58.3	69.8	83.4	47.0	1962	62.3	57	74.8	57	87.5	57	100.0	1952	0.00	..	..	65	0.18	53	671	1.39	510	11
07/29	(211-w)	55.5	69.7	83.0	47.0	1965	62.1	57	74.3	57	86.8	57	98.0	1964	0.00	..	..	67	0.13	56	580	1.61	547	11
07/30	(212-t)	60.2	72.3	86.5	46.0	1965	61.0	57	73.4	57	86.2	57	98.0	1940	0.13	..	..	73	0.10	53	458	1.50	440	11
07/31	(213-f)	58.1	68.0	75.3	46.0	1965	60.9	57	73.2	57	85.9	57	96.0	1944	0.06	..	..	77	0.08	55	219	1.79	450	11

Column Min's:	50.4	66.4	75.3	36.5	58.8	71.8	84.5	62	0.07	204	1.01	404	
Column Avg's:	63.5	73.3	84.3	60.9	73.4	86.2	73	0.15	447	1.54	490		
Column Max's:	74.9	82.1	90.9	62.5	74.8	87.5	80	0.29	705	1.80	586		
Column Tot's:	13846												
15193													

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	avg	prec	evap	max	avg											
mo da Jul	Current	Long Term	min year	avgm yrs	liq	snow	Ly/m	Lng-Tm											
			avgm yrs	avgm yrs	prec	avg pr yrs	Ly	avg yrs											
08/01 (214-s)	52.4	64.7	50.0	60.5	57	73.5	57	86.7	57	97.2	1988	0.00	63	0.12	53	675	1.50	508	11
08/02 (215-s)	50.5	65.3	79.1	59.9	57	73.6	57	87.5	57	100.7	1988	0.00	65	0.07	56	576	1.55	542	11
08/03 (216-m)	54.8	65.6	80.1	61.0	57	73.9	57	87.1	57	98.0	1944	0.16	78	0.11	56	279	1.73	480	11
08/04 (217-t)	54.3	67.7	77.9	60.9	57	73.7	57	86.9	57	100.0	1937	0.00	66	0.18	54	576	1.60	480	11
08/05 (218-w)	49.8	63.9	78.3	61.2	57	73.1	57	85.5	57	95.0	1947	0.00	65	0.16	57	585	1.54	403	11
08/06 (219-t)	51.0	67.1	84.0	60.2	57	72.6	57	85.3	57	98.0	1944	0.00	64	0.17	56	607	1.33	411	11
08/07 (220-f)	60.7	72.4	84.1	44.0	1957	59.9	57	85.3	57	94.0	1937	0.00	68	0.10	54	480	1.49	423	11
08/08 (221-s)	71.2	74.3	80.9	60.0	56	72.8	56	86.0	56	96.0	1964	0.10	74	0.13	53	205	1.13	423	11
08/09 (222-s)	64.4	76.0	89.1	61.1	57	73.5	57	86.3	57	96.7	1988	0.01	67	0.08	55	552	1.40	461	11
08/10 (223-m)	62.9	76.9	89.4	60.6	57	73.1	57	86.1	57	99.0	1944	0.00	67	0.17	53	544	1.40	450	11
08/11 (224-t)	60.8	72.6	81.2	59.5	57	71.9	57	84.7	57	99.7	1988	0.01	79	0.15	52	275	1.45	424	11
08/12 (225-w)	55.2	67.5	82.0	41.0	1946	58.7	57	85.0	57	100.0	1944	0.00	73	0.13	57	552	1.57	523	11
08/13 (226-t)	56.1	67.9	82.3	44.0	1964	58.7	57	85.1	57	97.0	1936	0.00	78	0.11	55	416	1.45	424	11
08/14 (227-f)	59.4	65.7	80.5	43.0	1941	59.1	56	85.6	56	97.6	1988	0.01	86	0.10	53	308	1.42	502	10
08/15 (228-s)	55.7	64.0	71.1	38.0	1964	59.7	57	85.8	57	96.0	1937	1.23	90	0.17	57	175	0.83	462	11
08/16 (229-s)	54.3	64.2	76.9	40.0	1964	60.3	57	86.3	57	100.0	1937	0.00	85	0.07	57	322	1.52	424	11
08/17 (230-m)	52.6	64.3	76.3	43.0	1964	59.8	57	85.7	57	102.6	1988	0.00	85	0.12	56	419	1.38	406	11
08/18 (231-t)	53.6	66.6	80.7	43.0	1962	59.6	57	84.6	57	100.4	1988	0.00	79	0.08	54	499	1.45	424	11
08/19 (232-w)	56.0	64.5	73.6	43.0	1953	58.6	57	85.3	57	99.2	1983	0.00	87	0.21	57	219	0.90	415	11
08/20 (233-t)	52.2	64.1	77.8	43.0	1964	57.8	57	84.5	57	103.7	1983	0.00	73	0.09	56	518	1.40	381	10
08/21 (234-f)	50.4	66.5	82.9	41.0	1950	57.4	55	84.6	56	99.0	1936	0.00	77	0.14	55	527	1.21	420	9
08/22 (235-s)	62.5	70.3	78.9	39.7	1982	58.3	57	85.3	57	103.4	1983	0.00	84	0.11	54	242	0.88	429	11
08/23 (236-s)	64.0	72.1	82.5	43.0	1950	58.1	57	84.4	57	95.0	1936	0.00	85	0.15	54	314	1.33	353	11
08/24 (237-m)	62.2	73.9	87.4	41.0	1952	57.5	57	84.1	57	97.2	1983	0.00	82	0.06	56	463	1.49	405	11
08/25 (238-t)	63.4	75.4	90.2	40.0	1951	56.8	57	84.5	57	98.0	1948	0.00	81	0.13	55	440	1.28	433	11
08/26 (239-w)	65.1	77.1	92.4	40.0	1951	57.5	57	85.0	57	100.0	1948	0.00	79	0.12	56	481	1.42	458	11
08/27 (240-t)	66.6	74.8	87.8	40.0	1945	58.7	57	84.9	57	101.0	1948	0.26	82	0.10	57	440	1.34	378	11
08/28 (241-f)	59.7	64.9	68.7	40.9	1986	58.3	56	84.8	56	101.0	1948	1.53	89	0.07	53	117	1.08	374	10
08/29 (242-s)	49.4	61.4	73.1	34.0	1965	59.0	56	84.8	56	97.0	1953	0.00	73	0.14	56	520	1.46	371	10
08/30 (243-s)	50.4	66.9	80.9	42.0	1946	57.9	56	84.9	56	100.0	1953	0.00	79	0.08	50	486	1.31	384	10
08/31 (244-m)	53.8	66.8	77.9	44.0	1946	58.0	56	84.9	56	100.0	1953	0.00	75	0.12	55	558	1.40	415	10
Column Min's:	49.4	61.4	68.7	34.0		56.8	70.5	84.1				0.00	63	0.06		117	0.83	353	
Column Avg's:	57.3	68.6	80.9	59.2		61.2	72.1	85.4				0.11	77	0.12		431	1.36	430	
Column Max's:	71.2	77.1	92.4	61.2		61.2	73.9	87.5		103.7		1.53	90	0.21		675	1.73	542	
Column Ttl's:												3.31		3.74		13370		13337	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
	min	avg	max	.....Current.....	.....Long Term.....	min	Year	avg	max	.....Long Term.....	precip	evap	hum %	ly	max	Lng-Trm					
mo da jul	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....				
09/01 (245-t)	48.7	64.0	81.1	.....	70.7	57	70.7	57	84.7	57	101.0	1953	0.00	..	75	0.18	57	515	1.36	423	10
09/02 (246-w)	53.3	67.4	81.9	.....	70.1	57	84.0	57	102.0	1953	0.01	..	86	..	86	0.10	54	280	1.23	384	11
09/03 (247-t)	62.6	71.0	79.8	.....	70.4	57	83.8	57	101.0	1953	0.01	..	84	..	84	0.13	54	274	1.47	405	10
09/04 (248-f)	61.0	69.9	82.9	.....	70.4	57	83.7	57	96.0	1953	0.00	..	90	..	90	0.09	54	260	1.64	366	11
09/05 (249-s)	64.9	71.9	82.2	.....	69.7	57	83.1	57	97.0	1954	0.00	..	88	..	88	0.12	57	290	1.17	348	11
09/06 (250-s)	61.9	72.1	84.7	.....	69.5	57	83.5	57	99.0	1954	0.00	..	85	..	85	0.06	56	402	1.36	429	11
09/07 (251-m)	61.2	70.9	85.2	.....	68.3	57	82.2	57	97.0	1945	0.51	..	88	..	88	0.05	53	371	1.40	380	11
09/08 (252-t)	62.8	72.1	83.8	.....	68.5	57	83.1	57	97.0	1939	0.12	..	87	..	87	0.03	55	377	1.40	389	10
09/09 (253-w)	61.6	72.8	86.6	.....	69.0	56	83.9	56	97.2	1983	0.01	..	82	..	82	0.09	54	461	1.35	409	11
09/10 (254-t)	53.0	69.5	80.5	.....	68.8	57	82.9	57	101.4	1983	0.00	..	80	..	80	0.11	54	331	1.51	342	11
09/11 (255-f)	44.2	57.5	72.1	.....	66.1	57	80.0	57	98.7	1983	0.00	..	77	..	77	0.09	57	430	1.66	344	11
09/12 (256-s)	43.6	57.2	74.0	.....	65.8	57	79.7	57	93.0	1952	0.00	..	77	..	77	0.14	55	490	1.44	311	11
09/13 (257-s)	43.7	61.4	79.8	.....	66.5	56	80.6	56	97.0	1939	0.00	..	80	..	80	0.11	53	450	1.20	399	10
09/14 (258-m)	54.5	67.5	85.0	.....	66.3	56	80.3	56	98.0	1939	0.00	..	80	..	80	0.19	54	420	1.26	366	10
09/15 (259-t)	54.5	67.9	86.1	.....	65.8	56	80.1	56	93.0	1939	0.00	..	79	..	79	0.13	51	449	1.26	374	10
09/16 (260-w)	56.2	67.7	84.3	.....	64.1	56	79.1	57	95.0	1939	0.01	..	80	..	80	0.08	57	402	1.37	339	10
09/17 (261-t)	54.2	68.6	82.8	.....	64.4	57	78.4	57	93.0	1955	0.00	..	79	..	79	0.08	55	418	1.27	413	10
09/18 (262-f)	64.9	68.8	72.6	.....	64.9	57	78.8	57	92.0	1955	0.48	..	94	..	94	0.06	56	98	1.17	329	11
09/19 (263-s)	46.6	61.1	72.4	.....	65.3	57	77.9	57	92.2	1983	0.00	..	70	..	70	0.09	56	490	1.22	324	11
09/20 (264-s)	41.5	60.2	78.5	.....	64.7	57	78.0	57	93.0	1940	0.00	..	79	..	79	0.17	54	441	1.27	404	11
09/21 (265-m)	62.6	72.6	84.1	.....	64.2	57	77.9	57	94.0	1940	0.82	..	84	..	84	0.16	55	285	1.24	348	11
09/22 (266-t)	54.8	67.4	73.3	.....	63.6	56	77.3	56	91.0	1936	0.49	..	91	..	91	0.13	54	109	0.57	284	10
09/23 (267-w)	42.7	52.3	62.5	.....	61.6	57	75.7	57	92.0	1945	0.00	..	72	..	72	0.09	53	482	1.43	310	11
09/24 (268-t)	38.4	51.5	67.9	.....	60.2	57	74.2	57	92.0	1937	0.00	..	74	..	74	0.17	52	488	1.16	295	10
09/25 (269-f)	37.3	54.4	74.7	.....	60.0	57	74.5	57	92.0	1961	0.00	..	76	..	76	0.04	54	462	1.19	375	11
09/26 (270-s)	47.0	62.5	78.7	.....	60.0	57	74.8	57	89.0	1959	0.10	..	84	..	84	0.07	54	309	1.18	309	11
09/27 (271-s)	47.7	64.5	73.6	.....	60.7	57	76.2	57	90.0	1946	0.08	..	77	..	77	0.12	55	447	1.35	333	11
09/28 (272-m)	43.8	57.9	74.1	.....	60.1	57	75.5	57	90.0	1939	0.01	..	73	..	73	0.10	54	447	1.11	351	11
09/29 (273-t)	36.8	48.2	62.0	.....	59.6	57	74.3	57	95.0	1953	0.00	..	69	..	69	0.05	56	465	1.13	355	11
09/30 (274-w)	31.8	46.4	64.8	.....	59.5	57	73.5	57	95.0	1953	0.00	..	75	..	75	0.17	54	435	1.10	301	11

Column Min's:	31.8	46.4	62.0	27.0	45.3	59.5	73.5	0.00	69	0.03	98	0.57	284	
Column Avg's:	51.3	63.9	77.7	65.3	79.4	0.09	81	0.11	386	1.28	358			
Column Max's:	64.9	72.8	86.6	57.4	84.7	0.82	94	0.19	515	1.66	429			
Column Totals:													11578	10739

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		SOLAR RADIATION											
	min	avg	min	max	year	avg	yr	avg	yr	prec	liq	ly	ly/m	max	avg	yr						
10/01 (275-t)	32.8	48.8	28.0	68.8	1963	46.7	57	59.5	57	73.0	57	89.0	1952	0.00	0.00	74	0.13	54	431	1.07	278	11
10/02 (276-f)	35.2	52.4	26.0	72.8	1946	45.0	57	59.4	57	74.6	57	89.0	1953	0.00	0.00	75	0.07	55	427	1.05	339	11
10/03 (277-s)	37.2	55.7	27.0	77.3	1974	43.7	57	58.3	57	72.9	57	91.0	1951	0.00	0.00	77	0.06	56	420	1.06	278	10
10/04 (278-s)	48.5	57.6	24.9	68.9	1987	43.7	57	58.2	57	73.2	57	93.0	1951	0.00	0.00	79	0.09	56	152	1.14	303	11
10/05 (279-m)	37.4	51.4	24.0	65.1	1965	43.5	57	57.7	57	72.0	57	90.0	1946	0.00	0.00	60	0.04	56	413	1.11	304	11
10/06 (280-t)	32.9	49.0	24.0	70.7	1965	43.2	56	57.1	57	72.2	57	90.0	1941	0.00	0.00	73	0.08	56	402	1.00	381	11
10/07 (281-w)	33.4	51.2	12.4	73.9	1986	41.4	56	56.1	57	71.4	56	90.0	1941	0.00	0.00	77	0.12	53	402	1.01	301	11
10/08 (282-t)	37.2	55.7	24.0	73.0	1953	40.6	56	54.6	57	68.8	56	90.0	1959	0.32	0.32	84	0.09	52	241	1.33	302	11
10/09 (283-f)	43.2	57.0	7.9	66.8	1983	42.6	57	57.0	57	70.8	56	91.0	1949	0.04	0.04	71	0.14	52	400	1.01	282	11
10/10 (284-s)	40.7	55.5	25.0	71.3	1945	42.5	56	56.0	57	69.5	56	91.0	1949	0.04	0.04	68	0.08	55	306	1.25	237	11
10/11 (285-s)	48.2	53.5	5.9	61.3	1983	39.8	57	54.6	57	68.2	56	91.0	1949	0.00	0.00	76	0.03	54	244	1.31	228	10
10/12 (286-m)	37.0	51.4	6.4	65.7	1983	39.5	57	54.9	57	70.4	57	88.0	1949	0.00	0.00	68	0.08	55	361	1.07	226	10
10/13 (287-t)	39.8	51.3	16.5	66.7	1988	40.6	57	55.3	57	70.6	57	88.0	1947	0.00	0.00	69	0.07	55	378	0.98	240	11
10/14 (288-w)	41.5	62.3	17.9	82.3	1988	39.9	57	55.3	57	71.2	57	86.0	1954	0.00	0.00	61	0.07	54	365	0.93	300	11
10/15 (289-t)	52.7	65.0	12.7	80.9	1986	38.8	56	54.0	57	70.3	57	87.0	1947	0.00	0.00	70	0.07	56	336	0.96	300	11
10/16 (290-f)	40.4	54.6	10.4	63.6	1986	38.1	56	52.4	57	70.7	57	93.5	1984	0.13	0.13	81	0.09	56	55	0.30	254	10
10/17 (291-s)	30.1	40.3	23.5	54.5	1982	39.1	56	52.9	57	69.1	57	85.0	1950	0.00	0.00	71	0.08	55	365	0.98	254	10
10/18 (292-s)	30.6	40.9	13.1	54.5	1986	37.6	56	52.7	56	68.0	57	86.0	1938	0.04	0.04	74	0.17	56	191	1.26	217	10
10/19 (293-m)	24.6	34.1	8.4	47.0	1986	36.3	57	51.4	57	66.5	57	87.0	1953	0.00	0.00	71	0.04	54	354	1.17	234	11
10/20 (294-t)	21.2	37.6	19.0	52.0	1964	35.4	57	50.0	57	64.7	57	88.0	1953	0.00	0.00	71	0.12	53	94	0.37	189	11
10/21 (295-w)	37.7	53.0	13.0	66.0	1952	36.2	57	51.4	57	66.7	57	86.0	1953	0.00	0.00	66	0.06	57	270	1.05	193	11
10/22 (296-t)	29.6	45.6	15.0	69.2	1952	38.1	57	52.6	57	67.4	57	86.0	1947	0.00	0.00	76	0.11	54	322	0.89	208	11
10/23 (297-f)	29.5	49.2	17.0	74.2	1952	37.3	57	52.4	57	67.6	57	88.0	1947	0.00	0.00	69	0.07	56	311	0.89	192	11
10/24 (298-s)	42.0	56.2	16.0	73.3	1964	38.5	57	51.8	57	65.4	57	82.0	1963	0.00	0.00	73	0.09	54	240	0.92	193	10
10/25 (299-s)	30.0	41.8	17.0	57.1	1960	37.3	57	50.1	57	63.0	57	83.0	1963	0.00	0.00	79	0.07	53	258	1.18	213	11
10/26 (300-m)	27.8	48.6	15.0	72.3	1962	36.0	57	49.7	57	64.3	57	98.7	1984	0.00	0.00	70	0.05	55	309	0.86	280	11
10/27 (301-t)	42.7	54.6	11.0	70.6	1962	35.3	57	49.3	57	63.7	57	85.0	1963	0.00	0.00	67	0.06	52	253	1.06	243	11
10/28 (302-w)	34.4	48.7	17.0	68.6	1976	34.5	56	48.9	56	64.0	57	97.4	1986	0.00	0.00	67	0.05	57	288	0.86	259	10
10/29 (303-t)	34.1	50.9	1.4	69.4	1984	33.4	57	48.3	57	63.4	57	83.0	1946	0.00	0.00	65	0.04	55	233	1.01	251	10
10/30 (304-f)	46.1	48.8	15.0	51.3	1952	35.6	57	49.6	57	64.2	57	82.0	1950	0.05	0.05	84	0.06	54	57	0.30	221	11
10/31 (305-s)	43.8	49.7	16.0	58.2	1965	36.4	57	50.5	57	65.3	57	85.0	1950	0.00	0.00	74	0.09	53	133	0.61	225	11

Column Min's: 21.2 34.1 47.0  
 Column Avg's: 36.8 50.7 66.7  
 Column Max's: 52.7 65.0 82.3  
 Column Ttl's: 9011 7925

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.