

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	min	max	Long Term	max year	prec	liq	ly	max												
mo da jul	Current	avg	year	year	avg yrs	avgm yrs	evap	hum	ly/m	Lng-Term												
	min	avg	min	max	avg yrs	avgm yrs	snow	%	ly	avg yrs												
01/01 (001-w)	27.5	29.7	32.3	-12.0	1977	19.4	40	26.6	40	34.4	40	60.9	1985	0.00	0.00	90	0.11	39	56	0.26	123	11
01/02 (002-t)	31.0	39.3	46.6	-5.0	1974	18.7	39	26.5	39	34.1	39	58.0	1954	0.02	0.02	86	0.06	33	108	0.83	107	11
01/03 (003-f)	39.9	41.8	43.8	-5.0	1979	20.3	40	27.1	40	34.0	40	53.0	1954	0.15	0.15	89	0.04	37	40	0.25	124	10
01/04 (004-s)	34.8	37.8	40.9	-18.0	1981	16.9	40	24.7	40	32.7	40	54.0	1971	0.00	0.00	90	0.06	31	40	0.19	136	11
01/05 (005-s)	33.4	35.6	37.7	-20.0	1981	15.2	40	22.8	39	30.5	39	57.0	1955	0.00	0.00	88	0.04	37	48	0.23	137	10
01/06 (006-m)	32.2	34.1	35.4	-5.0	1970	18.0	40	25.1	40	32.3	40	57.0	1955	0.00	0.00	88	0.04	36	41	0.17	88	11
01/07 (007-t)	32.9	35.1	37.6	-12.0	1970	18.6	40	25.4	40	32.3	40	59.8	1989	0.00	0.00	87	0.03	39	52	0.21	124	11
01/08 (008-w)	28.0	34.2	41.7	-13.0	1970	13.6	40	21.7	40	30.3	40	61.0	1965	0.00	0.00	89	0.04	36	72	0.28	148	11
01/09 (009-t)	35.1	40.0	46.2	-16.0	1970	13.8	39	22.6	39	31.3	39	59.0	1965	0.08	0.08	90	0.06	38	33	0.19	121	11
01/10 (010-f)	28.0	33.5	37.4	-11.0	1982	14.0	39	21.5	39	28.7	39	48.4	1983	0.02	0.02	87	0.03	37	55	0.34	114	11
01/11 (011-s)	25.2	32.3	40.3	-10.0	1979	13.8	40	22.3	40	30.4	40	58.0	1975	0.00	0.00	88	0.04	38	154	0.75	155	11
01/12 (012-s)	30.8	35.2	43.1	-10.0	1979	15.0	40	23.1	40	31.1	40	57.0	1960	0.03	0.03	85	0.05	37	111	0.68	132	11
01/13 (013-m)	36.8	40.3	43.4	-11.0	1977	15.0	39	23.3	39	31.3	40	57.0	1960	0.19	0.19	89	0.05	34	30	0.16	145	11
01/14 (014-t)	4.6	19.8	39.2	-7.0	1977	15.5	40	24.1	40	32.3	40	53.0	1953	0.26	0.26	89	0.05	36	172	0.64	113	11
01/15 (015-w)	7.5	14.2	19.9	-14.0	1972	15.0	40	23.3	40	31.4	40	58.0	1953	0.00	0.00	91	0.09	34	159	0.61	152	11
01/16 (016-t)	-8.3	2.4	17.5	-20.0	1972	12.0	40	21.0	40	29.7	40	53.9	1990	0.00	0.00	86	0.02	33	201	0.81	156	11
01/17 (017-f)	13.1	22.5	30.6	-17.0	1977	14.0	40	22.2	40	30.1	40	57.5	1990	0.04	0.04	86	0.04	39	166	0.81	124	11
01/18 (018-s)	-1.7	8.8	14.6	-15.0	1977	15.5	40	23.4	40	31.3	40	57.0	1973	0.00	0.00	82	0.04	35	228	1.14	146	11
01/19 (019-s)	-6.0	6.2	23.9	-14.1	1984	14.6	40	23.1	40	31.7	40	60.0	1973	0.00	0.00	77	0.06	36	249	0.83	159	11
01/20 (020-m)	13.1	22.1	29.5	-17.3	1985	16.0	40	24.1	40	31.6	40	55.0	1954	0.00	0.00	85	0.05	37	246	0.79	136	11
01/21 (021-t)	20.7	28.5	40.4	-21.1	1984	17.4	40	25.1	40	32.7	40	55.0	1974	0.00	0.00	87	0.09	35	246	0.81	173	11
01/22 (022-w)	19.5	31.1	39.7	-10.0	1970	18.9	39	26.7	38	35.2	39	60.0	1967	0.02	0.02	88	0.08	33	140	0.68	150	11
01/23 (023-t)	25.8	35.4	39.9	-6.0	1956	18.2	40	26.5	39	34.6	39	64.0	1967	0.05	0.05	89	0.05	36	44	0.25	144	11
01/24 (024-f)	11.7	20.5	25.9	-16.0	1963	15.8	40	24.3	39	32.9	39	62.0	1967	0.00	0.00	82	0.05	36	165	1.06	163	11
01/25 (025-s)	12.2	18.9	23.1	-12.0	1961	17.0	40	25.2	39	33.7	39	60.0	1967	0.00	0.00	90	0.08	37	126	0.47	147	11
01/26 (026-s)	14.3	22.7	33.4	-3.3	1982	16.6	38	24.4	38	32.2	38	53.3	1989	0.00	0.00	86	0.12	36	255	0.84	189	11
01/27 (027-m)	17.0	26.7	36.5	-5.0	1955	14.9	39	23.8	38	32.0	38	57.0	1974	0.00	0.00	87	0.06	36	251	0.86	209	11
01/28 (028-t)	28.0	32.1	36.8	-11.0	1963	16.2	39	23.9	38	31.6	38	52.0	1973	0.00	0.00	89	0.05	32	134	0.47	204	11
01/29 (029-w)	23.7	29.8	31.6	-10.0	1977	17.1	39	25.2	38	32.2	38	57.0	1975	0.00	0.00	90	0.11	34	112	0.35	132	11
01/30 (030-t)	28.2	32.8	37.7	-6.0	1955	17.0	39	25.4	39	33.2	39	59.0	1975	0.00	0.00	90	0.07	37	172	0.81	152	11
01/31 (031-f)	25.0	31.8	33.9	-9.0	1963	15.5	40	23.4	40	30.8	40	62.1	1989	0.04	0.04	89	0.02	35	59	0.29	167	11
Column Min's:	-8.3	2.4	14.6	-21.1	12.0	21.0	28.7							0.00	0.00	77	0.02		30	0.16	88	
Column Avg's:	21.4	28.2	34.9	16.1	24.1	32.0								0.03	0.03	87	0.06		128	0.55	144	
Column Max's:	39.9	41.8	46.6	20.3	27.1	35.2	64.0							0.26	0.26	91	0.12		255	1.14	209	
Column Ttl's:														0.90	0.90		1.78		3965		4470	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.







DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION											
	min	Current	min	year	avgm	Long Term	prec	liq	evap	hum	avg	pr	Ly	max	Lng-Tm							
mo da jul	avg	max	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	Ly/m	avg yrs							
03/01 (061-s)	28.0	44.7	62.9	-1.0	1960	22.0	40	32.0	40	42.2	40	66.0	1976	0.00	68	0.05	36	390	1.01	306	11	
03/02 (062-m)	31.3	41.9	55.1	-9.0	1978	22.9	40	32.5	40	42.2	40	63.3	1991	0.00	83	0.04	34	376	1.05	282	11	
03/03 (063-t)	30.6	38.2	52.4	-1.0	1978	23.7	40	32.7	40	42.3	40	72.2	1983	0.00	83	0.08	38	346	1.00	269	11	
03/04 (064-w)	30.0	43.0	64.0	-4.0	1978	25.6	40	35.3	40	45.3	40	80.6	1983	0.00	77	0.20	34	374	0.97	252	11	
03/05 (065-t)	35.6	44.5	56.2	-6.0	1978	25.4	40	34.5	40	44.5	40	73.0	1983	0.00	86	0.11	35	118	0.44	243	11	
03/06 (066-f)	38.8	45.4	55.5	-2.0	1978	24.7	40	33.6	40	42.4	40	68.1	1983	0.32	89	0.11	35	76	0.48	217	11	
03/07 (067-s)	50.3	54.9	61.2	2.0	1978	23.9	40	33.2	40	43.1	40	72.3	1987	0.22	86	0.06	35	189	1.14	329	11	
03/08 (068-s)	42.1	49.2	57.2	-6.0	1960	21.0	40	32.3	40	43.2	40	71.8	1987	0.00	86	0.08	36	156	1.00	315	10	
03/09 (069-m)	40.1	53.0	62.4	-6.7	1984	24.4	40	33.5	40	43.3	40	63.0	1973	0.00	81	0.06	37	158	0.85	271	11	
03/10 (070-t)	15.4	34.6	57.1	-0.0	1972	24.6	40	34.3	40	43.7	40	68.0	1955	0.62	87	0.09	37	78	0.44	254	11	
03/11 (071-w)	11.8	19.8	27.2	-4.0	1960	25.9	40	35.7	40	45.8	40	75.2	1990	0.00	83	0.07	35	417	1.67	262	11	
03/12 (072-t)	5.0	18.9	27.3	2.0	1960	27.3	40	36.2	40	45.2	40	75.6	1990	0.00	71	0.07	37	480	1.18	295	11	
03/13 (073-f)	13.6	22.1	30.9	1.0	1960	27.1	40	36.9	40	47.1	40	75.7	1990	0.00	76	0.08	40	299	1.57	274	11	
03/14 (074-s)	19.0	26.1	34.2	8.0	1968	28.9	40	37.7	40	46.9	40	79.2	1990	0.00	79	0.07	38	313	1.36	300	11	
03/15 (075-s)	16.7	24.1	30.9	7.0	1960	27.7	38	36.3	38	46.1	40	77.4	1990	0.00	65	0.07	35	361	1.40	265	11	
03/16 (076-m)	13.1	28.9	42.0	12.0	1970	26.9	40	36.8	40	46.9	40	73.0	1977	0.00	63	0.07	38	486	1.18	313	11	
03/17 (077-t)	30.5	39.1	51.9	5.0	1956	24.9	39	35.2	39	46.4	40	71.0	1966	0.21	82	0.08	37	226	1.21	255	11	
03/18 (078-w)	26.0	29.2	32.2	4.0	1967	25.7	38	34.6	38	44.3	39	70.0	1969	0.04	86	0.09	35	137	0.55	204	11	
03/19 (079-t)	24.1	32.6	46.0	9.0	1965	27.0	40	36.8	40	46.8	40	72.0	1968	0.08	72	0.06	39	460	1.29	282	11	
03/20 (080-f)	21.8	31.0	40.6	11.0	1956	28.9	40	37.3	40	46.0	40	72.0	1969	0.01	85	0.06	36	358	1.34	307	11	
03/21 (081-s)	23.5	31.1	39.7	12.0	1959	28.1	40	37.6	40	47.4	40	74.1	1991	0.00	77	0.13	37	380	1.43	368	11	
03/22 (082-s)	19.5	29.9	34.0	12.0	1959	27.7	39	37.8	39	48.4	39	71.0	1953	0.18	85	0.07	36	195	0.92	309	11	
03/23 (083-m)	18.5	29.1	40.1	11.5	1983	28.3	40	39.0	40	49.9	40	73.2	1988	0.00	75	0.05	37	468	1.44	382	11	
03/24 (084-t)	26.1	39.9	55.3	1.0	1974	27.7	40	38.9	40	50.5	40	73.6	1987	0.00	75	0.06	38	472	1.29	341	11	
03/25 (085-w)	34.9	40.9	46.2	-0.0	1974	28.1	40	39.0	40	49.8	40	75.3	1986	0.17	84	0.06	35	99	0.39	331	11	
03/26 (086-t)	37.8	44.9	54.6	3.0	1974	29.6	40	38.8	40	48.2	40	76.0	1967	0.06	81	0.14	35	352	1.38	302	11	
03/27 (087-f)	31.8	37.5	47.2	3.0	1965	29.8	40	40.0	40	50.5	40	79.3	1989	0.06	83	0.10	39	253	1.50	292	11	
03/28 (088-s)	26.0	36.5	49.8	10.0	1955	30.9	40	41.3	40	51.7	40	73.7	1989	0.00	65	0.12	37	531	1.26	319	11	
03/29 (089-s)	32.1	36.1	43.6	18.0	1966	33.5	40	43.7	40	54.5	40	78.1	1986	0.12	78	0.11	39	106	0.35	288	11	
03/30 (090-m)	34.3	37.2	40.2	12.0	1969	32.7	40	42.4	40	52.9	40	80.5	1986	0.10	89	0.08	35	88	0.57	266	11	
03/31 (091-t)	29.8	41.3	55.7	12.0	1969	31.4	40	42.4	40	53.9	40	80.7	1986	0.12	75	0.06	35	484	1.30	327	11	
Column Min's:	5.0	18.9	27.2	-9.0		21.0		32.0		42.2				0.00	63	0.04		76	0.35	204		
Column Avg's:	27.0	36.3	46.9			27.0		36.7		46.8				0.07	79	0.08		298	1.06	291		
Column Max's:	50.3	54.9	64.0			33.5		43.7		54.5		80.7		0.62	89	0.20		531	1.67	382		
Column Ttl's:														2.31		2.58		9226			9020	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION									
	min	max	min	year avg	max	yr	prec	evap	hum %	Long Term avg pr yrs	ly	max Lng-Trm avg yrs								
04/01 (092-w)	26.7	31.9	37.1	14.0	1964	33.4	39	44.0	39	54.9	39	80.0	1986	0.14	0.11	37	172	1.40	302	11
04/02 (093-t)	24.1	28.7	34.0	19.6	1991	33.9	39	44.5	39	55.3	39	80.0	1963	0.00	0.15	37	349	1.60	300	11
04/03 (094-f)	23.0	34.3	44.5	19.0	1954	33.0	39	44.0	39	55.1	39	77.0	1963	0.00	0.13	37	384	1.14	275	11
04/04 (095-s)	30.7	36.2	44.8	17.0	1964	32.8	39	43.8	38	55.2	38	75.0	1956	0.05	0.24	35	170	1.51	264	11
04/05 (096-s)	24.6	38.7	53.1	19.0	1975	33.1	38	44.1	38	55.8	39	82.2	1988	0.00	0.14	36	557	1.45	278	11
04/06 (097-m)	29.8	46.4	60.9	9.7	1982	34.6	38	44.6	38	54.8	38	79.7	1991	0.00	0.08	35	484	1.35	307	10
04/07 (098-t)	43.6	53.4	70.6	2.3	1982	33.3	39	45.2	39	57.8	39	83.0	1954	0.00	0.10	37	413	1.51	409	11
04/08 (099-w)	31.0	48.1	62.8	8.2	1982	31.4	39	44.3	39	57.1	39	81.0	1954	0.00	0.05	38	478	1.38	403	11
04/09 (100-t)	42.9	49.4	60.4	11.0	1957	32.5	38	43.9	38	55.3	38	79.0	1967	0.00	0.08	36	318	1.43	344	10
04/10 (101-f)	37.9	46.1	53.3	19.9	1989	32.0	38	43.1	38	54.2	38	77.0	1967	0.03	0.09	36	149	0.56	357	10
04/11 (102-s)	43.1	61.1	76.8	19.0	1975	33.5	39	45.1	39	56.9	39	80.0	1977	0.00	0.05	36	354	1.42	387	10
04/12 (103-s)	28.8	41.5	49.6	21.0	1975	34.7	39	47.0	39	59.4	39	82.0	1971	0.00	0.06	37	579	1.69	410	11
04/13 (104-m)	27.6	35.4	43.6	23.0	1975	36.7	39	48.7	39	60.6	39	82.0	1977	0.00	0.08	37	253	0.89	371	11
04/14 (105-t)	34.9	39.7	48.0	24.0	1957	38.6	39	50.5	39	62.5	39	82.0	1977	0.00	0.17	38	172	0.64	334	11
04/15 (106-w)	32.5	43.9	56.2	22.0	1962	38.2	39	49.8	39	61.4	39	78.0	1954	0.02	0.09	35	288	1.12	304	11
04/16 (107-t)	...	...	...	18.0	1962	37.6	38	50.0	38	62.3	38	82.0	1976	0.02	0.05	34	...	...	388	10
04/17 (108-f)	...	45.2	47.8	22.0	1962	39.1	38	51.2	38	62.8	39	85.0	1976	0.02	0.09	36	92	...	386	10
04/18 (109-s)	42.0	49.0	58.9	19.2	1990	39.3	37	51.0	37	63.1	39	84.0	1976	0.56	0.11	36	208	1.24	442	11
04/19 (110-s)	48.1	63.8	80.1	22.8	1983	39.6	39	51.8	39	64.0	39	85.1	1985	0.00	0.15	36	455	1.38	435	11
04/20 (111-m)	60.1	66.8	78.8	23.2	1983	40.2	39	52.3	39	64.5	39	86.2	1987	0.51	0.16	36	357	1.71	343	11
04/21 (112-t)	52.5	62.7	70.9	22.0	1953	41.4	39	53.5	39	65.7	39	87.9	1987	0.23	0.10	34	214	1.47	427	11
04/22 (113-w)	38.0	47.6	54.5	25.0	1959	41.8	39	53.4	39	65.2	39	89.3	1985	0.03	0.15	37	135	1.04	377	11
04/23 (114-t)	38.0	56.3	76.4	23.5	1986	40.3	39	52.8	39	65.6	39	87.0	1960	0.07	0.16	38	426	1.67	482	11
04/24 (115-f)	44.5	51.3	60.5	28.0	1963	40.6	38	52.3	38	64.1	38	87.6	1990	0.21	0.08	39	108	1.55	373	10
04/25 (116-s)	39.5	42.4	45.2	24.4	1988	40.0	39	52.7	39	65.3	39	87.5	1990	0.02	0.08	39	166	0.93	491	11
04/26 (117-s)	41.5	46.5	56.4	29.0	1972	42.1	39	53.8	39	65.8	39	85.1	1990	0.05	0.04	38	301	1.37	514	11
04/27 (118-m)	36.2	45.4	54.5	29.0	1971	42.1	39	53.9	39	66.1	39	89.9	1990	0.05	0.10	37	253	1.64	444	11
04/28 (119-t)	30.5	45.7	59.1	27.9	1982	42.4	39	54.2	39	65.8	39	82.0	1962	0.00	0.19	36	669	1.42	410	11
04/29 (120-w)	39.2	48.6	55.4	27.0	1977	42.1	39	53.9	39	65.6	39	83.0	1970	0.11	0.09	38	153	0.65	438	11
04/30 (121-t)	46.3	52.7	61.1	30.0	1958	42.8	39	55.4	39	68.0	39	89.0	1962	0.12	0.07	37	289	1.48	444	11
Column Min's:	23.0	28.7	34.0	2.3		31.4		43.1		54.2				0.00	0.04		92	0.56	264	
Column Avg's:	37.1	46.9	57.1			37.4		49.2		61.0		89.9		0.08	0.11		308	1.31	381	
Column Max's:	60.1	66.8	80.1			42.8		55.4		68.0				0.56	0.24		669	1.71	514	
Column Ttl's:														2.22	3.24		8946		11439	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min year	max year	prec	liq	ly	max Lng-Trm ly/m avg yrs									
05/01 (122-f)	42.7	61.4	28.0	1963	42.5	40	67.6	40	87.0	1965	0.06	0.05	39	587	1.46	394	11
05/02 (123-s)	47.7	66.7	30.0	1961	41.8	40	69.2	40	86.0	1955	0.00	0.09	40	395	1.58	481	11
05/03 (124-s)	44.3	51.0	30.1	1986	41.7	40	67.5	40	87.0	1955	0.00	0.06	40	487	1.82	417	11
05/04 (125-m)	40.5	46.1	28.0	1966	40.9	40	67.7	40	87.0	1955	0.21	0.09	36	260	1.03	453	11
05/05 (126-t)	38.0	46.5	30.0	1957	43.9	40	68.1	40	86.0	1959	0.00	0.07	38	641	1.47	437	11
05/06 (127-w)	34.9	48.0	28.0	1968	44.9	40	70.8	40	89.1	1982	0.00	0.15	38	668	1.54	463	11
05/07 (128-t)	32.6	51.1	25.0	1974	43.5	40	70.2	40	86.0	1959	0.00	0.08	39	685	1.42	494	11
05/08 (129-f)	38.0	54.6	28.0	1954	43.8	40	68.0	40	86.0	1963	0.00	0.09	39	404	1.19	488	10
05/09 (130-s)	47.4	56.9	28.0	1955	44.8	40	67.6	40	89.0	1963	0.14	0.14	39	524	1.74	503	11
05/10 (131-s)	42.2	61.5	26.0	1966	44.7	39	69.0	40	86.3	1987	0.00	0.11	38	668	1.40	548	11
05/11 (132-m)	50.7	69.4	32.0	1966	46.7	40	70.4	40	88.3	1991	0.00	0.12	37	646	1.42	592	11
05/12 (133-t)	59.1	70.5	35.0	1963	47.1	40	71.3	40	88.6	1991	0.00	0.18	38	607	1.43	448	11
05/13 (134-w)	53.6	63.1	34.0	1973	47.5	40	70.9	40	92.4	1982	0.00	0.09	35	421	1.66	437	11
05/14 (135-t)	42.2	50.9	34.0	1973	48.1	39	71.8	39	94.2	1982	0.06	0.06	38	225	1.34	470	11
05/15 (136-f)	40.1	56.9	34.0	1973	47.6	39	73.1	40	92.0	1962	0.00	0.12	39	456	1.48	424	11
05/16 (137-s)	43.8	66.5	30.0	1959	47.1	40	69.9	40	93.1	1991	0.00	0.08	36	671	1.46	522	11
05/17 (138-s)	62.6	70.5	32.0	1973	48.6	40	73.1	40	94.0	1962	0.45	0.10	38	389	1.60	504	11
05/18 (139-m)	48.5	56.8	32.0	1973	47.8	40	73.7	40	94.0	1962	0.00	0.18	40	325	1.69	418	11
05/19 (140-t)	43.9	59.9	35.8	1985	51.0	39	73.8	39	88.0	1964	0.00	0.08	39	707	1.47	360	11
05/20 (141-w)	52.0	67.2	33.0	1954	50.2	39	73.6	40	91.0	1962	0.00	0.14	37	623	1.66	395	11
05/21 (142-t)	53.9	70.4	34.0	1954	49.3	40	75.0	40	91.0	1977	0.01	0.07	40	676	1.43	431	11
05/22 (143-f)	58.2	74.2	32.0	1963	51.0	40	76.2	40	92.2	1991	0.00	0.16	39	659	1.43	491	11
05/23 (144-s)	48.7	67.0	29.0	1963	50.6	40	74.6	40	91.0	1964	0.96	0.13	40	407	1.63	464	11
05/24 (145-s)	41.5	46.7	35.0	1956	50.2	40	62.3	39	87.0	1962	0.04	0.07	40	228	1.40	470	10
05/25 (146-m)	35.3	47.3	35.3	1992	51.1	40	62.9	40	88.0	1977	0.00	0.17	35	372	1.49	384	11
05/26 (147-t)	40.2	49.4	35.0	1983	50.4	40	62.3	40	88.0	1975	0.02	0.20	38	374	1.70	489	11
05/27 (148-w)	41.7	53.3	32.0	1961	51.0	38	75.3	39	88.2	1987	0.00	0.10	37	605	1.67	523	10
05/28 (149-t)	40.3	56.6	39.0	1957	51.7	39	75.4	39	91.3	1987	0.00	0.09	38	607	1.64	451	10
05/29 (150-f)	42.0	57.6	34.0	1958	52.4	40	76.6	40	94.1	1991	0.56	0.07	38	515	1.81	498	10
05/30 (151-s)	53.2	57.2	36.0	1961	54.5	40	65.9	40	93.2	1988	0.62	0.13	39	124	0.94	447	11
05/31 (152-s)	51.0	57.2	32.0	1966	53.6	39	66.0	39	94.4	1988	0.02	0.16	38	254	1.25	523	11
Column Min's:	32.6	46.1	25.0		40.9		67.5				0.00	0.05		124	0.94	360	
Column Avg's:	45.5	58.5			47.7		60.0				0.10	0.11		491	1.49	465	
Column Max's:	62.6	74.2	87.7		54.5		66.0		94.4		0.96	0.20		707	1.82	592	
Column Tot's:											3.15	3.43		15210		14419	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION													
	mo	da	jul	min	avg	max	min	year	avg	yr	max	yr	ly	max	yr	ly	avg	yr					
06/01	(153-m)	46.3	62.5	75.6	39.0	1966	54.2	41	66.6	41	78.6	41	93.5	1988	0.00	--	69	0.14	38	592	1.41	546	11
06/02	(154-t)	51.0	65.1	78.5	40.0	1966	52.4	41	64.2	41	76.2	41	91.0	1978	0.00	--	63	0.13	40	711	1.66	484	11
06/03	(155-w)	50.8	66.5	78.8	39.0	1977	51.5	41	63.4	41	75.2	41	85.0	1963	0.00	--	60	0.17	38	701	1.47	528	11
06/04	(156-t)	61.7	65.6	72.5	37.0	1965	52.6	41	65.2	41	77.6	41	90.0	1955	0.17	--	83	0.03	41	231	1.24	512	11
06/05	(157-f)	61.0	66.6	80.2	39.5	1990	55.1	40	67.7	40	80.2	40	93.0	1971	0.05	--	83	0.12	41	275	1.85	478	11
06/06	(158-s)	61.2	69.7	80.7	40.0	1954	56.5	41	68.5	41	80.5	41	94.0	1988	0.01	--	75	0.20	38	468	1.65	505	11
06/07	(159-s)	58.6	69.0	74.0	44.0	1958	57.0	41	69.2	41	81.2	41	92.6	1988	0.04	--	82	0.07	39	248	0.73	575	11
06/08	(160-m)	49.9	63.0	74.0	41.0	1960	58.2	41	69.6	41	80.9	41	91.0	1952	0.00	--	74	0.14	38	592	1.57	561	11
06/09	(161-t)	52.8	62.9	71.9	39.0	1969	57.1	41	68.9	41	80.3	41	93.1	1984	0.01	--	65	0.21	40	647	1.64	599	11
06/10	(162-w)	45.5	62.4	75.2	40.0	1972	56.0	41	69.0	41	81.6	41	92.9	1984	0.00	--	54	0.08	36	741	1.62	586	11
06/11	(163-t)	47.8	64.7	78.9	37.0	1972	55.8	41	68.8	41	81.4	41	94.0	1968	0.00	--	51	0.06	39	749	1.46	568	11
06/12	(164-f)	50.0	70.3	86.7	41.0	1980	57.3	41	69.5	41	81.7	41	95.0	1967	0.00	--	53	0.12	38	709	1.46	461	11
06/13	(165-s)	57.5	74.6	87.6	43.0	1978	57.6	41	69.5	41	81.5	41	95.5	1984	0.00	--	55	0.19	39	621	1.47	604	11
06/14	(166-s)	63.1	73.7	86.3	39.0	1959	58.6	41	69.7	41	81.0	41	97.3	1988	0.00	--	62	0.19	40	661	1.44	542	11
06/15	(167-m)	57.1	66.0	74.5	42.0	1978	58.9	41	70.0	41	81.3	41	96.0	1967	0.00	--	57	0.09	41	503	1.30	447	10
06/16	(168-t)	52.7	68.1	82.7	42.0	1961	57.3	41	69.4	41	81.2	41	96.0	1952	0.00	--	49	0.11	40	698	1.43	487	11
06/17	(169-w)	61.8	77.9	90.5	44.0	1969	56.6	41	68.9	41	81.2	41	95.0	1957	1.07	--	68	0.11	41	599	1.44	583	11
06/18	(170-t)	64.0	71.5	83.3	46.0	1960	57.7	41	69.9	41	81.6	41	93.0	1957	0.15	--	79	0.03	39	563	1.83	602	11
06/19	(171-f)	54.4	62.1	69.5	48.7	1985	58.6	41	70.6	41	82.7	41	93.6	1984	0.00	--	83	0.05	36	290	1.74	466	11
06/20	(172-s)	48.6	52.7	57.9	43.0	1970	57.8	41	70.2	41	82.6	41	97.0	1953	0.00	--	83	0.09	40	189	0.99	470	11
06/21	(173-s)	40.1	52.0	63.5	40.1	1992	58.6	41	70.9	41	83.2	41	100.6	1988	0.00	--	69	0.13	41	599	2.05	602	11
06/22	(174-m)	41.0	57.1	68.8	41.0	1992	58.5	41	70.1	41	81.8	41	98.8	1988	0.00	--	64	0.16	38	661	1.66	468	11
06/23	(175-t)	54.7	60.5	71.9	45.0	1963	58.4	41	69.8	41	81.4	41	97.3	1983	0.20	--	80	0.11	41	176	1.24	474	11
06/24	(176-w)	51.8	61.8	72.5	43.0	1961	57.6	41	70.0	41	82.3	41	94.0	1952	0.10	--	79	0.09	40	429	1.67	607	11
06/25	(177-t)	52.8	65.9	76.7	44.0	1979	57.9	41	70.7	41	83.3	41	105.5	1988	0.00	--	70	0.12	39	640	1.77	629	11
06/26	(178-f)	58.2	68.4	78.6	45.0	1961	57.9	41	71.0	41	83.7	41	100.0	1952	0.02	--	69	0.09	40	648	1.74	597	11
06/27	(179-s)	51.4	63.5	75.0	46.2	1988	59.4	41	71.6	41	84.1	41	96.0	1971	0.00	--	66	0.12	40	637	1.73	530	11
06/28	(180-s)	48.3	65.4	80.2	48.3	1992	60.0	41	72.1	41	84.3	41	99.0	1971	0.00	--	62	0.13	38	706	1.49	476	11
06/29	(181-m)	51.8	70.0	83.2	47.9	1989	61.8	41	73.4	41	84.8	41	101.0	1952	0.00	--	62	0.14	41	641	1.49	535	11
06/30	(182-t)	59.4	74.6	86.9	44.4	1988	62.4	41	73.6	41	85.0	41	96.0	1953	0.00	--	60	0.11	40	690	1.44	511	11
Column Min's:		40.1	52.0	57.9	37.0		51.5		63.4		75.2				0.00		49	0.03		176	0.73	447	
Column Avg's:		53.5	65.8	77.2			57.3		69.4		81.4				0.06		68	0.12		554	1.52	534	
Column Max's:		64.0	77.9	90.5			62.4		73.6		85.0		105.5		1.07		83	0.21		749	2.05	629	
Column Ttl's:															1.82			3.53		16615		16033	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	AIR		TEMPERATURE (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
	min	max	min	year avg	max	precip	evap	hum %	Long Term avg	Term	max	Long-Term avg									
mo da jul	.....Current.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....									
08/01 (214-s)	51.3	63.7	48.0	59.6	41	71.8	41	83.9	41	99.0	1964	0.00	..	..	71	0.10	38	679	1.41	573	11
08/02 (215-s)	54.9	66.7	44.0	59.7	41	71.7	41	83.9	41	99.0	1964	0.00	..	..	73	0.04	39	607	1.63	527	11
08/03 (216-m)	61.9	68.5	44.0	60.8	41	72.6	41	84.7	41	99.0	1964	0.00	..	..	75	0.19	41	432	1.72	498	10
08/04 (217-t)	55.1	64.1	47.0	61.3	40	72.0	40	83.1	40	93.1	1988	0.18	..	..	75	0.09	37	602	1.87	419	9
08/05 (218-w)	51.6	63.9	45.0	60.3	39	71.3	39	82.7	40	93.0	1955	0.00	..	..	71	0.08	39	586	1.62	443	10
08/06 (219-t)	48.8	64.3	47.0	59.6	39	71.2	39	83.0	40	91.0	1965	0.00	..	..	67	0.12	37	673	1.40	501	10
08/07 (220-f)	53.9	70.7	49.8	59.6	41	71.3	41	83.1	41	93.3	1988	0.00	..	..	73	0.21	39	485	1.58	532	11
08/08 (221-s)	63.3	75.3	41.5	60.3	40	71.4	40	82.8	40	93.0	1988	0.05	..	..	75	0.09	38	544	1.63	456	11
08/09 (222-s)	61.2	74.6	44.0	61.0	41	71.9	41	83.2	41	92.0	1973	0.00	..	..	75	0.08	39	609	1.54	503	11
08/10 (223-m)	69.1	79.5	45.0	60.0	41	70.9	41	82.1	41	94.1	1988	0.09	..	..	76	0.05	41	543	1.48	429	11
08/11 (224-t)	58.7	70.2	45.0	57.9	41	69.5	41	81.3	41	93.8	1988	0.00	..	..	69	0.10	40	631	1.59	532	11
08/12 (225-w)	52.7	65.3	44.0	56.2	40	68.7	40	81.4	40	94.7	1988	0.28	..	..	73	0.10	40	549	1.52	521	10
08/13 (226-t)	56.6	63.4	45.0	57.0	41	69.3	41	82.0	41	93.3	1988	0.07	..	..	79	0.09	41	485	1.60	505	11
08/14 (227-f)	52.6	60.4	41.0	59.5	40	71.0	40	83.4	41	94.0	1959	0.00	..	..	80	0.08	39	412	1.53	476	11
08/15 (228-s)	57.1	61.6	41.0	59.7	40	71.2	40	83.3	41	94.5	1987	0.07	..	..	83	0.20	39	139	0.43	430	11
08/16 (229-s)	50.1	62.5	44.0	59.9	41	70.9	41	82.6	41	94.9	1987	0.00	..	..	73	0.08	40	569	1.54	482	11
08/17 (230-m)	47.1	62.9	44.0	58.3	41	70.4	41	82.5	41	99.3	1988	0.00	..	..	69	0.08	41	501	1.70	437	11
08/18 (231-t)	51.4	65.0	43.0	57.6	41	69.6	41	82.0	41	91.7	1983	0.28	..	..	74	0.14	39	503	1.52	472	11
08/19 (232-w)	51.8	64.2	48.0	58.8	41	70.0	41	81.4	41	95.9	1983	0.01	..	..	72	0.09	39	549	1.58	394	10
08/20 (233-t)	47.2	62.4	47.2	58.2	40	69.6	40	81.1	40	96.9	1983	0.00	..	..	67	0.06	40	606	1.61	406	11
08/21 (234-f)	48.2	64.0	46.2	58.4	40	69.9	40	81.6	40	96.0	1983	0.00	..	..	68	0.11	41	556	1.55	437	11
08/22 (235-s)	51.0	65.9	46.3	58.5	41	69.9	41	80.9	41	92.0	1959	0.00	..	..	73	0.12	41	438	1.34	354	11
08/23 (236-s)	61.7	72.3	44.0	57.8	40	68.7	41	81.0	41	93.0	1959	0.00	..	..	76	0.05	40	434	1.44	344	11
08/24 (237-m)	68.7	73.6	40.2	57.4	39	68.3	40	80.7	40	95.0	1962	0.25	..	..	80	0.06	39	286	1.62	451	9
08/25 (238-t)	63.8	74.9	45.0	56.9	40	68.6	41	81.8	41	95.0	1959	0.00	..	..	76	0.03	39	474	1.40	445	11
08/26 (239-w)	64.7	73.3	46.0	57.7	40	69.5	40	81.6	41	94.0	1959	0.48	..	..	79	0.14	40	442	1.35	429	10
08/27 (240-t)	66.1	69.9	45.0	59.0	41	71.0	41	83.2	41	94.5	1983	0.71	..	..	82	0.15	40	175	1.26	361	11
08/28 (241-f)	50.7	60.7	41.8	58.6	40	71.2	41	82.3	41	95.0	1953	0.31	..	..	82	0.08	38	169	1.15	340	11
08/29 (242-s)	46.2	59.5	37.4	59.4	41	71.2	40	83.5	40	96.9	1991	0.00	..	..	76	0.08	41	529	1.65	443	11
08/30 (243-s)	57.0	66.0	41.0	58.9	41	71.0	40	83.7	40	97.0	1953	0.01	..	..	71	0.10	38	436	1.50	440	11
08/31 (244-m)	51.7	61.8	45.0	58.0	41	69.9	40	81.8	40	98.0	1953	0.00	..	..	74	0.16	39	522	1.55	463	11
Column Min's:	46.2	59.5	37.4	56.2	37.4	68.3	68.3	80.7	80.7	99.3		0.00			67	0.03		139	0.43	340	
Column Avg's:	55.7	66.8	78.3	59.0	70.5	72.6	72.6	82.4	82.4			0.09			74	0.10		489	1.49	453	
Column Max's:	69.1	79.5	89.9	61.3	72.6	84.7	84.7	99.3	99.3			0.71			83	0.21		679	1.87	573	
Column Ttl's:												2.79				3.15		15165		14043	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	precip	evap	ly	max													
mo da jul	Current	Long Term	avg	avg	liq	avg	ly/m	avg													
	min	max	yr	yr	precip	yr	yr	yr													
09/01 (245-t)	50.7	63.5	77.6	42.0	1963	57.2	41	69.3	41	81.7	41	96.0	1953	0.00	0.19	39	529	1.36	436	11	
09/02 (246-w)	54.7	64.9	75.0	40.0	1958	57.7	41	69.5	41	81.5	41	98.0	1953	0.05	0.07	39	156	0.65	389	11	
09/03 (247-t)	58.2	71.2	80.3	42.6	1987	56.9	41	68.7	41	80.5	41	99.0	1953	0.10	0.11	40	378	1.41	402	11	
09/04 (248-f)	49.0	62.8	76.1	41.3	1982	57.1	41	69.5	41	82.3	41	95.0	1960	0.00	0.11	41	497	1.36	456	10	
09/05 (249-s)	..	..	..	42.0	1957	56.7	40	68.7	40	81.2	40	93.0	1954	..	0.05	40	..	..	..	405	10
09/06 (250-s)	..	..	..	39.0	1962	54.6	40	67.5	39	80.3	39	93.0	1954	..	0.11	40	..	..	..	356	10
09/07 (251-m)	..	..	..	38.4	1988	54.8	40	67.0	40	79.3	40	94.0	1964	..	0.06	39	..	..	..	367	10
09/08 (252-t)	..	66.0	74.5	34.8	1986	53.8	40	66.9	40	80.3	41	95.0	1964	0.00	0.04	40	359	..	..	456	10
09/09 (253-w)	..	..	..	39.5	1986	54.8	40	67.6	40	80.7	40	95.0	1978	..	0.11	38	..	..	..	334	9
09/10 (254-t)	..	63.7	71.5	41.0	1969	54.2	39	66.7	39	79.1	40	95.6	1983	0.00	0.06	38	387	..	..	338	9
09/11 (255-f)	46.5	56.6	68.6	38.0	1967	53.4	41	65.7	41	78.4	41	95.0	1952	0.00	0.04	38	391	1.61	364	11	
09/12 (256-s)	42.9	57.0	72.6	39.0	1958	53.2	41	65.4	41	77.7	41	95.0	1952	0.00	0.08	41	425	1.49	331	10	
09/13 (257-s)	46.6	61.3	75.8	36.0	1964	53.5	41	65.2	41	77.4	41	96.0	1952	0.00	0.08	40	502	1.21	379	11	
09/14 (258-m)	55.8	67.7	81.4	34.0	1963	52.0	40	64.3	40	77.1	41	89.4	1991	0.00	0.24	40	454	1.19	315	11	
09/15 (259-t)	61.3	72.6	85.0	36.0	1953	52.8	41	64.1	41	75.7	41	93.7	1991	0.00	0.08	40	407	1.18	340	11	
09/16 (260-w)	61.2	71.4	82.9	36.7	1984	51.4	41	62.9	41	74.6	41	92.0	1955	0.00	0.12	39	443	1.21	319	11	
09/17 (261-t)	63.3	72.0	82.7	32.0	1959	51.5	41	63.3	41	75.6	41	96.0	1955	0.00	0.17	40	459	1.18	416	11	
09/18 (262-f)	51.0	67.0	76.5	33.0	1959	52.8	41	64.1	41	75.6	41	94.0	1955	0.58	0.13	41	163	1.28	296	11	
09/19 (263-s)	45.0	54.6	66.1	36.5	1982	52.4	41	64.0	41	75.7	41	94.0	1955	0.00	0.10	41	474	1.21	344	11	
09/20 (264-s)	44.0	58.7	71.5	33.0	1991	53.0	41	64.0	41	75.4	41	90.0	1955	0.04	0.21	40	393	1.21	343	11	
09/21 (265-m)	60.4	67.5	75.7	30.0	1962	52.1	40	63.0	40	74.2	40	91.0	1970	1.60	0.09	39	69	0.43	299	10	
09/22 (266-t)	43.1	62.0	68.9	37.0	1953	50.9	41	62.7	41	74.3	41	89.0	1980	0.04	0.06	40	268	1.35	290	11	
09/23 (267-w)	35.6	46.7	58.5	27.0	1974	48.3	41	59.7	41	70.9	41	90.0	1980	0.00	0.08	41	473	1.40	314	10	
09/24 (268-t)	37.9	51.3	67.1	29.0	1974	46.4	41	58.5	41	70.9	41	88.0	1960	0.00	0.09	39	489	1.16	313	11	
09/25 (269-f)	38.9	55.2	71.5	32.0	1989	48.1	41	60.2	41	72.5	41	88.7	1986	0.00	0.06	39	475	1.13	357	11	
09/26 (270-s)	48.7	61.1	74.7	35.0	1966	48.7	41	60.4	41	72.3	41	88.2	1986	0.03	0.05	41	250	1.37	341	11	
09/27 (271-s)	44.8	60.0	69.2	30.9	1991	47.1	41	59.3	41	71.6	41	86.3	1987	0.01	0.10	40	395	1.40	329	11	
09/28 (272-m)	41.3	54.1	71.9	27.8	1991	45.6	40	58.6	40	71.8	40	89.0	1973	0.00	0.02	38	420	1.46	345	10	
09/29 (273-t)	34.4	45.4	58.5	30.0	1961	46.4	40	58.8	40	71.4	40	89.6	1986	0.00	0.07	41	452	1.10	339	11	
09/30 (274-w)	34.9	47.9	64.0	32.0	1957	47.2	41	59.5	41	72.1	41	96.0	1953	0.00	0.09	39	421	1.11	320	11	

Column Min's:	34.4	45.4	58.5	27.0	45.6	58.5	70.9	61	0.02	69	0.43	290
Column Avg's:	47.9	60.9	73.0	52.2	64.2	76.4	82.3	74	0.10	390	1.23	354
Column Max's:	63.3	72.6	85.0	57.7	69.5	82.3	99.0	92	0.24	529	1.61	456
Column Ttl's:									2.86	10129		10633

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION										
mo	da	min	avg	max	min year	avgm yrs	Long Term	max year	liq	prec	evap	hum	ly	ly/m	max	Lng-Trm						
		Current				avgm yrs	avg yrs	avgm yrs	prec	snow	%	avg pr			avg yrs							
10/01	(275-t)	36.8	53.2	70.0	32.0	1960	45.7	41	59.0	41	72.2	41	87.0	1982	0.00	66	0.06	41	428	1.05	282	11
10/02	(276-f)	45.5	58.9	74.4	27.0	1974	46.3	41	59.2	41	72.2	41	86.0	1971	0.00	66	0.04	39	427	1.05	328	11
10/03	(277-s)	50.1	62.6	78.6	24.0	1974	44.9	40	57.7	40	70.4	40	87.0	1953	0.00	66	0.10	39	413	1.03	331	10
10/04	(278-s)	48.7	56.0	64.9	26.0	1974	45.0	40	56.8	40	69.2	41	90.0	1953	0.00	69	0.05	41	354	1.13	320	10
10/05	(279-m)	37.9	49.6	63.1	25.0	1965	43.2	40	55.7	40	68.5	41	84.0	1982	0.00	72	0.10	37	402	1.20	287	11
10/06	(280-t)	32.5	49.6	68.9	24.2	1988	44.5	41	55.9	41	67.2	41	88.0	1963	0.00	68	0.12	39	409	1.05	290	11
10/07	(281-w)	35.3	54.3	72.5	24.0	1952	42.0	41	53.9	41	65.5	41	88.0	1963	0.00	63	0.10	40	384	1.02	266	11
10/08	(282-t)	48.2	57.3	65.9	27.0	1952	42.7	41	54.2	41	65.9	41	80.0	1970	0.64	77	0.06	40	158	0.90	246	11
10/09	(283-f)	47.2	52.0	56.8	24.4	1989	43.9	41	55.1	41	66.7	41	82.0	1970	0.00	71	0.09	39	172	0.90	189	11
10/10	(284-s)	44.7	51.3	60.3	30.0	1956	43.1	40	53.9	40	64.9	41	83.0	1961	0.27	83	0.07	37	149	1.09	196	10
10/11	(285-s)	40.6	48.2	55.3	17.0	1964	41.5	41	53.3	41	65.3	41	84.0	1962	0.00	88	0.11	39	111	0.68	243	11
10/12	(286-m)	36.4	49.0	64.9	25.3	1988	43.3	41	54.4	41	65.4	41	82.0	1962	0.00	70	0.09	41	309	1.24	202	11
10/13	(287-t)	34.3	47.5	59.6	23.1	1988	41.3	41	54.1	41	67.4	41	82.0	1960	0.20	62	0.10	38	379	1.06	281	11
10/14	(288-w)	47.5	61.8	77.9	28.0	1977	42.5	41	54.9	41	67.5	41	84.9	1989	0.23	74	0.08	41	307	0.97	249	11
10/15	(289-t)	56.4	60.9	64.2	30.0	1977	42.7	41	55.3	41	68.3	41	85.0	1968	0.36	87	0.09	40	60	0.38	256	11
10/16	(290-f)	35.6	51.8	64.9	25.4	1991	41.3	41	53.7	41	66.0	41	83.0	1963	0.37	76	0.07	38	127	1.24	237	11
10/17	(291-s)	32.7	40.3	51.2	22.1	1982	41.2	41	52.5	41	63.9	41	83.0	1963	0.00	69	0.10	40	331	1.21	243	11
10/18	(292-s)	30.5	37.9	47.4	21.0	1976	39.4	41	50.8	41	63.1	41	84.0	1963	0.06	79	0.14	40	141	0.99	210	11
10/19	(293-m)	26.0	33.8	42.7	21.0	1976	37.9	41	48.7	41	59.3	41	81.0	1953	0.01	73	0.05	41	244	1.11	205	11
10/20	(294-t)	30.4	37.5	46.6	22.0	1972	36.9	41	48.0	41	59.1	41	85.0	1953	0.10	81	0.07	37	46	0.20	163	11
10/21	(295-w)	32.3	44.2	52.3	17.0	1974	39.7	41	50.0	41	60.4	41	85.0	1953	0.00	79	0.04	41	171	0.86	168	10
10/22	(296-t)	28.1	43.7	60.4	19.0	1974	39.6	41	51.0	41	62.6	41	85.0	1953	0.00	77	0.08	36	332	0.88	196	11
10/23	(297-f)	42.8	58.7	74.3	22.4	1982	41.1	41	52.3	41	63.8	41	84.0	1963	0.00	69	0.11	40	271	0.85	226	11
10/24	(298-s)	35.8	55.3	64.5	21.3	1982	38.9	41	49.8	41	60.6	41	83.0	1963	0.00	75	0.08	40	268	0.93	198	11
10/25	(299-s)	32.6	42.8	55.3	19.0	1960	38.4	41	48.6	41	59.3	41	82.0	1963	0.00	80	0.11	41	250	1.17	199	11
10/26	(300-m)	37.6	49.2	63.3	22.0	1962	38.8	41	48.5	41	58.8	41	81.0	1963	0.00	74	0.04	38	245	0.97	223	10
10/27	(301-t)	32.7	44.8	62.2	22.0	1962	37.9	41	48.7	41	59.4	41	77.6	1984	0.00	80	0.06	36	296	1.11	224	11
10/28	(302-w)	31.4	45.8	60.6	21.0	1976	37.1	41	48.1	41	59.3	41	75.7	1989	0.00	74	0.05	39	267	0.96	236	11
10/29	(303-t)	36.2	45.3	50.6	19.0	1965	35.7	40	46.5	40	57.2	40	76.0	1971	0.02	81	0.04	40	80	0.30	232	10
10/30	(304-f)	37.4	43.2	47.4	22.0	1963	35.8	41	46.8	41	58.0	41	76.0	1971	0.00	78	0.05	40	74	0.34	204	10
10/31	(305-s)	32.8	43.0	50.4	19.3	1988	39.8	41	49.2	41	58.7	41	75.0	1971	0.00	74	0.05	40	246	1.04	176	11

Column	Min's	Avg's	Max's	Ttl's
Column	26.0	33.8	42.7	17.0
Min's	38.0	49.3	61.0	41.0
Avg's	56.4	62.6	78.6	46.3
Max's				90.0
Ttl's				57.2
				64.1
				72.2
				0.00
				0.07
				0.64
				88
				2.40
				46
				0.20
				163
				253
				0.93
				236
				428
				1.24
				331
				7851
				7326

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.