

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION							
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	avg					
mo da jul	Current	min year	avgmn yrs	avg yrs	liq	snow	ly	ly/m	Term					
			max	max	max	avg	prec	avg	ly	ly/m	avg					
							prec	avg	ly	ly/m	avg					
12/01 (336-t)	25.0	33.5*	42.0	6.0	1964	28.1	34	36.9	34	45.8	34	69.0	1970	0.07	0.12	32
12/02 (337-w)	27.0	32.5*	38.0	14.0	1966	28.5	34	38.4	34	48.4	34	67.0	1970	0.05	0.09	31
12/03 (338-t)	25.0	32.0*	39.0	4.0	1976	29.2	33	38.1	33	46.9	34	76.0	1982	0.08	0.17	31
12/04 (339-f)	38.0	40.5*	43.0	13.0	1966	29.2	34	38.9	34	48.6	34	76.0	1982	0.02	0.17	33
12/05 (340-s)	16.0	32.0*	48.0	7.0	1991	27.8	34	36.8	34	45.8	34	68.0	1982	0.00	0.09	33
12/06 (341-s)	13.0	21.0*	29.0	13.0	1992	27.5	34	36.5	33	45.5	33	67.0	1982	0.00	0.17	32
12/07 (342-m)	18.0	24.5*	31.0	-0.0	1977	27.2	33	35.7	33	44.0	34	63.0	1971	0.03	0.10	31
12/08 (343-t)	25.0	29.5*	34.0	3.0	1977	27.6	34	35.9	34	44.2	34	69.0	1966	0.00	0.13	31
12/09 (344-w)	23.0	26.5*	30.0	8.0	1989	27.3	34	35.4	34	43.5	34	64.0	1980	0.00	0.18	32
12/10 (345-t)	24.0	32.5*	41.0	3.0	1977	24.5	34	33.9	34	43.3	34	71.0	1971	0.33	0.12	33
12/11 (346-f)	28.0	34.5*	41.0	3.0	1977	27.2	34	35.0	34	42.9	34	65.0	1990	0.17	0.10	31
12/12 (347-s)	30.0	33.5*	37.0	-6.0	1962	28.8	34	36.8	34	44.9	34	64.0	1979	0.00	0.15	31
12/13 (348-s)	32.0	35.0*	38.0	-6.0	1962	27.3	34	36.0	33	44.3	33	63.0	1972	0.00	0.07	32
12/14 (349-m)	31.0	33.5*	36.0	6.0	1985	24.5	33	33.4	33	43.0	34	66.0	1971	0.00	0.08	31
12/15 (350-t)	27.0	34.0*	41.0	1.0	1963	25.6	34	33.7	33	42.4	33	67.0	1971	0.00	0.13	32
12/16 (351-w)	30.0	43.5*	57.0	-8.0	1989	24.2	34	33.3	33	42.7	33	63.0	1984	0.02	0.09	33
12/17 (352-t)	38.0	45.5*	53.0	-12.0	1989	23.5	34	32.1	34	40.8	34	66.0	1984	0.26	0.06	31
12/18 (353-f)	30.0	39.0*	48.0	-10.0	1989	22.2	34	31.6	34	41.0	34	68.0	1984	0.00	0.09	28
12/19 (354-s)	29.0	35.5*	42.0	-8.0	1989	22.8	34	31.7	34	40.7	34	63.0	1967	0.00	0.06	32
12/20 (355-s)	31.0	42.0*	53.0	-7.0	1963	23.3	34	32.2	34	41.1	34	59.0	1988	0.48	0.13	30
12/21 (356-m)	16.0	25.5*	35.0	-9.0	1963	22.2	34	30.7	34	39.0	34	70.0	1967	0.00	0.18	28
12/22 (357-t)	21.0	31.5*	42.0	-22.0	1989	21.6	34	30.3	34	39.0	34	69.0	1967	0.00	0.13	32
12/23 (358-w)	31.0	40.5*	50.0	-22.0	1989	23.4	34	32.7	34	42.1	34	65.0	1970	0.08	0.12	30
12/24 (359-t)	12.0	30.5*	49.0	-18.0	1989	25.3	34	33.9	34	42.5	34	68.0	1964	0.00	0.13	30
12/25 (360-f)	13.0	22.5*	32.0	-12.0	1983	22.1	34	32.0	34	41.8	34	67.0	1964	0.00	0.14	29
12/26 (361-s)	10.0	22.5*	35.0	-7.0	1983	22.7	34	30.4	34	38.1	34	67.0	1982	0.06	0.12	30
12/27 (362-s)	14.0	21.0*	28.0	-0.0	1985	22.6	34	30.7	34	38.8	34	67.0	1959	0.00	0.04	30
12/28 (363-m)	13.0	27.5*	42.0	4.0	1977	23.7	34	32.4	34	41.0	34	65.0	1988	0.00	0.14	31
12/29 (364-t)	34.0	39.0*	44.0	-0.0	1961	23.8	34	32.7	34	41.6	34	68.0	1984	0.00	0.11	31
12/30 (365-w)	40.0	47.5*	55.0	-3.0	1983	25.0	34	33.0	34	41.0	34	67.0	1984	0.20	0.08	34
12/31 (366-t)	50.0	56.0*	62.0	-3.0	1983	24.9	33	33.3	33	41.3	34	66.0	1965	0.00	0.15	30

Column Min's:	10.0	21.0	28.0	-22.0	21.6	30.3	38.1	0.00	0.04
Column Avg's:	25.6	33.7	41.8	25.3	34.0	42.8	0.06	0.12	0.18
Column Max's:	50.0	56.0	62.0	29.2	38.9	48.6	0.48	0.18	3.64
Column Ttl's:				29.2	38.9	48.6	76.0	1.85	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION	
	min	max	min	year avg	max	yr	prec	evap	ly	max	avg
mo da jul	Current
	min	max	min	year avg	max	yr	prec	evap	ly	max	avg
03/01 (061-s)	24.0	33.0*	42.0	26.5	33	37.0	33	47.6	33	72.0	1972
03/02 (062-m)	37.0	49.5*	62.0	28.5	33	38.9	33	49.3	33	74.0	1976
03/03 (063-t)	45.0	61.0*	77.0	31.1	33	40.9	33	50.8	33	77.0	1992
03/04 (064-w)	42.0	59.5*	77.0	31.6	33	41.5	33	51.3	33	80.0	1976
03/05 (065-t)	47.0	60.5*	74.0	30.6	33	42.1	33	53.6	33	78.0	1976
03/06 (066-f)	53.0	64.0*	75.0	28.4	31	38.9	30	49.4	32	79.0	1983
03/07 (067-s)	49.0	58.5*	68.0	30.8	33	40.7	32	50.2	32	78.0	1974
03/08 (068-s)	48.0	57.5*	67.0	29.2	30	39.9	30	50.6	32	79.0	1974
03/09 (069-m)	42.0	51.0*	60.0	29.7	33	39.9	32	50.5	32	77.0	1974
03/10 (070-t)	47.0	60.5*	74.0	30.5	31	39.9	31	50.5	33	76.0	1973
03/11 (071-w)	15.0	35.0*	55.0	30.3	33	41.2	32	52.3	32	75.0	1977
03/12 (072-t)	16.0	23.5*	31.0	33.1	33	43.2	33	53.3	33	79.0	1990
03/13 (073-f)	14.0	22.5*	31.0	31.2	33	41.9	33	52.6	33	79.0	1967
03/14 (074-s)	18.0	24.5*	31.0	32.4	33	42.4	33	52.3	33	79.0	1990
03/15 (075-s)	17.0	27.5*	38.0	32.0	33	42.6	33	53.3	33	79.0	1990
03/16 (076-m)	15.0	25.0*	35.0	30.9	33	42.0	33	53.1	33	77.0	1984
03/17 (077-t)	20.0	35.0*	50.0	30.1	33	41.4	33	52.8	33	77.0	1982
03/18 (078-w)	38.0	48.5*	59.0	30.7	32	42.7	32	54.6	32	75.0	1989
03/19 (079-t)	30.0	43.5*	57.0	32.0	33	43.2	33	54.4	33	75.0	1982
03/20 (080-f)	20.0	31.0*	42.0	33.0	33	43.6	33	54.2	33	73.0	1979
03/21 (081-s)	22.0	35.0*	48.0	32.2	33	43.7	33	55.2	33	74.0	1975
03/22 (082-s)	32.0	39.5*	47.0	31.2	33	41.2	33	51.3	33	79.0	1966
03/23 (083-m)	21.0	33.5*	46.0	31.9	33	42.4	33	52.8	33	76.0	1966
03/24 (084-t)	22.0	33.0*	44.0	31.9	31	43.5	31	55.1	31	77.0	1988
03/25 (085-w)	29.0	42.5*	56.0	33.6	32	43.8	31	53.7	32	76.0	1967
03/26 (086-t)	38.0	42.5*	47.0	33.8	32	44.4	32	55.6	33	78.0	1967
03/27 (087-f)	27.0	41.5*	56.0	33.6	33	45.2	33	56.7	33	77.0	1967
03/28 (088-s)	29.0	35.5*	42.0	36.8	33	47.9	33	59.1	33	78.0	1989
03/29 (089-s)	35.0	43.0*	51.0	40.0	33	51.2	33	62.3	33	81.0	1989
03/30 (090-m)	36.0	43.0*	50.0	39.5	33	49.9	33	60.3	33	79.0	1977
03/31 (091-t)	39.0	45.5*	52.0	37.7	33	48.1	33	58.6	33	81.0	1986
Column Min's:	14.0	22.5	31.0	26.5		37.0		47.6		0.00	0.06
Column Avg's:	31.2	42.1	53.0	32.1		42.7		53.5		0.15	0.15
Column Max's:	53.0	64.0	77.0	40.0		51.2		62.3		1.31	0.39
Column Ttl's:										81.0	4.63

Column Min's: 14.0 22.5 31.0 -5.0 26.5 37.0 47.6 0.00
 Column Avg's: 31.2 42.1 53.0 32.1 42.7 53.5 0.15
 Column Max's: 53.0 64.0 77.0 40.0 51.2 62.3 1.31
 Column Ttl's: 81.0 4.63

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max
mo da jul	Current	Long Term	avg yrs	avgmx yrs	liq	hum	ly/m	Lng-Trm
	avg	avg	avg	avg	prec	avg	avg	avg
04/01 (092-w)	32.0	43.5*	18.0	34	0.05
04/02 (093-t)	23.0	32.5*	23.0	34	0.07
04/03 (094-f)	20.0	28.5*	20.0	33	0.00
04/04 (095-s)	26.0	35.5*	23.0	33	0.00
04/05 (096-s)	26.0	35.0*	22.0	34	0.13
04/06 (097-m)	25.0	38.5*	21.0	34	0.00
04/07 (098-t)	29.0	44.5*	21.0	34	0.00
04/08 (099-w)	45.0	54.5*	21.0	33	0.10
04/09 (100-t)	39.0	53.5*	20.0	34	0.16
04/10 (101-f)	42.0	58.5*	22.0	34	0.02
04/11 (102-s)	57.0	68.0*	23.0	33	0.13
04/12 (103-s)	38.0	51.5*	23.0	31	0.00
04/13 (104-m)	32.0	43.5*	23.0	34	0.00
04/14 (105-t)	34.0	46.0*	26.0	34	0.00
04/15 (106-w)	41.0	49.0*	28.0	34	0.02
04/16 (107-t)	43.0	57.0*	25.0	34	0.07
04/17 (108-f)	54.0	67.0*	29.0	33	0.43
04/18 (109-s)	55.0	64.0*	25.0	32	0.00
04/19 (110-s)	53.0	66.5*	24.0	32	0.02
04/20 (111-m)	54.0	67.5*	25.0	34	0.17
04/21 (112-t)	59.0	71.5*	29.0	34	0.10
04/22 (113-w)	43.0	57.5*	27.0	34	0.22
04/23 (114-t)	40.0	53.0*	24.0	34	0.00
04/24 (115-f)	49.0	65.0*	31.0	34	0.00
04/25 (116-s)	39.0	56.5*	31.0	33	0.00
04/26 (117-s)	35.0	43.0*	31.0	34	0.01
04/27 (118-m)	37.0	43.5*	29.0	34	0.02
04/28 (119-t)	33.0	40.0*	27.0	34	0.43
04/29 (120-w)	30.0	44.0*	30.0	34	0.00
04/30 (121-t)	47.0	54.5*	35.0	34	0.19
Column Min's:	20.0	28.5	18.0	35.7	0.00	0.06
Column Avg's:	39.3	51.1	28.5	47.5	0.08	0.14
Column Max's:	59.0	71.5	47.9	58.6	0.43	0.28
Column Ttl's:					2.34	4.13

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION								
	min	avg	max	min year	avgm yrs	Long Term avg yrs	avgmx yrs	max year	prec	snow	evap	hum %	ly	ly/m	max	Lng-Term avg yrs			
05/01 (122-f)	43.0	56.0*	69.0	28.0	1963	47.2	33	58.8	33	70.5	33	84.0	1962	0.00			0.09	32	
05/02 (123-s)	51.0	67.0*	83.0	30.0	1963	45.2	33	57.1	33	68.9	33	83.0	1992	0.00			0.16	32	
05/03 (124-s)	48.0	64.0*	80.0	34.0	1967	44.7	33	56.6	33	68.6	33	84.0	1987	0.30			0.17	33	
05/04 (125-m)	37.0	54.5*	72.0	28.0	1966	44.0	33	56.6	33	69.1	33	82.0	1969	0.00			0.12	33	
05/05 (126-t)	35.0	46.5*	58.0	35.0	1973	45.7	33	57.9	33	70.2	33	84.0	1969	0.10			0.14	32	
05/06 (127-w)	36.0	43.0*	50.0	32.0	1968	48.9	32	60.0	32	71.2	33	84.0	1980	0.55			0.13	33	
05/07 (128-t)	39.0	49.0*	59.0	31.0	1974	47.0	32	58.2	32	69.8	33	84.0	1969	0.00			0.20	32	
05/08 (129-f)	44.0	54.5*	65.0	33.0	1989	48.7	33	60.2	33	71.8	33	85.0	1986	0.00			0.31	32	
05/09 (130-s)	44.0	52.5*	61.0	32.0	1980	47.4	33	58.5	33	69.5	33	88.0	1963	1.65			0.18	33	
05/10 (131-s)	39.0	50.5*	62.0	25.0	1966	46.5	33	57.5	33	68.5	33	86.0	1963	0.05			0.08	32	
05/11 (132-m)	46.0	61.0*	76.0	34.0	1977	47.9	33	60.1	33	72.3	33	84.0	1987	0.00			0.11	32	
05/12 (133-t)	54.0	67.5*	81.0	39.0	1960	51.0	33	62.3	33	73.6	33	86.0	1979	0.00			0.08	31	
05/13 (134-w)	58.0	70.0*	82.0	40.0	1971	50.1	33	61.5	33	72.8	33	87.0	1982	0.00			0.19	33	
05/14 (135-t)	50.0	63.0*	76.0	38.0	1971	52.4	33	63.9	33	75.4	33	88.0	1962	0.00			0.15	31	
05/15 (136-f)	50.0	62.5*	75.0	36.0	1973	52.8	33	63.8	33	74.9	33	88.0	1982	0.02			0.15	33	
05/16 (137-s)	50.0	63.5*	77.0	37.0	1984	52.2	32	63.8	32	75.2	32	90.0	1962	0.04			0.09	30	
05/17 (138-s)	58.0	70.0*	82.0	35.0	1973	52.3	33	63.4	33	74.5	33	92.0	1962	0.00			0.22	33	
05/18 (139-m)	63.0	73.5*	84.0	37.0	1973	52.8	33	64.2	33	75.7	33	93.0	1962	0.28			0.16	32	
05/19 (140-t)	57.0	64.5*	72.0	33.0	1976	53.5	33	64.7	33	75.9	33	91.0	1964	0.47			0.14	32	
05/20 (141-w)	58.0	67.5*	77.0	42.0	1961	55.1	33	65.6	33	76.1	33	89.0	1962	0.00			0.10	30	
05/21 (142-t)	59.0	68.5*	78.0	41.0	1968	53.7	32	65.2	32	76.8	33	90.0	1987	0.00			0.07	31	
05/22 (143-f)	55.0	68.5*	82.0	40.0	1968	53.6	33	65.0	33	76.5	33	89.0	1964	0.00			0.14	31	
05/23 (144-s)	55.0	69.5*	84.0	35.0	1963	53.8	33	65.1	33	76.4	33	86.0	1964	0.00			0.23	32	
05/24 (145-s)	50.0	64.5*	79.0	39.0	1963	55.3	32	66.3	31	77.3	31	88.0	1970	0.06			0.18	31	
05/25 (146-m)	42.0	48.5*	55.0	40.0	1988	53.5	32	64.8	32	76.3	33	89.0	1965	0.00			0.11	33	
05/26 (147-t)	44.0	52.0*	60.0	38.0	1988	53.6	33	65.0	33	76.4	33	87.0	1965	0.00			0.20	32	
05/27 (148-w)	45.0	53.5*	62.0	34.0	1961	53.8	33	64.8	33	75.7	33	87.0	1967	0.05			0.27	32	
05/28 (149-t)	44.0	52.5*	61.0	40.0	1971	53.7	33	65.0	33	76.4	33	89.0	1977	0.00			0.18	30	
05/29 (150-f)	57.0	62.5*	68.0	38.0	1964	55.7	33	66.3	32	76.4	32	90.0	1987	0.00			0.20	31	
05/30 (151-s)	51.0	54.5*	58.0	38.0	1984	55.4	32	65.5	32	75.6	32	90.0	1987	0.98			0.21	31	
05/31 (152-s)	53.0	59.0*	65.0	40.0	1966	55.4	32	66.1	31	77.2	32	89.0	1991	0.00			0.17	32	
Column Min's:	35.0	43.0	50.0	25.0		44.0		56.6		68.5				0.00				0.07	
Column Avg's:	48.9	59.8	70.7	51.1		62.4		73.7		73.7		93.0		0.15				0.16	
Column Max's:	63.0	73.5	84.0	63.0		66.3		77.3		77.3				1.65				0.31	
Column Ttl's:														4.55				4.93	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION			
	min	avg	max	min	year avg	max	prec	evap	hum %	Long Term avg	pr yrs	ly	max	Long-Term avg
06/01 (153-m)	44.0	54.0*	64.0	39.0	1966	56.4	34	66.9	32	77.8	32	89.0	1988	0.00
06/02 (154-t)	51.0	61.5*	72.0	41.0	1966	56.6	34	67.2	33	78.2	33	90.0	1988	0.00
06/03 (155-w)	52.0	63.5*	75.0	41.0	1969	56.8	34	67.3	33	78.0	33	87.0	1991	0.00
06/04 (156-t)	60.0	69.0*	78.0	42.0	1969	55.5	34	67.2	33	78.8	33	87.0	1971	0.47
06/05 (157-f)	60.0	65.0*	70.0	45.0	1988	56.9	33	67.7	33	78.7	34	88.0	1960	0.25
06/06 (158-s)	54.0	65.5*	77.0	45.0	1990	57.9	34	69.1	34	80.3	34	89.0	1971	0.81
06/07 (159-s)	64.0	73.0*	82.0	45.0	1977	58.3	34	69.7	34	81.2	34	90.0	1988	0.17
06/08 (160-m)	64.0	70.5*	77.0	46.0	1977	59.7	34	70.8	34	81.9	34	90.0	1959	0.28
06/09 (161-t)	60.0	66.5*	73.0	46.0	1988	59.8	34	71.4	34	82.9	34	93.0	1964	0.04
06/10 (162-w)	53.0	64.5*	76.0	39.0	1988	58.8	34	70.6	34	82.3	34	90.0	1964	0.01
06/11 (163-t)	55.0	67.0*	79.0	37.0	1972	56.5	34	68.8	34	81.0	34	89.0	1973	0.00
06/12 (164-f)	57.0	68.5*	80.0	40.0	1988	58.7	34	70.3	34	81.8	34	92.0	1964	0.00
06/13 (165-s)	59.0	70.0*	81.0	43.0	1985	58.8	34	69.9	34	80.9	34	91.0	1976	0.00
06/14 (166-s)	63.0	71.5*	80.0	43.0	1959	59.2	34	70.3	34	81.4	34	92.0	1984	0.00
06/15 (167-m)	70.0	73.0*	76.0	46.0	1959	60.1	34	71.0	34	81.9	34	93.0	1988	0.16
06/16 (168-t)	60.0	70.5*	81.0	45.0	1969	59.8	34	70.7	34	81.6	34	93.0	1988	0.00
06/17 (169-w)	65.0	75.5*	86.0	44.0	1980	57.6	34	69.1	34	80.6	34	91.0	1967	0.00
06/18 (170-t)	63.0	74.5*	86.0	49.0	1959	59.1	34	70.3	34	81.5	34	90.0	1962	0.44
06/19 (171-f)	60.0	69.5*	79.0	45.0	1959	59.6	34	71.5	34	83.4	34	91.0	1975	0.82
06/20 (172-s)	52.0	65.5*	79.0	47.0	1982	59.8	34	70.9	34	82.1	34	92.0	1988	0.00
06/21 (173-s)	48.0	57.5*	67.0	48.0	1992	60.3	33	70.9	33	81.4	33	95.0	1988	0.00
06/22 (174-m)	40.0	52.5*	65.0	40.0	1992	59.3	34	70.9	33	82.3	33	97.0	1988	0.00
06/23 (175-t)	51.0	60.5*	70.0	46.0	1972	60.9	32	71.3	32	81.7	33	99.0	1988	0.00
06/24 (176-w)	57.0	67.0*	77.0	49.0	1961	60.2	34	70.9	34	81.6	34	91.0	1966	0.18
06/25 (177-t)	59.0	69.5*	80.0	45.0	1972	59.6	34	70.9	34	82.2	34	94.0	1966	0.00
06/26 (178-f)	59.0	70.5*	82.0	49.0	1990	60.4	33	72.4	33	84.5	33	102.0	1988	0.00
06/27 (179-s)	51.0	66.5*	82.0	49.0	1979	59.5	34	72.2	34	85.0	34	95.0	1966	0.00
06/28 (180-s)	63.0	70.0*	77.0	48.0	1988	62.1	34	73.1	34	84.2	34	94.0	1971	0.00
06/29 (181-m)	58.0	69.0*	80.0	51.0	1987	62.4	34	74.2	33	85.7	33	92.0	1964	0.00
06/30 (182-t)	63.0	74.5*	86.0	54.0	1989	63.0	33	74.0	33	85.0	34	93.0	1968	0.00
Column Min's:	40.0	52.5	64.0	37.0	55.5	66.9	77.8	0.00	0.05					
Column Avg's:	57.2	67.2	77.2	59.1	70.4	81.7	0.12	0.13						
Column Max's:	70.0	75.5	86.0	63.0	74.2	85.7	0.82	0.23						
Column Ttl's:							102.0	3.99						

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	max	Long Term	avg	max	ly	ly/m	max	Long-Term	
mo da jul	Current	Current	min year	max year	avg yrs	avgm yrs	prec	evap	ly	ly/m	avg yrs	avg yrs
07/01 (183-w)	66.0	76.0*	43.0	86.0	63.0	34	74.0	34	84.9	34	95.0	1968
07/02 (184-t)	65.0	74.0*	48.0	83.0	62.3	34	73.2	34	84.0	34	97.0	1970
07/03 (185-f)	64.0	76.0*	53.0	88.0	62.5	34	72.8	34	83.1	34	95.0	1966
07/04 (186-s)	56.0	68.0*	48.0	80.0	61.0	33	72.2	33	83.3	33	94.0	1966
07/05 (187-s)	60.0	70.0*	49.0	80.0	61.7	34	72.4	34	83.1	34	95.0	1988
07/06 (188-m)	59.0	71.0*	46.0	83.0	62.3	34	72.6	34	82.8	34	95.0	1988
07/07 (189-t)	53.0	64.5*	50.0	76.0	61.1	34	72.2	34	83.2	34	97.0	1988
07/08 (190-w)	52.0	65.0*	48.0	78.0	62.1	34	73.6	34	85.1	34	100.0	1988
07/09 (191-t)	71.0	79.5*	51.0	88.0	63.8	34	74.9	34	86.0	34	102.0	1988
07/10 (192-f)	68.0	79.0*	52.0	90.0	64.6	34	75.2	34	85.8	34	101.0	1988
07/11 (193-s)	67.0	78.5*	49.0	90.0	64.0	34	74.3	34	84.6	34	98.0	1988
07/12 (194-s)	65.0	77.0*	53.0	89.0	62.4	34	73.7	34	85.0	34	94.0	1989
07/13 (195-m)	72.0	80.5*	54.0	89.0	63.2	34	74.0	34	84.8	34	96.0	1966
07/14 (196-t)	73.0	82.0*	50.0	91.0	63.5	34	74.1	34	84.7	34	93.0	1966
07/15 (197-w)	71.0	80.0*	53.0	89.0	63.5	34	73.9	34	84.3	34	93.0	1985
07/16 (198-t)	58.0	68.5*	52.0	79.0	63.0	34	73.6	34	84.3	34	100.0	1988
07/17 (199-f)	65.0	76.5*	51.0	88.0	63.1	34	74.7	33	86.1	33	100.0	1988
07/18 (200-s)	62.0	70.0*	53.0	88.0	63.1	33	74.4	33	85.7	33	96.0	1988
07/19 (201-s)	59.0	71.0*	53.0	83.0	64.1	34	75.3	34	86.5	34	96.0	1988
07/20 (202-m)	61.0	73.0*	56.0	85.0	64.2	34	74.9	34	85.7	34	95.0	1972
07/21 (203-t)	65.0	77.0*	49.0	89.0	63.0	33	74.5	33	86.0	33	95.0	1980
07/22 (204-w)	64.0	72.5*	53.0	81.0	63.9	34	75.0	34	86.1	34	95.0	1972
07/23 (205-t)	64.0	72.5*	55.0	81.0	65.6	34	75.5	33	85.6	33	94.0	1987
07/24 (206-f)	69.0	76.0*	55.0	83.0	64.7	33	75.3	33	86.0	34	97.0	1983
07/25 (207-s)	62.0	73.0*	54.0	84.0	64.9	33	75.3	33	85.7	33	95.0	1987
07/26 (208-s)	67.0	75.5*	56.0	84.0	64.5	34	74.7	34	84.9	34	96.0	1987
07/27 (209-m)	68.0	75.5*	47.0	83.0	63.7	34	74.2	34	84.7	34	93.0	1964
07/28 (210-t)	57.0	67.0*	53.0	77.0	64.0	34	74.0	33	84.0	33	95.0	1964
07/29 (211-w)	56.0	68.5*	55.0	81.0	62.9	33	73.2	33	83.6	34	92.0	1983
07/30 (212-t)	62.0	73.0*	51.0	84.0	62.7	34	73.0	34	83.3	34	94.0	1983
07/31 (213-f)	65.0	74.0*	52.0	83.0	62.5	34	73.2	34	83.8	34	94.0	1983

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	52.0	64.5	76.0	43.0
Column Avg's:	63.4	73.7	84.0	61.0
Column Max's:	73.0	82.0	91.0	65.6
Column Ttl's:				102.0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION										
	min	avg	max	min year	avgm yrs	long Term avg yrs	prec	snow	evap	ly	ly/m	max Lng-Trm avg yrs								
08/01 (214-s)	51.0	61.5*	72.0	51.0	1992	62.2	33	73.3	33	84.4	33	95.0	1980	0.10	0.04	33
08/02 (215-s)	53.0	64.5*	76.0	50.0	1990	61.8	33	73.2	33	84.5	33	97.0	1964	0.00	0.02	33
08/03 (216-m)	58.0	69.0*	80.0	48.0	1965	63.0	33	74.0	33	85.0	33	101.0	1964	0.00	0.08	33
08/04 (217-t)	60.0	69.0*	78.0	50.0	1976	62.6	33	73.8	33	85.0	33	95.0	1964	0.00	0.21	30
08/05 (218-w)	50.0	63.0*	76.0	50.0	1992	62.7	33	73.9	33	85.2	33	93.0	1982	0.00	0.12	32
08/06 (219-t)	55.0	66.0*	77.0	53.0	1967	63.5	33	73.5	33	83.5	33	94.0	1983	0.00	0.13	32
08/07 (220-f)	58.0	69.0*	80.0	48.0	1990	63.6	32	73.6	32	83.6	32	91.0	1964	0.00	0.13	32
08/08 (221-s)	66.0	74.0*	82.0	45.0	1989	62.0	33	72.8	33	83.6	33	92.0	1980	0.00	0.22	32
08/09 (222-s)	68.0	75.0*	82.0	46.0	1989	62.7	33	73.3	32	83.9	32	96.0	1983	0.40	0.29	33
08/10 (223-m)	67.0	77.0*	87.0	48.0	1972	61.9	32	72.7	32	83.5	33	94.0	1964	0.00	0.16	32
08/11 (224-t)	65.0	76.5*	88.0	50.0	1967	60.9	33	72.2	32	83.1	32	95.0	1964	0.02	0.18	33
08/12 (225-w)	55.0	68.5*	82.0	48.0	1967	59.3	32	70.8	32	82.3	33	94.0	1988	0.00	0.18	33
08/13 (226-t)	58.0	69.0*	80.0	46.0	1964	60.1	33	71.0	33	81.8	33	93.0	1975	0.00	0.08	32
08/14 (227-f)	57.0	68.0*	79.0	47.0	1964	59.8	33	71.2	33	82.7	33	93.0	1985	0.15	0.15	33
08/15 (228-s)	58.0	66.0*	74.0	47.0	1964	61.4	33	72.7	33	84.0	33	96.0	1988	0.15	0.09	33
08/16 (229-s)	53.0	63.0*	73.0	46.0	1979	62.0	33	73.1	32	84.1	32	98.0	1988	0.00	0.06	32
08/17 (230-m)	53.0	68.0*	83.0	47.0	1979	62.2	32	72.9	32	83.8	33	98.0	1988	0.00	0.06	33
08/18 (231-t)	53.0	64.5*	76.0	51.0	1979	62.1	33	73.3	33	84.6	33	103.0	1988	0.00	0.09	33
08/19 (232-w)	56.0	68.0*	80.0	51.0	1977	62.1	33	73.2	33	84.4	33	100.0	1988	0.00	0.15	33
08/20 (233-t)	53.0	61.0*	69.0	52.0	1977	62.3	33	72.8	33	83.4	33	98.0	1962	0.00	0.10	33
08/21 (234-f)	54.0	64.5*	75.0	51.0	1991	61.1	33	72.0	32	82.8	32	99.0	1983	0.00	0.18	32
08/22 (235-s)	57.0	68.5*	80.0	50.0	1982	60.5	30	71.8	30	83.2	31	99.0	1983	0.68	0.17	33
08/23 (236-s)	64.0	70.0*	76.0	53.0	1982	62.0	33	72.7	33	83.5	33	98.0	1987	0.07	0.07	33
08/24 (237-m)	65.0	72.0*	79.0	50.0	1971	61.0	33	72.0	33	82.9	33	92.0	1959	0.00	0.14	32
08/25 (238-t)	64.0	74.5*	85.0	52.0	1966	61.2	33	72.2	33	83.2	33	93.0	1959	0.00	0.13	30
08/26 (239-w)	64.0	76.5*	89.0	52.0	1966	61.2	33	71.9	33	82.5	33	90.0	1959	0.00	0.32	31
08/27 (240-t)	65.0	76.0*	87.0	48.0	1968	60.1	33	71.8	33	83.5	33	96.0	1987	0.15	0.15	33
08/28 (241-f)	63.0	74.0*	85.0	49.0	1968	62.1	33	72.9	32	84.0	32	92.0	1987	1.80	0.16	32
08/29 (242-s)	48.0	58.5*	69.0	39.0	1986	60.0	33	71.4	33	82.8	33	92.0	1990	0.00	0.09	33
08/30 (243-s)	48.0	60.5*	73.0	43.0	1986	59.8	33	71.0	33	82.3	33	93.0	1983	0.00	0.11	33
08/31 (244-m)	57.0	69.0*	81.0	45.0	1986	59.9	33	71.3	32	82.6	32	92.0	1983	0.00	0.15	32

Column Min's:	48.0	58.5	69.0	39.0	59.3	70.8	81.8	0.00
Column Avg's:	57.9	68.5	79.1	61.5	72.5	83.5	0.11	0.14
Column Max's:	68.0	77.0	89.0	63.6	74.0	85.2	1.80	0.32
Column Ttl's:				103.0			3.52	4.21

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION							
	min	avg	max	min	year	avg	yr	max	yr	max	yr					
09/01 (245-t)	49.0	63.0*	77.0	45.0	1967	59.2	33	70.7	33	82.3	34	90.0	1960	0.00	0.18	34
09/02 (246-w)	58.0	68.0*	78.0	46.0	1987	60.4	34	71.3	34	82.1	34	93.0	1973	0.00	0.17	34
09/03 (247-t)	60.0	69.0*	78.0	46.0	1987	61.0	33	71.9	33	82.9	34	92.0	1984	0.23	0.12	34
09/04 (248-f)	63.0	70.0*	77.0	46.0	1974	60.8	33	71.2	33	81.6	33	92.0	1964	0.00	0.12	33
09/05 (249-s)	64.0	71.0*	78.0	47.0	1974	59.8	34	70.8	33	81.4	33	94.0	1960	0.00	0.10	33
09/06 (250-s)	64.0	72.5*	81.0	43.0	1984	57.9	34	69.4	33	80.7	33	90.0	1961	0.00	0.03	34
09/07 (251-m)	63.0	73.0*	83.0	41.0	1988	57.6	33	69.9	33	82.1	34	94.0	1964	0.00	0.03	34
09/08 (252-t)	65.0	74.5*	84.0	43.0	1986	57.9	34	70.3	34	82.5	34	94.0	1964	0.53	0.05	34
09/09 (253-w)	60.0	70.5*	81.0	43.0	1986	58.6	34	70.0	34	81.3	34	94.0	1964	0.00	0.05	34
09/10 (254-t)	64.0	75.5*	87.0	44.0	1969	57.9	34	69.9	34	81.8	34	97.0	1964	0.00	0.07	33
09/11 (255-f)	43.0	60.0*	77.0	39.0	1976	56.2	34	68.5	32	80.4	32	96.0	1983	0.00	0.11	34
09/12 (256-s)	45.0	57.5*	70.0	45.0	1969	55.9	31	67.6	31	79.6	33	95.0	1983	0.00	0.16	34
09/13 (257-s)	48.0	59.0*	70.0	40.0	1975	56.0	34	67.6	33	78.8	33	91.0	1961	0.00	0.05	34
09/14 (258-m)	55.0	67.5*	80.0	37.0	1964	56.3	33	68.7	32	80.7	33	92.0	1984	0.00	0.15	33
09/15 (259-t)	54.0	68.5*	83.0	40.0	1964	55.6	33	67.4	33	79.1	34	91.0	1970	0.00	0.09	33
09/16 (260-w)	53.0	69.0*	85.0	39.0	1961	53.7	33	65.4	33	77.1	33	90.0	1991	0.00	0.05	33
09/17 (261-t)	55.0	69.0*	83.0	38.0	1959	54.7	34	65.8	34	76.8	34	92.0	1970	0.00	0.07	34
09/18 (262-f)	59.0	71.0*	83.0	38.0	1959	54.3	34	65.4	34	76.4	34	88.0	1965	0.40	0.09	32
09/19 (263-s)	50.0	61.0*	72.0	40.0	1973	54.4	34	65.7	34	76.9	34	92.0	1983	1.57	0.13	33
09/20 (264-s)	45.0	57.5*	70.0	38.0	1991	55.0	34	66.0	34	77.0	34	91.0	1983	0.00	0.05	33
09/21 (265-m)	51.0	63.0*	75.0	35.0	1962	53.1	34	65.6	34	78.0	34	94.0	1970	0.00	0.08	34
09/22 (266-t)	64.0	73.5*	83.0	35.0	1976	53.6	34	65.1	34	76.7	34	92.0	1970	0.76	0.18	34
09/23 (267-w)	42.0	57.0*	72.0	35.0	1974	51.1	34	62.9	34	74.7	34	91.0	1970	0.03	0.11	34
09/24 (268-t)	40.0	51.0*	62.0	33.0	1983	50.2	34	61.6	34	72.9	34	92.0	1961	0.00	0.16	33
09/25 (269-f)	40.0	53.5*	67.0	34.0	1983	50.3	34	61.4	34	72.5	34	90.0	1959	0.00	0.17	34
09/26 (270-s)	47.0	59.5*	72.0	39.0	1965	50.3	34	62.4	34	74.6	34	88.0	1986	0.00	0.09	33
09/27 (271-s)	51.0	64.5*	78.0	33.0	1991	50.2	33	61.8	33	73.3	33	87.0	1959	0.03	0.26	34
09/28 (272-m)	42.0	57.0*	72.0	33.0	1991	49.4	34	60.7	34	72.0	34	92.0	1959	0.00	0.16	33
09/29 (273-t)	36.0	54.5*	73.0	35.0	1962	48.3	34	60.5	34	72.7	34	89.0	1986	0.00	0.09	33
09/30 (274-w)	32.0	45.5*	59.0	32.0	1992	49.6	34	61.7	34	73.9	34	88.0	1986	0.00	0.10	34

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	32.0	45.5	59.0	32.0
Column Avg's:	52.1	64.2	76.3	60.5
Column Max's:	65.0	75.5	87.0	78.1
Column Ttl's:				82.9
				97.0
				0.00
				0.12
				1.57
				3.55
				0.03
				0.11
				0.26
				3.27

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

