

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	avg	prec	evap	ly	max	
mo da jul	Current	Long Term	year	avgm	liq	hum	Term	Ly/m	avg yrs
	.....	.....	.....	.....	.....	.....	.....	.....	.....
01/01 (001-w)	27.0	31.0*	18.0	39	34.8	39	60.0	0.09	39
01/02 (002-t)	34.0	41.0*	18.1	39	33.5	39	58.0	0.10	41
01/03 (003-f)	37.0	41.0*	19.2	39	33.8	39	53.0	0.08	40
01/04 (004-s)	34.0	37.0*	17.8	39	32.8	39	52.0	0.06	33
01/05 (005-s)	34.0	36.0*	16.9	39	30.3	39	57.0	0.05	35
01/06 (006-m)	31.0	33.5*	17.4	39	32.8	39	55.0	0.07	35
01/07 (007-t)	25.0	31.5*	19.4	39	34.1	39	56.0	0.04	32
01/08 (008-w)	27.0	37.0*	14.4	39	30.8	39	60.0	0.05	31
01/09 (009-t)	34.0	39.5*	12.8	39	30.5	39	62.0	0.06	30
01/10 (010-f)	27.0	32.0*	14.7	39	29.1	39	47.0	0.07	36
01/11 (011-s)	25.0	32.5*	14.2	39	30.5	39	61.0	0.06	32
01/12 (012-s)	30.0	36.5*	14.4	39	30.3	39	59.0	0.02	37
01/13 (013-m)	18.0	31.0*	13.7	39	30.6	39	57.0	0.08	36
01/14 (014-t)	2.0	10.0*	15.4	39	32.1	39	53.0	0.11	38
01/15 (015-w)	-8.0	6.0*	15.4	39	31.6	39	50.0	0.10	36
01/16 (016-t)	-8.0	10.0*	12.6	39	29.0	38	54.0	0.04	35
01/17 (017-f)	7.0	18.5*	13.6	39	29.1	39	54.0	0.04	36
01/18 (018-s)	-6.0	4.0*	14.2	39	30.3	39	57.0	0.07	34
01/19 (019-s)	-6.0	11.5*	16.4	39	32.9	39	59.0	0.06	34
01/20 (020-m)	13.0	20.5*	15.4	39	32.5	39	56.0	0.07	32
01/21 (021-t)	19.0	29.5*	16.3	39	31.8	39	58.0	0.08	34
01/22 (022-w)	22.0	32.5*	17.8	39	33.4	39	52.0	0.09	34
01/23 (023-t)	20.0	30.0*	17.0	39	34.8	39	59.0	0.11	36
01/24 (024-f)	14.0	19.5*	15.7	39	32.5	39	66.0	0.08	34
01/25 (025-s)	15.0	19.0*	17.4	39	33.9	39	62.0	0.07	34
01/26 (026-s)	15.0	23.5*	17.9	38	32.7	39	56.0	0.11	38
01/27 (027-m)	20.0	28.5*	15.4	39	33.0	38	58.0	0.16	37
01/28 (028-t)	25.0	30.0*	15.7	39	30.8	38	48.0	0.05	33
01/29 (029-w)	27.0	30.0*	16.2	39	31.0	39	57.0	0.14	33
01/30 (030-t)	31.0	35.0*	17.7	39	32.2	39	60.0	0.08	38
01/31 (031-f)	14.0	24.0*	14.0	39	30.4	39	60.0	0.06	36

Column Min's:	-8.0	4.0	14.0	-18.0	12.6	20.8	29.0	0.00	0.02
Column Avg's:	19.3	27.1	35.0	16.0	23.9	31.9	34.8	0.04	0.08
Column Max's:	37.0	41.0	48.0	19.4	26.8	34.8	66.0	0.33	0.16
Column Ttl's:								1.16	2.35

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION			
	min	max	min	year avg	Long Term	prec	evap	hum	ly	ly/m	max	avg		
mo da jul	Current	Current	Year	Year	Year	Year	Year	Year	Year	Year	Year	Year		
02/01 (032-s)	12.0	18.5*	25.0	16.1	39	24.5	38	32.5	38	54.0	1989	0.00	0.06	35
02/02 (033-s)	18.0	28.0*	38.0	18.2	39	25.2	39	32.2	39	59.0	1968	0.00	0.08	39
02/03 (034-m)	24.0	33.0*	42.0	15.3	39	23.4	39	31.5	39	55.0	1973	0.00	0.05	38
02/04 (035-t)	20.0	29.5*	39.0	7.0	1978	16.0	39	30.4	39	54.0	1986	0.00	0.05	35
02/05 (036-w)	19.0	27.0*	35.0	5.0	1978	15.4	39	32.6	39	55.0	1962	0.00	0.06	37
02/06 (037-t)	21.0	32.5*	44.0	5.0	1979	16.7	39	32.4	39	51.0	1964	0.00	0.08	39
02/07 (038-f)	20.0	27.5*	35.0	5.0	1977	16.8	39	31.6	39	54.0	1965	0.10	0.04	35
02/08 (039-s)	3.0	14.0*	25.0	10.0	1967	14.1	39	32.0	39	56.0	1990	0.02	0.04	32
02/09 (040-s)	-0.0	12.0*	24.0	5.0	1967	14.3	39	31.2	39	55.0	1990	0.00	0.05	37
02/10 (041-m)	15.0	26.5*	38.0	10.0	1978	15.7	39	34.0	39	61.0	1965	0.00	0.09	36
02/11 (042-t)	10.0	22.5*	35.0	10.0	1982	16.1	39	33.8	39	60.0	1965	0.00	0.10	33
02/12 (043-w)	14.0	20.5*	27.0	3.0	1982	15.6	39	32.3	39	53.0	1965	0.00	0.03	33
02/13 (044-t)	23.0	27.5*	32.0	1.0	1981	17.5	39	34.4	39	66.0	1990	0.08	0.12	37
02/14 (045-f)	30.0	35.0*	40.0	0.0	1986	17.7	39	35.4	39	60.0	1954	0.36	0.11	36
02/15 (046-s)	31.0	43.0*	55.0	4.0	1978	19.0	39	35.5	39	69.0	1954	0.42	0.08	37
02/16 (047-s)	31.0	35.5*	40.0	4.0	1963	18.9	39	34.9	39	62.0	1976	0.00	0.07	38
02/17 (048-m)	31.0	35.5*	40.0	9.0	1958	18.7	39	33.3	39	55.0	1976	0.09	0.10	38
02/18 (049-t)	31.0	40.5*	50.0	7.0	1979	21.1	39	35.7	39	54.0	1954	0.34	0.06	39
02/19 (050-w)	33.0	37.5*	42.0	1.0	1978	23.0	39	39.9	39	61.0	1954	0.00	0.05	36
02/20 (051-t)	28.0	34.0*	40.0	4.0	1978	21.6	39	37.8	39	63.0	1954	0.05	0.08	35
02/21 (052-f)	29.0	35.5*	42.0	6.0	1978	20.5	39	39.2	39	61.0	1953	0.00	0.10	37
02/22 (053-s)	33.0	42.0*	51.0	8.0	1963	21.1	39	39.6	39	60.0	1988	0.00	0.11	33
02/23 (054-s)	31.0	34.5*	38.0	6.0	1963	22.3	39	38.5	39	58.0	1961	0.00	0.08	39
02/24 (055-m)	30.0	34.5*	39.0	2.0	1978	23.5	39	41.2	39	62.0	1977	0.00	0.07	36
02/25 (056-t)	28.0	33.5*	39.0	1.0	1967	23.5	39	38.7	39	70.0	1957	0.00	0.09	36
02/26 (057-w)	28.0	32.0*	36.0	13.0	1963	21.7	39	37.7	39	65.0	1976	0.00	0.08	37
02/27 (058-t)	28.0	38.0*	48.0	10.0	1963	21.5	39	37.0	39	61.0	1976	0.00	0.10	34
02/28 (059-f)	16.0	30.0*	44.0	4.0	1978	21.8	39	38.8	38	65.0	1976	0.23	0.08	40
02/29 (060-s)	16.0	25.0*	34.0	3.0	1980	18.3	10	37.6	10	57.0	1972	0.00	0.02	8

Column Min's:	0.0	12.0	24.0	-13.0	14.1	22.7	30.4	0.00	0.02
Column Avg's:	22.5	30.5	38.5	18.7	27.0	35.2	70.0	0.06	0.07
Column Max's:	33.0	43.0	55.0	23.5	32.4	41.2	70.0	0.42	0.12
Column Ttl's:								1.69	2.13

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	min	max	avg	max	prec	evap	ly	max
mo da jul	Current	Current	min year	max year	avgm	avgmx	avgm	avgmx	liq	hum	ly	ly/m
			yr	yr	yr	yr	yr	yr	pr	%	yr	yr
11/01 (306-s)	40.0	50.0*	23.0	1976	39.8	40	50.1	40	60.5	40	77.0	1974
11/02 (307-m)	37.0	50.0*	23.0	1991	40.1	40	49.6	40	59.1	40	78.0	1968
11/03 (308-t)	41.0	53.0*	17.0	1991	38.3	40	47.8	39	57.5	39	76.0	1961
11/04 (309-w)	34.0	41.0*	14.0	1991	36.6	40	45.9	39	55.0	39	72.0	1961
11/05 (310-t)	30.0	33.5*	19.0	1991	35.7	40	43.7	40	51.7	40	74.0	1964
11/06 (311-f)	29.0	33.5*	21.0	1967	34.0	40	42.4	40	50.7	40	72.0	1978
11/07 (312-s)	24.0	30.0*	6.0	1991	32.9	40	41.4	40	49.9	40	75.0	1975
11/08 (313-s)	27.0	34.0*	9.0	1991	33.6	40	41.9	40	50.2	40	69.0	1986
11/09 (314-m)	36.0	42.5*	15.0	1991	33.3	40	42.2	40	51.0	40	71.0	1975
11/10 (315-t)	43.0	47.5*	21.0	1973	34.1	40	43.2	40	52.4	40	76.0	1975
11/11 (316-w)	48.0	52.5*	20.0	1957	32.5	40	41.9	40	51.2	40	68.0	1964
11/12 (317-t)	30.0	45.0*	13.0	1986	32.2	40	40.7	40	49.1	40	71.0	1964
11/13 (318-f)	24.0	31.5*	12.0	1986	32.2	40	41.1	40	50.1	40	71.0	1955
11/14 (319-s)	22.0	27.5*	13.0	1986	34.1	40	42.7	40	51.3	40	71.0	1956
11/15 (320-s)	22.0	28.5*	14.0	1986	32.8	40	41.8	40	50.8	40	70.0	1971
11/16 (321-m)	27.0	37.5*	15.0	1967	32.9	40	42.5	40	52.1	40	72.0	1964
11/17 (322-t)	36.0	43.0*	15.0	1959	31.5	40	40.9	40	50.2	40	70.0	1953
11/18 (323-w)	29.0	36.5*	10.0	1959	33.6	40	42.0	40	50.5	40	71.0	1954
11/19 (324-t)	31.0	37.5*	22.0	1956	33.0	40	41.9	40	50.8	40	72.0	1975
11/20 (325-f)	37.0	50.0*	12.0	1984	31.0	40	39.8	40	48.6	40	72.0	1953
11/21 (326-s)	44.0	51.5*	12.0	1984	31.2	40	38.9	40	46.6	40	64.0	1975
11/22 (327-s)	43.0	47.0*	12.0	1964	29.3	40	37.0	40	44.6	40	66.0	1979
11/23 (328-m)	38.0	42.5*	12.0	1971	29.1	40	37.9	40	46.6	40	65.0	1963
11/24 (329-t)	38.0	40.5*	14.0	1970	30.0	40	37.5	40	45.1	40	62.0	1968
11/25 (330-w)	36.0	44.0*	16.0	1970	29.0	40	36.3	40	43.7	40	62.0	1973
11/26 (331-t)	30.0	36.5*	16.0	1970	29.5	40	36.9	40	44.4	40	64.0	1988
11/27 (332-f)	29.0	32.5*	13.0	1956	31.1	40	39.5	40	48.0	40	70.0	1990
11/28 (333-s)	27.0	31.0*	8.0	1955	30.4	40	37.9	40	45.4	40	66.0	1984
11/29 (334-s)	27.0	33.0*	7.0	1955	26.1	40	33.8	40	41.6	40	66.0	1960
11/30 (335-m)	30.0	33.0*	-0.0	1958	26.1	40	32.4	40	38.6	40	63.0	1991

Column Min's:	22.0	27.5	33.0	0.0	26.1	32.4	38.6	0.00
Column Avg's:	33.0	39.9	46.8	32.5	41.1	49.6	0.20	0.10
Column Max's:	48.0	53.0	65.0	40.1	50.1	60.5	1.37	0.20
Column Ttl's:							78.0	3.11

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	ly	max
mo da jul	Current	Long Term	min year	max year	liq	hum	ly	ly/m
			avgm yrs	avgmx yrs	prec	%	Long Term	avg yrs
			avgm yrs	avgmx yrs	prec	hum	avg pr yrs	avg yrs
12/01 (336-t)	29.0	32.0*	9.0	39.8	0.01	..	0.05	39
12/02 (337-w)	21.0	29.0*	6.0	40.2	0.03	..	0.10	41
12/03 (338-t)	27.0	30.5*	-6.0	40.8	0.00	..	0.13	36
12/04 (339-f)	20.0	29.5*	-2.0	39.7	0.00	..	0.07	37
12/05 (340-s)	16.0	23.0*	1.0	39.7	0.00	..	0.05	38
12/06 (341-s)	19.0	24.5*	7.0	40.9	0.00	..	0.16	35
12/07 (342-m)	25.0	29.0*	1.0	38.5	0.00	..	0.14	36
12/08 (343-t)	23.0	26.5*	-2.0	38.9	0.00	..	0.10	37
12/09 (344-w)	23.0	29.0*	3.0	38.7	0.28	..	0.10	33
12/10 (345-t)	30.0	33.5*	-7.0	35.8	0.06	..	0.07	38
12/11 (346-f)	29.0	32.5*	-7.0	35.7	0.01	..	0.10	37
12/12 (347-s)	30.0	33.0*	-8.0	37.5	0.00	..	0.10	36
12/13 (348-s)	24.0	31.0*	-7.0	38.4	0.00	..	0.09	35
12/14 (349-m)	25.0	33.0*	-2.0	36.2	0.00	..	0.09	36
12/15 (350-t)	29.0	42.0*	-3.0	36.8	0.00	..	0.10	35
12/16 (351-w)	31.0	39.5*	-7.0	35.6	0.00	..	0.03	33
12/17 (352-t)	30.0	34.0*	-6.0	35.1	0.00	..	0.03	35
12/18 (353-f)	30.0	34.5*	-0.0	34.7	0.00	..	0.07	33
12/19 (354-s)	27.0	36.5*	-6.0	35.8	0.31	..	0.05	39
12/20 (355-s)	16.0	24.0*	-6.0	34.1	0.00	..	0.06	35
12/21 (356-m)	17.0	26.0*	-19.0	33.4	0.00	..	0.11	32
12/22 (357-t)	28.0	33.5*	-17.0	34.8	0.00	..	0.13	39
12/23 (358-w)	11.0	25.5*	-11.0	35.6	0.00	..	0.06	34
12/24 (359-t)	12.0	18.5*	-13.0	35.7	0.00	..	0.05	36
12/25 (360-f)	10.0	21.0*	-10.0	35.4	0.00	..	0.07	39
12/26 (361-s)	12.0	18.5*	-10.0	32.7	0.00	..	0.08	38
12/27 (362-s)	18.0	30.0*	-10.0	34.5	0.00	..	0.08	34
12/28 (363-m)	34.0	38.0*	-3.0	35.7	0.00	..	0.12	34
12/29 (364-t)	38.0	43.0*	-3.0	35.1	0.36	..	0.15	34
12/30 (365-w)	43.0	51.0*	-11.0	34.8	1.95	..	0.17	39
12/31 (366-t)	24.0	35.0*	-11.0	34.5	0.01	..	0.03	38

Column Min's:	10.0	18.5	25.0	18.5	26.0	32.7	0.00	0.03
Column Avg's:	24.2	31.2	38.1	21.7	29.2	36.6	0.10	0.09
Column Max's:	43.0	51.0	59.0	26.1	33.5	40.9	1.95	0.17
Column Ttl's:								2.74

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	max	min	year avg	max	yr	prec	evap	hum %	ly	max	avg			
03/01 (061-s)	30.0	46.5*	2.0	1967	22.4	40	31.4	40	40.4	40	65.0	1976	0.00	0.06	35
03/02 (062-m)	30.0	40.5*	-5.0	1978	22.9	40	31.9	40	40.8	40	63.0	1972	0.00	0.06	38
03/03 (063-t)	30.0	38.0*	3.0	1978	22.8	40	31.9	39	40.6	39	63.0	1974	0.00	0.05	36
03/04 (064-w)	33.0	44.5*	3.0	1984	24.5	40	33.8	40	43.1	40	74.0	1983	0.00	0.21	34
03/05 (065-t)	36.0	46.0*	2.0	1978	26.0	40	35.2	40	44.4	40	71.0	1976	0.04	0.15	40
03/06 (066-f)	31.0	46.0*	-4.0	1960	24.5	40	33.2	40	41.9	40	69.0	1983	0.43	0.11	35
03/07 (067-s)	44.0	53.0*	5.0	1986	24.5	40	33.5	40	42.4	40	73.0	1983	0.04	0.07	33
03/08 (068-s)	36.0	47.0*	-4.0	1960	24.0	40	32.8	40	41.7	40	70.0	1987	0.00	0.08	35
03/09 (069-m)	43.0	53.5*	-5.0	1984	23.3	40	32.6	40	41.9	40	64.0	1992	0.25	0.08	32
03/10 (070-t)	9.0	31.5*	1.0	1978	25.2	40	33.5	40	41.9	40	69.0	1955	0.34	0.10	38
03/11 (071-w)	4.0	15.5*	-3.0	1960	26.1	40	35.4	40	44.7	40	74.0	1990	0.00	0.07	36
03/12 (072-t)	8.0	18.0*	7.0	1984	27.9	40	36.2	40	44.5	40	74.0	1990	0.00	0.10	37
03/13 (073-f)	13.0	21.5*	-0.0	1960	27.1	40	36.4	40	45.7	40	73.0	1990	0.00	0.13	40
03/14 (074-s)	13.0	24.0*	7.0	1968	28.1	40	36.5	40	44.9	40	77.0	1990	0.00	0.07	39
03/15 (075-s)	11.0	21.0*	7.0	1960	27.9	40	36.5	40	45.1	40	77.0	1990	0.00	0.07	37
03/16 (076-m)	16.0	29.0*	13.0	1970	27.6	40	36.2	40	44.8	40	74.0	1977	0.22	0.07	41
03/17 (077-t)	26.0	37.5*	5.0	1956	26.8	40	36.2	40	45.7	40	64.0	1953	0.00	0.07	38
03/18 (078-w)	21.0	27.0*	9.0	1967	26.1	40	34.9	40	43.7	40	70.0	1966	0.02	0.07	36
03/19 (079-t)	18.0	28.5*	11.0	1965	26.2	40	35.4	40	44.7	40	68.0	1969	0.00	0.09	37
03/20 (080-f)	12.0	26.5*	10.0	1956	28.4	40	37.4	40	46.4	40	72.0	1968	0.02	0.09	36
03/21 (081-s)	23.0	30.5*	10.0	1986	29.1	40	37.9	40	46.7	40	76.0	1953	0.18	0.16	37
03/22 (082-s)	10.0	21.5*	10.0	1992	27.6	39	36.8	39	46.0	40	71.0	1972	0.02	0.08	36
03/23 (083-m)	16.0	27.5*	14.0	1960	29.0	40	38.2	40	47.5	40	73.0	1988	0.00	0.06	38
03/24 (084-t)	28.0	41.0*	8.0	1974	29.2	40	39.0	40	48.8	40	72.0	1966	0.00	0.07	42
03/25 (085-w)	35.0	41.5*	3.0	1974	29.2	40	38.5	40	47.8	40	73.0	1986	0.22	0.13	39
03/26 (086-t)	31.0	43.0*	4.0	1974	30.0	40	38.1	40	46.3	40	74.0	1986	0.04	0.12	38
03/27 (087-f)	23.0	35.0*	7.0	1965	29.6	40	39.1	40	48.5	40	77.0	1967	0.07	0.12	39
03/28 (088-s)	26.0	37.5*	14.0	1955	31.6	40	40.8	40	50.0	40	73.0	1989	0.00	0.08	40
03/29 (089-s)	31.0	37.5*	21.0	1983	32.7	40	42.3	40	51.9	40	76.0	1987	0.22	0.15	42
03/30 (090-m)	29.0	34.5*	15.0	1969	33.1	39	42.1	39	51.7	40	80.0	1986	0.01	0.11	41
03/31 (091-t)	28.0	43.5*	14.0	1969	31.9	39	41.4	39	51.6	40	81.0	1986	0.24	0.07	38

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	4.0	15.5	27.0	40.4
Column Avg's:	24.0	35.1	46.2	45.4
Column Max's:	44.0	53.5	64.0	81.0
Column Ttl's:				2.95

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION				
	min	max	min	year	avg	max	prec	evap	ly	max	ly/m	avg	Term
mo da jul	Current	Current	Long	Term	avg	Term	liq	Long	Term	ly	ly/m	ly	Term
04/01 (092-w)	20.0	29.0*	10.0	1964	33.0	40	43.1	39	53.2	39	78.0	1986	0.01
04/02 (093-t)	17.0	26.0*	17.0	1964	33.8	40	44.2	40	54.5	40	79.0	1986	0.00
04/03 (094-f)	25.0	34.5*	19.0	1954	34.5	40	43.6	40	52.6	40	81.0	1963	0.02
04/04 (095-s)	24.0	35.0*	20.0	1971	33.8	40	43.6	40	53.3	40	76.0	1981	0.00
04/05 (096-s)	28.0	39.5*	20.0	1982	33.8	40	43.9	40	53.9	40	81.0	1988	0.00
04/06 (097-m)	33.0	46.5*	8.0	1982	34.8	40	44.1	40	53.4	40	80.0	1991	0.00
04/07 (098-t)	31.0	51.0*	8.0	1982	33.7	40	44.3	40	54.9	40	83.0	1954	0.00
04/08 (099-w)	36.0	49.0*	13.0	1982	33.1	40	44.1	40	55.0	40	80.0	1954	0.00
04/09 (100-t)	35.0	46.0*	16.0	1957	32.7	40	43.0	40	53.3	40	78.0	1953	0.00
04/10 (101-f)	38.0	49.0*	21.0	1977	32.9	40	42.6	40	52.2	40	78.0	1955	0.10
04/11 (102-s)	34.0	55.0*	23.0	1975	34.3	40	43.9	40	53.5	40	80.0	1977	0.00
04/12 (103-s)	28.0	35.5*	22.0	1976	35.8	40	45.6	40	55.3	40	81.0	1977	0.00
04/13 (104-m)	30.0	36.5*	26.0	1957	37.5	40	48.5	40	59.6	40	82.0	1977	0.00
04/14 (105-t)	31.0	38.5*	25.0	1957	39.1	40	50.1	40	61.1	40	82.0	1977	0.00
04/15 (106-w)	35.0	44.0*	24.0	1957	38.8	40	49.8	40	60.8	40	80.0	1954	0.02
04/16 (107-t)	42.0	61.0*	24.0	1962	39.3	40	50.1	40	60.9	40	82.0	1976	0.56
04/17 (108-f)	40.0	43.0*	24.0	1962	39.6	40	50.1	40	60.6	40	84.0	1976	0.32
04/18 (109-s)	42.0	49.5*	25.0	1983	40.1	40	50.9	40	61.8	40	83.0	1964	0.22
04/19 (110-s)	46.0	63.0*	26.0	1983	41.3	40	52.1	40	63.0	40	85.0	1958	0.04
04/20 (111-m)	55.0	67.0*	27.0	1953	42.0	40	52.4	40	62.8	40	84.0	1985	0.21
04/21 (112-t)	47.0	58.5*	26.0	1981	42.8	40	52.7	40	62.6	40	85.0	1987	0.26
04/22 (113-w)	35.0	46.0*	26.0	1959	42.9	40	53.4	40	64.0	40	86.0	1985	0.00
04/23 (114-t)	39.0	58.0*	26.0	1956	40.5	40	52.3	40	64.1	40	87.0	1985	0.09
04/24 (115-f)	38.0	47.0*	30.0	1963	41.6	40	52.8	40	64.0	40	87.0	1957	0.22
04/25 (116-s)	36.0	41.0*	27.0	1967	42.4	40	51.7	40	61.1	40	88.0	1990	0.11
04/26 (117-s)	39.0	46.0*	29.0	1968	41.6	40	52.4	40	63.2	40	86.0	1990	0.03
04/27 (118-m)	29.0	41.5*	28.0	1971	41.9	40	53.4	40	64.9	40	88.0	1986	0.00
04/28 (119-t)	35.0	45.5*	30.0	1967	43.3	40	53.8	40	64.3	40	87.0	1986	0.00
04/29 (120-w)	43.0	49.5*	31.0	1973	42.8	40	54.0	39	65.3	39	84.0	1986	0.16
04/30 (121-t)	39.0	49.0*	31.0	1958	43.9	40	54.3	40	64.8	40	82.0	1970	0.00
Column Min's:	17.0	26.0	8.0		32.7		42.6		52.2				0.00
Column Avg's:	35.0	46.0	57.0		38.3		48.7		59.1		88.0		0.08
Column Max's:	55.0	67.0	80.0		43.9		54.3		65.3				0.56
Column Ttl's:													2.37

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N			
	min	Current	min	year	avg	max	prec	liq	evap	ly	ly/m	max	Lng-Term
mo da jul	avg	max	year	avg	yr	yr	yr	yr	yr	yr	yr	yr	yr
05/01 (122-f)	46.0	63.5*	81.0	29.0	1963	43.4	40	55.2	40	67.0	40	88.0	1957
05/02 (123-s)	44.0	62.0*	80.0	32.0	1961	42.8	40	54.8	40	66.8	40	87.0	1959
05/03 (124-s)	43.0	52.5*	62.0	32.0	1978	43.1	40	54.2	40	65.3	40	88.0	1959
05/04 (125-m)	38.0	44.0*	50.0	29.0	1971	42.2	40	53.4	40	64.5	40	87.0	1955
05/05 (126-t)	37.0	45.0*	53.0	32.0	1957	43.0	40	54.0	40	65.1	40	86.0	1959
05/06 (127-w)	32.0	44.5*	57.0	29.0	1968	45.0	40	56.7	40	68.3	40	91.0	1959
05/07 (128-t)	38.0	51.0*	64.0	30.0	1968	44.5	40	56.2	40	67.9	40	87.0	1982
05/08 (129-f)	46.0	55.5*	65.0	29.0	1983	45.3	40	56.3	40	67.2	40	85.0	1965
05/09 (130-s)	41.0	53.5*	66.0	33.0	1954	45.7	40	56.4	40	67.1	40	87.0	1979
05/10 (131-s)	48.0	61.5*	75.0	27.0	1966	45.6	40	56.4	40	67.2	40	88.0	1963
05/11 (132-m)	57.0	70.0*	83.0	34.0	1966	47.8	40	58.8	40	69.8	40	86.0	1956
05/12 (133-t)	53.0	68.0*	83.0	35.0	1963	48.4	40	59.3	40	70.1	40	89.0	1979
05/13 (134-w)	46.0	57.5*	69.0	37.0	1969	48.6	40	58.3	40	68.1	40	89.0	1956
05/14 (135-t)	40.0	49.0*	58.0	38.0	1959	48.2	40	59.0	40	69.8	40	89.0	1987
05/15 (136-f)	43.0	56.5*	70.0	37.0	1973	48.8	40	60.0	40	71.2	40	92.0	1988
05/16 (137-s)	51.0	67.0*	83.0	32.0	1984	48.4	40	60.1	40	71.7	40	92.0	1991
05/17 (138-s)	51.0	69.0*	87.0	36.0	1973	48.9	40	60.3	40	71.6	40	92.0	1962
05/18 (139-m)	43.0	51.0*	59.0	35.0	1955	48.8	40	59.6	40	70.4	40	93.0	1962
05/19 (140-t)	49.0	58.5*	68.0	35.0	1976	51.9	40	62.2	40	72.4	40	92.0	1962
05/20 (141-w)	50.0	64.5*	79.0	34.0	1981	50.1	40	61.6	40	73.1	40	92.0	1959
05/21 (142-t)	55.0	68.0*	81.0	34.0	1954	50.5	40	61.8	40	73.1	40	90.0	1977
05/22 (143-f)	60.0	73.5*	87.0	36.0	1961	51.2	40	62.8	40	74.4	40	91.0	1977
05/23 (144-s)	34.0	59.0*	84.0	31.0	1963	50.4	40	61.0	40	71.6	40	90.0	1964
05/24 (145-s)	38.0	44.5*	51.0	34.0	1963	50.6	40	61.3	40	72.1	40	90.0	1955
05/25 (146-m)	40.0	48.5*	57.0	36.0	1963	51.6	40	62.4	40	73.2	40	89.0	1953
05/26 (147-t)	40.0	48.0*	56.0	39.0	1963	51.8	40	63.2	40	74.6	40	90.0	1975
05/27 (148-w)	38.0	50.5*	63.0	35.0	1961	51.9	40	62.6	40	73.2	40	87.0	1955
05/28 (149-t)	41.0	54.5*	68.0	40.0	1953	52.7	40	63.6	40	74.5	40	91.0	1987
05/29 (150-f)	41.0	55.0*	69.0	37.0	1965	53.1	40	64.1	40	75.1	40	92.0	1991
05/30 (151-s)	50.0	57.5*	65.0	37.0	1961	53.8	40	64.8	40	75.8	40	93.0	1953
05/31 (152-s)	46.0	55.0*	64.0	40.0	1966	55.2	40	65.6	40	76.0	40	94.0	1988
Column Min's:	32.0	44.0	50.0	27.0		42.2		53.4		64.5			
Column Avg's:	44.5	56.7	68.9	48.5		59.5		70.6		76.0			
Column Max's:	60.0	73.5	87.0	55.2		65.6		76.0		94.0			
Column Ttl's:													3.09

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	max	min	year avg	max	yr	prec	evap	hum %	ly	max	avg			
06/01 (153-m)	47.0	60.0*	39.0	1966	55.5	40	65.9	40	76.3	40	93.0	1988	0.00	0.09	41
06/02 (154-t)	45.0	59.5*	40.0	1966	53.1	40	64.0	40	75.0	40	90.0	1978	0.00	0.25	37
06/03 (155-w)	55.0	67.0*	41.0	1986	51.7	40	63.1	40	74.3	40	86.0	1953	0.00	0.17	42
06/04 (156-t)	58.0	66.0*	43.0	1990	53.6	40	64.0	40	74.4	40	92.0	1953	0.07	0.06	41
06/05 (157-f)	57.0	67.0*	42.0	1954	56.5	40	67.5	40	78.4	40	93.0	1953	1.63	0.17	41
06/06 (158-s)	58.0	68.5*	43.0	1954	57.1	40	68.5	40	80.0	40	94.0	1988	0.02	0.16	42
06/07 (159-s)	57.0	67.5*	42.0	1958	57.2	40	68.5	40	79.8	40	93.0	1988	0.10	0.10	42
06/08 (160-m)	51.0	61.0*	46.0	1960	58.3	40	68.9	40	79.4	40	95.0	1959	0.00	0.16	41
06/09 (161-t)	43.0	56.0*	41.0	1969	57.5	40	68.3	40	79.1	40	94.0	1959	0.00	0.19	41
06/10 (162-w)	45.0	58.5*	41.0	1969	57.2	40	69.0	40	80.7	40	92.0	1954	0.00	0.07	41
06/11 (163-t)	48.0	61.5*	38.0	1972	57.8	40	69.4	40	81.0	40	94.0	1968	0.00	0.05	37
06/12 (164-f)	55.0	69.0*	40.0	1972	58.2	40	69.5	40	80.7	40	96.0	1956	0.00	0.12	41
06/13 (165-s)	62.0	74.0*	46.0	1985	59.0	40	69.8	40	80.7	40	96.0	1956	0.00	0.19	40
06/14 (166-s)	57.0	69.0*	45.0	1978	59.1	40	69.8	40	80.4	40	97.0	1988	0.00	0.23	40
06/15 (167-m)	52.0	61.5*	48.0	1959	58.7	40	69.6	40	80.5	40	96.0	1954	0.00	0.15	37
06/16 (168-t)	54.0	65.0*	41.0	1961	58.4	40	69.0	40	79.7	40	95.0	1957	0.00	0.23	43
06/17 (169-w)	59.0	75.0*	45.0	1958	57.3	40	68.5	40	79.8	40	100.0	1957	1.82	0.18	41
06/18 (170-t)	61.0	72.5*	46.0	1968	58.3	40	69.0	40	79.6	40	94.0	1955	0.04	0.05	42
06/19 (171-f)	51.0	61.0*	47.0	1982	59.2	40	70.3	40	81.4	40	97.0	1953	0.07	0.11	41
06/20 (172-s)	40.0	47.5*	40.0	1992	59.1	40	70.4	40	81.6	40	100.0	1953	0.00	0.13	41
06/21 (173-s)	40.0	51.0*	40.0	1992	60.2	40	70.6	40	81.1	40	99.0	1988	0.00	0.10	40
06/22 (174-m)	45.0	56.5*	45.0	1963	58.5	40	69.3	40	80.1	40	99.0	1988	0.00	0.09	42
06/23 (175-t)	51.0	57.5*	44.0	1963	58.9	40	69.2	40	79.5	40	92.0	1965	0.39	0.06	42
06/24 (176-w)	50.0	60.5*	42.0	1961	58.9	40	70.3	40	81.7	40	94.0	1964	0.15	0.11	40
06/25 (177-t)	53.0	64.5*	44.0	1979	58.8	40	70.1	40	81.4	40	104.0	1988	0.00	0.11	43
06/26 (178-f)	51.0	65.0*	45.0	1979	58.6	40	69.9	40	81.2	40	95.0	1953	0.00	0.13	40
06/27 (179-s)	48.0	61.5*	48.0	1992	59.6	40	71.1	40	82.6	40	95.0	1963	0.00	0.14	40
06/28 (180-s)	52.0	65.5*	51.0	1958	61.0	40	72.2	40	83.5	40	97.0	1971	0.00	0.15	41
06/29 (181-m)	57.0	70.0*	46.0	1988	61.6	40	72.7	40	83.7	40	100.0	1971	0.00	0.17	40
06/30 (182-t)	61.0	73.5*	43.0	1988	61.7	40	73.2	40	84.8	40	100.0	1953	0.00	0.05	42
Column Min's:	40.0	47.5	38.0		51.7		63.1		74.3				0.00	0.05	
Column Avg's:	52.1	63.8	75.4		58.0		69.1		80.1				0.14	0.13	
Column Max's:	62.0	75.0	91.0		61.7		73.2		84.8		104.0		1.82	0.25	
Column Ttl's:													4.29	3.97	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2]



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	avg	min	max	prec	evap	ly	max					
mo da jul	Current	.....	.....	.....	liq	%	ly/m	Long-Term					
		avg	avg	max	prec	hum	ly	avg yrs					
			Long Term	max year	prec	avg pr	ly	avg yrs					
			avg yrs	avgmx yrs	prec	hum	ly	avg yrs					
07/01 (183-w)	61.0	72.5*	84.0	45.0	1965	62.2	39	72.9	39	83.5	39	99.0	1953
07/02 (184-t)	63.0	76.0*	89.0	50.0	1988	62.8	40	73.5	40	84.2	40	96.0	1956
07/03 (185-f)	56.0	70.5*	85.0	52.0	1968	61.7	40	72.7	40	83.6	40	96.0	1963
07/04 (186-s)	60.0	70.5*	81.0	48.0	1968	60.4	40	71.6	40	82.9	40	98.0	1955
07/05 (187-s)	50.0	66.0*	82.0	47.0	1979	61.1	40	71.6	40	82.1	40	97.0	1988
07/06 (188-m)	50.0	62.0*	74.0	46.0	1972	59.8	40	71.0	40	82.2	40	98.0	1988
07/07 (189-t)	55.0	67.0*	79.0	49.0	1968	59.8	40	71.4	40	83.0	40	99.0	1988
07/08 (190-w)	66.0	74.5*	83.0	48.0	1954	61.7	40	73.4	40	85.0	40	97.0	1988
07/09 (191-t)	64.0	75.0*	86.0	47.0	1963	62.9	40	74.1	40	85.3	40	98.0	1988
07/10 (192-f)	61.0	73.5*	86.0	47.0	1963	61.2	40	72.3	40	83.4	40	98.0	1989
07/11 (193-s)	68.0	76.0*	84.0	50.0	1953	61.3	40	72.2	40	83.1	40	92.0	1966
07/12 (194-s)	68.0	76.0*	84.0	48.0	1978	60.8	40	72.1	40	83.5	40	95.0	1954
07/13 (195-m)	65.0	71.0*	77.0	53.0	1965	61.2	40	72.2	40	83.2	40	93.0	1953
07/14 (196-t)	64.0	75.0*	86.0	48.0	1967	62.9	40	74.2	40	85.6	40	98.0	1954
07/15 (197-w)	61.0	65.0*	69.0	49.0	1960	62.4	40	73.3	40	84.2	40	96.0	1974
07/16 (198-t)	62.0	71.5*	81.0	53.0	1954	62.4	40	73.7	40	84.9	40	98.0	1980
07/17 (199-f)	63.0	69.5*	76.0	50.0	1967	61.3	40	72.8	40	84.3	40	97.0	1953
07/18 (200-s)	56.0	67.5*	79.0	50.0	1971	63.0	40	74.0	40	85.0	40	92.0	1955
07/19 (201-s)	65.0	73.5*	82.0	51.0	1979	64.9	40	75.5	40	86.0	40	94.0	1957
07/20 (202-m)	59.0	70.5*	82.0	47.0	1965	63.9	40	74.5	40	85.0	40	98.0	1957
07/21 (203-t)	50.0	60.5*	71.0	47.0	1965	61.8	40	73.2	40	84.5	40	98.0	1980
07/22 (204-w)	55.0	64.5*	74.0	48.0	1970	62.7	40	73.4	40	84.0	40	96.0	1983
07/23 (205-t)	60.0	68.0*	76.0	50.0	1981	62.7	40	73.7	40	84.7	40	94.0	1978
07/24 (206-f)	55.0	63.5*	72.0	51.0	1985	62.4	40	72.9	40	83.4	40	92.0	1984
07/25 (207-s)	59.0	69.5*	80.0	48.0	1953	61.3	40	72.8	40	84.2	40	97.0	1965
07/26 (208-s)	59.0	71.0*	83.0	51.0	1977	61.6	40	73.4	40	85.3	40	97.0	1955
07/27 (209-m)	51.0	64.5*	78.0	47.0	1962	61.7	40	73.1	40	84.6	40	99.0	1955
07/28 (210-t)	53.0	67.5*	82.0	52.0	1991	61.8	40	73.0	40	84.2	40	97.0	1964
07/29 (211-w)	61.0	71.5*	82.0	50.0	1968	62.5	40	73.2	40	83.9	40	97.0	1957
07/30 (212-t)	59.0	65.0*	71.0	51.0	1965	61.7	40	72.2	39	82.7	39	97.0	1955
07/31 (213-f)	50.0	58.0*	66.0	50.0	1992	60.8	39	71.4	39	82.0	39	98.0	1955
Column Min's:	50.0	58.0	66.0	45.0	59.8	71.0	82.0	0.00	0.05				
Column Avg's:	59.0	69.2	79.5	61.9	72.9	84.0	0.19	0.13					
Column Max's:	68.0	76.0	89.0	64.9	75.5	86.0	0.98	0.39					
Column Ttl's:							99.0	5.78	4.01				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min	year avg	max	prec	evap	hum	ly	ly/m	max	avg			
mo da jul	.....Current.....	.....Long Term.....	.....	min year	avgm yrs	Long Term.....	liq	snow	%	Long Term	ly	ly/m	avg yrs			
				avgm yrs	avgm yrs	avgm yrs	prec	prec	hum	avg pr yrs	ly	ly/m	avg yrs			
08/01 (214-s)	53.0	65.0*	77.0	49.0	1962	60.9	39	72.2	39	83.5	40	98.0	1955	0.00	0.09	43
08/02 (215-s)	56.0	67.0*	78.0	50.0	1959	61.1	40	72.6	40	84.1	40	99.0	1955	0.00	0.07	41
08/03 (216-m)	56.0	68.0*	80.0	48.0	1965	62.2	40	73.3	40	84.4	40	99.0	1955	0.07	0.15	43
08/04 (217-t)	53.0	63.5*	74.0	45.0	1950	61.3	41	72.3	40	83.0	40	97.0	1955	0.00	0.11	42
08/05 (218-w)	44.0	59.0*	74.0	44.0	1992	60.4	40	71.1	40	81.8	40	97.0	1956	0.00	0.09	43
08/06 (219-t)	49.0	63.0*	77.0	49.0	1957	59.4	40	70.5	40	81.5	40	92.0	1968	0.00	0.17	43
08/07 (220-f)	54.0	68.5*	83.0	45.0	1989	60.4	40	71.3	40	82.2	40	95.0	1965	0.05	0.17	43
08/08 (221-s)	59.0	72.5*	86.0	46.0	1989	61.2	40	72.1	40	83.0	40	92.0	1964	0.00	0.15	38
08/09 (222-s)	65.0	76.5*	88.0	47.0	1976	60.9	40	71.9	40	83.0	40	94.0	1957	0.00	0.14	43
08/10 (223-m)	60.0	76.0*	92.0	47.0	1972	60.4	40	71.3	40	82.2	40	92.0	1957	0.84	0.10	40
08/11 (224-t)	54.0	65.5*	77.0	47.0	1967	58.7	39	69.8	39	80.9	40	94.0	1957	0.00	0.14	41
08/12 (225-w)	55.0	64.5*	74.0	45.0	1967	57.7	40	69.1	40	80.6	40	92.0	1964	0.26	0.11	43
08/13 (226-t)	54.0	63.0*	72.0	48.0	1967	58.4	40	69.7	40	81.1	40	93.0	1959	0.00	0.09	42
08/14 (227-f)	55.0	60.0*	65.0	45.0	1964	59.9	40	71.1	40	82.3	40	94.0	1959	0.03	0.08	41
08/15 (228-s)	55.0	60.5*	66.0	45.0	1964	60.8	40	71.7	40	82.7	40	95.0	1965	0.24	0.14	42
08/16 (229-s)	47.0	59.5*	72.0	44.0	1979	60.1	40	71.1	40	82.1	40	96.0	1965	0.00	0.12	41
08/17 (230-m)	48.0	62.5*	77.0	46.0	1979	58.9	39	70.4	39	81.8	40	96.0	1988	0.00	0.21	42
08/18 (231-t)	53.0	65.5*	78.0	45.0	1981	59.0	40	70.0	40	81.0	40	90.0	1955	0.47	0.22	41
08/19 (232-w)	49.0	60.5*	72.0	48.0	1981	59.3	40	70.7	40	82.1	40	98.0	1955	0.00	0.12	40
08/20 (233-t)	46.0	60.5*	75.0	46.0	1992	58.8	40	69.7	40	80.6	40	96.0	1955	0.00	0.07	40
08/21 (234-f)	47.0	62.0*	77.0	46.0	1969	58.9	40	69.3	40	79.8	40	97.0	1955	0.00	0.07	44
08/22 (235-s)	54.0	66.0*	78.0	48.0	1984	58.7	40	69.8	40	81.0	40	94.0	1959	0.00	0.13	44
08/23 (236-s)	62.0	73.0*	84.0	46.0	1987	58.4	40	69.7	40	81.0	40	96.0	1954	0.00	0.09	43
08/24 (237-m)	64.0	73.0*	82.0	46.0	1987	58.3	39	69.4	39	80.4	40	93.0	1954	0.32	0.02	40
08/25 (238-t)	64.0	75.5*	87.0	47.0	1984	58.0	40	69.5	40	80.9	40	94.0	1959	0.00	0.09	40
08/26 (239-w)	64.0	75.0*	86.0	46.0	1984	58.4	40	70.0	40	81.6	40	98.0	1953	0.10	0.14	42
08/27 (240-t)	64.0	73.0*	82.0	44.0	1986	59.7	40	71.1	40	82.5	40	98.0	1953	0.42	0.17	43
08/28 (241-f)	45.0	56.0*	67.0	39.0	1986	59.6	40	70.5	40	81.5	40	97.0	1953	0.01	0.10	42
08/29 (242-s)	50.0	60.5*	71.0	40.0	1965	59.4	40	71.2	40	82.9	40	97.0	1953	0.00	0.03	41
08/30 (243-s)	51.0	64.0*	77.0	43.0	1986	59.9	40	71.2	40	82.3	40	99.0	1953	0.02	0.13	41
08/31 (244-m)	49.0	61.0*	73.0	46.0	1976	59.1	40	70.3	40	81.6	40	100.0	1953	0.00	0.12	40
Column Min's:	44.0	56.0	65.0	39.0		57.7	69.1	79.8						0.00	0.02	
Column Avg's:	54.2	65.8	77.5	59.6		70.8	81.9							0.09	0.11	
Column Max's:	65.0	76.5	92.0	62.2		73.3	84.4							0.84	0.22	
Column Ttl's:										100.0				2.83	3.53	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION						
	min	avg	max	min year	avgm yrs	Long Term	avgm yrs	max year	prec	snow	evap	hum %	ly	ly/m	max	avg	
mo da jul	Current	Current	Current	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	
09/01 (245-t)	51.0	63.0*	75.0	43.0	1991	57.5	39	69.0	39	80.5	39	102.0	1953	0.00	..	..	..
09/02 (246-w)	55.0	65.0*	75.0	43.0	1958	57.7	39	68.9	39	80.0	39	105.0	1953	0.38	..	..	..
09/03 (247-t)	50.0	65.5*	81.0	44.0	1987	57.4	39	68.3	39	79.3	39	103.0	1953	0.00	..	..	..
09/04 (248-f)	50.0	62.0*	74.0	45.0	1974	58.0	39	69.7	39	81.5	39	96.0	1953	0.00	..	..	..
09/05 (249-s)	54.0	67.0*	80.0	41.0	1988	57.8	39	69.2	39	80.6	39	97.0	1954	1.81	..	..	..
09/06 (250-s)	67.0	75.5*	84.0	40.0	1962	56.0	39	67.9	39	79.9	39	97.0	1954	0.42	..	..	..
09/07 (251-m)	65.0	74.5*	84.0	38.0	1986	55.3	39	66.9	39	78.5	39	94.0	1959	0.03	..	..	..
09/08 (252-t)	51.0	63.0*	75.0	39.0	1986	54.7	39	66.8	39	78.8	39	94.0	1959	0.00	..	..	..
09/09 (253-w)	54.0	66.0*	78.0	41.0	1986	54.9	39	67.5	39	80.2	39	95.0	1964	1.24	..	..	..
09/10 (254-t)	46.0	58.5*	71.0	44.0	1969	55.5	39	66.5	39	77.6	39	94.0	1964	0.00	..	..	..
09/11 (255-f)	43.0	54.0*	65.0	41.0	1967	54.2	39	65.7	39	77.2	39	96.0	1964	0.00	..	..	..
09/12 (256-s)	44.0	57.0*	70.0	39.0	1967	53.9	39	65.2	39	76.6	39	90.0	1961	0.00	..	..	..
09/13 (257-s)	52.0	63.0*	74.0	38.0	1953	53.0	39	64.5	39	76.0	39	90.0	1956	0.00	..	..	..
09/14 (258-m)	55.0	68.0*	81.0	36.0	1964	53.3	39	65.1	39	76.8	39	90.0	1962	0.00	..	..	..
09/15 (259-t)	62.0	73.5*	85.0	38.0	1975	52.9	39	64.0	39	75.2	39	94.0	1991	0.00	..	..	..
09/16 (260-w)	61.0	71.5*	82.0	38.0	1966	51.5	39	63.0	39	74.5	39	95.0	1955	0.00	..	..	..
09/17 (261-t)	62.0	72.5*	83.0	36.0	1959	51.9	39	62.5	39	73.0	39	98.0	1955	0.01	..	..	..
09/18 (262-f)	44.0	59.0*	74.0	35.0	1959	51.2	39	63.3	39	75.0	39	96.0	1955	0.81	..	..	..
09/19 (263-s)	41.0	54.0*	67.0	33.0	1991	52.2	39	63.2	39	74.2	39	95.0	1955	0.00	..	..	..
09/20 (264-s)	44.0	58.0*	72.0	32.0	1991	52.6	39	63.9	39	75.1	39	89.0	1963	0.43	..	..	..
09/21 (265-m)	62.0	69.0*	76.0	32.0	1962	52.8	39	62.9	39	72.9	39	91.0	1978	0.79	..	..	..
09/22 (266-t)	37.0	53.0*	69.0	37.0	1953	50.8	39	62.1	39	73.3	39	91.0	1970	0.00	..	..	..
09/23 (267-w)	31.0	44.0*	57.0	31.0	1974	48.6	39	60.3	39	72.0	39	90.0	1980	0.00	..	..	..
09/24 (268-t)	36.0	51.0*	66.0	34.0	1989	47.4	39	59.4	39	71.4	39	87.0	1968	0.00	..	..	..
09/25 (269-f)	39.0	54.5*	70.0	36.0	1967	49.8	39	60.7	39	71.6	39	89.0	1959	0.00	..	..	..
09/26 (270-s)	49.0	63.0*	77.0	30.0	1991	48.7	39	60.3	39	71.8	39	89.0	1986	0.05	..	..	..
09/27 (271-s)	40.0	55.0*	70.0	27.0	1991	48.7	39	60.2	39	71.6	39	84.0	1973	0.00	..	..	..
09/28 (272-m)	34.0	53.0*	72.0	34.0	1957	46.8	39	58.8	39	70.8	39	89.0	1954	0.00	..	..	..
09/29 (273-t)	33.0	45.0*	57.0	33.0	1992	46.3	39	58.1	39	69.8	39	97.0	1953	0.00	..	..	..
09/30 (274-w)	34.0	46.5*	59.0	34.0	1992	46.6	39	58.3	39	70.1	39	89.0	1986	0.00	..	..	..

Column Min's:	31.0	44.0	57.0	27.0	46.3	58.1	69.8	0.00	0.05
Column Avg's:	48.2	60.8	73.4	52.6	64.1	75.5	75.5	0.20	0.11
Column Max's:	67.0	75.5	85.0	58.0	69.7	81.5	105.0	1.81	0.20
Column Ttl's:								5.97	3.15

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min	year avg	max	prec	liq	evap	hum %	Long Term avg pr yrs	Ly	max Ly/m	Long-Term avg yrs		
10/01 (275-t)	34.0	46.5*	59.0	34.0	1992	46.6	39	58.7	39	70.7	39	85.0	1982	0.00	0.04	42
10/02 (276-f)	42.0	56.0*	70.0	29.0	1974	45.4	39	57.9	39	70.4	39	89.0	1954	0.00	0.04	43
10/03 (277-s)	47.0	60.5*	74.0	30.0	1974	45.8	39	57.7	39	69.6	39	93.0	1953	0.00	0.09	43
10/04 (278-s)	50.0	64.0*	78.0	30.0	1989	45.5	39	57.4	39	69.2	39	86.0	1971	0.00	0.12	42
10/05 (279-m)	42.0	53.0*	64.0	28.0	1965	43.4	39	55.5	39	67.6	39	84.0	1959	0.00	0.05	41
10/06 (280-t)	32.0	45.5*	59.0	31.0	1958	43.9	39	55.3	39	66.8	39	83.0	1982	0.00	0.11	39
10/07 (281-w)	34.0	49.5*	65.0	26.0	1964	43.0	39	53.9	39	64.8	39	88.0	1963	0.00	0.14	40
10/08 (282-t)	36.0	54.0*	72.0	27.0	1989	41.4	39	53.4	39	65.3	39	88.0	1963	0.00	0.09	42
10/09 (283-f)	43.0	55.0*	67.0	30.0	1989	44.4	39	55.8	39	67.2	39	80.0	1970	0.59	0.15	38
10/10 (284-s)	46.0	51.5*	57.0	32.0	1956	42.5	39	53.6	39	64.6	39	79.0	1961	0.00	0.11	39
10/11 (285-s)	40.0	51.0*	62.0	21.0	1964	42.0	39	53.2	39	64.5	39	83.0	1961	0.17	0.07	42
10/12 (286-m)	39.0	46.5*	54.0	24.0	1988	41.7	39	52.9	39	64.1	39	84.0	1962	0.04	0.06	42
10/13 (287-t)	34.0	48.5*	63.0	26.0	1988	41.5	39	53.6	39	65.6	39	82.0	1956	0.00	0.09	39
10/14 (288-w)	34.0	46.0*	58.0	28.0	1957	41.9	39	55.0	39	68.0	39	86.0	1989	0.28	0.09	38
10/15 (289-t)	48.0	62.5*	77.0	24.0	1991	43.5	39	55.3	39	67.1	39	84.0	1956	0.00	0.07	39
10/16 (290-f)	58.0	61.0*	64.0	29.0	1982	43.3	39	54.8	39	66.3	39	84.0	1956	0.74	0.09	35
10/17 (291-s)	32.0	46.5*	61.0	24.0	1977	42.0	39	52.7	39	63.3	39	83.0	1953	0.04	0.13	37
10/18 (292-s)	30.0	40.5*	51.0	24.0	1977	39.5	39	51.0	39	62.6	39	83.0	1953	0.01	0.10	41
10/19 (293-m)	25.0	36.0*	47.0	25.0	1992	38.8	39	49.4	39	59.9	39	86.0	1953	0.00	0.09	40
10/20 (294-t)	26.0	34.0*	42.0	23.0	1972	37.5	39	48.8	39	60.2	39	83.0	1953	0.00	0.04	39
10/21 (295-w)	30.0	39.0*	48.0	21.0	1974	39.4	39	50.2	39	61.0	39	82.0	1953	0.06	0.10	42
10/22 (296-t)	27.0	39.0*	51.0	22.0	1974	39.7	39	50.7	39	61.8	39	81.0	1979	0.00	0.05	37
10/23 (297-f)	28.0	44.0*	60.0	22.0	1969	41.0	39	52.1	39	63.1	39	81.0	1963	0.00	0.07	38
10/24 (298-s)	46.0	60.5*	75.0	20.0	1969	38.9	39	49.8	39	60.7	39	83.0	1963	0.00	0.12	38
10/25 (299-s)	32.0	46.0*	60.0	22.0	1969	37.3	39	47.8	39	58.4	39	81.0	1963	0.00	0.09	38
10/26 (300-m)	33.0	42.0*	51.0	22.0	1962	38.0	39	47.7	39	57.4	39	82.0	1963	0.00	0.05	39
10/27 (301-t)	31.0	46.5*	62.0	20.0	1962	38.2	39	48.3	39	58.4	39	84.0	1963	0.00	0.06	40
10/28 (302-w)	30.0	45.5*	61.0	21.0	1976	36.4	39	47.7	39	59.0	39	78.0	1984	0.00	0.03	39
10/29 (303-t)	38.0	49.0*	60.0	22.0	1965	37.1	39	47.7	39	58.2	39	75.0	1989	0.02	0.03	42
10/30 (304-f)	38.0	44.5*	51.0	18.0	1988	36.5	39	46.7	39	56.8	39	77.0	1956	0.00	0.04	39
10/31 (305-s)	34.0	40.5*	47.0	26.0	1968	38.9	39	48.5	39	58.0	39	77.0	1956	0.00	0.09	39

Column Min's:	25.0	34.0	42.0	18.0	36.4	46.7	56.8
Column Avg's:	36.7	48.5	60.3	41.1	52.4	63.6	70.7
Column Max's:	58.0	64.0	78.0	46.6	58.7	70.7	93.0
Column Ttl's:							1.95

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]