

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	avg	min	max	prec	evap	ly	max															
mo da jul	CurrentLong TermLong TermLong Term	liq	% hum	Long Term	Lng-Trm															
		min year	avgm yrs	avg yrs	prec	evap	avg pr yrs	ly/m															
		max	max yrs	max yrs	max year			avg yrs															
02/01 (032-s)	18.8	26.1	31.1	-2.0	19.8	49	27.9	49	35.9	49	64.5	1989	0.00	--	--	88	0.12	46	220	1.13	160	11	
02/02 (033-s)	15.9	28.5	41.7	-12.0	1951	18.9	49	27.3	49	36.2	49	55.9	1990	0.00	--	--	84	0.13	44	304	0.79	151	11
02/03 (034-m)	26.4	37.7	52.0	-15.7	1985	17.4	49	26.2	49	35.3	49	55.9	1991	0.00	--	--	84	0.06	43	271	0.78	118	11
02/04 (035-t)	29.4	36.9	43.2	-9.0	1985	18.4	49	27.2	49	36.1	49	64.0	1962	0.00	--	--	90	0.09	46	39	0.22	156	11
02/05 (036-w)	22.4	28.0	34.3	-13.0	1979	19.6	49	28.3	49	37.1	49	61.1	1986	0.00	--	--	81	0.08	46	296	0.87	174	11
02/06 (037-t)	22.0	33.0	47.2	-18.0	1977	19.3	49	27.5	49	35.8	49	55.0	1973	0.00	--	--	74	0.10	46	279	0.92	187	11
02/07 (038-f)	26.9	30.7	36.5	-15.0	1977	18.2	49	26.7	49	35.3	49	50.0	1959	0.00	--	--	92	0.06	42	80	0.55	173	11
02/08 (039-s)	20.8	24.6	29.4	-17.0	1977	16.6	48	25.5	48	34.4	48	59.1	1990	0.00	--	--	88	0.05	42	170	0.98	213	11
02/09 (040-s)	10.0	19.7	28.6	-16.0	1977	16.8	49	26.3	49	35.5	49	62.0	1957	0.00	--	--	76	0.08	46	292	1.12	204	11
02/10 (041-m)	16.4	29.0	43.6	-14.8	1982	18.3	49	27.2	49	36.2	49	63.0	1965	0.00	--	--	71	0.11	43	294	0.90	231	11
02/11 (042-t)	22.4	34.6	39.9	-9.0	1978	19.2	49	28.7	49	38.3	49	60.0	1976	0.00	--	--	81	0.09	45	49	0.26	189	11
02/12 (043-w)	14.5	21.8	26.3	-5.0	1981	19.1	48	27.6	48	36.1	48	66.5	1984	0.00	--	--	70	0.06	41	204	0.84	245	11
02/13 (044-t)	24.9	32.1	37.1	-4.0	1981	21.5	49	29.9	49	38.3	49	65.0	1990	0.25	--	--	99	0.20	44	37	0.19	194	11
02/14 (045-f)	31.2	33.3	35.4	-3.0	1971	22.6	49	31.4	49	40.7	49	66.0	1950	0.03	--	--	97	0.09	45	51	0.21	183	11
02/15 (046-s)	35.4	46.5	59.6	-8.0	1978	21.8	49	31.2	49	40.8	49	68.0	1945	0.15	--	--	95	0.12	45	86	0.82	212	11
02/16 (047-s)	32.6	35.0	38.5	-6.0	1978	22.4	49	31.5	49	40.5	49	66.0	1954	0.00	--	--	94	0.05	47	72	0.36	208	11
02/17 (048-m)	32.0	37.8	45.1	-7.0	1979	23.6	49	31.3	49	39.1	49	63.0	1976	0.00	--	--	90	0.06	45	187	0.86	155	11
02/18 (049-t)	39.5	47.5	60.5	-6.0	1979	23.8	48	33.7	47	43.6	47	66.0	1948	0.18	--	--	91	0.06	48	172	1.16	212	11
02/19 (050-w)	33.5	39.5	44.8	-9.0	1978	25.4	48	34.8	48	44.0	49	64.0	1948	0.03	--	--	95	0.05	42	42	0.22	192	11
02/20 (051-t)	32.6	34.6	37.9	-7.0	1978	23.5	49	32.3	49	41.8	49	64.0	1954	0.00	--	--	94	0.06	44	76	0.41	213	11
02/21 (052-f)	32.8	39.8	47.9	-3.0	1978	22.6	48	32.1	48	42.0	49	69.7	1983	0.00	--	--	82	0.12	46	308	0.96	231	11
02/22 (053-s)	38.0	49.1	64.2	-7.0	1963	25.5	49	34.6	49	44.1	49	68.0	1983	0.00	--	--	66	0.13	46	307	0.96	223	11
02/23 (054-s)	37.1	45.1	55.3	-1.0	1978	25.4	49	34.4	49	43.9	49	65.8	1984	0.05	--	--	79	0.09	39	159	0.75	245	11
02/24 (055-m)	32.7	37.2	42.0	-2.0	1967	25.5	48	34.5	48	43.6	48	70.0	1961	0.00	--	--	97	0.10	43	118	0.39	217	11
02/25 (056-t)	33.4	38.6	43.4	-3.0	1967	25.0	49	33.4	49	41.9	49	70.0	1957	0.00	--	--	96	0.10	46	49	0.25	268	11
02/26 (057-w)	29.8	32.9	38.3	-4.0	1963	24.3	49	33.5	49	42.9	49	71.0	1944	0.00	--	--	87	0.14	45	110	0.83	266	11
02/27 (058-t)	32.4	41.7	53.4	-2.0	1963	24.2	49	33.0	49	42.4	49	65.0	1955	0.00	--	--	78	0.10	42	313	1.16	232	11
02/28 (059-f)	30.5	42.0	57.7	-0.9	1986	25.1	49	34.4	49	43.9	49	65.0	1955	0.01	--	--	86	0.07	46	170	1.04	300	11
02/29 (060-s)	21.1	27.7	35.8	4.0	1980	22.9	13	32.6	13	43.4	13	65.0	1972	0.00	--	--	70	0.02	11	400	1.24	376	3
Column Min's:	10.0	19.7	26.3	-18.0		16.6	25.5	34.4		34.4				0.00			66	0.02		37	0.19	118	
Column Avg's:	27.4	34.9	43.1			21.6	30.5	39.6		39.6		71.0		0.02			85	0.09		178	0.73	211	
Column Max's:	39.5	49.1	64.2			25.5	34.8	44.1		44.1				0.25			99	0.20		400	1.24	376	
Column Ttl's:														0.70				2.59		5155		6128	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		Long Term		SOLAR RADIATION										
	min	avg	max	min	year	avgmn	max	avg	max	prec	evap	hum	avg	max									
mo da jul									
11/01 (306-s)	45.1	47.3	53.8	21.0	1976	42.6	49	52.8	49	63.4	49	80.0	1950	0.23	88	0.12	48	42	0.25	201	11
11/02 (307-m)	49.9	56.6	63.1	21.0	1954	41.7	48	50.8	48	60.2	49	79.4	1987	0.34	83	0.15	44	74	0.62	175	10
11/03 (308-t)	40.5	53.4	66.6	16.3	1991	38.0	46	48.1	46	58.1	47	78.0	1987	0.00	65	0.07	47	289	0.81	202	10
11/04 (309-w)	35.3	44.2	57.2	15.6	1991	37.7	49	46.4	47	55.6	47	78.2	1987	0.23	76	0.17	45	84	0.35	145	11
11/05 (310-t)	32.5	34.5	37.0	10.9	1991	36.0	49	44.8	49	53.2	50	75.0	1959	0.28	89	0.14	44	21	0.13	134	11
11/06 (311-f)	31.1	34.4	39.8	21.9	1982	34.4	49	43.7	49	53.0	50	75.0	1977	0.00	76	0.08	43	103	0.72	168	11
11/07 (312-s)	29.6	34.5	44.1	15.2	1991	34.3	50	44.0	50	54.0	50	77.0	1975	0.00	69	0.09	46	215	1.06	140	11
11/08 (313-s)	29.3	36.9	46.5	9.9	1991	34.4	50	44.8	50	54.9	50	92.5	1985	0.00	74	0.09	44	272	1.01	192	10
11/09 (314-m)	30.2	41.2	48.9	14.5	1991	34.9	50	43.8	50	52.7	50	72.0	1975	0.00	68	0.11	46	86	0.35	154	11
11/10 (315-t)	46.2	47.9	51.2	17.6	1991	34.7	50	43.7	50	52.7	50	75.0	1975	0.17	77	0.22	50	53	0.24	116	11
11/11 (316-w)	51.3	53.5	55.1	12.9	1982	32.8	50	42.1	50	51.6	50	72.0	1949	0.39	91	0.06	47	36	0.25	142	10
11/12 (317-t)	36.7	52.3	61.5	17.0	1980	33.7	50	42.8	50	51.7	50	74.0	1945	1.17	94	0.07	45	26	0.14	161	11
11/13 (318-f)	26.4	33.0	41.8	11.8	1986	33.5	50	42.4	50	51.8	50	73.0	1955	0.01	71	0.06	48	170	0.92	184	11
11/14 (319-s)	23.5	28.0	34.9	10.8	1986	33.8	49	43.9	49	54.2	49	71.0	1955	0.05	81	0.10	50	122	0.71	181	11
11/15 (320-s)	22.5	28.4	36.7	17.0	1969	35.6	50	44.5	50	53.5	50	73.0	1964	0.00	74	0.13	44	181	0.97	129	11
11/16 (321-m)	20.3	31.8	41.7	13.0	1976	35.3	50	44.4	50	53.6	50	72.0	1971	0.00	72	0.20	48	187	0.89	129	11
11/17 (322-t)	38.2	48.5	54.6	10.0	1959	32.5	50	41.8	50	51.0	50	77.0	1958	0.00	68	0.06	45	57	0.33	168	11
11/18 (323-w)	40.0	41.8	47.9	11.0	1959	32.7	50	41.7	50	50.8	50	74.0	1958	0.06	94	0.07	46	28	0.14	112	11
11/19 (324-t)	37.0	41.6	47.8	13.0	1980	33.9	50	42.3	50	50.8	50	74.0	1953	0.00	82	0.12	46	150	0.81	124	11
11/20 (325-f)	38.8	48.9	62.7	14.0	1980	32.9	50	41.5	50	50.4	50	70.0	1953	0.00	74	0.19	46	237	0.71	127	11
11/21 (326-s)	48.4	54.1	59.4	12.0	1987	31.9	49	40.3	49	48.8	49	66.2	1990	0.58	92	0.10	46	55	0.28	142	11
11/22 (327-s)	49.7	57.3	64.6	11.0	1964	31.5	50	39.1	50	46.8	50	69.0	1979	0.58	91	0.08	38	53	0.43	118	11
11/23 (328-m)	41.8	44.2	49.5	11.0	1971	30.8	48	38.9	48	47.0	49	65.0	1963	0.01	86	0.12	43	37	0.25	132	11
11/24 (329-t)	41.0	43.3	46.0	4.0	1950	28.7	49	37.4	49	46.2	49	65.0	1974	0.28	93	0.09	50	52	0.24	126	11
11/25 (330-w)	42.3	47.0	52.3	5.0	1950	28.9	47	36.6	47	44.7	47	65.2	1987	0.00	97	0.11	47	55	0.28	143	11
11/26 (331-t)	33.1	38.8	49.9	9.7	1991	30.2	46	39.0	46	48.1	47	67.5	1990	0.00	82	0.18	47	41	0.28	117	11
11/27 (332-f)	30.7	32.1	34.2	9.0	1977	31.4	47	38.9	47	46.9	48	72.1	1990	0.00	82	0.14	47	39	0.23	79	11
11/28 (333-s)	30.2	31.7	33.1	7.0	1955	30.7	49	37.9	49	45.6	49	65.8	1990	0.00	88	0.15	46	23	0.08	66	11
11/29 (334-s)	27.4	30.2	36.9	9.0	1976	26.7	50	33.8	49	41.3	49	66.1	1991	0.00	77	0.06	45	158	0.87	128	11
11/30 (335-m)	26.9	31.1	34.6	-0.0	1958	25.8	49	33.3	49	40.7	49	66.0	1962	0.01	91	0.05	47	53	0.32	114	11

Column Min's:	20.3	28.0	33.1	0.0	25.8	33.3	40.7	33.3	33.3	40.7	65	0.05	0.00	0.00	21	0.08	66
Column Avg's:	35.9	41.6	48.4	33.4	42.2	51.1	51.1	52.8	52.8	63.4	92.5	0.15	0.15	0.11	100	0.49	142
Column Max's:	51.3	57.3	66.6	42.6	52.8	63.4	63.4	63.4	63.4	92.5	97	1.17	1.17	0.22	289	1.06	202
Column Ttl's:											4.39	3.38	3.38	2999	2999	4.249	4249

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
mo	da	min	avg	max	min	year	avg	yr	max	yr	ly													
		Current		Long Term		Long Term		Long Term		Long Term														
		min	avg	max	min	yr	avg	yr	max	yr	ly													
12/01	(336-t)	25.3	30.8	33.8	5.0	1976	25.4	50	33.8	50	42.4	50	67.0	1962	0.00	--	--	86	0.09	44	103	0.86	105	11
12/02	(337-w)	30.3	33.2	37.4	8.0	1966	27.6	49	35.4	49	43.3	49	71.1	1982	0.02	--	--	89	0.08	44	56	0.42	92	10
12/03	(338-t)	27.4	29.8	33.1	-1.0	1976	27.5	49	36.1	49	44.9	50	73.6	1982	0.00	--	--	76	0.13	43	92	0.60	97	10
12/04	(339-f)	24.2	34.1	42.0	6.0	1976	27.8	50	35.9	50	44.3	50	65.2	1982	0.00	--	--	75	0.09	44	43	0.19	116	11
12/05	(340-s)	14.8	21.2	27.6	6.0	1974	27.8	50	35.4	50	43.3	50	65.0	1960	0.00	--	--	70	0.08	46	155	0.83	115	10
12/06	(341-s)	14.2	22.7	28.3	2.7	1984	27.5	50	36.0	50	44.3	50	69.0	1956	0.00	--	--	72	0.09	42	75	0.31	127	11
12/07	(342-m)	26.0	29.0	33.4	-3.0	1977	27.6	50	35.1	50	42.8	50	66.0	1951	0.00	--	--	79	0.15	43	78	0.43	145	11
12/08	(343-t)	25.1	26.3	29.6	1.0	1977	28.7	50	35.5	50	43.0	50	68.0	1966	0.00	--	--	75	0.08	44	45	0.28	130	11
12/09	(344-w)	24.8	29.0	33.3	-2.0	1958	25.5	50	33.3	50	41.2	50	65.0	1952	0.13	--	--	68	0.13	45	147	0.59	144	11
12/10	(345-t)	31.5	33.1	35.5	-6.0	1958	24.8	50	31.5	50	38.3	50	60.0	1946	0.25	--	--	97	0.13	45	26	0.14	94	11
12/11	(346-f)	31.6	33.0	34.3	-8.0	1977	23.8	50	31.1	50	38.3	50	68.0	1971	0.02	--	--	92	0.12	44	27	0.14	95	11
12/12	(347-s)	32.3	33.7	36.2	-2.0	1962	26.1	50	32.9	50	39.8	50	63.0	1949	0.00	--	--	90	0.12	44	43	0.23	119	11
12/13	(348-s)	24.6	31.1	34.7	-4.0	1960	24.0	50	31.4	50	38.8	50	58.8	1984	0.00	--	--	90	0.07	44	52	0.24	100	11
12/14	(349-m)	25.1	30.3	33.4	2.0	1963	23.4	50	30.3	50	37.1	50	61.5	1984	0.00	--	--	97	0.10	42	34	0.13	127	11
12/15	(350-t)	29.3	39.7	52.0	-6.5	1989	21.5	50	29.8	50	38.0	50	63.0	1948	0.00	--	--	85	0.14	44	107	0.86	107	11
12/16	(351-w)	32.4	44.9	54.1	-11.0	1951	21.0	49	29.1	49	37.1	49	63.0	1948	0.00	--	--	81	0.06	45	147	0.67	100	11
12/17	(352-t)	30.2	35.7	46.1	-14.4	1989	20.8	50	28.9	50	37.6	50	65.1	1984	0.00	--	--	86	0.06	42	95	0.68	117	11
12/18	(353-f)	27.2	31.3	37.0	-6.0	1989	20.1	50	27.9	50	35.9	50	62.0	1967	0.00	--	--	82	0.11	46	115	0.72	115	11
12/19	(354-s)	29.8	42.2	49.1	-6.0	1963	21.6	49	28.8	49	36.1	49	57.0	1957	0.18	--	--	78	0.06	44	97	0.61	110	11
12/20	(355-s)	18.3	30.5	45.1	-7.0	1963	22.4	50	29.9	50	37.5	50	62.0	1949	0.06	--	--	81	0.10	43	158	0.64	118	11
12/21	(356-m)	17.0	28.2	37.4	-16.2	1989	22.1	48	29.8	48	37.8	49	66.0	1967	0.00	--	--	84	0.12	44	123	0.81	114	11
12/22	(357-t)	29.2	36.1	45.4	-23.1	1989	20.3	49	28.8	48	37.2	49	60.0	1949	0.00	--	--	80	0.06	43	198	0.70	116	11
12/23	(358-w)	27.6	39.7	46.7	-11.0	1989	22.8	49	30.3	48	37.8	48	60.0	1957	0.00	--	--	76	0.08	46	178	0.80	117	10
12/24	(359-t)	15.2	19.0	27.6	-14.3	1983	22.7	48	30.6	48	38.5	48	62.0	1964	0.00	--	--	65	0.09	43	169	0.81	122	11
12/25	(360-f)	16.8	24.6	32.3	-13.0	1983	20.8	49	29.0	49	37.4	49	62.6	1982	0.00	--	--	67	0.12	45	33	0.15	123	11
12/26	(361-s)	10.8	18.1	27.6	-6.0	1983	21.4	49	29.0	48	36.2	48	54.0	1971	0.00	--	--	58	0.07	41	214	0.65	122	11
12/27	(362-s)	15.0	27.6	40.9	-2.0	1950	22.5	49	30.8	49	38.6	49	67.0	1959	0.00	--	--	59	0.09	43	210	0.66	103	11
12/28	(363-m)	34.7	38.2	43.0	3.0	1950	22.3	49	30.4	48	38.3	48	64.9	1984	0.00	--	--	79	0.12	43	71	0.25	93	11
12/29	(364-t)	38.0	42.7	47.4	-4.2	1983	22.4	48	29.7	47	36.6	48	61.9	1984	0.12	--	--	99	0.09	46	26	0.14	94	11
12/30	(365-w)	47.1	53.8	58.4	-7.8	1983	23.6	46	31.3	46	39.6	47	61.0	1964	0.02	--	--	97	0.14	41	34	0.16	106	11
12/31	(366-t)	28.9	45.6	58.2	-10.0	1976	23.5	45	31.4	45	39.1	45	67.0	1951	0.26	--	--	93	0.08	44	30	0.24	86	10

Column Min's:	10.8	18.1	27.6	-23.1	20.1	27.9	35.9	0.00	58	0.06	26	0.13	86
Column Avg's:	26.0	32.7	39.4	23.8	31.6	39.4	39.4	0.03	81	0.10	96	0.48	112
Column Max's:	47.1	53.8	58.4	28.7	36.1	44.9	44.9	1.06	99	0.15	214	0.86	145
Column Ttl's:							73.6	1.06	2981	3.05	2981	3469	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
	min	max	min	year avg	Long Term	avg yrs	avg	max	prec	snow	evap	hum %	ly	ly/m	max	Long-Term					
mo da jul	Current	Current	year	avg	avg	avg	avg	avg	prec	snow	evap	hum %	ly	ly/m	avg	avg					
03/01 (061-s)	25.8	43.6	3.9	1986	25.0	48	35.1	48	45.3	48	71.0	1976	0.00	--	63	0.07	45	404	1.02	308	11
03/02 (062-m)	38.0	54.8	-4.0	1978	25.6	49	36.1	49	46.8	49	73.4	1992	0.00	--	64	0.07	44	373	1.07	276	11
03/03 (063-t)	36.1	50.7	-3.0	1980	27.4	49	37.1	49	47.4	49	72.0	1976	0.00	--	80	0.08	41	363	0.97	276	11
03/04 (064-w)	39.4	56.2	4.0	1978	29.5	49	39.0	49	48.7	49	77.3	1983	0.00	--	73	0.28	43	381	0.98	241	11
03/05 (065-t)	50.8	60.9	-6.0	1978	28.7	49	38.9	49	49.3	49	78.0	1976	0.00	--	72	0.20	44	214	0.79	228	11
03/06 (066-f)	53.1	57.8	-2.0	1978	28.1	49	36.9	48	46.0	48	70.0	1946	0.61	--	91	0.17	48	138	0.93	199	11
03/07 (067-s)	50.8	54.7	9.1	1986	28.1	49	36.7	49	45.9	49	75.2	1983	0.31	--	93	0.08	44	215	1.39	319	11
03/08 (068-s)	43.7	50.7	1.9	1984	26.0	49	36.4	49	46.8	49	73.0	1974	0.00	--	93	0.08	41	119	0.68	283	11
03/09 (069-m)	41.6	53.8	-13.0	1984	26.1	48	36.3	48	47.0	48	78.0	1974	0.00	--	83	0.11	47	172	0.78	270	11
03/10 (070-t)	18.3	40.3	-1.5	1984	27.4	49	37.1	49	46.8	49	72.0	1974	0.35	--	93	0.12	45	52	0.25	274	10
03/11 (071-w)	15.0	20.4	8.4	1984	28.7	49	37.9	49	47.5	49	76.1	1990	0.01	--	83	0.11	42	261	1.13	267	11
03/12 (072-t)	18.3	23.6	4.0	1948	29.2	49	38.6	49	48.3	49	74.0	1973	0.00	--	76	0.12	41	418	1.29	273	11
03/13 (073-f)	14.6	23.3	6.0	1960	30.3	48	40.2	48	50.3	48	77.8	1990	0.00	--	76	0.13	46	296	1.28	269	10
03/14 (074-s)	19.7	27.3	14.0	1981	30.6	49	40.5	48	50.9	48	77.7	1990	0.01	--	91	0.09	44	172	1.03	282	11
03/15 (075-s)	14.8	24.0	8.0	1970	30.6	49	39.8	48	49.4	48	76.6	1990	0.00	--	78	0.07	43	390	1.36	287	11
03/16 (076-m)	12.6	28.7	9.0	1970	29.8	49	39.7	48	49.9	48	82.0	1945	0.00	--	68	0.08	44	504	1.17	311	11
03/17 (077-t)	34.3	44.3	13.0	1967	29.2	49	39.2	49	49.3	49	73.0	1945	0.06	--	77	0.10	44	162	0.97	290	11
03/18 (078-w)	31.6	33.6	12.0	1964	28.7	49	38.1	49	48.1	49	73.0	1945	0.91	--	94	0.11	47	30	0.11	192	11
03/19 (079-t)	25.0	31.7	13.0	1965	30.2	49	39.9	49	49.9	49	75.0	1968	0.00	--	91	0.15	46	304	1.58	269	11
03/20 (080-f)	23.2	33.1	16.0	1965	30.9	49	40.4	49	50.0	49	78.0	1948	0.05	--	85	0.11	44	325	1.16	286	11
03/21 (081-s)	20.8	33.4	14.2	1986	31.5	49	40.6	49	49.9	49	80.0	1948	0.00	--	78	0.14	42	470	1.37	381	11
03/22 (082-s)	26.0	34.7	15.0	1959	31.2	49	41.2	49	51.5	49	74.0	1966	0.06	--	92	0.18	44	60	0.40	264	11
03/23 (083-m)	18.9	30.7	17.0	1960	32.3	49	42.6	49	53.1	49	73.7	1988	0.00	--	77	0.08	47	455	1.26	360	11
03/24 (084-t)	24.3	39.3	6.0	1974	32.1	49	42.8	49	54.1	49	74.9	1988	0.00	--	73	0.08	45	446	1.18	349	11
03/25 (085-w)	35.3	40.4	1.0	1974	32.0	49	42.9	49	54.0	49	83.0	1945	0.18	--	86	0.09	45	84	0.39	314	11
03/26 (086-t)	36.8	44.7	6.0	1974	33.1	49	42.9	49	53.1	49	78.0	1950	0.11	--	90	0.14	43	251	1.44	326	11
03/27 (087-f)	30.2	35.2	12.0	1955	33.5	49	44.1	48	55.1	48	81.0	1945	0.03	--	91	0.09	42	119	0.82	294	11
03/28 (088-s)	26.9	37.3	16.0	1955	33.9	48	44.5	48	55.2	48	81.0	1945	0.00	--	70	0.08	44	537	1.24	355	11
03/29 (089-s)	32.6	35.7	22.0	1964	36.8	48	47.6	48	58.5	48	79.0	1963	0.13	--	72	0.17	48	88	0.48	234	11
03/30 (090-m)	35.8	37.1	16.0	1964	35.8	48	45.0	48	54.9	48	81.7	1986	0.34	--	96	0.12	45	68	0.24	271	11
03/31 (091-t)	29.9	42.2	17.0	1969	34.2	46	44.9	46	56.1	46	81.9	1986	0.00	--	78	0.09	43	535	1.28	338	11
Column Min's:	12.6	20.4	-13.0		25.0		35.1		45.3				0.00		63	0.07		30	0.11	192	
Column Avg's:	29.8	39.5			30.2		40.1		50.3				0.10		82	0.12		271	0.97	287	
Column Max's:	53.1	60.9			36.8		47.6		58.5		83.0		0.91		96	0.28		537	1.58	381	
Column Ttl's:													3.16			3.59		8406		8886	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min	max	precip	evap	ly	max												
mo da jul	Current	avg	Year	Year	liq	Year	Year	ly/m	Long-Term											
			avgm	avgm	precip	avgm	avgm		avg yrs											
			Yrs	Yrs	Yrs	Yrs	Yrs		Yrs											
04/01 (092-w)	24.2	33.5	44.5	18.0	1964	36.9	47	47.2	47	57.7	48	79.0	1963	0.02	0.08	45	181	1.61	336	11
04/02 (093-t)	22.5	28.0	35.6	21.0	1961	36.4	47	47.0	46	57.7	46	82.0	1963	0.00	0.22	44	285	1.56	329	11
04/03 (094-f)	19.9	33.0	45.2	19.0	1972	35.9	47	46.0	47	56.0	47	77.0	1956	0.00	0.17	47	416	1.38	253	11
04/04 (095-s)	31.8	35.7	46.5	22.0	1964	36.2	49	46.9	49	58.0	49	81.7	1986	0.00	0.23	44	204	1.56	308	11
04/05 (096-s)	22.3	38.3	53.9	17.0	1970	36.1	47	46.4	47	56.9	47	81.4	1988	0.00	0.20	46	521	1.51	286	11
04/06 (097-m)	31.6	44.7	56.2	18.6	1982	37.0	47	46.1	47	55.7	47	76.8	1991	0.00	0.13	42	340	0.83	284	11
04/07 (098-t)	44.5	55.9	68.9	15.5	1982	35.3	47	47.0	47	59.1	47	83.0	1954	0.00	0.13	42	507	1.26	388	11
04/08 (099-w)	37.8	52.3	67.0	16.0	1972	36.0	47	46.9	47	58.0	47	79.0	1969	0.00	0.11	48	503	1.34	367	11
04/09 (100-t)	45.2	56.7	70.6	17.0	1972	35.2	49	46.3	49	57.8	49	81.0	1953	0.34	0.10	47	447	1.32	339	11
04/10 (101-f)	46.7	54.7	66.2	22.3	1989	34.0	48	45.7	48	57.4	48	82.0	1945	0.07	0.13	45	196	1.51	384	11
04/11 (102-s)	53.7	64.2	76.5	23.3	1989	36.6	47	47.8	47	59.8	48	84.0	1945	0.00	0.10	47	407	1.30	444	11
04/12 (103-s)	36.0	44.6	55.1	18.0	1976	37.6	47	48.8	47	59.8	47	80.0	1977	0.03	0.15	45	513	1.45	445	11
04/13 (104-m)	33.2	40.9	49.9	20.0	1950	39.4	48	50.4	47	61.2	47	81.0	1960	0.00	0.56	45	423	1.55	401	11
04/14 (105-t)	38.5	42.1	44.3	21.0	1950	39.7	47	51.6	47	63.6	47	80.0	1977	0.10	0.14	45	94	0.39	320	11
04/15 (106-w)	39.8	51.0	62.6	25.0	1957	39.7	47	50.6	47	61.5	47	80.0	1954	0.00	0.11	44	324	1.24	331	11
04/16 (107-t)	49.3	63.9	79.2	23.9	1988	38.7	47	50.7	47	62.7	47	82.0	1967	0.50	0.08	46	458	1.52	410	11
04/17 (108-f)	50.3	57.5	62.6	25.0	1962	40.0	48	51.2	48	62.5	49	83.0	1964	0.30	0.10	47	160	1.50	338	11
04/18 (109-s)	50.3	57.5	65.2	22.0	1990	40.8	48	52.7	48	64.7	48	85.0	1958	0.72	0.11	47	109	0.54	410	11
04/19 (110-s)	56.9	66.8	76.9	20.8	1983	42.2	49	54.2	49	66.5	49	85.0	1977	0.00	0.12	47	389	1.33	395	11
04/20 (111-m)	60.1	67.7	81.1	22.7	1983	43.4	49	54.8	49	66.1	49	90.0	1976	0.15	0.15	47	432	1.62	364	11
04/21 (112-t)	52.3	62.3	69.8	26.9	1983	44.3	49	55.9	49	67.4	49	93.0	1976	0.39	0.08	44	236	1.26	368	11
04/22 (113-w)	41.1	49.7	58.1	25.2	1986	44.3	49	55.8	49	67.5	49	87.2	1985	0.00	0.17	47	214	1.60	372	11
04/23 (114-t)	40.6	61.0	78.5	23.5	1986	44.5	49	56.1	49	67.9	49	88.0	1960	0.00	0.20	44	554	1.49	454	11
04/24 (115-f)	47.0	58.0	67.6	29.6	1983	44.3	49	55.0	49	65.6	49	89.0	1960	0.01	0.21	43	353	1.79	391	10
04/25 (116-s)	39.4	42.9	48.2	23.6	1983	43.5	49	55.8	49	68.1	49	87.0	1990	0.02	0.13	45	178	0.82	493	11
04/26 (117-s)	38.0	43.1	51.5	26.0	1972	44.0	49	55.7	49	67.4	49	88.0	1948	0.00	0.08	46	127	0.71	467	11
04/27 (118-m)	40.9	45.4	54.0	29.0	1972	44.3	48	55.6	48	67.2	48	88.4	1986	0.00	0.11	48	288	1.55	405	11
04/28 (119-t)	32.7	46.2	59.0	28.0	1976	42.8	48	54.5	48	66.3	48	83.0	1951	0.01	0.13	46	645	1.44	403	11
04/29 (120-w)	37.1	49.3	60.0	24.0	1977	43.5	49	55.2	49	66.8	49	84.0	1951	0.00	0.11	44	311	1.68	438	11
04/30 (121-t)	45.5	53.8	64.9	27.0	1977	45.6	49	57.3	49	69.1	49	88.0	1962	0.01	0.12	44	440	1.71	492	11
Column Min's:	19.9	28.0	35.6	15.5		34.0		45.7		55.7		93.0		0.00	0.08		94	0.39	253	
Column Avg's:	40.3	50.0	60.7			39.9		51.2		62.5				0.09	0.13		342	1.35	381	
Column Max's:	60.1	67.7	81.1			45.6		57.3		69.1				0.72	0.23		645	1.79	493	
Column Totals:														2.67	4.03		10255		11415	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION											
	min	avg	max	min year	avgm yrs	Long Term avg yrs	avgmx yrs	max year	prec	snow	evap	hum %	ly	max LY/m	Lng-Trm avg yrs							
05/01 (122-f)	44.3	62.6	81.8	29.0	1963	45.6	49	57.5	49	69.4	49	88.0	1951	0.00	0.00	70	0.13	45	578	1.37	383	11
05/02 (123-s)	50.9	67.8	82.2	29.0	1978	45.0	48	57.7	48	70.2	48	91.0	1951	0.00	0.00	79	0.11	47	451	1.42	447	10
05/03 (124-s)	40.4	54.3	67.9	28.0	1978	44.1	49	56.6	49	68.9	49	89.0	1959	0.01	0.01	66	0.10	48	643	1.38	411	11
05/04 (125-m)	35.2	46.2	60.1	29.0	1971	44.3	49	56.3	49	68.5	49	91.0	1949	0.00	0.00	77	0.14	45	423	1.67	411	11
05/05 (126-t)	37.3	45.0	52.6	30.0	1973	46.0	48	57.6	48	69.3	48	92.0	1949	0.00	0.00	77	0.08	44	228	0.82	380	11
05/06 (127-w)	38.0	48.8	60.3	32.0	1968	47.0	49	58.9	49	71.0	49	91.0	1949	0.01	0.01	70	0.13	45	493	1.55	435	10
05/07 (128-t)	38.0	52.7	65.4	26.0	1974	46.1	49	57.7	49	69.5	49	84.0	1965	0.02	0.02	57	0.09	45	662	1.38	475	11
05/08 (129-f)	46.7	53.6	64.5	30.0	1947	44.3	49	56.3	49	68.0	49	86.0	1965	0.07	0.07	75	0.16	49	241	1.53	471	11
05/09 (130-s)	47.4	52.8	62.4	29.0	1947	46.5	48	57.3	48	68.4	48	88.0	1963	0.14	0.14	90	0.17	45	258	1.76	446	11
05/10 (131-s)	42.2	59.9	74.9	28.0	1966	46.9	49	58.1	48	69.5	48	86.1	1987	0.12	0.12	76	0.16	42	648	1.37	523	11
05/11 (132-m)	51.2	67.3	80.9	30.0	1945	47.9	49	59.7	49	71.4	49	87.0	1948	0.04	0.04	68	0.13	45	642	1.35	571	11
05/12 (133-t)	56.2	69.8	82.8	34.0	1976	49.3	49	61.0	49	72.5	49	89.2	1982	0.00	0.00	63	0.17	45	557	1.46	446	11
05/13 (134-w)	56.5	65.3	78.4	33.0	1946	49.9	49	61.0	49	72.4	49	90.2	1982	0.00	0.00	82	0.23	48	396	1.60	413	11
05/14 (135-t)	49.7	56.9	71.8	34.0	1973	50.7	48	61.8	48	73.6	48	91.4	1982	0.00	0.00	71	0.12	45	463	1.65	463	11
05/15 (136-f)	52.0	62.4	76.8	34.0	1973	50.6	49	62.7	49	75.0	49	91.1	1982	0.00	0.00	69	0.19	44	482	1.56	423	11
05/16 (137-s)	50.8	68.9	84.0	30.0	1959	50.9	49	62.4	49	74.3	49	93.0	1962	0.00	0.00	62	0.17	47	643	1.37	498	11
05/17 (138-s)	61.8	71.3	86.2	32.0	1973	51.0	49	62.8	49	74.4	49	92.0	1962	0.17	0.17	79	0.18	47	500	1.50	521	11
05/18 (139-m)	52.3	60.8	68.5	31.0	1973	51.2	49	62.5	49	74.2	49	94.0	1962	0.19	0.19	92	0.18	46	144	0.45	391	11
05/19 (140-t)	49.1	63.2	76.2	37.0	1945	52.3	49	63.6	49	75.0	49	93.0	1962	0.04	0.04	86	0.11	46	470	1.56	383	11
05/20 (141-w)	60.8	67.2	77.2	36.0	1981	52.5	49	63.7	49	75.7	49	92.0	1962	0.00	0.00	85	0.15	47	407	1.64	375	11
05/21 (142-t)	58.9	70.3	83.9	35.0	1954	52.2	49	64.0	49	76.1	49	91.0	1977	0.03	0.03	72	0.09	43	528	1.56	369	11
05/22 (143-f)	57.8	73.1	86.7	39.0	1954	53.4	49	64.7	49	76.5	49	89.0	1975	0.00	0.00	59	0.16	48	655	1.54	441	11
05/23 (144-s)	58.6	69.3	80.7	37.0	1963	52.8	49	64.4	49	76.4	49	87.0	1964	0.17	0.17	82	0.22	46	471	1.48	459	11
05/24 (145-s)	41.8	48.8	63.2	39.0	1963	52.7	47	64.9	47	76.7	48	88.0	1965	0.23	0.23	87	0.20	45	223	2.18	507	10
05/25 (146-m)	37.9	48.0	58.0	36.0	1949	53.4	48	64.6	48	75.9	49	91.0	1953	0.05	0.05	79	0.15	47	356	1.90	392	11
05/26 (147-t)	42.4	50.6	59.4	36.6	1983	52.9	49	64.2	48	75.4	48	90.0	1944	0.01	0.01	79	0.31	45	442	1.77	451	11
05/27 (148-w)	42.0	51.0	62.6	33.7	1983	52.2	49	63.5	49	75.0	49	90.0	1944	0.00	0.00	77	0.20	46	369	1.77	511	11
05/28 (149-t)	37.6	55.0	67.6	36.0	1971	52.7	49	63.6	49	74.2	49	89.8	1987	0.03	0.03	59	0.18	48	609	1.64	425	11
05/29 (150-f)	46.3	53.0	59.8	39.0	1949	53.4	48	64.5	47	75.5	47	91.3	1987	0.02	0.02	85	0.05	47	170	0.97	379	11
05/30 (151-s)	50.8	56.1	66.5	34.8	1984	53.9	48	65.6	47	77.5	48	92.4	1988	0.80	0.80	92	0.07	49	180	1.47	430	11
05/31 (152-s)	48.5	55.1	60.3	36.1	1984	54.8	48	66.8	48	79.1	49	93.8	1988	0.05	0.05	92	0.11	46	148	1.47	505	10
Column Min's:	35.2	45.0	52.6	26.0		44.1		56.3		68.0				0.00	0.00	57	0.05		144	0.45	369	
Column Avg's:	47.9	58.9	71.1	49.9		61.5		73.2		73.2				0.07	0.07	76	0.15		435	1.49	443	
Column Max's:	61.8	73.1	86.7	54.8		66.8		79.1		94.0				0.80	0.80	92	0.31		662	2.18	571	
Column Ttl's:														2.20	2.20		4.64		13480		13735	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION											
	min	avg	max	min	avg	max	prec	evap	hum	ly	max	Lng-Trm									
mo da julCurrent.....		Long Term.....			liq	snow	%	avg	pr	avg	pr	avg	pr	avg	pr	avg	pr		
	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr	yr		
06/01 (153-m)	44.4	59.8	72.9	39.0	1972	55.4	48	67.3	48	79.2	48	95.0	1988	0.00	..	79	0.20	563	1.53	503	11
06/02 (154-t)	49.0	62.7	76.4	42.0	1966	54.0	48	65.7	48	77.6	48	95.0	1951	0.00	..	74	0.21	520	1.51	473	10
06/03 (155-w)	52.4	67.0	78.4	41.0	1977	54.3	49	65.6	49	77.3	49	92.0	1949	0.00	..	71	0.17	599	1.55	484	10
06/04 (156-t)	61.7	63.3	65.8	41.4	1988	53.8	48	78.0	48	78.0	48	92.0	1944	0.26	..	92	0.03	116	0.57	436	11
06/05 (157-f)	60.2	65.5	76.6	37.9	1990	55.4	48	67.9	47	80.3	48	90.0	1944	0.34	..	89	0.08	249	1.59	456	11
06/06 (158-s)	57.5	69.6	80.9	40.0	1945	56.9	48	69.0	47	81.1	48	93.5	1988	0.07	..	82	0.22	556	1.51	515	11
06/07 (159-s)	65.4	68.8	74.9	44.0	1944	57.9	49	69.1	49	80.4	49	93.2	1988	0.17	..	89	0.06	167	0.92	466	11
06/08 (160-m)	58.0	66.9	78.4	39.0	1977	58.2	49	70.1	49	82.2	49	94.0	1952	0.02	..	77	0.10	485	1.51	565	11
06/09 (161-t)	56.1	65.0	75.6	44.0	1975	58.7	48	70.1	48	81.1	49	93.0	1953	0.00	..	72	0.14	700	1.46	561	11
06/10 (162-w)	51.4	64.4	77.3	39.0	1977	57.4	48	69.7	48	81.7	48	93.0	1954	0.00	..	58	0.18	615	1.53	513	11
06/11 (163-t)	54.8	67.0	79.2	34.0	1972	56.4	46	69.2	47	81.4	48	92.0	1946	0.00	..	51	0.07	679	1.57	562	11
06/12 (164-f)	57.2	69.9	83.3	42.0	1980	58.4	47	69.7	47	81.3	47	93.0	1954	0.00	..	66	0.14	694	1.40	420	10
06/13 (165-s)	61.2	72.6	85.7	43.1	1985	59.1	45	70.7	45	82.4	46	95.0	1956	0.00	..	72	0.18	511	1.53	553	10
06/14 (166-s)	58.3	69.7	79.0	43.0	1978	58.9	44	70.3	44	81.9	47	95.4	1988	0.00	..	81	0.18	406	1.50	549	10
06/15 (167-m)	62.2	70.9	81.1	21.7	1986	59.1	47	70.8	47	81.7	48	94.0	1988	0.00	..	74	0.14	499	1.38	457	10
06/16 (168-t)	57.7	72.5	85.4	42.0	1961	59.1	48	70.3	47	81.6	48	96.0	1952	0.00	..	67	0.15	634	1.31	436	11
06/17 (169-w)	66.5	78.3	88.8	42.0	1980	57.6	47	69.2	47	80.8	48	97.0	1957	0.00	..	78	0.09	548	1.60	533	11
06/18 (170-t)	62.1	70.3	81.7	47.0	1986	58.4	47	69.9	46	81.8	48	99.0	1944	0.68	..	86	0.09	477	1.71	547	11
06/19 (171-f)	55.5	66.7	75.5	47.0	1959	59.6	47	71.2	47	82.8	49	92.0	1953	0.45	..	86	0.12	412	1.77	480	10
06/20 (172-s)	50.0	54.9	61.2	42.0	1970	58.8	48	70.3	48	82.1	48	96.0	1953	0.13	..	88	0.16	170	1.03	399	11
06/21 (173-s)	47.2	54.1	63.7	47.0	1980	59.6	49	71.2	49	83.2	49	99.2	1988	0.04	..	77	0.09	591	1.85	564	11
06/22 (174-m)	41.7	57.5	69.3	41.7	1992	59.9	49	71.1	49	82.6	49	97.6	1988	0.00	..	70	0.12	607	1.51	435	11
06/23 (175-t)	54.5	62.5	72.3	46.2	1982	59.5	49	70.8	49	82.1	49	95.0	1948	0.01	..	79	0.16	324	1.75	476	11
06/24 (176-w)	58.6	67.4	79.1	45.8	1982	59.2	49	71.3	49	83.5	49	94.0	1949	0.01	..	83	0.14	437	1.82	585	11
06/25 (177-t)	55.9	69.4	80.7	41.0	1979	59.8	47	71.9	46	83.9	47	103.4	1988	0.00	..	73	0.13	652	1.59	623	11
06/26 (178-f)	57.7	70.9	83.6	45.3	1984	59.8	49	72.6	49	85.2	49	98.0	1952	0.00	..	67	0.19	660	1.60	611	11
06/27 (179-s)	52.1	64.1	77.6	45.0	1981	60.1	46	72.5	46	85.3	47	101.0	1944	0.00	..	73	0.16	676	1.63	560	10
06/28 (180-s)	49.4	67.3	83.3	46.9	1987	61.3	46	73.3	45	85.5	46	103.0	1944	0.00	..	67	0.21	702	1.46	569	10
06/29 (181-m)	54.6	71.0	84.2	49.0	1956	62.2	48	74.0	48	85.8	48	99.0	1952	0.00	..	71	0.15	606	1.50	468	11
06/30 (182-t)	59.3	74.9	87.4	45.2	1988	62.3	48	73.9	48	85.6	48	99.0	1953	0.00	..	74	0.13	524	1.54	499	11
Column Min's:	41.7	54.1	61.2	21.7		53.8		65.6		77.3		103.4		0.00		51	0.03	116	0.57	399	
Column Avg's:	55.8	66.8	78.0			58.4		70.2		82.0				0.07		76	0.14	513	1.49	510	
Column Max's:	66.5	78.3	88.8			62.3		74.0		85.8				0.68		92	0.22	702	1.85	623	
Column Ttl's:														2.18			4.19	15379		15298	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	max	min year	avgm yrs	liq	evap	ly	max											
mo da jul	Current	prec	snow	Ly/m	Lng-Term											
	avg	max	avgm yrs	avgm yrs	avg pr yrs	avg pr yrs	ly/m	avg yrs											
07/01 (183-w)	67.2	76.1	41.1	1988	61.9	48	73.2	48	84.7	48	97.0	1953	0.00	0.00	547	1.57	480	11	
07/02 (184-t)	65.9	76.9	49.0	1943	61.4	50	72.8	50	84.3	50	97.0	1954	0.20	0.10	604	1.53	464	11	
07/03 (185-f)	58.1	70.8	48.0	1945	61.4	50	73.2	50	85.1	50	97.0	1966	0.10	0.18	384	1.68	530	11	
07/04 (186-s)	54.2	68.1	48.0	1968	61.2	49	72.5	49	84.1	49	96.0	1948	0.00	0.18	668	1.57	496	11	
07/05 (187-s)	59.8	69.7	47.0	1979	61.5	49	73.2	49	85.1	49	97.0	1949	0.13	0.12	470	1.55	514	11	
07/06 (188-m)	53.0	65.6	43.0	1972	60.6	49	72.2	49	83.8	49	97.4	1988	0.00	0.12	691	1.66	550	11	
07/07 (189-t)	50.8	65.9	45.9	1983	60.6	47	72.5	47	84.4	47	101.3	1988	0.00	0.11	375	0.97	555	11	
07/08 (190-w)	63.5	74.6	47.5	1984	61.8	48	73.9	48	85.9	49	101.4	1988	0.00	0.05	339	1.53	523	11	
07/09 (191-t)	69.7	78.3	52.0	1953	63.0	49	74.5	49	86.2	49	101.6	1988	0.02	0.13	520	1.56	485	11	
07/10 (192-f)	67.1	76.6	49.0	1963	62.9	49	73.9	48	85.4	48	98.0	1944	0.03	0.09	509	1.66	487	11	
07/11 (193-s)	66.6	74.4	48.0	1945	61.2	49	73.3	49	85.7	49	100.0	1944	0.02	0.17	337	1.77	397	11	
07/12 (194-s)	66.9	76.0	47.0	1974	61.8	48	73.3	48	85.2	48	96.9	1983	0.58	0.15	410	1.53	403	10	
07/13 (195-m)	69.7	78.5	47.0	1974	62.1	48	73.2	48	84.7	48	97.0	1954	0.82	0.12	501	1.65	446	10	
07/14 (196-t)	66.8	77.2	47.0	1950	62.5	48	73.9	48	85.5	49	103.0	1954	0.52	0.17	597	1.55	487	10	
07/15 (197-w)	64.2	70.9	48.3	1987	62.2	49	73.5	49	85.0	49	100.1	1988	0.32	0.15	48	338	2.01	509	11
07/16 (198-t)	58.7	70.3	49.0	1945	62.1	49	74.2	49	86.5	49	99.6	1988	0.18	0.07	463	1.56	567	11	
07/17 (199-f)	63.1	69.8	48.0	1976	62.1	49	73.9	49	85.9	49	94.6	1983	0.99	0.10	281	1.81	551	11	
07/18 (200-s)	62.2	71.3	48.0	1976	63.0	50	74.7	50	86.8	50	97.0	1952	0.00	0.10	623	1.87	535	11	
07/19 (201-s)	58.3	71.3	47.0	1979	63.7	50	75.2	50	86.8	50	97.0	1946	0.00	0.16	604	1.63	495	11	
07/20 (202-m)	63.3	70.2	45.0	1947	63.3	50	74.4	49	85.8	49	98.0	1954	1.16	0.21	350	1.61	421	10	
07/21 (203-t)	62.5	66.3	46.0	1970	63.6	50	74.5	50	86.1	50	97.1	1983	0.12	0.16	184	0.65	460	11	
07/22 (204-w)	58.9	66.3	49.0	1947	63.6	50	74.6	50	85.9	50	100.0	1952	0.05	0.17	274	1.41	437	11	
07/23 (205-t)	66.4	71.3	47.0	1947	62.9	50	74.0	50	85.6	50	97.0	1952	0.13	0.20	276	1.72	509	11	
07/24 (206-f)	63.5	72.6	50.0	1947	63.0	49	74.4	49	86.0	49	99.0	1965	0.06	0.12	493	1.53	539	11	
07/25 (207-s)	58.8	70.4	53.0	1947	62.2	50	74.0	50	86.1	50	95.0	1944	0.00	0.17	471	1.57	471	10	
07/26 (208-s)	69.5	74.1	49.0	1946	62.8	50	74.2	50	86.1	50	99.0	1952	0.78	0.11	234	1.74	434	11	
07/27 (209-m)	59.7	71.5	47.0	1977	62.8	50	74.6	50	86.8	50	100.0	1952	0.10	0.11	419	1.85	515	11	
07/28 (210-t)	52.7	68.2	48.0	1977	63.3	50	74.4	50	85.6	50	100.0	1952	0.00	0.21	653	1.38	527	11	
07/29 (211-w)	59.3	69.0	46.0	1981	62.2	50	73.5	50	85.0	50	97.0	1953	0.31	0.09	433	1.73	557	11	
07/30 (212-t)	61.5	71.1	46.0	1981	62.0	49	73.8	49	85.8	49	99.0	1954	0.33	0.05	409	1.54	492	11	
07/31 (213-f)	51.2	63.4	49.0	1991	61.9	49	73.0	49	84.3	49	97.0	1954	0.17	0.10	133	1.09	411	11	
Column Min's:	50.8	63.4	41.1		60.6		72.2		83.8				0.00	0.05	133	0.65	397		
Column Avg's:	61.7	71.5	62.3		62.3		73.8		85.5				0.23	0.13	438	1.56	492		
Column Max's:	69.7	78.5	63.7		63.7		75.2		86.8		103.0		1.16	0.21	691	2.01	567		
Column Ttl's:													7.12	4.06	13590		15247		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	prec	evap	ly	max										
mo da jul	Current	Long Term	avgm	avgmx	liq	hum	avg	Term										
	min	max	yr	yr	yr	%	pr	avg										
			yr	yr	yr		yr	yr										
09/01 (245-t)	47.1	63.8	78.8	47	70.5	46	82.6	46	101.0	1953	0.00	0.14	47	546	1.40	411	11	
09/02 (246-w)	56.2	66.1	73.8	49	70.7	48	82.8	48	102.0	1953	0.21	0.15	49	180	0.73	371	11	
09/03 (247-t)	64.8	70.3	78.5	48	70.0	47	81.7	47	99.0	1953	0.02	0.13	46	308	1.46	392	10	
09/04 (248-f)	58.0	66.4	76.3	49	70.4	48	82.1	48	95.0	1953	0.00	0.15	46	288	0.86	409	11	
09/05 (249-s)	63.7	71.3	84.8	50	69.9	49	82.3	49	100.0	1954	0.00	0.05	47	404	1.31	408	11	
09/06 (250-s)	62.9	72.2	83.6	50	69.4	49	82.1	49	100.0	1954	0.00	0.10	50	473	1.44	432	11	
09/07 (251-m)	63.3	70.7	83.7	49	68.3	48	80.5	49	96.0	1945	0.09	0.06	48	306	1.49	371	11	
09/08 (252-t)	62.0	70.0	80.3	50	68.0	49	81.5	49	94.0	1959	0.22	0.03	46	299	1.36	426	11	
09/09 (253-w)	60.5	72.2	84.5	49	69.0	49	81.8	49	95.0	1955	0.00	0.07	48	428	1.36	382	11	
09/10 (254-t)	48.9	64.7	76.6	50	68.3	49	80.5	48	97.1	1983	0.02	0.11	48	360	1.66	363	11	
09/11 (255-f)	44.1	55.7	69.9	41.0	1970	54.5	49	78.7	49	95.0	1952	0.00	0.07	46	399	1.59	348	11
09/12 (256-s)	44.1	56.9	68.5	40.0	1970	54.6	50	78.2	50	92.0	1952	0.00	0.22	47	523	1.27	320	11
09/13 (257-s)	47.2	62.2	77.8	50	66.7	50	79.0	50	94.0	1991	0.00	0.08	47	497	1.24	400	11	
09/14 (258-m)	55.9	67.3	81.9	50	65.8	50	78.2	50	90.2	1991	0.00	0.20	45	415	1.28	353	11	
09/15 (259-t)	56.6	70.0	85.8	50	64.9	50	76.9	50	91.4	1991	0.00	0.12	46	458	1.18	351	11	
09/16 (260-w)	56.7	69.1	82.9	49	64.5	49	77.2	49	91.0	1948	0.00	0.04	49	426	1.36	353	11	
09/17 (261-t)	57.7	69.7	82.3	50	64.7	50	76.9	50	93.0	1948	0.00	0.07	46	444	1.19	406	11	
09/18 (262-f)	54.2	67.4	73.2	50	65.3	50	76.9	50	93.0	1955	0.71	0.09	45	125	0.64	290	11	
09/19 (263-s)	45.0	56.4	69.4	37.0	1973	54.0	50	77.0	50	94.0	1955	0.00	0.11	46	491	1.16	336	11
09/20 (264-s)	47.0	60.3	73.3	50	65.1	50	76.7	50	88.0	1978	0.05	0.14	44	418	1.30	376	11	
09/21 (265-m)	63.1	70.2	82.0	48	64.5	48	75.6	49	89.0	1978	0.18	0.16	48	165	1.19	314	11	
09/22 (266-t)	45.8	62.3	70.8	50	63.8	50	75.5	50	90.0	1970	0.16	0.12	48	130	1.14	286	11	
09/23 (267-w)	41.1	49.5	60.8	29.0	1974	49.3	48	72.7	49	90.0	1970	0.00	0.09	48	482	1.28	309	11
09/24 (268-t)	38.7	52.0	67.2	29.0	1974	47.4	50	59.6	50	90.0	1959	0.00	0.06	48	488	1.16	309	11
09/25 (269-f)	42.0	55.4	70.0	35.0	1950	48.4	50	60.6	50	89.0	1970	0.00	0.08	45	477	1.14	392	11
09/26 (270-s)	50.8	62.0	76.2	34.9	1991	48.3	48	73.7	48	89.8	1986	0.06	0.07	47	271	1.33	353	11
09/27 (271-s)	44.3	60.8	71.4	33.8	1991	48.8	50	61.2	50	89.0	1946	0.02	0.13	50	421	1.45	346	10
09/28 (272-m)	39.3	56.0	75.9	35.4	1984	47.7	50	73.1	50	90.0	1959	0.00	0.08	48	424	1.08	346	11
09/29 (273-t)	32.5	45.4	60.3	32.0	1970	48.1	50	60.4	50	100.0	1953	0.00	0.06	48	458	1.10	325	11
09/30 (274-w)	31.3	46.2	63.3	31.3	1992	47.2	49	59.3	49	93.0	1953	0.00	0.10	48	426	1.10	304	11
Column Min's:	31.3	45.4	60.3	29.0	47.2	59.3	72.0	59.3	72.0	102.0	0.00	0.03	48	125	0.64	286		
Column Avg's:	50.8	62.8	75.5	53.4	65.4	77.6	77.6	70.7	77.6		0.06	0.10	48	384	1.24	359		
Column Max's:	64.8	72.2	85.8	59.1	70.7	82.8	82.8				0.71	0.22	48	546	1.66	432		
Column Ttl's:											1.74	3.08	48	11530		10782		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	min	avg	prec	evap	ly	max									
mo da jul	Current	Long Term	year	avgm	yr	yr	yr	ly/m	avg yrs								
10/01 (275-t)	36.0	52.3	70.0	49	59.9	49	72.6	50	88.0	1952	0.00	0.11	48	423	1.04	242	10
10/02 (276-f)	40.9	56.3	73.9	49	60.1	49	73.3	50	90.0	1953	0.00	0.08	48	424	1.05	337	11
10/03 (277-s)	43.8	59.7	77.0	49	58.2	48	70.2	49	91.0	1953	0.00	0.08	49	419	1.04	299	10
10/04 (278-s)	48.4	56.0	64.6	50	58.0	50	70.6	50	91.0	1951	0.00	0.10	47	178	0.74	284	11
10/05 (279-m)	40.8	50.9	63.7	49	57.0	49	68.9	49	89.0	1946	0.00	0.07	47	425	1.05	300	11
10/06 (280-t)	36.5	51.7	71.0	49	57.1	50	69.2	50	88.0	1946	0.00	0.08	48	408	1.01	312	11
10/07 (281-w)	41.7	56.8	75.4	49	56.2	49	69.0	49	87.0	1946	0.00	0.07	46	395	1.06	291	11
10/08 (282-t)	48.4	57.1	67.9	49	55.5	49	67.1	49	87.0	1949	0.60	0.08	47	194	1.31	288	11
10/09 (283-f)	44.8	52.2	60.9	49	55.8	49	67.0	49	86.0	1949	0.00	0.10	47	311	1.22	233	11
10/10 (284-s)	43.5	52.9	67.4	48	55.1	48	66.9	49	85.0	1949	0.03	0.09	48	182	1.16	222	11
10/11 (285-s)	41.1	50.1	58.6	49	55.1	48	66.8	48	84.0	1963	0.01	0.06	49	166	1.22	249	11
10/12 (286-m)	37.1	51.5	64.5	50	55.6	50	67.1	50	83.0	1947	0.00	0.06	48	341	1.29	197	11
10/13 (287-t)	38.2	50.3	64.4	50	55.7	50	68.1	50	83.5	1989	0.02	0.10	48	382	1.05	271	11
10/14 (288-w)	48.7	64.7	81.7	49	56.0	49	68.8	49	83.6	1989	0.00	0.05	48	355	0.99	271	11
10/15 (289-t)	57.0	61.5	70.8	50	55.6	50	69.3	50	84.0	1947	0.67	0.09	49	71	0.87	264	11
10/16 (290-f)	38.0	52.0	60.3	50	55.2	50	67.4	50	85.0	1947	0.29	0.06	47	86	0.83	244	10
10/17 (291-s)	30.1	40.5	52.6	50	54.0	50	65.5	50	85.0	1950	0.00	0.10	49	355	1.03	247	10
10/18 (292-s)	29.3	38.6	50.2	50	52.4	50	64.6	50	83.0	1950	0.02	0.14	49	154	1.14	223	11
10/19 (293-m)	21.9	32.8	44.8	49	50.5	49	62.1	49	86.0	1953	0.00	0.05	49	323	1.32	242	11
10/20 (294-t)	29.6	38.2	47.4	50	49.9	50	61.4	50	86.0	1953	0.00	0.06	47	68	0.31	170	11
10/21 (295-w)	39.4	48.4	61.2	50	52.0	50	63.6	50	86.0	1953	0.00	0.08	47	289	0.94	175	11
10/22 (296-t)	34.0	46.6	64.2	49	53.2	49	64.8	49	85.0	1947	0.00	0.06	44	334	0.90	199	11
10/23 (297-f)	38.9	55.6	72.7	50	53.5	50	64.8	50	85.0	1947	0.00	0.08	48	268	0.84	196	11
10/24 (298-s)	39.7	56.4	66.2	50	51.4	50	62.2	50	79.0	1963	0.00	0.10	45	179	1.03	247	10
10/25 (299-s)	31.3	43.0	60.1	50	49.7	50	60.4	50	80.0	1963	0.00	0.08	48	251	1.11	220	11
10/26 (300-m)	35.8	52.5	71.2	50	49.0	50	60.1	50	82.0	1963	0.00	0.05	45	317	0.86	254	11
10/27 (301-t)	37.8	49.9	64.5	50	49.8	50	61.1	50	78.0	1952	0.00	0.06	47	320	0.87	251	11
10/28 (302-w)	30.5	48.6	64.4	50	49.9	50	61.4	50	77.0	1946	0.00	0.09	44	300	0.90	249	11
10/29 (303-t)	45.3	49.7	55.9	49	49.2	48	59.9	48	79.0	1946	0.00	0.02	48	89	0.61	227	11
10/30 (304-f)	42.6	44.5	46.2	49	49.6	49	60.9	49	77.0	1971	0.07	0.04	47	54	0.21	211	11
10/31 (305-s)	37.0	45.1	52.6	49	51.7	49	62.3	49	83.0	1950	0.00	0.05	46	124	0.50	203	11

Column Min's:	21.9	32.8	44.8	13.5	38.4	49.0	59.9	0.00	59	0.02	54	0.21	170
Column Avg's:	39.0	50.5	63.4	42.4	53.9	65.7	73.3	0.06	73	0.08	264	0.95	244
Column Max's:	57.0	64.7	81.7	47.3	60.1	73.3	91.0	0.67	91	0.14	425	1.32	337
Column Ttl's:								1.71		2.34	8185		7549

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.