

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	min	max	precip	evap	ly	max														
mo da jul	Current	Long Term	avgm	avgmx	liq	hum	Lng-Term	Ly/m														
	avg	avg	avgm	avgmx	precip	avg	avg	avg														
	min	max	min	max	precip	avg	avg	avg														
	min	max	min	max	precip	avg	avg	avg														
01/01 (001-w)	31.4	34.2	38.8	11.0	1977	21.4	56	29.8	56	38.4	56	63.1	1985	0.00	0.00	90	0.11	51	65	0.27	129	11
01/02 (002-t)	29.8	39.6	47.9	-5.0	1968	21.5	56	29.0	56	36.7	56	58.4	1982	0.17	0.17	82	0.10	51	122	0.73	124	11
01/03 (003-f)	40.2	45.2	52.9	-4.0	1979	21.4	56	29.1	56	36.9	56	59.0	1939	0.03	0.03	89	0.07	48	80	0.35	76	10
01/04 (004-s)	35.4	39.6	43.2	-4.0	1979	20.0	56	27.9	56	35.8	56	57.0	1939	0.00	0.00	90	0.08	45	28	0.11	130	11
01/05 (005-s)	33.8	35.4	36.8	-9.0	1981	18.1	56	26.1	56	34.3	56	61.0	1939	0.00	0.00	88	0.08	50	24	0.09	133	11
01/06 (006-m)	32.8	33.8	35.2	-10.0	1981	18.9	56	26.9	56	35.0	56	66.0	1946	0.00	0.00	84	0.09	52	40	0.15	92	11
01/07 (007-t)	33.5	34.8	37.0	-3.0	1942	20.1	56	27.9	56	35.9	56	61.3	1989	0.00	0.00	87	0.05	50	42	0.16	118	10
01/08 (008-w)	29.8	36.0	43.0	-14.0	1968	17.0	56	25.3	56	33.7	56	64.0	1937	0.00	0.00	82	0.07	49	105	0.33	145	11
01/09 (009-t)	35.9	41.5	46.9	-13.0	1968	15.3	55	24.7	55	34.2	56	62.0	1937	0.07	0.07	87	0.06	50	86	0.72	129	11
01/10 (010-f)	27.8	33.0	36.0	-10.8	1982	16.7	56	24.5	56	32.2	56	56.0	1939	0.04	0.04	90	0.07	53	30	0.15	118	11
01/11 (011-s)	25.5	33.1	42.9	-10.0	1981	16.8	56	25.1	56	33.6	56	58.0	1975	0.00	0.00	81	0.09	48	210	0.77	156	11
01/12 (012-s)	28.9	35.0	41.1	-9.0	1979	17.5	56	25.8	56	34.3	56	58.0	1960	0.00	0.00	79	0.03	45	106	0.53	122	11
01/13 (013-m)	36.8	41.5	44.9	-16.0	1977	16.8	56	25.7	56	34.9	56	59.0	1960	0.20	0.20	90	0.11	49	31	0.24	132	11
01/14 (014-t)	12.9	25.5	42.8	-17.0	1977	18.2	56	27.7	56	37.3	56	60.0	1947	0.97	0.97	84	0.13	49	99	0.40	111	11
01/15 (015-w)	10.4	18.9	25.9	-16.0	1964	18.8	56	27.3	56	35.8	56	61.0	1953	0.02	0.02	87	0.10	49	143	0.95	173	11
01/16 (016-t)	-5.4	5.8	18.3	-15.0	1982	16.2	56	25.3	56	34.3	56	57.0	1953	0.00	0.00	71	0.06	54	212	0.93	169	11
01/17 (017-f)	13.6	23.9	35.2	-21.0	1977	16.9	56	25.7	56	34.4	56	61.0	1952	0.02	0.02	77	0.08	46	94	0.88	96	11
01/18 (018-s)	3.2	10.7	16.0	-19.0	1977	17.0	56	26.3	56	35.5	56	61.0	1952	0.00	0.00	79	0.08	51	213	0.94	135	11
01/19 (019-s)	-6.3	8.9	22.4	-14.0	1940	16.1	56	25.7	56	35.3	56	60.0	1949	0.00	0.00	68	0.11	50	273	0.92	150	11
01/20 (020-m)	20.1	24.5	31.0	-21.6	1985	16.7	56	26.0	56	35.0	55	59.0	1951	0.02	0.02	82	0.10	53	162	0.75	136	11
01/21 (021-t)	20.6	32.0	45.5	-23.6	1984	17.9	56	26.7	56	35.4	56	60.0	1974	0.01	0.01	80	0.14	44	243	0.72	175	11
01/22 (022-w)	23.2	35.7	45.5	-14.0	1936	18.7	56	27.1	56	35.7	56	53.0	1957	0.01	0.01	81	0.31	45	131	0.91	129	10
01/23 (023-t)	28.4	38.9	43.4	-17.0	1936	18.1	56	27.2	56	36.2	56	61.0	1967	0.22	0.22	87	0.10	49	22	0.15	145	11
01/24 (024-f)	16.4	21.9	28.9	-19.0	1963	18.7	56	27.3	56	35.8	56	67.0	1967	0.00	0.00	79	0.10	50	160	0.90	156	11
01/25 (025-s)	12.9	19.9	27.6	-12.0	1961	17.7	56	27.2	56	36.9	56	63.0	1967	0.05	0.05	90	0.05	46	96	0.35	140	10
01/26 (026-s)	15.8	23.5	37.1	-11.0	1948	17.2	55	25.8	55	35.1	56	64.0	1967	0.02	0.02	82	0.12	47	243	1.16	176	11
01/27 (027-m)	14.8	27.6	42.4	-9.0	1936	16.1	54	25.6	54	35.2	55	61.0	1974	0.00	0.00	81	0.12	50	236	0.93	217	10
01/28 (028-t)	30.0	32.3	37.6	-17.0	1963	16.1	56	24.9	56	33.6	56	65.0	1974	0.00	0.00	85	0.07	50	170	0.93	177	11
01/29 (029-w)	29.6	31.2	34.3	-10.0	1963	17.5	56	25.9	56	34.1	56	56.0	1975	0.00	0.00	88	0.14	46	70	0.25	122	10
01/30 (030-t)	26.5	33.1	41.5	-11.0	1977	18.9	56	27.2	56	35.6	56	65.0	1975	0.04	0.04	88	0.14	44	116	0.77	110	11
01/31 (031-f)	30.0	32.3	33.2	-6.0	1972	17.1	55	25.7	55	34.1	56	60.7	1989	0.06	0.06	90	0.06	48	39	0.18	143	11

Column Min's:	-6.3	5.8	16.0	-23.6	15.3	24.5	32.2	0.00	68	0.03	22	0.09	76
Column Avg's:	23.2	30.0	37.3	17.9	26.5	35.2	0.06	0.06	84	0.10	119	0.57	138
Column Max's:	40.2	45.2	52.9	21.5	29.8	38.4	0.97	0.97	90	0.31	273	1.16	217
Column Ttl's:							1.95	1.95	3691	3.02	3691		4264

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	avg	min	avg	prec	evap	ly	max														
mo da jul	Current	Long Term	avg yrs	avgm yrs	liq	hum	Ly/m	Lng-Term														
			avgm yrs	avgm yrs	prec	%		avg yrs														
02/01 (032-s)	11.5	23.3	30.0	-10.0	1978	16.7	57	25.8	57	34.7	57	65.7	1989	0.00	--	81	0.08	46	259	0.90	162	11
02/02 (033-s)	10.2	25.6	40.7	-14.0	1951	17.5	57	26.3	57	35.7	57	58.0	1968	0.00	--	82	0.12	51	302	0.79	140	11
02/03 (034-m)	21.8	34.3	51.2	-16.1	1985	16.4	57	25.8	57	35.5	57	56.2	1991	0.00	--	82	0.07	52	267	0.76	121	11
02/04 (035-t)	29.2	36.0	42.7	-18.9	1985	17.7	57	26.7	57	35.8	57	61.9	1991	0.01	--	84	0.09	50	49	0.32	149	11
02/05 (036-w)	20.2	26.9	36.7	-9.0	1979	18.1	56	27.1	56	36.4	57	59.0	1938	0.00	--	75	0.04	52	281	0.83	166	11
02/06 (037-t)	16.2	30.8	48.0	-14.0	1977	18.9	57	27.6	57	36.5	57	57.0	1964	0.00	--	74	0.10	53	293	0.88	187	11
02/07 (038-f)	27.9	31.2	36.1	-14.0	1977	18.1	57	26.5	57	35.2	57	54.0	1938	0.00	--	88	0.07	50	104	0.64	172	11
02/08 (039-s)	17.3	24.8	28.5	-14.0	1977	16.8	57	26.5	57	36.4	57	71.0	1937	0.01	--	86	0.03	52	187	0.93	217	11
02/09 (040-s)	7.3	16.4	28.0	-16.0	1977	16.5	57	26.0	57	35.3	57	70.0	1937	0.04	--	80	0.06	48	305	1.20	197	11
02/10 (041-m)	7.0	27.8	41.3	-13.0	1979	17.2	57	26.8	57	36.2	57	61.0	1959	0.00	--	61	0.12	50	285	1.01	232	11
02/11 (042-t)	19.2	33.5	38.9	-12.0	1979	17.6	57	27.4	57	37.2	57	63.0	1965	0.00	--	74	0.08	52	59	0.30	181	11
02/12 (043-w)	13.3	21.3	27.0	-6.0	1978	18.0	57	27.6	57	37.1	57	67.5	1984	0.00	--	62	0.08	46	229	0.88	217	11
02/13 (044-t)	25.6	31.7	36.7	-8.0	1979	20.5	57	29.9	57	39.2	57	69.0	1938	0.07	--	87	0.15	50	37	0.16	174	11
02/14 (045-f)	32.0	33.9	36.2	-2.0	1979	21.4	57	30.5	57	39.8	57	65.0	1950	0.00	--	89	0.09	49	55	0.18	161	11
02/15 (046-s)	35.3	46.1	58.6	-11.0	1978	20.5	57	29.8	57	39.3	57	69.0	1954	0.29	--	88	0.12	51	60	0.61	185	11
02/16 (047-s)	33.0	35.8	38.9	-11.0	1978	19.8	57	29.7	57	39.6	57	63.4	1990	0.00	--	88	0.05	49	78	0.57	201	11
02/17 (048-m)	32.8	39.0	46.0	-11.0	1979	22.4	57	30.4	57	38.4	57	61.0	1976	0.00	--	83	0.07	50	168	0.52	167	11
02/18 (049-t)	40.8	47.8	58.9	-11.0	1979	20.8	57	30.8	57	41.0	57	62.0	1948	0.10	--	85	0.07	52	151	0.97	208	11
02/19 (050-w)	34.0	40.4	47.2	-11.0	1936	22.7	57	32.6	57	42.5	57	69.0	1939	0.08	--	89	0.07	52	59	0.41	189	11
02/20 (051-t)	33.7	35.8	38.0	-11.0	1936	21.8	57	31.0	57	40.4	57	65.0	1939	0.00	--	87	0.09	41	62	0.25	205	11
02/21 (052-f)	34.3	39.9	47.8	-6.0	1978	21.4	57	30.8	57	40.5	57	68.2	1983	0.00	--	72	0.11	49	302	0.98	230	11
02/22 (053-s)	34.3	48.4	65.7	-11.0	1963	23.1	57	32.4	57	42.0	57	68.4	1983	0.00	--	64	0.09	48	301	1.00	205	11
02/23 (054-s)	33.5	43.8	58.0	-5.0	1978	22.9	57	32.3	57	42.0	57	64.9	1984	0.01	--	81	0.10	49	184	1.00	226	11
02/24 (055-m)	33.1	37.1	41.7	-3.0	1978	23.7	57	33.1	57	42.5	57	71.0	1961	0.00	--	91	0.10	48	120	0.36	214	11
02/25 (056-t)	33.8	38.3	43.3	-1.0	1967	22.9	57	31.6	57	40.1	57	73.0	1957	0.01	--	89	0.11	52	48	0.24	261	11
02/26 (057-w)	30.2	33.5	37.6	-8.0	1963	22.1	57	31.7	57	41.4	57	72.0	1944	0.00	--	82	0.16	46	101	0.58	247	11
02/27 (058-t)	33.9	42.3	53.0	-8.0	1963	22.4	57	31.5	57	40.8	57	63.0	1976	0.00	--	71	0.06	50	269	1.33	216	11
02/28 (059-f)	29.2	39.5	53.5	4.6	1986	23.0	57	32.5	57	42.1	57	65.0	1939	0.02	--	85	0.06	49	86	0.48	273	11
02/29 (060-s)	20.5	25.0	30.8	10.0	1980	22.2	15	30.7	15	39.5	15	63.0	1972	0.00	--	64	0.01	10	328	1.38	329	3

Column Min's:	7.0	16.4	27.0	-18.9	16.4	25.8	34.7	0.00	61	0.01	37	0.16	121
Column Avg's:	25.9	34.1	42.8	20.1	29.4	38.7	0.02	80	0.08	173	0.71	201	
Column Max's:	40.8	48.4	65.7	23.7	33.1	42.5	73.0	0.29	91	0.16	328	1.38	329
Column Ttl's:								0.64		2.45	5029		5832

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
mo	da	min	avg	max	min	year	avgm	yr	avg	pr	ly	max	Ly/m	avg	Term							
									liq	prec	prec	ly	ly/m	yr	yr							
11/01	(306-s)	42.0	44.9	49.6	23.0	1949	40.2	57	51.2	57	62.7	57	79.0	1950	0.11	84	0.09	55	43	0.21	187	11
11/02	(307-m)	49.6	55.6	61.5	20.0	1954	40.2	57	50.2	57	60.3	57	79.0	1938	0.65	86	0.17	50	59	0.53	157	11
11/03	(308-t)	42.4	54.2	66.1	17.4	1991	36.4	57	47.5	56	58.7	56	79.2	1987	0.00	70	0.14	52	283	0.80	179	11
11/04	(309-w)	37.6	45.7	61.0	16.0	1991	35.7	57	45.2	57	54.9	57	77.0	1938	0.17	85	0.07	49	58	0.27	121	11
11/05	(310-t)	32.9	35.0	37.6	12.6	1991	35.1	57	44.3	56	53.3	56	75.0	1964	0.29	73	0.11	52	23	0.15	116	11
11/06	(311-f)	31.8	34.4	38.9	17.0	1953	33.3	57	42.9	57	52.7	57	77.0	1977	0.00	73	0.06	52	106	1.01	146	11
11/07	(312-s)	27.8	32.6	40.1	16.0	1971	33.4	57	43.5	57	53.7	57	78.0	1938	0.00	70	0.09	54	260	0.85	142	11
11/08	(313-s)	27.0	35.4	44.8	12.0	1971	34.0	57	43.5	57	53.2	57	73.0	1945	0.00	75	0.09	52	149	0.97	175	11
11/09	(314-m)	30.9	40.9	47.6	11.3	1991	32.8	57	42.3	56	51.9	56	72.0	1975	0.00	63	0.09	50	77	0.32	148	11
11/10	(315-t)	46.2	48.5	52.1	18.6	1991	33.1	57	43.0	57	52.9	57	74.0	1975	0.28	71	0.17	53	46	0.19	121	10
11/11	(316-w)	50.5	52.6	54.9	17.0	1957	31.5	57	41.6	57	51.8	57	70.0	1938	0.71	92	0.07	50	29	0.25	113	11
11/12	(317-t)	37.4	52.4	60.9	19.0	1950	31.9	57	41.7	57	51.5	57	72.0	1945	1.18	89	0.08	55	25	0.12	161	11
11/13	(318-f)	26.9	33.6	42.7	12.6	1986	32.2	57	42.0	57	52.2	57	75.0	1955	0.01	68	0.05	53	158	0.90	182	11
11/14	(319-s)	23.2	28.7	35.4	10.6	1986	31.2	57	41.8	57	52.5	57	68.0	1958	0.01	76	0.10	56	148	0.77	185	11
11/15	(320-s)	21.0	26.8	34.1	16.0	1976	32.9	57	42.7	57	52.4	57	71.4	1990	0.00	76	0.09	52	145	0.88	124	11
11/16	(321-m)	20.7	31.5	39.1	15.0	1969	31.9	57	42.2	57	52.5	57	73.0	1971	0.00	68	0.16	52	147	0.75	126	11
11/17	(322-t)	39.0	46.5	52.6	13.0	1959	31.3	57	41.2	57	51.2	57	75.0	1958	0.00	69	0.07	55	31	0.14	168	11
11/18	(323-w)	39.8	41.5	44.1	9.0	1959	31.6	57	41.6	57	51.6	57	73.0	1954	0.00	82	0.08	53	40	0.18	105	11
11/19	(324-t)	35.6	40.6	49.5	17.0	1951	33.2	57	42.4	57	51.6	57	71.5	1985	0.07	72	0.09	50	164	0.86	123	11
11/20	(325-f)	38.5	49.7	62.6	14.0	1951	31.7	57	41.0	57	50.5	57	75.0	1942	0.00	68	0.17	50	224	0.69	125	11
11/21	(326-s)	49.4	54.2	58.6	13.0	1937	30.2	57	38.9	57	47.8	57	65.0	1953	0.60	88	0.10	52	52	0.32	143	11
11/22	(327-s)	52.6	57.3	63.2	9.0	1964	29.9	57	38.2	57	46.2	57	67.0	1979	0.61	92	0.05	50	33	0.26	114	11
11/23	(328-m)	41.5	45.6	52.6	10.0	1937	29.0	57	37.6	57	46.3	57	66.0	1963	0.00	79	0.12	50	35	0.21	125	11
11/24	(329-t)	41.5	43.6	47.1	5.0	1950	27.2	57	36.2	57	45.3	57	64.0	1968	0.16	87	0.09	50	42	0.19	116	10
11/25	(330-w)	42.3	47.1	54.1	5.0	1950	26.5	57	35.4	57	44.4	57	64.0	1987	0.00	91	0.09	52	49	0.24	140	11
11/26	(331-t)	34.5	40.4	51.8	13.0	1950	28.7	57	37.5	57	46.4	57	66.4	1990	0.00	75	0.16	53	33	0.16	117	11
11/27	(332-f)	32.1	33.0	34.4	10.0	1938	29.5	57	38.0	57	46.6	57	72.6	1990	0.00	78	0.12	55	30	0.11	84	11
11/28	(333-s)	31.4	32.4	34.4	6.0	1955	28.7	57	37.2	57	46.1	57	67.3	1990	0.00	84	0.10	51	34	0.18	63	11
11/29	(334-s)	27.6	31.4	38.1	8.0	1955	25.8	57	33.8	57	42.0	57	65.5	1991	0.00	71	0.09	49	126	0.84	113	11
11/30	(335-m)	26.4	31.7	36.3	-4.0	1958	24.6	57	32.7	57	40.7	57	65.6	1991	0.00	86	0.05	46	63	0.46	111	11
Column	Min's:	20.7	26.8	34.1	-4.0		24.6		32.7		40.7				0.00	62	0.05		23	0.11	63	
Column	Avg's:	36.0	41.6	48.2			31.8		41.2		50.8		79.2		0.16	78	0.10		90	0.46	134	
Column	Max's:	52.6	57.3	66.1			40.2		51.2		62.7				1.18	92	0.17		283	1.01	187	
Column	Ttl's:														4.85		3.01		2712		4030	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		Long Term		SOLAR RADIATION								
	min	avg	max	min	year	avgmn	max	avg	max	prec	liq	avg	max	ly	max	Lng. Trm					
mo da jul	.....	Current	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....					
12/01 (336-t)	25.7	31.9	37.4	2.0	1976	24.6	56	33.1	56	41.7	56	64.0	1962	0.00	0.00	0.11	49	126	0.86	95	11
12/02 (337-w)	32.0	34.4	39.4	4.0	1966	25.6	56	33.8	56	42.3	56	69.3	1982	0.02	0.02	0.07	52	75	0.71	92	11
12/03 (338-t)	28.0	31.2	34.4	-3.0	1976	25.6	56	34.2	56	43.1	56	74.3	1982	0.00	0.00	0.11	50	91	0.43	97	11
12/04 (339-f)	27.8	34.5	42.0	-2.0	1966	26.3	56	34.4	56	42.8	56	67.6	1982	0.00	0.00	0.10	49	42	0.27	110	10
12/05 (340-s)	16.0	23.3	27.8	6.0	1976	26.2	57	34.1	57	42.0	57	65.0	1960	0.00	0.00	0.10	48	111	0.74	85	11
12/06 (341-s)	15.0	23.0	28.0	7.0	1974	26.7	57	34.8	57	42.8	57	69.0	1956	0.00	0.00	0.09	52	65	0.36	101	11
12/07 (342-m)	27.2	29.6	33.4	-2.0	1977	25.4	57	33.6	57	42.0	57	63.0	1956	0.00	0.00	0.12	50	59	0.64	137	11
12/08 (343-t)	26.1	27.1	29.4	-2.0	1977	26.5	57	34.2	57	42.4	57	62.5	1991	0.00	0.00	0.07	51	39	0.19	124	11
12/09 (344-w)	25.4	29.7	34.3	-1.0	1958	24.4	56	32.6	57	41.2	56	67.0	1966	0.07	0.07	0.13	52	163	0.66	125	11
12/10 (345-t)	31.8	34.4	37.6	-10.0	1958	23.6	57	30.8	57	37.9	57	59.0	1946	0.34	0.34	0.09	47	31	0.17	78	11
12/11 (346-f)	32.4	33.4	34.6	-8.0	1958	22.7	57	30.0	57	37.3	57	70.0	1971	0.00	0.00	0.14	44	20	0.10	88	11
12/12 (347-s)	32.7	33.8	35.8	-7.0	1962	23.9	57	31.6	57	37.3	57	62.0	1949	0.00	0.00	0.09	52	46	0.21	103	11
12/13 (348-s)	24.9	32.5	38.5	-8.0	1962	22.7	57	30.4	57	38.1	57	59.9	1991	0.00	0.00	0.08	50	109	0.72	92	11
12/14 (349-m)	22.0	29.4	33.4	1.0	1942	21.7	57	29.8	57	37.7	57	62.3	1984	0.00	0.00	0.05	45	35	0.13	125	11
12/15 (350-t)	27.4	38.9	52.1	-6.0	1958	20.5	57	29.1	57	37.8	57	64.0	1975	0.00	0.00	0.16	48	77	0.62	90	11
12/16 (351-w)	32.5	45.4	54.5	-14.0	1951	20.2	57	28.4	57	36.5	57	66.0	1971	0.00	0.00	0.06	53	130	0.72	91	11
12/17 (352-t)	31.5	35.3	42.3	-17.9	1989	20.8	57	28.8	57	37.1	57	65.8	1984	0.00	0.00	0.06	50	87	0.71	105	11
12/18 (353-f)	30.5	32.9	38.8	-12.6	1989	18.9	57	27.6	57	36.4	57	57.0	1977	0.00	0.00	0.12	49	112	0.75	115	11
12/19 (354-s)	30.6	42.0	49.0	-7.0	1963	20.7	57	28.4	57	36.1	57	62.0	1967	0.21	0.21	0.04	49	40	0.28	108	11
12/20 (355-s)	17.3	30.5	44.9	-18.0	1963	20.9	57	29.0	57	37.0	57	56.8	1988	0.07	0.07	0.08	50	160	0.74	122	11
12/21 (356-m)	14.9	27.0	36.7	-17.0	1963	20.1	57	28.3	57	36.6	57	59.0	1949	0.00	0.00	0.09	49	123	0.96	106	11
12/22 (357-t)	26.7	34.8	43.4	-26.9	1989	19.1	57	28.0	57	36.6	57	66.0	1967	0.00	0.00	0.09	47	170	0.71	120	11
12/23 (358-w)	27.5	38.6	46.9	-14.8	1989	21.9	57	29.6	57	37.2	57	59.0	1957	0.00	0.00	0.07	46	137	0.74	121	11
12/24 (359-t)	14.8	19.6	27.5	-19.7	1989	21.2	57	29.5	57	37.9	57	61.1	1982	0.00	0.00	0.10	49	193	0.75	125	11
12/25 (360-f)	17.4	25.2	33.1	-13.9	1983	20.4	57	28.9	57	37.4	57	64.0	1964	0.00	0.00	0.07	51	36	0.23	107	11
12/26 (361-s)	11.1	17.1	26.2	-8.1	1983	21.0	56	28.6	56	36.3	56	57.0	1940	0.00	0.00	0.11	51	204	0.64	126	10
12/27 (362-s)	13.1	27.2	39.6	-16.0	1950	21.6	57	30.1	57	38.3	57	64.0	1959	0.00	0.00	0.10	50	208	0.65	101	11
12/28 (363-m)	35.3	39.1	43.6	-11.0	1950	22.0	57	29.7	57	37.5	57	66.3	1984	0.00	0.00	0.12	52	66	0.22	89	11
12/29 (364-t)	38.8	42.4	46.8	-4.0	1961	21.5	57	29.4	57	36.9	57	61.9	1984	0.05	0.05	0.13	48	22	0.12	88	11
12/30 (365-w)	46.6	51.9	57.6	-8.0	1983	21.8	57	29.3	57	37.0	57	61.1	1990	0.18	0.18	0.13	52	25	0.11	106	11
12/31 (366-t)	29.6	45.8	58.5	-6.0	1963	22.0	56	30.3	56	38.5	56	65.0	1951	0.04	0.04	0.09	50	24	0.17	84	9

Column Min's:	11.1	17.1	26.2	-26.9	18.9	27.6	36.1
Column Avg's:	26.2	33.0	39.6	22.6	30.7	38.8	74.3
Column Max's:	46.6	51.9	58.5	26.7	34.8	43.1	74.3
Column Ttl's:							2826
							3256

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	prec	evap	Ly	max Lng-Term avg yrs										
03/01 (061-s)	24.9	43.4	22.3	57	32.6	57	43.0	57	68.0	1976	0.00	58	0.09	49	398	1.01	302	11
03/02 (062-m)	35.3	51.7	23.8	57	34.4	57	45.1	57	72.1	1992	0.00	66	0.06	49	377	1.01	259	11
03/03 (063-t)	33.6	46.6	25.2	57	35.4	57	46.1	57	72.5	1983	0.00	76	0.07	49	348	1.07	275	11
03/04 (064-w)	31.9	52.8	26.8	57	37.6	57	48.6	57	80.9	1983	0.00	63	0.16	50	380	0.97	246	11
03/05 (065-t)	42.5	57.1	27.6	57	38.2	57	48.9	57	78.3	1983	0.00	66	0.24	55	215	0.94	241	11
03/06 (066-f)	52.3	56.5	26.5	57	35.9	57	45.4	57	70.7	1983	0.74	83	0.18	52	87	0.54	206	11
03/07 (067-s)	51.7	55.1	25.7	57	35.0	57	44.7	57	76.2	1983	0.33	86	0.07	47	152	1.27	317	11
03/08 (068-s)	41.4	50.5	23.9	57	35.0	57	45.9	57	76.0	1974	0.00	88	0.08	50	84	0.33	283	11
03/09 (069-m)	39.7	54.0	24.6	57	35.1	57	46.0	57	78.0	1974	0.00	71	0.06	52	213	1.04	264	11
03/10 (070-t)	18.3	40.9	25.0	57	35.9	57	46.6	57	72.0	1974	0.26	83	0.13	53	68	0.28	257	11
03/11 (071-w)	14.8	20.1	26.2	57	36.7	57	46.6	57	77.7	1990	0.00	78	0.11	50	256	1.46	250	11
03/12 (072-t)	18.0	22.5	29.4	57	37.7	57	48.2	57	76.0	1990	0.00	63	0.12	48	457	1.14	265	11
03/13 (073-f)	15.8	22.8	31.2	57	38.4	57	48.3	57	79.7	1990	0.00	68	0.11	52	264	1.24	254	11
03/14 (074-s)	19.5	26.6	34.3	57	39.0	57	49.7	57	81.1	1990	0.02	87	0.11	52	172	0.91	285	11
03/15 (075-s)	16.4	23.8	31.3	57	38.8	57	48.4	57	79.5	1990	0.00	67	0.10	51	423	1.37	270	11
03/16 (076-m)	9.0	29.0	43.4	57	39.3	57	49.1	57	77.0	1945	0.00	62	0.07	50	490	1.16	309	11
03/17 (077-t)	33.4	40.9	49.4	57	37.9	57	48.5	57	74.0	1945	0.06	72	0.08	48	128	0.45	273	11
03/18 (078-w)	29.8	32.0	34.1	57	36.7	57	47.4	57	70.0	1945	1.19	83	0.13	44	51	0.21	191	11
03/19 (079-t)	23.3	30.6	35.7	57	38.6	57	49.2	57	74.0	1948	0.00	89	0.14	53	181	1.12	248	10
03/20 (080-f)	20.8	31.3	44.8	57	39.8	57	50.5	57	72.0	1968	0.09	82	0.13	54	305	1.26	268	11
03/21 (081-s)	24.8	33.8	43.1	57	40.2	57	50.3	57	78.0	1938	0.01	71	0.14	47	457	1.46	370	11
03/22 (082-s)	25.9	32.4	43.4	57	39.9	57	50.3	57	83.0	1938	0.09	87	0.13	47	63	0.44	267	11
03/23 (083-m)	18.7	30.0	41.1	57	41.4	57	52.6	57	75.8	1988	0.01	69	0.14	53	427	1.41	349	11
03/24 (084-t)	21.6	38.0	54.5	57	42.2	57	54.3	57	85.0	1939	0.00	68	0.08	51	393	1.34	343	11
03/25 (085-w)	31.9	40.3	46.2	57	41.8	57	53.5	57	82.0	1945	0.25	79	0.09	52	100	0.39	311	11
03/26 (086-t)	38.3	45.9	55.7	57	41.6	57	52.0	57	75.0	1945	0.11	81	0.12	49	219	1.41	326	11
03/27 (087-f)	30.7	36.6	43.0	57	42.3	57	53.7	57	79.2	1989	0.02	85	0.09	50	101	1.17	278	11
03/28 (088-s)	28.5	35.9	47.4	57	42.9	57	54.5	57	80.7	1989	0.00	65	0.06	55	520	1.25	352	11
03/29 (089-s)	25.6	35.3	41.5	57	46.6	57	58.4	57	79.0	1963	0.13	64	0.15	51	107	0.48	258	11
03/30 (090-m)	32.7	37.2	40.7	57	45.2	57	56.2	57	83.8	1986	0.12	89	0.13	52	71	0.39	264	11
03/31 (091-t)	28.7	43.2	56.8	57	44.7	57	56.4	57	81.7	1986	0.00	65	0.09	51	532	1.34	349	11
Column Min's:	9.0	20.1	26.2	57	32.6	57	43.0	57	85.0		0.00	58	0.06		51	0.21	191	
Column Avg's:	28.4	38.6	49.5	57	38.9	57	49.6	57			0.11	75	0.11		259	0.96	282	
Column Max's:	52.3	57.1	77.2	57	46.6	57	58.4	57			1.19	89	0.24		532	1.46	370	
Column Ttl's:				57		57		57			3.43		3.46		8039		8730	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)					W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N								
mo da jul	min	avg	max	min year	avgm yrs	Long Term avg yrs	avgm yrs	max year	prec	liq	evap	hum %	ly	max Ly/m	Lng-Term avg yrs					
04/01 (092-w)	26.7	32.9	45.4	13.0	1964	34.6	57	45.5	57	56.8	57	81.0	1959	0.09	0.09	86	135	0.92	305	11
04/02 (093-t)	23.2	27.4	33.4	16.0	1964	34.0	57	45.5	57	57.2	57	83.0	1963	0.00	0.00	73	288	1.67	305	11
04/03 (094-f)	21.3	34.1	44.5	18.0	1965	33.5	57	44.9	57	56.2	57	80.0	1940	0.00	0.00	63	399	1.31	260	11
04/04 (095-s)	29.6	36.5	47.0	18.0	1936	34.5	57	45.6	57	57.0	57	83.8	1986	0.04	0.04	82	212	1.43	285	11
04/05 (096-s)	26.8	38.5	52.0	19.0	1975	34.8	57	46.0	57	57.1	57	82.5	1988	0.00	0.00	66	581	1.39	306	11
04/06 (097-m)	26.1	43.6	60.1	17.0	1979	34.6	57	44.3	57	54.6	57	79.3	1991	0.00	0.00	57	438	1.15	297	11
04/07 (098-t)	43.1	56.0	71.2	13.1	1982	34.1	57	45.5	57	57.0	57	83.0	1954	0.02	0.02	52	507	1.27	389	11
04/08 (099-w)	35.4	50.9	65.4	18.0	1972	33.0	57	45.1	57	57.3	57	76.0	1941	0.00	0.00	57	486	1.33	381	11
04/09 (100-t)	44.6	54.8	68.5	18.0	1957	33.7	57	44.5	57	55.6	57	79.6	1991	0.06	0.06	67	383	1.39	373	11
04/10 (101-f)	41.7	53.6	63.3	21.8	1985	33.1	57	45.1	57	57.1	57	81.0	1945	0.00	0.00	70	161	1.25	353	11
04/11 (102-s)	50.7	64.9	79.8	22.0	1943	34.8	57	46.6	57	58.8	57	82.0	1945	0.27	0.27	71	419	1.28	427	11
04/12 (103-s)	31.6	43.2	52.8	19.0	1940	34.9	57	47.0	57	58.9	57	82.0	1977	0.00	0.00	67	511	1.61	436	11
04/13 (104-m)	30.9	38.9	49.3	20.0	1950	36.8	57	48.6	57	60.6	57	86.0	1941	0.00	0.00	51	311	1.40	391	11
04/14 (105-t)	37.8	43.5	50.2	19.0	1950	38.2	57	50.5	57	63.0	57	84.0	1941	0.00	0.00	66	168	0.83	332	11
04/15 (106-w)	41.5	51.8	62.3	23.0	1943	38.5	57	50.1	57	61.7	57	78.0	1938	0.00	0.00	52	297	1.29	315	11
04/16 (107-t)	50.4	63.7	81.8	22.0	1962	38.0	57	50.1	57	62.5	57	86.0	1945	0.42	0.42	71	388	1.42	402	11
04/17 (108-f)	48.5	54.0	61.0	26.0	1962	38.9	57	50.5	57	62.2	57	83.0	1958	0.46	0.46	87	143	0.86	326	11
04/18 (109-s)	49.0	56.2	64.8	20.7	1990	40.1	57	52.3	57	64.6	57	86.0	1958	0.57	0.57	87	139	0.58	425	11
04/19 (110-s)	54.2	66.9	79.0	22.0	1953	40.4	57	52.7	57	65.0	57	85.0	1941	0.00	0.00	68	446	1.30	422	11
04/20 (111-m)	60.2	69.4	81.7	26.0	1983	41.5	57	53.2	57	64.8	57	85.2	1985	0.38	0.38	70	427	1.62	351	11
04/21 (112-t)	54.9	63.5	70.6	26.0	1953	41.0	57	53.4	57	65.7	57	87.4	1985	0.35	0.35	83	217	1.63	395	11
04/22 (113-w)	37.6	49.8	58.3	21.0	1936	40.8	57	53.4	57	66.0	57	87.9	1985	0.00	0.00	78	160	1.39	360	11
04/23 (114-t)	36.1	60.1	80.9	22.0	1936	41.5	57	54.8	57	68.2	57	89.0	1960	0.04	0.04	63	557	1.65	486	11
04/24 (115-f)	46.7	55.8	63.7	28.2	1986	42.9	57	54.7	57	66.5	57	89.0	1960	0.08	0.08	83	185	1.52	368	11
04/25 (116-s)	40.2	43.2	48.2	27.0	1967	41.8	57	54.3	57	66.9	57	89.0	1960	0.12	0.12	88	227	1.77	497	11
04/26 (117-s)	38.9	44.6	52.8	29.0	1972	41.9	57	54.6	57	67.4	57	89.0	1990	0.12	0.12	86	179	1.23	480	11
04/27 (118-m)	40.0	46.9	56.2	25.0	1971	42.7	57	54.8	57	67.1	57	89.5	1986	0.00	0.00	70	448	1.75	434	11
04/28 (119-t)	35.4	45.4	57.4	27.0	1946	41.5	57	54.1	57	66.6	57	83.5	1986	0.00	0.00	58	661	1.41	413	11
04/29 (120-w)	33.1	48.8	61.9	26.0	1977	42.0	57	55.1	57	68.2	57	82.1	1987	0.03	0.03	67	295	1.45	438	11
04/30 (121-t)	40.1	50.8	57.7	25.0	1977	44.1	57	56.4	57	68.6	57	89.0	1962	0.15	0.15	84	195	1.18	456	11

Column Min's:	21.3	27.4	33.4	13.0	33.0	44.3	54.6					
Column Avg's:	39.2	49.7	60.7	38.1	50.0	62.0	89.5					
Column Max's:	60.2	69.4	81.8	44.1	56.4	68.6	89.5					
Column Ttl's:							9963					11408

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	max	min year	max year	prec	evap	ly	max									
05/01 (122-f)	37.7	59.9	27.0	1963	44.1	57	68.3	57	86.0	1942	0.00	0.11	52	553	1.28	378	11
05/02 (123-s)	48.7	67.4	27.0	1978	43.6	57	56.0	57	88.0	1959	0.01	0.09	56	411	1.50	468	11
05/03 (124-s)	43.6	54.1	30.0	1978	42.2	57	55.1	57	89.0	1955	0.00	0.09	55	561	1.54	409	11
05/04 (125-m)	40.9	46.1	28.0	1957	42.5	57	55.4	57	90.0	1955	0.04	0.10	53	305	1.36	424	11
05/05 (126-t)	39.6	46.6	31.0	1957	44.3	57	56.6	57	89.0	1949	0.00	0.07	52	452	1.61	389	11
05/06 (127-w)	41.5	50.2	28.0	1968	45.7	57	58.5	57	91.0	1959	0.00	0.11	53	512	1.66	437	11
05/07 (128-t)	36.0	53.2	28.0	1970	44.7	57	56.8	57	87.0	1936	0.00	0.08	53	676	1.41	472	11
05/08 (129-f)	46.1	56.5	28.0	1947	42.9	57	55.8	57	88.0	1936	0.12	0.09	51	328	1.64	492	11
05/09 (130-s)	49.3	55.8	28.0	1947	44.9	57	56.9	57	91.0	1936	0.04	0.17	53	397	1.74	461	11
05/10 (131-s)	40.4	60.2	23.0	1966	45.0	57	57.2	57	92.0	1936	0.00	0.11	52	662	1.38	523	11
05/11 (132-m)	47.5	65.9	30.0	1945	45.3	57	58.2	57	89.0	1936	0.00	0.14	52	650	1.36	584	11
05/12 (133-t)	51.7	68.6	29.0	1938	46.2	57	59.0	57	88.7	1991	0.00	0.18	56	580	1.40	486	11
05/13 (134-w)	52.9	62.2	31.0	1938	47.9	57	59.5	57	89.5	1982	0.00	0.15	51	381	1.41	416	11
05/14 (135-t)	48.7	55.2	34.0	1936	47.5	57	59.7	57	94.0	1962	0.00	0.15	54	456	1.70	493	11
05/15 (136-f)	50.5	62.8	35.0	1973	48.1	57	60.6	57	94.0	1962	0.00	0.11	54	502	1.66	415	11
05/16 (137-s)	45.8	66.9	30.0	1959	48.5	57	60.8	57	94.0	1962	0.00	0.13	52	653	1.38	500	11
05/17 (138-s)	56.4	69.7	33.1	1984	48.5	57	61.1	57	95.0	1962	0.10	0.13	54	454	1.52	506	11
05/18 (139-m)	50.6	59.5	34.0	1955	49.4	57	61.2	57	96.0	1962	0.03	0.14	53	223	0.84	426	11
05/19 (140-t)	45.2	64.3	35.0	1973	50.6	57	62.8	57	90.0	1939	0.00	0.18	54	657	1.42	386	11
05/20 (141-w)	57.4	68.1	37.0	1945	51.0	57	62.9	57	93.0	1962	0.00	0.13	56	426	1.59	381	11
05/21 (142-t)	51.2	68.8	32.0	1954	50.0	57	62.9	57	91.0	1941	0.00	0.07	56	635	1.42	406	11
05/22 (143-f)	51.6	71.2	36.0	1954	51.6	57	63.9	57	92.0	1941	0.00	0.11	54	654	1.41	468	11
05/23 (144-s)	51.5	68.6	33.0	1963	50.6	57	63.1	57	90.1	1991	0.19	0.12	57	489	1.53	480	11
05/24 (145-s)	42.0	47.6	32.0	1963	50.3	57	62.6	57	89.3	1991	0.24	0.14	54	189	1.76	525	11
05/25 (146-m)	37.8	49.4	36.0	1956	51.1	57	63.2	57	91.9	1991	0.00	0.14	51	515	1.80	433	11
05/26 (147-t)	42.5	49.8	36.2	1988	51.5	57	63.9	57	93.0	1939	0.03	0.13	53	258	1.83	428	11
05/27 (148-w)	38.5	51.1	31.0	1961	51.6	57	63.6	57	90.7	1987	0.00	0.19	51	368	1.82	488	11
05/28 (149-t)	33.9	54.1	33.9	1992	52.2	57	63.9	57	91.9	1991	0.00	0.12	56	654	1.64	429	11
05/29 (150-f)	42.8	54.8	36.0	1949	51.5	56	63.9	56	92.6	1987	0.52	0.07	53	280	1.43	414	11
05/30 (151-s)	51.5	57.0	36.0	1961	52.6	57	64.8	57	94.7	1988	0.26	0.08	54	163	1.32	432	11
05/31 (152-s)	47.9	54.4	35.6	1984	53.7	57	66.2	57	94.7	1988	0.01	0.14	51	94	0.80	525	11
Column Min's:	33.9	46.1	23.0		42.2		55.1		68.0		0.00	0.07		94	0.80	378	
Column Avg's:	45.9	58.7	72.0		48.1		60.4		72.8		0.05	0.12		456	1.49	454	
Column Max's:	57.4	71.2	87.5		53.7		66.2		78.6		0.52	0.19		676	1.83	584	
Column Ttl's:											1.59	3.77		14138		14074	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	max	min	max	prec	evap	ly	max															
mo da jul	Current	Long Term	avg	avg	liq	avg	avg	Ly/m	avg														
			yr	yr	yr	yr	yr	yr	yr														
06/01 (153-m)	43.4	59.6	74.0	40.0	1966	54.7	57	67.0	57	78.9	57	92.1	1988	0.01	..	..	71	0.16	54	596	1.50	518	11
06/02 (154-t)	47.9	63.6	78.8	36.0	1966	54.0	57	65.8	57	77.7	57	91.0	1951	0.00	..	..	63	0.21	53	595	1.56	450	11
06/03 (155-w)	47.1	65.7	79.6	40.0	1977	53.9	57	65.5	57	77.0	57	89.0	1942	0.00	..	..	62	0.13	56	604	1.58	568	10
06/04 (156-t)	62.2	64.7	68.1	38.5	1990	52.9	57	65.2	57	77.4	57	90.0	1942	0.18	..	..	84	0.10	50	155	0.74	458	11
06/05 (157-f)	60.1	66.2	77.0	33.8	1990	53.5	57	66.9	57	80.2	57	92.0	1958	0.21	..	..	82	0.07	49	346	1.56	444	11
06/06 (158-s)	58.0	69.5	82.4	38.0	1945	55.3	57	68.0	57	80.9	57	94.0	1988	0.00	..	..	75	0.14	55	506	1.57	491	11
06/07 (159-s)	64.0	68.8	76.4	41.0	1958	56.2	57	68.6	57	80.8	57	92.1	1988	0.10	..	..	84	0.13	54	176	0.94	534	11
06/08 (160-m)	49.9	65.9	78.4	38.0	1977	56.5	57	68.7	57	80.8	57	91.7	1988	0.00	..	..	72	0.13	55	581	1.63	569	11
06/09 (161-t)	48.1	61.9	77.6	41.9	1988	56.2	57	68.7	57	80.9	57	93.6	1984	0.00	..	..	62	0.23	52	644	1.64	557	11
06/10 (162-w)	46.5	64.1	79.6	40.9	1988	57.1	56	69.3	56	81.5	57	93.0	1954	0.00	..	..	56	0.14	55	644	1.52	514	11
06/11 (163-t)	45.5	66.8	83.7	35.0	1972	55.7	57	68.7	57	81.6	57	93.0	1968	0.00	..	..	49	0.14	55	730	1.54	574	11
06/12 (164-f)	50.3	68.6	85.5	40.0	1972	56.9	56	68.9	56	80.9	57	94.4	1984	0.00	..	..	60	0.18	54	682	1.52	462	11
06/13 (165-s)	55.7	71.2	85.8	44.0	1980	57.6	57	69.6	57	81.8	57	96.0	1984	0.00	..	..	62	0.21	55	562	1.51	592	11
06/14 (166-s)	57.0	67.4	82.9	43.0	1959	57.1	57	69.2	57	81.5	57	97.6	1988	0.28	..	..	78	0.16	56	341	1.44	541	11
06/15 (167-m)	55.9	67.9	81.1	45.0	1942	57.7	57	69.5	57	81.3	57	95.6	1988	0.00	..	..	63	0.13	54	539	1.53	484	10
06/16 (168-t)	52.3	71.2	86.6	40.0	1961	57.6	57	69.8	57	82.1	57	94.0	1967	0.00	..	..	60	0.14	57	635	1.34	455	10
06/17 (169-w)	66.2	78.1	90.0	42.0	1980	57.1	57	69.4	57	81.5	57	97.0	1936	0.00	..	..	70	0.13	54	583	1.64	558	11
06/18 (170-t)	62.9	70.4	83.4	41.0	1980	57.5	56	69.4	56	81.2	57	97.0	1944	1.32	..	..	78	0.18	57	460	1.61	525	10
06/19 (171-f)	54.1	64.4	71.8	45.0	1959	57.6	57	69.5	57	81.5	57	93.2	1984	0.00	..	..	82	0.11	55	325	1.67	445	11
06/20 (172-s)	49.9	53.9	60.5	44.9	1982	57.8	57	70.1	57	82.6	57	96.3	1988	0.00	..	..	84	0.10	56	169	0.96	435	11
06/21 (173-s)	42.2	51.5	61.2	42.2	1992	58.5	57	70.6	57	82.8	57	100.1	1988	0.00	..	..	72	0.16	54	470	1.91	572	11
06/22 (174-m)	38.3	56.5	70.6	38.3	1992	58.4	57	70.5	57	82.9	57	100.1	1988	0.00	..	..	65	0.07	54	625	1.56	459	11
06/23 (175-t)	54.0	62.3	71.2	44.0	1963	58.4	57	70.1	57	81.8	57	94.0	1948	0.11	..	..	70	0.16	52	290	1.69	457	11
06/24 (176-w)	55.3	64.5	75.4	44.8	1982	57.8	57	70.5	57	83.2	57	95.0	1943	0.00	..	..	79	0.07	54	400	1.60	580	11
06/25 (177-t)	56.8	66.9	78.7	41.0	1979	58.4	57	71.0	57	83.6	57	102.6	1988	0.15	..	..	69	0.16	53	646	1.63	637	11
06/26 (178-f)	56.8	68.4	81.2	45.0	1979	57.8	56	71.2	56	84.5	57	97.0	1952	0.11	..	..	66	0.14	54	634	1.62	626	11
06/27 (179-s)	52.6	63.5	77.5	45.5	1988	59.3	57	72.1	57	85.2	57	99.0	1944	0.00	..	..	69	0.14	55	601	1.76	551	11
06/28 (180-s)	47.7	64.7	78.5	44.8	1988	59.4	57	72.6	57	85.9	57	101.0	1944	0.00	..	..	65	0.12	54	585	1.50	509	11
06/29 (181-m)	51.1	69.7	85.0	46.0	1938	60.5	57	72.7	57	85.0	57	96.0	1952	0.00	..	..	64	0.15	53	644	1.60	524	11
06/30 (182-t)	59.6	74.5	89.2	42.2	1988	60.1	57	72.3	57	84.8	57	96.4	1991	0.00	..	..	64	0.09	56	598	1.47	526	11
Column Min's:	38.3	51.5	60.5	33.8		52.9		65.2		77.0				0.00			49	0.07		155	0.74	435	
Column Avg's:	53.0	65.7	78.4	47.1		57.1		69.4		81.7				0.08			69	0.14		512	1.51	521	
Column Max's:	66.2	78.1	90.0	60.5		60.5		72.7		85.9		102.6		1.32			84	0.23		730	1.91	637	
Column Ttl's:														2.47				4.18		15366		15615	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	max	Long Term	max	prec	liq	ly	max	Long Term	
mo da jul	.....Current.....	.....Long Term.....	min Year	Year	avg yrs	avgmx yrs	evap	prec	Year	ly/m	avg yrs	
07/01 (183-w)	66.3	74.8	40.7	1988	59.9	57	72.0	57	84.5	57	96.0	1941
07/02 (184-t)	64.5	77.4	44.4	1988	59.3	57	71.7	57	84.5	57	98.0	1954
07/03 (185-f)	63.1	71.7	47.9	1988	59.5	57	72.2	57	85.0	57	97.0	1966
07/04 (186-s)	56.9	69.3	44.0	1968	59.8	57	71.8	57	83.9	57	97.0	1966
07/05 (187-s)	62.8	70.8	46.0	1979	60.2	57	71.9	57	84.1	57	100.1	1988
07/06 (188-m)	51.9	64.1	45.0	1972	59.5	57	71.8	57	84.2	57	101.4	1988
07/07 (189-t)	50.0	65.9	45.8	1983	58.9	57	71.8	57	84.8	57	103.3	1988
07/08 (190-w)	63.7	74.2	45.1	1984	60.4	56	73.0	56	85.8	57	104.2	1988
07/09 (191-t)	71.3	78.8	48.0	1954	61.6	57	73.6	57	86.1	57	106.0	1936
07/10 (192-f)	66.9	75.4	44.0	1963	61.7	57	73.8	57	86.1	57	102.0	1936
07/11 (193-s)	64.4	75.4	46.0	1945	60.4	57	73.1	57	86.1	57	104.0	1936
07/12 (194-s)	68.0	75.6	47.0	1978	60.6	57	72.9	57	85.4	57	104.0	1936
07/13 (195-m)	69.4	78.5	45.0	1940	61.1	57	73.0	57	85.1	57	103.0	1936
07/14 (196-t)	67.9	78.7	46.0	1950	61.1	57	73.6	57	86.2	57	106.0	1936
07/15 (197-w)	63.7	70.2	49.0	1939	60.3	57	72.7	57	85.1	57	103.4	1988
07/16 (198-t)	62.2	70.5	45.0	1946	61.0	57	73.5	57	86.1	57	100.7	1988
07/17 (199-f)	63.4	69.2	47.0	1939	60.4	57	73.2	57	86.1	57	98.0	1936
07/18 (200-s)	61.2	71.4	49.0	1976	61.3	57	73.4	57	85.8	57	94.2	1991
07/19 (201-s)	58.4	71.6	46.0	1979	62.2	57	74.4	57	86.5	57	94.2	1991
07/20 (202-m)	64.5	71.0	47.0	1947	62.1	57	73.9	57	86.0	57	95.9	1991
07/21 (203-t)	61.9	66.4	45.0	1970	61.3	57	72.8	57	84.8	57	97.4	1983
07/22 (204-w)	59.2	67.3	47.0	1970	61.8	57	73.6	57	85.9	57	98.7	1991
07/23 (205-t)	65.3	71.5	46.0	1947	62.0	57	73.9	57	86.1	57	95.5	1984
07/24 (206-f)	64.1	70.8	46.0	1947	61.7	57	73.7	57	85.9	57	99.0	1940
07/25 (207-s)	63.4	70.3	50.0	1953	61.3	57	73.8	57	86.7	57	98.0	1940
07/26 (208-s)	69.0	73.5	49.0	1946	61.8	57	73.4	57	85.4	57	99.0	1941
07/27 (209-m)	61.0	71.8	46.0	1962	61.6	57	74.0	57	86.9	57	103.0	1936
07/28 (210-t)	53.6	68.3	48.0	1937	62.0	57	74.2	57	86.3	57	98.0	1941
07/29 (211-w)	61.1	70.4	51.3	1982	62.2	56	73.7	56	85.4	56	97.0	1940
07/30 (212-t)	60.1	70.9	49.0	1956	60.9	57	72.6	57	84.6	57	98.0	1940
07/31 (213-f)	51.2	63.7	48.0	1936	60.8	56	72.4	56	84.2	56	95.0	1955
Column Min's:	50.0	63.7	40.7	58.9	71.7	83.9	64	0.00	0.00	114	0.53	411
Column Avg's:	62.3	71.6	82.9	60.9	73.1	85.5	76	0.31	0.13	436	1.59	501
Column Max's:	71.3	78.8	90.0	62.2	74.4	86.9	84	1.42	0.26	656	1.89	574
Column Tot's:								9.58	4.11	13504		15517

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	avg	min	avg	prec	evap	max	avg															
mo da jul	Current	Long Term	Year	Yrs	liq	Year	ly/m	Term															
			avg	avg	prec	avg	ly/m	avg															
			Yrs	Yrs	Year	Yrs	Yrs	Yrs															
08/01 (214-s)	48.2	63.8	79.7	47.0	1947	59.6	56	72.2	56	85.1	56	97.2	1991	0.00	--	--	69	0.11	55	652	1.51	502	10
08/02 (215-s)	52.8	66.2	79.2	49.0	1971	59.6	56	72.8	56	86.1	56	99.9	1991	0.00	--	--	70	0.12	53	576	1.58	523	10
08/03 (216-m)	58.0	67.4	80.1	44.0	1965	61.4	57	73.8	57	86.6	57	100.0	1955	0.01	--	--	78	0.18	55	343	1.49	474	11
08/04 (217-t)	54.5	65.1	75.7	49.0	1950	61.4	57	73.0	57	84.9	57	98.0	1955	0.00	--	--	70	0.15	52	630	1.60	413	11
08/05 (218-w)	52.6	63.6	78.3	45.0	1951	60.8	57	71.8	57	83.3	57	98.0	1955	0.00	--	--	72	0.11	55	496	1.67	414	11
08/06 (219-t)	49.7	65.2	79.1	47.0	1948	59.8	57	71.6	57	83.7	57	99.0	1955	0.01	--	--	67	0.07	54	646	1.39	442	11
08/07 (220-f)	56.0	71.0	84.2	49.0	1971	59.5	57	71.6	57	84.0	57	95.0	1938	0.67	--	--	75	0.07	56	489	1.40	470	11
08/08 (221-s)	66.3	74.9	84.5	46.7	1989	60.1	57	72.4	57	85.1	57	96.1	1983	0.33	--	--	80	0.14	54	337	1.58	478	11
08/09 (222-s)	61.6	75.0	87.7	50.4	1989	60.8	57	72.8	57	84.9	57	95.0	1941	0.00	--	--	75	0.11	54	565	1.56	480	11
08/10 (223-m)	66.5	78.2	92.0	45.0	1972	60.5	57	72.4	57	84.4	57	96.0	1944	0.02	--	--	77	0.12	57	409	1.53	428	10
08/11 (224-t)	58.7	71.8	80.0	45.0	1972	59.7	57	71.7	57	83.8	57	95.7	1988	0.00	--	--	72	0.13	55	582	1.61	507	11
08/12 (225-w)	53.4	67.1	81.1	43.0	1967	57.8	57	70.4	56	83.2	56	97.0	1940	0.00	--	--	70	0.10	55	591	1.51	536	11
08/13 (226-t)	58.3	65.8	78.5	45.0	1967	58.6	57	70.8	57	83.6	57	98.0	1936	0.03	--	--	77	0.06	51	484	1.65	476	11
08/14 (227-f)	56.5	64.1	78.5	43.0	1964	59.2	57	71.7	57	84.8	57	94.6	1987	0.00	--	--	76	0.08	56	551	1.58	494	11
08/15 (228-s)	59.2	62.5	71.0	41.0	1964	60.0	57	72.2	57	84.9	57	94.5	1987	0.05	--	--	83	0.15	51	265	1.49	466	11
08/16 (229-s)	54.0	64.6	76.7	43.0	1979	60.1	57	72.1	57	84.4	57	95.7	1987	0.00	--	--	76	0.08	55	443	1.52	450	11
08/17 (230-m)	49.8	63.9	79.7	44.0	1979	60.1	57	71.6	57	83.7	57	99.5	1988	0.00	--	--	68	0.07	50	590	1.38	440	10
08/18 (231-t)	50.0	66.3	79.9	45.0	1981	59.1	57	71.1	57	83.6	57	95.2	1983	0.00	--	--	67	0.10	52	550	1.54	444	11
08/19 (232-w)	52.4	65.7	76.4	45.0	1943	58.9	57	70.9	57	83.5	57	101.6	1983	0.19	--	--	72	0.14	55	550	1.61	428	11
08/20 (233-t)	46.5	61.3	76.8	46.5	1992	58.1	57	70.4	57	83.0	57	103.6	1983	0.00	--	--	69	0.07	55	546	1.65	427	10
08/21 (234-f)	46.7	64.1	80.1	42.0	1940	57.5	57	70.0	57	82.7	57	101.0	1936	0.00	--	--	68	0.10	54	594	1.28	440	11
08/22 (235-s)	55.1	69.3	82.6	42.9	1982	58.5	57	70.7	57	83.0	57	102.0	1936	0.00	--	--	72	0.07	55	434	1.32	350	11
08/23 (236-s)	63.7	71.6	81.2	45.0	1946	58.5	57	70.4	57	82.9	57	98.0	1936	0.00	--	--	76	0.11	53	397	1.13	350	11
08/24 (237-m)	66.7	73.9	84.5	43.0	1971	57.1	57	69.4	57	82.1	57	96.0	1954	0.01	--	--	77	0.07	56	376	1.46	393	11
08/25 (238-t)	62.4	75.0	88.7	41.0	1942	56.5	55	69.6	55	82.8	56	97.3	1983	0.00	--	--	73	0.09	54	494	1.35	450	11
08/26 (239-w)	63.7	74.6	89.8	41.0	1946	57.5	57	70.3	57	83.7	57	96.5	1983	0.28	--	--	76	0.10	54	405	1.36	429	11
08/27 (240-t)	66.9	71.5	86.4	44.0	1946	58.2	57	70.7	57	83.6	57	97.7	1983	1.09	--	--	80	0.08	55	295	1.27	368	11
08/28 (241-f)	53.5	61.8	67.2	41.1	1986	59.1	57	71.0	57	83.3	57	94.7	1991	0.12	--	--	82	0.10	55	120	0.72	336	11
08/29 (242-s)	46.5	60.4	72.8	37.4	1982	58.5	57	71.0	57	83.8	57	98.1	1991	0.00	--	--	71	0.19	56	525	1.46	448	11
08/30 (243-s)	57.7	66.7	77.3	36.0	1946	58.3	57	71.0	57	83.8	57	97.8	1983	0.00	--	--	75	0.08	55	357	1.39	424	11
08/31 (244-m)	50.6	62.3	74.8	43.6	1986	58.5	57	70.7	57	83.3	57	96.0	1943	0.00	--	--	71	0.15	56	544	1.47	441	11
Column Min's:	46.5	60.4	67.2	36.0		56.5		69.4		82.1				0.00			67	0.06		120	0.72	336	
Column Avg's:	56.1	67.6	80.1	59.1		59.1		71.4		83.9				0.09			74	0.11		479	1.45	443	
Column Max's:	66.9	78.2	92.0	61.4		61.4		73.8		86.6		103.6		1.09			83	0.19		652	1.67	536	
Column Tot's:														2.81				3.30		14836		13721	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION											
	mo	da	jul	min	avg	max	min	year avg	max	prec	liq	evap	hum %	ly	max	Lng-Trm					
			.....Current.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....					
09/01 (245-t)	47.6	62.2	79.2	42.0	1963	57.1	57	69.5	57	82.3	57	95.0	1953	0.00	0.00	0.10	55	528	1.41	423	11
09/02 (246-w)	53.0	64.6	74.3	43.0	1946	56.8	57	69.3	57	82.0	57	97.0	1953	0.12	0.12	0.14	56	178	1.14	374	11
09/03 (247-t)	65.7	71.1	80.9	41.0	1946	56.6	57	69.0	57	81.6	57	97.0	1953	0.06	0.06	0.12	53	286	1.25	381	11
09/04 (248-f)	58.9	67.0	76.9	42.0	1946	57.7	57	69.9	57	82.3	57	94.0	1938	0.00	0.00	0.09	57	286	0.65	415	11
09/05 (249-s)	60.6	71.2	83.8	42.0	1974	56.7	57	69.0	57	81.6	57	99.0	1954	0.00	0.00	0.11	55	372	1.39	419	11
09/06 (250-s)	65.8	73.8	86.1	40.0	1962	55.5	57	68.2	57	81.4	57	100.0	1954	0.00	0.00	0.09	56	446	1.37	394	11
09/07 (251-m)	65.0	72.5	84.3	38.0	1988	55.3	55	67.6	55	80.0	55	100.0	1939	0.00	0.00	0.05	54	381	1.53	331	8
09/08 (252-t)	58.9	69.3	76.5	37.0	1956	54.3	56	67.9	56	81.7	56	99.0	1939	0.12	0.12	0.04	55	240	1.54	447	10
09/09 (253-w)	56.0	70.1	84.5	37.9	1986	55.3	56	68.3	56	81.6	56	95.0	1964	0.04	0.04	0.04	54	341	1.52	365	10
09/10 (254-t)	47.8	64.0	73.3	40.0	1943	55.4	57	67.4	57	79.8	57	98.2	1983	0.02	0.02	0.07	56	343	1.45	335	11
09/11 (255-f)	44.1	55.1	69.7	38.0	1967	52.8	57	65.3	57	78.1	57	96.0	1964	0.00	0.00	0.08	56	397	1.62	364	11
09/12 (256-s)	41.9	55.8	71.5	39.0	1943	52.6	57	64.8	57	77.3	57	91.0	1961	0.01	0.01	0.11	57	498	1.42	311	11
09/13 (257-s)	43.5	59.5	77.2	37.0	1964	53.5	57	65.9	57	78.6	57	97.0	1939	0.00	0.00	0.08	57	490	1.20	389	11
09/14 (258-m)	52.4	66.1	82.9	34.0	1964	53.2	56	65.6	56	78.3	56	102.0	1939	0.00	0.00	0.22	52	430	1.22	326	10
09/15 (259-t)	56.2	69.2	85.6	34.0	1975	52.7	57	64.7	57	77.2	57	101.0	1939	0.00	0.00	0.08	53	440	1.15	342	11
09/16 (260-w)	58.6	69.8	85.5	37.0	1966	51.2	57	63.8	57	76.7	57	100.0	1939	0.00	0.00	0.04	53	430	1.21	335	11
09/17 (261-t)	59.9	70.8	83.9	34.9	1984	51.4	57	63.2	57	75.6	57	94.0	1955	0.00	0.00	0.04	55	453	1.12	416	11
09/18 (262-f)	54.9	67.6	73.8	32.0	1959	51.0	57	63.9	57	76.8	57	95.0	1955	1.02	1.02	0.10	55	100	0.68	300	11
09/19 (263-s)	46.0	56.0	69.6	37.0	1959	53.1	57	64.6	57	76.4	57	95.0	1955	0.00	0.00	0.12	53	484	1.24	333	11
09/20 (264-s)	41.5	58.2	72.8	33.0	1937	52.0	56	64.1	56	76.4	56	93.0	1940	0.09	0.09	0.10	53	441	1.22	370	10
09/21 (265-m)	60.5	69.8	80.2	30.0	1956	51.7	55	63.7	55	76.1	55	93.0	1940	0.57	0.57	0.15	50	149	0.97	345	9
09/22 (266-t)	48.7	63.0	71.2	36.0	1976	50.3	56	62.6	56	75.1	56	91.2	1984	0.18	0.18	0.09	50	138	1.18	290	10
09/23 (267-w)	41.5	50.0	62.2	32.0	1967	48.2	56	60.4	56	73.1	56	91.0	1937	0.00	0.00	0.12	54	470	1.46	312	10
09/24 (268-t)	36.7	50.9	68.7	31.2	1983	46.9	57	59.6	57	72.7	57	92.0	1939	0.00	0.00	0.11	55	490	1.16	307	8
09/25 (269-f)	40.6	54.1	69.6	32.0	1942	47.1	57	59.6	57	72.2	57	90.0	1939	0.00	0.00	0.07	52	477	1.14	385	11
09/26 (270-s)	48.7	62.0	75.6	32.0	1940	46.0	57	58.9	57	72.1	57	87.9	1986	0.05	0.05	0.09	54	317	1.22	343	11
09/27 (271-s)	45.0	61.1	70.6	32.0	1947	46.7	56	60.0	56	73.5	57	87.0	1954	0.01	0.01	0.12	54	428	1.41	354	10
09/28 (272-m)	39.4	55.6	74.8	31.0	1942	45.5	56	59.1	56	73.1	56	90.0	1939	0.01	0.01	0.11	54	426	1.08	349	10
09/29 (273-t)	35.3	46.1	60.2	28.0	1942	46.0	56	58.7	56	72.1	57	97.0	1953	0.00	0.00	0.06	57	457	1.10	327	10
09/30 (274-w)	32.5	46.5	63.3	30.0	1963	45.8	57	58.6	57	71.9	57	92.0	1953	0.00	0.00	0.10	54	434	1.10	299	11
Column Min's:	32.5	46.1	60.2	28.0		45.5	58.6	71.9		82.3		102.0		0.00	0.00	0.04		100	0.65	290	
Column Avg's:	50.2	62.4	75.6			51.9	64.4	77.3		82.3				0.08	0.08	0.09		378	1.24	356	
Column Max's:	65.8	73.8	86.1			57.7	69.9	82.3						1.02	1.02	0.22		528	1.62	447	
Column Ttl's:														2.30	2.30	2.84		11350		10681	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N														
	mo	da	jul	min	avg	max	min	year	avg	yr	max	yr	ly	ly/m	avg	yr								
10/01	(275-t)	34.1	50.5	69.3	31.0	1947	46.0	57	58.4	57	70.9	57	88.0	1937	0.00	..	..	67	0.10	55	422	1.04	274	11
10/02	(276-f)	40.8	56.8	74.7	29.0	1974	44.9	57	58.4	57	72.0	57	89.0	1954	0.00	..	..	65	0.07	55	422	1.04	323	11
10/03	(277-s)	44.5	59.7	78.0	29.0	1974	45.0	57	57.6	57	70.3	57	91.0	1953	0.00	..	..	65	0.08	56	414	1.02	294	11
10/04	(278-s)	47.8	55.7	65.0	26.7	1987	44.7	57	57.6	57	71.0	57	87.0	1951	0.01	..	..	65	0.11	54	206	0.76	282	10
10/05	(279-m)	40.6	50.8	64.7	26.0	1965	44.6	57	57.1	57	69.5	57	87.0	1951	0.00	..	..	55	0.06	54	428	1.06	304	11
10/06	(280-t)	33.8	49.2	70.0	26.5	1988	44.7	57	57.0	57	69.6	57	85.3	1982	0.00	..	..	63	0.11	56	412	1.03	317	11
10/07	(281-w)	34.8	52.6	72.5	28.0	1952	43.0	57	55.5	57	68.3	57	88.0	1939	0.00	..	..	61	0.09	53	392	1.05	281	11
10/08	(282-t)	43.6	55.8	63.5	27.8	1988	42.5	57	54.9	57	67.5	57	91.0	1939	0.23	..	..	68	0.05	54	158	0.86	272	11
10/09	(283-f)	46.0	53.4	61.2	29.0	1974	44.1	57	55.5	57	67.2	57	89.0	1939	0.01	..	..	61	0.11	56	268	1.24	185	10
10/10	(284-s)	45.0	53.4	68.4	29.0	1956	42.7	57	54.5	57	66.7	57	83.0	1939	0.12	..	..	63	0.12	55	200	0.99	208	8
10/11	(285-s)	42.7	50.4	56.4	19.0	1964	41.5	57	53.7	57	66.4	57	85.0	1954	0.01	..	..	69	0.03	54	153	1.01	250	11
10/12	(286-m)	38.5	53.4	64.3	21.0	1964	42.3	57	54.4	57	66.7	57	85.0	1938	0.00	..	..	52	0.06	57	299	0.98	209	11
10/13	(287-t)	37.5	48.5	62.4	25.1	1988	41.8	57	54.3	57	67.2	57	81.1	1985	0.10	..	..	52	0.08	54	371	0.99	249	11
10/14	(288-w)	46.8	63.9	80.2	26.7	1988	41.7	57	54.6	57	67.6	57	85.9	1989	0.02	..	..	51	0.05	51	324	1.04	235	11
10/15	(289-t)	56.9	61.3	68.3	22.0	1939	40.7	57	54.2	57	67.8	57	84.0	1953	0.94	..	..	64	0.07	54	55	0.42	255	11
10/16	(290-f)	38.9	52.6	62.3	25.0	1937	40.3	57	53.9	57	67.4	57	86.0	1938	0.28	..	..	62	0.04	53	71	0.84	253	11
10/17	(291-s)	31.1	40.0	50.9	23.0	1977	41.1	57	53.1	57	65.2	57	87.0	1938	0.00	..	..	56	0.11	55	360	1.06	240	11
10/18	(292-s)	31.2	37.9	48.6	23.0	1976	39.6	57	52.1	57	64.9	57	86.0	1938	0.06	..	..	66	0.10	56	114	1.08	212	11
10/19	(293-m)	26.7	33.6	43.6	23.0	1976	38.6	57	50.6	57	62.7	57	86.0	1953	0.01	..	..	60	0.05	53	297	1.34	220	10
10/20	(294-t)	26.7	36.5	45.6	22.0	1972	36.7	57	48.8	57	61.1	57	87.0	1953	0.03	..	..	66	0.03	55	56	0.23	169	11
10/21	(295-w)	31.6	44.0	50.7	18.0	1952	38.8	57	50.8	57	62.9	57	85.0	1953	0.00	..	..	68	0.06	55	138	0.84	158	11
10/22	(296-t)	28.4	42.5	60.8	20.0	1974	39.9	57	51.9	57	64.0	57	83.0	1953	0.00	..	..	69	0.06	54	288	..	173	10
10/23	(297-f)	33.7	53.8	72.7	22.0	1976	40.3	57	52.3	57	64.3	57	91.4	1986	0.09	..	..	74	0.03	51	275	0.85	210	10
10/24	(298-s)	34.4	53.2	60.5	18.0	1964	38.1	57	49.6	57	61.2	57	78.8	1991	0.00	..	..	82	0.11	53	135	0.85	169	11
10/25	(299-s)	32.6	40.8	51.4	19.0	1964	38.1	57	48.9	57	59.9	57	80.0	1963	0.00	..	..	84	0.10	52	166	0.82	211	11
10/26	(300-m)	32.4	50.4	70.0	19.0	1962	37.5	57	48.4	57	59.8	57	82.0	1963	0.00	..	..	74	0.04	53	288	0.98	227	11
10/27	(301-t)	35.0	45.9	62.4	19.0	1962	37.4	57	49.0	57	60.8	57	84.0	1963	0.00	..	..	77	0.08	55	311	0.88	235	11
10/28	(302-w)	28.7	46.1	62.0	18.0	1976	35.8	56	48.4	56	61.5	57	77.0	1963	0.00	..	..	69	0.04	52	295	0.85	234	10
10/29	(303-t)	43.5	48.4	52.1	19.0	1976	36.7	56	48.1	56	59.8	57	78.0	1946	0.00	..	..	72	0.03	51	67	0.30	230	10
10/30	(304-f)	41.6	43.8	45.7	21.0	1965	36.7	56	48.3	56	60.3	56	76.0	1946	0.08	..	..	84	0.03	56	66	0.31	210	11
10/31	(305-s)	39.7	46.1	54.8	17.0	1988	37.9	56	49.3	56	61.0	56	81.0	1950	0.00	..	..	65	0.08	55	172	0.90	202	11

Column Min's:	26.7	33.6	43.6	17.0	35.8	48.1	59.8	0.00	0.03	51	0.03	55	0.23	158
Column Avg's:	37.7	49.4	61.7	40.8	52.9	65.3	72.0	0.06	0.07	66	0.07	246	0.89	236
Column Max's:	56.9	63.9	80.2	46.0	58.4	72.0	91.4	0.94	0.12	84	0.12	428	1.34	323
Column Ttl's:								1.99	2.18			7623		7311

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.