

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
mo	da	min	avg	max	min	year	avgm	yr	avg	yr	max	Lng-Trm											
					Long Term	max	yr	yr	yr	yr	ly	avg											
					yr	yr	yr	yr	yr	yr	ly	yr											
01/01	(001-f)	22.0	26.7	29.6	-11.0	1977	21.4	57	29.8	57	38.2	57	63.1	1985	0.00	0.00	71	0.11	52	46	0.30	122	12
01/02	(002-s)	19.4	26.7	32.7	-5.0	1968	21.5	57	29.0	57	36.7	57	58.4	1982	0.00	0.00	66	0.10	52	112	0.50	123	12
01/03	(003-s)	32.7	43.6	52.6	-4.0	1979	21.6	57	29.3	57	37.1	57	59.0	1939	0.12	0.12	82	0.07	49	33	0.29	72	11
01/04	(004-m)	51.2	54.5	59.8	-4.0	1979	20.6	57	28.4	57	36.2	57	59.8	1993	1.51	1.51	81	0.11	46	49	0.28	123	12
01/05	(005-t)	33.3	37.4	51.8	-9.0	1981	18.4	57	26.3	57	34.6	57	61.0	1939	0.02	0.02	80	0.08	51	26	0.11	124	12
01/06	(006-w)	23.8	32.5	37.5	-10.0	1981	19.0	57	27.0	57	35.0	57	66.0	1946	0.00	0.00	74	0.09	53	75	0.36	91	12
01/07	(007-t)	21.8	30.8	40.1	-3.0	1942	20.1	57	28.0	57	36.0	57	61.3	1989	0.01	0.01	82	0.05	51	145	0.74	121	11
01/08	(008-f)	28.6	30.8	32.9	-14.0	1968	17.2	57	25.4	57	33.7	57	64.0	1937	0.10	0.10	84	0.07	50	42	0.19	136	12
01/09	(009-s)	25.5	27.7	29.2	-13.0	1968	15.4	56	24.7	56	34.1	57	62.0	1937	0.00	0.00	67	0.06	51	46	0.19	122	12
01/10	(010-s)	25.3	28.8	34.3	-10.8	1982	16.9	57	24.5	57	32.3	57	56.0	1939	0.31	0.31	91	0.07	54	40	0.26	112	12
01/11	(011-m)	25.3	28.7	31.5	-10.0	1981	16.9	57	25.2	57	33.5	57	58.0	1975	0.00	0.00	94	0.09	49	68	0.38	148	12
01/12	(012-t)	31.5	34.7	37.8	-9.0	1979	17.7	57	26.0	57	34.3	57	58.0	1960	0.37	0.37	98	0.04	46	54	0.24	117	12
01/13	(013-w)	26.4	35.3	44.5	-16.0	1977	16.9	57	25.9	57	35.0	57	59.0	1960	0.27	0.27	86	0.11	50	30	0.19	123	12
01/14	(014-t)	25.8	27.2	30.0	-17.0	1977	18.3	57	27.7	57	37.2	57	60.0	1947	0.00	0.00	78	0.12	50	64	0.33	107	12
01/15	(015-f)	25.7	26.8	28.3	-16.0	1964	18.9	57	27.3	57	35.6	57	61.0	1953	0.00	0.00	74	0.10	50	55	0.24	163	12
01/16	(016-s)	24.6	28.5	34.0	-15.0	1982	16.4	57	25.4	57	34.3	57	57.0	1953	0.00	0.00	67	0.06	55	148	0.79	167	12
01/17	(017-s)	23.2	29.6	33.2	-21.0	1977	17.0	57	25.7	57	34.3	57	61.0	1952	0.00	0.00	67	0.08	47	37	0.16	91	12
01/18	(018-m)	15.7	20.9	25.2	-19.0	1977	17.0	57	26.2	57	35.3	57	61.0	1952	0.00	0.00	56	0.08	52	166	0.78	138	12
01/19	(019-t)	12.2	22.5	35.2	-14.0	1940	16.1	57	25.7	57	35.3	57	60.0	1949	0.00	0.00	59	0.11	51	255	0.73	159	12
01/20	(020-w)	15.6	30.3	43.6	-21.6	1985	16.7	57	26.1	57	35.2	56	59.0	1951	0.00	0.00	54	0.10	54	239	0.78	145	12
01/21	(021-t)	35.2	41.7	47.2	-23.6	1984	18.2	57	27.0	57	35.6	57	60.0	1974	1.31	1.31	86	0.17	45	36	0.58	164	12
01/22	(022-f)	32.7	34.1	35.8	-14.0	1936	19.0	57	27.2	57	35.7	57	53.0	1957	0.09	0.09	88	0.31	46	34	0.28	120	11
01/23	(023-s)	28.5	40.2	50.8	-17.0	1936	18.3	57	27.4	57	36.4	57	61.0	1967	0.00	0.00	66	0.10	50	203	0.82	150	12
01/24	(024-s)	24.8	36.4	50.0	-19.0	1963	18.8	57	27.4	57	36.0	57	67.0	1967	0.55	0.55	72	0.11	51	47	0.43	147	12
01/25	(025-m)	16.2	25.6	33.7	-12.0	1961	17.7	57	27.2	57	36.9	57	63.0	1967	0.00	0.00	64	0.05	47	267	0.77	152	11
01/26	(026-t)	14.0	26.0	36.7	-11.0	1948	17.1	56	25.8	56	35.1	57	64.0	1967	0.00	0.00	67	0.12	48	258	0.92	183	12
01/27	(027-w)	25.4	31.6	34.5	-9.0	1936	16.3	55	25.7	55	35.2	56	61.0	1974	0.00	0.00	68	0.12	51	127	0.94	209	11
01/28	(028-t)	26.2	38.3	51.0	-17.0	1963	16.3	57	25.1	57	33.9	57	65.0	1974	0.00	0.00	69	0.07	51	244	0.75	182	12
01/29	(029-f)	17.7	24.7	34.4	-10.0	1963	17.5	57	25.9	57	34.1	57	56.0	1975	0.00	0.00	57	0.13	47	243	1.06	133	11
01/30	(030-s)	16.3	27.3	40.6	-11.0	1977	18.8	57	27.2	57	35.7	57	65.0	1975	0.00	0.00	38	0.14	45	254	0.95	122	12
01/31	(031-s)	29.8	37.3	45.8	-6.0	1972	17.3	56	25.9	56	34.3	57	60.7	1989	0.00	0.00	50	0.06	49	249	0.86	152	12

Column Min's: 12.2 20.9 25.2 -23.6 15.4 24.5 32.3 0.00 0.04 38 0.11 72
 Column Avg's: 25.0 31.8 38.8 18.0 26.6 35.3 0.15 0.10 72 0.10 119 0.52 136
 Column Max's: 51.2 54.5 59.8 21.6 29.8 38.2 67.0 4.66 98 0.31 267 1.06 209
 Column Ttl's: 3692 4218

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	max	avg	max	prec	evap	ly	max													
mo da jul	Current	Long Term	Year	Year	Year	Year	prec	evap	ly	ly/m													
	min	avg	avg	max	avg	max	prec	evap	ly	ly/m													
02/01 (032-m)	14.9	24.7	36.7	-10.0	1978	16.6	58	25.8	58	34.7	58	65.7	1989	0.00	57	0.08	47	282	1.01	172	12
02/02 (033-t)	10.0	21.1	34.0	-14.0	1951	17.3	58	26.2	58	35.6	58	58.0	1968	0.00	60	0.11	52	315	0.82	155	12
02/03 (034-w)	17.1	30.9	47.8	-16.1	1985	16.4	58	25.9	58	35.7	58	56.2	1991	0.00	42	0.07	53	262	0.85	133	12
02/04 (035-t)	23.9	32.1	44.8	-18.9	1985	17.8	58	26.8	58	35.9	58	61.9	1991	0.00	55	0.08	51	293	0.82	161	12
02/05 (036-f)	19.3	34.7	53.7	-9.0	1979	18.1	57	27.2	57	36.7	58	59.0	1938	0.00	53	0.04	53	260	0.90	173	12
02/06 (037-s)	15.9	26.3	34.8	-14.0	1977	18.8	58	27.6	58	36.4	58	57.0	1964	0.00	66	0.10	54	248	0.93	192	12
02/07 (038-s)	12.2	27.4	47.0	-14.0	1977	18.0	58	26.5	58	35.4	58	54.0	1938	0.00	66	0.07	51	317	0.85	184	12
02/08 (039-m)	26.7	31.8	35.5	-14.0	1977	16.9	58	26.6	58	36.4	58	71.0	1937	0.00	74	0.03	53	62	0.20	204	12
02/09 (040-t)	27.0	34.6	45.8	-16.0	1977	16.6	58	26.2	58	35.5	58	70.0	1937	0.00	64	0.06	49	162	0.79	194	12
02/10 (041-w)	29.4	42.6	61.6	-13.0	1979	17.5	58	27.0	58	36.6	58	61.6	1993	0.00	72	0.11	51	267	0.83	235	12
02/11 (042-t)	32.7	36.2	44.0	-12.0	1979	17.8	58	27.6	58	37.3	58	63.0	1965	0.19	85	0.09	53	146	0.83	178	12
02/12 (043-f)	31.5	39.4	44.3	-6.0	1978	18.2	58	27.8	58	37.2	58	67.5	1984	0.24	98	0.08	47	23	0.09	201	12
02/13 (044-s)	26.0	28.9	31.6	-8.0	1979	20.6	58	29.8	58	39.1	58	69.0	1938	0.08	84	0.14	51	109	0.53	168	12
02/14 (045-s)	23.9	28.7	35.6	-2.0	1979	21.5	58	30.5	58	39.8	58	65.0	1950	0.02	79	0.09	50	186	1.19	163	12
02/15 (046-m)	25.2	28.7	33.5	-11.0	1978	20.6	58	29.8	58	39.2	58	69.0	1954	0.01	70	0.12	52	122	0.42	180	12
02/16 (047-t)	25.3	28.8	31.5	-11.0	1978	19.9	58	29.7	58	39.4	58	63.4	1990	0.53	89	0.06	50	91	0.41	192	12
02/17 (048-w)	0.3	18.8	28.3	-11.0	1979	22.0	58	30.3	58	38.3	58	61.0	1976	0.08	67	0.07	51	213	0.68	171	12
02/18 (049-t)	-7.1	1.5	11.3	-11.0	1979	20.3	58	30.2	58	40.5	58	62.0	1948	0.00	61	0.07	53	386	1.18	223	12
02/19 (050-f)	-6.7	10.6	23.7	-11.0	1936	22.2	58	32.2	58	42.2	58	69.0	1939	0.00	57	0.07	53	355	1.22	203	12
02/20 (051-s)	18.6	26.9	37.2	-11.0	1936	21.8	58	30.9	58	40.4	58	65.0	1939	0.00	57	0.09	42	272	1.27	211	12
02/21 (052-s)	27.3	34.4	42.7	-6.0	1978	21.5	58	30.9	58	40.5	58	68.2	1983	0.38	95	0.12	50	68	0.30	217	12
02/22 (053-m)	21.2	28.4	34.0	-11.0	1963	23.0	58	32.3	58	41.8	58	68.4	1983	0.01	71	0.09	49	191	0.80	204	12
02/23 (054-t)	10.2	19.5	26.3	-5.0	1978	22.7	58	32.1	58	41.8	58	64.9	1984	0.02	66	0.10	50	288	1.01	231	12
02/24 (055-w)	1.8	10.2	20.6	-3.0	1978	23.3	58	32.7	58	42.2	58	71.0	1961	0.00	60	0.10	49	366	1.41	227	12
02/25 (056-t)	-2.7	11.9	21.6	-2.7	1993	22.5	58	31.2	58	39.8	58	73.0	1957	0.00	65	0.11	53	204	0.63	256	12
02/26 (057-f)	15.8	23.0	29.3	-8.0	1963	22.0	58	31.6	58	41.2	58	72.0	1944	0.23	72	0.16	47	233	0.92	246	12
02/27 (058-s)	2.8	15.7	25.6	-8.0	1963	22.1	58	31.2	58	40.5	58	63.0	1976	0.00	73	0.06	51	338	1.34	226	12
02/28 (059-s)	-4.4	15.5	38.6	-4.4	1993	22.5	58	32.2	58	42.0	58	65.0	1939	0.00	62	0.06	50	448	1.23	288	12
Column Min's:	-7.1	1.5	11.3	-18.9		16.4		25.8		34.7				0.00			42		0.03	23	0.09	133	
Column Avg's:	15.6	25.5	35.8		19.9	29.2		29.2		38.6		73.0		0.06			69		0.09	232	0.84	200	
Column Max's:	32.7	42.6	61.6		23.3	32.7		32.7		42.2				0.53			98		0.16	448	1.41	288	
Column Ttl's:														1.79					2.43	6507		5588	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE mo da jul	A I R				T E M P E R A T U R E (degrees Fahrenheit)				W A T E R				S O L A R R A D I A T I O N							
Current.....	Long Term.....	Long Term.....	Long Term.....	Long Term.....	Long Term.....	Long Term.....							
	min	avg	max	min	avg	max	min	avg	max	min	avg	max	min	avg	max					
11/01 (305-m)	27.1	33.3	37.2	23.0	1949	40.0	58	50.9	58	62.3	58	79.0	1950	0.00	0.09	56	86	0.35	179	12
11/02 (306-t)	26.7	36.5	46.6	20.0	1954	40.0	58	49.9	58	60.0	58	79.0	1938	0.00	0.16	51	187	0.87	160	12
11/03 (307-w)	37.9	40.6	44.8	17.4	1991	36.4	58	47.4	57	58.4	57	79.2	1987	0.17	0.14	53	50	0.84	169	12
11/04 (308-t)	38.0	46.7	55.9	16.0	1991	35.8	58	45.2	58	54.9	58	77.0	1938	0.00	0.07	50	67	0.65	117	12
11/05 (309-f)	38.7	50.7	61.3	12.6	1991	35.2	58	44.4	57	53.4	57	75.0	1964	0.02	0.10	53	189	0.95	122	12
11/06 (310-s)	31.6	35.8	40.0	17.0	1953	33.3	58	42.8	58	52.4	58	77.0	1977	0.00	0.06	53	102	0.83	142	12
11/07 (311-s)	23.0	29.4	34.2	16.0	1971	33.2	58	43.2	58	53.3	58	78.0	1938	0.00	0.09	55	107	0.83	139	12
11/08 (312-m)	24.1	34.1	49.7	12.0	1971	33.8	58	43.4	58	53.1	58	73.0	1945	0.00	0.09	53	257	0.88	182	12
11/09 (313-t)	23.2	35.7	54.7	11.3	1991	32.6	58	42.2	57	51.9	57	72.0	1975	0.00	0.09	51	235	0.84	155	12
11/10 (314-w)	22.6	38.2	57.1	18.6	1991	32.9	58	42.9	58	52.9	58	74.0	1975	0.00	0.07	54	267	0.75	135	11
11/11 (315-t)	30.9	45.4	57.5	17.0	1957	31.5	58	41.7	58	51.9	58	70.0	1938	0.00	0.17	51	198	0.82	120	12
11/12 (316-f)	46.8	50.8	53.9	19.0	1950	32.2	58	41.8	58	51.5	58	72.0	1945	0.00	0.08	56	57	0.24	152	12
11/13 (317-s)	47.2	53.1	60.5	12.6	1986	32.5	58	42.2	58	52.4	58	75.0	1955	1.09	0.07	54	26	0.18	169	12
11/14 (318-s)	59.6	61.3	65.1	10.6	1986	31.7	58	42.1	58	52.7	58	68.0	1958	0.75	0.11	57	51	0.92	174	12
11/15 (319-m)	43.4	51.4	61.6	16.0	1976	33.1	58	42.8	58	52.5	58	71.4	1990	0.02	0.09	53	47	0.25	118	12
11/16 (320-t)	39.7	43.6	50.0	15.0	1969	32.1	58	42.3	58	52.4	58	73.0	1971	0.00	0.16	53	109	0.75	125	12
11/17 (321-w)	38.6	46.1	56.4	13.0	1959	31.4	58	41.3	58	51.5	58	75.0	1958	1.28	0.09	56	25	0.26	156	12
11/18 (322-t)	31.7	38.7	48.9	9.0	1959	31.6	58	41.6	58	51.5	58	73.0	1954	0.00	0.08	54	220	0.91	114	12
11/19 (323-f)	33.8	43.2	49.4	17.0	1951	33.2	58	42.5	58	51.6	58	71.5	1985	0.01	0.09	51	41	0.51	116	12
11/20 (324-s)	26.6	31.5	37.4	14.0	1951	31.7	58	40.8	58	50.3	58	75.0	1942	0.00	0.17	51	241	0.74	134	12
11/21 (325-s)	29.9	39.8	51.5	13.0	1937	30.2	58	38.9	58	47.8	58	65.0	1953	0.00	0.10	53	219	0.81	149	12
11/22 (326-m)	32.4	42.5	58.0	9.0	1964	29.9	58	38.2	58	46.4	58	67.0	1979	0.00	0.05	51	226	0.70	123	12
11/23 (327-t)	32.0	43.6	56.5	10.0	1937	29.0	58	37.7	58	46.5	58	66.0	1963	0.00	0.12	51	121	0.93	124	12
11/24 (328-w)	41.9	46.5	53.8	5.0	1950	27.4	58	36.3	58	45.4	58	64.0	1968	0.00	0.09	51	55	0.33	110	11
11/25 (329-t)	35.2	43.5	54.7	5.0	1950	26.7	58	35.5	58	44.6	58	64.0	1987	0.00	0.09	53	188	0.81	144	12
11/26 (330-f)	42.7	50.2	61.9	13.0	1950	28.9	58	37.8	58	46.7	58	66.4	1990	0.19	0.16	54	163	0.87	121	12
11/27 (331-s)	24.1	32.4	50.0	10.0	1938	29.4	58	37.9	58	46.7	58	72.6	1990	0.89	0.13	56	30	0.20	79	12
11/28 (332-s)	21.3	28.5	32.9	6.0	1955	28.6	58	37.1	58	45.9	58	67.3	1990	0.10	0.10	52	41	0.35	61	12
11/29 (333-m)	28.0	29.8	33.7	8.0	1955	25.8	58	33.7	58	41.8	58	65.5	1991	0.02	0.09	50	30	0.13	106	12
11/30 (334-t)	28.7	31.9	37.4	-4.0	1958	24.7	58	32.7	58	40.7	58	65.6	1991	0.00	0.05	47	187	0.93	117	12
Column Min's:	21.3	28.5	32.9	-4.0		24.7		32.7		40.7		79.2		0.00	0.05		25	0.13	61	
Column Avg's:	33.6	41.2	50.4			31.8		41.2		50.8				0.15	0.10		127	0.65	134	
Column Max's:	59.6	61.3	65.1			40.0		50.9		62.3				1.28	0.17		267	0.95	182	
Column Ttl's:														4.54	3.05		3822		4012	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		tll	W I N D	D E G R E E		D A Y S	
	..Current at 2"...	min	avg	max	..Current at 4"...	min			avg	max	Air	Soil
mo da jul	min	avg	max	min	avg	max	mi	m/h	avg	>50	>65	>50
12/01 (335-w)	35.3	38.0	43.1	37.0	39.4	43.0	118	11.8	132	12	28	0
12/02 (336-t)	35.7	40.3	44.1	37.4	41.0	44.0	138	14.1	161	12	22	0
12/03 (337-f)	41.3	43.4	46.4	42.4	44.1	46.2	79	9.6	176	12	23	0
12/04 (338-s)	43.8	45.7	47.7	44.8	46.3	48.2	143	16.2	161	11	18	0
12/05 (339-s)	41.7	43.7	45.7	43.4	45.1	47.0	204	22.9	142	12	26	0
12/06 (340-m)	40.1	41.6	43.1	41.7	42.9	43.8	152	13.0	141	12	26	0
12/07 (341-t)	37.2	39.9	45.0	39.1	41.1	44.3	75	11.1	123	12	30	0
12/08 (342-w)	35.7	39.4	46.7	37.1	40.3	45.2	89	8.5	116	12	30	0
12/09 (343-t)	35.7	39.7	44.7	37.0	40.2	43.9	161	16.7	127	12	24	0
12/10 (344-f)	41.1	46.5	52.9	43.5	46.6	51.1	214	20.4	125	12	18	0
12/11 (345-s)	35.5	37.1	41.1	37.1	39.2	43.5	288	22.9	160	12	41	0
12/12 (346-s)	34.7	35.0	35.5	35.8	36.3	37.1	64	7.7	149	12	40	0
12/13 (347-m)	34.4	34.7	35.2	35.3	35.6	36.1	109	9.5	132	12	32	0
12/14 (348-t)	34.7	35.7	37.2	35.3	36.1	37.4	100	11.4	145	12	25	0
12/15 (349-w)	36.2	38.5	40.7	36.7	38.5	40.3	185	14.4	167	12	26	0
12/16 (350-t)	37.4	40.4	46.6	38.2	40.7	45.0	172	12.8	149	12	28	0
12/17 (351-f)	38.4	39.1	39.8	39.2	39.7	40.4	99	9.4	119	12	29	0
12/18 (352-s)	37.7	39.7	41.1	38.8	40.1	41.2	103	12.0	139	12	28	0
12/19 (353-s)	37.4	38.3	40.4	38.2	38.9	40.3	98	11.1	131	12	30	0
12/20 (354-m)	36.0	37.5	38.9	37.0	38.1	38.9	133	14.3	147	12	31	0
12/21 (355-t)	35.2	35.4	36.0	35.9	36.2	37.0	152	12.9	129	12	37	0
12/22 (356-w)	34.9	35.1	35.3	35.6	35.9	36.1	85	10.7	133	12	36	0
12/23 (357-t)	34.9	35.1	35.6	35.6	35.8	36.2	120	11.7	140	12	40	0
12/24 (358-f)	34.7	34.8	34.9	35.3	35.4	35.6	95	10.0	164	12	41	0
12/25 (359-s)	34.7	34.8	34.9	35.2	35.3	35.4	137	19.1	160	12	45	0
12/26 (360-s)	34.7	34.8	34.9	35.2	35.3	35.4	107	9.6	135	11	53	0
12/27 (361-m)	34.6	34.7	34.8	35.1	35.2	35.3	105	10.4	139	12	50	0
12/28 (362-t)	34.4	34.6	34.7	34.9	35.1	35.2	134	10.8	140	12	51	0
12/29 (363-w)	34.3	34.4	34.5	34.7	34.9	35.0	120	15.9	160	12	52	0
12/30 (364-t)	34.3	34.4	34.7	34.7	34.9	35.0	142	14.5	127	12	52	0
12/31 (365-f)	34.2	34.5	34.7	34.6	34.8	35.0	134	13.6	140	10	40	0
Column Min's:	34.2	34.4	34.5	34.6	34.8	35.0	64	7.7	116		18	0
Column Avg's:	36.5	38.0	40.0	37.5	38.7	40.3	131	13.2	142		34	0
Column Max's:	43.8	46.5	52.9	44.8	46.6	51.1	288	22.9	176		53	0
Column Ttl's:							4055	4409			1052	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION													
	mo	da	jul	min	avg	max	min	year	avg	yr	max	yr	ly	max	yr								
03/01	(060-m)	12.6	30.3	45.8	-2.0	1980	22.1	58	32.5	58	43.0	58	68.0	1976	0.00	0.00	58	0.09	50	407	1.04	311	12
03/02	(061-t)	33.0	39.6	48.9	-3.0	1978	24.0	58	34.5	58	45.1	58	72.1	1992	0.00	0.00	68	0.06	50	215	0.68	255	12
03/03	(062-w)	33.2	40.8	48.7	-1.0	1943	25.3	58	35.5	58	46.2	58	72.5	1983	0.05	0.05	75	0.07	50	175	0.70	267	12
03/04	(063-t)	31.6	35.9	39.8	-2.0	1943	26.9	58	37.6	58	48.4	58	80.9	1983	0.90	0.90	89	0.17	51	38	0.23	229	12
03/05	(064-f)	29.1	30.8	32.1	-4.0	1978	27.7	58	38.0	58	48.6	58	78.3	1983	0.03	0.03	89	0.23	56	92	0.39	228	12
03/06	(065-s)	20.6	32.8	44.3	-3.0	1978	26.4	58	35.9	58	45.4	58	70.7	1983	0.00	0.00	68	0.18	53	461	1.08	227	12
03/07	(066-s)	23.8	37.6	50.8	6.0	1943	25.7	58	35.1	58	44.8	58	76.2	1983	0.21	0.21	78	0.07	48	264	0.98	312	12
03/08	(067-m)	34.0	36.6	40.0	-2.0	1943	24.1	58	35.0	58	45.8	58	76.0	1974	0.11	0.11	88	0.08	51	90	0.78	267	12
03/09	(068-t)	29.1	34.0	37.9	-11.4	1984	24.6	58	35.1	58	45.9	58	78.0	1974	0.01	0.01	75	0.05	53	130	0.82	253	12
03/10	(069-w)	26.3	33.1	40.6	-2.6	1984	25.0	58	35.9	58	46.5	58	72.0	1974	0.20	0.20	86	0.13	54	92	1.14	243	12
03/11	(070-t)	21.3	28.6	34.7	3.2	1984	26.9	58	36.6	58	46.4	58	77.7	1990	0.00	0.00	72	0.10	51	252	1.34	250	12
03/12	(071-f)	22.6	27.4	34.5	-5.0	1948	27.3	58	37.6	58	47.9	58	76.0	1990	0.03	0.03	73	0.12	49	176	1.23	257	12
03/13	(072-s)	13.1	19.7	22.5	2.0	1960	28.3	58	38.1	58	47.9	58	79.7	1990	0.00	0.00	70	0.11	53	105	0.37	242	12
03/14	(073-s)	6.1	13.5	22.5	6.1	1993	28.3	58	38.5	58	49.2	58	81.1	1990	0.00	0.00	53	0.11	53	434	1.30	297	12
03/15	(074-m)	0.7	21.4	36.4	0.7	1993	29.0	58	38.5	58	48.2	58	79.5	1990	0.01	0.01	56	0.10	52	467	1.19	286	12
03/16	(075-t)	35.3	39.1	43.1	9.0	1992	29.8	58	39.3	58	49.0	58	77.0	1945	0.12	0.12	58	0.07	51	114	0.37	293	12
03/17	(076-w)	14.5	27.8	39.7	5.0	1941	27.2	58	37.7	58	48.3	58	74.0	1945	0.06	0.06	81	0.08	49	129	0.65	261	12
03/18	(077-t)	10.0	19.6	29.9	8.0	1941	26.2	58	36.4	58	47.1	58	70.0	1945	0.00	0.00	56	0.13	45	495	1.26	217	12
03/19	(078-f)	17.5	31.5	44.3	11.0	1939	27.9	58	38.5	58	49.1	58	74.0	1948	0.00	0.00	47	0.14	54	335	1.29	256	11
03/20	(079-s)	34.0	37.1	39.5	13.0	1956	29.3	58	39.7	58	50.3	58	72.0	1968	0.19	0.19	87	0.13	55	36	0.11	249	12
03/21	(080-s)	32.4	37.0	43.1	10.8	1986	30.3	58	40.1	58	50.2	58	78.0	1938	0.00	0.00	79	0.14	48	178	1.00	354	12
03/22	(081-m)	34.9	42.7	52.6	13.0	1959	29.9	58	40.0	58	50.4	58	83.0	1938	0.00	0.00	66	0.12	48	323	1.12	272	12
03/23	(082-t)	40.2	47.6	54.8	11.0	1940	30.6	58	41.5	58	52.6	58	75.8	1988	0.72	0.72	101	0.15	54	56	0.22	324	12
03/24	(083-w)	37.0	42.6	51.3	10.0	1940	30.8	58	42.2	58	54.2	58	85.0	1939	0.00	0.00	94	0.07	52	172	1.15	329	12
03/25	(084-t)	34.6	43.1	59.6	1.0	1974	30.1	58	41.9	58	53.6	58	82.0	1945	0.00	0.00	93	0.08	53	406	1.18	319	12
03/26	(085-f)	34.4	44.5	61.5	1.0	1974	31.4	58	41.6	58	52.2	58	75.0	1945	0.00	0.00	86	0.11	50	489	1.16	340	12
03/27	(086-s)	32.3	40.2	51.5	13.0	1955	31.3	58	42.3	58	53.7	58	79.2	1989	0.06	0.06	89	0.09	51	186	0.66	270	12
03/28	(087-s)	39.2	43.0	48.2	13.0	1955	31.7	58	42.9	58	54.4	58	80.7	1989	0.02	0.02	89	0.06	56	123	0.55	333	12
03/29	(088-m)	42.2	46.2	51.8	19.0	1966	34.9	58	46.6	58	58.3	58	79.0	1963	0.00	0.00	96	0.15	52	144	0.81	248	12
03/30	(089-t)	44.5	51.9	62.9	17.0	1941	34.9	58	45.3	58	56.3	58	83.8	1986	0.00	0.00	81	0.13	53	250	1.50	263	12
03/31	(090-w)	43.1	53.4	66.6	15.0	1969	33.5	58	44.9	58	56.5	58	81.7	1986	0.12	0.12	82	0.09	52	214	1.29	338	12
Column Min's:		0.7	13.5	22.5	-11.4		22.1		32.5		43.0				0.00	0.00	47	0.05		36	0.11	217	
Column Avg's:		27.8	35.8	44.5			28.4		38.9		49.5				0.09	0.09	77	0.11		227	0.89	277	
Column Max's:		44.5	53.4	66.6			34.9		46.6		58.3		85.0		0.90	0.90	101	0.23		495	1.50	354	
Column Ttl's:															2.84	2.84		3.41		7048		8590	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			S O L A R R A D I A T I O N												
	mo	da	jul	min	avg	max	min	year avg	max	ly	evap	hum %	ly/m	max	Long-Term	avg	ly/m	avg	ly/m			
04/01	(091-t)	35.9	49.0	56.0	13.0	1964	34.6	58	45.6	58	56.7	58	81.0	1959	0.24	86	0.10	53	153	0.62	293	12
04/02	(092-f)	31.6	33.4	35.8	16.0	1964	34.0	58	45.2	58	56.8	58	83.0	1963	0.00	79	0.18	53	122	0.68	290	12
04/03	(093-s)	27.6	33.9	43.2	18.0	1965	33.4	58	44.7	58	56.0	58	80.0	1940	0.00	62	0.17	51	338	1.69	267	12
04/04	(094-s)	28.3	35.1	44.7	18.0	1936	34.4	58	45.4	58	56.8	58	83.8	1986	0.00	63	0.19	52	455	1.76	299	12
04/05	(095-m)	32.5	39.6	46.1	19.0	1975	34.8	58	45.8	58	56.9	58	82.5	1988	0.00	66	0.13	54	144	0.48	292	12
04/06	(096-t)	40.0	46.0	56.3	17.0	1979	34.7	58	44.3	58	54.6	58	79.3	1991	0.00	67	0.18	53	229	1.02	292	12
04/07	(097-w)	39.5	53.2	67.4	13.1	1982	34.2	58	45.6	58	57.2	58	83.0	1954	0.00	57	0.13	52	473	1.35	396	12
04/08	(098-t)	43.4	59.1	73.5	18.0	1972	33.1	58	45.4	58	57.5	58	76.0	1941	0.00	54	0.09	54	376	1.20	381	12
04/09	(099-f)	49.2	53.9	61.2	18.0	1957	34.0	58	44.7	58	55.7	58	79.6	1991	0.07	83	0.15	53	75	0.32	348	12
04/10	(100-s)	37.3	47.1	56.8	21.8	1985	33.2	58	45.1	58	57.1	58	81.0	1945	0.00	68	0.11	53	498	1.63	365	12
04/11	(101-s)	34.3	49.6	67.9	22.0	1943	34.8	58	46.7	58	58.9	58	82.0	1945	0.00	65	0.12	54	391	1.53	424	12
04/12	(102-m)	37.6	45.4	50.1	19.0	1940	34.9	58	47.0	58	58.8	58	82.0	1977	0.00	72	0.14	55	161	0.66	413	12
04/13	(103-t)	33.8	46.2	59.3	20.0	1950	36.8	58	48.6	58	60.5	58	86.0	1941	0.00	52	0.13	56	483	1.35	398	12
04/14	(104-w)	38.7	47.9	57.1	19.0	1950	38.2	58	50.5	58	62.9	58	84.0	1941	0.00	70	0.14	53	193	1.69	321	12
04/15	(105-t)	49.3	60.8	76.0	23.0	1943	38.7	58	50.3	58	61.9	58	78.0	1938	0.82	70	0.13	55	260	0.99	311	12
04/16	(106-f)	41.4	46.9	54.8	22.0	1962	38.1	58	50.0	58	62.3	58	86.0	1945	0.10	76	0.08	56	135	1.01	380	12
04/17	(107-s)	33.9	40.6	51.0	26.0	1962	38.8	58	50.4	58	62.0	58	83.0	1958	0.01	68	0.08	51	252	1.63	320	12
04/18	(108-s)	36.5	52.6	68.2	20.7	1990	40.1	58	52.3	58	64.6	58	86.0	1958	0.00	47	0.14	48	580	1.42	438	12
04/19	(109-m)	50.5	55.7	67.0	22.0	1953	40.6	58	52.8	58	65.1	58	85.0	1941	0.20	63	0.12	53	204	1.37	404	12
04/20	(110-t)	46.0	61.7	74.4	26.0	1983	41.5	58	53.3	58	65.0	58	85.2	1985	0.15	58	0.17	55	338	1.57	350	12
04/21	(111-w)	35.1	39.1	46.0	26.0	1953	40.9	58	53.1	58	65.3	58	87.4	1985	0.00	72	0.11	56	176	0.81	377	12
04/22	(112-t)	32.3	44.6	56.6	21.0	1936	40.7	58	53.2	58	65.8	58	87.9	1985	0.00	40	0.11	56	541	1.57	375	12
04/23	(113-f)	33.7	50.6	65.3	22.0	1936	41.3	58	54.7	58	68.1	58	89.0	1960	0.00	33	0.13	53	642	1.40	499	12
04/24	(114-s)	49.1	56.5	64.7	28.2	1986	43.0	58	54.8	58	66.5	58	89.0	1960	0.13	66	0.17	55	116	0.98	347	12
04/25	(115-s)	45.7	57.4	65.8	27.0	1967	41.8	58	54.4	58	66.9	58	89.0	1960	1.04	83	0.11	52	135	1.23	467	12
04/26	(116-m)	31.6	41.1	46.0	29.0	1972	41.7	58	54.4	58	67.0	58	89.0	1990	0.01	80	0.09	55	170	0.60	454	12
04/27	(117-t)	29.6	45.8	62.7	25.0	1971	42.4	58	54.6	58	67.0	58	89.5	1986	0.00	57	0.10	54	661	1.57	453	12
04/28	(118-w)	37.9	57.9	76.2	27.0	1946	41.5	58	54.2	58	66.8	58	83.5	1986	0.00	43	0.13	54	496	1.72	420	12
04/29	(119-t)	48.6	62.0	76.6	26.0	1977	42.2	58	55.3	58	68.3	58	82.1	1987	0.03	54	0.11	55	433	1.66	438	12
04/30	(120-f)	49.3	60.7	74.1	25.0	1977	44.2	58	56.4	58	68.7	58	89.0	1962	0.15	71	0.10	50	466	1.58	457	12

Column Min's:	27.6	33.4	35.8	13.0	33.1	44.3	54.6	0.00	33	0.08	75	0.32	267
Column Avg's:	38.7	49.1	60.0	50.0	38.1	50.0	61.9	0.10	64	0.13	323	1.24	376
Column Max's:	50.5	62.0	76.6	76.6	44.2	56.4	68.7	89.5	86	0.19	661	1.76	499
Column Ttl's:								2.95		3.84	9696		11269

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION											
	min	avg	max	min	avg	max	prec	evap	hum	ly	max										
mo da jul	Current	Long Term	Long Term	avg yrs	avgm yrs	max year	liq	prec	avg pr yrs	Long Term	Lng-Term										
	min	avg	max	min	avg	max	prec	evap	avg pr yrs	ly	ly/m										
05/01 (121-s)	45.0	61.2	75.3	27.0	1963	44.1	58	56.3	58	68.4	58	86.0	1942	0.00	58	0.10	53	619	1.36	398	12
05/02 (122-s)	49.0	66.0	80.5	27.0	1978	43.7	58	56.2	58	68.6	58	88.0	1959	0.00	47	0.09	57	499	1.39	470	12
05/03 (123-m)	61.5	66.2	76.1	30.0	1978	42.5	58	55.3	58	68.1	58	89.0	1955	0.00	57	0.09	56	280	1.48	398	12
05/04 (124-t)	58.9	63.6	72.4	28.0	1957	42.7	58	55.5	58	68.4	58	90.0	1955	0.14	80	0.10	54	230	1.95	408	12
05/05 (125-w)	56.7	63.2	73.6	31.0	1957	44.6	58	56.7	58	69.1	58	89.0	1949	0.04	80	0.07	53	426	1.67	392	12
05/06 (126-t)	52.2	64.7	77.3	28.0	1968	45.8	58	58.6	58	71.4	58	91.0	1959	0.00	62	0.11	54	651	1.42	455	12
05/07 (127-f)	44.9	62.5	78.6	28.0	1970	44.7	58	56.9	58	69.2	58	87.0	1936	0.00	54	0.08	54	651	1.39	487	12
05/08 (128-s)	44.5	65.3	83.6	28.0	1947	42.9	58	56.0	58	68.9	58	88.0	1936	0.00	44	0.09	52	657	1.37	505	12
05/09 (129-s)	49.0	69.5	89.2	28.0	1947	44.9	58	57.1	58	69.3	58	91.0	1936	0.00	51	0.17	54	632	1.32	475	12
05/10 (130-m)	51.8	70.7	89.9	23.0	1966	45.1	58	57.4	58	69.7	58	92.0	1936	0.00	61	0.11	53	608	1.33	530	12
05/11 (131-t)	55.2	72.3	89.4	30.0	1945	45.4	58	58.4	58	71.2	58	89.4	1993	0.00	54	0.14	53	575	1.53	583	12
05/12 (132-w)	50.7	63.7	73.2	29.0	1938	46.2	58	59.1	58	71.6	58	88.7	1991	0.08	75	0.17	57	208	0.88	463	12
05/13 (133-t)	39.5	51.7	62.2	31.0	1938	47.7	58	59.4	58	71.1	58	89.5	1982	0.00	52	0.14	52	709	1.44	441	12
05/14 (134-f)	36.4	56.8	73.3	34.0	1936	47.3	58	59.6	58	72.5	58	94.0	1962	0.00	62	0.15	55	659	1.38	507	12
05/15 (135-s)	54.2	66.7	80.5	35.0	1973	48.2	58	60.7	58	73.2	58	94.0	1962	0.00	50	0.11	55	586	1.81	429	12
05/16 (136-s)	41.5	56.1	69.7	30.0	1959	48.3	58	60.7	58	73.2	58	94.0	1962	0.00	60	0.12	53	363	1.77	489	12
05/17 (137-m)	35.6	55.9	72.3	33.1	1984	48.3	58	61.0	58	73.4	58	95.0	1962	0.00	54	0.13	55	614	1.52	515	12
05/18 (138-t)	45.3	53.2	60.9	34.0	1955	49.3	58	61.0	58	73.1	58	96.0	1962	0.07	73	0.14	54	206	1.12	408	12
05/19 (139-w)	42.3	51.7	61.2	35.0	1973	50.5	58	62.6	58	74.9	58	90.0	1939	0.04	73	0.17	55	407	1.85	387	12
05/20 (140-t)	37.2	51.0	61.6	32.0	1945	50.7	58	62.7	58	75.0	58	93.0	1962	0.01	55	0.13	57	476	1.95	389	12
05/21 (141-f)	36.9	51.1	66.2	32.0	1954	49.8	58	62.7	58	75.5	58	91.0	1941	0.00	65	0.07	57	419	1.63	407	12
05/22 (142-s)	34.9	56.7	74.8	34.9	1993	51.3	58	63.8	58	76.5	58	92.0	1941	0.00	51	0.10	55	670	1.68	485	12
05/23 (143-s)	52.2	60.1	71.0	33.0	1963	50.6	58	63.0	58	75.5	58	90.1	1991	0.14	69	0.12	58	205	0.72	457	12
05/24 (144-m)	59.2	65.6	69.5	32.0	1963	50.5	58	62.6	58	74.7	58	89.3	1991	0.10	70	0.14	55	159	0.88	494	12
05/25 (145-t)	48.9	56.7	62.5	36.0	1956	51.1	58	63.1	58	75.1	58	91.9	1991	0.01	76	0.14	52	202	0.94	414	12
05/26 (146-w)	40.9	58.6	73.8	36.2	1988	51.3	58	63.8	58	76.3	58	93.0	1939	0.00	66	0.13	54	672	1.70	448	12
05/27 (147-t)	42.8	65.2	81.4	31.0	1961	51.5	58	63.6	58	76.0	58	90.7	1987	0.00	55	0.18	52	572	1.58	495	12
05/28 (148-f)	55.1	71.2	86.5	33.9	1992	52.2	58	64.0	58	75.7	58	91.9	1991	1.06	61	0.13	57	527	1.71	437	12
05/29 (149-s)	45.8	56.4	67.0	36.0	1949	51.4	57	63.8	57	75.9	58	92.6	1987	0.13	71	0.07	54	642	1.86	433	12
05/30 (150-s)	40.2	61.8	78.1	36.0	1961	52.4	58	64.7	58	77.3	58	94.7	1988	0.02	57	0.08	55	711	1.52	455	12
05/31 (151-m)	46.3	58.3	66.8	35.6	1984	53.6	58	66.1	58	78.4	58	94.7	1988	0.13	88	0.14	52	186	1.77	496	12
Column Min's:	34.9	51.0	60.9	23.0		42.5		55.3		68.1				0.00	44	0.07		159	0.72	387	
Column Avg's:	46.9	61.1	74.1			48.0		60.4		72.8				0.06	62	0.12		485	1.48	456	
Column Max's:	61.5	72.3	89.9			53.6		66.1		78.4		96.0		1.06	88	0.18		711	1.95	583	
Column Ttl's:														1.97		3.71		15021		14150	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
mo	da	min	avg	max	min	year	avg	max	prec	liq	ly	max	avg	Term
						avg	yr	yr	prec	prec	evap	ly/m	ly/m	yr
06/01	(152-t)	42.0	50.9	63.4	40.0	1966	54.5	58	66.7	58	78.6	58	92.1	1988
06/02	(153-w)	44.5	53.3	62.6	36.0	1966	53.8	58	65.6	58	77.4	58	91.0	1951
06/03	(154-t)	47.9	55.0	62.0	40.0	1977	53.8	58	65.3	58	76.7	58	89.0	1942
06/04	(155-f)	53.3	56.9	61.6	38.5	1990	52.9	58	65.0	58	77.1	58	90.0	1942
06/05	(156-s)	45.0	55.8	62.7	33.8	1990	53.4	58	66.7	58	79.8	58	92.0	1958
06/06	(157-s)	41.0	60.2	76.9	38.0	1945	55.0	58	67.9	58	80.8	58	94.0	1988
06/07	(158-m)	55.5	66.5	78.7	41.0	1958	56.2	58	68.5	58	80.8	58	92.1	1988
06/08	(159-t)	61.1	76.5	88.3	38.0	1977	56.6	58	68.8	58	80.9	58	91.7	1988
06/09	(160-w)	65.2	72.2	79.2	41.9	1988	56.4	58	68.8	58	80.9	58	93.6	1984
06/10	(161-t)	63.0	72.8	85.8	40.9	1988	57.2	57	69.3	57	81.6	58	93.0	1954
06/11	(162-f)	57.5	70.9	83.5	35.0	1972	55.7	58	68.8	58	81.6	58	93.0	1968
06/12	(163-s)	62.0	70.9	85.7	40.0	1972	57.0	57	68.9	57	81.0	58	94.4	1984
06/13	(164-s)	57.7	72.7	86.5	44.0	1980	57.6	58	69.7	58	81.9	58	96.0	1984
06/14	(165-m)	63.7	69.5	82.4	43.0	1959	57.3	58	69.2	58	81.5	58	97.6	1988
06/15	(166-t)	56.4	67.8	76.7	45.0	1942	57.7	58	69.5	58	81.2	58	95.6	1988
06/16	(167-w)	51.0	67.5	82.3	40.0	1961	57.5	58	69.7	58	82.1	58	94.0	1967
06/17	(168-t)	54.9	72.6	88.1	42.0	1980	57.0	58	69.4	58	81.6	58	97.0	1936
06/18	(169-f)	64.1	75.2	90.9	41.0	1980	57.6	57	69.5	57	81.4	58	97.0	1944
06/19	(170-s)	66.9	78.4	90.6	45.0	1959	57.8	58	69.7	58	81.6	58	93.2	1984
06/20	(171-s)	68.6	74.3	83.8	44.9	1982	58.0	58	70.2	58	82.7	58	96.3	1988
06/21	(172-m)	60.1	68.4	77.2	42.2	1992	58.5	58	70.6	58	82.7	58	100.1	1988
06/22	(173-t)	55.3	71.3	84.9	38.3	1992	58.4	58	70.5	58	82.9	58	100.1	1988
06/23	(174-w)	54.5	70.0	83.9	44.0	1963	58.4	58	70.1	58	81.8	58	94.0	1948
06/24	(175-t)	57.4	74.1	90.8	44.8	1982	57.8	58	70.6	58	83.4	58	95.0	1943
06/25	(176-f)	67.8	75.2	85.1	41.0	1979	58.6	58	71.1	58	83.6	58	102.6	1988
06/26	(177-s)	56.9	71.3	84.5	45.0	1979	57.8	57	71.2	57	84.5	58	97.0	1952
06/27	(178-s)	60.9	71.8	84.9	45.5	1988	59.3	58	72.1	58	85.2	58	99.0	1944
06/28	(179-m)	60.2	66.1	75.4	44.8	1988	59.5	58	72.4	58	85.7	58	101.0	1944
06/29	(180-t)	58.0	68.5	78.8	46.0	1938	60.4	58	72.6	58	84.9	58	96.0	1952
06/30	(181-w)	55.5	65.2	75.7	42.2	1988	60.0	58	72.2	58	84.7	58	96.4	1991
Column Min's:		41.0	50.9	61.6	33.8		52.9	58	65.0		76.7		102.6	
Column Avg's:		56.9	68.1	79.8	57.1		69.4		69.4		81.7			
Column Max's:		68.6	78.4	90.9	60.4		72.6		72.6		85.7			
Column Tot's:														14281
														15503

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION										
	min	avg	max	min	year avg	max	long term avg	prec	liq	evap	hum %	ly	max ly/m	Long-Term avg yrs							
07/01 (182-t)	60.2	70.8	82.4	40.7	1988	59.9	58	72.0	58	84.5	58	96.0	1941	2.55	0.91	0.30	53	367	1.49	463	12
07/02 (183-f)	67.7	73.6	85.0	44.4	1988	59.4	58	71.8	58	84.5	58	98.0	1954	0.19	98	0.08	54	407	1.68	469	12
07/03 (184-s)	67.7	75.2	87.5	47.9	1988	59.6	58	72.3	58	85.0	58	97.0	1966	0.00	95	0.15	56	460	1.74	520	12
07/04 (185-s)	67.9	79.9	92.5	44.0	1968	59.9	58	72.0	58	84.0	58	97.0	1966	0.00	83	0.15	55	608	1.58	560	11
07/05 (186-m)	69.4	81.7	92.9	46.0	1979	60.3	58	72.1	58	84.3	58	100.1	1988	0.00	81	0.09	53	632	1.47	524	12
07/06 (187-t)	73.6	79.8	87.2	45.0	1972	59.7	58	71.9	58	84.2	58	101.4	1988	0.00	74	0.07	54	408	1.75	541	12
07/07 (188-w)	69.4	77.6	90.3	45.8	1983	59.1	58	71.9	58	84.9	58	103.3	1988	0.29	90	0.08	55	538	1.60	561	12
07/08 (189-t)	68.9	78.8	90.1	45.1	1984	60.5	57	73.1	57	85.9	58	104.2	1988	0.00	82	0.08	56	642	1.39	564	12
07/09 (190-f)	70.0	81.7	92.5	48.0	1954	61.7	58	73.8	58	86.2	58	106.0	1936	0.00	78	0.15	57	642	1.57	476	12
07/10 (191-s)	70.0	76.4	88.3	44.0	1963	61.9	58	73.9	58	86.2	58	102.0	1936	0.12	84	0.16	55	467	1.74	525	12
07/11 (192-s)	66.9	76.1	90.8	46.0	1945	60.5	58	73.1	58	86.2	58	104.0	1936	0.91	84	0.13	53	598	1.51	455	12
07/12 (193-m)	63.8	73.6	87.4	47.0	1978	60.7	58	72.9	58	85.4	58	104.0	1936	0.01	91	0.13	57	447	1.51	439	12
07/13 (194-t)	55.7	73.0	87.9	45.0	1940	61.0	58	73.0	58	85.1	58	103.0	1936	0.00	72	0.17	55	673	1.44	489	11
07/14 (195-w)	69.1	75.1	84.2	46.0	1950	61.3	58	73.6	58	86.1	58	106.0	1936	0.08	87	0.15	55	320	1.57	478	12
07/15 (196-t)	60.2	72.2	81.7	49.0	1939	60.3	58	72.6	58	85.1	58	103.4	1988	0.00	76	0.10	55	449	1.85	503	12
07/16 (197-f)	54.2	69.3	84.5	45.0	1946	60.9	58	73.4	58	86.1	58	100.7	1988	0.00	71	0.09	58	706	1.41	585	12
07/17 (198-s)	55.9	71.0	84.2	47.0	1939	60.4	58	73.1	58	86.1	58	98.0	1936	0.00	65	0.12	56	638	1.59	552	12
07/18 (199-s)	62.0	74.2	89.3	49.0	1976	61.3	58	73.5	58	85.8	58	94.2	1991	0.05	74	0.14	56	509	1.38	547	12
07/19 (200-m)	64.9	73.7	82.4	46.0	1979	62.3	58	74.3	58	86.5	58	94.2	1991	1.87	100	0.18	57	301	1.62	472	11
07/20 (201-t)	62.7	72.4	82.6	47.0	1947	62.1	58	73.9	58	85.9	58	95.9	1991	0.00	79	0.24	56	685	1.48	434	12
07/21 (202-w)	60.9	69.7	80.5	45.0	1970	61.2	58	72.7	58	84.7	58	97.4	1983	0.00	70	0.17	55	490	1.75	486	12
07/22 (203-t)	54.2	68.3	81.6	47.0	1970	61.7	58	73.5	58	85.8	58	98.7	1991	0.00	71	0.14	57	551	1.95	430	12
07/23 (204-f)	57.4	68.5	81.1	46.0	1947	62.0	58	73.8	58	86.0	58	95.5	1984	0.00	66	0.16	57	500	2.04	542	12
07/24 (205-s)	63.0	73.8	86.9	46.0	1947	61.7	58	73.7	58	85.9	58	99.0	1940	0.00	61	0.09	54	558	1.39	534	12
07/25 (206-s)	68.3	77.1	87.2	50.0	1953	61.4	58	73.8	58	86.7	58	98.0	1940	0.08	74	0.11	56	340	1.37	484	12
07/26 (207-m)	64.9	78.4	89.9	49.0	1946	61.9	58	73.5	58	85.5	58	99.0	1941	0.00	81	0.09	56	548	1.52	432	12
07/27 (208-t)	63.0	76.4	89.1	46.0	1962	61.6	58	74.1	58	86.9	58	103.0	1936	0.00	74	0.15	56	651	1.35	536	12
07/28 (209-w)	67.5	79.3	94.0	48.0	1937	62.1	58	74.3	58	86.5	58	98.0	1941	0.14	79	0.17	56	586	1.40	518	12
07/29 (210-t)	64.0	71.9	79.3	51.3	1982	62.2	57	73.7	57	85.3	57	97.0	1940	0.00	72	0.14	54	505	1.96	551	12
07/30 (211-f)	58.9	66.3	76.2	49.0	1956	60.9	58	72.5	58	84.4	58	98.0	1940	0.00	71	0.09	58	441	1.91	468	12
07/31 (212-s)	54.6	68.2	83.2	48.0	1936	60.7	57	72.3	57	84.2	57	95.0	1935	0.00	69	0.09	56	673	1.40	444	12

Column Min's:	54.2	66.3	76.2	40.7	59.1	71.8	84.0	0.00	61	0.07	430
Column Avg's:	63.8	74.3	86.2	61.0	73.1	85.5	79	0.13	79	0.13	503
Column Max's:	73.6	81.7	94.0	62.3	74.3	86.9	100	0.30	100	0.30	585
Column Ttl's:											16340

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	year avg	max	Long Term	prec	evap	ly	max	Lng-Trm												
mo da jul	Current	min year	avgmn yrs	Long Term	liq	ly/m	avg yrs												
														
08/01 (213-s)	56.0	71.7	86.8	47.0	1947	59.5	57	72.2	57	85.1	57	97.2	1991	0.00	--	--	79	0.11	56	520	1.43	504	11
08/02 (214-m)	62.9	73.4	83.1	49.0	1971	59.7	57	72.8	57	86.1	57	99.9	1991	0.00	--	--	69	0.12	54	595	1.64	530	11
08/03 (215-t)	55.4	69.4	83.1	44.0	1965	61.3	58	73.7	58	86.6	58	100.0	1955	0.23	--	--	70	0.18	56	549	1.64	481	12
08/04 (216-w)	57.4	66.9	76.3	49.0	1950	61.4	58	72.9	58	84.8	58	98.0	1955	0.32	--	--	80	0.16	53	462	1.71	417	12
08/05 (217-t)	50.4	61.9	74.1	45.0	1951	60.6	58	71.6	58	83.1	58	98.0	1955	0.00	--	--	70	0.11	56	556	1.65	426	12
08/06 (218-f)	56.3	65.6	77.9	47.0	1948	59.8	58	71.5	58	83.6	58	99.0	1955	0.02	--	--	68	0.07	55	474	1.86	445	12
08/07 (219-s)	53.0	63.8	76.9	49.0	1971	59.4	58	71.4	58	83.9	58	95.0	1938	0.00	--	--	80	0.07	57	553	1.56	477	12
08/08 (220-s)	51.4	66.8	82.8	46.7	1989	60.0	58	72.3	58	85.0	58	96.1	1983	0.00	--	--	72	0.14	55	566	1.49	486	12
08/09 (221-m)	52.8	69.0	85.4	50.4	1989	60.7	58	72.7	58	84.9	58	95.0	1941	0.00	--	--	69	0.10	55	582	1.49	488	12
08/10 (222-t)	61.3	66.8	74.8	45.0	1972	60.6	58	72.3	58	84.3	58	96.0	1944	0.15	--	--	87	0.12	58	155	0.69	404	11
08/11 (223-w)	60.9	72.8	88.2	45.0	1972	59.7	58	71.7	58	83.9	58	95.7	1988	0.00	--	--	81	0.13	56	558	1.40	511	12
08/12 (224-t)	63.7	72.4	85.6	43.0	1967	57.9	58	70.5	57	83.2	57	97.0	1940	1.08	--	--	93	0.12	56	353	1.40	521	12
08/13 (225-f)	65.6	74.0	87.4	45.0	1967	58.7	58	70.9	58	83.6	58	98.0	1936	0.00	--	--	85	0.06	52	469	1.43	476	12
08/14 (226-s)	58.6	73.2	88.4	43.0	1964	59.2	58	71.8	58	84.9	58	94.6	1987	0.00	--	--	74	0.08	57	556	1.25	499	12
08/15 (227-s)	61.4	75.5	90.1	41.0	1964	60.1	58	72.3	58	85.0	58	94.5	1987	0.00	--	--	76	0.15	52	517	1.28	470	12
08/16 (228-m)	70.4	77.7	87.6	43.0	1979	60.3	58	72.2	58	84.5	58	95.7	1987	0.06	--	--	78	0.08	56	418	1.45	447	12
08/17 (229-t)	66.2	76.6	86.6	44.0	1979	60.2	58	71.7	58	83.8	58	99.5	1988	0.00	--	--	79	0.07	51	501	1.46	445	11
08/18 (230-w)	63.5	75.5	90.2	45.0	1981	59.2	58	71.1	58	83.7	58	95.2	1983	0.00	--	--	77	0.10	53	546	1.42	452	12
08/19 (231-t)	62.0	76.0	91.5	45.0	1943	58.9	58	71.0	58	83.6	58	101.6	1983	0.00	--	--	72	0.14	56	538	1.34	437	12
08/20 (232-f)	67.8	75.5	85.8	46.5	1992	58.3	58	70.5	58	83.1	58	103.6	1983	0.00	--	--	73	0.07	56	407	1.49	425	11
08/21 (233-s)	54.1	69.7	83.1	42.0	1940	57.5	58	70.0	58	82.7	58	101.0	1936	0.00	--	--	68	0.10	55	548	1.67	449	12
08/22 (234-s)	48.3	66.8	85.4	42.9	1982	58.3	58	70.7	58	83.1	58	102.0	1936	0.00	--	--	71	0.06	56	544	1.36	367	12
08/23 (235-m)	61.2	76.3	91.7	45.0	1946	58.6	58	70.5	58	83.0	58	98.0	1936	0.00	--	--	64	0.11	54	474	1.32	360	12
08/24 (236-t)	71.2	79.1	91.1	43.0	1971	57.3	58	69.5	58	82.2	58	96.0	1954	0.04	--	--	72	0.07	57	472	1.49	400	12
08/25 (237-w)	67.5	78.6	94.0	41.0	1942	56.7	56	69.7	56	83.0	57	97.3	1983	0.00	--	--	75	0.09	55	577	1.35	460	12
08/26 (238-t)	65.7	79.1	95.5	41.0	1946	57.7	58	70.5	58	83.9	58	96.5	1983	0.00	--	--	72	0.10	55	465	1.30	432	12
08/27 (239-f)	68.5	80.7	95.9	44.0	1946	58.4	58	70.9	58	83.8	58	97.7	1983	0.00	--	--	74	0.08	56	489	1.30	379	12
08/28 (240-s)	67.2	79.0	91.1	41.1	1986	59.2	58	71.2	58	83.4	58	94.7	1991	0.00	--	--	69	0.10	56	501	1.40	350	12
08/29 (241-s)	61.2	76.8	94.6	37.4	1982	58.6	58	71.1	58	84.0	58	98.1	1991	0.00	--	--	68	0.19	57	510	1.26	453	12
08/30 (242-m)	65.7	79.5	95.4	36.0	1946	58.4	58	71.2	58	84.0	58	97.8	1983	0.00	--	--	71	0.08	56	451	1.19	426	12
08/31 (243-t)	68.5	76.5	93.2	43.6	1986	58.7	58	70.8	58	83.4	58	96.0	1943	0.04	--	--	78	0.15	57	381	1.40	436	12
Column Min's:	48.3	61.9	74.1	36.0	56.7	69.5	82.2	69.5	69.5	82.2	82.2	103.6		0.00			64	0.06		155	0.69	350	
Column Avg's:	61.2	73.1	86.9	59.2	71.4	73.7	84.0	71.4	71.4	84.0	84.0			0.06			75	0.11		493	1.42	447	
Column Max's:	71.2	80.7	95.9	61.4	61.4	73.7	86.6	73.7	73.7	86.6	86.6			1.08			93	0.19		595	1.86	530	
Column Ttl's:														1.94				3.31		15287		13853	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	avg	min	avg	prec	evap	Ly	max Lng-Term avg yrs								
09/01 (244-w)	62.1	68.6	42.0	57.2	58	82.2	58	95.0	1953	0.01	0.09	56	282	1.63	411	12
09/02 (245-t)	66.6	74.3	43.0	57.0	58	82.1	58	97.0	1953	2.27	0.18	57	317	1.38	370	12
09/03 (246-f)	63.4	69.7	41.0	56.8	58	81.5	58	97.0	1953	0.17	0.12	54	202	1.38	366	12
09/04 (247-s)	55.7	66.0	42.0	57.7	58	82.3	58	94.0	1938	0.00	0.09	58	523	1.31	424	12
09/05 (248-s)	54.1	66.7	42.0	56.7	58	81.6	58	99.0	1954	0.00	0.11	56	447	1.56	421	12
09/06 (249-m)	58.6	67.0	40.0	56.2	58	81.4	58	100.0	1954	0.00	0.09	57	323	1.59	388	12
09/07 (250-t)	55.1	65.5	38.0	55.3	56	80.0	56	100.0	1939	0.00	0.05	55	493	1.44	349	9
09/08 (251-w)	52.0	62.1	37.0	54.3	57	81.6	57	99.0	1939	0.00	0.04	56	350	1.54	438	11
09/09 (252-t)	53.1	66.9	37.9	55.3	57	81.6	57	95.0	1964	0.00	0.04	55	408	1.29	369	11
09/10 (253-f)	44.1	59.7	40.0	55.2	58	79.6	58	98.2	1983	0.00	0.07	57	483	1.40	347	12
09/11 (254-s)	37.4	53.7	37.4	52.6	58	65.1	58	96.0	1964	0.00	0.08	57	541	1.26	379	12
09/12 (255-s)	48.6	62.9	39.0	52.5	58	64.8	58	91.0	1961	0.05	0.11	58	282	1.28	309	12
09/13 (256-m)	59.3	73.7	37.0	53.6	58	66.0	58	97.0	1939	0.00	0.08	58	471	1.23	396	12
09/14 (257-t)	69.6	78.6	34.0	53.5	57	65.8	57	102.0	1939	0.00	0.22	53	457	1.36	338	11
09/15 (258-w)	54.8	61.8	34.0	52.7	58	64.7	58	101.0	1939	0.18	0.09	54	168	1.34	328	12
09/16 (259-t)	51.5	59.5	37.0	51.2	58	63.7	58	100.0	1939	0.00	0.04	54	408	1.69	341	12
09/17 (260-f)	51.4	63.1	34.9	51.4	58	63.2	58	94.0	1955	0.00	0.04	56	446	1.37	418	12
09/18 (261-s)	49.0	59.9	32.0	51.0	58	63.8	58	95.0	1955	0.00	0.09	56	392	1.49	308	12
09/19 (262-s)	53.4	61.2	37.0	53.1	58	64.5	58	95.0	1955	0.00	0.12	54	274	1.19	328	12
09/20 (263-m)	47.7	58.6	33.0	51.9	57	64.0	57	93.0	1940	0.00	0.10	54	222	0.92	356	11
09/21 (264-t)	58.5	64.7	30.0	51.8	56	63.8	56	93.0	1940	0.03	0.15	51	286	1.42	339	10
09/22 (265-w)	53.7	61.9	36.0	50.3	57	62.6	57	91.2	1984	0.02	0.09	51	236	1.13	285	11
09/23 (266-t)	50.1	63.8	32.0	48.2	57	60.4	57	91.0	1937	0.06	0.12	55	58	0.34	289	11
09/24 (267-f)	41.9	54.5	31.2	48.3	58	59.5	58	92.0	1939	0.00	0.11	56	332	1.23	309	9
09/25 (268-s)	50.8	58.3	32.0	47.2	58	59.5	58	90.0	1939	0.97	0.09	53	94	0.39	361	12
09/26 (269-s)	52.5	59.7	32.0	46.1	58	58.9	58	87.9	1986	0.01	0.09	55	78	0.35	321	12
09/27 (270-m)	47.4	52.5	32.0	46.7	57	59.8	57	87.0	1954	0.06	0.12	55	157	1.41	336	11
09/28 (271-t)	41.6	50.1	31.0	45.4	57	58.9	57	90.0	1939	0.12	0.11	55	193	1.47	335	11
09/29 (272-w)	35.6	45.3	28.0	45.8	57	58.5	57	97.0	1953	0.12	0.06	58	275	1.44	322	11
09/30 (273-t)	38.9	45.5	30.0	45.7	58	58.3	58	92.0	1953	0.00	0.10	55	341	1.41	303	12
Column Min's:	35.6	45.3	28.0	45.4	57.7	58.3	58	71.7		0.00	0.04		58	0.34	285	
Column Avg's:	52.0	61.9	52.0	64.4	77.2	64.4	64.4	77.2		0.14	0.10		318	1.27	353	
Column Max's:	69.6	78.6	69.6	91.1	102.0	82.3	82.3	102.0		2.27	0.22		541	1.69	438	
Column Ttl's:										4.07	2.89		9539		10584	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L			T E M P E R A T U R E			(degrees Fahrenheit)			W I N D			D E G R E E			D A Y S		
	mo	da	jul	..Current at 2" min	avg	max	..Current at 4" min	avg	maxLong Term..... avg 2" yrs	avg 4" yrs	tll mi	max m/h	Lng-Tm avg yrs	Air <65	Air Soil >50	Long Term <65 >65 >50	
01/01	(001-f)			35.9	37.3	40.1	37.4	39.1	42.1	35.2	12	174	15.8	136	12	38	0	35
01/02	(002-s)			34.9	35.3	35.9	36.1	36.6	37.4	33.3	12	119	11.1	128	12	38	0	36
01/03	(003-s)			34.8	36.6	41.2	35.8	37.3	41.1	33.7	12	200	16.9	158	11	21	0	36
01/04	(004-m)			41.2	44.3	46.2	41.1	44.5	46.8	34.9	12	178	18.8	170	12	11	0	37
01/05	(005-t)			39.7	42.6	46.2	41.5	44.3	47.0	33.6	12	144	18.3	145	12	28	0	39
01/06	(006-w)			37.5	39.2	40.4	39.4	40.8	41.5	33.0	12	49	7.1	125	12	33	0	38
01/07	(007-t)			35.9	36.8	37.6	37.4	38.2	39.4	33.6	12	54	7.1	155	11	34	0	37
01/08	(008-f)			35.8	36.5	37.1	37.0	37.6	38.3	33.3	12	204	16.1	138	12	34	0	40
01/09	(009-s)			34.9	35.3	35.8	36.0	36.4	37.1	32.8	12	230	17.9	143	12	37	0	40
01/10	(010-s)			34.7	34.8	34.9	35.6	35.7	36.0	32.8	12	118	11.0	153	12	36	0	41
01/11	(011-m)			34.7	34.7	34.8	35.6	35.7	35.7	32.6	12	118	9.0	163	12	36	0	40
01/12	(012-t)			34.6	34.8	34.9	35.6	35.7	35.8	32.8	12	71	7.3	170	12	30	0	39
01/13	(013-w)			34.9	36.3	37.4	35.8	37.1	38.0	33.0	12	137	14.3	143	12	30	0	39
01/14	(014-t)			34.5	34.7	35.2	35.5	35.8	36.5	32.4	12	102	10.9	160	12	38	0	37
01/15	(015-f)			34.3	34.4	34.5	35.2	35.3	35.5	32.4	12	69	7.8	134	12	38	0	38
01/16	(016-s)			34.1	34.3	34.4	35.0	35.2	35.3	33.2	12	69	7.5	149	12	37	0	40
01/17	(017-s)			34.1	34.3	34.3	35.1	35.2	35.3	33.5	12	157	15.3	163	12	35	0	39
01/18	(018-m)			33.7	33.9	34.1	34.7	34.9	35.1	34.0	12	143	13.9	150	12	44	0	39
01/19	(019-t)			33.4	33.5	33.8	34.4	34.5	34.7	33.3	12	103	10.7	146	12	43	0	39
01/20	(020-w)			33.1	33.3	33.4	34.1	34.2	34.4	33.3	12	112	11.3	157	12	35	0	39
01/21	(021-t)			32.9	33.1	33.3	33.8	34.0	34.3	32.5	12	155	15.8	154	12	23	0	38
01/22	(022-f)			33.3	33.5	33.9	34.3	34.5	34.8	32.5	12	104	11.4	138	11	31	0	38
01/23	(023-s)			33.5	35.4	38.1	34.4	35.9	38.5	32.8	12	179	20.1	165	12	25	0	38
01/24	(024-s)			35.3	37.6	38.9	36.7	38.5	39.5	32.9	12	207	19.5	158	12	29	0	38
01/25	(025-m)			34.1	34.5	35.3	35.3	35.8	36.7	32.7	12	108	12.3	143	11	39	0	38
01/26	(026-t)			33.5	33.8	34.1	34.6	34.8	35.3	32.8	12	121	15.0	134	12	39	0	39
01/27	(027-w)			33.5	33.5	33.6	34.4	34.5	34.6	32.3	11	125	15.2	161	11	33	0	39
01/28	(028-t)			33.4	33.7	34.4	34.3	34.7	35.4	32.4	12	166	16.4	116	12	27	0	40
01/29	(029-f)			33.8	34.0	34.3	34.7	35.0	35.3	32.5	12	222	21.1	131	11	40	0	39
01/30	(030-s)			33.4	33.5	33.8	34.3	34.4	34.8	33.3	12	105	10.8	148	12	38	0	38
01/31	(031-s)			33.2	33.3	33.4	34.2	34.3	34.3	33.6	12	177	14.6	147	12	28	0	39
Column Min's:				32.9	33.1	33.3	33.8	34.0	34.3	32.3		49	7.1	115		11	0	35
Column Avg's:				34.7	35.4	36.3	35.8	36.5	37.3	33.1		136	13.6	148		33	0	38
Column Max's:				41.2	44.3	46.2	41.5	44.5	47.0	35.2		230	21.1	170		44	0	41
Column Ttl's:												4220	4581		1028	0	0	1192

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University. These data are provided as a public service solely for informational use.

DATE	S O I L			T E M P E R A T U R E			(degrees Fahrenheit)			W I N D			D E G R E E		D A Y S			
	mo	da	jul	..Current at 2".. min	avg	max	..Current at 4".. min	avg	max	avg 2" yrs	avg 4" yrs	tll mi	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	Long Term <65	>65
02/01 (032-m)				33.2	33.4	33.5	34.2	34.3	34.4	34.4	12	249	19.3	159	40	0	39	0
02/02 (033-t)				32.9	33.0	33.2	33.8	33.9	34.2	34.4	12	72	8.9	140	44	0	39	0
02/03 (034-w)				32.7	32.9	33.0	33.7	33.8	33.9	33.7	12	78	8.5	124	34	0	39	0
02/04 (035-t)				32.8	32.9	33.0	33.8	33.8	34.0	34.3	12	89	10.3	136	33	0	38	0
02/05 (036-f)				32.9	33.0	33.1	33.8	33.9	34.0	34.6	12	72	8.9	102	30	0	38	0
02/06 (037-s)				32.9	33.0	33.2	33.8	34.0	34.2	33.7	12	201	17.1	136	39	0	37	0
02/07 (038-s)				32.7	32.9	33.1	33.7	33.8	34.1	33.2	12	77	11.4	136	38	0	39	0
02/08 (039-m)				32.8	33.0	33.0	33.8	33.9	33.9	32.8	12	131	10.4	137	33	0	38	0
02/09 (040-t)				33.0	33.1	33.2	33.9	34.0	34.3	33.1	12	101	10.0	119	30	0	39	0
02/10 (041-w)				33.0	34.3	36.6	33.9	35.2	37.5	33.5	12	97	11.1	136	22	0	38	0
02/11 (042-t)				34.7	36.2	38.3	35.8	37.0	38.8	33.1	12	200	15.4	141	29	0	37	0
02/12 (043-f)				36.5	37.8	39.4	37.4	38.5	40.0	33.6	12	170	13.8	146	26	0	37	0
02/13 (044-s)				35.3	35.8	37.4	36.5	37.2	38.8	33.9	12	199	14.8	145	36	0	35	0
02/14 (045-s)				34.8	35.0	35.3	35.8	36.1	36.5	33.4	12	111	12.8	135	36	0	35	0
02/15 (046-m)				34.4	34.6	34.8	35.4	35.6	35.8	34.1	12	92	9.0	152	36	0	35	0
02/16 (047-t)				34.3	34.4	34.6	35.2	35.3	35.5	34.9	12	207	16.9	172	36	0	35	0
02/17 (048-w)				34.3	34.4	34.4	35.2	35.2	35.3	34.3	12	116	11.9	134	46	0	35	0
02/18 (049-t)				34.3	34.4	34.4	35.2	35.3	35.3	35.2	12	95	10.5	115	64	0	35	0
02/19 (050-f)				34.2	34.3	34.4	35.0	35.1	35.2	37.0	12	114	13.4	127	54	0	33	0
02/20 (051-s)				34.1	34.2	34.3	35.0	35.1	35.2	36.0	12	76	9.0	125	38	0	34	0
02/21 (052-s)				33.7	34.0	34.2	34.5	34.8	35.0	36.0	12	163	14.3	143	31	0	34	0
02/22 (053-m)				33.7	33.9	34.0	34.6	34.8	34.9	37.1	12	174	14.4	161	37	0	33	0
02/23 (054-t)				33.8	34.0	34.1	34.7	34.9	34.9	37.9	12	164	14.5	163	46	0	33	0
02/24 (055-w)				33.5	33.7	33.8	34.4	34.5	34.7	37.0	12	98	10.0	161	55	0	32	0
02/25 (056-t)				33.4	33.5	33.5	34.3	34.3	34.4	35.1	12	121	12.1	147	53	0	34	0
02/26 (057-f)				33.4	33.4	33.4	34.2	34.2	34.3	34.4	12	185	15.0	130	42	0	33	0
02/27 (058-s)				33.4	33.4	33.4	34.1	34.2	34.3	34.3	12	117	11.9	163	49	0	34	0
02/28 (059-s)				33.3	33.3	33.4	34.1	34.1	34.2	35.5	12	65	7.7	142	50	0	33	0
Column Min's:				32.7	32.9	33.0	33.7	33.8	33.9	32.8		65	7.7	102	22	0	32	0
Column Avg's:				33.7	34.0	34.4	34.6	34.9	35.3	34.7		130	12.3	140	40	0	36	0
Column Max's:				36.5	37.8	39.4	37.4	38.5	40.0	37.9		249	19.3	172	64	0	39	0
Column Ttl's:												3634	3927		1107	0	1001	0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S								
	mo	da	min	avg	min	avg	max	m/h	Air	Soil	<65	>65							
11/01 (305-m)	38.5	40.5	42.7	43.9	45.2	52.5	12	52.8	12	167	14.6	144	12	32	0	0	14	0	3
11/02 (306-t)	37.9	41.3	46.3	41.7	44.1	51.3	12	52.1	12	131	12.8	143	12	29	0	0	15	0	2
11/03 (307-w)	41.7	43.2	46.2	44.7	45.7	49.2	12	50.3	12	120	11.0	137	12	24	0	0	18	0	0
11/04 (308-t)	41.6	45.8	50.4	44.8	47.5	47.9	12	48.8	12	191	14.6	167	12	18	0	0	20	0	0
11/05 (309-f)	45.8	51.5	58.0	49.0	52.6	47.0	12	48.1	12	156	15.5	171	12	14	0	3	21	0	0
11/06 (310-s)	41.2	44.2	47.1	45.0	47.2	45.2	12	46.6	12	142	12.4	119	12	29	0	0	22	0	0
11/07 (311-s)	37.6	39.7	42.7	41.2	43.1	44.5	12	45.8	12	108	11.9	120	12	36	0	0	22	0	0
11/08 (312-m)	36.5	39.8	47.6	39.1	41.7	45.4	12	46.1	12	138	15.7	130	12	31	0	0	22	0	0
11/09 (313-t)	36.7	41.1	50.2	38.8	42.4	45.4	12	46.3	12	63	7.9	140	12	29	0	0	23	0	0
11/10 (314-w)	37.0	41.7	50.2	39.0	42.8	45.3	12	46.2	12	75	10.1	159	11	27	0	0	22	0	0
11/11 (315-t)	38.3	43.4	49.1	40.1	44.1	44.1	12	45.4	12	108	12.2	167	12	20	0	0	23	0	0
11/12 (316-f)	45.2	47.2	49.5	46.0	47.6	43.4	12	44.6	12	74	7.8	153	12	14	0	0	23	0	0
11/13 (317-s)	47.4	49.7	53.4	48.3	50.0	43.0	12	44.0	12	200	17.0	142	12	12	0	0	23	0	0
11/14 (318-s)	53.2	56.5	59.3	53.2	56.4	43.8	12	44.6	12	141	14.5	132	12	4	0	6	23	0	0
11/15 (319-m)	49.2	54.0	57.2	51.6	55.4	44.4	12	45.2	12	141	13.5	140	12	14	0	5	22	0	0
11/16 (320-t)	45.7	48.5	52.4	48.6	50.7	43.4	12	44.5	12	67	8.7	174	12	21	0	1	23	0	0
11/17 (321-w)	45.7	48.6	50.5	45.8	50.3	42.8	12	43.9	12	199	20.0	133	12	19	0	0	24	0	0
11/18 (322-t)	40.9	45.4	52.4	44.8	48.0	43.0	12	44.1	12	98	9.7	123	12	26	0	0	23	0	0
11/19 (323-f)	40.5	44.5	47.2	44.3	46.7	44.6	12	45.4	12	132	15.2	155	12	22	0	0	23	0	0
11/20 (324-s)	37.4	40.2	47.0	41.3	43.6	44.7	12	45.8	12	152	16.8	185	12	34	0	0	24	0	0
11/21 (325-s)	36.5	40.4	47.8	40.1	43.1	42.7	12	44.2	12	145	11.6	161	12	25	0	0	26	0	0
11/22 (326-m)	36.5	42.0	52.0	40.1	44.3	42.9	12	44.3	12	102	12.0	122	12	23	0	0	27	0	0
11/23 (327-t)	38.1	42.0	47.2	41.7	44.3	43.0	12	44.2	12	105	13.0	143	12	21	0	0	27	0	0
11/24 (328-w)	42.2	44.8	47.8	44.8	46.5	41.4	12	42.7	12	117	12.8	127	11	19	0	0	29	0	0
11/25 (329-t)	41.4	45.6	52.9	44.3	47.4	40.8	12	41.8	12	166	14.2	129	12	22	0	0	30	0	0
11/26 (330-f)	44.1	47.9	53.3	46.4	49.1	43.6	12	44.0	12	167	14.7	148	12	15	0	0	27	0	0
11/27 (331-s)	40.4	44.0	49.6	43.6	46.6	43.7	12	44.3	12	100	12.9	162	12	33	0	0	27	0	0
11/28 (332-s)	36.7	38.6	41.0	39.9	41.7	42.9	12	44.0	12	79	9.9	156	12	37	0	0	28	0	0
11/29 (333-m)	35.6	36.1	36.7	38.3	39.1	40.6	12	42.1	12	92	12.6	133	12	35	0	0	31	0	0
11/30 (334-t)	35.6	38.1	44.8	37.5	39.7	40.0	12	41.3	12	89	9.9	137	12	33	0	0	32	0	0
Column Min's:	35.6	36.1	36.7	37.5	39.1	40.0		41.3		63	7.8	119		4	0	0	14	0	0
Column Avg's:	40.8	44.2	49.1	43.6	46.2	44.4		45.5		126	12.9	145		24	0	1	24	0	0
Column Max's:	53.2	56.5	59.3	53.2	56.4	52.5		52.8		200	20.0	185		37	0	6	32	0	3
Column Ttl's:										3765		4352		718	0	15	714	0	5

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	prec	evap	ly	max													
mo da jul	Current	Long Term	avg	avg	liq	hum	Ly/m	Lng-Tm													
	avg	avg	yr	yr	yr	yr	yr	yr													
12/01 (335-w)	26.7	36.7	48.2	2.0	1976	24.6	57	33.2	57	41.8	57	64.0	1962	0.00	64	0.10	50	183	0.67	103	12
12/02 (336-t)	36.8	43.3	52.7	4.0	1966	25.8	57	34.0	57	42.5	57	69.3	1982	0.27	74	0.08	53	80	0.57	91	12
12/03 (337-f)	37.9	41.8	45.8	-3.0	1976	25.8	57	34.3	57	43.1	57	74.3	1982	0.09	100	0.11	51	81	0.38	96	12
12/04 (338-s)	40.4	46.7	53.6	-2.0	1966	26.5	57	34.6	57	43.0	57	67.6	1982	1.40	110	0.13	50	12	0.07	101	11
12/05 (339-s)	36.9	39.1	40.8	6.0	1976	26.4	58	34.2	58	41.9	58	65.0	1960	0.00	82	0.10	49	42	0.19	81	12
12/06 (340-m)	35.4	38.7	43.7	7.0	1974	26.9	58	34.9	58	42.8	58	69.0	1956	0.00	84	0.09	53	26	0.14	95	12
12/07 (341-t)	29.4	34.6	41.8	-2.0	1977	25.4	58	33.6	58	42.0	58	63.0	1956	0.00	72	0.12	51	143	0.86	138	12
12/08 (342-w)	28.7	35.4	46.4	-2.0	1977	26.5	58	34.3	58	42.5	58	62.5	1991	0.00	75	0.07	52	179	0.69	129	12
12/09 (343-t)	28.3	40.6	52.3	-1.0	1958	24.4	57	32.8	58	41.4	57	67.0	1966	0.00	74	0.12	53	131	0.86	126	12
12/10 (344-f)	31.8	47.0	57.1	-10.0	1958	23.8	58	31.1	58	38.2	58	59.0	1946	0.02	82	0.09	48	120	0.66	81	12
12/11 (345-s)	18.1	24.5	31.8	-8.0	1958	22.7	58	29.9	58	37.2	58	70.0	1971	0.00	54	0.13	45	160	0.87	94	12
12/12 (346-s)	14.2	25.4	38.9	-7.0	1962	23.7	58	31.5	58	39.1	58	62.0	1949	0.00	60	0.09	53	221	0.66	113	12
12/13 (347-m)	23.6	32.9	42.4	-8.0	1962	22.7	58	30.4	58	38.2	58	59.9	1991	0.00	43	0.08	51	107	0.37	94	12
12/14 (348-t)	34.7	40.0	45.8	1.0	1942	22.0	58	29.9	58	37.8	58	62.3	1984	0.00	44	0.05	46	46	0.25	119	12
12/15 (349-w)	35.5	38.6	41.5	-6.0	1958	20.8	58	29.2	58	37.8	58	64.0	1975	0.03	89	0.16	49	38	0.18	86	12
12/16 (350-t)	34.4	37.2	44.5	-14.0	1951	20.4	58	28.6	58	36.6	58	66.0	1971	0.00	78	0.06	54	159	0.80	97	12
12/17 (351-f)	34.7	36.1	37.9	-17.9	1989	21.1	58	28.9	58	37.1	58	65.8	1984	0.00	85	0.06	51	30	0.14	99	12
12/18 (352-s)	32.0	37.0	39.5	-12.6	1989	19.1	58	27.7	58	36.5	58	57.0	1977	0.22	103	0.12	50	29	0.17	108	12
12/19 (353-s)	33.3	34.6	37.7	-7.0	1963	20.9	58	28.5	58	36.1	58	62.0	1967	0.00	86	0.04	50	48	0.24	103	12
12/20 (354-m)	32.3	34.0	37.2	-18.0	1963	21.1	58	29.1	58	37.0	58	56.8	1988	0.15	90	0.08	51	44	0.20	116	12
12/21 (355-t)	25.7	28.2	32.4	-17.0	1963	20.2	58	28.3	58	36.5	58	59.0	1949	0.05	80	0.09	50	76	0.33	104	12
12/22 (356-w)	25.1	29.3	36.4	-26.9	1989	19.2	58	28.1	58	36.6	58	66.0	1967	0.00	75	0.09	48	128	0.98	121	12
12/23 (357-t)	15.2	24.9	28.7	-14.8	1989	21.8	58	29.5	58	37.0	58	59.0	1957	0.00	78	0.07	47	125	1.04	121	12
12/24 (358-f)	22.0	24.1	28.4	-19.7	1989	21.2	58	29.4	58	37.7	58	61.1	1982	0.01	71	0.10	50	116	0.69	125	12
12/25 (359-s)	8.4	20.5	27.5	-13.9	1983	20.2	58	28.8	58	37.3	58	64.0	1964	0.07	75	0.07	52	70	0.35	104	12
12/26 (360-s)	6.6	12.0	19.7	-8.1	1983	20.8	57	28.3	57	36.1	57	57.0	1940	0.03	59	0.10	52	149	0.74	128	11
12/27 (361-m)	10.0	15.5	20.5	-16.0	1950	21.4	58	29.8	58	38.0	58	64.0	1959	0.00	49	0.09	51	134	0.68	104	12
12/28 (362-t)	1.6	14.2	19.3	-11.0	1950	21.7	58	29.4	58	37.1	58	66.3	1984	0.00	61	0.12	53	140	0.67	94	12
12/29 (363-w)	-1.7	13.4	26.9	-4.0	1961	21.1	58	29.2	58	36.7	58	61.9	1984	0.00	68	0.13	49	148	0.82	93	12
12/30 (364-t)	3.7	13.0	21.4	-8.0	1983	21.5	58	29.0	58	36.7	58	61.1	1990	0.00	54	0.13	53	206	0.71	114	12
12/31 (365-f)	15.3	25.2	33.1	-6.0	1963	21.8	57	30.2	57	38.4	57	65.0	1951	0.00	62	0.09	51	107	0.66	86	10

Column Min's:	-1.7	12.0	19.3	-26.9	19.1	27.7	36.1	0.00	43	0.04	81	12	0.07	81
Column Avg's:	24.4	31.1	37.9	30.7	38.7	0.08	74	0.10	106	0.54	105	106	0.54	105
Column Max's:	40.4	47.0	57.1	26.9	43.1	1.40	110	0.16	221	1.04	138	221	1.04	138
Column Ttl's:						2.34		2.96	3278		3264			3264

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S										
	mo	da	..Current at 2".. min	max	..Current at 4".. min	avg	max	tll mi	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	Long Term <65 >65 >50								
03/01	(060-m)	33.3	33.3	33.4	34.0	34.1	34.2	36.4	12	36.6	12	113	11.5	136	12	35	0	0	33	0	0
03/02	(061-t)	33.2	33.3	33.4	34.0	34.1	34.2	37.6	12	37.7	12	60	7.8	124	12	25	0	0	31	0	0
03/03	(062-w)	33.2	33.6	34.8	34.0	34.3	35.4	36.9	12	37.3	12	108	11.2	153	12	24	0	0	30	0	0
03/04	(063-t)	34.3	35.3	36.2	35.3	36.0	36.8	38.4	12	38.3	12	183	14.9	161	12	29	0	0	27	0	0
03/05	(064-f)	33.8	34.0	34.3	34.7	35.0	35.3	38.2	12	38.6	12	191	15.7	157	12	34	0	0	27	0	0
03/06	(065-s)	33.5	36.7	42.8	34.4	37.2	42.0	38.5	12	38.8	12	79	9.8	178	12	32	0	0	29	0	0
03/07	(066-s)	34.4	37.3	40.6	35.9	38.2	40.7	38.8	12	39.0	12	126	16.2	170	12	27	0	0	30	0	0
03/08	(067-m)	37.4	38.4	39.5	38.8	39.5	40.1	39.9	12	39.9	12	132	14.3	143	12	28	0	0	30	0	0
03/09	(068-t)	35.6	37.2	39.2	37.1	38.4	39.8	39.4	12	39.7	12	130	11.9	165	12	31	0	0	30	0	0
03/10	(069-w)	34.7	35.6	36.7	34.7	35.6	36.7	39.2	12	39.4	12	146	15.7	177	12	32	0	0	29	0	0
03/11	(070-t)	34.3	35.9	38.5	35.5	36.8	38.9	39.5	12	39.4	12	118	12.9	167	12	36	0	0	28	0	0
03/12	(071-f)	34.6	35.5	36.9	35.8	36.6	37.6	39.2	12	39.4	12	128	11.9	172	12	38	0	0	27	0	0
03/13	(072-s)	33.8	34.1	34.9	34.7	35.2	36.1	39.9	12	39.9	12	377	28.3	154	12	45	0	0	27	0	0
03/14	(073-s)	33.5	33.6	33.8	34.3	34.5	34.7	40.6	12	40.5	12	212	20.5	159	12	52	0	0	27	0	0
03/15	(074-m)	33.3	33.4	33.5	34.1	34.2	34.4	39.8	12	40.1	12	204	20.7	169	12	44	0	0	27	0	0
03/16	(075-t)	33.2	33.3	33.4	34.0	34.1	34.2	40.4	12	40.5	12	259	20.4	161	12	26	0	0	26	0	0
03/17	(076-w)	33.2	33.6	33.9	34.0	34.4	34.7	40.3	12	40.4	12	215	19.7	154	12	37	0	0	27	0	0
03/18	(077-t)	33.1	33.4	34.0	34.0	34.3	34.9	39.9	12	40.3	12	146	15.0	159	12	45	0	0	29	0	0
03/19	(078-f)	33.1	33.3	33.5	34.0	34.2	34.4	40.5	12	40.6	12	141	11.5	172	11	34	0	0	27	0	0
03/20	(079-s)	33.5	34.4	35.5	34.3	35.0	36.1	40.0	12	40.3	12	131	13.1	158	12	28	0	0	25	0	0
03/21	(080-s)	34.7	37.5	41.1	35.6	37.8	40.8	40.4	12	40.6	12	74	7.5	155	12	28	0	0	25	0	0
03/22	(081-m)	37.1	40.8	45.8	38.2	41.2	45.2	40.2	12	40.4	12	124	11.3	159	12	22	0	0	25	0	0
03/23	(082-t)	40.4	42.8	45.8	41.6	43.6	46.5	42.3	12	42.0	12	130	13.2	149	12	17	0	0	24	0	0
03/24	(083-w)	42.7	45.0	48.2	44.3	46.1	48.5	43.4	12	43.3	12	134	11.2	140	12	22	0	0	23	0	0
03/25	(084-t)	41.7	46.5	53.6	43.8	47.6	52.9	44.2	12	44.0	12	138	12.2	157	12	22	0	0	23	0	0
03/26	(085-f)	42.9	48.5	55.7	45.2	49.7	55.1	44.5	12	44.5	12	185	13.4	166	12	21	0	0	23	0	0
03/27	(086-s)	42.2	45.5	48.3	45.0	47.5	49.9	44.4	12	44.5	12	176	11.6	172	12	25	0	0	23	0	0
03/28	(087-s)	43.5	45.3	47.2	45.8	47.1	48.5	46.1	12	45.7	12	177	12.3	164	12	22	0	0	22	0	0
03/29	(088-m)	44.1	46.4	49.2	46.1	47.9	50.0	46.2	12	46.0	12	139	10.8	174	12	19	0	0	18	0	0
03/30	(089-t)	46.3	50.0	55.0	48.1	50.9	54.7	45.8	12	45.8	12	65	7.3	178	12	13	0	1	20	0	0
03/31	(090-w)	45.1	49.3	52.6	47.5	50.6	52.8	46.1	12	46.0	12	157	14.2	156	12	12	0	1	20	0	0
Column Min's:		33.1	33.3	33.4	34.0	34.1	34.2	36.4		36.6		60	7.3	124		12	0	0	18	0	0
Column Avg's:		36.8	38.5	40.7	38.1	39.4	41.2	40.9		41.0		152	13.8	160		29	0	0	26	0	0
Column Max's:		46.3	50.0	55.7	48.1	50.9	55.1	46.2		46.0		377	28.3	178		52	0	1	33	0	0
Column Ttl's:												4698	4959		905	0	2	812			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D	t t l	D E G R E E		D A Y S					
	..Current at 2".. min	max	..Current at 4".. min	max	avg 2" yrs	avg 4" yrs			max m/h	Lng-Trm avg yrs	Air <65	Air Soil >50	Long Term <65	>65		
04/01 (091-t)	47.9	50.7	53.4	53.8	45.6	45.7	133	11.5	155	12	16	0	2	19	0	0
04/02 (092-f)	41.0	43.8	47.9	50.4	44.7	44.9	179	13.8	170	12	32	0	0	20	0	0
04/03 (093-s)	38.8	42.7	48.1	48.8	44.9	45.1	107	12.1	172	12	31	0	0	20	0	0
04/04 (094-s)	38.3	43.0	49.4	49.9	46.1	46.0	164	13.7	186	12	30	0	0	20	0	0
04/05 (095-m)	39.4	42.1	44.6	46.2	47.0	47.0	122	8.8	162	12	25	0	0	19	0	0
04/06 (096-t)	42.4	45.6	50.7	50.8	46.8	47.0	86	9.1	158	12	19	0	0	21	0	0
04/07 (097-w)	44.5	50.6	57.1	56.5	48.3	48.1	77	11.6	150	12	12	0	1	19	0	0
04/08 (098-t)	46.5	51.7	56.8	56.3	47.6	47.8	140	18.0	161	12	6	0	3	20	0	0
04/09 (099-f)	50.6	51.9	53.4	54.5	47.3	47.7	120	12.3	161	12	11	0	3	20	0	0
04/10 (100-s)	47.3	51.5	56.4	56.4	46.8	47.2	203	17.9	172	12	18	0	3	20	0	0
04/11 (101-s)	44.1	49.3	54.8	54.8	47.9	48.0	173	17.6	165	12	15	0	1	18	0	0
04/12 (102-m)	47.0	49.2	51.3	52.4	48.6	48.8	152	14.2	149	12	20	0	1	18	0	0
04/13 (103-t)	43.1	49.6	57.0	56.7	50.4	50.4	137	11.4	149	12	19	0	1	16	0	0
04/14 (104-w)	45.8	48.9	52.5	53.2	51.2	51.3	121	11.4	158	12	17	0	1	15	0	1
04/15 (105-t)	48.7	52.7	56.4	56.5	51.0	51.4	228	27.9	137	12	4	0	4	15	0	1
04/16 (106-f)	48.3	50.8	53.7	55.0	51.6	51.8	122	15.6	136	12	18	0	3	15	0	2
04/17 (107-s)	45.2	47.0	50.5	51.6	50.6	51.1	151	15.1	181	12	24	0	0	15	0	1
04/18 (108-s)	43.6	50.9	59.6	58.6	50.9	51.2	109	14.6	128	12	12	0	2	13	0	1
04/19 (109-m)	49.4	52.3	55.2	55.4	52.3	52.4	171	17.6	140	12	9	0	4	12	0	2
04/20 (110-t)	52.0	55.3	60.2	59.6	53.4	53.4	233	20.5	154	12	3	0	6	12	0	3
04/21 (111-w)	44.8	49.2	53.9	55.9	53.2	53.3	235	20.7	157	12	26	0	2	12	0	3
04/22 (112-t)	41.1	47.6	55.2	55.1	51.6	52.2	208	18.8	140	12	20	0	0	12	0	2
04/23 (113-f)	42.5	51.6	61.3	60.0	53.4	53.3	108	13.0	131	12	14	0	3	10	0	3
04/24 (114-s)	49.7	52.1	54.6	55.3	52.6	53.2	208	18.3	173	12	9	0	4	10	0	3
04/25 (115-s)	52.8	55.0	57.7	57.9	54.9	54.5	193	17.4	130	12	8	0	6	11	0	5
04/26 (116-m)	45.7	49.5	52.8	54.9	58.0	57.2	216	18.6	114	12	24	0	2	11	0	7
04/27 (117-t)	42.0	50.4	60.1	58.9	58.3	58.0	101	11.0	140	12	19	0	2	10	0	8
04/28 (118-w)	46.7	54.3	62.8	61.6	57.4	57.6	98	14.6	161	12	7	0	5	11	0	8
04/29 (119-t)	51.9	58.0	64.5	63.0	57.6	57.3	108	14.6	137	12	3	0	9	10	0	7
04/30 (120-f)	55.9	61.1	68.9	67.1	59.4	58.9	70	9.2	137	12	4	0	11	9	0	9
Column Min's:	38.3	42.1	44.6	46.2	44.7	44.9	70	8.8	114		3	0	0	9	0	0
Column Avg's:	45.9	50.3	55.4	55.6	51.0	51.1	149	15.0	152		16	0	3	15	0	2
Column Max's:	55.9	61.1	68.9	67.1	59.4	58.9	235	27.9	186		32	0	11	21	0	9
Column Ttl's:							4473		4564		475	0	79	453	0	66

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S					
	mo	da	..Current at 2" min	..Current at 4" min	..Current at 4" maxLong Term..... avg 2" yrsLong Term..... avg 4" yrs	tll mi	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	Long Term >65			
05/01	(121-s)		53.9	61.4	69.8	57.8	57.9	136	13.5	152	4	0	9	0	8	
05/02	(122-s)		55.3	62.3	69.6	58.1	58.2	102	17.0	163	0	1	13	9	0	8
05/03	(123-m)		59.7	62.5	66.4	56.7	57.1	180	17.4	145	0	1	13	10	0	7
05/04	(124-t)		59.0	61.3	64.5	56.8	56.9	185	16.5	143	1	0	12	10	0	7
05/05	(125-w)		58.7	63.8	70.6	57.9	58.0	102	10.9	144	2	0	14	8	0	8
05/06	(126-t)		58.3	65.3	72.9	59.0	58.8	108	15.2	146	0	0	16	6	0	9
05/07	(127-f)		58.7	65.9	74.0	59.5	59.1	78	10.8	132	3	0	16	8	0	9
05/08	(128-s)		59.2	66.4	74.4	59.5	59.5	69	9.1	142	0	0	17	9	0	10
05/09	(129-s)		60.8	68.7	77.6	60.1	59.8	63	8.0	135	0	5	19	8	0	10
05/10	(130-m)		63.3	70.8	79.5	61.9	61.4	60	7.9	121	0	6	21	8	0	11
05/11	(131-t)		65.6	72.1	80.0	64.3	63.4	71	9.7	124	0	7	22	7	0	13
05/12	(132-w)		64.0	68.0	70.6	64.2	63.9	98	20.3	133	1	0	19	6	0	14
05/13	(133-t)		58.0	65.4	74.9	64.1	63.8	168	14.2	114	13	0	16	6	0	14
05/14	(134-f)		54.1	63.4	73.3	65.1	64.6	98	13.8	122	8	0	15	5	0	15
05/15	(135-s)		58.7	66.7	76.9	64.2	64.0	121	11.3	132	0	2	17	4	0	14
05/16	(136-s)		58.9	63.7	69.8	64.4	64.0	82	13.2	121	9	0	15	4	0	14
05/17	(137-m)		52.6	63.0	73.6	65.1	64.7	94	11.4	116	9	0	14	4	0	15
05/18	(138-t)		57.4	60.4	63.5	63.5	63.7	64	9.4	129	12	0	12	4	0	14
05/19	(139-w)		56.3	60.3	67.1	64.1	64.1	133	12.8	134	13	0	12	2	0	14
05/20	(140-t)		52.8	59.8	66.5	65.2	65.0	94	12.7	107	14	0	11	2	0	15
05/21	(141-f)		51.6	59.1	67.4	64.9	64.8	80	16.6	97	14	0	11	2	0	15
05/22	(142-s)		49.8	63.5	78.2	65.9	65.6	68	10.4	119	8	0	14	1	0	16
05/23	(143-s)		58.0	60.5	63.3	66.1	66.1	164	14.7	132	5	0	12	2	0	16
05/24	(144-m)		59.3	61.6	64.3	65.7	65.5	144	14.3	113	0	1	13	2	0	16
05/25	(145-t)		56.2	59.7	63.5	65.3	65.4	94	9.5	130	8	0	11	2	0	15
05/26	(146-w)		50.6	63.4	76.8	66.2	66.0	75	10.0	109	6	0	14	1	0	16
05/27	(147-t)		55.1	66.8	79.3	67.2	66.7	90	12.2	106	0	0	17	1	0	17
05/28	(148-f)		60.6	71.2	82.9	67.1	66.7	120	22.5	106	0	6	20	1	0	17
05/29	(149-s)		60.4	67.0	76.1	67.0	66.7	136	12.5	121	9	0	18	1	0	17
05/30	(150-s)		54.3	65.0	75.6	67.2	66.8	134	12.1	117	3	0	16	0	0	17
05/31	(151-m)		56.8	63.7	68.2	68.8	68.2	158	15.9	110	7	0	15	0	1	18
Column Min's:			49.8	59.1	63.3	56.7	56.9	60	7.9	97	0	0	11	0	0	7
Column Avg's:			57.4	64.3	72.0	63.3	63.1	109	13.1	126	5	1	15	5	0	13
Column Max's:			65.6	72.1	82.9	68.8	68.2	185	22.5	163	14	7	22	10	1	18
Column Ttl's:								3369		3915	149	29	467	142	1	409

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S		
	..Current at 2" min	max	..Current at 4" min	max	avg 2" yrs	avg 4" yrs	tll	max	Lng-Trm	Air	Soil	Long Term	
mo da jul	avg	avg	avg	avg	avg 2" yrs	avg 4" yrs	mi	m/h	avg yrs	<65	>65	<65	>65
06/01 (152-t)	52.1	61.8	73.4	71.2	69.0	68.5	108	13.3	107	12	14	0	13
06/02 (153-w)	57.6	60.6	63.5	64.0	67.9	68.2	55	7.5	109	12	12	0	12
06/03 (154-t)	55.7	59.7	64.2	64.1	68.1	68.1	46	5.3	135	11	10	0	11
06/04 (155-f)	58.0	59.9	62.6	63.1	66.8	67.0	109	8.9	128	12	8	0	11
06/05 (156-s)	56.0	60.0	64.1	63.9	67.0	67.0	152	14.1	120	12	9	0	11
06/06 (157-s)	51.1	63.6	76.0	72.9	69.4	68.7	61	9.3	98	12	5	0	14
06/07 (158-m)	60.4	66.6	73.6	71.7	70.9	70.1	90	16.2	98	12	0	2	17
06/08 (159-t)	63.7	71.2	79.2	76.6	72.7	71.9	119	21.6	121	12	0	12	21
06/09 (160-w)	67.3	70.8	75.4	74.1	71.5	71.4	123	11.1	117	12	0	7	21
06/10 (161-t)	65.0	72.7	81.4	78.5	70.8	70.8	73	7.6	107	12	0	8	22
06/11 (162-f)	65.6	74.6	83.8	80.9	72.1	71.7	75	8.6	98	12	0	6	24
06/12 (163-s)	67.6	73.9	82.6	80.1	71.4	71.3	74	8.4	101	12	0	6	24
06/13 (164-s)	66.4	75.3	85.1	81.9	73.8	73.1	83	9.4	89	12	0	8	25
06/14 (165-m)	68.2	72.4	80.5	78.3	74.1	73.5	128	11.6	89	12	0	5	23
06/15 (166-t)	64.8	72.8	81.4	79.2	73.9	73.3	90	10.0	94	11	0	3	23
06/16 (167-w)	62.6	72.8	84.2	80.9	72.9	72.7	71	9.4	90	11	0	3	23
06/17 (168-t)	64.2	75.3	87.3	83.3	73.9	73.4	78	11.2	109	12	0	8	25
06/18 (169-f)	69.0	76.5	87.5	83.4	74.1	73.9	82	11.9	104	11	0	10	26
06/19 (170-s)	69.7	79.3	90.9	86.5	73.3	73.2	83	8.3	100	12	0	13	28
06/20 (171-s)	71.7	75.8	80.1	78.7	72.6	72.6	104	10.0	104	12	0	9	26
06/21 (172-m)	68.3	73.1	78.8	77.5	73.8	73.4	112	16.6	105	12	0	3	24
06/22 (173-t)	64.1	74.7	85.6	82.6	73.8	73.6	80	10.4	102	12	0	6	25
06/23 (174-w)	66.0	75.9	87.4	83.8	73.0	73.0	82	9.1	115	12	0	5	26
06/24 (175-t)	66.5	76.8	88.8	84.8	73.7	73.4	93	10.5	96	12	0	9	27
06/25 (176-f)	71.2	76.2	82.3	80.2	75.2	74.6	142	19.1	89	12	0	10	26
06/26 (177-s)	67.5	76.1	85.6	83.0	76.0	75.4	70	12.3	105	12	0	6	26
06/27 (178-s)	67.4	76.4	88.1	84.5	75.6	75.2	100	16.6	105	12	0	7	26
06/28 (179-m)	66.9	69.7	73.8	73.5	75.0	74.8	78	14.3	93	12	0	1	21
06/29 (180-t)	68.0	73.3	80.7	78.8	75.6	75.1	89	8.4	105	12	0	4	24
06/30 (181-w)	67.0	69.7	74.1	73.4	74.8	74.7	97	12.7	113	12	0	0	21
Column Min's:	51.1	59.7	62.6	63.1	66.8	67.0	46	5.3	89		0	0	11
Column Avg's:	64.3	71.3	79.4	77.2	72.4	72.1	92	11.5	105		2	5	22
Column Max's:	71.7	79.3	90.9	86.5	76.0	75.4	152	21.6	135		14	13	28
Column Ttl's:							2747		3146		58	151	646

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L			T E M P E R A T U R E			(degrees Fahrenheit)			W I N D			D E G R E E		D A Y S						
	mo	da	jul	..Current at 2" min	avg	max	..Current at 4" min	avg	maxLong Term avg 2" yrs	avg 4" yrs	ttl mi	max m/h	Lng-Trm avg yrs	Air <65	Soil >50	<65 >65	>65			
07/01	(182-t)	66.4	72.6	78.7	68.3	72.7	76.7	74.1	12	74.1	12	111	13.3	107	12	0	6	23	0	7	24
07/02	(183-f)	70.3	75.2	82.6	71.1	74.9	80.3	75.0	12	74.8	12	98	18.9	91	12	0	9	25	0	7	25
07/03	(184-s)	71.7	77.2	85.3	72.5	76.8	82.8	75.7	12	75.3	12	59	7.0	102	12	0	10	27	0	7	25
07/04	(185-s)	72.1	80.0	88.6	73.2	79.3	85.6	76.6	12	76.0	12	70	8.4	103	11	0	15	29	0	7	26
07/05	(186-m)	73.4	80.0	86.9	74.6	79.7	84.5	77.1	12	76.6	12	144	14.4	109	12	0	17	30	0	7	27
07/06	(187-t)	74.2	78.9	83.7	75.6	78.9	82.1	76.8	12	76.4	12	111	10.8	112	12	0	15	29	0	7	26
07/07	(188-w)	74.0	80.1	89.0	75.2	79.8	86.1	77.5	12	76.9	12	97	14.2	88	12	0	13	30	0	7	27
07/08	(189-t)	73.3	81.3	90.2	74.7	80.7	87.2	78.9	12	78.0	12	69	8.4	87	12	0	14	31	0	8	28
07/09	(190-f)	75.0	82.1	89.3	76.3	81.7	86.8	78.7	12	78.2	12	78	10.9	96	12	0	17	32	0	9	28
07/10	(191-s)	75.5	80.5	87.8	77.2	80.7	85.5	79.1	12	78.5	12	75	19.3	99	12	0	11	31	0	9	29
07/11	(192-s)	73.4	80.1	90.2	75.2	80.1	87.2	78.0	12	78.0	12	99	16.2	96	12	0	11	30	0	8	28
07/12	(193-m)	72.5	78.1	86.7	74.5	78.5	84.3	77.8	12	77.6	12	58	7.8	96	12	0	9	29	0	8	28
07/13	(194-t)	68.9	78.9	88.7	71.8	78.9	85.9	78.4	12	78.0	12	44	6.2	99	11	0	8	29	0	8	28
07/14	(195-w)	74.6	78.5	84.5	76.0	78.8	82.7	78.1	12	77.9	12	70	9.0	99	12	0	10	29	0	9	28
07/15	(196-t)	73.4	78.4	84.8	75.3	78.7	83.1	77.8	12	77.5	12	87	8.7	79	12	0	7	29	0	8	28
07/16	(197-f)	67.9	76.8	86.7	70.8	77.2	84.2	78.4	12	77.8	12	55	7.7	96	12	0	4	27	0	8	28
07/17	(198-s)	68.5	77.1	86.3	71.2	77.5	83.4	78.5	12	78.1	12	56	7.4	86	12	0	6	28	0	8	28
07/18	(199-s)	71.4	78.1	87.0	73.3	78.2	84.5	78.6	12	78.2	12	66	9.5	84	12	0	9	28	0	9	28
07/19	(200-m)	74.1	77.6	83.3	75.1	77.9	81.8	78.6	12	78.3	12	101	13.2	82	11	0	9	28	0	9	28
07/20	(201-t)	71.5	78.2	85.9	73.2	78.3	83.8	78.3	12	78.2	12	89	10.6	89	12	0	7	28	0	9	28
07/21	(202-w)	72.1	76.9	83.7	73.9	77.4	81.9	78.8	12	78.4	12	82	8.1	90	12	0	5	27	0	8	28
07/22	(203-t)	68.6	76.3	84.9	71.2	76.6	82.0	77.6	12	77.5	12	49	7.1	80	12	0	3	27	0	9	28
07/23	(204-f)	69.6	75.2	82.8	71.8	75.8	80.7	78.7	12	78.1	12	61	7.4	88	12	0	4	26	0	9	28
07/24	(205-s)	71.0	77.6	86.1	72.8	77.5	83.3	78.8	12	78.3	12	63	8.2	87	12	0	9	28	0	9	28
07/25	(206-s)	73.3	78.0	82.9	74.8	78.0	81.4	79.2	12	78.8	12	75	10.3	85	12	0	12	28	0	9	29
07/26	(207-m)	74.9	80.5	89.4	75.9	80.2	86.3	77.5	12	77.7	12	91	12.4	92	12	0	13	30	0	9	28
07/27	(208-t)	71.3	80.7	91.4	73.4	80.2	87.7	77.9	12	77.7	12	62	10.0	89	12	0	11	30	0	9	28
07/28	(209-w)	74.0	81.8	92.0	75.6	81.3	88.3	77.8	12	77.6	12	79	12.6	93	12	0	14	31	0	9	28
07/29	(210-t)	71.8	77.8	84.0	74.2	78.4	82.4	78.7	12	78.2	12	111	12.3	93	12	0	7	28	0	9	28
07/30	(211-f)	67.7	74.2	82.3	70.7	75.2	80.2	78.2	12	78.0	12	123	13.1	95	12	0	1	25	0	8	28
07/31	(212-s)	65.8	77.3	92.1	69.0	77.0	86.9	77.4	12	77.0	11	69	8.9	86	12	0	3	27	0	7	27
Column Min's:		65.8	72.6	78.7	68.3	72.7	76.7	74.1		74.1		44	6.2	79		0	1	23	0	7	24
Column Avg's:		71.7	78.3	86.4	73.5	78.3	83.9	77.8		77.5		81	10.7	93		0	9	28	0	8	28
Column Max's:		75.5	82.1	92.1	77.2	81.7	88.3	79.2		78.8		144	19.3	112		0	17	32	0	9	29
Column Ttl's:												2502	2878			0	289	879	0	254	853

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D	t t l	D E G R E E		D A Y S				
	..Current at 2".. min	max	..Current at 4".. min	maxLong Term..... avg 2" yrs	avg 4" yrs			max m/h	mi	Air <65	Soil >50	Long <65	Term >65	
08/01 (213-s)	67.6	77.3	70.3	77.0	76.5	11	76.7	10	72	9.7	88	11	0	7	27
08/02 (214-m)	73.0	80.5	74.3	79.6	77.3	11	77.3	10	90	10.5	77	11	0	8	27
08/03 (215-t)	68.0	77.6	71.6	77.5	77.7	12	77.3	11	83	10.5	73	12	0	9	27
08/04 (216-w)	68.9	74.5	71.5	75.3	76.6	12	75.6	12	87	11.8	88	12	0	8	26
08/05 (217-t)	63.3	72.4	67.0	73.2	75.9	12	76.3	12	69	7.9	96	12	3	0	23
08/06 (218-f)	66.5	74.0	69.0	74.3	76.0	12	76.3	12	64	7.1	100	12	0	1	24
08/07 (219-s)	65.5	74.5	68.5	74.6	75.8	12	76.0	12	67	9.1	95	12	1	0	25
08/08 (220-s)	64.2	74.9	67.4	74.8	76.8	12	76.8	12	48	6.3	81	12	0	2	25
08/09 (221-m)	65.2	76.4	68.2	75.9	76.8	12	76.8	12	54	8.4	82	12	0	4	26
08/10 (222-t)	67.8	71.4	70.1	72.6	75.8	12	76.2	12	60	5.8	84	11	0	2	23
08/11 (223-w)	67.0	76.1	68.8	75.5	76.1	12	76.3	12	54	7.8	103	12	0	8	26
08/12 (224-t)	69.2	75.5	70.9	75.6	76.0	12	76.1	12	89	12.5	95	12	0	7	26
08/13 (225-f)	70.6	77.0	71.9	76.6	76.5	12	76.5	12	74	7.7	91	12	0	9	27
08/14 (226-s)	68.5	77.2	70.9	77.1	76.8	12	76.7	12	58	8.2	79	12	0	8	27
08/15 (227-s)	69.6	78.3	71.8	77.9	76.6	12	76.6	12	40	7.1	78	12	0	11	28
08/16 (228-m)	73.8	78.9	74.9	78.6	77.0	12	76.8	12	68	8.3	73	12	0	13	29
08/17 (229-t)	74.9	80.5	75.8	79.9	77.6	12	77.4	12	88	10.2	92	11	0	12	30
08/18 (230-w)	72.2	80.7	74.1	80.0	77.5	12	77.3	12	68	7.1	90	12	0	11	30
08/19 (231-t)	72.2	80.7	74.2	80.1	76.3	12	76.6	12	51	6.8	98	12	0	11	30
08/20 (232-f)	75.2	80.2	76.2	79.8	76.1	12	76.1	12	103	13.0	106	11	0	11	30
08/21 (233-s)	70.4	78.5	72.7	78.4	74.9	12	75.4	12	108	9.6	95	12	0	5	28
08/22 (234-s)	65.5	76.8	68.9	76.8	74.1	12	74.6	12	46	6.5	97	12	0	2	27
08/23 (235-m)	70.2	79.0	72.3	78.3	74.2	12	74.8	12	89	10.3	109	12	0	11	28
08/24 (236-t)	74.2	81.1	75.3	80.2	73.7	12	74.3	12	72	8.9	105	12	0	14	30
08/25 (237-w)	73.3	83.4	74.9	82.1	74.5	12	74.8	12	54	8.0	78	12	0	14	32
08/26 (238-t)	73.8	82.5	75.5	81.6	74.8	12	75.1	12	55	9.6	81	12	0	14	32
08/27 (239-f)	74.8	83.5	76.2	82.4	74.8	12	75.1	12	54	7.5	84	12	0	16	32
08/28 (240-s)	75.9	83.9	77.2	82.9	73.6	12	74.3	12	84	10.8	102	12	0	14	33
08/29 (241-s)	72.6	82.6	74.9	81.8	73.6	12	73.9	12	64	8.6	90	12	0	12	32
08/30 (242-m)	74.0	82.6	75.9	81.8	73.1	12	73.7	12	75	10.3	100	12	0	15	32
08/31 (243-t)	75.8	81.3	77.1	81.0	72.2	12	73.0	12	100	18.5	94	12	0	12	31
Column Min's:	63.3	71.4	67.0	72.6	72.2		73.0		40	5.8	73		0	0	23
Column Avg's:	70.4	78.5	72.5	78.2	75.7		75.8		71	9.2	90		0	8	28
Column Max's:	75.9	83.9	77.2	82.9	77.7		77.4		108	18.5	109		3	16	33
Column Ttl's:									2188		2804		4	260	876

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D	Air <65 >50	D E G R E E	D A Y S								
	..Current at 2" min	max	..Current at 4" min	maxLong Term avg 2" yrs	avg 4" yrs					max m/h	Long Term <65 >65 >50						
09/01 (244-w)	72.2	77.3	74.2	77.7	71.1	72.0	90	9.2	95	12	0	4	28	0	5	22		
09/02 (245-t)	73.1	78.4	74.7	78.4	72.0	72.6	109	20.3	95	12	0	9	28	0	4	23		
09/03 (246-f)	71.3	74.3	73.2	75.1	71.2	72.0	113	12.5	102	12	0	5	25	0	4	22		
09/04 (247-s)	69.3	74.6	71.2	75.2	71.4	72.0	78	9.1	97	12	0	1	25	0	5	22		
09/05 (248-s)	65.0	72.8	68.1	73.7	71.4	72.0	52	7.5	110	12	0	2	24	0	4	22		
09/06 (249-m)	66.7	72.4	69.2	73.3	71.6	72.1	97	9.6	93	12	0	2	23	0	3	22		
09/07 (250-t)	66.5	73.1	69.0	73.8	70.8	71.5	10	8.9	102	9	0	1	24	0	3	22		
09/08 (251-w)	63.9	70.1	67.0	71.3	71.1	71.6	11	6.9	91	11	55	6.9	91	0	3	22		
09/09 (252-t)	64.1	71.4	66.9	72.1	70.8	71.6	11	9.3	103	11	0	2	22	0	3	22		
09/10 (253-f)	62.2	70.1	66.2	71.2	71.4	72.1	12	16.9	109	12	5	0	21	0	2	22		
09/11 (254-s)	56.1	67.1	60.6	68.4	71.0	71.6	12	8.5	107	12	11	0	18	0	0	22		
09/12 (255-s)	60.8	65.7	63.7	67.0	69.2	70.3	12	15.9	98	12	2	0	17	0	0	20		
09/13 (256-m)	62.2	71.8	64.6	71.5	70.7	70.7	12	14.4	111	12	164	0	9	22	0	1	21	
09/14 (257-t)	68.2	76.2	69.4	75.3	69.5	70.4	11	15.6	107	11	212	0	14	25	0	1	20	
09/15 (258-w)	63.1	69.1	66.0	70.7	68.1	69.2	12	14.8	108	12	160	0	21	0	0	19		
09/16 (259-t)	60.4	67.8	63.6	68.7	66.7	67.9	12	9.5	117	12	100	6	0	19	1	0	18	
09/17 (260-f)	62.4	70.8	64.9	71.0	62.3	68.0	12	8.1	101	12	76	2	0	21	2	0	18	
09/18 (261-s)	61.6	69.5	64.7	70.3	56.4	68.5	12	9.6	109	12	64	5	0	20	1	0	19	
09/19 (262-s)	64.1	68.6	66.3	69.5	57.5	68.4	12	8.2	94	12	68	4	0	20	1	0	18	
09/20 (263-m)	59.8	65.1	63.0	66.5	63.3	67.7	11	6.0	101	11	57	6	0	17	1	0	18	
09/21 (264-t)	64.5	68.8	66.1	69.2	63.8	67.5	10	13.0	91	10	93	0	0	19	1	0	18	
09/22 (265-w)	63.4	67.6	65.4	68.4	62.7	66.1	11	8.8	106	11	62	79	3	0	18	2	0	16
09/23 (266-t)	61.0	66.4	64.3	67.6	61.1	64.5	11	9.8	137	11	75	9	0	18	5	0	15	
09/24 (267-f)	54.8	63.2	58.9	64.8	61.0	63.3	12	8.5	102	9	52	11	0	15	6	0	13	
09/25 (268-s)	59.1	62.1	61.8	63.7	62.1	63.7	12	14.8	111	12	97	7	0	14	6	0	14	
09/26 (269-s)	60.3	63.1	62.4	64.5	62.6	64.0	12	11.6	107	12	96	5	0	15	6	0	14	
09/27 (270-m)	55.3	59.6	58.7	61.7	62.6	63.3	11	13.5	90	11	121	13	0	12	5	0	13	
09/28 (271-t)	52.8	56.1	56.2	58.6	62.2	62.7	11	21.3	91	11	126	15	0	9	6	0	13	
09/29 (272-w)	48.7	55.2	52.9	57.6	62.5	63.2	11	15.2	102	11	85	20	0	8	7	0	13	
09/30 (273-t)	50.3	55.7	53.9	57.9	62.4	63.1	12	9.3	117	12	98	20	0	8	7	0	13	
Column Min's:	48.7	55.2	52.9	57.6	56.4	62.7		6.0	90		52	0	0	8	0	0	13	
Column Avg's:	62.1	68.1	64.9	69.2	66.3	68.5		11.6	103		98	5	2	19	2	1	19	
Column Max's:	75.1	78.4	74.7	78.4	85.9	72.6		21.3	137		212	20	14	28	7	5	23	
Column Ttl's:								3104			2949	142	49	577	57	38	556	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	S O I L		T E M P E R A T U R E		(degrees Fahrenheit)		W I N D		D E G R E E		D A Y S	
	..Current at 2".. min	max	..Current at 4".. min	max	avg 2" yrs	avg 4" yrs	tll mi	max m/h	Lng-Trm avg yrs	Air >65	Soil >50	Long Term >65
10/01 (274-f)	48.6	56.5	52.6	58.0	61.6	62.4	211	19.5	119	6	0	7
10/02 (275-s)	52.1	58.7	56.2	60.4	62.6	63.1	83	8.8	106	12	0	13
10/03 (276-s)	46.2	55.4	51.1	57.5	62.0	62.7	90	9.5	129	16	0	8
10/04 (277-m)	49.9	59.3	53.5	60.2	61.6	62.4	136	18.1	124	7	0	10
10/05 (278-t)	49.6	59.0	53.8	60.5	60.3	61.2	54	7.1	131	16	0	11
10/06 (279-w)	48.4	58.0	52.7	59.5	58.9	59.9	87	11.1	106	11	0	10
10/07 (280-t)	53.0	62.4	55.9	62.8	58.0	59.0	71	8.8	103	3	0	9
10/08 (281-f)	55.3	62.5	58.0	63.3	58.3	59.1	57	8.8	123	4	0	13
10/09 (282-s)	49.9	57.4	54.5	59.8	58.0	59.0	180	16.6	124	15	0	10
10/10 (283-s)	46.0	53.0	50.7	55.7	57.7	58.4	103	10.3	114	26	0	6
10/11 (284-m)	43.3	51.9	48.4	54.2	55.9	57.1	78	9.0	115	22	0	4
10/12 (285-t)	47.0	55.0	51.2	56.6	56.7	57.5	94	9.1	109	16	0	7
10/13 (286-w)	49.1	55.8	52.8	57.5	56.6	57.4	107	10.5	88	18	0	8
10/14 (287-t)	47.1	55.1	51.3	56.7	55.7	56.6	52	7.3	113	17	0	7
10/15 (288-f)	49.3	57.5	52.6	58.5	56.3	57.2	102	13.8	113	8	0	9
10/16 (289-s)	55.0	58.0	57.1	59.0	55.3	56.2	158	12.3	125	6	0	11
10/17 (290-s)	56.2	60.3	58.6	61.0	55.2	56.1	155	14.6	131	6	0	12
10/18 (291-m)	55.1	58.7	57.4	59.9	54.4	55.3	75	7.6	128	11	0	10
10/19 (292-t)	54.1	55.9	56.5	57.6	53.2	54.2	49	6.5	119	13	0	8
10/20 (293-w)	56.5	59.1	57.9	59.7	51.0	52.3	105	14.1	111	5	0	10
10/21 (294-t)	48.4	57.8	52.9	59.7	51.4	52.4	149	16.4	122	14	0	10
10/22 (295-f)	44.4	51.9	49.1	54.5	51.5	52.5	79	10.9	120	22	0	5
10/23 (296-s)	43.0	51.1	47.7	53.4	51.3	51.8	59	8.3	119	21	0	3
10/24 (297-s)	44.1	51.6	48.3	53.7	53.9	54.4	70	9.6	114	16	0	4
10/25 (298-m)	44.6	52.6	48.2	54.3	52.2	53.2	49	--	113	15	0	4
10/26 (299-t)	48.2	54.1	51.1	55.5	52.0	52.8	--	--	96	10	0	6
10/27 (300-w)	48.2	51.2	51.8	53.6	52.4	53.1	141	11.4	113	19	0	4
10/28 (301-t)	43.9	48.3	47.9	51.0	52.4	53.2	145	16.5	115	23	0	1
10/29 (302-f)	45.1	49.0	48.9	51.4	50.2	51.2	135	13.4	118	21	0	1
10/30 (303-s)	41.1	43.1	45.0	46.8	50.0	51.0	184	13.5	115	32	0	0
10/31 (304-s)	40.5	42.0	44.3	45.2	51.3	51.8	259	16.8	124	30	0	0
Column Min's:	40.5	42.0	44.3	45.2	50.0	51.0	49	6.5	88	3	0	7
Column Avg's:	48.5	54.9	52.2	56.7	55.4	56.3	111	11.7	116	15	0	7
Column Max's:	56.5	62.5	58.6	63.3	62.6	63.1	259	19.5	131	32	0	13
Column Ttl's:							3317		3600	461	0	220

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.