



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	avg	min	avg	prec	evap	ly	max																
mo da jul	Current	Long Term	Year	Year	liq	prec	avg	Long Term																
	min	avg	min	avg	prec	evap	ly	avg																
	max	max	avg	avg	prec	evap	ly	avg																
	max	max	avg	avg	prec	evap	ly	avg																
02/01 (032-m)	11.3	16.7	32.9	9.9	1991	20.1	8	30.8	8	41.6	8	57.0	1989	0.00	..	..	62	0.06	8	149	0.95	108	8	
02/02 (033-t)	8.2	19.1	29.6	8.2	1993	22.7	8	29.4	8	37.1	8	49.1	1991	0.00	..	..	64	0.10	8	266	0.81	122	8	
02/03 (034-w)	23.2	33.4	44.2	18.3	1989	25.8	8	31.3	8	38.0	8	55.7	1991	0.00	..	..	41	0.01	8	262	0.78	137	8	
02/04 (035-t)	27.4	30.6	34.4	14.0	1988	24.6	8	30.5	8	37.4	8	60.1	1991	0.00	..	..	61	0.04	8	258	0.90	130	8	
02/05 (036-f)	27.6	37.2	50.4	2.8	1988	19.7	8	27.6	8	37.3	8	54.0	1986	0.00	..	..	43	0.03	8	245	0.81	156	8	
02/06 (037-s)	6.8	15.7	27.2	-5.1	1988	16.7	8	24.2	8	32.2	8	44.4	1992	0.00	..	..	72	0.01	8	263	0.93	212	8	
02/07 (038-s)	0.1	19.2	40.4	-2.6	1988	19.2	8	26.2	8	33.8	8	46.4	1990	0.00	..	..	67	0.01	8	283	0.79	178	8	
02/08 (039-m)	14.8	25.9	30.3	1.0	1988	18.2	8	26.6	8	34.7	8	56.2	1990	0.00	..	..	73	0.04	8	123	0.43	177	8	
02/09 (040-t)	10.8	25.1	40.2	3.6	1992	16.3	8	24.4	8	31.4	8	55.1	1990	0.00	..	..	71	0.02	8	271	0.81	177	8	
02/10 (041-w)	30.9	35.3	39.1	4.3	1992	18.2	8	25.3	8	32.6	8	39.4	1990	0.00	..	..	81	0.01	8	66	0.20	237	8	
02/11 (042-t)	25.0	27.8	32.5	7.5	1986	17.3	8	25.2	8	33.2	8	38.9	1992	0.00	..	..	85	0.01	8	92	0.36	161	8	
02/12 (043-f)	26.5	32.0	35.3	-3.3	1992	16.2	8	23.3	8	30.8	8	40.4	1990	0.31	..	..	83	0.04	8	45	0.32	215	8	
02/13 (044-s)	25.2	27.8	30.9	7.0	1988	17.4	8	26.3	8	33.3	8	64.4	1990	0.03	..	..	85	0.08	8	65	0.43	133	8	
02/14 (045-s)	24.5	27.2	31.2	2.7	1988	21.0	8	27.0	8	33.6	8	44.6	1988	0.00	..	..	68	0.08	8	194	1.11	146	8	
02/15 (046-m)	25.7	28.0	33.9	0.7	1987	20.4	8	26.4	8	32.4	8	49.9	1992	0.02	..	..	74	0.31	8	174	1.08	129	8	
02/16 (047-t)	24.7	27.9	31.8	0.7	1987	18.0	8	24.8	8	33.5	8	61.6	1990	0.52	..	..	89	0.10	8	56	0.36	172	8	
02/17 (048-w)	15.6	21.2	25.0	10.9	1990	20.7	8	27.3	8	32.9	8	43.8	1986	0.04	..	..	75	0.01	8	202	0.87	190	8	
02/18 (049-t)	0.7	8.1	16.1	0.7	1993	18.2	8	28.0	8	36.2	8	50.7	1986	0.00	..	..	67	0.03	8	260	1.14	235	8	
02/19 (050-f)	-3.3	9.0	24.6	-3.3	1993	21.1	8	30.7	8	40.3	8	51.5	1991	0.06	..	..	57	0.13	8	333	1.26	201	8	
02/20 (051-s)	3.2	16.3	32.8	3.2	1993	20.9	8	28.9	8	37.5	8	46.0	1986	0.00	..	..	60	0.03	8	283	1.18	190	8	
02/21 (052-s)	13.1	28.0	38.2	5.4	1988	20.4	8	30.4	8	40.9	8	52.8	1991	0.53	..	..	80	0.10	8	44	0.15	213	8	
02/22 (053-m)	19.9	28.4	38.9	9.5	1986	23.6	8	34.0	8	44.8	8	59.3	1990	0.07	..	..	87	0.19	8	113	0.69	156	8	
02/23 (054-t)	13.1	16.7	19.9	9.9	1989	21.3	8	25.8	8	31.3	8	47.5	1990	0.00	..	..	77	0.04	8	186	0.74	177	8	
02/24 (055-w)	9.9	13.7	18.5	6.4	1989	17.7	8	24.1	8	30.5	8	46.2	1991	0.00	..	..	64	0.02	8	327	1.21	266	8	
02/25 (056-t)	-2.9	13.8	27.6	-2.9	1993	13.8	8	21.7	8	29.6	8	45.1	1992	0.01	..	..	62	0.06	8	324	1.03	226	8	
02/26 (057-f)	16.1	21.0	28.4	-0.6	1990	17.7	8	24.5	8	32.4	8	38.8	1988	0.01	..	..	67	0.01	8	367	1.03	215	7	
02/27 (058-s)	1.4	16.8	36.8	1.4	1993	19.8	8	26.5	8	34.9	8	42.9	1987	0.00	..	..	69	0.01	8	318	1.02	223	8	
02/28 (059-s)	3.0	16.7	38.8	3.0	1993	17.6	8	27.0	8	36.6	8	45.8	1992	0.00	..	..	68	0.08	8	321	1.41	242	8	
Column Min's:	-3.3	8.1	16.1	-5.1		13.8		21.7		29.6		64.4		0.00			41	0.01		44	0.15	108		
Column Avg's:	14.4	22.8	32.5	19.5		27.1		35.0		44.8		64.4		0.06			70	0.06		210	0.81	183		
Column Max's:	30.9	37.2	50.4	25.8		34.0		44.8		64.4		64.4		0.53			89	0.31		367	1.41	266		
Column Ttl's:														1.60				1.66		5890			5124	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION		
	min	avg	max	min	avg	max	prec	evap	hum	ly	max	Lng-Trm
mo da jul	.....Current.....	.....Long Term.....	.....	min year	avgm yrs	max year	liq	snow	%	ly	ly/m	avg yrs
11/01 (305-m)	31.1	35.9	38.5	31.1	38.3	8 72.2	0.10	--	70	44	0.37	153
11/02 (306-t)	30.1	37.7	45.8	30.1	38.3	8 74.0	0.00	--	66	203	0.84	142
11/03 (307-w)	36.7	38.6	41.8	25.3	39.1	8 74.9	0.17	--	86	50	0.36	207
11/04 (308-t)	38.5	45.3	52.8	17.9	39.1	8 69.6	0.00	--	78	123	0.60	146
11/05 (309-f)	41.1	52.5	62.2	16.8	39.1	8 62.6	0.00	--	74	108	0.70	115
11/06 (310-s)	31.4	34.9	41.1	30.8	35.2	8 58.6	0.17	--	75	19	0.09	83
11/07 (311-s)	27.1	32.0	36.5	26.5	33.4	8 55.8	0.00	--	60	83	0.48	90
11/08 (312-m)	24.9	35.9	49.0	24.9	35.6	8 66.5	0.00	--	55	254	0.73	129
11/09 (313-t)	29.9	38.9	53.3	22.4	32.9	8 55.9	0.00	--	52	239	0.71	156
11/10 (314-w)	28.4	41.0	55.0	18.4	33.3	8 58.4	0.00	--	53	224	0.73	119
11/11 (315-t)	38.0	47.7	58.8	30.5	35.7	8 58.8	0.02	--	49	209	0.77	90
11/12 (316-f)	34.3	42.6	50.5	28.3	32.8	8 62.9	0.03	--	71	177	0.87	139
11/13 (317-s)	46.4	53.1	61.4	18.8	33.1	8 71.7	0.00	--	74	53	0.33	124
11/14 (318-s)	48.9	55.5	62.3	17.4	34.6	8 67.5	0.92	--	100	23	0.26	172
11/15 (319-m)	42.4	50.4	62.9	23.8	37.6	8 71.8	0.04	--	94	29	0.17	132
11/16 (320-t)	34.3	42.2	46.3	24.1	36.1	8 67.4	0.00	--	79	47	0.19	103
11/17 (321-w)	35.3	42.5	45.5	23.6	34.0	9 63.2	1.00	--	95	14	0.10	130
11/18 (322-t)	28.3	39.0	47.1	22.4	31.3	9 59.4	0.00	--	74	165	0.74	118
11/19 (323-f)	38.0	42.8	45.9	20.2	35.6	9 72.1	0.11	--	75	30	0.20	116
11/20 (324-s)	28.7	32.3	39.9	22.3	32.4	9 68.9	0.00	--	51	75	0.80	96
11/21 (325-s)	28.9	39.7	50.5	18.7	32.3	9 57.3	0.00	--	48	197	0.81	87
11/22 (326-m)	32.3	42.1	54.4	19.5	32.9	9 58.6	0.00	--	58	209	0.63	104
11/23 (327-t)	30.0	41.7	52.6	21.1	32.5	9 58.6	0.00	--	62	104	0.59	102
11/24 (328-w)	34.5	40.9	44.3	22.4	31.5	9 50.6	0.12	--	76	28	0.21	91
11/25 (329-t)	22.7	31.4	39.2	22.7	31.6	9 61.6	0.00	--	68	219	0.66	112
11/26 (330-f)	34.9	41.3	51.0	14.2	33.3	9 61.2	0.01	--	67	123	0.71	96
11/27 (331-s)	32.5	40.2	46.7	19.9	33.8	9 72.5	1.08	--	91	19	0.12	86
11/28 (332-s)	30.9	33.4	39.9	27.5	33.1	9 68.5	0.15	--	83	131	0.77	71
11/29 (333-m)	29.2	30.6	33.6	22.7	32.5	9 58.4	0.10	--	82	97	0.67	64
11/30 (334-t)	23.6	31.4	36.5	23.6	30.9	9 66.1	0.00	--	72	58	0.20	81

Column Min's:	22.7	30.6	33.6	14.2	30.9	36.4	39.9	48	0.01	14	0.09	64
Column Avg's:	33.1	40.5	48.2	34.3	41.3	48.9	48.9	71	0.10	112	0.51	115
Column Max's:	48.9	55.5	62.9	40.1	47.4	57.2	57.2	100	0.21	254	0.87	207
Column Tot's:							74.9		3.10	3354		3454

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	max	min	max	prec	liq	ly	max																
mo da jul	avg	avg	avg yrs	avg yrs	snow	Long Term	ly/m	Lng-Trm																
			avgmx yrs	max year	avg pr yrs	avg pr yrs		avg yrs																
12/01 (335-w)	19.9	34.0	45.3	19.9	1993	30.0	9	36.4	9	42.6	9	59.6	1985	0.00	0.00	--	--	64	0.04	9	200	0.60	92	9
12/02 (336-t)	35.0	41.8	50.2	18.5	1985	29.1	9	34.0	9	40.9	9	50.4	1985	0.25	0.17	--	--	65	0.17	9	103	0.56	87	9
12/03 (337-f)	35.3	39.7	43.9	16.2	1989	28.5	9	33.5	9	40.7	9	52.6	1988	0.00	0.19	--	--	90	0.19	9	111	0.63	68	9
12/04 (338-s)	39.4	41.0	42.2	15.8	1991	26.1	9	29.8	9	34.7	9	42.2	1990	0.85	0.14	--	--	101	0.14	9	11	0.06	75	9
12/05 (339-s)	35.6	37.3	39.7	11.5	1991	26.1	9	29.9	9	34.3	9	40.3	1988	0.00	0.01	--	--	86	0.01	9	23	0.11	66	9
12/06 (340-m)	35.6	38.5	42.4	21.3	1992	27.7	9	33.2	9	38.8	9	54.8	1988	0.16	0.03	--	--	84	0.03	9	42	0.28	71	9
12/07 (341-t)	30.9	35.7	39.7	19.9	1989	28.4	9	33.7	9	38.6	9	51.3	1991	0.00	0.00	--	--	73	0.00	9	41	0.45	66	9
12/08 (342-w)	28.9	35.0	45.0	14.6	1989	30.1	9	35.1	9	40.9	9	59.1	1991	0.00	0.00	--	--	76	0.00	9	154	0.66	98	9
12/09 (343-t)	27.3	38.9	48.6	12.2	1989	29.9	9	36.3	9	45.4	9	61.3	1991	0.00	0.01	--	--	67	0.01	9	113	0.78	101	9
12/10 (344-f)	30.9	45.1	50.9	18.6	1988	27.7	9	34.7	9	40.6	9	50.9	1993	0.16	0.03	--	--	81	0.03	9	24	0.27	73	9
12/11 (345-s)	20.8	24.1	30.9	14.2	1988	26.4	9	31.1	9	36.7	9	47.6	1991	0.00	0.07	--	--	62	0.07	9	109	0.80	99	9
12/12 (346-s)	23.5	27.6	33.8	4.5	1988	26.3	9	32.2	9	38.3	9	58.0	1991	0.00	0.03	--	--	64	0.03	9	131	0.79	81	9
12/13 (347-m)	21.1	31.0	40.0	7.2	1986	24.4	9	31.4	9	38.8	9	59.6	1991	0.00	0.05	--	--	57	0.05	9	139	0.46	82	9
12/14 (348-t)	30.3	37.0	41.6	6.4	1985	21.3	9	29.7	9	37.9	9	47.7	1992	0.00	0.00	--	--	56	0.00	9	92	0.36	106	9
12/15 (349-w)	36.3	38.3	40.4	4.6	1989	23.2	9	30.3	9	38.4	9	51.7	1987	0.00	0.09	--	--	85	0.09	9	48	0.32	74	9
12/16 (350-t)	26.5	35.8	38.5	8.8	1989	23.5	9	28.8	9	32.5	9	52.5	1992	0.00	0.01	--	--	78	0.01	9	27	0.10	68	9
12/17 (351-f)	20.7	28.0	33.2	-2.7	1989	21.4	9	26.4	9	31.8	9	44.3	1990	0.00	0.03	--	--	86	0.03	9	70	0.35	84	9
12/18 (352-s)	32.4	37.1	42.4	0.3	1989	22.1	9	26.9	9	32.7	9	55.0	1990	0.07	0.10	--	--	93	0.10	9	46	0.53	72	9
12/19 (353-s)	33.5	35.8	38.4	1.9	1985	22.2	9	28.6	9	35.2	9	47.8	1992	0.23	0.10	--	--	89	0.10	9	37	0.27	98	9
12/20 (354-m)	32.9	34.4	39.7	2.5	1985	24.3	9	31.2	9	38.3	9	57.1	1988	0.05	0.07	--	--	83	0.07	9	72	0.58	86	9
12/21 (355-t)	29.2	32.1	34.4	6.1	1989	24.8	9	30.0	9	36.2	9	59.3	1990	0.16	0.09	--	--	87	0.09	9	46	0.47	102	9
12/22 (356-w)	24.2	26.7	31.4	1.4	1989	22.9	9	29.3	9	36.1	9	58.9	1990	0.49	0.10	--	--	85	0.10	9	93	0.40	105	9
12/23 (357-t)	9.3	21.1	27.9	-1.3	1989	23.7	9	30.6	9	36.1	9	54.9	1988	0.11	0.16	--	--	72	0.16	9	173	0.81	82	9
12/24 (358-f)	16.4	21.2	25.0	-10.5	1989	15.8	8	23.6	8	32.1	8	48.8	1987	0.00	0.01	--	--	72	0.01	8	101	0.50	95	8
12/25 (359-s)	12.0	19.3	23.9	2.5	1985	18.8	9	25.5	9	30.8	9	51.2	1987	0.05	0.02	--	--	78	0.02	9	77	0.33	69	8
12/26 (360-s)	8.4	10.5	12.7	-3.5	1985	16.2	9	20.9	9	26.3	9	39.5	1991	0.00	0.00	--	--	63	0.00	9	78	0.31	98	9
12/27 (361-m)	5.2	12.2	17.5	3.9	1989	16.6	9	24.9	9	32.3	9	51.6	1988	0.00	0.02	--	--	70	0.02	9	97	0.60	94	9
12/28 (362-t)	-1.7	13.4	21.3	-1.7	1993	19.0	9	26.6	9	33.2	9	44.1	1992	0.00	0.10	--	--	68	0.10	9	108	0.47	96	9
12/29 (363-w)	-5.3	13.2	22.3	-5.3	1993	22.2	9	29.3	9	35.5	9	60.5	1990	0.00	0.11	--	--	73	0.11	9	89	0.35	80	9
12/30 (364-t)	10.6	14.0	18.3	10.6	1993	22.8	9	29.0	9	36.7	9	58.0	1990	0.00	0.34	--	--	62	0.34	9	73	0.65	79	8
12/31 (365-f)	12.4	22.5	29.0	12.4	1993	23.1	9	31.1	9	38.0	9	59.7	1992	0.07	0.09	--	--	69	0.09	9	68	0.34	61	9
Column Min's:	-5.3	10.5	12.7	-10.5		15.8		20.9		26.3		61.3		0.00	0.00			56	0.00		11	0.06	61	
Column Avg's:	23.1	29.8	35.2			24.0		30.1		36.5				0.09	0.07			75	0.07		84	0.46	84	
Column Max's:	39.4	45.1	50.9			30.1		36.4		45.4				0.85	0.34			101	0.34		200	0.81	106	
Column Ttl's:														2.65	2.27						2596		2608	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	ly	max
mo da jul	Current	Long Term	min year	avgm yrs	liq	hum	ly/m	avg yrs
			avgm yrs	avgm yrs	prec	evap	ly/m	avg yrs
03/01 (060-m)	18.1	30.8	5.5	44.0	0.00	59	347	1.03
03/02 (061-t)	27.1	34.9	8.6	44.7	0.00	79	319	1.27
03/03 (062-w)	24.4	31.7	17.9	38.1	0.00	81	286	1.12
03/04 (063-t)	28.2	30.5	32.7	30.4	0.43	86	36	0.12
03/05 (064-f)	28.3	30.2	34.7	31.3	0.13	92	124	0.43
03/06 (065-s)	23.0	29.7	36.0	32.8	0.03	83	222	1.35
03/07 (066-s)	21.7	35.6	48.9	31.0	0.07	73	317	1.34
03/08 (067-m)	31.6	34.1	39.3	33.4	0.21	91	81	0.44
03/09 (068-t)	18.6	29.4	32.5	36.8	0.01	82	144	0.56
03/10 (069-w)	20.0	24.4	28.9	35.3	0.06	76	139	0.39
03/11 (070-t)	16.8	24.9	30.7	32.2	0.07	73	353	1.29
03/12 (071-f)	8.4	18.8	27.8	32.8	0.05	62	433	1.54
03/13 (072-s)	13.5	16.8	18.6	33.7	0.00	75	83	0.22
03/14 (073-s)	-0.2	11.2	17.5	35.9	0.00	61	342	1.63
03/15 (074-m)	3.6	19.0	29.8	34.5	0.00	50	471	1.17
03/16 (075-t)	27.9	37.3	45.0	34.7	0.27	63	132	0.56
03/17 (076-w)	11.1	23.9	38.9	34.5	0.25	71	250	1.41
03/18 (077-t)	1.2	12.9	21.0	32.0	0.00	56	507	1.21
03/19 (078-f)	3.0	24.6	39.6	33.0	0.00	33	458	1.25
03/20 (079-s)	32.5	35.4	38.0	29.7	0.18	77	76	0.27
03/21 (080-s)	30.2	33.4	35.8	30.9	0.02	80	191	0.79
03/22 (081-m)	28.9	33.6	40.6	33.7	0.00	66	414	1.31
03/23 (082-t)	28.5	38.0	41.3	40.9	0.39	82	76	0.30
03/24 (083-w)	33.3	36.5	42.2	39.3	0.00	95	145	0.45
03/25 (084-t)	32.9	35.0	40.2	44.9	0.00	94	222	0.77
03/26 (085-f)	30.0	33.1	36.7	44.0	0.00	99	164	0.45
03/27 (086-s)	28.6	35.0	45.5	42.3	0.00	89	296	1.29
03/28 (087-s)	34.2	38.4	44.1	42.5	0.35	93	141	0.91
03/29 (088-m)	36.5	41.1	55.7	46.8	0.00	95	267	1.46
03/30 (089-t)	36.7	45.9	56.4	42.5	0.00	77	505	1.19
03/31 (090-w)	33.5	44.1	64.3	38.6	0.23	69	392	1.28
Column Min's:	-0.2	11.2	17.5	29.4	0.00	33	36	0.12
Column Avg's:	23.0	30.7	38.4	35.8	0.09	76	256	0.93
Column Max's:	36.7	45.9	64.3	46.8	0.43	99	507	1.63
Column Ttl's:				83.4	2.75		7933	9002

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N							
	min	avg	max	min	year avg	max	yr	prec	evap	hum %	Long Term avg pr yrs	ly	max Lng-Term avg yrs						
04/01 (091-t)	32.9	36.9	48.2	17.6	1987	31.6	8	39.2	8	48.4	8	80.7	1986	0.24	95	184	1.32	235	8
04/02 (092-f)	30.2	32.9	34.9	23.2	1991	31.6	8	37.7	8	45.2	8	67.4	1988	0.04	92	71	0.35	262	8
04/03 (093-s)	29.8	32.6	38.0	20.8	1991	33.0	8	39.5	8	46.6	8	64.1	1988	0.00	73	389	1.54	299	8
04/04 (094-s)	29.7	33.8	39.5	29.7	1993	35.5	8	42.5	8	50.9	8	74.3	1991	0.00	72	485	1.44	317	8
04/05 (095-m)	28.2	38.2	48.2	27.7	1992	36.5	8	44.6	8	54.7	8	78.1	1988	0.00	68	391	1.01	340	8
04/06 (096-t)	36.6	44.7	55.7	22.7	1992	37.4	8	47.1	8	56.8	8	78.0	1988	0.00	48	267	0.97	334	8
04/07 (097-w)	37.0	49.9	65.1	25.8	1990	38.2	8	47.2	8	57.7	8	79.6	1991	0.00	33	530	1.26	418	8
04/08 (098-t)	40.7	59.1	70.9	24.3	1989	37.0	8	45.9	8	54.6	8	77.0	1991	0.00	34	381	1.27	446	8
04/09 (099-f)	50.4	57.9	70.0	27.2	1989	37.1	8	46.3	8	55.8	8	76.7	1991	0.11	55	231	1.58	387	8
04/10 (100-s)	33.6	42.9	51.0	23.1	1989	31.9	8	40.3	8	48.7	8	62.1	1987	0.25	79	364	1.54	337	8
04/11 (101-s)	27.5	38.9	52.2	25.1	1989	31.9	8	40.6	8	50.0	8	75.9	1992	0.07	72	467	1.56	385	8
04/12 (102-m)	30.4	38.2	47.1	28.1	1986	31.7	8	39.4	8	47.8	8	62.6	1988	0.00	78	425	1.64	484	8
04/13 (103-t)	28.8	37.8	49.3	24.6	1986	32.1	8	40.5	8	49.5	8	60.8	1988	0.00	69	554	1.29	465	8
04/14 (104-w)	27.8	40.6	49.0	26.9	1992	34.2	8	45.9	8	55.1	8	67.4	1987	0.02	67	121	0.48	295	8
04/15 (105-t)	43.5	65.7	82.6	26.7	1992	38.2	8	48.4	8	58.7	8	82.6	1993	0.02	46	425	1.40	303	8
04/16 (106-f)	42.0	49.3	58.0	26.3	1989	37.5	8	46.9	8	55.9	8	73.5	1992	0.18	77	190	1.47	293	8
04/17 (107-s)	30.8	37.6	42.7	30.8	1993	36.4	8	45.5	8	57.2	8	70.1	1989	0.00	76	123	0.56	351	8
04/18 (108-s)	30.5	48.3	64.7	27.4	1989	33.0	8	42.5	8	54.4	8	64.7	1987	0.00	53	570	1.61	455	8
04/19 (109-m)	50.5	57.0	69.7	26.0	1989	37.5	8	51.2	8	63.9	8	81.7	1992	0.27	53	352	1.50	474	8
04/20 (110-t)	39.3	58.9	73.0	28.4	1989	43.6	8	54.4	8	64.3	8	79.4	1992	0.66	65	265	1.46	294	8
04/21 (111-w)	33.4	35.8	39.7	29.6	1988	39.6	8	47.2	8	56.1	8	78.1	1987	0.05	88	150	0.97	308	8
04/22 (112-t)	34.0	41.3	49.2	27.3	1989	34.1	8	42.7	8	51.5	8	64.5	1992	0.00	57	570	1.46	462	8
04/23 (113-f)	34.0	44.4	55.1	26.3	1989	35.9	8	48.1	8	61.5	8	73.1	1988	0.00	46	641	1.35	492	8
04/24 (114-s)	35.2	51.0	62.6	25.3	1989	36.4	8	48.0	8	58.7	8	82.7	1990	0.03	58	115	0.65	385	8
04/25 (115-s)	41.5	53.2	64.6	30.0	1988	41.6	8	51.7	8	62.7	8	81.2	1990	0.53	78	54	0.30	444	8
04/26 (116-m)	28.0	38.4	43.8	28.0	1993	42.0	8	52.4	8	62.9	8	79.9	1990	0.00	81	215	1.10	445	8
04/27 (117-t)	25.3	39.1	51.9	25.3	1993	39.7	8	52.8	8	66.7	8	83.9	1990	0.00	64	658	1.38	515	8
04/28 (118-w)	39.0	56.2	72.5	32.5	1992	45.2	8	54.5	8	64.8	8	88.8	1986	0.00	40	381	1.49	410	8
04/29 (119-t)	52.6	62.7	75.9	29.7	1992	43.8	8	54.1	8	65.7	8	77.3	1991	0.02	47	348	1.22	327	8
04/30 (120-f)	49.0	58.0	67.4	30.7	1987	44.5	8	53.7	8	62.5	8	75.7	1990	0.17	68	536	1.39	440	8
Column Min's:	25.3	32.6	34.9	17.6		31.6		37.7		45.2		88.8		0.00	33	54	0.30	235	
Column Avg's:	35.7	46.0	56.4	37.0		46.4		56.3		66.7				0.09	64	348	1.22	380	
Column Max's:	52.6	65.7	82.6	45.2		54.5		66.7		88.8				0.66	95	658	1.64	515	
Column Ttl's:														2.66		10453		11402	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min	year avg	max	yr	prec	ly	max	avg												
mo da jul	.....Current.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	.....Long Term.....												
	min	max	min	year avg	max	yr	prec	ly	max	avg												
05/01 (121-s)	41.1	51.3	59.6	31.6	1987	40.6	8	52.1	8	62.6	8	76.1	1991	0.00	0.00	63	0.04	8	646	1.36	444	8
05/02 (122-s)	42.7	57.9	70.7	33.8	1986	40.8	8	50.9	8	60.4	8	80.5	1992	0.00	0.00	55	0.06	8	443	1.34	454	8
05/03 (123-m)	59.0	68.2	80.5	34.0	1986	40.4	8	48.1	8	57.1	8	80.5	1993	0.00	0.00	52	0.07	8	354	1.43	453	8
05/04 (124-t)	58.0	64.3	71.6	29.8	1986	40.9	8	51.2	8	60.8	8	71.6	1993	0.00	0.00	69	0.16	8	251	1.78	501	8
05/05 (125-w)	55.4	62.5	67.8	29.8	1987	44.9	8	53.9	8	62.8	8	82.0	1986	0.08	0.08	79	0.09	8	341	1.53	359	8
05/06 (126-t)	45.8	57.0	66.1	32.0	1992	42.9	8	53.3	8	63.5	8	80.5	1986	0.00	0.00	73	0.16	8	577	1.40	536	8
05/07 (127-f)	40.1	54.1	67.8	31.9	1992	40.2	8	51.8	8	62.3	8	71.4	1990	0.00	0.00	59	0.05	8	687	1.39	613	8
05/08 (128-s)	37.3	55.2	69.2	33.8	1987	40.8	8	55.1	8	67.4	8	82.8	1988	0.00	0.00	60	0.01	8	650	1.41	573	8
05/09 (129-s)	43.2	59.3	75.0	42.8	1992	48.3	8	58.8	8	70.7	8	79.4	1990	0.00	0.00	54	0.10	8	660	1.34	455	8
05/10 (130-m)	43.4	62.4	81.2	38.6	1986	46.5	8	57.6	8	68.6	8	81.2	1993	0.00	0.00	57	0.14	8	657	1.33	498	8
05/11 (131-t)	46.9	63.0	78.3	34.4	1990	44.1	8	57.0	8	68.1	8	83.3	1987	0.00	0.00	59	0.04	8	629	1.33	579	8
05/12 (132-w)	46.8	62.3	80.3	32.0	1990	45.5	8	57.5	8	70.4	8	85.8	1992	0.00	0.00	49	0.04	8	587	1.50	460	8
05/13 (133-t)	35.8	47.1	55.9	34.2	1987	43.5	8	56.3	8	66.7	8	82.4	1991	0.00	0.00	59	0.12	8	689	1.41	407	8
05/14 (134-f)	34.9	54.4	72.0	33.6	1990	44.5	8	56.6	8	68.0	8	80.9	1987	0.00	0.00	60	0.04	8	467	1.83	495	8
05/15 (135-s)	53.1	65.2	76.4	38.1	1988	47.1	8	60.1	8	71.2	8	85.4	1988	0.00	0.00	45	0.14	8	499	1.48	485	8
05/16 (136-s)	35.2	47.2	54.1	35.2	1993	50.4	8	61.0	8	71.1	8	90.1	1991	0.03	0.03	74	0.15	8	157	0.75	481	8
05/17 (137-m)	35.3	51.1	65.1	35.3	1993	48.5	8	61.6	8	73.6	8	86.8	1992	0.01	0.01	59	0.19	8	560	1.66	500	8
05/18 (138-t)	44.5	53.1	65.3	44.5	1993	49.1	8	56.4	8	66.6	8	84.0	1986	0.00	0.00	66	0.10	8	216	1.19	347	8
05/19 (139-w)	38.1	47.7	54.5	35.8	1992	46.4	8	56.5	8	66.2	8	84.5	1989	0.06	0.06	81	0.21	8	277	1.62	400	8
05/20 (140-t)	34.6	46.2	56.3	34.6	1993	49.7	8	58.2	8	68.0	8	77.6	1992	0.00	0.00	70	0.15	8	608	1.61	399	8
05/21 (141-f)	36.7	50.2	62.1	36.7	1993	49.2	8	58.9	8	69.4	8	84.8	1987	0.00	0.00	61	0.01	8	638	1.56	510	8
05/22 (142-s)	37.0	53.3	66.1	37.0	1993	50.0	8	61.7	8	73.2	8	83.1	1987	0.00	0.00	54	0.00	8	659	1.78	510	8
05/23 (143-s)	50.3	56.9	65.8	42.9	1990	51.4	8	60.2	8	70.0	8	86.9	1991	0.16	0.16	64	0.19	8	184	0.80	450	8
05/24 (144-m)	56.8	63.9	72.1	33.2	1992	47.9	8	57.7	8	67.0	8	85.5	1991	0.03	0.03	70	0.27	8	213	1.20	413	8
05/25 (145-t)	42.7	55.2	62.7	31.3	1992	46.2	8	57.3	8	67.9	8	88.1	1991	0.00	0.00	69	0.08	8	252	1.52	523	8
05/26 (146-w)	37.6	56.5	69.5	33.7	1988	50.1	8	62.0	8	73.5	8	83.9	1987	0.00	0.00	63	0.24	8	697	1.43	540	8
05/27 (147-t)	46.0	55.0	61.9	38.0	1992	52.9	8	62.0	8	70.4	8	84.2	1987	0.00	0.00	58	0.06	8	418	1.38	528	8
05/28 (148-f)	50.3	66.0	80.3	36.1	1992	52.0	8	64.0	8	75.4	8	86.1	1987	0.00	0.00	59	0.00	8	328	1.54	607	8
05/29 (149-s)	39.8	51.1	61.2	36.2	1992	51.5	8	64.1	8	74.6	8	86.4	1991	0.00	0.00	67	0.07	8	609	1.70	577	8
05/30 (150-s)	36.2	57.1	73.7	36.2	1993	56.1	8	66.7	8	77.0	8	87.6	1987	0.00	0.00	55	0.07	8	698	1.43	566	8
05/31 (151-m)	48.9	56.7	67.7	38.0	1990	56.6	8	65.9	8	76.2	8	83.1	1989	0.51	0.51	85	0.21	8	115	1.66	494	8
Column Min's:	34.6	46.2	54.1	29.8		40.2		48.1		57.1		77.0		0.00	0.00	45	0.00		115	0.75	347	
Column Avg's:	43.7	56.5	68.1	47.1		57.9		68.4		77.0		90.1		0.03	0.03	63	0.11		476	1.44	491	
Column Max's:	59.0	68.2	81.2	56.6		66.7		77.0		90.1		90.1		0.51	0.51	85	0.27		698	1.83	613	
Column Tot's:														0.88	0.88		3.26		14766		15234	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	max	min	year	avg	max	prec	liq	evap	hum	avg	pr	ly	ly/m	max	lng-TRM	avg	TRM			
06/01 (152-t)	44.6	49.9	58.5	44.6	1990	53.4	8	64.8	8	76.0	8	85.0	1986	0.02	0.02	67	0.12	8	585	1.78	553	8
06/02 (153-w)	44.6	54.2	62.9	41.2	1986	51.8	8	61.3	8	70.8	8	85.0	1987	0.00	0.00	59	0.11	8	520	1.45	579	8
06/03 (154-t)	47.8	56.4	64.4	38.3	1986	50.8	8	62.5	8	73.8	8	81.8	1989	0.05	0.05	75	0.13	8	486	1.77	632	8
06/04 (155-f)	45.2	57.2	64.8	39.4	1990	48.9	8	59.4	8	68.4	8	79.9	1992	0.02	0.02	67	0.03	8	599	1.47	603	8
06/05 (156-s)	49.7	54.2	59.6	36.7	1990	49.9	8	60.4	8	69.4	8	76.4	1988	0.63	0.63	90	0.36	8	58	0.32	456	8
06/06 (157-s)	45.8	57.8	67.5	45.8	1993	51.9	8	63.4	8	73.8	8	83.3	1988	0.00	0.00	67	0.09	8	723	1.44	571	8
06/07 (158-m)	54.4	62.7	74.2	46.1	1991	55.8	8	67.4	8	78.4	8	83.4	1989	0.46	0.46	73	0.12	8	348	1.62	552	8
06/08 (159-t)	60.6	68.2	79.2	46.9	1988	55.1	8	66.2	8	75.5	8	81.4	1987	0.59	0.59	91	0.11	8	265	1.36	487	8
06/09 (160-w)	65.5	72.8	82.4	43.0	1988	53.4	8	63.2	8	72.1	8	83.1	1990	0.75	0.75	75	0.16	8	430	1.57	569	8
06/10 (161-t)	64.1	70.3	76.2	40.6	1988	52.0	8	62.3	8	71.6	8	84.2	1991	0.00	0.00	68	0.26	8	606	1.76	535	8
06/11 (162-f)	56.2	66.1	75.9	40.9	1987	50.7	8	64.2	8	75.8	8	79.9	1986	0.00	0.00	72	0.29	8	698	1.42	613	8
06/12 (163-s)	52.6	64.9	75.3	44.8	1992	53.4	8	65.9	8	76.5	8	82.4	1988	0.00	0.00	69	0.26	8	682	1.42	488	8
06/13 (164-s)	58.0	70.7	83.5	43.8	1991	56.8	8	67.7	8	78.2	8	88.6	1990	0.00	0.00	59	0.00	8	691	1.43	626	8
06/14 (165-m)	61.7	72.4	83.0	43.1	1991	59.5	8	70.4	8	81.6	8	88.8	1988	0.00	0.00	58	0.02	8	627	1.39	566	8
06/15 (166-t)	53.1	66.8	72.8	53.1	1993	59.8	8	69.5	8	79.4	8	94.4	1991	0.00	0.00	68	0.18	8	702	1.43	570	7
06/16 (167-w)	51.2	60.6	69.4	45.0	1992	55.2	8	66.3	8	76.5	8	85.6	1986	0.00	0.00	70	0.07	8	731	1.47	567	8
06/17 (168-t)	55.7	70.3	84.8	44.4	1986	55.7	8	67.7	8	77.8	8	91.7	1990	0.00	0.00	58	0.03	8	675	1.40	664	8
06/18 (169-f)	66.0	75.7	88.2	43.0	1986	56.1	8	68.8	8	79.9	8	88.2	1993	0.00	0.00	63	0.13	8	558	1.68	644	8
06/19 (170-s)	65.2	73.4	86.5	50.4	1992	58.2	8	68.3	8	79.0	8	87.4	1987	0.69	0.69	83	0.17	8	443	1.76	474	8
06/20 (171-s)	68.9	73.6	86.2	46.0	1992	58.3	8	66.3	8	75.3	8	91.5	1988	0.30	0.30	83	0.24	8	343	1.35	400	8
06/21 (172-m)	63.6	68.8	74.8	44.3	1992	57.1	8	67.4	8	77.6	8	87.0	1991	0.04	0.04	84	0.11	8	381	1.69	491	8
06/22 (173-t)	56.6	67.8	74.5	37.4	1992	60.2	8	69.8	8	80.3	8	94.7	1988	0.00	0.00	78	0.15	8	669	1.51	512	8
06/23 (174-w)	50.5	62.7	71.6	42.9	1992	56.0	8	65.4	8	74.0	8	82.1	1989	0.00	0.00	65	0.15	8	746	1.45	547	8
06/24 (175-t)	48.9	72.1	87.5	47.0	1991	53.3	8	65.3	8	75.1	8	87.5	1993	0.00	0.00	57	0.13	8	667	1.34	547	8
06/25 (176-f)	70.0	78.2	89.1	43.8	1986	58.0	8	69.4	8	81.1	8	98.7	1988	0.11	0.11	59	0.02	8	571	1.62	661	8
06/26 (177-s)	65.3	71.4	79.4	47.2	1986	57.3	8	69.1	8	80.5	8	90.3	1989	0.24	0.24	66	0.06	8	588	1.59	588	8
06/27 (178-s)	65.0	72.5	84.1	48.5	1988	59.4	8	68.0	8	78.2	8	89.1	1991	0.19	0.19	67	0.06	8	534	1.74	544	8
06/28 (179-m)	57.7	67.0	74.0	45.3	1992	56.9	8	67.4	8	76.9	8	89.1	1991	0.00	0.00	76	0.01	8	272	1.62	482	8
06/29 (180-t)	53.5	63.5	71.4	50.2	1989	58.8	7	67.7	7	76.4	7	87.8	1991	0.00	0.00	72	0.01	7	715	1.59	618	7
06/30 (181-w)	50.3	62.9	72.0	45.5	1989	54.3	7	64.9	7	74.5	7	82.3	1990	0.00	0.00	77	0.03	8	299	1.21	516	7
Column Min's:	44.6	49.9	58.5	36.7		48.9		59.4		68.4		98.7		0.00	0.00	57	0.00		58	0.32	400	
Column Avg's:	56.4	66.2	75.8			55.3		66.0		76.1				0.14	0.14	71	0.12		540	1.49	555	
Column Max's:	70.0	78.2	89.1			60.2		70.4		81.6				0.75	0.75	91	0.36		746	1.78	664	
Column Ttl's:														4.09	4.09		3.61		16212		16655	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	liq	ly	max Lng-Trm ly/m avg yrs
07/01 (182-t)	58.4	70.1	49.7	82.7	0.00	0.00	478	1.54
07/02 (183-f)	65.7	71.7	47.0	85.6	0.01	0.01	494	1.69
07/03 (184-s)	65.8	73.2	49.9	87.7	0.00	0.00	478	1.54
07/04 (185-s)	65.9	77.8	48.5	97.6	0.00	0.00	573	1.51
07/05 (186-m)	68.2	81.1	53.4	94.0	0.00	0.00	626	1.40
07/06 (187-t)	71.2	78.4	49.0	92.2	1.20	1.20	406	1.60
07/07 (188-w)	71.8	78.0	46.6	95.9	0.00	0.00	530	1.54
07/08 (189-t)	69.6	75.6	55.1	93.0	0.00	0.00	639	1.37
07/09 (190-f)	69.8	81.8	52.4	94.0	0.01	0.01	564	1.42
07/10 (191-s)	69.4	76.8	51.3	90.2	0.04	0.04	657	1.49
07/11 (192-s)	67.3	76.5	53.7	88.5	0.03	0.03	542	1.69
07/12 (193-m)	65.4	73.7	51.5	90.3	0.00	0.00	582	1.64
07/13 (194-t)	62.5	71.0	55.1	91.2	0.01	0.01	484	1.71
07/14 (195-w)	62.7	71.6	55.5	93.7	0.00	0.00	251	1.28
07/15 (196-t)	53.9	68.0	49.4	89.1	0.00	0.00	713	1.41
07/16 (197-f)	50.5	64.8	49.9	96.8	0.00	0.00	698	1.45
07/17 (198-s)	52.3	66.2	52.3	87.8	0.00	0.00	667	1.38
07/18 (199-s)	54.7	68.5	54.7	90.2	0.00	0.00	442	1.93
07/19 (200-m)	65.8	73.8	58.9	90.3	0.10	0.10	390	1.69
07/20 (201-t)	63.7	71.6	61.0	91.9	0.00	0.00	580	1.70
07/21 (202-w)	55.6	67.3	54.0	91.3	0.00	0.00	626	1.73
07/22 (203-t)	49.6	65.8	49.6	91.3	0.00	0.00	693	1.49
07/23 (204-f)	47.9	64.0	47.9	87.6	0.00	0.00	626	1.54
07/24 (205-s)	48.7	66.9	48.7	88.4	0.00	0.00	505	1.51
07/25 (206-s)	63.5	73.2	54.2	89.5	0.02	0.02	333	1.33
07/26 (207-m)	70.4	78.4	55.2	88.1	0.00	0.00	482	1.63
07/27 (208-t)	66.6	76.1	49.0	84.7	0.00	0.00	633	1.34
07/28 (209-w)	67.4	77.6	49.1	92.6	0.22	0.22	521	1.39
07/29 (210-t)	63.1	69.9	53.1	90.5	0.43	0.43	322	1.71
07/30 (211-f)	61.9	65.2	57.3	89.5	0.10	0.10	112	1.43
07/31 (212-s)	58.6	69.6	52.3	81.9	0.01	0.01	646	1.34

Column Min's:	47.9	64.0	46.6	66.2	0.00	0.00	112	1.28
Column Avg's:	62.2	72.4	61.2	71.2	0.07	0.07	526	1.53
Column Max's:	71.8	81.8	67.1	75.1	1.20	1.20	713	1.93
Column Ttl's:					2.18	2.18	16293	16170

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION						
	min	avg	max	min	Year avg	max	Year	prec	snow	evap	hum	Long Term avg pr yrs	ly	max	Lng-Trm avg yrs		
08/01 (213-s)	58.8	71.5	84.7	49.7	1992	57.8	8	81.4	8	90.9	1988	0.00	--	469	1.64	521	8
08/02 (214-m)	63.9	72.2	82.4	52.1	1990	61.2	8	82.8	8	93.0	1988	0.19	--	538	1.52	511	8
08/03 (215-t)	56.6	69.3	83.9	55.3	1990	62.5	7	84.6	7	93.1	1988	0.65	--	520	1.51	461	7
08/04 (216-w)	58.5	65.3	72.5	56.3	1986	63.0	8	80.2	8	93.2	1988	0.08	--	508	1.62	460	8
08/05 (217-t)	52.8	62.8	69.9	50.4	1992	59.8	8	78.3	8	90.8	1988	0.00	--	641	1.35	483	8
08/06 (218-f)	51.6	63.4	75.8	47.0	1992	56.6	8	78.6	8	88.2	1986	0.66	--	476	1.75	508	8
08/07 (219-s)	56.9	63.7	71.6	49.7	1991	57.2	8	76.3	8	83.6	1992	0.00	--	550	1.53	535	8
08/08 (220-s)	53.7	63.8	74.0	49.6	1989	58.5	8	77.7	8	87.4	1988	0.00	--	591	1.41	444	8
08/09 (221-m)	51.8	66.8	80.3	48.8	1989	58.3	8	80.2	8	88.1	1988	0.00	--	610	1.39	451	8
08/10 (222-t)	62.9	69.8	79.9	57.7	1989	61.0	8	80.2	8	89.8	1992	0.06	--	258	0.87	426	8
08/11 (223-w)	62.3	69.5	78.8	50.1	1986	59.3	8	78.5	8	89.8	1988	0.00	--	400	1.49	510	8
08/12 (224-t)	61.9	72.0	83.6	47.8	1986	57.8	8	80.2	8	89.1	1988	0.01	--	561	1.34	540	8
08/13 (225-f)	59.3	72.2	85.3	51.0	1986	60.7	8	80.6	8	89.5	1988	0.00	--	608	1.27	473	7
08/14 (226-s)	59.9	71.5	83.3	53.4	1992	61.8	8	81.4	8	92.2	1988	0.00	--	530	1.43	509	8
08/15 (227-s)	61.9	73.7	84.8	55.6	1992	61.9	8	81.3	8	91.8	1987	0.00	--	479	1.34	432	8
08/16 (228-m)	69.7	74.4	80.7	55.9	1992	62.7	7	81.2	7	91.7	1987	0.31	--	431	1.51	431	7
08/17 (229-t)	65.8	72.2	79.2	50.4	1992	62.4	7	82.1	7	92.4	1988	0.01	--	397	1.35	497	7
08/18 (230-w)	62.6	71.6	81.4	47.8	1989	59.4	7	78.3	7	81.4	1993	0.00	--	506	1.39	461	7
08/19 (231-t)	61.9	73.8	87.7	51.2	1992	58.7	7	76.5	7	87.7	1993	0.01	--	452	1.37	431	7
08/20 (232-f)	69.1	73.6	79.6	47.4	1992	58.4	8	74.6	8	85.9	1986	0.35	--	350	1.40	371	8
08/21 (233-s)	48.3	64.6	70.1	45.0	1992	55.2	8	75.3	8	81.2	1987	0.00	--	594	1.32	461	8
08/22 (234-s)	46.9	61.7	75.7	46.4	1988	55.1	8	77.0	8	85.2	1991	0.00	--	599	1.30	407	8
08/23 (235-m)	54.3	70.2	84.9	54.3	1993	59.1	8	76.7	8	85.0	1986	0.01	--	370	1.59	348	8
08/24 (236-t)	70.0	76.8	86.1	48.5	1987	59.7	8	75.9	8	86.1	1993	0.02	--	317	1.53	428	8
08/25 (237-w)	62.5	74.3	84.9	42.8	1986	55.9	8	78.8	8	85.7	1991	0.00	--	542	1.21	448	8
08/26 (238-t)	60.5	74.4	87.2	51.0	1989	59.4	8	79.7	8	88.2	1991	0.00	--	562	1.25	454	8
08/27 (239-f)	68.9	79.4	89.3	49.5	1989	60.3	8	80.0	8	89.3	1993	0.00	--	525	1.18	369	8
08/28 (240-s)	60.5	72.3	77.8	50.9	1986	59.3	8	76.0	8	91.4	1990	0.00	--	393	1.44	331	8
08/29 (241-s)	60.0	68.8	81.4	42.7	1986	56.4	8	74.3	8	89.3	1991	0.00	--	290	1.27	413	8
08/30 (242-m)	61.4	76.4	92.7	46.1	1986	55.5	8	78.3	8	92.7	1993	0.00	--	457	1.15	486	8
08/31 (243-t)	--	--	--	49.0	1986	54.2	7	75.4	7	84.7	1989	--	--	--	--	488	7
Column Min's:	46.9	61.7	69.9	42.7				74.3				0.00		258	0.87	331	
Column Avg's:	59.8	70.4	81.0	59.0				78.8				0.08		484	1.39	454	
Column Max's:	70.0	79.4	92.7	63.0				84.6		93.2		0.66		641	1.75	540	
Column Ttl's:												2.36		14524		14088	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	prec	evap	ly	max										
mo da jul	avg	avg	yr	yr	liq	yr	yr	ly/m										
			yr	yr	yr	yr	yr	yr										
09/01 (244-w)	67.5	75.2	49.3	1987	54.8	7	64.4	7	74.6	8	85.3	1990	0.00	0.04	8	523	--	451
09/02 (245-t)	55.7	68.4	49.7	1991	54.7	8	65.4	8	76.4	8	82.5	1988	1.17	0.18	8	163	1.11	403
09/03 (246-f)	63.5	69.1	47.7	1989	57.4	8	66.4	8	75.7	8	89.4	1991	0.14	0.20	8	154	1.41	446
09/04 (247-s)	56.0	64.6	46.5	1987	54.7	8	65.3	8	74.8	8	81.7	1986	0.02	0.07	8	483	1.65	423
09/05 (248-s)	56.1	65.6	48.5	1991	56.6	8	65.4	8	75.0	8	82.4	1992	0.00	0.16	8	396	1.52	383
09/06 (249-m)	59.4	63.6	46.6	1991	57.7	8	64.8	8	73.9	8	82.6	1990	0.24	0.36	8	101	0.80	305
09/07 (250-t)	50.5	60.7	47.1	1986	56.4	8	64.8	8	73.9	8	82.1	1991	0.00	0.30	8	321	1.56	308
09/08 (251-w)	49.0	58.9	44.1	1986	55.3	8	64.8	8	75.3	8	87.4	1989	0.01	0.06	8	362	1.40	396
09/09 (252-t)	52.5	65.2	45.0	1986	56.6	8	66.7	8	78.3	8	88.1	1989	0.00	0.25	8	398	1.38	359
09/10 (253-f)	54.9	60.1	51.9	1988	57.9	8	66.7	8	76.8	8	84.8	1991	0.30	0.11	8	264	1.45	327
09/11 (254-s)	46.5	54.5	45.6	1992	54.7	8	63.2	8	72.7	8	81.1	1987	0.00	0.04	8	417	1.59	322
09/12 (255-s)	49.4	61.5	42.3	1992	52.3	8	62.6	8	73.7	8	82.4	1990	0.00	0.08	8	282	0.99	292
09/13 (256-m)	62.6	73.5	45.2	1992	53.2	8	64.7	8	76.4	8	86.1	1993	0.00	0.01	8	461	1.14	350
09/14 (257-t)	66.7	76.4	41.0	1986	54.3	8	64.0	8	73.9	8	87.3	1993	0.00	0.22	8	451	1.17	398
09/15 (258-w)	54.8	62.8	43.8	1988	55.1	7	63.7	7	73.7	8	92.5	1991	0.23	0.06	8	82	0.53	288
09/16 (259-t)	52.9	56.3	42.7	1986	55.3	8	62.4	8	70.1	8	92.5	1991	0.01	0.28	8	213	0.79	248
09/17 (260-f)	51.0	58.4	42.0	1986	55.8	7	63.8	7	73.1	7	83.2	1992	0.00	0.09	8	287	1.18	325
09/18 (261-s)	46.0	56.2	36.7	1990	52.7	8	61.1	8	70.9	8	79.8	1988	0.00	0.31	8	323	1.27	258
09/19 (262-s)	42.7	55.9	42.7	1993	52.5	8	59.9	8	66.9	8	77.6	1988	0.00	0.10	8	468	1.14	272
09/20 (263-m)	42.8	51.2	42.8	1993	50.5	8	59.1	8	68.8	8	76.1	1987	0.02	0.05	8	168	0.97	335
09/21 (264-t)	49.0	55.4	41.2	1991	50.8	7	58.4	7	66.1	7	77.2	1989	0.68	0.17	7	112	0.86	223
09/22 (265-w)	46.5	58.5	40.4	1991	51.3	7	61.3	7	71.1	7	79.7	1989	0.01	0.55	8	413	1.26	279
09/23 (266-t)	51.3	60.3	38.3	1992	49.2	8	56.7	8	63.7	8	72.3	1986	0.34	0.26	8	84	0.60	231
09/24 (267-f)	42.3	52.3	34.7	1992	44.8	8	54.0	8	64.2	8	73.4	1986	0.00	0.03	8	464	1.15	330
09/25 (268-s)	43.1	56.1	33.8	1989	45.5	8	56.3	8	67.3	8	76.8	1986	0.88	0.14	8	238	0.79	348
09/26 (269-s)	52.6	59.7	44.5	1988	51.3	8	59.0	8	67.9	8	81.2	1986	0.14	0.15	8	75	0.45	282
09/27 (270-m)	48.3	53.9	35.3	1989	49.7	8	58.1	8	67.6	8	78.9	1988	0.35	0.07	8	168	1.19	327
09/28 (271-t)	44.7	48.6	35.5	1989	47.8	8	57.6	8	68.9	8	80.9	1987	0.28	0.04	8	130	1.56	318
09/29 (272-w)	44.7	48.2	38.3	1991	50.4	8	58.1	8	68.0	8	87.5	1986	0.01	0.07	8	311	1.36	292
09/30 (273-t)	36.3	44.0	36.3	1993	47.1	8	57.1	8	67.7	8	83.9	1986	0.00	0.09	8	410	--	296
Column Min's:	36.3	44.0	33.8		44.8		54.0		63.7		92.5		0.00	0.01		75	0.45	223
Column Avg's:	50.8	59.6	48.4		52.9		61.9		71.6				0.16	0.15		291	1.15	327
Column Max's:	66.7	76.4	87.3		57.9		66.7		78.3				1.17	0.55		523	1.65	451
Column Ttl's:													4.83	4.54		8722		9809

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
mo da jul	Current	Long Term	avgm	avgm	liq	% hum	Ly/m	Lng-Trm
	min	max	min	max	prec	avg pr	ly	avg yrs
10/01 (274-f)	35.3	52.5	49.3	58.4	0.06	61	205	1.15
10/02 (275-s)	45.0	52.9	51.0	59.4	0.24	74	202	1.02
10/03 (276-s)	38.7	50.4	47.5	56.1	0.00	50	330	1.40
10/04 (277-m)	35.8	52.5	44.7	53.9	0.13	67	276	1.38
10/05 (278-t)	35.2	44.3	42.1	52.5	0.01	77	392	1.20
10/06 (279-w)	37.0	53.0	44.5	51.9	0.00	57	372	0.98
10/07 (280-t)	52.2	65.1	69.8	51.7	0.00	63	370	0.94
10/08 (281-f)	55.1	64.6	76.6	52.2	0.00	70	324	0.98
10/09 (282-s)	38.0	49.6	42.7	50.4	0.41	78	47	0.32
10/10 (283-s)	29.2	38.3	41.2	49.1	0.00	64	219	1.26
10/11 (284-m)	30.6	44.0	41.3	48.0	0.00	56	352	1.03
10/12 (285-t)	41.5	49.2	42.9	50.0	0.00	67	253	1.16
10/13 (286-w)	29.8	39.7	39.5	47.6	0.00	65	215	1.32
10/14 (287-t)	28.7	42.4	38.7	50.5	0.00	73	332	0.94
10/15 (288-f)	40.8	54.9	44.9	54.1	0.00	71	256	0.92
10/16 (289-s)	52.5	59.0	66.6	53.8	0.12	79	147	0.91
10/17 (290-s)	51.9	58.1	64.5	51.8	0.88	94	72	0.64
10/18 (291-m)	37.1	48.2	37.2	46.5	0.01	76	207	1.20
10/19 (292-t)	38.8	47.6	36.0	43.0	0.08	90	117	1.21
10/20 (293-w)	46.2	54.9	36.2	44.5	0.18	100	90	0.50
10/21 (294-t)	48.0	54.4	39.8	46.8	0.16	62	173	1.20
10/22 (295-f)	32.2	45.8	39.0	48.1	0.00	59	125	1.11
10/23 (296-s)	30.6	43.2	42.2	51.7	0.00	75	315	0.89
10/24 (297-s)	43.5	54.3	43.7	52.2	0.00	44	314	0.85
10/25 (298-m)	40.9	51.2	41.5	49.0	0.00	68	295	0.81
10/26 (299-t)	40.5	57.4	39.6	49.4	0.00	49	277	0.94
10/27 (300-w)	39.7	48.7	39.9	48.8	0.53	78	57	0.38
10/28 (301-t)	36.9	43.4	39.6	46.9	0.02	57	188	0.83
10/29 (302-f)	38.7	45.3	38.5	46.1	0.00	52	192	0.94
10/30 (303-s)	32.5	36.5	34.4	45.2	0.27	77	59	0.26
10/31 (304-s)	33.5	35.7	35.2	45.1	1.08	95	38	0.21
Column Min's:	28.7	35.7	34.4	43.0	0.00	44	38	0.21
Column Avg's:	39.2	49.6	41.6	50.2	0.13	69	220	0.93
Column Max's:	55.1	65.1	79.8	59.4	1.08	100	392	1.40
Column Ttl's:					4.18	4.21	6811	6579

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.