

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N										
	min	avg	max	min	avg	max	prec	evap	hum	Long Term avg pr yrs	ly	max ly/m	Long-Term avg yrs								
01/01 (001-f)	21.7	26.1	30.0	-12.0	19.5	41	26.6	41	34.3	41	60.9	1985	0.00	0.00	69	0.11	40	74	0.90	119	12
01/02 (002-s)	17.0	25.3	32.7	-5.0	19.5	40	26.5	40	34.1	40	58.0	1954	0.01	0.01	71	0.06	34	122	0.51	109	12
01/03 (003-s)	32.7	43.8	54.3	-5.0	19.5	41	27.6	41	34.5	41	54.3	1993	1.01	1.01	88	0.06	38	47	0.27	117	11
01/04 (004-m)	51.1	54.2	56.3	-18.0	19.5	41	25.4	41	33.2	41	56.3	1993	0.89	0.89	89	0.08	32	29	0.16	127	12
01/05 (005-t)	32.0	34.9	52.1	-20.0	19.5	41	23.1	40	31.0	40	57.0	1955	0.01	0.01	76	0.04	38	28	0.12	127	11
01/06 (006-w)	27.0	31.0	33.1	-5.0	19.5	41	25.2	41	32.3	41	57.0	1955	0.00	0.00	76	0.04	37	98	0.72	88	12
01/07 (007-t)	27.5	30.8	35.2	-12.0	19.5	41	25.6	41	32.4	41	59.8	1989	0.00	0.00	84	0.03	40	139	0.68	126	12
01/08 (008-f)	25.3	28.5	31.2	-13.0	19.5	41	21.9	41	30.3	41	61.0	1965	0.01	0.01	78	0.04	37	67	0.24	141	12
01/09 (009-s)	22.8	25.9	28.4	-16.0	19.5	40	22.6	40	31.2	40	59.0	1965	0.00	0.00	72	0.06	39	77	0.39	117	12
01/10 (010-s)	21.5	24.2	28.3	-11.0	19.5	40	21.5	40	28.7	40	48.4	1983	0.03	0.03	87	0.03	38	97	0.36	113	12
01/11 (011-m)	22.7	25.4	28.5	-10.0	19.5	41	22.4	41	30.4	41	58.0	1975	0.00	0.00	86	0.04	39	104	0.40	151	12
01/12 (012-t)	26.8	31.5	36.2	-10.0	19.5	41	23.3	41	31.3	41	57.0	1960	0.30	0.30	95	0.06	38	115	0.89	130	12
01/13 (013-w)	26.1	30.8	36.2	-11.0	19.5	40	23.5	40	31.4	41	57.0	1960	0.07	0.07	89	0.05	35	59	0.32	138	12
01/14 (014-t)	19.6	26.0	29.2	-7.0	19.5	41	24.2	41	32.2	41	53.0	1953	0.00	0.00	85	0.05	37	107	0.43	113	12
01/15 (015-f)	20.0	23.5	27.3	-14.0	19.5	41	23.3	41	31.3	41	58.0	1953	0.00	0.00	75	0.09	35	182	0.76	155	12
01/16 (016-s)	12.4	21.7	29.8	-20.0	19.5	41	21.0	41	29.7	41	53.9	1990	0.00	0.00	80	0.02	34	118	0.47	153	12
01/17 (017-s)	16.5	27.8	31.6	-17.0	19.5	41	22.4	41	30.1	41	57.5	1990	0.00	0.00	70	0.04	40	99	0.49	122	12
01/18 (018-m)	7.2	15.4	25.9	-15.0	19.5	41	23.2	41	31.2	41	57.0	1973	0.00	0.00	67	0.04	36	215	0.79	152	12
01/19 (019-t)	4.6	16.0	30.1	-14.1	19.5	41	22.9	41	31.7	41	60.0	1973	0.00	0.00	72	0.05	37	252	0.72	167	12
01/20 (020-w)	11.1	25.2	37.9	-17.3	19.5	41	24.1	41	31.8	41	55.0	1954	0.00	0.00	66	0.05	38	243	0.76	145	12
01/21 (021-t)	33.8	38.9	44.0	-21.1	19.5	41	25.4	41	33.0	41	55.0	1974	0.65	0.65	88	0.10	36	44	0.35	162	12
01/22 (022-f)	32.6	33.5	34.9	-10.0	19.5	40	26.9	39	35.2	40	60.0	1967	0.01	0.01	92	0.08	34	37	0.22	140	12
01/23 (023-s)	29.4	37.0	45.0	-6.0	19.5	41	26.7	40	34.8	40	64.0	1967	0.00	0.00	79	0.05	37	95	0.91	140	12
01/24 (024-s)	26.1	33.1	43.8	-16.0	19.5	41	24.5	40	33.2	40	62.0	1967	0.13	0.13	84	0.06	37	78	0.41	156	12
01/25 (025-m)	16.4	24.0	29.7	-12.0	19.5	41	25.2	40	33.6	40	60.0	1967	0.00	0.00	69	0.08	38	185	0.95	150	12
01/26 (026-t)	14.7	26.5	35.1	-3.3	19.5	39	24.4	39	32.3	39	53.3	1989	0.00	0.00	65	0.11	37	170	0.91	187	12
01/27 (027-w)	28.9	32.0	35.0	-5.0	19.5	40	24.0	39	32.1	39	57.0	1974	0.00	0.00	69	0.06	37	179	0.90	207	12
01/28 (028-t)	30.6	35.5	43.7	-11.0	19.5	40	24.2	39	31.9	39	52.0	1973	0.01	0.01	77	0.05	33	174	0.88	201	12
01/29 (029-f)	18.8	23.1	31.4	-10.0	19.5	40	25.1	39	32.2	39	57.0	1975	0.00	0.00	59	0.10	35	232	1.01	140	12
01/30 (030-s)	18.3	27.0	36.7	-6.0	19.5	40	25.4	40	33.2	40	59.0	1975	0.00	0.00	47	0.07	38	208	0.87	157	12
01/31 (031-s)	30.7	36.3	44.8	-9.0	19.5	41	23.7	41	31.1	41	62.1	1989	0.00	0.00	57	0.02	36	254	0.86	174	12

Column Min's:	Column Avg's:	Column Max's:	Column Totals:
4.6	15.4	25.9	-21.1
23.4	29.5	36.1	12.0
51.1	54.2	56.3	16.3
			20.6
			28.7
			32.1
			35.2
			64.0
			0.00
			0.10
			0.95
			1.01
			207
			254
			3928
			1.82
			0.02
			0.06
			0.12
			0.60
			1.01
			143
			88

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N													
	mo	da	jul	min	avg	max	min	year	avg	yr	max	yr	ly	ly/m	max	yr							
02/01 (032-m)	12.6	23.3	35.3	-11.0	1971	15.7	41	24.7	41	33.4	41	58.0	1968	0.00	55	0.04	35	285	0.87	170	12
02/02 (033-t)	8.8	20.8	33.9	-8.3	1985	16.8	41	24.8	41	32.9	41	58.0	1968	0.00	60	0.10	36	294	0.80	155	12
02/03 (034-w)	19.1	30.4	45.9	-9.8	1985	15.4	41	23.3	41	31.8	41	52.0	1973	0.00	52	0.03	32	274	0.85	149	12
02/04 (035-t)	19.0	31.5	47.0	-8.1	1982	15.3	41	24.0	41	32.6	41	56.1	1991	0.00	60	0.07	35	292	0.80	187	12
02/05 (036-f)	21.7	35.3	52.3	-7.0	1974	16.1	41	25.1	41	34.3	41	59.0	1962	0.00	50	0.04	38	273	0.91	197	12
02/06 (037-s)	12.6	22.4	34.4	-11.0	1977	16.4	40	23.8	40	31.6	40	53.0	1965	0.00	66	0.06	35	251	1.02	207	12
02/07 (038-s)	10.9	26.1	44.0	-10.0	1978	14.8	40	23.5	40	31.9	40	50.0	1965	0.00	70	0.03	37	326	0.84	224	12
02/08 (039-m)	16.7	28.5	34.7	-10.0	1967	14.2	41	23.0	40	31.6	40	57.5	1990	0.00	77	0.01	35	112	0.48	249	12
02/09 (040-t)	14.0	28.7	40.0	-7.6	1985	14.2	40	23.4	40	31.7	41	61.0	1966	0.00	76	0.03	38	121	0.48	219	12
02/10 (041-w)	26.8	35.6	50.2	-13.7	1982	15.3	41	24.3	41	33.4	41	57.0	1965	0.00	84	0.13	37	185	0.90	234	12
02/11 (042-t)	27.1	29.4	32.5	-13.7	1982	16.9	40	25.5	39	34.2	39	54.0	1960	0.00	84	0.07	34	60	0.27	197	12
02/12 (043-f)	29.4	32.0	33.1	-7.0	1981	16.6	40	24.9	40	33.0	40	62.7	1984	0.63	98	0.05	34	28	0.12	230	12
02/13 (044-s)	27.0	28.5	30.2	-5.0	1979	17.2	40	25.6	40	33.5	40	67.0	1990	0.02	81	0.04	37	196	0.68	186	12
02/14 (045-s)	24.4	28.7	33.3	-2.9	1988	18.5	41	28.0	41	37.2	41	79.0	1959	0.00	83	0.03	39	217	0.93	199	12
02/15 (046-m)	25.0	27.0	29.8	-1.0	1978	20.4	40	27.9	40	35.9	40	70.0	1954	0.00	78	0.06	38	107	0.46	188	12
02/16 (047-t)	16.5	27.9	30.8	-4.0	1963	19.7	40	27.7	40	35.8	40	69.0	1954	0.02	86	0.06	39	183	0.63	212	12
02/17 (048-w)	3.2	16.8	23.7	-10.0	1973	19.3	40	27.0	40	34.8	41	51.0	1961	0.00	75	0.08	37	303	1.36	212	12
02/18 (049-t)	-5.1	1.3	6.4	-8.0	1979	20.6	41	28.6	41	37.0	41	60.0	1961	0.00	66	0.05	39	397	1.04	228	12
02/19 (050-f)	-2.2	10.7	20.1	-2.2	1993	22.0	41	30.4	41	38.9	41	59.0	1954	0.00	62	0.03	35	341	1.20	188	12
02/20 (051-s)	19.9	25.1	36.3	-4.0	1978	21.5	41	29.4	41	37.8	41	63.7	1983	0.00	63	0.05	35	281	1.04	238	12
02/21 (052-s)	24.8	29.4	33.7	-10.0	1978	21.1	41	30.3	41	39.9	41	67.2	1983	0.50	93	0.07	36	68	0.34	218	12
02/22 (053-m)	20.5	27.0	33.8	-9.0	1978	22.7	41	31.3	41	40.3	41	64.1	1983	0.00	82	0.13	33	246	1.15	210	12
02/23 (054-t)	10.6	18.8	23.5	-4.0	1978	22.8	41	31.1	41	39.8	41	63.4	1984	0.00	76	0.06	33	256	0.89	237	12
02/24 (055-w)	3.0	9.2	15.7	-2.0	1967	23.6	41	31.4	41	39.3	41	62.0	1961	0.00	68	0.04	37	374	1.27	212	11
02/25 (056-t)	-2.7	11.1	20.1	-2.7	1993	21.7	41	30.1	41	38.7	41	69.0	1957	0.00	65	0.09	36	254	0.78	270	12
02/26 (057-f)	8.6	20.5	27.2	-18.0	1963	20.1	41	29.2	41	38.6	41	66.0	1957	0.00	70	0.07	39	361	1.61	262	12
02/27 (058-s)	-3.5	12.3	28.5	-13.0	1963	20.6	41	29.1	41	37.7	41	61.0	1976	0.00	66	0.07	33	393	1.37	265	12
02/28 (059-s)	3.4	16.6	30.2	1.0	1978	22.0	41	30.7	41	39.5	41	64.0	1976	0.00	67	0.05	39	422	1.15	300	12
Column Min's:	-5.1	1.3	6.4	-18.0		14.2		23.0		31.6				0.00			50	0.01		28	0.12	149	
Column Avg's:	14.0	23.4	32.4			18.6		27.1		35.6				0.04			72	0.06		246	0.87	216	
Column Max's:	29.4	35.6	52.3			23.6		31.4		40.3		79.0		0.63			98	0.13		422	1.61	300	
Column Ttl's:														1.17				1.64		6900		6043	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	max	min	Year avg	max	Long Term avg	prec	liq	evap	hum %	Ly	max Ly/m	Lng-Term avg yrs
11/01 (305-m)	28.3	33.6	39.1	22.0	1954	40.2	42	49.9	42	60.2	42	78.0	1968	0.00
11/02 (306-t)	28.0	37.2	47.0	23.0	1954	40.4	42	49.0	42	57.3	42	77.0	1961	0.00
11/03 (307-w)	38.9	42.9	49.8	19.7	1991	37.6	42	47.3	42	57.2	42	74.9	1987	0.08
11/04 (308-t)	41.2	47.7	55.1	17.0	1966	37.7	42	46.0	42	54.5	42	74.0	1964	0.08
11/05 (309-f)	38.7	47.8	55.7	15.2	1991	36.1	42	44.6	42	52.8	42	72.0	1959	0.00
11/06 (310-s)	30.5	35.2	38.9	20.0	1967	33.8	42	42.4	42	51.1	42	73.0	1978	0.03
11/07 (311-s)	24.5	28.0	32.4	10.6	1991	32.4	42	41.2	42	50.0	42	76.0	1975	0.00
11/08 (312-m)	24.4	35.8	49.8	7.2	1991	33.3	42	42.1	42	51.2	42	69.7	1986	0.00
11/09 (313-t)	27.1	37.5	53.7	9.1	1991	34.5	42	42.7	42	51.3	42	75.0	1975	0.00
11/10 (314-w)	25.4	39.5	56.1	17.3	1991	33.3	42	42.5	42	51.9	42	73.0	1975	0.00
11/11 (315-t)	28.9	45.4	59.4	19.0	1952	32.3	42	40.9	42	49.8	42	72.0	1964	0.00
11/12 (316-f)	30.2	43.9	51.8	17.0	1976	32.5	42	41.1	42	49.7	42	72.0	1964	0.00
11/13 (317-s)	47.5	55.3	63.1	13.1	1986	32.2	42	41.1	42	50.2	42	73.0	1955	0.13
11/14 (318-s)	46.7	51.2	62.4	12.0	1986	33.9	42	43.3	42	53.2	42	71.0	1971	0.80
11/15 (319-m)	41.1	48.4	60.4	16.0	1967	34.8	42	43.2	42	51.7	42	71.0	1956	0.02
11/16 (320-t)	38.0	40.9	43.8	14.0	1967	33.3	42	42.5	42	51.6	42	69.0	1987	0.00
11/17 (321-w)	32.7	40.9	43.8	12.0	1959	32.5	42	41.6	42	50.8	42	78.0	1958	0.79
11/18 (322-t)	26.5	35.4	47.7	9.0	1959	32.7	42	41.6	42	50.3	42	70.0	1953	0.00
11/19 (323-f)	32.7	41.0	45.5	19.1	1986	33.2	42	41.3	42	49.3	42	70.0	1953	0.00
11/20 (324-s)	26.1	31.3	35.6	17.1	1984	31.8	42	39.9	42	48.4	42	69.0	1953	0.00
11/21 (325-s)	33.0	40.6	50.2	12.0	1969	31.6	41	39.4	41	47.4	41	66.0	1953	0.00
11/22 (326-m)	35.3	43.1	55.7	11.0	1964	29.9	41	37.9	41	45.9	41	64.0	1979	0.00
11/23 (327-t)	34.1	43.1	52.7	10.0	1971	29.7	41	38.1	41	46.5	41	63.0	1968	0.00
11/24 (328-w)	37.7	42.4	45.6	11.0	1970	28.9	41	36.4	41	44.4	41	63.0	1974	0.05
11/25 (329-t)	33.0	37.3	40.6	16.0	1970	28.8	41	36.4	41	44.1	41	62.0	1973	0.00
11/26 (330-f)	36.4	46.8	59.8	12.7	1991	30.7	41	38.4	41	46.4	41	64.5	1984	0.29
11/27 (331-s)	22.1	30.0	36.5	9.0	1956	30.8	41	38.4	41	46.0	41	68.4	1990	0.33
11/28 (332-s)	20.2	27.9	32.5	2.0	1955	28.7	40	35.8	40	43.6	40	68.0	1960	0.01
11/29 (333-m)	27.8	30.2	33.5	6.0	1958	25.3	41	32.6	41	40.2	41	65.0	1960	0.01
11/30 (334-t)	19.4	28.3	37.0	-1.0	1958	25.2	42	31.9	42	38.8	42	62.0	1962	0.00
Column Min's:	19.4	27.9	32.4	-1.0		25.2		31.9		38.8				0.00
Column Avg's:	31.9	39.6	47.8			32.6		41.0		49.5				0.09
Column Max's:	47.5	55.3	63.1			40.4		49.9		60.2		78.0		0.80
Column Totals:														2.62

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	max	min year	avgm yrs	max year	avg yrs	avgmx yrs	max year	prec	snow	evap	hum	ly	ly/m	max	Lng.Trm						
mo da jul	Current						
03/01 (060-m)	15.0	28.4	37.1	-1.0	1960	21.9	41	31.9	41	42.0	41	66.0	1976	0.00	--	--	69	0.04	37	414	1.06	315	12
03/02 (061-t)	28.8	34.9	40.3	-9.0	1978	23.0	41	32.6	41	42.2	41	63.3	1991	0.00	--	--	84	0.04	35	301	0.95	283	12
03/03 (062-w)	33.1	34.9	37.2	-1.0	1978	24.0	41	32.7	41	42.2	41	72.2	1983	0.01	--	--	83	0.08	39	227	1.02	265	12
03/04 (063-t)	30.5	32.2	33.8	-4.0	1978	25.7	41	35.2	41	45.0	41	80.6	1983	0.62	--	--	91	0.21	35	81	0.31	237	12
03/05 (064-f)	28.7	30.9	34.8	-6.0	1978	25.4	41	34.4	41	44.3	41	73.0	1983	0.01	--	--	85	0.11	36	217	0.66	240	12
03/06 (065-s)	17.1	29.2	37.8	-2.0	1978	24.5	41	33.5	41	42.3	41	68.1	1983	0.00	--	--	74	0.10	36	466	1.14	238	12
03/07 (066-s)	25.9	34.8	45.0	2.0	1978	24.0	41	33.3	41	43.2	41	72.3	1987	0.02	--	--	78	0.06	36	331	1.58	329	12
03/08 (067-m)	32.6	34.6	37.3	-6.0	1960	21.3	41	32.4	41	43.0	41	71.8	1987	0.04	--	--	90	0.08	37	161	1.21	301	11
03/09 (068-t)	30.9	33.1	36.7	-6.7	1984	24.5	41	33.5	41	43.1	41	63.0	1973	0.00	--	--	80	0.06	38	203	1.59	265	12
03/10 (069-w)	22.0	29.9	33.5	-0.0	1972	24.5	41	34.2	41	43.5	41	68.0	1955	0.12	--	--	89	0.09	38	143	0.51	244	12
03/11 (070-t)	17.0	27.7	35.5	-4.0	1960	25.6	41	35.5	41	45.6	41	75.2	1990	0.02	--	--	80	0.07	36	415	1.18	275	12
03/12 (071-f)	18.0	24.4	33.9	2.0	1960	27.1	41	35.9	41	45.0	41	75.6	1990	0.01	--	--	70	0.07	38	401	1.35	304	12
03/13 (072-s)	12.6	19.4	24.4	1.0	1960	26.7	41	36.5	41	46.6	41	75.7	1990	0.00	--	--	69	0.07	41	251	0.80	272	12
03/14 (073-s)	6.3	13.4	21.5	6.3	1993	28.3	41	37.1	41	46.3	41	79.2	1990	0.00	--	--	54	0.07	39	480	1.47	315	12
03/15 (074-m)	5.7	23.3	38.4	5.7	1993	27.2	39	36.0	39	46.0	41	77.4	1990	0.00	--	--	57	0.07	36	457	1.34	281	12
03/16 (075-t)	34.1	37.0	40.1	12.0	1970	27.1	41	36.8	41	46.8	41	73.0	1977	0.40	--	--	75	0.08	39	93	0.38	295	12
03/17 (076-w)	17.1	26.7	38.7	5.0	1956	24.7	40	35.0	40	46.2	41	71.0	1966	0.10	--	--	71	0.08	38	284	1.19	257	12
03/18 (077-t)	12.6	18.4	25.1	4.0	1967	25.3	39	34.2	39	43.8	40	70.0	1969	0.00	--	--	63	0.08	36	409	1.73	221	12
03/19 (078-f)	14.5	27.4	38.4	9.0	1965	26.7	41	36.6	41	46.6	41	72.0	1968	0.10	--	--	66	0.06	40	267	1.04	281	12
03/20 (079-s)	32.6	36.0	39.4	11.0	1956	29.0	41	37.3	41	45.9	41	72.0	1969	0.12	--	--	94	0.06	37	66	0.24	287	12
03/21 (080-s)	32.5	34.7	38.8	12.0	1959	28.2	41	37.6	41	47.2	41	74.1	1991	0.00	--	--	84	0.13	38	169	0.62	351	12
03/22 (081-m)	32.7	36.2	45.5	12.0	1959	27.8	40	37.8	40	48.4	40	71.0	1953	0.00	--	--	79	0.06	37	273	1.02	306	12
03/23 (082-t)	34.0	39.1	47.2	11.5	1983	28.5	41	39.0	41	49.8	41	73.2	1988	0.62	--	--	97	0.07	38	91	0.53	338	12
03/24 (083-w)	35.2	36.5	38.5	1.0	1974	27.9	41	38.9	41	50.2	41	73.6	1987	0.08	--	--	102	0.06	39	59	0.23	317	12
03/25 (084-t)	34.7	37.3	42.1	-0.0	1974	28.2	41	39.0	41	49.6	41	75.3	1986	0.00	--	--	100	0.06	36	143	0.65	315	12
03/26 (085-f)	32.0	35.4	39.9	3.0	1974	29.6	41	38.7	41	48.0	41	76.0	1967	0.00	--	--	101	0.14	36	149	0.50	289	12
03/27 (086-s)	31.1	36.3	44.9	3.0	1965	29.8	41	39.9	41	50.4	41	79.3	1989	0.00	--	--	96	0.09	40	210	0.93	285	12
03/28 (087-s)	38.0	45.4	55.1	10.0	1955	31.0	41	41.5	41	51.8	41	73.7	1989	0.01	--	--	74	0.11	38	279	1.23	316	12
03/29 (088-m)	43.6	48.1	53.8	18.0	1966	33.7	41	43.8	41	54.5	41	78.1	1986	0.00	--	--	87	0.11	40	150	0.55	276	12
03/30 (089-t)	47.1	54.0	67.2	12.0	1969	33.1	41	42.7	41	53.3	41	80.5	1986	0.00	--	--	78	0.07	36	316	1.36	270	12
03/31 (090-w)	38.5	48.5	63.3	12.0	1969	31.5	41	42.5	41	54.1	41	80.7	1986	0.44	--	--	81	0.07	36	246	0.92	320	12
Column Min's:	5.7	13.4	21.5	-9.0		21.3		31.9		42.0		80.7		0.00			54	0.04		59	0.23	221	
Column Avg's:	26.9	33.2	40.2			27.0		36.6		46.7				0.09			81	0.08		250	0.94	287	
Column Max's:	47.1	54.0	67.2			33.7		43.8		54.5				0.62			102	0.21		480	1.73	358	
Column Ttl's:														2.72				2.55		7752		8908	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N							
	min	avg	max	min	year avg	max	yr	prec	liq	evap	hum %	Long Term avg	Term	ly	max	Long-Term avg			
mo da julCurrent.....			
04/01 (091-t)	31.5	35.7	39.2	14.0	1964	33.3	40	43.7	40	54.5	40	80.0	1986	0.24	93	83	0.38	284	12
04/02 (092-f)	29.6	32.5	37.0	19.6	1991	33.8	40	44.2	40	54.9	40	80.0	1963	0.00	78	173	0.76	289	12
04/03 (093-s)	26.9	34.1	41.7	19.0	1954	32.9	40	43.8	40	54.8	40	77.0	1963	0.00	65	310	1.67	278	12
04/04 (094-s)	24.5	33.3	42.4	17.0	1964	32.6	40	43.6	39	54.8	39	75.0	1956	0.00	65	344	1.37	271	12
04/05 (095-m)	29.2	37.2	45.0	19.0	1975	33.0	39	43.9	39	55.5	40	82.2	1988	0.00	73	249	0.69	275	12
04/06 (096-t)	36.1	44.3	54.5	9.7	1982	34.6	39	44.6	39	54.8	39	79.7	1991	0.00	69	266	1.57	304	11
04/07 (097-w)	39.5	50.5	64.5	2.3	1982	33.4	40	45.4	40	58.0	40	83.0	1954	0.00	59	362	1.43	405	12
04/08 (098-t)	40.6	55.0	67.2	8.2	1982	31.7	40	44.5	40	57.3	40	81.0	1954	0.07	65	208	0.92	386	12
04/09 (099-f)	45.3	52.9	57.2	11.0	1957	32.9	39	44.1	39	55.4	39	79.0	1967	0.70	91	82	0.36	320	11
04/10 (100-s)	37.6	47.7	58.4	19.9	1989	32.1	39	43.2	39	54.3	39	77.0	1967	0.00	64	541	1.70	373	11
04/11 (101-s)	36.5	43.5	55.1	19.0	1975	33.6	40	45.1	40	56.9	40	80.0	1977	0.01	74	274	1.36	377	11
04/12 (102-m)	38.8	45.3	54.9	21.0	1975	34.8	40	46.9	40	59.3	40	82.0	1971	0.00	70	295	1.64	400	12
04/13 (103-t)	30.4	43.1	54.9	23.0	1975	36.5	40	48.5	40	60.4	40	82.0	1977	0.00	57	516	1.37	383	12
04/14 (104-w)	38.9	46.3	58.6	24.0	1957	38.6	40	50.4	40	62.4	40	82.0	1977	0.06	67	288	1.52	331	12
04/15 (105-t)	44.8	58.0	72.2	22.0	1962	38.3	40	50.0	40	61.6	40	78.0	1954	0.39	72	189	0.72	295	12
04/16 (106-f)	39.5	46.3	54.9	18.0	1962	37.7	39	49.9	39	62.1	39	82.0	1976	0.20	71	185	0.82	369	11
04/17 (107-s)	33.4	40.6	50.9	22.0	1962	39.0	39	50.9	39	62.5	40	85.0	1976	0.00	65	335	1.79	382	11
04/18 (108-s)	35.8	51.5	65.2	19.2	1990	39.2	38	51.0	38	63.2	40	84.0	1976	0.01	57	502	1.57	447	12
04/19 (109-m)	48.5	55.6	67.4	22.8	1983	39.8	40	51.9	40	64.1	40	85.1	1985	0.20	68	224	1.29	417	12
04/20 (110-t)	36.5	57.8	70.4	23.2	1983	40.1	40	52.5	40	64.6	40	86.2	1987	0.20	66	370	1.58	346	12
04/21 (111-w)	33.1	40.3	52.8	22.0	1953	41.2	40	53.2	40	65.3	40	87.9	1987	0.04	64	451	1.78	429	12
04/22 (112-t)	29.2	44.7	58.5	25.0	1959	41.5	40	53.2	40	65.0	40	89.3	1985	0.00	44	563	1.67	392	12
04/23 (113-f)	30.8	49.9	63.4	23.5	1986	40.0	40	52.7	40	65.5	40	87.0	1960	0.00	38	662	1.43	497	12
04/24 (114-s)	49.2	56.7	63.3	28.0	1963	40.8	39	52.4	39	64.0	39	87.6	1990	0.09	68	139	0.58	351	11
04/25 (115-s)	45.9	55.0	61.1	24.4	1988	40.2	40	52.7	40	65.2	40	87.5	1990	1.04	83	183	1.31	465	12
04/26 (116-m)	34.3	43.4	51.8	29.0	1972	41.9	40	53.5	40	65.4	40	85.1	1990	0.00	70	322	1.40	498	12
04/27 (117-t)	28.1	44.6	61.6	28.1	1993	41.7	40	53.7	40	66.0	40	89.9	1990	0.00	65	631	1.56	459	12
04/28 (118-w)	41.0	59.9	74.0	27.9	1982	42.4	40	54.3	40	66.0	40	82.0	1962	0.00	49	479	1.75	415	12
04/29 (119-t)	52.2	62.3	73.4	27.0	1977	42.4	40	54.1	40	65.8	40	83.0	1970	0.08	57	352	1.21	431	12
04/30 (120-f)	50.7	60.3	72.7	30.0	1958	43.0	40	55.5	40	68.1	40	89.0	1962	0.03	65	632	1.44	459	12

Column Min's:	24.5	32.5	37.0	2.3	31.7	43.2	54.3	0.00	0.04	38	0.04	82	0.36	271
Column Avg's:	37.3	47.6	58.1	37.4	49.1	60.9	60.9	0.11	0.11	66	0.11	340	1.29	378
Column Max's:	52.2	62.3	74.0	43.0	55.5	68.1	68.1	1.04	0.24	93	0.24	662	1.79	498
Column Ttl's:								3.36	3.21		3.21	10210		11328

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	avg	max	prec	evap	ly	max														
mo da julCurrent.....Long Term.....	avg yrs	avgm yrs	liq	snow	ly/m	Lng-Trm														
	min year	avgm yrs	avg yrs	avgm yrs	prec	evap	ly/m	avg yrs														
05/01 (121-s)	46.4	56.2	67.0	28.0 1963	42.6	41	55.1	41	67.6	41	87.0	1965	0.00	--	--	54	0.05	40	648	1.39	415	12
05/02 (122-s)	47.2	60.6	73.9	30.0 1961	41.9	41	55.7	41	69.3	41	86.0	1955	0.01	--	--	56	0.09	41	423	1.18	476	12
05/03 (123-m)	59.4	64.1	70.1	30.1 1986	42.2	41	54.9	41	67.6	41	87.0	1955	0.07	--	--	63	0.06	41	211	0.67	400	12
05/04 (124-t)	59.7	64.6	72.2	28.0 1966	41.4	41	54.6	41	67.8	41	87.0	1955	0.09	--	--	69	0.09	37	347	1.89	444	12
05/05 (125-w)	54.7	63.9	72.9	30.0 1957	44.2	41	56.1	41	68.2	41	86.0	1959	0.13	--	--	78	0.07	39	457	1.72	439	12
05/06 (126-t)	48.4	64.1	79.2	28.0 1968	45.0	41	58.0	41	71.0	41	89.1	1982	0.00	--	--	59	0.15	39	687	1.61	482	12
05/07 (127-f)	47.9	62.3	77.7	25.0 1974	43.6	41	57.0	41	70.3	41	86.0	1959	0.00	--	--	47	0.08	40	660	1.42	508	12
05/08 (128-s)	45.8	63.0	80.7	28.0 1954	43.8	41	56.1	41	68.3	41	86.0	1963	0.00	--	--	41	0.09	40	668	1.43	504	11
05/09 (129-s)	46.2	65.1	84.5	28.0 1955	44.9	41	56.4	41	68.0	41	89.0	1963	0.00	--	--	49	0.14	40	671	1.39	517	12
05/10 (130-m)	48.4	67.2	86.5	26.0 1966	44.8	40	57.1	40	69.5	41	86.5	1993	0.00	--	--	43	0.10	39	653	1.38	557	12
05/11 (131-t)	51.8	70.1	89.3	32.0 1966	46.9	41	59.0	41	70.9	41	89.3	1993	0.00	--	--	54	0.12	38	466	1.36	581	12
05/12 (132-w)	48.7	67.0	82.8	35.0 1963	47.2	41	59.6	41	71.6	41	88.6	1991	0.00	--	--	48	0.17	39	607	1.63	461	12
05/13 (133-t)	38.8	53.0	65.6	34.0 1973	47.3	41	59.1	41	70.8	41	92.4	1982	0.02	--	--	44	0.09	36	710	1.45	460	12
05/14 (134-f)	41.1	60.1	75.2	34.0 1973	47.9	40	59.9	40	71.9	40	94.2	1982	0.00	--	--	44	0.06	39	676	1.52	487	12
05/15 (135-s)	48.2	67.7	80.7	34.0 1973	47.6	40	60.5	40	73.2	41	92.0	1962	0.00	--	--	30	0.12	40	694	1.46	446	12
05/16 (136-s)	41.0	54.1	62.9	30.0 1959	47.0	41	59.8	41	72.3	41	93.1	1991	0.00	--	--	50	0.08	37	349	1.74	507	12
05/17 (137-m)	35.6	56.5	70.4	32.0 1973	48.3	41	60.8	41	73.1	41	94.0	1962	0.00	--	--	33	0.10	39	623	1.72	514	12
05/18 (138-t)	51.8	58.6	68.5	32.0 1973	47.9	41	60.8	41	73.5	41	94.0	1962	0.03	--	--	52	0.17	41	357	1.40	413	12
05/19 (139-w)	43.3	52.1	61.9	35.8 1985	50.8	40	62.1	40	73.5	40	88.0	1964	0.00	--	--	56	0.08	40	451	1.98	368	12
05/20 (140-t)	36.8	51.7	63.3	33.0 1954	49.8	40	61.3	40	73.3	41	91.0	1962	0.00	--	--	42	0.14	38	466	1.97	401	12
05/21 (141-f)	42.4	54.5	65.3	34.0 1954	49.1	41	62.0	41	74.8	41	91.0	1977	0.00	--	--	37	0.07	41	496	1.73	436	12
05/22 (142-s)	36.2	59.6	75.6	32.0 1963	50.7	41	63.5	41	76.1	41	92.2	1991	0.00	--	--	30	0.15	40	683	1.58	507	12
05/23 (143-s)	54.8	60.5	68.5	29.0 1963	50.7	41	62.6	41	74.5	41	91.0	1964	0.22	--	--	73	0.14	41	104	0.43	434	12
05/24 (144-m)	56.5	66.1	74.5	35.0 1956	50.4	41	62.4	40	74.4	40	87.0	1962	0.06	--	--	68	0.07	41	428	1.83	466	11
05/25 (145-t)	44.3	57.0	64.1	35.3 1992	51.0	41	62.8	41	74.5	41	88.0	1977	0.00	--	--	59	0.17	36	301	1.92	377	12
05/26 (146-w)	38.6	60.0	76.8	35.0 1983	50.1	41	62.2	41	74.2	41	88.0	1975	0.00	--	--	47	0.19	39	720	1.51	509	12
05/27 (147-t)	47.7	62.1	77.5	32.0 1961	50.1	39	63.1	39	75.3	40	88.2	1987	0.00	--	--	53	0.10	38	430	1.75	515	11
05/28 (148-f)	56.0	70.3	87.4	39.0 1957	51.8	40	63.8	40	75.7	40	91.3	1987	0.28	--	--	56	0.10	39	473	1.49	453	11
05/29 (149-s)	47.2	55.0	65.4	34.0 1958	52.3	41	64.4	41	76.3	41	94.1	1991	0.01	--	--	59	0.07	39	618	1.75	509	11
05/30 (150-s)	42.6	62.2	77.0	36.0 1961	54.2	41	65.8	41	77.8	41	93.2	1988	0.54	--	--	48	0.14	40	654	1.71	464	12
05/31 (151-m)	45.7	56.7	65.7	32.0 1966	53.4	40	65.8	40	78.0	40	94.4	1988	0.14	--	--	81	0.16	39	163	0.88	493	12
Column Min's:	35.6	51.7	61.9	25.0	41.4		54.6		67.6				0.00			30	0.05		104	0.43	368	
Column Avg's:	46.9	60.8	73.6		47.7		60.1		72.4				0.05			52	0.11		513	1.51	469	
Column Max's:	59.7	70.3	89.3		54.2		65.8		78.0		94.4		0.54			81	0.19		720	1.98	581	
Column Ttl's:													1.60				3.41		15894		14543	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	ly	max
mo da jul	Current	Long Term	min year	avgm yrs	liq	snow	ly/m	Lng-Tm
	avg yrs
07/01 (182-t)	62.6	68.3	75.8	72.8	0.23	--	247	1.38
07/02 (183-f)	65.4	72.9	84.2	72.9	0.45	--	538	1.81
07/03 (184-s)	67.4	76.1	88.5	72.5	0.00	--	576	1.84
07/04 (185-s)	71.6	81.7	92.1	72.0	0.00	--	677	1.44
07/05 (186-m)	70.4	82.7	92.7	71.6	0.00	--	667	1.57
07/06 (187-t)	72.9	78.5	86.6	71.3	0.23	--	338	1.47
07/07 (188-w)	70.7	78.1	85.9	72.0	0.00	--	534	1.78
07/08 (189-t)	70.0	78.3	88.3	73.9	0.00	--	566	1.46
07/09 (190-f)	71.6	81.8	92.6	73.5	0.18	--	676	1.53
07/10 (191-s)	68.9	76.0	85.4	72.8	0.04	--	500	1.74
07/11 (192-s)	68.1	75.7	89.5	72.2	0.24	--	538	1.63
07/12 (193-m)	60.8	73.6	85.0	72.4	0.00	--	555	1.71
07/13 (194-t)	53.2	70.8	84.7	72.6	0.00	--	688	1.47
07/14 (195-w)	67.4	75.5	85.0	73.1	0.00	--	477	1.88
07/15 (196-t)	62.3	71.5	81.4	72.6	0.00	--	561	1.68
07/16 (197-f)	56.7	71.0	85.3	73.3	0.00	--	712	1.44
07/17 (198-s)	56.7	71.3	85.2	73.0	0.00	--	653	1.57
07/18 (199-s)	65.0	76.3	90.1	73.7	0.02	--	485	1.58
07/19 (200-m)	67.3	74.2	84.1	74.3	0.03	--	390	1.70
07/20 (201-t)	63.9	72.8	83.8	73.7	0.00	--	676	1.66
07/21 (202-w)	58.0	70.5	83.1	74.0	0.00	--	678	1.64
07/22 (203-t)	52.6	67.6	80.7	73.6	0.00	--	520	2.00
07/23 (204-f)	53.9	70.4	84.5	73.6	0.00	--	588	1.80
07/24 (205-s)	61.9	75.1	90.1	72.9	0.00	--	498	1.66
07/25 (206-s)	67.8	77.5	87.5	72.6	0.38	--	352	1.16
07/26 (207-m)	68.9	80.0	88.6	72.8	0.00	--	669	1.52
07/27 (208-t)	65.6	78.3	91.7	73.3	0.00	--	672	1.39
07/28 (209-w)	67.9	81.7	96.0	73.0	0.00	--	572	1.61
07/29 (210-t)	63.0	71.0	80.9	72.4	0.00	--	486	1.99
07/30 (211-f)	57.7	68.5	80.9	71.1	0.00	--	616	1.63
07/31 (212-s)	52.8	69.2	84.8	71.4	0.00	--	696	1.43
Column Min's:	52.6	67.6	75.8	71.1	0.00		247	1.16
Column Avg's:	64.0	74.7	86.3	72.8	0.06		561	1.62
Column Max's:	72.9	82.7	96.0	74.3	0.45		712	2.00
Column Ttl's:					1.80	103.0	17401	15645

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	year	avg	yr	avg	yr	prec	evap	ly	max	
mo da jul	Current	max	min	year	avg	yr	avg	yr	liq	prec	ly	ly/m	avg yrs
08/01 (213-s)	57.2	72.6	85.5	48.0	1952	59.5	42	71.8	42	83.9	42	99.0	1964
08/02 (214-m)	61.8	72.7	82.6	44.0	1965	59.7	42	71.7	42	83.9	42	99.0	1964
08/03 (215-t)	58.3	69.7	87.4	44.0	1965	60.8	42	72.5	42	84.8	42	99.0	1964
08/04 (216-w)	50.9	65.8	76.7	47.0	1966	61.0	41	71.9	41	83.0	41	93.1	1988
08/05 (217-t)	46.4	61.8	76.9	45.0	1972	60.0	40	71.1	40	82.6	41	93.0	1985
08/06 (218-f)	51.9	63.9	78.5	47.0	1974	59.4	40	71.0	40	82.9	41	91.0	1965
08/07 (219-s)	51.9	63.1	76.3	49.8	1989	59.5	42	71.1	42	82.9	42	93.3	1988
08/08 (220-s)	51.3	67.9	84.5	41.5	1989	60.1	41	71.3	41	82.8	41	93.0	1988
08/09 (221-m)	53.6	71.0	86.3	44.0	1964	60.8	42	71.9	42	83.3	42	92.0	1973
08/10 (222-t)	63.5	69.0	80.0	45.0	1972	60.1	42	70.8	42	82.0	42	94.1	1988
08/11 (223-w)	61.1	73.9	87.6	45.0	1967	58.0	42	69.6	42	81.4	42	93.8	1988
08/12 (224-t)	64.6	73.6	86.2	44.0	1967	56.4	41	68.8	41	81.5	41	94.7	1988
08/13 (225-f)	64.1	74.4	88.5	45.0	1967	57.2	42	69.4	42	82.2	42	93.3	1988
08/14 (226-s)	59.1	74.6	90.5	41.0	1964	59.5	41	71.1	41	83.5	42	94.0	1959
08/15 (227-s)	62.2	76.1	89.2	41.0	1964	59.8	41	71.3	41	83.4	42	94.5	1987
08/16 (228-m)	69.1	77.8	86.9	44.0	1979	60.1	42	71.1	42	82.7	42	94.9	1987
08/17 (229-t)	66.1	74.8	87.8	44.0	1971	58.5	42	70.5	42	82.7	42	99.3	1988
08/18 (230-w)	60.3	74.6	91.2	43.0	1981	57.7	42	69.7	42	82.3	42	91.7	1983
08/19 (231-t)	58.3	76.0	92.0	48.0	1958	58.8	42	70.1	42	81.7	42	95.9	1983
08/20 (232-f)	67.4	76.3	87.6	47.2	1992	58.4	41	69.8	41	81.2	41	96.9	1983
08/21 (233-s)	51.6	67.2	78.7	46.2	1984	58.4	41	69.9	41	81.6	41	96.0	1983
08/22 (234-s)	41.2	64.9	85.5	41.2	1993	57.9	42	69.6	42	81.1	42	92.0	1959
08/23 (235-m)	61.0	78.4	95.1	44.0	1952	57.8	41	68.9	42	81.3	42	95.1	1993
08/24 (236-t)	68.9	79.4	91.1	40.2	1987	57.7	40	68.6	41	80.9	41	95.0	1962
08/25 (237-w)	63.1	78.6	94.6	45.0	1956	57.1	41	68.8	42	82.1	42	95.0	1959
08/26 (238-t)	65.8	78.2	94.7	46.0	1984	57.8	41	69.7	41	82.0	42	94.7	1993
08/27 (239-f)	70.0	81.6	95.7	45.0	1968	59.3	42	71.2	42	83.5	42	95.7	1993
08/28 (240-s)	67.8	77.2	87.8	41.8	1986	60.4	42	71.4	42	82.5	42	95.0	1953
08/29 (241-s)	62.9	75.2	91.1	37.4	1986	59.5	42	71.3	41	83.6	41	96.9	1991
08/30 (242-m)	63.1	79.0	95.9	41.0	1976	59.0	42	71.2	41	84.0	41	97.0	1953
08/31 (243-t)	62.4	72.0	83.9	45.0	1976	58.1	42	69.9	41	81.9	41	98.0	1953
Column Min's:	41.2	61.8	76.3	37.4		56.4		68.6		80.9			
Column Avg's:	59.9	72.9	87.0			59.0		70.5		82.6			
Column Max's:	70.0	81.6	95.9			61.0		72.5		84.8		99.3	
Column Ttl's:												14733	14104

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min year	max year	prec	evap	ly	max		
mo da jul	avg	avg	avgm yrs	avgmx yrs	liq	hum	Ly/m	Lng-Trm		
			avgm yrs	avgmx yrs	prec	%	ly	avg yrs		
09/01 (244-w)	59.5	68.9	42.0	69.3	42	81.7	42	96.0	1953	
09/02 (245-t)	63.8	70.6	40.0	69.5	42	81.6	42	98.0	1953	
09/03 (246-f)	62.4	68.1	42.6	68.6	42	80.3	42	99.0	1953	
09/04 (247-s)	52.1	63.7	41.3	69.4	42	82.1	42	95.0	1960	
09/05 (248-s)	55.9	67.2	42.0	68.6	41	81.2	41	93.0	1954	
09/06 (249-m)	60.4	63.3	39.0	67.4	40	80.0	40	93.0	1954	
09/07 (250-t)	52.2	63.7	38.4	66.9	41	79.2	41	94.0	1964	
09/08 (251-w)	50.9	60.9	34.8	66.7	41	80.2	42	95.0	1964	
09/09 (252-t)	49.4	65.1	39.5	67.6	41	80.7	41	95.0	1978	
09/10 (253-f)	40.3	58.0	40.3	66.5	40	78.8	41	95.6	1983	
09/11 (254-s)	36.7	54.2	36.7	65.4	42	78.2	42	95.0	1952	
09/12 (255-s)	55.7	65.0	39.0	65.4	42	77.8	42	95.0	1952	
09/13 (256-m)	60.0	75.0	36.0	65.5	42	77.7	42	96.0	1952	
09/14 (257-t)	73.8	78.6	34.0	64.7	41	77.3	42	89.4	1991	
09/15 (258-w)	53.6	59.2	36.0	64.0	42	75.5	42	93.7	1991	
09/16 (259-t)	51.4	55.2	36.7	62.7	42	74.3	42	92.0	1955	
09/17 (260-f)	52.7	60.3	32.0	63.2	42	75.5	42	96.0	1955	
09/18 (261-s)	48.7	62.0	33.0	64.0	42	75.5	42	94.0	1955	
09/19 (262-s)	54.2	60.6	36.5	63.9	42	75.5	42	94.0	1955	
09/20 (263-m)	50.9	58.8	33.0	63.9	42	75.3	42	90.0	1955	
09/21 (264-t)	57.0	62.1	30.0	63.0	41	74.1	41	91.0	1970	
09/22 (265-w)	52.6	62.4	37.0	62.7	42	74.3	42	89.0	1980	
09/23 (266-t)	42.9	62.4	27.0	62.7	42	70.9	42	90.0	1980	
09/24 (267-f)	36.1	54.7	29.0	61.4	42	71.0	42	88.0	1960	
09/25 (268-s)	48.5	56.2	32.0	60.1	42	72.3	42	88.7	1986	
09/26 (269-s)	50.1	57.7	35.0	60.4	42	72.1	42	88.2	1986	
09/27 (270-m)	47.0	51.2	30.9	59.1	42	71.2	42	86.3	1987	
09/28 (271-t)	38.5	49.8	27.8	58.4	41	71.6	41	89.0	1973	
09/29 (272-w)	36.5	44.2	30.0	58.4	41	71.0	41	89.6	1986	
09/30 (273-t)	32.1	44.9	32.0	59.1	42	71.7	42	96.0	1953	
Column Min's:	32.1	44.2	27.0	58.4		70.9		84	0.38	287
Column Avg's:	50.9	60.8	52.1	64.1		76.3		320	1.24	351
Column Max's:	73.8	78.6	57.9	69.5		82.1		577	1.68	458
Column Ttl's:								9589		10543

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	max	min year	max year	prec	evap	ly	max Lng-Trm avg yrs			
10/01 (274-f)	43.5	59.6	32.0	45.6	42	72.2	42	270	1.06	281	12
10/02 (275-s)	32.9	53.0	27.0	46.0	42	72.0	42	342	1.18	329	12
10/03 (276-s)	32.5	50.4	24.0	44.6	41	70.4	41	427	1.17	340	11
10/04 (277-m)	40.0	57.0	26.0	44.9	41	69.4	42	337	1.32	321	11
10/05 (278-t)	30.0	46.7	25.0	42.9	41	55.5	41	411	0.99	297	12
10/06 (279-w)	37.4	57.3	24.2	44.3	42	67.4	42	407	1.06	299	12
10/07 (280-t)	51.3	66.6	24.0	42.2	42	65.9	42	394	1.06	277	12
10/08 (281-f)	52.3	66.1	27.0	43.0	42	66.2	42	326	1.09	252	12
10/09 (282-s)	33.0	47.4	24.4	43.6	42	66.7	42	59	0.55	179	12
10/10 (283-s)	28.8	39.2	28.8	42.7	41	53.6	41	403	1.04	215	11
10/11 (284-m)	29.9	42.9	17.0	41.2	42	65.2	42	362	1.16	253	12
10/12 (285-t)	35.8	45.4	25.3	43.1	42	65.3	42	278	1.24	208	12
10/13 (286-w)	31.6	41.3	23.1	41.1	42	53.8	42	373	1.00	289	12
10/14 (287-t)	29.9	45.6	28.0	42.2	42	67.3	42	250	1.06	249	12
10/15 (288-f)	44.3	59.3	30.0	42.8	42	68.4	42	329	0.92	262	12
10/16 (289-s)	57.3	61.9	25.4	41.7	42	53.9	42	81	0.47	224	12
10/17 (290-s)	50.6	59.3	22.1	41.4	42	52.7	42	172	1.39	237	12
10/18 (291-m)	40.0	51.7	21.0	39.5	42	63.1	42	335	1.05	220	12
10/19 (292-t)	46.8	52.1	21.0	38.1	42	48.8	42	109	0.81	197	12
10/20 (293-w)	51.0	56.5	22.0	37.2	42	48.2	42	50	0.37	153	12
10/21 (294-t)	41.0	49.4	17.0	39.7	42	50.0	42	338	1.12	184	11
10/22 (295-f)	32.4	43.1	19.0	39.4	42	50.8	42	345	0.91	208	12
10/23 (296-s)	27.1	45.3	22.4	40.8	42	52.1	42	339	0.90	235	12
10/24 (297-s)	38.4	51.9	21.3	38.9	42	49.9	42	333	0.90	210	12
10/25 (298-m)	39.5	54.2	19.0	38.4	42	48.7	42	325	0.88	210	12
10/26 (299-t)	47.3	57.3	22.0	38.9	42	48.7	42	279	0.96	228	11
10/27 (300-w)	36.7	45.3	22.0	37.8	42	48.6	42	128	1.26	216	12
10/28 (301-t)	31.6	41.6	21.0	37.0	42	47.9	42	198	0.93	251	12
10/29 (302-f)	29.0	40.7	19.0	35.5	41	46.3	41	287	0.90	237	11
10/30 (303-s)	30.5	33.9	22.0	35.7	42	46.5	42	65	0.30	191	11
10/31 (304-s)	32.7	35.2	19.3	38.8	42	48.8	42	112	0.38	171	12
Column Min's:	27.1	33.9	17.0	35.5	46.3	57.0	90.0	0.00	0.04	153	
Column Avg's:	38.2	50.2	41.0	52.4	64.0	72.2		0.06	0.18	239	
Column Max's:	57.3	66.6	83.6	90.0	90.0			0.71	1.39	340	
Column Ttl's:								1.76	2.36	8464	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.