

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	max	min	avg	max	prec	evap	ly	max
01/01 (001-f)	26.5	29.7	34.8	26.5	29.7	34.8	0.00	86	33	0.23
01/02 (002-s)	26.0	30.5	35.0	26.0	30.5	35.0	0.00	79	99	0.52
01/03 (003-s)	34.5	46.6	59.1	34.5	46.6	59.1	0.00	85	34	0.19
01/04 (004-m)	55.2	60.9	69.8	55.2	60.9	69.8	0.82	74	140	0.83
01/05 (005-t)	37.1	42.7	57.7	37.1	42.7	57.7	0.08	89	26	0.12
01/06 (006-w)	32.6	37.6	42.2	32.6	37.6	42.2	0.00	85	95	0.36
01/07 (007-t)	28.6	36.4	46.1	28.6	36.4	46.1	0.00	88	159	0.73
01/08 (008-f)	33.7	36.3	39.5	33.7	36.3	39.5	0.08	91	32	0.14
01/09 (009-s)	31.1	32.3	33.7	31.1	32.3	33.7	0.00	92	32	0.17
01/10 (010-s)	32.4	37.3	44.1	32.4	37.3	44.1	0.09	94	22	0.09
01/11 (011-m)	33.5	36.4	38.8	33.5	36.4	38.8	0.29	94	50	0.24
01/12 (012-t)	37.9	42.7	50.0	37.9	42.7	50.0	0.13	96	29	0.13
01/13 (013-w)	31.8	42.6	57.6	31.8	42.6	57.6	0.15	81	62	0.76
01/14 (014-t)	28.8	30.5	32.0	28.8	30.5	32.0	0.00	82	69	0.32
01/15 (015-f)	29.6	31.0	33.0	29.6	31.0	33.0	0.00	83	61	0.29
01/16 (016-s)	24.5	31.3	36.8	24.5	31.3	36.8	0.00	82	152	0.75
01/17 (017-s)	25.9	34.6	41.1	25.9	34.6	41.1	0.00	78	68	0.65
01/18 (018-m)	15.2	23.2	27.8	15.2	23.2	27.8	0.00	76	152	0.65
01/19 (019-t)	16.0	25.7	37.9	16.0	25.7	37.9	0.01	68	273	0.76
01/20 (020-w)	16.8	32.4	48.7	16.8	32.4	48.7	0.00	69	242	0.76
01/21 (021-t)	37.8	45.9	51.5	37.8	45.9	51.5	0.71	88	33	0.25
01/22 (022-f)	37.2	40.0	41.6	37.2	40.0	41.6	0.10	89	35	0.22
01/23 (023-s)	25.7	39.4	57.4	25.7	39.4	57.4	0.01	74	262	0.82
01/24 (024-s)	29.2	37.4	45.8	29.2	37.4	45.8	0.26	82	27	0.17
01/25 (025-m)	18.1	28.0	38.5	18.1	28.0	38.5	0.00	68	284	0.79
01/26 (026-t)	14.0	27.8	40.8	14.0	27.8	40.8	0.00	68	283	0.97
01/27 (027-w)	25.4	34.1	41.0	25.4	34.1	41.0	0.00	67	167	0.92
01/28 (028-t)	25.3	43.8	59.4	25.3	43.8	59.4	0.00	67	267	0.76
01/29 (029-f)	19.6	31.2	47.8	19.6	31.2	47.8	0.00	60	239	1.02
01/30 (030-s)	17.5	28.5	40.1	17.5	28.5	40.1	0.00	45	296	0.88
01/31 (031-s)	32.8	41.5	50.8	32.8	41.5	50.8	0.00	41	259	0.85

Column Min's:	14.0	23.2	27.8
Column Avg's:	28.4	36.1	44.5
Column Max's:	55.2	60.9	69.8
Column Ttl's:			

Column Min's:	41	0.00	22
Column Avg's:	78	0.09	128
Column Max's:	96	0.82	296
Column Ttl's:	3982	2.73	3982

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	max	prec	evap	max	avg											
mo da jul	Current	Long Term	avg yrs	avgm yrs	liq	Long Term	ly/m	Long Term											
						avg pr yrs		avg yrs											
02/01 (032-m)	19.3	31.6	42.9	19.3	19.3	1	31.6	1	42.9	1993	0.00	0.00	56	0.00	1	295	0.86	295	1
02/02 (033-t)	10.9	22.4	36.2	10.9	10.9	1	22.4	1	36.2	1993	0.00	0.00	63	0.00	1	317	0.84	317	1
02/03 (034-w)	14.4	30.7	51.2	14.4	14.4	1	30.7	1	51.2	1993	0.00	0.00	58	0.00	1	293	0.94	293	1
02/04 (035-t)	20.1	33.1	49.2	20.1	20.1	1	33.1	1	49.2	1993	0.00	0.00	59	0.00	1	305	0.84	305	1
02/05 (036-f)	18.7	34.8	55.5	18.7	18.7	1	34.8	1	55.5	1993	0.00	0.00	63	0.00	1	280	0.81	280	1
02/06 (037-s)	23.0	29.0	35.2	23.0	23.0	1	29.0	1	35.2	1993	0.00	0.00	86	0.00	1	74	0.21	74	1
02/07 (038-s)	17.0	32.0	52.0	17.0	17.0	1	32.0	1	52.0	1993	0.00	0.00	73	0.00	1	320	0.86	320	1
02/08 (039-m)	20.6	32.3	42.6	20.6	20.6	1	32.3	1	42.6	1993	0.00	0.00	84	0.00	1	132	0.53	132	1
02/09 (040-t)	27.9	40.9	58.9	27.9	27.9	1	40.9	1	58.9	1993	0.00	0.00	71	0.00	1	284	0.86	284	1
02/10 (041-w)	26.4	43.9	66.9	26.4	26.4	1	43.9	1	66.9	1993	0.00	0.00	74	0.00	1	296	0.85	296	1
02/11 (042-t)	31.2	40.6	46.7	31.2	31.2	1	40.6	1	46.7	1993	0.21	0.21	88	0.21	1	83	0.31	83	1
02/12 (043-f)	35.6	46.4	52.0	35.6	35.6	1	46.4	1	52.0	1993	0.17	0.17	93	0.17	1	56	0.41	56	1
02/13 (044-s)	30.2	32.2	35.6	30.2	30.2	1	32.2	1	35.6	1993	0.04	0.04	89	0.04	1	53	0.28	53	1
02/14 (045-s)	27.9	31.1	35.0	27.9	27.9	1	31.1	1	35.0	1993	0.02	0.02	88	0.02	1	105	0.50	105	1
02/15 (046-m)	30.2	32.4	35.9	30.2	30.2	1	32.4	1	35.9	1993	0.00	0.00	81	0.00	1	87	0.55	87	1
02/16 (047-t)	29.6	34.1	42.4	29.6	29.6	1	34.1	1	42.4	1993	0.59	0.59	92	0.59	1	56	0.36	56	1
02/17 (048-w)	12.9	26.3	31.2	12.9	12.9	1	26.3	1	31.2	1993	0.00	0.00	79	0.00	1	180	1.03	180	1
02/18 (049-t)	4.6	10.0	15.2	4.6	4.6	1	10.0	1	15.2	1993	0.00	0.00	64	0.00	1	377	1.00	377	1
02/19 (050-f)	5.4	17.8	28.5	5.4	5.4	1	17.8	1	28.5	1993	0.00	0.00	62	0.00	1	344	1.05	344	1
02/20 (051-s)	25.1	31.2	37.0	25.1	25.1	1	31.2	1	37.0	1993	0.00	0.00	67	0.00	1	224	1.14	224	1
02/21 (052-s)	31.1	40.8	54.7	31.1	31.1	1	40.8	1	54.7	1993	0.58	0.58	92	0.58	1	59	0.83	59	1
02/22 (053-m)	25.2	32.3	41.3	25.2	25.2	1	32.3	1	41.3	1993	0.00	0.00	82	0.00	1	141	0.91	141	1
02/23 (054-t)	18.6	23.5	26.7	18.6	18.6	1	23.5	1	26.7	1993	0.00	0.00	77	0.00	1	236	1.11	236	1
02/24 (055-w)	12.3	17.0	23.5	12.3	12.3	1	17.0	1	23.5	1993	0.00	0.00	63	0.00	1	394	1.08	394	1
02/25 (056-t)	10.7	18.2	25.4	10.7	10.7	1	18.2	1	25.4	1993	0.00	0.00	75	0.00	1	135	0.43	135	1
02/26 (057-f)	23.9	27.2	31.6	23.9	23.9	1	27.2	1	31.6	1993	0.03	0.03	95	0.03	1	56	0.18	56	1
02/27 (058-s)	14.6	24.3	36.3	14.6	14.6	1	24.3	1	36.3	1993	0.19	0.19	75	0.19	1	344	1.32	344	1
02/28 (059-s)	5.4	20.9	42.4	5.4	5.4	1	20.9	1	42.4	1993	0.00	0.00	73	0.00	1	419	1.20	419	1

Column Min's:	4.6	10.0	15.2	4.6	4.6	15.2
Column Avg's:	20.5	29.9	40.4	20.5	29.9	40.4
Column Max's:	35.6	46.4	66.9	35.6	46.4	66.9
Column Ttl's:				66.9	66.9	1.83

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min	max	precip	evap	ly	max												
mo da jul	Current	avg	year	avgm	liq	snow	Term	Ly/m	Lng-Tm											
			avgm	avgm	precip	evap	avg pr	ly	avg yrs											
			yr	yr	yr	yr	yr													
			max	max	max	max	max													
			yr	yr	yr	yr	yr													
11/01 (305-m)	26.6	35.3	43.1	26.6	1993	36.2	2	49.7	2	56.4	1992	0.00	0.00	75	0.29	2	150	0.86	91	2
11/02 (306-t)	22.2	35.9	50.0	22.2	1993	38.7	2	59.8	2	69.7	1992	0.00	0.00	79	0.21	2	194	0.72	140	2
11/03 (307-w)	33.2	40.9	44.4	33.2	1993	38.1	2	58.1	2	71.9	1992	0.08	0.08	91	0.04	2	32	0.15	169	2
11/04 (308-t)	31.6	48.7	59.5	31.6	1993	36.8	2	62.0	2	64.5	1992	0.02	0.02	90	0.03	2	71	0.41	54	2
11/05 (309-f)	40.0	55.1	65.3	35.9	1992	37.9	2	53.8	2	65.3	1993	0.03	0.03	77	0.22	2	197	0.99	121	2
11/06 (310-s)	33.6	37.8	40.5	33.6	1993	34.5	2	41.3	2	42.1	1992	0.01	0.01	84	0.01	2	63	0.38	101	2
11/07 (311-s)	22.1	30.6	34.9	22.1	1993	27.8	2	38.7	2	42.5	1992	0.00	0.00	75	0.00	2	106	0.42	127	2
11/08 (312-m)	17.9	31.2	51.7	17.9	1993	23.8	2	50.0	2	51.7	1993	0.00	0.00	75	0.00	2	263	0.89	252	2
11/09 (313-t)	23.4	35.8	56.9	23.4	1993	24.5	2	56.1	2	56.9	1993	0.00	0.00	72	0.00	2	260	0.92	228	2
11/10 (314-w)	20.6	37.1	60.8	20.6	1993	31.9	2	61.7	2	62.6	1992	0.00	0.00	70	0.00	2	289	0.79	211	2
11/11 (315-t)	25.4	43.1	62.0	25.4	1993	40.0	2	61.0	2	62.0	1992	0.00	0.00	65	0.19	2	237	0.80	133	2
11/12 (316-f)	46.7	55.4	68.1	42.5	1992	44.6	2	66.5	2	68.1	1993	0.00	0.00	48	0.36	2	230	0.88	134	2
11/13 (317-s)	47.9	55.0	61.8	30.2	1992	39.0	2	54.6	2	61.8	1993	0.81	0.81	88	0.41	2	40	0.22	133	2
11/14 (318-s)	57.9	64.4	75.7	25.0	1992	41.4	2	57.3	2	75.7	1993	0.99	0.99	92	0.50	2	71	0.68	117	2
11/15 (319-m)	47.4	58.2	65.3	19.9	1992	33.6	2	50.1	2	65.3	1993	0.00	0.00	85	0.00	2	120	0.67	134	2
11/16 (320-t)	38.7	48.5	57.8	16.5	1992	27.6	2	51.3	2	57.8	1993	0.00	0.00	86	0.00	2	170	0.65	201	2
11/17 (321-w)	44.9	53.6	64.5	38.4	1992	41.6	2	61.4	2	64.5	1993	1.21	1.21	97	0.60	2	63	1.04	76	2
11/18 (322-t)	39.8	44.5	53.1	39.8	1993	42.3	2	54.4	2	55.6	1992	0.00	0.00	77	0.08	2	220	0.94	150	2
11/19 (323-f)	42.2	46.7	51.3	40.9	1992	41.5	2	52.6	2	53.9	1992	0.01	0.01	89	0.01	2	26	0.26	66	2
11/20 (324-s)	25.6	34.3	42.1	25.6	1993	31.5	2	55.5	2	69.0	1992	0.00	0.00	58	0.00	2	260	0.76	251	2
11/21 (325-s)	22.8	35.5	53.4	22.8	1993	35.8	2	56.6	2	59.7	1992	0.00	0.00	71	0.18	2	250	0.93	147	2
11/22 (326-m)	24.2	39.0	60.5	24.2	1993	40.9	2	63.6	2	66.8	1992	0.00	0.00	71	0.17	2	253	0.75	152	2
11/23 (327-t)	26.7	38.7	54.1	26.7	1993	36.2	2	55.9	2	57.7	1992	0.00	0.00	82	0.00	2	116	0.98	80	2
11/24 (328-w)	37.0	49.1	61.9	37.0	1993	40.6	2	56.1	2	61.9	1993	0.00	0.00	75	0.24	2	130	0.74	93	2
11/25 (329-t)	41.0	48.9	58.6	41.0	1993	44.3	2	60.2	2	61.8	1992	0.00	0.00	73	0.00	2	212	0.66	149	2
11/26 (330-f)	45.8	53.7	65.6	38.9	1992	42.4	2	50.3	2	65.6	1993	0.17	0.17	76	0.08	2	166	0.98	124	2
11/27 (331-s)	29.4	38.7	55.4	29.4	1993	31.2	2	47.1	2	55.4	1993	0.56	0.56	98	0.28	2	27	0.14	33	2
11/28 (332-s)	26.6	31.9	37.7	26.6	1993	29.6	2	37.2	2	37.7	1993	0.02	0.02	91	0.02	2	86	0.84	69	2
11/29 (333-m)	26.5	30.8	33.6	24.4	1992	25.4	2	33.7	2	33.8	1992	0.00	0.00	77	0.00	2	52	0.29	65	2
11/30 (334-t)	28.1	34.2	43.6	21.4	1992	24.7	2	44.1	2	44.7	1992	0.00	0.00	70	0.01	2	220	0.70	181	2
Column Min's:	17.9	30.6	33.6	16.5		23.8		33.7		33.7		0.00	0.00	48	0.00		26	0.14	33	
Column Avg's:	33.2	43.1	54.4	35.5		44.2		53.8		53.8		0.13	0.13	79	0.13		152	0.68	133	
Column Max's:	57.9	64.4	75.7	44.6		55.8		66.5		75.7		1.21	1.21	98	0.60		289	1.04	252	
Column Ttl's:												3.91	3.91		3.93		4574		3982	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	precip	evap	ly	max										
mo da jul	Current	Long Term	avg yrs	avgmx yrs	liq	avg pr yrs	Ly/m	Lng-Trm										
	avg	avg	avg	avg	precip	avg	avg	avg										
12/01 (335-w)	23.8	36.9	23.8	1993	25.8	2	35.1	2	46.1	2	55.5	1993	0.00	0.00	206	0.66	181	2
12/02 (336-t)	28.7	43.4	28.7	1993	29.0	2	39.3	2	48.8	2	56.7	1993	0.06	0.06	101	0.73	89	2
12/03 (337-f)	46.7	48.8	28.5	1992	37.6	2	40.5	2	42.9	2	51.2	1993	0.26	0.13	24	0.13	49	2
12/04 (338-s)	50.5	54.6	30.7	1992	40.6	2	46.7	2	51.9	2	56.6	1993	0.84	0.43	18	0.08	39	2
12/05 (339-s)	40.3	42.4	15.1	1992	27.7	2	33.4	2	41.8	2	50.4	1993	0.06	0.03	45	0.19	88	2
12/06 (340-m)	37.0	41.8	14.5	1992	25.8	2	32.8	2	38.1	2	45.1	1993	0.00	0.00	20	0.14	50	2
12/07 (341-t)	32.1	37.5	29.4	1992	30.8	2	34.9	2	40.3	2	45.1	1993	0.00	0.00	157	0.88	104	2
12/08 (342-w)	26.1	36.2	26.1	1993	27.3	2	33.3	2	41.0	2	50.0	1993	0.00	0.00	208	0.73	132	2
12/09 (343-t)	25.0	40.6	25.0	1993	25.9	2	36.4	2	48.8	2	59.2	1993	0.00	0.04	181	0.72	177	2
12/10 (344-f)	38.6	50.3	32.9	1992	35.7	2	43.9	2	50.2	2	58.8	1993	0.05	0.23	60	0.71	43	2
12/11 (345-s)	21.0	28.5	21.0	1993	27.6	2	32.2	2	38.1	2	38.6	1993	0.00	0.01	163	0.86	90	2
12/12 (346-s)	13.7	25.2	13.7	1993	24.9	2	31.2	2	39.5	2	40.5	1993	0.00	0.00	240	0.68	137	2
12/13 (347-m)	18.7	31.4	18.7	1993	26.8	2	33.6	2	40.6	2	44.5	1993	0.00	0.00	148	0.74	90	2
12/14 (348-t)	33.8	41.9	27.3	1992	30.5	2	38.9	2	50.2	2	53.5	1992	0.02	0.01	82	0.87	89	2
12/15 (349-w)	38.6	40.8	24.9	1992	31.7	2	40.2	2	49.8	2	56.5	1992	0.05	0.04	47	0.21	89	2
12/16 (350-t)	37.7	39.6	37.7	1993	41.2	2	46.3	2	49.8	2	57.8	1992	0.00	0.00	44	0.22	41	2
12/17 (351-f)	37.3	39.4	36.5	1992	36.9	2	41.6	2	45.9	2	49.6	1992	0.01	0.16	35	0.18	73	2
12/18 (352-s)	34.7	40.1	28.5	1992	31.6	2	37.6	2	42.5	2	43.3	1993	0.02	0.01	28	0.14	70	2
12/19 (353-s)	36.0	37.7	28.8	1992	32.4	2	41.9	2	47.3	2	54.0	1992	0.00	0.04	72	0.71	78	2
12/20 (354-m)	33.3	36.3	20.0	1992	26.7	2	36.5	2	44.7	2	48.9	1992	0.15	0.16	40	0.17	73	2
12/21 (355-t)	28.4	30.4	17.7	1992	23.1	2	30.4	2	38.4	2	42.2	1992	0.00	0.00	89	0.93	112	2
12/22 (356-w)	27.1	31.1	27.1	1993	31.0	2	36.0	2	44.5	2	51.5	1992	0.03	0.02	112	0.74	151	2
12/23 (357-t)	24.2	29.0	24.2	1993	31.3	2	37.6	2	41.9	2	51.8	1992	0.01	0.01	92	0.67	115	2
12/24 (358-f)	25.2	26.9	14.8	1992	20.0	2	24.9	2	34.8	2	40.5	1992	0.00	0.00	96	0.51	142	2
12/25 (359-s)	12.7	24.6	12.7	1993	14.3	2	25.8	2	32.6	2	34.7	1992	0.00	0.01	41	0.20	36	2
12/26 (360-s)	8.8	17.1	8.8	1993	11.4	2	19.2	2	28.0	2	31.9	1992	0.00	0.00	80	0.37	151	2
12/27 (361-m)	13.1	20.6	11.3	1992	12.2	2	24.2	2	35.7	2	44.3	1992	0.00	0.00	127	0.59	179	2
12/28 (362-t)	--	--	35.7	1992	35.7	1	40.1	1	45.5	1	45.5	1992	--	0.05	--	--	67	1
12/29 (363-w)	--	--	42.3	1992	42.3	1	46.8	1	51.2	1	51.2	1992	--	0.08	--	--	39	1
12/30 (364-t)	--	--	51.0	1992	51.0	1	58.4	1	62.5	1	62.5	1992	--	0.00	--	--	36	1
12/31 (365-f)	--	--	34.8	1992	34.8	1	53.0	1	61.4	1	61.4	1992	--	0.08	--	--	19	1
Column Min's:	8.8	17.1	8.8		11.4		19.2		28.0		28.0		0.00	0.00	18	0.08	19	
Column Avg's:	29.4	36.0	29.8		37.2		44.3		44.3		44.3		0.06	0.05	95	0.51	91	
Column Max's:	50.5	54.6	51.0		58.4		62.5		62.5		62.5		0.84	0.43	240	0.93	181	
Column Ttl's:													1.56	1.61	2556		2829	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION							
	min	max	min	year avg	max	long term avg	precip	evap	hum %	ly	max	avg						
03/01 (060-m)	9.7	30.5	9.7	30.5	47.6	1	47.6	1	47.6	1993	0.00	67	0.00	1	416	1.14	416	1
03/02 (061-t)	29.8	40.6	29.8	40.6	49.8	1	49.8	1	49.8	1993	0.00	72	0.00	1	145	0.49	145	1
03/03 (062-w)	37.9	45.0	37.9	45.0	50.6	1	50.6	1	50.6	1993	0.09	89	0.09	1	93	0.56	93	1
03/04 (063-t)	34.6	42.3	34.6	42.3	47.6	1	47.6	1	47.6	1993	1.13	91	1.13	1	63	0.28	63	1
03/05 (064-f)	32.4	33.3	32.4	33.3	34.8	1	34.8	1	34.8	1993	0.07	93	0.07	1	48	0.33	48	1
03/06 (065-s)	27.8	36.1	27.8	36.1	46.3	1	46.3	1	46.3	1993	0.00	76	0.00	1	393	1.16	393	1
03/07 (066-s)	24.1	38.9	24.1	38.9	52.4	1	52.4	1	52.4	1993	0.07	80	0.07	1	230	0.90	230	1
03/08 (067-m)	38.6	41.4	38.6	41.4	46.0	1	46.0	1	46.0	1993	0.00	82	0.00	1	176	1.37	176	1
03/09 (068-t)	31.9	38.9	31.9	38.9	44.3	1	44.3	1	44.3	1993	0.00	76	0.00	1	207	1.12	207	1
03/10 (069-w)	32.7	40.2	32.7	40.2	54.2	1	54.2	1	54.2	1993	0.07	80	0.07	1	260	1.38	260	1
03/11 (070-t)	25.4	33.2	25.4	33.2	39.0	1	39.0	1	39.0	1993	0.00	77	0.00	1	224	1.39	224	1
03/12 (071-f)	24.4	31.1	24.4	31.1	36.4	1	36.4	1	36.4	1993	0.00	85	0.00	1	149	0.53	149	1
03/13 (072-s)	17.6	21.8	17.6	21.8	28.1	1	28.1	1	28.1	1993	0.01	88	0.01	1	101	0.31	101	1
03/14 (073-s)	7.0	16.6	7.0	16.6	23.3	1	23.3	1	23.3	1993	0.00	64	0.00	1	427	1.40	427	1
03/15 (074-m)	-2.1	22.4	-2.1	22.4	41.6	1	41.6	1	41.6	1993	0.06	63	0.06	1	474	1.20	474	1
03/16 (075-t)	33.5	42.8	33.5	42.8	51.1	1	51.1	1	51.1	1993	0.12	54	0.12	1	246	1.30	246	1
03/17 (076-w)	22.6	35.0	22.6	35.0	43.5	1	43.5	1	43.5	1993	0.23	87	0.23	1	74	0.39	74	1
03/18 (077-t)	15.7	23.5	15.7	23.5	33.7	1	33.7	1	33.7	1993	0.00	53	0.00	1	511	1.21	511	1
03/19 (078-f)	18.9	33.1	18.9	33.1	44.1	1	44.1	1	44.1	1993	0.00	49	0.00	1	278	1.08	278	1
03/20 (079-s)	35.4	41.9	35.4	41.9	48.5	1	48.5	1	48.5	1993	0.10	79	0.10	1	122	0.65	122	1
03/21 (080-s)	39.2	42.4	39.2	42.4	46.6	1	46.6	1	46.6	1993	0.00	89	0.00	1	143	0.53	143	1
03/22 (081-m)	34.8	47.2	34.8	47.2	58.8	1	58.8	1	58.8	1993	0.00	80	0.00	1	310	1.21	310	1
03/23 (082-t)	47.2	54.2	47.2	54.2	59.5	1	59.5	1	59.5	1993	0.71	90	0.71	1	64	0.29	64	1
03/24 (083-w)	40.2	51.8	40.2	51.8	61.5	1	61.5	1	61.5	1993	0.00	74	0.00	1	377	1.39	377	1
03/25 (084-t)	40.1	52.8	40.1	52.8	68.6	1	68.6	1	68.6	1993	0.00	78	0.00	1	380	1.23	380	1
03/26 (085-f)	45.4	59.4	45.4	59.4	73.3	1	73.3	1	73.3	1993	0.00	63	0.00	1	487	1.17	487	1
03/27 (086-s)	45.1	48.9	45.1	48.9	55.1	1	55.1	1	55.1	1993	0.18	88	0.18	1	96	0.48	96	1
03/28 (087-s)	45.4	47.6	45.4	47.6	51.4	1	51.4	1	51.4	1993	0.02	91	0.02	1	68	0.28	68	1
03/29 (088-m)	43.1	48.8	43.1	48.8	55.0	1	55.0	1	55.0	1993	0.00	90	0.00	1	105	0.49	105	1
03/30 (089-t)	42.4	53.6	42.4	53.6	66.5	1	66.5	1	66.5	1993	0.00	83	0.00	1	346	1.46	346	1
03/31 (090-w)	42.4	53.3	42.4	53.3	63.3	1	63.3	1	63.3	1993	0.60	87	0.60	1	131	0.48	131	1

Column	Min/s:	Avg/s:	Max/s:	Ttl/s:
Column Min/s:	-2.1	16.6	23.3	48
Column Avg/s:	31.1	40.3	49.1	230
Column Max/s:	47.2	59.4	73.3	511
Column Ttl/s:				7144

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N									
	mo	da	jul	min	avg	max	min	year	avgm	yr	max	yr	ly	ly/m	avg	yr			
04/01	(091-t)	46.1	52.5	56.9	46.1	1	52.5	1	56.9	1	56.9	1993	0.02	0.02	1	188	0.90	188	1
04/02	(092-f)	34.8	37.9	46.6	34.8	1	37.9	1	46.6	1	46.6	1993	0.03	0.03	1	64	0.48	64	1
04/03	(093-s)	32.0	40.1	49.8	32.0	1	40.1	1	49.8	1	49.8	1993	0.01	0.01	1	455	1.70	455	1
04/04	(094-s)	32.6	41.9	51.6	32.6	1	41.9	1	51.6	1	51.6	1993	0.00	0.00	1	504	1.24	504	1
04/05	(095-m)	38.7	43.3	48.9	38.7	1	43.3	1	48.9	1	48.9	1993	0.03	0.03	1	120	0.62	120	1
04/06	(096-t)	42.3	48.3	56.9	42.3	1	48.3	1	56.9	1	56.9	1993	0.00	0.00	1	227	0.65	227	1
04/07	(097-w)	35.7	53.8	69.5	35.7	1	53.8	1	69.5	1	69.5	1993	0.00	0.00	1	434	1.60	434	1
04/08	(098-t)	40.2	59.3	76.0	40.2	1	59.3	1	76.0	1	76.0	1993	0.00	0.00	1	436	1.42	436	1
04/09	(099-f)	49.9	55.6	66.0	49.9	1	55.6	1	66.0	1	66.0	1993	0.41	0.41	1	84	0.89	84	1
04/10	(100-s)	37.4	50.9	60.0	37.4	1	50.9	1	60.0	1	60.0	1993	0.02	0.02	1	563	1.47	563	1
04/11	(101-s)	33.3	54.0	73.6	33.3	1	54.0	1	73.6	1	73.6	1993	0.00	0.00	1	450	1.54	450	1
04/12	(102-m)	43.2	50.3	54.3	43.2	1	50.3	1	54.3	1	54.3	1993	0.00	0.00	1	366	1.70	366	1
04/13	(103-t)	40.7	51.5	63.9	40.7	1	51.5	1	63.9	1	63.9	1993	0.00	0.00	1	435	1.62	435	1
04/14	(104-w)	46.9	52.2	57.7	46.9	1	52.2	1	57.7	1	57.7	1993	0.17	0.17	1	123	0.62	123	1
04/15	(105-t)	46.8	62.7	77.7	46.8	1	62.7	1	77.7	1	77.7	1993	0.39	0.39	1	239	0.90	239	1
04/16	(106-f)	41.1	48.0	58.7	41.1	1	48.0	1	58.7	1	58.7	1993	0.01	0.01	1	139	1.03	139	1
04/17	(107-s)	34.9	43.6	54.4	34.9	1	43.6	1	54.4	1	54.4	1993	0.00	0.00	1	338	1.85	338	1
04/18	(108-s)	29.5	49.7	66.6	29.5	1	49.7	1	66.6	1	66.6	1993	0.00	0.00	1	588	1.39	588	1
04/19	(109-m)	39.3	55.6	67.9	39.3	1	55.6	1	67.9	1	67.9	1993	0.01	0.01	1	176	1.12	176	1
04/20	(110-t)	49.6	64.2	72.2	49.6	1	64.2	1	72.2	1	72.2	1993	0.21	0.21	1	203	1.60	203	1
04/21	(111-w)	35.3	42.3	49.9	35.3	1	42.3	1	49.9	1	49.9	1993	0.04	0.04	1	75	0.28	75	1
04/22	(112-t)	30.9	45.7	56.7	30.9	1	45.7	1	56.7	1	56.7	1993	0.01	0.01	1	558	1.60	558	1
04/23	(113-f)	40.8	54.2	66.3	40.8	1	54.2	1	66.3	1	66.3	1993	0.00	0.00	1	611	1.42	611	1
04/24	(114-s)	45.7	58.8	73.2	45.7	1	58.8	1	73.2	1	73.2	1993	0.32	0.32	1	249	1.15	249	1
04/25	(115-s)	55.1	64.4	71.9	55.1	1	64.4	1	71.9	1	71.9	1993	0.35	0.35	1	127	1.21	127	1
04/26	(116-m)	36.4	47.6	55.1	36.4	1	47.6	1	55.1	1	55.1	1993	0.37	0.37	1	363	1.86	363	1
04/27	(117-t)	31.2	48.0	65.7	31.2	1	48.0	1	65.7	1	65.7	1993	0.00	0.00	1	654	1.42	654	1
04/28	(118-w)	33.1	56.5	76.6	33.1	1	56.5	1	76.6	1	76.6	1993	0.00	0.00	1	529	1.57	529	1
04/29	(119-t)	42.1	62.5	77.1	42.1	1	62.5	1	77.1	1	77.1	1993	0.00	0.00	1	586	1.57	586	1
04/30	(120-f)	54.7	63.7	74.3	54.7	1	63.7	1	74.3	1	74.3	1993	0.00	0.00	1	365	1.73	365	1
Column Min's:		29.5	37.9	46.6	29.5		37.9		46.6		46.6		0.00	0.00		64	0.28	64	
Column Avg's:		40.0	52.0	63.2	40.0		52.0		63.2		63.2		0.08	0.08		342	1.27	342	
Column Max's:		55.1	64.4	77.7	55.1		64.4		77.7		77.7		0.41	0.41		654	1.86	654	
Column Ttl's:													2.40	2.40		10249		10249	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	precip	evap	ly	max										
mo da jul	Current	Long Term	avg yrs	avgmx yrs	liq	% hum	Long Term	Ly/m										
	avg	avg	avg	avg	precip	avg	avg	avg										
					year		pr yrs											
					max year													
05/01 (121-s)	51.4	66.1	81.2	1	81.2	1	81.2	1993	0.00	--	--	62	0.00	1	523	1.35	523	1
05/02 (122-s)	49.2	65.4	80.5	1	80.5	1	80.5	1993	0.00	--	--	64	0.00	1	416	1.47	416	1
05/03 (123-m)	59.0	65.4	76.3	1	76.3	1	76.3	1993	0.02	--	--	73	0.02	1	254	1.19	254	1
05/04 (124-t)	60.3	65.1	74.6	1	74.6	1	74.6	1993	0.28	--	--	83	0.28	1	333	1.78	333	1
05/05 (125-w)	58.4	65.2	74.9	1	74.9	1	74.9	1993	0.02	--	--	81	0.02	1	377	1.68	377	1
05/06 (126-t)	52.6	64.5	78.4	1	78.4	1	78.4	1993	0.00	--	--	70	0.00	1	595	1.41	595	1
05/07 (127-f)	45.4	63.1	80.9	1	80.9	1	80.9	1993	0.00	--	--	60	0.00	1	647	1.38	647	1
05/08 (128-s)	45.4	66.3	87.1	1	87.1	1	87.1	1993	0.00	--	--	60	0.00	1	638	1.35	638	1
05/09 (129-s)	53.5	70.3	86.4	1	86.4	1	86.4	1993	0.00	--	--	73	0.00	1	492	1.34	492	1
05/10 (130-m)	59.6	70.5	86.8	1	86.8	1	86.8	1993	0.00	--	--	78	0.00	1	421	1.35	421	1
05/11 (131-t)	60.2	69.7	85.9	1	85.9	1	85.9	1993	0.53	--	--	82	0.53	1	428	1.30	428	1
05/12 (132-w)	57.6	65.9	76.2	1	76.2	1	76.2	1993	0.31	--	--	84	0.31	1	215	1.45	215	1
05/13 (133-t)	47.1	55.6	64.6	1	64.6	1	64.6	1993	0.08	--	--	69	0.08	1	452	1.72	452	1
05/14 (134-f)	38.6	56.9	71.6	1	71.6	1	71.6	1993	0.00	--	--	61	0.00	1	639	1.37	639	1
05/15 (135-s)	46.5	66.3	79.8	1	79.8	1	79.8	1993	0.00	--	--	59	0.00	1	656	1.39	656	1
05/16 (136-s)	54.4	63.9	73.4	1	73.4	1	73.4	1993	0.02	--	--	74	0.02	1	295	1.51	295	1
05/17 (137-m)	44.2	59.9	73.4	1	73.4	1	73.4	1993	0.00	--	--	61	0.00	1	665	1.40	665	1
05/18 (138-t)	52.3	54.4	57.2	1	57.2	1	57.2	1993	0.74	--	--	88	0.74	1	90	0.55	90	1
05/19 (139-w)	43.1	54.8	62.4	1	62.4	1	62.4	1993	0.00	--	--	72	0.00	1	528	1.61	528	1
05/20 (140-t)	37.5	50.6	64.0	1	64.0	1	64.0	1993	0.00	--	--	65	0.00	1	473	1.77	473	1
05/21 (141-f)	36.6	50.9	63.8	1	63.8	1	63.8	1993	0.00	--	--	69	0.00	1	497	1.63	497	1
05/22 (142-s)	36.8	55.5	73.5	1	73.5	1	73.5	1993	0.00	--	--	59	0.00	1	677	1.42	677	1
05/23 (143-s)	47.4	61.5	76.3	1	76.3	1	76.3	1993	0.00	--	--	63	0.00	1	399	1.58	399	1
05/24 (144-m)	64.0	68.9	73.1	1	73.1	1	73.1	1993	0.00	--	--	58	0.00	1	226	1.06	226	1
05/25 (145-t)	57.7	64.9	71.0	1	71.0	1	71.0	1993	0.00	--	--	66	0.00	1	493	1.52	493	1
05/26 (146-w)	46.0	60.4	73.7	1	73.7	1	73.7	1993	0.01	--	--	62	0.01	1	672	1.72	672	1
05/27 (147-t)	43.8	63.0	79.2	1	79.2	1	79.2	1993	0.00	--	--	62	0.00	1	652	1.47	652	1
05/28 (148-f)	53.2	71.0	84.2	1	84.2	1	84.2	1993	0.00	--	--	62	0.00	1	632	1.49	632	1
05/29 (149-s)	52.6	63.2	72.2	1	72.2	1	72.2	1993	0.00	--	--	70	0.00	1	505	1.76	505	1
05/30 (150-s)	45.8	64.7	81.1	1	81.1	1	81.1	1993	0.39	--	--	66	0.39	1	676	1.36	676	1
05/31 (151-m)	53.4	62.9	69.9	1	62.9	1	69.9	1993	0.06	--	--	81	0.06	1	254	1.61	254	1

Column Min's:	36.6	50.6	57.2	36.6	50.6	57.2	58	0.00	90	0.55	90
Column Avg's:	50.1	62.8	75.3	50.1	62.8	75.3	69	0.08	478	1.45	478
Column Max's:	64.0	71.0	87.1	64.0	71.0	87.1	88	0.74	677	1.78	677
Column Ttl's:									14820		14820

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	max	min	avg	max	prec	liq	ly	max			
mo da jul	Current	Long Term			
	min	avg	max	avg yrs	avgm yrs	avgmx yrs	max year	prec	snow	evap	hum	Long Term	avg yrs
06/01 (152-t)	42.4	54.2	66.6	42.4	51.2	60.2	2 69.5	2 72.3	0.00	0.00	68	0.00	2 654
06/02 (153-w)	42.5	53.3	65.5	42.5	51.4	60.5	2 71.3	2 77.2	0.00	0.00	80	0.00	2 207
06/03 (154-t)	51.9	64.1	77.9	51.9	59.3	67.7	2 79.9	2 81.8	0.00	0.01	68	0.01	2 484
06/04 (155-f)	56.8	60.6	64.9	56.8	62.0	65.4	2 69.4	2 74.8	0.69	0.61	87	0.61	2 76
06/05 (156-s)	49.2	60.2	64.9	49.2	59.4	66.7	2 72.1	2 79.3	0.00	0.09	79	0.09	2 226
06/06 (157-s)	43.2	60.8	74.1	43.2	59.3	69.2	2 78.8	2 83.5	0.00	0.22	69	0.22	2 610
06/07 (158-m)	52.8	69.4	81.7	52.8	64.6	74.4	2 83.3	2 85.0	0.00	0.00	76	0.00	2 498
06/08 (159-t)	65.4	78.3	89.3	65.4	67.6	78.6	2 87.7	2 89.3	0.01	0.09	74	0.09	2 558
06/09 (160-w)	68.5	75.1	85.2	65.7	67.1	73.2	2 82.0	2 85.2	0.01	0.01	72	0.01	2 317
06/10 (161-t)	64.5	74.5	86.7	64.5	60.7	71.1	2 82.4	2 86.7	0.61	0.31	73	0.31	2 564
06/11 (162-f)	65.7	72.5	81.1	65.7	61.8	70.8	2 81.3	2 84.5	0.04	0.02	82	0.02	2 313
06/12 (163-s)	65.0	70.2	81.7	65.0	65.5	72.6	2 82.9	2 81.0	0.00	0.00	82	0.00	2 251
06/13 (164-s)	66.0	73.3	83.9	66.0	67.4	75.0	2 85.0	2 86.1	0.00	0.00	78	0.00	2 410
06/14 (165-m)	60.7	72.8	85.1	60.7	65.8	74.2	2 82.0	2 85.1	0.04	0.06	77	0.06	2 494
06/15 (166-t)	59.5	71.3	81.2	59.5	66.8	76.8	2 85.7	2 90.2	0.00	0.01	65	0.01	2 664
06/16 (167-w)	53.2	68.9	84.5	53.2	61.5	73.9	2 86.6	2 88.6	0.00	0.00	68	0.00	2 646
06/17 (168-t)	55.2	73.0	88.6	55.2	64.4	77.4	2 89.7	2 90.8	0.00	0.00	68	0.00	2 644
06/18 (169-f)	65.1	77.2	89.8	65.1	67.4	77.5	2 86.6	2 89.8	0.00	0.89	75	0.89	2 544
06/19 (170-s)	64.4	78.5	91.1	63.0	63.7	76.7	2 85.2	2 91.1	0.00	0.00	62	0.00	2 606
06/20 (171-s)	65.8	75.0	87.2	58.6	62.2	68.7	2 76.5	2 87.2	0.31	0.16	74	0.16	2 460
06/21 (172-m)	61.0	72.4	82.4	49.6	55.3	65.5	2 74.0	2 82.4	0.11	0.06	74	0.06	2 450
06/22 (173-t)	57.2	71.0	85.1	49.0	53.1	65.8	2 78.2	2 85.1	0.00	0.00	70	0.00	2 650
06/23 (174-w)	61.3	73.9	86.6	55.5	58.4	70.0	2 81.5	2 86.6	0.00	0.00	70	0.00	2 608
06/24 (175-t)	60.5	75.6	90.5	60.1	60.3	73.0	2 85.0	2 90.5	0.49	0.28	69	0.28	2 573
06/25 (176-f)	67.5	77.2	87.2	64.6	66.1	75.9	2 85.1	2 87.2	0.00	0.00	72	0.00	2 605
06/26 (177-s)	62.7	73.4	83.8	62.7	64.1	74.3	2 84.3	2 84.7	0.74	0.37	69	0.37	2 546
06/27 (178-s)	60.1	73.2	87.0	54.2	57.1	70.2	2 82.6	2 87.0	0.20	0.10	64	0.10	2 679
06/28 (179-m)	60.2	69.2	85.9	58.4	59.3	69.6	2 84.0	2 85.9	0.09	0.05	77	0.05	2 426
06/29 (180-t)	66.1	71.9	82.2	62.4	64.3	73.0	2 84.1	2 85.9	0.51	0.26	34	0.26	2 358
06/30 (181-w)	68.5	73.2	82.9	68.5	71.1	77.3	2 86.4	2 90.0	0.72	0.60	27	0.60	2 310
Column Min's:	42.4	53.3	64.0	42.4	51.2	60.2	69.4	0.00	0.00	27	0.00	0.00	76
Column Avg's:	59.4	70.5	82.1	61.8	71.5	71.5	81.4	0.15	0.15	70	0.14	0.15	481
Column Max's:	68.5	78.5	91.1	71.1	78.6	78.6	89.7	0.74	0.74	87	0.89	0.74	679
Column Ttl's:								4.57	4.57	14431	4.20	4.57	14059

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	max	min	year avg	max	prec	liq	evap	hum	ly	max	Lng-Trm
mo da julCurrent.....Long Term.....
	min	avg	max	min	year avg	max	prec	liq	evap	hum	ly	max	Lng-Trm
07/01 (182-t)	69.7	73.3	80.5	69.7	1993	73.6	2	79.6	2	85.9	2	91.2	1992
07/02 (183-f)	70.5	77.5	86.9	70.5	1993	74.9	2	82.0	2	89.8	2	92.6	1992
07/03 (184-s)	69.7	77.5	88.8	69.7	1993	70.0	2	77.6	2	86.5	2	88.8	1993
07/04 (185-s)	69.4	79.7	92.3	64.4	1992	66.9	2	76.4	2	87.2	2	92.3	1993
07/05 (186-m)	68.9	81.5	92.8	67.7	1992	68.3	2	78.4	2	89.1	2	92.8	1993
07/06 (187-t)	70.0	78.6	88.5	59.4	1992	64.7	2	74.8	2	83.6	2	88.5	1993
07/07 (188-w)	67.9	79.7	90.8	58.5	1992	63.2	2	74.4	2	84.7	2	90.8	1993
07/08 (189-t)	70.3	81.3	92.3	66.0	1992	68.1	2	80.2	2	90.6	2	92.3	1993
07/09 (190-f)	70.0	82.2	93.1	70.0	1993	72.6	2	81.9	2	92.3	2	93.1	1993
07/10 (191-s)	68.9	77.1	92.0	68.9	1993	70.2	2	79.3	2	91.6	2	92.0	1993
07/11 (192-s)	67.0	78.9	90.7	67.0	1993	71.3	2	81.2	2	91.5	2	92.3	1992
07/12 (193-m)	67.1	75.8	86.4	67.1	1993	74.5	2	82.2	2	91.1	2	95.8	1992
07/13 (194-t)	67.1	77.9	90.4	67.1	1993	72.6	2	80.9	2	90.6	2	90.9	1992
07/14 (195-w)	67.7	75.7	88.2	67.7	1993	70.8	2	78.6	2	88.8	2	89.4	1992
07/15 (196-t)	67.2	72.6	75.8	67.2	1993	68.1	2	74.0	2	78.6	2	81.3	1992
07/16 (197-f)	62.8	73.7	84.3	62.8	1993	66.0	2	76.8	2	86.3	2	88.4	1992
07/17 (198-s)	67.0	74.6	86.4	67.0	1993	69.5	2	75.4	2	83.6	2	86.4	1993
07/18 (199-s)	64.0	77.5	90.5	64.0	1993	67.8	2	77.7	2	88.4	2	90.5	1993
07/19 (200-m)	73.0	78.9	87.0	72.5	1992	72.8	2	79.7	2	87.9	2	88.7	1992
07/20 (201-t)	63.8	75.7	87.5	63.8	1993	67.9	2	78.0	2	88.9	2	90.2	1992
07/21 (202-w)	64.3	73.4	85.4	64.3	1993	67.6	2	74.4	2	84.8	2	85.4	1993
07/22 (203-t)	63.9	72.7	82.7	63.9	1993	66.7	2	73.3	2	82.5	2	82.7	1993
07/23 (204-f)	61.7	71.3	83.7	61.7	1993	68.3	2	76.0	2	85.5	2	87.2	1992
07/24 (205-s)	58.4	73.3	88.6	58.4	1993	65.9	2	78.0	2	90.1	2	91.6	1992
07/25 (206-s)	66.2	78.9	93.0	66.2	1993	68.0	2	78.2	2	90.1	2	93.0	1993
07/26 (207-m)	70.4	80.5	93.3	70.4	1993	72.8	2	80.0	2	90.0	2	93.3	1993
07/27 (208-t)	66.5	78.4	92.1	66.5	1993	69.2	2	78.7	2	88.1	2	92.1	1993
07/28 (209-w)	66.3	82.4	96.2	66.3	1993	66.7	2	78.7	2	90.2	2	96.2	1993
07/29 (210-t)	67.4	76.6	84.1	67.4	1993	67.4	2	76.1	2	84.8	2	85.5	1992
07/30 (211-f)	58.4	70.5	79.7	58.4	1993	63.0	2	73.3	2	83.2	2	86.6	1992
07/31 (212-s)	53.9	70.3	86.5	53.9	1993	57.8	2	70.7	2	81.7	2	86.5	1993
Column Min's:	53.9	70.3	75.8	53.9	57.8	70.7	78.6	0.00	0.00	0.00	157	0.52	211
Column Avg's:	66.4	76.7	88.1	66.4	77.6	82.2	87.4	0.05	0.15	0.15	531	1.49	481
Column Max's:	73.0	82.4	96.2	73.0	82.2	96.2	92.3	0.70	1.30	1.30	659	1.85	623
Column Ttl's:								1.57	4.76	4.76	16464	14899	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION												
	min	avg	min	avg	prec	evap	max	avg											
mo da jul	Current	Long Term	Year	Year	Liq	Year	Ly/m	Term											
	min	avg	min	avg	prec	evap	ly/m	avg											
	max	max	avg	avg	pr	pr	pr	pr											
	max	max	avg	avg	pr	pr	pr	pr											
08/01 (213-s)	54.4	72.5	87.9	54.4	1993	55.9	2	70.1	2	83.9	2	87.9	1993	0.00	0.00	524	1.62	587	2
08/02 (214-m)	61.6	75.6	85.4	59.3	1992	60.5	2	72.7	2	83.2	2	85.4	1993	0.00	0.00	498	1.77	536	2
08/03 (215-t)	55.8	69.8	83.7	55.8	1993	59.9	2	70.4	2	82.2	2	83.7	1993	0.00	0.19	501	1.54	398	2
08/04 (216-w)	60.5	68.0	79.6	59.5	1992	60.0	2	70.0	2	79.5	2	79.6	1993	0.21	0.10	356	1.65	482	2
08/05 (217-t)	54.3	66.1	76.7	54.3	1993	56.6	2	67.1	2	78.4	2	80.0	1992	0.00	0.00	565	1.41	540	2
08/06 (218-f)	58.8	67.2	80.1	57.4	1992	58.1	2	68.6	2	81.4	2	82.6	1992	0.00	0.00	437	1.60	503	2
08/07 (219-s)	57.0	68.4	80.6	57.0	1993	61.6	2	71.9	2	82.2	2	83.8	1992	0.00	0.00	502	1.68	469	2
08/08 (220-s)	51.1	68.0	85.2	51.1	1993	62.3	2	72.1	2	83.2	2	85.2	1993	0.00	0.00	581	1.46	383	2
08/09 (221-m)	52.6	70.1	88.0	52.6	1993	61.3	2	74.8	2	88.7	2	89.5	1992	0.00	0.00	596	1.37	589	2
08/10 (222-t)	54.0	70.4	86.6	54.0	1993	62.1	2	75.3	2	89.4	2	92.2	1992	0.10	0.05	361	1.43	412	2
08/11 (223-w)	66.9	74.4	85.6	61.9	1992	64.4	2	74.3	2	83.8	2	85.6	1993	0.04	0.02	420	1.36	353	2
08/12 (224-t)	65.8	72.3	84.0	59.6	1992	62.7	2	70.8	2	82.6	2	84.0	1993	0.10	0.05	294	1.28	438	2
08/13 (225-f)	68.9	75.1	87.7	60.4	1992	64.6	2	72.1	2	84.1	2	87.7	1993	0.01	0.01	325	1.74	363	2
08/14 (226-s)	64.4	77.2	92.2	62.9	1992	63.7	2	72.0	2	84.6	2	92.2	1993	0.00	0.02	564	1.32	434	2
08/15 (227-s)	60.9	76.7	94.0	60.6	1992	60.7	2	71.3	2	83.5	2	94.0	1993	0.00	0.22	512	1.32	360	2
08/16 (228-m)	66.9	75.9	85.1	61.2	1992	64.0	2	71.8	2	80.9	2	85.1	1993	0.03	0.02	281	1.45	321	2
08/17 (229-t)	69.7	75.8	88.5	64.0	1992	66.8	2	72.8	2	83.6	2	88.5	1993	0.57	0.29	438	1.59	437	2
08/18 (230-w)	66.9	76.2	90.1	63.4	1992	65.1	2	73.7	2	85.9	2	90.1	1993	0.00	0.00	407	1.40	446	2
08/19 (231-t)	68.0	76.6	91.9	63.6	1992	65.8	2	72.7	2	82.8	2	91.9	1993	0.01	0.01	475	1.32	333	2
08/20 (232-f)	66.9	75.5	86.2	58.6	1992	62.7	2	71.1	2	81.5	2	86.2	1993	0.00	0.00	325	1.48	418	2
08/21 (233-s)	62.2	72.5	85.7	55.4	1992	58.8	2	70.7	2	84.2	2	85.7	1993	0.00	0.00	508	1.44	510	2
08/22 (234-s)	57.3	71.6	87.6	57.3	1993	61.4	2	71.5	2	82.7	2	87.6	1993	0.00	0.01	450	1.35	335	2
08/23 (235-m)	61.7	76.7	93.4	61.7	1993	65.7	2	76.2	2	88.1	2	93.4	1993	0.00	0.00	518	1.44	402	2
08/24 (236-t)	67.8	77.6	95.1	67.8	1993	69.6	2	78.3	2	91.9	2	95.1	1993	0.20	0.10	386	1.50	421	2
08/25 (237-w)	68.9	78.8	94.9	68.9	1993	70.1	2	80.0	2	93.9	2	94.9	1993	0.00	0.00	473	1.28	480	2
08/26 (238-t)	68.8	79.1	95.3	68.8	1993	70.8	2	80.5	2	93.9	2	95.3	1993	0.00	0.00	419	1.29	424	2
08/27 (239-f)	71.2	81.2	93.8	69.0	1992	70.1	2	79.0	2	90.9	2	93.8	1993	0.00	0.30	428	1.19	384	2
08/28 (240-s)	69.9	77.5	95.0	61.1	1992	65.5	2	72.8	2	83.8	2	95.0	1993	0.40	0.56	363	1.36	240	2
08/29 (241-s)	68.4	79.5	96.8	51.1	1992	59.7	2	71.3	2	85.5	2	96.8	1993	0.00	0.00	488	1.22	518	2
08/30 (242-m)	68.8	80.5	96.5	56.0	1992	62.4	2	74.8	2	89.0	2	96.5	1993	0.00	0.00	455	1.19	468	2
08/31 (243-t)	69.1	80.2	93.5	58.0	1992	63.6	2	73.8	2	85.4	2	93.5	1993	0.00	0.00	463	1.30	506	2
Column Min/s:	51.1	66.1	76.7	51.1		55.9		67.1		78.4		96.8		0.00	0.00	281	1.19	240	
Column Avg/s:	63.2	74.4	88.6	63.1		70.8		73.0		85.0		93.9		0.05	0.06	449	1.43	435	
Column Max/s:	71.2	81.2	96.8	71.2		80.5		80.5		93.9		96.8		0.57	0.56	596	1.77	589	
Column Ttl/s:														1.67	1.95	13913		13490	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	max	min year	max year	prec	liq	ly	max								
mo da jul	Current	Current	avgm yrs	avgm yrs	prec	liq	ly	ly/m								
	min	max	avg yrs	avg yrs	evap	hum	ly	avg yrs								
	avg	avg	Long Term	Long Term	avg	pr	Term	avg yrs								
			avgm yrs	avgm yrs	avg	pr	Term	avg yrs								
09/01 (244-w)	69.9	72.9	78.5	69.5	2	79.4	2	80.3	1992	0.28	0.14	2	188	1.02	351	2
09/02 (245-t)	68.9	77.4	90.6	73.8	2	85.5	2	90.6	1993	0.00	0.01	2	355	1.26	299	2
09/03 (246-f)	66.9	74.4	85.7	73.0	2	81.4	2	85.7	1993	1.25	0.64	2	172	1.42	166	2
09/04 (247-s)	56.9	66.7	78.6	70.1	2	80.2	2	81.8	1992	0.00	0.00	2	379	1.50	291	2
09/05 (248-s)	55.3	67.2	83.1	71.4	2	83.6	2	84.1	1992	0.00	0.00	2	506	1.43	414	2
09/06 (249-m)	57.7	69.1	84.4	72.3	2	84.8	2	85.2	1992	0.01	0.01	2	484	1.30	445	2
09/07 (250-t)	59.7	68.5	78.7	72.1	2	83.1	2	87.5	1992	0.00	0.00	2	343	1.48	336	2
09/08 (251-w)	57.5	68.2	80.3	71.9	2	83.1	2	85.9	1992	0.00	0.01	2	401	1.51	362	2
09/09 (252-t)	58.0	70.2	81.4	73.7	2	85.2	2	89.1	1992	0.00	0.00	2	330	1.20	386	2
09/10 (253-f)	48.0	65.0	72.6	67.4	2	76.0	2	79.5	1992	0.00	0.00	2	529	1.41	430	2
09/11 (254-s)	41.0	55.5	71.8	57.1	2	71.1	2	71.8	1993	0.00	0.00	2	537	1.24	475	2
09/12 (255-s)	43.6	62.8	75.5	61.0	2	74.2	2	75.5	1993	0.00	0.00	2	251	1.36	375	2
09/13 (256-m)	58.1	73.1	88.6	68.5	2	84.6	2	88.6	1993	0.00	0.00	2	478	1.20	467	2
09/14 (257-t)	63.2	77.8	89.8	73.9	2	87.4	2	89.8	1993	0.00	0.00	2	451	1.16	428	2
09/15 (258-w)	58.6	67.0	79.0	69.4	2	83.0	2	87.1	1992	0.30	0.16	2	116	0.61	281	2
09/16 (259-t)	56.6	61.7	68.6	66.4	2	77.3	2	85.9	1992	0.01	0.01	2	232	1.05	316	2
09/17 (260-f)	55.5	63.6	73.4	67.7	2	79.4	2	85.4	1992	0.00	0.00	2	248	1.36	319	2
09/18 (261-s)	54.9	63.1	77.0	67.2	2	75.4	2	77.0	1993	0.00	0.24	2	378	1.24	242	2
09/19 (262-s)	51.1	63.9	77.4	63.1	2	74.8	2	77.4	1993	0.00	0.00	2	460	1.13	476	2
09/20 (263-m)	51.3	62.6	72.7	62.4	2	75.2	2	77.6	1992	0.47	0.23	2	212	1.17	320	2
09/21 (264-t)	53.5	65.4	75.2	69.5	2	79.4	2	83.6	1992	0.01	0.08	2	306	1.48	284	2
09/22 (265-w)	50.3	62.7	75.5	65.7	2	75.0	2	75.5	1993	0.00	0.22	2	360	1.24	239	2
09/23 (266-t)	62.2	67.5	74.0	61.0	2	68.6	2	74.0	1993	0.03	0.02	2	139	1.23	305	2
09/24 (267-f)	54.2	60.8	69.3	57.2	2	69.4	2	69.5	1992	0.00	0.00	2	289	0.99	387	2
09/25 (268-s)	54.9	62.1	72.1	59.3	2	72.9	2	73.7	1992	0.38	0.19	2	55	0.25	263	2
09/26 (269-s)	53.9	64.4	72.2	64.0	2	75.2	2	78.2	1992	0.00	0.03	2	109	0.56	196	2
09/27 (270-m)	51.9	56.2	60.4	60.8	2	67.7	2	75.0	1992	0.01	0.01	2	252	1.47	356	2
09/28 (271-t)	43.9	54.4	67.1	57.0	2	71.1	2	75.1	1992	0.05	0.03	2	314	1.39	378	2
09/29 (272-w)	37.5	49.5	61.8	49.3	2	61.4	2	61.8	1993	0.00	0.00	2	334	1.37	398	2
09/30 (273-t)	35.3	45.7	58.9	46.4	2	61.7	2	64.5	1992	0.00	0.00	2	375	1.33	404	2
Column Min's:	35.3	45.7	58.9	46.4		61.4		61.4		0.00	0.00		55	0.25	166	
Column Avg's:	54.3	64.6	75.8	65.4		76.9		76.9		0.09	0.07		319	1.21	346	
Column Max's:	69.9	77.8	90.6	73.9		87.4		87.4	90.6	1.25	0.64		537	1.51	476	
Column Ttl's:										2.80	2.03		9583		10389	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max
mo da	avg	avg	avg yrs	avg yrs	liq	hum	ly/m	avg yrs
10/01 (274-f)	36.2	57.2	35.2	77.6	0.00	63	392	1.12
10/02 (275-s)	48.4	55.9	44.2	66.8	0.28	91	34	0.11
10/03 (276-s)	35.7	48.8	40.3	62.6	0.01	75	438	1.09
10/04 (277-m)	36.1	56.5	44.0	74.2	0.00	71	422	1.05
10/05 (278-t)	39.7	55.1	39.9	68.9	0.00	64	433	1.07
10/06 (279-w)	35.5	54.4	35.3	78.5	0.00	79	413	1.15
10/07 (280-t)	46.5	62.3	42.3	83.4	0.00	80	390	0.99
10/08 (281-f)	50.6	61.5	46.9	81.2	0.00	82	310	1.04
10/09 (282-s)	44.5	55.5	44.9	66.3	0.30	96	82	0.54
10/10 (283-s)	33.0	42.6	37.7	54.3	0.00	72	362	1.33
10/11 (284-m)	30.7	42.3	38.4	51.8	0.00	87	140	0.81
10/12 (285-t)	42.5	49.3	41.4	56.8	0.00	76	331	1.24
10/13 (286-w)	38.2	49.6	39.9	58.7	0.00	87	237	1.16
10/14 (287-t)	40.8	53.2	42.3	69.1	0.00	82	286	1.11
10/15 (288-f)	38.2	56.0	46.3	76.6	0.00	77	352	0.98
10/16 (289-s)	49.9	58.8	44.7	63.6	0.69	99	76	0.40
10/17 (290-s)	53.6	62.3	42.5	70.8	0.17	91	134	1.11
10/18 (291-m)	48.8	55.8	40.6	62.4	0.00	88	136	0.51
10/19 (292-t)	47.5	57.6	47.5	65.9	0.16	101	72	0.41
10/20 (293-w)	63.1	69.0	63.1	75.8	0.63	90	125	1.35
10/21 (294-t)	36.6	55.3	38.7	69.9	0.22	67	234	1.21
10/22 (295-f)	30.2	43.1	32.0	60.5	0.00	76	367	0.96
10/23 (296-s)	28.7	44.3	30.9	67.5	0.00	78	356	0.93
10/24 (297-s)	30.9	47.9	36.3	72.0	0.00	76	320	0.94
10/25 (298-m)	33.0	50.7	33.8	74.8	0.00	76	334	0.90
10/26 (299-t)	40.0	54.9	35.8	74.8	0.00	78	224	1.14
10/27 (300-w)	43.1	49.7	43.8	55.1	0.00	73	139	0.84
10/28 (301-t)	32.1	43.9	33.4	52.9	0.00	56	260	1.12
10/29 (302-f)	40.0	48.6	38.0	58.6	0.00	54	245	1.13
10/30 (303-s)	32.9	34.9	39.5	41.0	0.46	91	25	0.09
10/31 (304-s)	33.5	35.6	39.0	37.4	0.14	96	71	0.26
Column Min's:	28.7	34.9	30.9	42.1	0.00	54	25	0.09
Column Avg's:	40.0	52.0	40.6	66.7	0.10	80	250	0.91
Column Max's:	63.1	69.0	63.1	83.4	0.69	101	438	1.35
Column Ttl's:					3.06		7740	8172

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.