



DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	max	Long Term	max year	prec	liq	ly	max	Long Term
mo da jul	Current	avg	year	year	avg yrs	avgmx yrs	evap	snow	ly/m	ly/m	avg yrs
02/01 (032-m)	27.0	39.0*	51.0	27.0	31	31.5	31	40.5	32	63.0	1988
02/02 (033-t)	10.0	22.0*	34.0	-6.0	1965	21.9	33	41.8	33	67.0	1989
02/03 (034-w)	13.0	24.0*	35.0	-11.0	1985	20.5	34	40.0	34	61.0	1990
02/04 (035-t)	21.0	36.0*	51.0	-7.0	1970	19.7	34	39.5	34	69.0	1962
02/05 (036-f)	21.0	35.0*	49.0	-7.0	1979	20.6	34	39.6	33	66.0	1991
02/06 (037-s)	22.0	38.0*	54.0	-6.0	1979	20.1	34	30.5	33	65.0	1986
02/07 (038-s)	16.0	25.5*	35.0	-7.0	1978	19.0	34	28.1	34	60.0	1990
02/08 (039-m)	20.0	35.5*	51.0	-6.0	1977	19.0	34	27.4	34	54.0	1965
02/09 (040-t)	23.0	34.0*	45.0	-2.0	1985	18.5	34	27.7	34	62.0	1966
02/10 (041-w)	28.0	44.0*	60.0	-4.0	1979	19.0	34	28.8	34	64.0	1965
02/11 (042-t)	34.0	49.0*	64.0	-3.0	1978	21.6	34	31.4	33	64.0	1993
02/12 (043-f)	35.0	41.5*	48.0	-6.0	1981	21.2	33	31.1	33	61.0	1984
02/13 (044-s)	26.0	38.5*	51.0	-6.0	1981	21.7	34	31.4	34	72.0	1984
02/14 (045-s)	24.0	28.5*	33.0	-0.0	1979	22.4	34	31.2	34	69.0	1990
02/15 (046-m)	25.0	29.0*	33.0	1.0	1963	23.1	33	32.8	33	42.0	1976
02/16 (047-t)	25.0	30.0*	35.0	-3.0	1991	24.2	34	33.5	34	68.0	1990
02/17 (048-w)	22.0	30.0*	38.0	-1.0	1973	25.1	34	33.9	34	64.0	1961
02/18 (049-t)	-0.0	14.5*	29.0	-0.0	1993	25.6	33	35.0	33	64.0	1961
02/19 (050-f)	-0.0	7.5*	15.0	-5.0	1978	26.6	34	36.5	34	67.0	1986
02/20 (051-s)	8.0	18.0*	28.0	-3.0	1978	24.5	34	34.0	34	65.0	1986
02/21 (052-s)	25.0	30.5*	36.0	-3.0	1968	23.7	34	34.6	34	45.4	1983
02/22 (053-m)	27.0	41.0*	55.0	-8.0	1963	25.7	34	36.7	34	47.7	1971
02/23 (054-t)	16.0	24.0*	32.0	1.0	1963	26.5	34	37.4	34	48.3	1977
02/24 (055-w)	7.0	17.0*	27.0	6.0	1967	27.1	34	36.6	34	46.1	1961
02/25 (056-t)	8.0	16.5*	25.0	-4.0	1967	23.6	34	33.9	33	65.0	1961
02/26 (057-f)	13.0	21.0*	29.0	-0.0	1967	22.0	33	31.0	32	41.2	1976
02/27 (058-s)	10.0	19.5*	29.0	2.0	1963	22.0	34	32.3	33	66.0	1976
02/28 (059-s)	3.0	17.0*	31.0	3.0	1993	25.6	34	35.6	34	45.5	1972
Column Min's:	0.0	7.5	15.0	-11.0	18.5	27.4	35.8	0.00	0.00	0.04	0.04
Column Avg's:	18.2	28.8	39.4	22.6	32.3	42.2	0.07	0.07	0.10	0.10	0.10
Column Max's:	35.0	49.0	64.0	27.1	37.4	48.3	0.50	0.50	0.22	0.22	0.22
Column Ttl's:							72.0	1.86			2.80

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	avg	min	max	prec	evap	max	avg					
mo da jul	Current	Long Term	avgm	Long Term	liq	Long Term	Ly/m	Ly/m					
	min	avg	max	avg	prec	evap	max	avg					
	min	avg	max	avg	prec	evap	max	avg					
11/01 (305-m)	27.0	31.0*	35.0	20.0	1976	43.1	35	54.1	35	65.0	35	77.0	1968
11/02 (306-t)	19.0	32.0*	45.0	19.0	1993	42.3	35	53.2	35	64.0	35	81.0	1961
11/03 (307-w)	22.0	35.5*	49.0	22.0	1993	39.8	35	50.3	35	60.9	35	81.0	1961
11/04 (308-t)	32.0	36.5*	41.0	16.0	1991	38.2	35	48.7	35	59.1	35	79.0	1987
11/05 (309-f)	40.0	49.0*	58.0	10.0	1991	38.1	34	47.4	34	56.9	35	79.0	1975
11/06 (310-s)	31.0	47.5*	64.0	16.0	1991	34.3	34	45.4	32	56.7	33	76.0	1975
11/07 (311-s)	19.0	28.5*	38.0	19.0	1993	34.9	34	43.4	33	52.4	34	70.0	1965
11/08 (312-m)	18.0	26.0*	34.0	15.0	1971	34.0	35	43.3	35	52.6	35	71.0	1980
11/09 (313-t)	24.0	36.5*	49.0	16.0	1991	36.0	35	46.0	35	55.9	35	76.0	1975
11/10 (314-w)	25.0	38.5*	52.0	17.0	1991	35.7	35	46.4	35	57.0	35	72.0	1977
11/11 (315-t)	27.0	42.0*	57.0	20.0	1973	34.2	35	44.1	35	53.9	35	71.0	1964
11/12 (316-f)	33.0	47.0*	61.0	21.0	1980	35.6	35	44.5	35	53.4	35	72.0	1964
11/13 (317-s)	41.0	53.0*	65.0	16.0	1976	33.4	35	43.5	35	53.6	35	70.0	1964
11/14 (318-s)	41.0	54.5*	68.0	11.0	1986	32.9	35	42.9	35	52.8	35	74.0	1971
11/15 (319-m)	53.0	63.0*	73.0	13.0	1986	34.7	35	44.8	35	54.8	35	74.0	1964
11/16 (320-t)	39.0	49.5*	60.0	17.0	1992	36.1	34	45.7	34	55.4	34	71.0	1990
11/17 (321-w)	37.0	50.0*	63.0	13.0	1959	33.8	35	45.1	34	56.3	34	74.0	1987
11/18 (322-t)	33.0	49.0*	65.0	10.0	1959	34.6	34	43.8	34	53.1	35	71.0	1971
11/19 (323-f)	34.0	42.0*	50.0	18.0	1980	33.8	35	43.0	35	52.3	35	74.0	1985
11/20 (324-s)	22.0	35.5*	49.0	19.0	1980	33.2	35	42.8	35	52.4	35	73.0	1985
11/21 (325-s)	25.0	33.5*	42.0	14.0	1964	33.0	35	42.5	35	52.0	35	69.0	1992
11/22 (326-m)	25.0	38.5*	52.0	8.0	1964	32.5	35	41.1	35	49.9	35	70.0	1979
11/23 (327-t)	26.0	42.0*	58.0	14.0	1970	32.4	35	41.6	35	50.8	35	67.0	1963
11/24 (328-w)	29.0	43.5*	58.0	10.0	1970	32.0	35	41.4	35	50.8	35	67.0	1973
11/25 (329-t)	36.0	48.0*	60.0	10.0	1970	30.7	35	39.8	35	49.0	35	66.0	1973
11/26 (330-f)	37.0	46.5*	56.0	9.0	1991	32.4	35	42.6	35	52.8	35	68.0	1987
11/27 (331-s)	..	..	..	9.0	1991	35.9	34	45.1	34	54.2	34	71.0	1990
11/28 (332-s)	..	..	..	20.0	1967	33.5	34	42.2	34	51.0	34	76.0	1990
11/29 (333-m)	18.0	30.5*	43.0	12.0	1976	28.1	35	37.1	35	46.0	35	67.0	1987
11/30 (334-t)	21.0	26.5*	32.0	2.0	1976	27.5	34	34.7	34	42.5	35	69.0	1991
Column Min's:	18.0	26.0	32.0	2.0		27.5		34.7		42.5			
Column Avg's:	29.8	41.3	52.8			34.6		44.2		53.9			
Column Max's:	53.0	63.0	73.0			43.1		54.1		65.0		81.0	
Column Tot's:													

Column Min's: 18.0 26.0 32.0 2.0  
 Column Avg's: 29.8 41.3 52.8  
 Column Max's: 53.0 63.0 73.0  
 Column Tot's: 81.0

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	max	avg
mo da jul	Current	Long Term	Year	Year	Liq	Year	ly	ly/m
			avgm	avgmx	prec	evap	ly	ly/m
			Yrs	Yrs	pr	hum	Term	Term
			Yrs	Yrs	Yrs	Yrs	Yrs	Yrs
12/01 (335-w)	21.0	30.5*	27.9	35	0.00	--	0.12	33
12/02 (336-t)	24.0	39.5*	28.4	35	0.00	--	0.09	32
12/03 (337-f)	39.0	46.5*	29.5	34	0.13	--	0.17	32
12/04 (338-s)	40.0	47.5*	29.6	35	0.63	--	0.18	34
12/05 (339-s)	35.0	45.0*	28.0	35	0.90	--	0.12	34
12/06 (340-m)	35.0	39.5*	27.8	35	0.00	--	0.17	33
12/07 (341-t)	26.0	34.5*	27.2	34	0.00	--	0.09	32
12/08 (342-w)	26.0	34.0*	27.6	35	0.00	--	0.13	32
12/09 (343-t)	24.0	36.0*	27.2	35	0.00	--	0.17	33
12/10 (344-f)	29.0	42.0*	24.6	35	0.10	--	0.12	34
12/11 (345-s)	21.0	39.5*	27.1	35	0.03	--	0.09	32
12/12 (346-s)	12.0	22.0*	28.3	35	0.00	--	0.15	32
12/13 (347-m)	12.0	25.0*	26.9	34	0.00	--	0.07	33
12/14 (348-t)	22.0	33.5*	24.5	34	0.04	--	0.08	32
12/15 (349-w)	33.0	37.0*	25.8	35	0.21	--	0.13	33
12/16 (350-t)	31.0	36.5*	24.4	35	0.05	--	0.09	34
12/17 (351-f)	31.0	35.5*	23.7	35	0.00	--	0.06	32
12/18 (352-s)	32.0	36.0*	22.5	35	0.03	--	0.09	29
12/19 (353-s)	27.0	34.5*	22.9	35	0.10	--	0.06	33
12/20 (354-m)	23.0	31.0*	23.4	35	0.00	--	0.12	31
12/21 (355-t)	19.0	24.5*	21.5	35	0.30	--	0.18	29
12/22 (356-w)	20.0	29.5*	23.3	35	0.00	--	0.12	33
12/23 (357-t)	18.0	25.0*	22.0	35	0.00	--	0.12	31
12/24 (358-f)	18.0	25.0*	22.0	35	0.00	--	0.13	31
12/25 (359-s)	4.0	18.5*	22.2	35	0.14	--	0.14	30
12/26 (360-s)	8.0	16.5*	22.2	35	0.03	--	0.12	31
12/27 (361-m)	12.0	20.0*	23.4	35	0.00	--	0.04	31
12/28 (362-t)	-1.0	10.0*	23.1	35	0.11	--	0.14	32
12/29 (363-w)	-2.0	14.0*	24.2	35	0.05	--	0.11	32
12/30 (364-t)	-0.0	10.5*	24.2	34	0.00	--	0.08	35
12/31 (365-f)	-2.0	14.0*	24.2	34	0.02	--	0.14	31

Column Min's:	Column Avg's:	Column Max's:	Column Ttl's:
-2.0	10.0	21.0	0.00
21.5	30.7	40.0	0.09
40.0	47.5	58.0	0.90
			2.87

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION								
	min	max	min	max	prec	evap	ly	ly/m							
03/01 (060-m)	12.0	23.5*	-0.0	26.0	26.0	34	47.2	34	72.0	1972	0.00	0.08	31		
03/02 (061-t)	24.0	34.5*	-4.0	1980	28.4	34	38.8	34	49.2	34	74.0	1976	0.00	0.10	28
03/03 (062-w)	34.0	41.0*	-5.0	1980	31.2	34	40.9	34	50.7	34	77.0	1992	0.11	0.09	31
03/04 (063-t)	38.0	42.5*	-3.0	1980	31.8	34	41.5	34	51.2	34	80.0	1976	0.54	0.40	29
03/05 (064-f)	28.0	36.5*	-1.0	1960	30.5	34	41.9	34	53.4	34	78.0	1976	0.57	0.24	31
03/06 (065-s)	22.0	27.5*	1.0	1960	28.2	32	38.5	31	48.9	33	79.0	1983	0.00	0.19	30
03/07 (066-s)	26.0	36.5*	11.0	1960	30.7	34	40.6	33	50.1	33	78.0	1974	0.00	0.10	33
03/08 (067-m)	35.0	43.5*	-2.0	1960	29.4	31	40.0	31	50.7	33	79.0	1974	0.29	0.10	31
03/09 (068-t)	29.0	36.5*	5.0	1984	29.7	34	39.8	33	50.3	33	77.0	1974	0.00	0.21	33
03/10 (069-w)	33.0	40.0*	12.0	1984	30.6	32	39.9	32	50.4	34	76.0	1973	0.00	0.18	30
03/11 (070-t)	27.0	40.5*	14.0	1969	30.2	34	41.2	33	52.4	33	75.0	1977	0.08	0.11	30
03/12 (071-f)	23.0	31.0*	7.0	1960	32.8	34	42.8	34	52.8	34	79.0	1990	0.02	0.19	29
03/13 (072-s)	16.0	25.5*	-0.0	1960	30.7	34	41.4	34	52.1	34	79.0	1967	0.01	0.16	34
03/14 (073-s)	6.0	16.0*	6.0	1993	31.7	34	41.6	34	51.5	34	79.0	1990	0.10	0.08	32
03/15 (074-m)	2.0	13.0*	2.0	1993	31.1	34	41.8	34	52.4	34	79.0	1990	0.00	0.11	32
03/16 (075-t)	15.0	29.0*	13.0	1970	30.4	34	41.6	34	52.8	34	77.0	1984	0.00	0.18	32
03/17 (076-w)	32.0	40.0*	12.0	1967	30.2	34	41.4	34	52.6	34	77.0	1982	0.38	0.08	32
03/18 (077-t)	12.0	24.0*	12.0	1993	30.1	33	42.1	33	54.1	33	75.0	1989	0.00	0.10	34
03/19 (078-f)	16.0	24.5*	16.0	1993	31.5	34	42.6	34	53.7	34	75.0	1982	0.00	0.12	29
03/20 (079-s)	24.0	33.5*	16.0	1965	32.8	34	43.3	34	53.9	34	73.0	1979	0.03	0.09	31
03/21 (080-s)	34.0	41.0*	15.0	1986	32.3	34	43.6	34	55.0	34	74.0	1975	0.10	0.32	32
03/22 (081-m)	33.0	39.5*	17.0	1986	31.2	34	41.2	34	51.1	34	79.0	1966	0.00	0.14	33
03/23 (082-t)	39.0	49.5*	15.0	1960	32.1	34	42.6	34	53.0	34	76.0	1966	0.80	0.09	32
03/24 (083-w)	36.0	47.5*	16.0	1974	32.0	32	43.6	32	55.2	32	77.0	1988	0.16	0.14	28
03/25 (084-t)	35.0	45.5*	12.0	1974	33.7	33	43.8	32	53.7	33	76.0	1967	0.00	0.06	30
03/26 (085-f)	39.0	51.5*	20.0	1972	33.9	33	44.6	33	55.9	34	78.0	1967	0.00	0.15	30
03/27 (086-s)	42.0	56.5*	20.0	1966	33.9	34	45.5	34	57.1	34	77.0	1967	0.00	0.08	32
03/28 (087-s)	40.0	48.0*	18.0	1982	36.8	34	47.9	34	59.0	34	78.0	1989	0.10	0.08	34
03/29 (088-m)	42.0	47.0*	21.0	1966	40.0	34	51.0	34	62.0	34	81.0	1989	0.18	0.21	31
03/30 (089-t)	35.0	47.5*	16.0	1964	39.3	34	49.8	34	60.3	34	79.0	1977	0.00	0.18	30
03/31 (090-w)	43.0	55.5*	16.0	1969	37.9	34	48.3	34	58.8	34	81.0	1986	0.00	0.25	33

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	2.0	13.0	24.0	-5.0
Column Avg's:	28.1	37.7	47.2	36.6
Column Max's:	43.0	56.5	71.0	42.6
Column Ttl's:				51.0
				81.0
				62.0
				47.2
				53.3
				0.00
				0.11
				0.80
				3.47

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION							
	min	avg	min	avg	prec	evap	ly	max						
mo da jul	Current	Long Term	min year	avg yrs	liq	prec	Long Term	ly/m	avg yrs					
			avgm yrs	avgm yrs	prec	evap	avg pr yrs							
04/01 (091-t)	45.0	52.0*	18.0	38.6	35	49.8	35	61.0	35	83.0	1986	0.67	0.19	32
04/02 (092-f)	30.0	41.0*	23.0	38.6	35	49.6	35	60.5	35	79.0	1963	0.10	0.27	33
04/03 (093-s)	29.0	33.5*	20.0	37.2	34	49.0	34	60.7	34	80.0	1974	0.00	0.14	35
04/04 (094-s)	29.0	39.5*	23.0	38.1	34	48.7	34	59.3	34	79.0	1974	0.00	0.22	34
04/05 (095-m)	32.0	41.5*	22.0	36.7	35	48.1	35	59.4	35	82.0	1986	0.00	0.13	33
04/06 (096-t)	35.0	40.0*	21.0	37.3	35	47.9	35	58.5	35	82.0	1988	0.08	0.07	34
04/07 (097-w)	34.0	44.0*	18.0	36.4	35	48.9	35	61.4	35	79.0	1959	0.00	0.09	33
04/08 (098-t)	37.0	51.5*	21.0	38.2	34	49.7	34	61.2	34	80.0	1959	0.00	0.09	33
04/09 (099-f)	50.0	61.5*	20.0	38.2	35	49.2	35	60.2	35	80.0	1967	0.00	0.18	32
04/10 (100-s)	38.0	49.0*	22.0	35.7	35	47.5	35	59.3	35	80.0	1991	0.65	0.13	32
04/11 (101-s)	34.0	47.5*	23.0	37.3	34	49.4	34	61.3	35	81.0	1977	0.00	0.10	34
04/12 (102-m)	40.0	57.0*	23.0	39.3	33	50.9	32	62.2	32	82.0	1977	0.00	0.12	33
04/13 (103-t)	40.0	48.0*	23.0	41.9	35	53.0	35	64.0	35	82.0	1972	0.00	0.11	34
04/14 (104-w)	42.0	50.5*	26.0	37.3	35	53.6	35	65.9	35	81.0	1977	0.00	0.06	34
04/15 (105-t)	42.0	53.5*	28.0	42.0	35	54.2	35	66.4	35	79.0	1976	0.38	0.15	35
04/16 (106-f)	40.0	57.0*	25.0	40.4	35	52.6	35	64.7	35	81.0	1960	0.20	0.09	33
04/17 (107-s)	33.0	41.5*	29.0	43.6	34	55.1	34	66.6	34	81.0	1969	0.08	0.09	35
04/18 (108-s)	30.0	42.5*	25.0	44.6	35	55.8	33	67.1	33	84.0	1977	0.00	0.13	34
04/19 (109-m)	44.0	54.5*	24.0	43.6	33	55.1	33	67.3	35	84.0	1976	0.00	0.19	33
04/20 (110-t)	56.0	63.0*	25.0	45.0	35	56.6	35	68.3	35	86.0	1976	0.00	0.09	35
04/21 (111-w)	37.0	54.0*	29.0	45.7	35	57.0	35	68.3	35	84.0	1992	0.34	0.18	33
04/22 (112-t)	28.0	34.5*	27.0	45.4	35	56.3	35	67.2	35	85.0	1985	0.10	0.16	31
04/23 (113-f)	32.0	44.0*	24.0	45.7	35	56.9	35	68.1	35	85.0	1985	0.00	0.22	34
04/24 (114-s)	44.0	56.0*	31.0	44.8	35	56.0	35	67.1	35	84.0	1960	0.12	0.25	35
04/25 (115-s)	49.0	60.0*	31.0	43.3	34	55.4	33	67.2	34	85.0	1960	0.40	0.11	34
04/26 (116-m)	42.0	55.0*	31.0	44.8	35	56.4	35	68.0	35	87.0	1990	1.15	0.09	35
04/27 (117-t)	30.0	42.0*	29.0	45.8	35	57.3	35	68.7	35	85.0	1986	0.00	0.12	34
04/28 (118-w)	38.0	52.5*	27.0	46.7	35	58.2	35	69.6	35	88.0	1986	0.00	0.12	34
04/29 (119-t)	45.0	60.5*	30.0	44.9	35	56.9	35	69.0	35	84.0	1970	0.00	0.13	35
04/30 (120-f)	52.0	64.5*	35.0	48.0	35	58.8	35	69.6	35	85.0	1962	0.00	0.13	33

Column Min's:	28.0	33.5	38.0	18.0	35.7	47.5	58.5	0.00	0.06
Column Avg's:	38.6	49.7	60.9	53.1	64.6	64.6	69.6	0.14	0.14
Column Max's:	56.0	64.5	77.0	48.0	48.0	58.8	69.6	1.15	0.27
Column Ttl's:								4.27	4.15

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION										
	min	avg	min	max	year	avg	yr	yr	yr	yr									
05/01 (121-s)	49.0	61.0*	73.0	28.0	1963	47.2	34	58.9	34	70.6	34	84.0	1962	0.00	0.09	33	---	---	---
05/02 (122-s)	50.0	65.0*	80.0	30.0	1963	45.3	34	57.3	34	69.3	34	83.0	1992	0.00	0.16	33	---	---	---
05/03 (123-m)	53.0	65.0*	77.0	34.0	1967	44.9	34	56.9	34	68.8	34	84.0	1987	0.11	0.17	34	---	---	---
05/04 (124-t)	55.0	62.5*	70.0	28.0	1966	44.3	34	56.8	34	69.1	34	82.0	1969	0.15	0.12	34	---	---	---
05/05 (125-w)	55.0	65.0*	75.0	35.0	1973	45.9	34	58.1	34	70.3	34	84.0	1969	0.45	0.15	33	---	---	---
05/06 (126-t)	49.0	61.0*	73.0	32.0	1968	48.9	33	60.0	33	71.3	34	84.0	1980	0.00	0.13	34	---	---	---
05/07 (127-f)	48.0	62.5*	77.0	31.0	1974	47.0	33	58.3	33	70.0	34	84.0	1969	0.00	0.20	33	---	---	---
05/08 (128-s)	51.0	64.5*	78.0	33.0	1989	48.8	34	60.4	34	72.0	34	85.0	1986	0.00	0.30	33	---	---	---
05/09 (129-s)	58.0	71.5*	85.0	32.0	1980	47.7	34	58.9	34	70.0	34	88.0	1963	0.00	0.18	34	---	---	---
05/10 (130-m)	57.0	71.0*	85.0	25.0	1966	46.8	34	57.9	34	69.0	34	86.0	1963	0.00	0.08	33	---	---	---
05/11 (131-t)	59.0	73.0*	87.0	34.0	1977	48.3	34	60.5	34	72.8	34	87.0	1993	0.00	0.11	33	---	---	---
05/12 (132-w)	61.0	72.0*	83.0	39.0	1960	51.3	34	62.6	34	73.9	34	86.0	1979	0.00	0.08	32	---	---	---
05/13 (133-t)	45.0	60.0*	75.0	40.0	1971	50.0	34	61.4	34	72.8	34	87.0	1982	0.38	0.20	34	---	---	---
05/14 (134-f)	36.0	49.5*	63.0	36.0	1993	51.9	34	63.4	34	75.0	34	88.0	1962	0.00	0.14	32	---	---	---
05/15 (135-s)	48.0	60.0*	72.0	36.0	1973	52.6	34	63.7	34	74.8	34	88.0	1982	0.00	0.14	34	---	---	---
05/16 (136-s)	54.0	67.0*	80.0	37.0	1984	52.3	33	63.8	33	75.4	33	90.0	1962	0.03	0.09	31	---	---	---
05/17 (137-m)	41.0	56.5*	72.0	35.0	1973	52.0	34	63.2	34	74.4	34	92.0	1962	0.02	0.21	34	---	---	---
05/18 (138-t)	50.0	61.5*	73.0	37.0	1973	52.7	34	64.1	34	75.6	34	93.0	1962	0.08	0.15	33	---	---	---
05/19 (139-w)	47.0	52.5*	58.0	33.0	1976	53.3	34	64.4	34	75.4	34	91.0	1964	0.80	0.16	33	---	---	---
05/20 (140-t)	36.0	49.0*	62.0	36.0	1993	54.5	34	65.1	34	75.7	34	89.0	1962	0.00	0.09	31	---	---	---
05/21 (141-f)	37.0	50.0*	63.0	37.0	1993	53.2	33	64.8	33	76.4	34	90.0	1987	0.00	0.07	32	---	---	---
05/22 (142-s)	38.0	51.0*	64.0	38.0	1993	53.1	34	64.6	34	76.2	34	89.0	1964	0.12	0.14	32	---	---	---
05/23 (143-s)	42.0	55.0*	68.0	35.0	1963	53.4	34	64.8	34	76.2	34	86.0	1964	0.00	0.23	33	---	---	---
05/24 (144-m)	59.0	67.0*	75.0	39.0	1963	55.4	33	66.3	32	77.2	32	88.0	1970	0.00	0.17	32	---	---	---
05/25 (145-t)	54.0	63.5*	73.0	40.0	1988	53.6	33	64.7	33	76.2	34	89.0	1965	0.02	0.11	34	---	---	---
05/26 (146-w)	48.0	60.5*	73.0	38.0	1988	53.4	34	64.9	34	76.4	34	87.0	1965	0.00	0.20	33	---	---	---
05/27 (147-t)	42.0	57.5*	73.0	34.0	1961	53.5	34	64.6	34	75.7	34	87.0	1967	0.00	0.26	33	---	---	---
05/28 (148-f)	55.0	67.0*	79.0	40.0	1971	53.8	34	65.1	34	76.4	34	89.0	1977	0.00	0.18	31	---	---	---
05/29 (149-s)	56.0	70.5*	85.0	38.0	1964	55.8	34	66.4	33	76.6	33	90.0	1987	0.00	0.19	32	---	---	---
05/30 (150-s)	47.0	58.5*	70.0	38.0	1984	55.2	33	65.3	33	75.4	33	90.0	1987	0.00	0.20	32	---	---	---
05/31 (151-m)	55.0	69.0*	83.0	40.0	1966	55.3	33	66.2	32	77.4	33	89.0	1991	0.83	0.19	33	---	---	---

Column	Min's	Avg's	Max's	Tt's
Column	36.0	49.0	58.0	68.8
Column	49.5	61.9	74.3	73.8
Column	61.0	73.0	87.0	77.4
Column				93.0
Column				2.99

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Long-Term	
mo da jul	Current	Current	Year	Year	avg yrs	avgmx yrs	liq	hum	ly	ly/m	avg yrs	
06/01 (152-t)	39.0	54.5*	39.0	1966	55.9	35	66.5	33	77.6	33	89.0	1988
06/02 (153-w)	43.0	55.5*	41.0	1966	56.2	35	66.9	34	77.9	34	90.0	1988
06/03 (154-t)	47.0	55.0*	41.0	1969	56.6	35	67.0	34	77.6	34	87.0	1991
06/04 (155-f)	53.0	65.0*	42.0	1969	55.4	35	67.1	34	78.8	34	87.0	1971
06/05 (156-s)	53.0	58.5*	45.0	1988	56.8	34	67.5	34	78.3	35	88.0	1960
06/06 (157-s)	41.0	52.5*	41.0	1993	57.4	35	68.6	35	79.8	35	89.0	1971
06/07 (158-m)	50.0	61.0*	45.0	1977	58.0	35	69.5	35	80.9	35	90.0	1988
06/08 (159-t)	57.0	70.5*	46.0	1977	59.6	35	70.8	35	82.0	35	90.0	1959
06/09 (160-w)	69.0	79.5*	46.0	1988	60.1	35	71.6	35	83.1	35	93.0	1964
06/10 (161-t)	65.0	73.5*	39.0	1988	59.0	35	70.6	35	82.3	35	90.0	1964
06/11 (162-f)	60.0	74.0*	37.0	1972	56.6	35	68.9	35	81.2	35	89.0	1973
06/12 (163-s)	62.0	70.0*	40.0	1988	58.9	35	70.3	35	81.7	35	92.0	1964
06/13 (164-s)	55.0	68.5*	43.0	1985	58.7	35	69.8	35	80.9	35	91.0	1976
06/14 (165-m)	59.0	72.0*	43.0	1959	59.2	35	70.4	35	81.5	35	92.0	1984
06/15 (166-t)	57.0	71.0*	46.0	1959	60.0	35	71.0	35	82.0	35	93.0	1988
06/16 (167-w)	53.0	66.5*	45.0	1969	59.6	35	70.5	35	81.5	35	93.0	1988
06/17 (168-t)	56.0	69.5*	44.0	1980	57.6	35	69.1	35	80.7	35	91.0	1967
06/18 (169-f)	63.0	76.0*	49.0	1959	59.3	35	70.5	35	81.7	35	90.0	1962
06/19 (170-s)	65.0	77.5*	45.0	1959	59.8	35	71.7	35	83.6	35	91.0	1975
06/20 (171-s)	65.0	77.5*	47.0	1982	59.9	35	71.1	35	82.3	35	92.0	1988
06/21 (172-m)	63.0	74.5*	48.0	1992	60.4	34	71.0	34	81.6	34	95.0	1988
06/22 (173-t)	56.0	71.0*	40.0	1992	59.2	35	70.9	34	82.4	34	97.0	1988
06/23 (174-w)	57.0	69.5*	46.0	1972	60.8	33	71.3	33	81.7	34	99.0	1988
06/24 (175-t)	62.0	74.0*	49.0	1961	60.2	35	71.0	35	81.7	35	91.0	1966
06/25 (176-f)	64.0	77.0*	45.0	1972	59.7	35	71.0	35	82.4	35	94.0	1966
06/26 (177-s)	61.0	73.0*	49.0	1990	60.4	34	72.4	34	84.5	34	102.0	1988
06/27 (178-s)	58.0	70.5*	49.0	1979	59.4	35	72.2	35	84.9	35	95.0	1966
06/28 (179-m)	58.0	72.5*	48.0	1988	62.0	35	73.1	35	84.3	35	94.0	1971
06/29 (180-t)	61.0	74.5*	51.0	1987	62.4	35	74.2	34	85.8	34	92.0	1964
06/30 (181-w)	62.0	72.5*	54.0	1989	62.9	34	74.0	34	85.0	35	93.0	1968
Column Min's:	39.0	52.5	37.0		55.4		66.5		77.6		0.00	
Column Avg's:	57.1	69.2	81.3		59.1		70.4		81.7		0.17	
Column Max's:	69.0	79.5	90.0		62.9		74.2		85.8		2.13	
Column Ttl's:											102.0	
											5.20	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]



DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	max	avg
mo da jul	Current	Long Term	min	avg	liq	prec	ly/m	Long Term
	min	avg	min	avg	prec	prec	ly	avg yrs
07/01 (182-t)	63.0	75.5*	43.0	74.0	0.00	0.00	0.00	0.18
07/02 (183-f)	66.0	74.0*	48.0	73.2	1.22	0.00	0.00	0.17
07/03 (184-s)	62.0	75.5*	53.0	72.9	1.01	0.00	0.00	0.31
07/04 (185-s)	65.0	76.5*	48.0	72.3	0.00	0.00	0.00	0.24
07/05 (186-m)	68.0	80.0*	49.0	72.6	0.00	0.00	0.00	0.13
07/06 (187-t)	69.0	80.5*	46.0	72.8	0.00	0.00	0.00	0.10
07/07 (188-w)	67.0	78.5*	50.0	72.3	0.00	0.00	0.00	0.06
07/08 (189-t)	69.0	80.5*	48.0	73.8	0.00	0.00	0.00	0.03
07/09 (190-f)	68.0	81.0*	51.0	75.1	0.00	0.00	0.00	0.22
07/10 (191-s)	64.0	79.0*	52.0	75.3	0.00	0.00	0.00	0.14
07/11 (192-s)	66.0	79.0*	49.0	74.4	0.00	0.00	0.00	0.13
07/12 (193-m)	63.0	77.5*	53.0	73.8	0.23	0.00	0.00	0.30
07/13 (194-t)	64.0	74.5*	54.0	74.0	0.00	0.00	0.00	0.12
07/14 (195-w)	64.0	76.5*	50.0	74.2	1.10	0.00	0.00	0.29
07/15 (196-t)	65.0	76.0*	53.0	74.0	0.13	0.00	0.00	0.17
07/16 (197-f)	62.0	70.5*	52.0	73.5	0.00	0.00	0.00	0.07
07/17 (198-s)	61.0	71.5*	51.0	74.6	0.38	0.00	0.00	0.07
07/18 (199-s)	65.0	72.0*	53.0	74.4	0.00	0.00	0.00	0.06
07/19 (200-m)	72.0	81.0*	53.0	75.5	0.00	0.00	0.00	0.14
07/20 (201-t)	63.0	74.5*	56.0	74.9	0.03	0.00	0.00	0.21
07/21 (202-w)	62.0	74.0*	49.0	74.4	0.00	0.00	0.00	0.16
07/22 (203-t)	63.0	73.5*	53.0	75.0	0.00	0.00	0.00	0.15
07/23 (204-f)	60.0	70.0*	55.0	75.3	0.00	0.00	0.00	0.22
07/24 (205-s)	61.0	72.0*	55.0	75.2	0.00	0.00	0.00	0.20
07/25 (206-s)	67.0	77.5*	54.0	75.3	0.00	0.00	0.00	0.16
07/26 (207-m)	70.0	81.5*	56.0	74.9	0.00	0.00	0.00	0.10
07/27 (208-t)	66.0	78.0*	47.0	74.3	0.00	0.00	0.00	0.16
07/28 (209-w)	66.0	78.5*	53.0	74.1	0.00	0.00	0.00	0.18
07/29 (210-t)	63.0	80.0*	55.0	73.4	0.00	0.00	0.00	0.11
07/30 (211-f)	58.0	71.5*	51.0	73.0	0.00	0.00	0.00	0.07
07/31 (212-s)	50.0	65.5*	50.0	73.0	0.00	0.00	0.00	0.18

Column Min's:	50.0	65.5	79.0	43.0	61.1	72.3	83.1	0.00
Column Avg's:	64.3	76.0	87.7	74.0	84.8	75.5	86.6	0.16
Column Max's:	72.0	81.5	97.0	75.5	86.6	102.0	1.22	0.31
Column Ttl's:							4.10	4.83

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	min	avg	prec	evap	max	avg			
mo da jul	Current	Long Term	Year	Year	liq	Long Term	ly/m	ly/m			
			avg	avg	prec	avg					
			yr	yr	yr	pr	yr	yr			
			yr	yr	yr	yr	yr	yr			
08/01 (213-s)	52.0	68.0*	51.0	61.9	34	73.1	34	84.3	34	95.0	1980
08/02 (214-m)	55.0	72.5*	50.0	61.6	34	73.1	34	84.7	34	97.0	1964
08/03 (215-t)	54.0	69.0*	48.0	62.7	34	73.8	34	85.0	34	101.0	1964
08/04 (216-w)	57.0	70.0*	50.0	62.5	34	73.7	34	84.9	34	95.0	1964
08/05 (217-t)	53.0	67.0*	50.0	62.4	34	73.7	34	85.1	34	93.0	1982
08/06 (218-f)	55.0	65.0*	53.0	63.3	34	73.3	34	83.3	34	94.0	1983
08/07 (219-s)	53.0	65.0*	48.0	63.3	33	73.4	33	83.4	33	91.0	1964
08/08 (220-s)	53.0	66.5*	45.0	61.7	34	72.6	34	83.5	34	92.0	1980
08/09 (221-m)	53.0	68.0*	46.0	62.4	34	73.1	33	83.9	33	96.0	1983
08/10 (222-t)	55.0	70.0*	48.0	61.7	33	72.6	33	83.6	34	94.0	1964
08/11 (223-w)	58.0	72.0*	50.0	60.8	34	72.2	33	83.2	33	95.0	1964
08/12 (224-t)	63.0	74.0*	48.0	60.7	33	70.9	33	82.4	34	94.0	1988
08/13 (225-f)	63.0	68.5*	46.0	60.2	34	70.9	34	81.6	34	93.0	1975
08/14 (226-s)	58.0	70.0*	47.0	60.2	34	71.2	34	82.7	34	93.0	1985
08/15 (227-s)	59.0	73.5*	47.0	61.4	34	72.8	34	84.1	34	96.0	1988
08/16 (228-m)	60.0	75.0*	46.0	61.9	34	73.1	33	84.2	33	98.0	1988
08/17 (229-t)	65.0	75.0*	47.0	62.2	33	73.0	33	83.8	34	98.0	1988
08/18 (230-w)	62.0	73.5*	51.0	62.1	34	73.3	34	84.6	34	103.0	1988
08/19 (231-t)	60.0	72.5*	51.0	62.0	34	73.2	34	84.4	34	100.0	1988
08/20 (232-f)	66.0	77.0*	52.0	62.4	34	73.0	34	83.6	34	98.0	1962
08/21 (233-s)	57.0	71.0*	51.0	60.9	34	71.9	33	82.9	33	99.0	1983
08/22 (234-s)	57.0	70.5*	50.0	60.4	31	71.8	31	83.3	32	99.0	1983
08/23 (235-m)	62.0	73.5*	53.0	62.0	34	72.8	34	83.5	34	98.0	1987
08/24 (236-t)	67.0	78.0*	50.0	61.2	34	72.1	34	83.1	34	92.0	1959
08/25 (237-w)	65.0	77.5*	52.0	61.3	34	72.4	34	83.4	34	93.0	1959
08/26 (238-t)	65.0	79.0*	52.0	61.3	34	72.1	34	82.8	34	93.0	1993
08/27 (239-f)	66.0	80.0*	48.0	60.3	34	72.0	34	83.8	34	96.0	1987
08/28 (240-s)	65.0	79.0*	49.0	60.3	34	73.1	33	84.2	33	93.0	1993
08/29 (241-s)	63.0	79.0*	39.0	60.1	34	71.6	34	83.2	34	95.0	1993
08/30 (242-m)	62.0	77.5*	43.0	59.8	34	71.2	34	82.6	34	93.0	1983
08/31 (243-t)	67.0	81.0*	45.0	60.1	34	71.6	33	83.0	33	95.0	1993

Column	Min's	Avg's	Max's	Ttl's
Column	52.0	65.0	74.0	39.0
Column	59.7	72.8	86.0	70.9
Column	67.0	81.0	95.0	72.5
Column				73.8
Column				81.6
Column				83.6
Column				85.1
Column				103.0
Column				0.00
Column				0.11
Column				0.31
Column				4.22

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION								
	min	avg	max	min	year avg	max	prec	evap	hum %	ly	max Ly/m	Long-Term avg yrs						
09/01 (244-w)	65.0	79.0*	93.0	45.0	1967	59.3	34	70.9	34	82.7	35	93.0	1993	0.70	--	--	0.19	35
09/02 (245-t)	65.0	74.0*	83.0	46.0	1987	60.6	35	71.3	35	82.1	35	93.0	1973	0.00	--	--	0.17	35
09/03 (246-f)	66.0	77.5*	89.0	46.0	1987	61.2	34	72.1	34	83.0	35	92.0	1984	0.10	--	--	0.12	35
09/04 (247-s)	56.0	70.0*	84.0	46.0	1974	60.6	34	71.2	34	81.6	34	92.0	1964	1.29	--	--	0.16	34
09/05 (248-s)	50.0	64.0*	78.0	47.0	1974	59.6	35	70.6	34	81.3	34	94.0	1960	0.02	--	--	0.10	34
09/06 (249-m)	50.0	65.0*	80.0	43.0	1984	57.7	35	69.2	34	80.6	34	90.0	1961	0.00	--	--	0.03	35
09/07 (250-t)	56.0	69.0*	82.0	41.0	1988	57.5	34	69.9	34	82.1	35	94.0	1964	0.00	--	--	0.02	35
09/08 (251-w)	52.0	65.0*	78.0	43.0	1986	57.8	35	70.1	35	82.4	35	94.0	1964	0.00	--	--	0.04	35
09/09 (252-t)	54.0	66.0*	78.0	43.0	1986	58.5	35	69.9	35	81.2	35	94.0	1964	0.00	--	--	0.04	35
09/10 (253-f)	55.0	68.0*	81.0	44.0	1969	57.8	35	69.8	35	81.7	35	97.0	1964	0.00	--	--	0.07	34
09/11 (254-s)	38.0	55.0*	72.0	38.0	1993	55.7	35	68.1	33	80.2	33	96.0	1983	0.00	--	--	0.10	35
09/12 (255-s)	43.0	57.0*	71.0	43.0	1993	55.5	32	67.3	32	79.3	34	95.0	1983	0.00	--	--	0.16	35
09/13 (256-m)	56.0	65.5*	75.0	40.0	1975	56.0	35	67.5	34	78.7	34	91.0	1961	0.00	--	--	0.05	35
09/14 (257-t)	61.0	74.5*	88.0	37.0	1964	56.4	34	68.8	33	81.0	34	92.0	1984	0.00	--	--	0.15	34
09/15 (258-w)	57.0	72.5*	88.0	40.0	1964	55.7	34	67.6	34	79.3	35	91.0	1970	0.36	--	--	0.10	34
09/16 (259-t)	50.0	59.0*	68.0	39.0	1961	53.6	34	65.3	34	76.9	34	90.0	1991	0.13	--	--	0.05	34
09/17 (260-f)	50.0	59.0*	68.0	38.0	1959	54.6	35	65.6	35	76.5	35	92.0	1970	0.00	--	--	0.07	35
09/18 (261-s)	48.0	59.0*	70.0	38.0	1959	54.1	35	65.2	35	76.2	35	88.0	1965	0.00	--	--	0.09	33
09/19 (262-s)	50.0	62.5*	75.0	40.0	1973	54.2	35	65.6	35	76.9	35	92.0	1983	0.00	--	--	0.12	34
09/20 (263-m)	49.0	62.0*	75.0	38.0	1991	54.8	35	65.9	35	77.0	35	91.0	1983	0.00	--	--	0.05	34
09/21 (264-t)	52.0	61.0*	70.0	35.0	1962	53.1	35	65.4	35	77.8	35	94.0	1970	0.22	--	--	0.08	35
09/22 (265-w)	44.0	60.5*	77.0	35.0	1976	53.3	35	65.0	35	76.7	35	92.0	1970	0.00	--	--	0.17	35
09/23 (266-t)	44.0	59.5*	75.0	35.0	1974	50.9	35	62.8	35	74.7	35	91.0	1970	0.07	--	--	0.11	35
09/24 (267-f)	50.0	61.0*	72.0	33.0	1983	50.2	35	61.5	35	72.9	35	92.0	1961	0.05	--	--	0.16	34
09/25 (268-s)	50.0	59.0*	68.0	34.0	1983	50.3	35	61.4	35	72.4	35	90.0	1959	0.00	--	--	0.17	35
09/26 (269-s)	54.0	63.5*	73.0	39.0	1965	50.4	35	62.4	35	74.5	35	88.0	1986	0.42	--	--	0.10	34
09/27 (270-m)	49.0	57.0*	65.0	33.0	1991	50.2	34	61.6	34	73.1	34	87.0	1959	0.00	--	--	0.26	35
09/28 (271-t)	37.0	48.0*	59.0	33.0	1991	49.0	35	60.3	35	71.7	35	92.0	1959	0.00	--	--	0.16	34
09/29 (272-w)	32.0	49.5*	67.0	32.0	1993	47.9	35	60.2	35	72.5	35	89.0	1986	0.00	--	--	0.08	34
09/30 (273-t)	30.0	45.5*	61.0	30.0	1993	49.0	35	61.3	35	73.6	35	88.0	1986	0.00	--	--	0.10	35

Column Min's:	30.0	45.5	59.0	30.0	47.9	60.2	71.7	0.00	0.02
Column Avg's:	50.4	62.9	75.4	54.9	66.5	78.0	83.0	0.11	0.11
Column Max's:	66.0	79.0	93.0	61.2	72.1	83.0	97.0	1.29	0.26
Column Tot's:								3.36	3.27

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
10/01 (274-f)	31.0	45.0*	31.0	60.9	0.00	0.16	0.00	0.09
10/02 (275-s)	42.0	58.5*	48.0	60.1	0.25	0.09	0.00	0.09
10/03 (276-s)	31.0	45.5*	47.2	59.3	0.20	0.05	0.00	0.05
10/04 (277-m)	35.0	48.5*	45.9	58.5	0.00	0.10	0.00	0.10
10/05 (278-t)	39.0	56.0*	44.3	57.8	0.00	0.08	0.00	0.08
10/06 (279-w)	35.0	51.0*	44.1	56.8	0.00	0.09	0.00	0.09
10/07 (280-t)	38.0	57.5*	43.9	56.3	0.00	0.09	0.00	0.09
10/08 (281-f)	46.0	63.0*	45.0	56.9	0.00	0.22	0.00	0.22
10/09 (282-s)	47.0	63.5*	46.0	57.9	0.00	0.06	0.00	0.06
10/10 (283-s)	30.0	48.5*	44.5	56.8	0.42	0.08	0.00	0.08
10/11 (284-m)	27.0	39.5*	44.9	57.2	0.00	0.03	0.00	0.03
10/12 (285-t)	29.0	39.5*	44.4	56.5	0.00	0.06	0.00	0.06
10/13 (286-w)	34.0	46.0*	45.9	57.6	0.00	0.13	0.00	0.13
10/14 (287-t)	34.0	48.5*	44.3	56.0	0.00	0.06	0.00	0.06
10/15 (288-f)	35.0	51.0*	44.3	57.2	0.00	0.06	0.00	0.06
10/16 (289-s)	54.0	64.5*	45.8	57.5	0.04	0.06	0.00	0.06
10/17 (290-s)	55.0	59.5*	43.0	54.9	0.70	0.19	0.00	0.19
10/18 (291-m)	43.0	57.0*	41.1	54.0	0.00	0.13	0.00	0.13
10/19 (292-t)	45.0	53.0*	40.1	51.9	0.00	0.06	0.00	0.06
10/20 (293-w)	48.0	57.5*	40.4	51.5	0.88	0.14	0.00	0.14
10/21 (294-t)	53.0	63.5*	40.4	52.0	0.30	0.22	0.00	0.22
10/22 (295-f)	27.0	42.5*	40.2	52.6	0.00	0.07	0.00	0.07
10/23 (296-s)	25.0	41.5*	41.6	53.3	0.00	0.13	0.00	0.13
10/24 (297-s)	28.0	46.0*	41.1	52.2	0.00	0.10	0.00	0.10
10/25 (298-m)	26.0	47.5*	40.6	52.0	0.00	0.09	0.00	0.09
10/26 (299-t)	34.0	52.5*	38.6	50.0	0.00	0.07	0.00	0.07
10/27 (300-w)	39.0	56.0*	39.1	50.7	0.00	0.07	0.00	0.07
10/28 (301-t)	28.0	40.5*	38.3	50.2	0.00	0.07	0.00	0.07
10/29 (302-f)	29.0	40.0*	38.8	50.3	0.00	0.09	0.00	0.09
10/30 (303-s)	27.0	41.5*	39.1	50.2	0.12	0.05	0.00	0.05
10/31 (304-s)	26.0	30.0*	42.3	53.0	0.26	0.07	0.00	0.07

Column Min's:	25.0	30.0	34.0	18.0	38.3	50.0	61.2	0.00
Column Avg's:	36.1	50.1	64.2	43.0	54.9	66.9	73.6	90.0
Column Max's:	55.0	64.5	80.0	48.3	60.9	73.6	90.0	90.0
Column Ttl's:								3.17

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]