

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION		
	min	max	min	year avg	long term	avg	evap	hum	ly	max	Long-Term	
mo da jul	Current	Current	year	year	year	year	year	year	year	ly	ly	
01/01 (001-f)	17.0	23.0*	-11.0	18.0	40	26.3	40	34.7	40	60.0	1966	
01/02 (002-s)	18.0	29.0*	-3.0	1968	18.1	40	25.9	40	33.7	40	58.0	1985
01/03 (003-s)	36.0	46.5*	-5.0	1979	19.6	40	27.0	40	34.3	40	57.0	1993
01/04 (004-m)	32.0	45.0*	-11.0	1981	18.2	40	25.8	40	33.5	40	58.0	1993
01/05 (005-t)	30.0	32.5*	-11.0	1981	17.2	40	23.8	40	30.4	40	57.0	1955
01/06 (006-w)	26.0	30.0*	-11.0	1981	17.7	40	25.3	40	32.9	40	55.0	1955
01/07 (007-t)	25.0	30.5*	-3.0	1970	19.6	40	26.9	40	34.2	40	56.0	1989
01/08 (008-f)	24.0	27.5*	-10.0	1968	14.6	40	22.7	40	30.8	40	60.0	1965
01/09 (009-s)	22.0	26.0*	-10.0	1968	13.1	40	21.8	40	30.5	40	62.0	1965
01/10 (010-s)	22.0	25.5*	-10.0	1981	14.9	40	22.0	40	29.1	40	47.0	1958
01/11 (011-m)	23.0	28.0*	-11.0	1984	14.4	40	22.5	40	30.5	40	61.0	1975
01/12 (012-t)	28.0	33.0*	-11.0	1984	14.7	40	22.6	40	30.5	40	59.0	1960
01/13 (013-w)	24.0	31.0*	-11.0	1984	14.0	40	22.4	40	30.8	40	57.0	1960
01/14 (014-t)	21.0	25.0*	-9.0	1964	15.6	40	23.8	40	32.1	40	53.0	1961
01/15 (015-f)	15.0	21.5*	-11.0	1972	15.4	40	23.5	40	31.5	40	50.0	1967
01/16 (016-s)	20.0	26.5*	-17.0	1972	12.8	40	20.9	39	29.1	39	54.0	1990
01/17 (017-s)	90.0	61.0*	-17.0	1972	15.5	40	22.4	40	29.2	40	54.0	1990
01/18 (018-m)	60.0	42.0*	-15.0	1977	15.3	40	22.7	40	30.2	40	57.0	1973
01/19 (019-t)	80.0	55.5*	-10.0	1984	18.0	40	25.4	40	32.8	40	59.0	1973
01/20 (020-w)	14.0	26.5*	-15.0	1985	15.3	40	24.0	40	32.7	40	56.0	1954
01/21 (021-t)	32.0	40.0*	-18.0	1984	16.7	40	24.5	40	32.2	40	58.0	1974
01/22 (022-f)	29.0	32.5*	-18.0	1984	18.1	40	25.8	40	33.5	40	52.0	1957
01/23 (023-s)	31.0	40.0*	-18.0	1984	17.4	40	26.3	40	35.1	40	59.0	1967
01/24 (024-s)	21.0	28.0*	-16.0	1963	15.8	40	24.2	40	32.6	40	66.0	1967
01/25 (025-m)	16.0	23.0*	-9.0	1963	17.4	40	25.6	40	33.8	40	62.0	1967
01/26 (026-t)	17.0	26.5*	-7.0	1961	17.9	39	25.3	39	32.8	40	56.0	1967
01/27 (027-w)	27.0	30.5*	-2.0	1955	15.7	40	24.5	39	33.0	39	58.0	1974
01/28 (028-t)	17.0	30.0*	-9.0	1963	15.7	40	23.6	39	31.1	39	48.0	1974
01/29 (029-f)	17.0	21.5*	-12.0	1977	16.2	40	23.6	40	30.9	40	57.0	1975
01/30 (030-s)	19.0	28.0*	-5.0	1977	17.7	40	25.0	40	32.3	40	60.0	1975
01/31 (031-s)	19.0	31.5*	-3.0	1955	14.1	40	22.4	40	30.8	40	60.0	1989

Column Min's:	Column Avg's:	Column Max's:	Column Ttl's:
14.0	21.5	24.0	29.1
28.1	32.2	36.2	32.0
90.0	61.0	58.0	35.1
			66.0
			0.00
			0.10
			0.94
			3.18
			0.03
			0.08
			0.16
			2.39

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION							
	mo	da	min	avg	max	min	year	avg	yr	max	yr	ly	ly/m	max	ly	ly/m	avg	yr
02/01 (032-m)	10.0	17.5*	25.0	-5.0	1971	15.9	40	24.3	39	32.3	39	54.0	1989	0.00	--	--	0.06	36
02/02 (033-t)	16.0	25.0*	34.0	-5.0	1971	18.2	40	25.2	40	32.2	40	59.0	1968	0.00	--	--	0.07	40
02/03 (034-w)	19.0	30.0*	41.0	-11.0	1985	15.4	40	23.5	40	31.7	40	55.0	1973	0.00	--	--	0.05	39
02/04 (035-t)	20.0	32.0*	44.0	-7.0	1978	16.1	40	23.4	40	30.7	40	54.0	1986	0.00	--	--	0.05	36
02/05 (036-f)	17.0	34.5*	52.0	-5.0	1978	15.5	40	24.3	40	33.1	40	55.0	1962	0.00	--	--	0.06	38
02/06 (037-s)	10.0	17.5*	25.0	-5.0	1979	16.5	40	24.4	40	32.2	40	51.0	1964	0.00	--	--	0.08	40
02/07 (038-s)	13.0	28.0*	43.0	-5.0	1977	16.7	40	24.3	40	31.9	40	54.0	1965	0.00	--	--	0.04	36
02/08 (039-m)	18.0	25.5*	33.0	-10.0	1967	14.2	40	23.1	40	32.1	40	56.0	1990	0.00	--	--	0.04	33
02/09 (040-t)	22.0	31.0*	40.0	-5.0	1967	14.5	40	22.9	40	31.4	40	55.0	1990	0.00	--	--	0.05	38
02/10 (041-w)	21.0	33.5*	46.0	-10.0	1978	15.8	40	25.1	40	34.3	40	61.0	1965	0.00	--	--	0.09	37
02/11 (042-t)	25.0	29.0*	33.0	-10.0	1982	16.4	40	25.1	40	33.7	40	60.0	1965	0.24	--	--	0.10	34
02/12 (043-f)	26.0	30.5*	35.0	-3.0	1982	15.8	40	24.1	40	32.3	40	53.0	1965	0.37	--	--	0.04	34
02/13 (044-s)	23.0	27.0*	31.0	-1.0	1981	17.7	40	26.0	40	34.3	40	66.0	1990	0.00	--	--	0.11	38
02/14 (045-s)	24.0	29.5*	35.0	-0.0	1986	17.8	40	26.6	40	35.4	40	60.0	1954	0.00	--	--	0.11	37
02/15 (046-m)	23.0	26.5*	30.0	-4.0	1978	19.1	40	27.3	40	35.4	40	69.0	1954	0.06	--	--	0.08	38
02/16 (047-t)	11.0	21.0*	31.0	-4.0	1963	18.7	40	26.8	40	34.8	40	62.0	1976	0.02	--	--	0.07	39
02/17 (048-w)	-6.0	9.5*	25.0	-9.0	1958	18.1	40	25.6	40	33.1	40	55.0	1976	0.00	--	--	0.10	39
02/18 (049-t)	-7.0	0.0*	7.0	-7.0	1979	20.4	40	27.7	40	35.0	40	54.0	1954	0.00	--	--	0.06	40
02/19 (050-f)	-2.0	9.5*	21.0	-2.0	1993	22.3	40	30.9	40	39.4	40	61.0	1954	0.00	--	--	0.05	37
02/20 (051-s)	20.0	26.0*	32.0	-4.0	1978	21.6	40	29.6	40	37.6	40	63.0	1954	0.02	--	--	0.08	36
02/21 (052-s)	22.0	28.5*	35.0	-6.0	1978	20.5	40	29.8	40	39.1	40	61.0	1953	0.72	--	--	0.12	38
02/22 (053-m)	10.0	19.5*	29.0	-8.0	1963	20.8	40	30.1	40	39.4	40	60.0	1988	0.14	--	--	0.11	34
02/23 (054-t)	4.0	13.5*	23.0	-6.0	1963	21.9	40	30.0	40	38.1	40	58.0	1961	0.00	--	--	0.08	40
02/24 (055-w)	-4.0	5.5*	15.0	-4.0	1993	22.9	40	31.7	40	40.5	40	62.0	1977	0.00	--	--	0.07	37
02/25 (056-t)	-0.0	11.0*	22.0	-0.0	1993	22.9	40	30.6	40	38.3	40	70.0	1957	0.01	--	--	0.09	37
02/26 (057-f)	-3.0	12.0*	27.0	-13.0	1963	21.1	40	29.3	40	37.4	40	65.0	1976	0.00	--	--	0.08	38
02/27 (058-s)	-0.0	13.0*	26.0	-10.0	1963	20.9	40	28.9	40	36.7	40	61.0	1976	0.00	--	--	0.10	35
02/28 (059-s)	7.0	18.5*	30.0	-4.0	1963	21.4	40	30.0	39	38.6	39	65.0	1976	0.00	--	--	0.07	41

Column Min's:	-7.0	0.0	7.0	-13.0	14.2	22.9	30.7	0.00	0.04
Column Avg's:	12.1	21.6	31.1	18.5	26.8	35.0	0.06	0.08	
Column Max's:	26.0	34.5	52.0	22.9	31.7	40.5	70.0	0.72	2.11
Column Ttl's:									

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION						
	min	avg	min	max	prec	evap	max	avg					
mo da jul	Current	Long Term	Year	Year	ly	ly/m	ly/m	ly/m					
11/01 (305-m)	21.0	30.5*	40.0	21.0	1993	39.3	41	49.7	41	60.0	41	77.0	1974
11/02 (306-t)	31.0	39.0*	47.0	23.0	1991	39.9	41	49.4	41	58.8	41	78.0	1968
11/03 (307-w)	36.0	42.5*	49.0	17.0	1991	38.3	41	47.6	40	57.2	40	76.0	1961
11/04 (308-t)	40.0	48.5*	57.0	14.0	1991	36.7	41	46.0	40	55.0	40	72.0	1961
11/05 (309-f)	33.0	44.5*	56.0	19.0	1991	35.7	41	43.8	41	51.8	41	74.0	1964
11/06 (310-s)	25.0	31.5*	38.0	21.0	1967	33.8	41	42.1	41	50.4	41	72.0	1978
11/07 (311-s)	24.0	28.0*	32.0	6.0	1991	32.6	41	41.1	41	49.5	41	75.0	1975
11/08 (312-m)	27.0	38.5*	50.0	9.0	1991	33.5	41	41.8	41	50.2	41	69.0	1986
11/09 (313-t)	24.0	39.0*	54.0	15.0	1991	33.1	41	42.1	41	51.1	41	71.0	1975
11/10 (314-w)	30.0	43.0*	56.0	21.0	1973	34.0	41	43.2	41	52.4	41	76.0	1975
11/11 (315-t)	32.0	46.0*	60.0	20.0	1957	32.5	41	42.0	41	51.4	41	68.0	1964
11/12 (316-f)	32.0	42.5*	53.0	13.0	1986	32.2	41	40.7	41	49.2	41	71.0	1964
11/13 (317-s)	47.0	55.0*	63.0	12.0	1986	32.5	41	41.5	41	50.4	41	71.0	1955
11/14 (318-s)	44.0	52.5*	61.0	13.0	1986	34.3	41	42.9	41	51.5	41	71.0	1956
11/15 (319-m)	38.0	44.0*	50.0	14.0	1986	32.9	41	41.9	41	50.8	41	70.0	1971
11/16 (320-t)	36.0	41.0*	46.0	15.0	1967	33.0	41	42.5	41	52.0	41	72.0	1964
11/17 (321-w)	26.0	36.0*	46.0	10.0	1959	31.4	41	40.7	41	50.1	41	70.0	1953
11/18 (322-t)	26.0	36.5*	47.0	15.0	1959	33.4	41	41.9	41	50.4	41	71.0	1954
11/19 (323-f)	25.0	35.5*	46.0	22.0	1956	32.8	41	41.7	41	50.6	41	72.0	1975
11/20 (324-s)	27.0	34.0*	41.0	12.0	1984	30.9	41	39.7	41	48.4	41	72.0	1953
11/21 (325-s)	35.0	42.5*	50.0	12.0	1984	31.3	41	39.0	41	46.7	41	64.0	1975
11/22 (326-m)	33.0	45.0*	57.0	12.0	1964	29.4	41	37.2	41	44.9	41	66.0	1979
11/23 (327-t)	39.0	45.5*	52.0	12.0	1971	29.4	41	38.0	41	46.7	41	65.0	1963
11/24 (328-w)	30.0	37.5*	45.0	14.0	1970	30.0	41	37.5	41	45.1	41	62.0	1968
11/25 (329-t)	31.0	39.0*	47.0	16.0	1970	29.0	41	36.4	41	43.8	41	62.0	1973
11/26 (330-f)	30.0	44.0*	58.0	16.0	1970	29.5	41	37.1	41	44.7	41	64.0	1988
11/27 (331-s)	20.0	26.5*	33.0	13.0	1956	30.8	41	39.2	41	47.6	41	70.0	1990
11/28 (332-s)	26.0	30.0*	34.0	8.0	1955	30.3	41	37.7	41	45.1	41	66.0	1984
11/29 (333-m)	19.0	26.5*	34.0	7.0	1955	25.9	41	33.6	41	41.4	41	66.0	1960
11/30 (334-t)	33.0	45.0*	57.0	-0.0	1958	26.3	41	32.7	41	39.1	41	63.0	1991

Column Min's:	Column Avg's:	Column Max's:	Column Ttl's:
19.0	26.5	32.0	0.0
30.7	39.7	48.6	32.7
47.0	55.0	63.0	41.0
			49.7
			60.0
			78.0
			0.00
			0.11
			0.83
			3.18

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION	
	min	avg	min	year avg	max	liq	prec	evap	hum	ly	max	avg
mo da jul	Current	Long Term	min year	avgm yrs	max	prec	evap	hum	ly/m	ly/m	ly/m	ly/m
12/01 (335-w)	23.0	34.5*	9.0	1964	25.0	39	32.2	39	39.9	40	64.0	1975
12/02 (336-t)	35.0	42.0*	6.0	1966	24.5	39	32.3	39	40.4	40	65.0	1970
12/03 (337-f)	36.0	40.0*	-6.0	1976	24.1	40	32.5	40	40.8	40	60.0	1953
12/04 (338-s)	36.0	38.5*	-2.0	1976	24.2	40	32.0	40	39.8	40	63.0	1953
12/05 (339-s)	35.0	40.0*	1.0	1976	24.7	40	32.3	40	39.8	40	62.0	1961
12/06 (340-m)	28.0	36.0*	7.0	1974	26.2	40	33.5	40	41.0	40	68.0	1956
12/07 (341-t)	28.0	33.0*	1.0	1977	24.7	40	31.6	40	38.5	40	56.0	1966
12/08 (342-w)	28.0	36.0*	-2.0	1977	26.2	40	32.6	40	39.0	40	62.0	1966
12/09 (343-t)	34.0	43.5*	3.0	1958	23.8	40	31.4	40	39.1	40	67.0	1966
12/10 (344-f)	20.0	37.0*	-7.0	1958	21.5	40	28.9	40	36.3	40	54.0	1993
12/11 (345-s)	14.0	22.0*	-7.0	1977	21.4	40	28.5	40	35.5	40	69.0	1971
12/12 (346-s)	17.0	27.5*	-8.0	1962	23.4	40	30.5	40	37.5	40	61.0	1979
12/13 (347-m)	25.0	33.0*	-7.0	1962	24.0	40	31.2	40	38.5	40	58.0	1984
12/14 (348-t)	33.0	38.0*	-2.0	1962	22.6	40	29.5	40	36.3	40	61.0	1975
12/15 (349-w)	32.0	36.5*	-3.0	1989	21.0	40	29.0	40	37.0	40	63.0	1975
12/16 (350-t)	31.0	34.5*	-7.0	1989	21.8	40	28.7	40	35.7	40	63.0	1971
12/17 (351-f)	31.0	35.5*	-6.0	1989	21.8	40	28.5	40	35.2	40	63.0	1984
12/18 (352-s)	32.0	36.5*	-0.0	1963	19.5	40	27.2	40	34.9	40	57.0	1984
12/19 (353-s)	32.0	35.0*	-6.0	1963	20.8	40	28.3	40	35.8	40	60.0	1967
12/20 (354-m)	26.0	31.5*	-6.0	1963	21.0	40	27.6	40	34.2	40	60.0	1957
12/21 (355-t)	20.0	25.5*	-19.0	1989	19.4	40	26.4	40	33.3	40	59.0	1967
12/22 (356-w)	21.0	26.5*	-17.0	1989	18.6	40	26.7	40	34.7	40	65.0	1967
12/23 (357-t)	12.0	19.0*	-11.0	1989	19.9	40	27.6	40	35.3	40	57.0	1956
12/24 (358-f)	13.0	18.0*	-13.0	1983	21.1	40	28.3	40	35.4	40	57.0	1955
12/25 (359-s)	4.0	12.0*	-10.0	1983	18.5	40	26.8	40	35.0	40	63.0	1964
12/26 (360-s)	1.0	9.0*	-10.0	1983	18.8	40	25.6	40	32.3	40	58.0	1959
12/27 (361-m)	6.0	14.0*	-10.0	1983	19.2	40	26.7	40	34.2	40	63.0	1959
12/28 (362-t)	-4.0	8.5*	-4.0	1993	19.0	40	27.1	40	35.3	40	62.0	1971
12/29 (363-w)	2.0	12.0*	-3.0	1961	18.6	40	26.7	40	34.8	40	66.0	1984
12/30 (364-t)	7.0	17.5*	-11.0	1983	18.8	40	26.7	40	34.6	40	63.0	1984
12/31 (365-f)	30.0	35.0*	-11.0	1983	19.8	40	27.2	40	34.7	40	61.0	1972

Column Min's:	-4.0	8.5	17.0	-19.0	18.5	25.6	32.3	0.00	0.03
Column Avg's:	22.2	29.3	36.4	21.7	29.2	33.5	36.6	0.05	0.09
Column Max's:	36.0	43.5	54.0	26.2	26.2	33.5	41.0	0.40	0.17
Column Ttl's:							69.0	1.62	2.74

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min	year avg	max	prec	evap	hum	ly	max	avg				
03/01 (060-m)	17.0	28.0*	39.0	2.0	1967	22.3	41	31.3	41	40.4	41	65.0	1976	0.00	0.06	36
03/02 (061-t)	31.0	37.0*	43.0	-5.0	1978	23.1	41	32.0	41	40.9	41	63.0	1972	0.00	0.05	39
03/03 (062-w)	32.0	35.5*	39.0	-3.0	1978	23.0	41	32.0	40	40.6	40	63.0	1974	0.01	0.05	37
03/04 (063-t)	27.0	30.0*	33.0	3.0	1984	24.6	41	33.7	41	42.9	41	74.0	1983	0.49	0.22	35
03/05 (064-f)	18.0	25.0*	32.0	2.0	1978	25.8	41	34.9	41	44.1	41	71.0	1976	0.01	0.15	41
03/06 (065-s)	22.0	30.0*	38.0	-4.0	1960	24.4	41	33.1	41	41.8	41	69.0	1983	0.00	0.11	36
03/07 (066-s)	30.0	37.5*	45.0	5.0	1986	24.6	41	33.5	41	42.5	41	73.0	1983	0.08	0.07	34
03/08 (067-m)	29.0	33.5*	38.0	-4.0	1960	24.1	41	32.8	41	41.6	41	70.0	1987	0.00	0.08	36
03/09 (068-t)	28.0	32.0*	36.0	-5.0	1984	23.4	41	32.6	41	41.8	41	64.0	1992	0.04	0.08	33
03/10 (069-w)	10.0	22.0*	34.0	1.0	1978	24.8	41	33.3	41	41.7	41	69.0	1955	0.13	0.10	39
03/11 (070-t)	20.0	27.0*	34.0	-3.0	1960	26.0	41	35.2	41	44.5	41	74.0	1990	0.03	0.07	37
03/12 (071-f)	17.0	24.0*	31.0	7.0	1984	27.6	41	35.9	41	44.2	41	74.0	1990	0.00	0.10	38
03/13 (072-s)	6.0	15.0*	24.0	-0.0	1960	26.5	41	35.9	41	45.2	41	73.0	1990	0.00	0.13	41
03/14 (073-s)	6.0	13.5*	21.0	6.0	1993	27.6	41	35.9	41	44.3	41	77.0	1990	0.00	0.07	40
03/15 (074-m)	10.0	24.0*	38.0	7.0	1960	27.5	41	36.2	41	44.9	41	77.0	1990	0.03	0.07	38
03/16 (075-t)	26.0	33.5*	41.0	13.0	1970	27.6	41	36.1	41	44.7	41	74.0	1977	0.51	0.08	42
03/17 (076-w)	12.0	20.5*	29.0	5.0	1956	26.4	41	35.9	41	45.3	41	64.0	1953	0.00	0.07	39
03/18 (077-t)	11.0	17.5*	24.0	9.0	1967	25.7	41	34.4	41	43.2	41	70.0	1966	0.00	0.07	37
03/19 (078-f)	18.0	28.0*	38.0	11.0	1965	26.0	41	35.2	41	44.5	41	68.0	1969	0.17	0.09	38
03/20 (079-s)	31.0	35.5*	40.0	10.0	1956	28.5	41	37.4	41	46.3	41	72.0	1968	0.06	0.09	37
03/21 (080-s)	31.0	35.0*	39.0	10.0	1986	29.2	41	37.8	41	46.5	41	76.0	1953	0.00	0.15	38
03/22 (081-m)	32.0	39.0*	46.0	10.0	1992	27.8	40	36.8	40	46.0	41	71.0	1972	0.55	0.10	37
03/23 (082-t)	33.0	41.5*	50.0	14.0	1960	29.1	41	38.3	41	47.6	41	73.0	1988	0.12	0.06	39
03/24 (083-w)	33.0	35.0*	37.0	8.0	1974	29.2	41	38.9	41	48.5	41	72.0	1966	0.09	0.07	43
03/25 (084-t)	32.0	36.0*	40.0	3.0	1974	29.3	41	38.4	41	47.6	41	73.0	1986	0.00	0.13	40
03/26 (085-f)	39.0	34.5*	30.0	4.0	1974	30.2	41	38.0	41	45.9	41	74.0	1986	0.00	0.12	39
03/27 (086-s)	30.0	36.0*	42.0	7.0	1965	29.6	41	39.0	41	48.4	41	77.0	1967	0.00	0.12	40
03/28 (087-s)	35.0	42.0*	49.0	14.0	1955	31.6	41	40.8	41	50.0	41	73.0	1989	0.01	0.07	41
03/29 (088-m)	39.0	45.0*	51.0	21.0	1983	32.8	41	42.3	41	51.9	41	76.0	1987	0.00	0.15	43
03/30 (089-t)	39.0	52.0*	65.0	15.0	1969	33.2	40	42.3	40	52.0	41	80.0	1986	0.00	0.10	42
03/31 (090-w)	33.0	47.5*	62.0	14.0	1969	31.9	40	41.5	40	51.8	41	81.0	1986	0.78	0.09	39

Column Min's:	6.0	13.5	21.0	-5.0	22.3	31.3	40.4	0.00	0.05
Column Avg's:	25.1	32.0	39.0	27.2	36.2	45.2	0.10	0.10	0.10
Column Max's:	39.0	52.0	65.0	33.2	42.3	52.0	81.0	0.78	0.22
Column Ttl's:								3.11	2.97

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	evap	ly	max Lng-Tm
04/01 (091-t)	30.0	34.5*	10.0	32.9	0.00
04/02 (092-f)	26.0	31.0*	17.0	33.6	0.00
04/03 (093-s)	26.0	33.0*	19.0	34.3	0.00
04/04 (094-s)	29.0	35.5*	20.0	33.7	0.00
04/05 (095-m)	30.0	37.0*	20.0	33.7	0.03
04/06 (096-t)	32.0	40.5*	8.0	34.8	0.00
04/07 (097-w)	36.0	49.0*	8.0	33.7	0.00
04/08 (098-t)	43.0	56.5*	13.0	33.4	0.13
04/09 (099-f)	38.0	48.5*	16.0	32.9	0.92
04/10 (100-s)	33.0	45.5*	21.0	32.9	0.00
04/11 (101-s)	35.0	45.0*	23.0	34.3	0.07
04/12 (102-m)	29.0	41.0*	22.0	35.7	0.00
04/13 (103-t)	33.0	42.5*	26.0	37.4	0.05
04/14 (104-w)	36.0	46.5*	25.0	39.1	0.01
04/15 (105-t)	45.0	60.5*	24.0	39.0	0.34
04/16 (106-f)	33.0	42.0*	24.0	39.1	0.01
04/17 (107-s)	33.0	41.5*	24.0	39.4	0.00
04/18 (108-s)	40.0	53.0*	25.0	40.1	0.00
04/19 (109-m)	51.0	60.0*	26.0	41.5	0.25
04/20 (110-t)	32.0	51.5*	27.0	41.8	0.17
04/21 (111-w)	30.0	39.0*	26.0	42.5	0.00
04/22 (112-t)	29.0	43.5*	26.0	42.5	0.00
04/23 (113-f)	37.0	49.5*	26.0	40.4	0.06
04/24 (114-s)	48.0	56.0*	30.0	41.7	0.53
04/25 (115-s)	38.0	48.0*	27.0	42.3	0.45
04/26 (116-m)	28.0	37.0*	28.0	41.2	0.00
04/27 (117-t)	31.0	45.5*	28.0	41.7	0.00
04/28 (118-w)	47.0	60.5*	30.0	43.4	0.00
04/29 (119-t)	52.0	63.5*	31.0	43.0	0.13
04/30 (120-f)	7.0	18.5*	7.0	43.0	0.00
Column Min's:	7.0	18.5	7.0	32.9	0.00
Column Avg's:	34.6	45.2	42.6	48.6	0.11
Column Max's:	52.0	63.5	54.3	65.5	0.92
Column Ttl's:				88.0	3.15

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION					
	min	avg	max	min	year	avg	max	prec	liq	ly	max	ly/m	avg	Term
mo da jul	Current	Current	Current	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term	Long Term
05/01 (121-s)	46.0	54.5*	63.0	29.0	1963	43.4	41	55.2	41	66.9	41	88.0	1957	0.00
05/02 (122-s)	59.0	63.0*	67.0	32.0	1961	43.2	41	55.0	41	66.8	41	87.0	1959	0.00
05/03 (123-m)	60.0	66.5*	73.0	32.0	1978	43.5	41	54.5	41	65.5	41	88.0	1959	0.00
05/04 (124-t)	58.0	63.0*	68.0	29.0	1971	42.6	41	53.6	41	64.6	41	87.0	1955	0.17
05/05 (125-w)	48.0	60.0*	72.0	32.0	1957	43.1	41	54.2	41	65.2	41	86.0	1959	0.00
05/06 (126-t)	45.0	60.5*	76.0	29.0	1968	45.0	41	56.8	41	68.5	41	91.0	1959	0.00
05/07 (127-f)	45.0	59.5*	74.0	30.0	1968	44.5	41	56.3	41	68.1	41	87.0	1982	0.00
05/08 (128-s)	45.0	60.0*	75.0	29.0	1983	45.3	41	56.4	41	67.4	41	85.0	1965	0.00
05/09 (129-s)	45.0	61.0*	77.0	33.0	1954	45.7	41	56.5	41	67.3	41	87.0	1979	0.00
05/10 (130-m)	47.0	64.0*	81.0	27.0	1966	45.7	41	56.6	41	67.6	41	88.0	1963	0.00
05/11 (131-t)	56.0	71.5*	87.0	34.0	1966	48.0	41	59.1	41	70.2	41	87.0	1993	0.00
05/12 (132-w)	43.0	63.0*	83.0	35.0	1963	48.3	41	59.4	41	70.4	41	89.0	1979	0.00
05/13 (133-t)	38.0	48.5*	59.0	37.0	1969	48.3	41	58.1	41	67.9	41	89.0	1956	0.00
05/14 (134-f)	59.0	67.5*	76.0	38.0	1959	48.5	41	59.2	41	69.9	41	89.0	1987	0.00
05/15 (135-s)	48.0	65.0*	82.0	37.0	1973	48.8	41	60.1	41	71.4	41	92.0	1988	0.00
05/16 (136-s)	36.0	48.5*	61.0	32.0	1984	48.1	41	59.8	41	71.4	41	92.0	1991	0.00
05/17 (137-m)	49.0	60.0*	71.0	36.0	1973	48.9	41	60.3	41	71.6	41	92.0	1962	0.00
05/18 (138-t)	45.0	57.0*	69.0	35.0	1955	48.7	41	59.5	41	70.3	41	93.0	1962	0.02
05/19 (139-w)	39.0	49.5*	60.0	35.0	1976	51.6	41	61.8	41	72.1	41	92.0	1962	0.00
05/20 (140-t)	36.0	48.0*	60.0	34.0	1981	49.7	41	61.3	41	72.8	41	92.0	1959	0.00
05/21 (141-f)	38.0	51.5*	65.0	34.0	1954	50.2	41	61.5	41	72.9	41	90.0	1977	0.00
05/22 (142-s)	47.0	61.0*	75.0	36.0	1961	51.1	41	62.8	41	74.4	41	91.0	1977	0.05
05/23 (143-s)	55.0	61.5*	68.0	31.0	1963	50.5	41	61.0	41	71.5	41	90.0	1964	0.18
05/24 (144-m)	54.0	64.0*	74.0	34.0	1963	50.6	41	61.4	41	72.2	41	90.0	1955	0.02
05/25 (145-t)	37.0	51.0*	65.0	36.0	1963	51.3	41	62.2	41	73.0	41	89.0	1953	0.00
05/26 (146-w)	45.0	60.5*	76.0	39.0	1963	51.6	41	63.1	41	74.6	41	90.0	1975	0.00
05/27 (147-t)	51.0	61.5*	72.0	35.0	1961	51.9	41	62.5	41	73.2	41	87.0	1955	0.00
05/28 (148-f)	48.0	67.0*	86.0	40.0	1953	52.6	41	63.7	41	74.8	41	91.0	1987	0.11
05/29 (149-s)	42.0	52.5*	63.0	37.0	1965	52.8	41	63.8	41	74.8	41	92.0	1991	0.00
05/30 (150-s)	48.0	62.5*	77.0	37.0	1961	53.7	41	64.8	41	75.8	41	93.0	1953	0.42
05/31 (151-m)	39.0	52.0*	65.0	39.0	1993	54.8	41	65.2	41	75.7	41	94.0	1988	0.00
Column Min's:	36.0	48.0	59.0	27.0		42.6		53.6		64.6				0.06
Column Avg's:	46.8	59.2	71.6	48.5		59.5		59.5		70.6		94.0		0.12
Column Max's:	60.0	71.5	87.0	54.8		65.2		65.2		75.8				0.42
Column Ttl's:														3.60

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	max	min year	max year	prec	evap	ly	max Lng-Trm			
mo da jul	avg	avg	avgm yrs	avgm yrs	liq	avg pr yrs	ly	ly/m			
			avgm yrs	avgm yrs	prec	avg pr yrs		avg yrs			
06/01 (152-t)	40.0	52.0*	39.0	55.1	41	65.6	41	76.0	41	93.0	1988
06/02 (153-w)	49.0	56.0*	40.0	53.0	41	63.8	41	74.7	41	90.0	1978
06/03 (154-t)	49.0	59.0*	41.0	51.7	41	62.9	41	74.2	41	86.0	1953
06/04 (155-f)	50.0	56.5*	43.0	53.5	41	63.8	41	74.2	41	92.0	1953
06/05 (156-s)	42.0	51.0*	42.0	56.1	41	67.1	41	78.0	41	93.0	1953
06/06 (157-s)	52.0	64.5*	43.0	57.0	41	68.5	41	79.9	41	94.0	1988
06/07 (158-m)	58.0	66.0*	42.0	57.2	41	68.5	41	79.7	41	93.0	1988
06/08 (159-t)	63.0	73.0*	46.0	58.4	41	69.0	41	79.5	41	95.0	1959
06/09 (160-w)	63.0	72.5*	41.0	57.6	41	68.4	41	79.2	41	94.0	1959
06/10 (161-t)	57.0	67.5*	41.0	57.2	41	68.9	41	80.7	41	92.0	1954
06/11 (162-f)	57.0	66.5*	38.0	57.2	41	69.3	41	80.9	41	94.0	1968
06/12 (163-s)	55.0	66.5*	48.0	58.2	41	69.4	41	80.7	41	96.0	1956
06/13 (164-s)	63.0	72.5*	46.0	59.1	41	69.9	41	80.7	41	96.0	1956
06/14 (165-m)	59.0	67.5*	45.0	59.1	41	69.7	41	80.3	41	97.0	1988
06/15 (166-t)	55.0	65.0*	48.0	58.6	41	69.5	41	80.4	41	96.0	1954
06/16 (167-w)	54.0	64.5*	41.0	58.3	41	68.9	41	79.6	41	95.0	1957
06/17 (168-t)	64.0	75.5*	45.0	57.4	41	68.7	41	80.0	41	100.0	1957
06/18 (169-f)	70.0	80.5*	46.0	58.6	41	69.3	41	79.9	41	94.0	1955
06/19 (170-s)	70.0	81.0*	47.0	58.2	41	70.6	41	81.7	41	97.0	1953
06/20 (171-s)	66.0	73.0*	40.0	59.3	41	70.4	41	81.6	41	100.0	1953
06/21 (172-m)	57.0	66.5*	40.0	59.2	41	70.5	41	81.0	41	99.0	1988
06/22 (173-t)	50.0	68.0*	45.0	58.3	41	69.3	41	80.2	41	99.0	1988
06/23 (174-w)	55.0	68.0*	44.0	58.8	41	69.2	41	79.6	41	92.0	1965
06/24 (175-t)	63.0	76.5*	42.0	59.0	41	70.5	41	81.9	41	94.0	1964
06/25 (176-f)	60.0	72.5*	44.0	58.8	41	70.1	41	81.4	41	104.0	1988
06/26 (177-s)	63.0	72.5*	45.0	58.7	41	69.9	41	81.2	41	95.0	1953
06/27 (178-s)	61.0	72.5*	48.0	59.6	41	71.2	41	82.7	41	95.0	1963
06/28 (179-m)	60.0	68.5*	51.0	59.8	41	72.2	41	83.3	41	97.0	1971
06/29 (180-t)	51.0	61.5*	46.0	61.4	41	72.4	41	83.4	41	100.0	1971
06/30 (181-w)	55.0	62.5*	43.0	58.8	41	73.0	41	84.4	41	100.0	1953
Column Min's:	40.0	51.0	38.0	51.7		62.9		74.2		0.00	0.05
Column Avg's:	57.0	67.3		58.0		69.0		80.0		0.15	0.13
Column Max's:	70.0	81.0		61.5		73.0		84.4		1.34	0.25
Column Ttl's:							104.0			4.39	3.99

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	avg	Long Term	max	prec	evap	ly	max	avg
mo da jul	Current	Current	Year	Year	avg yrs	avgmx yrs	liq	prec	ly	ly/m	avg yrs
07/01 (182-t)	65.0	71.0*	45.0	62.3	40	83.3	40	99.0	1953	0.12	0.21
07/02 (183-f)	65.0	74.5*	50.0	62.9	41	84.2	41	96.0	1956	0.15	0.09
07/03 (184-s)	67.0	76.5*	52.0	61.9	41	83.7	41	96.0	1963	0.00	0.21
07/04 (185-s)	70.0	81.0*	48.0	60.6	41	83.1	41	98.0	1955	0.00	0.11
07/05 (186-m)	72.0	82.5*	47.0	61.4	41	82.4	41	97.0	1988	0.00	0.38
07/06 (187-t)	71.0	78.5*	46.0	60.1	41	82.3	41	98.0	1988	0.16	0.07
07/07 (188-w)	68.0	78.0*	49.0	60.0	41	83.1	41	99.0	1988	0.48	0.09
07/08 (189-t)	69.0	78.0*	48.0	61.9	41	85.1	41	97.0	1988	0.00	0.05
07/09 (190-f)	67.0	79.5*	47.0	63.0	41	85.5	41	98.0	1988	0.00	0.13
07/10 (191-s)	68.0	76.5*	47.0	61.4	41	83.5	41	98.0	1989	0.03	0.14
07/11 (192-s)	65.0	77.5*	50.0	61.4	41	83.2	41	92.0	1966	0.33	0.16
07/12 (193-m)	52.0	68.5*	48.0	60.5	41	83.6	41	95.0	1954	0.00	0.19
07/13 (194-t)	56.0	70.0*	53.0	60.5	41	83.3	41	93.0	1953	0.00	0.14
07/14 (195-w)	64.0	74.0*	48.0	62.9	41	85.5	41	98.0	1954	0.00	0.09
07/15 (196-t)	52.0	66.0*	49.0	62.2	41	84.1	41	96.0	1974	0.00	0.06
07/16 (197-f)	53.0	67.5*	53.0	62.2	41	84.8	41	98.0	1980	0.00	0.12
07/17 (198-s)	61.0	70.5*	50.0	61.3	41	84.2	41	97.0	1953	0.00	0.09
07/18 (199-s)	63.0	75.5*	50.0	63.0	41	85.1	41	92.0	1955	0.07	0.07
07/19 (200-m)	64.0	75.0*	51.0	64.9	41	86.0	41	94.0	1957	0.02	0.16
07/20 (201-t)	61.0	72.5*	47.0	63.9	41	84.9	41	98.0	1957	0.00	0.20
07/21 (202-w)	51.0	65.5*	47.0	61.6	41	84.4	41	98.0	1980	0.00	0.18
07/22 (203-t)	50.0	65.5*	48.0	62.4	41	83.9	41	96.0	1983	0.00	0.08
07/23 (204-f)	57.0	70.0*	50.0	62.5	41	84.7	41	94.0	1978	0.00	0.15
07/24 (205-s)	65.0	76.5*	51.0	62.5	41	83.6	41	92.0	1984	0.01	0.12
07/25 (206-s)	66.0	76.5*	48.0	61.4	41	84.3	41	97.0	1965	0.00	0.06
07/26 (207-m)	65.0	78.0*	51.0	61.6	41	85.4	41	97.0	1955	0.00	0.05
07/27 (208-t)	68.0	79.5*	47.0	61.8	41	84.8	41	99.0	1955	0.00	0.11
07/28 (209-w)	64.0	80.5*	52.0	61.8	41	84.5	41	97.0	1964	0.00	0.05
07/29 (210-t)	60.0	70.5*	50.0	62.5	41	83.8	41	97.0	1957	0.00	0.07
07/30 (211-f)	52.0	66.5*	51.0	61.4	41	82.7	40	97.0	1955	0.00	0.20
07/31 (212-s)	54.0	69.0*	50.0	60.7	40	82.0	40	98.0	1955	0.00	0.08

Column Min's:	50.0	65.5	77.0	45.0	71.2	82.0	0.00	0.05
Column Avg's:	62.1	73.9	85.7	61.9	73.0	84.0	0.04	0.13
Column Max's:	72.0	82.5	97.0	64.9	75.5	86.0	0.48	0.38
Column Ttl's:							1.37	3.91

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION				
	min	max	min year	max year	prec	evap	Ly	max Lng-Trm			
mo da jul	avg	avg	avgm yrs	avgmx yrs	liq	hum %	ly/m	ly/m			
			avg yrs	avgmx yrs	prec	avg pr yrs		avg yrs			
08/01 (213-s)	60.0	73.0*	49.0	60.9	40	72.2	40	83.6	41	98.0	1955
08/02 (214-m)	55.0	69.5*	50.0	60.9	41	72.5	41	84.1	41	99.0	1955
08/03 (215-t)	58.0	72.0*	48.0	62.1	41	73.3	41	84.5	41	99.0	1955
08/04 (216-w)	47.0	62.0*	45.0	61.0	42	72.1	41	82.8	41	97.0	1955
08/05 (217-t)	49.0	61.5*	44.0	60.1	41	70.9	41	81.6	41	97.0	1956
08/06 (218-f)	52.0	64.5*	49.0	60.1	41	70.3	41	81.4	41	92.0	1968
08/07 (219-s)	50.0	62.5*	45.0	60.1	41	71.1	41	82.0	41	95.0	1965
08/08 (220-s)	50.0	65.0*	46.0	60.9	41	71.9	41	82.9	41	92.0	1964
08/09 (221-m)	55.0	70.0*	47.0	60.7	41	71.9	41	83.0	41	94.0	1957
08/10 (222-t)	61.0	69.0*	47.0	60.5	41	71.3	41	82.1	41	92.0	1957
08/11 (223-w)	61.0	73.5*	47.0	60.7	40	69.9	40	81.0	41	94.0	1957
08/12 (224-t)	61.0	74.0*	45.0	60.7	41	69.2	41	80.7	41	92.0	1964
08/13 (225-f)	55.0	70.5*	48.0	60.7	41	69.8	41	81.2	41	93.0	1959
08/14 (226-s)	60.0	74.5*	45.0	60.4	41	71.2	41	82.5	41	94.0	1959
08/15 (227-s)	62.0	76.0*	45.0	60.4	41	71.9	41	82.9	41	95.0	1965
08/16 (228-m)	63.0	75.5*	44.0	60.2	41	71.2	41	82.2	41	96.0	1965
08/17 (229-t)	59.0	71.5*	46.0	60.7	40	70.4	40	81.8	41	96.0	1988
08/18 (230-w)	57.0	72.5*	45.0	60.1	41	70.1	41	81.2	41	90.0	1955
08/19 (231-t)	58.0	74.5*	48.0	60.1	41	70.8	41	82.3	41	98.0	1955
08/20 (232-f)	60.0	74.0*	46.0	60.2	41	69.8	41	80.7	41	96.0	1955
08/21 (233-s)	39.0	57.0*	39.0	60.4	41	69.0	41	79.6	41	97.0	1955
08/22 (234-s)	44.0	63.5*	44.0	60.4	41	69.7	41	81.0	41	94.0	1959
08/23 (235-m)	61.0	76.5*	46.0	60.7	41	69.9	41	81.3	41	96.0	1954
08/24 (236-t)	60.0	76.5*	46.0	60.7	40	69.5	40	80.7	41	93.0	1954
08/25 (237-w)	61.0	77.0*	47.0	60.4	41	69.6	41	81.2	41	94.0	1959
08/26 (238-t)	65.0	80.0*	46.0	60.4	41	70.2	41	81.9	41	98.0	1953
08/27 (239-f)	69.0	83.0*	44.0	60.4	41	71.4	41	82.9	41	98.0	1953
08/28 (240-s)	59.0	71.5*	39.0	60.4	41	70.6	41	81.6	41	97.0	1953
08/29 (241-s)	61.0	73.0*	40.0	60.4	41	71.2	41	83.0	41	97.0	1953
08/30 (242-m)	62.0	78.5*	43.0	60.4	41	71.3	41	82.7	41	99.0	1953
08/31 (243-t)	55.0	62.5*	46.0	60.4	41	70.2	41	81.3	41	100.0	1953
Column Min's:	39.0	57.0	39.0	57.7	69.0	79.6	0.00	0.00	0.02		
Column Avg's:	57.1	71.1	55.2	59.6	70.8	82.0	0.02	0.11	0.12		
Column Max's:	69.0	83.0	97.0	62.1	73.3	84.5	0.25	0.22	0.17		
Column Ttl's:							100.0	0.75	3.47		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION				
	min	max	min	year avg	max	year	prec	liq	evap	hum	max	avg			
09/01 (244-w)	60.0	69.0*	43.0	1991	57.6	40	69.0	40	80.5	40	102.0	1953	0.02	0.11	43
09/02 (245-t)	63.0	75.0*	43.0	1958	57.8	40	69.0	40	80.2	40	105.0	1953	0.39	0.12	42
09/03 (246-f)	52.0	63.5*	44.0	1987	57.3	40	68.2	40	79.2	40	103.0	1953	0.33	0.12	42
09/04 (247-s)	52.0	64.0*	45.0	1974	57.8	40	69.6	40	81.4	40	96.0	1953	0.00	0.05	41
09/05 (248-s)	55.0	68.0*	41.0	1988	57.7	40	69.2	40	80.6	40	97.0	1954	0.01	0.11	42
09/06 (249-m)	55.0	61.0*	40.0	1962	56.0	40	67.8	40	79.5	40	97.0	1954	0.06	0.16	44
09/07 (250-t)	47.0	61.0*	38.0	1986	55.1	40	66.7	40	78.4	40	94.0	1959	0.00	0.07	43
09/08 (251-w)	47.0	60.5*	39.0	1986	54.5	40	66.6	40	78.7	40	94.0	1959	0.00	0.05	43
09/09 (252-t)	48.0	64.0*	41.0	1986	54.7	40	67.4	40	80.2	40	95.0	1964	0.02	0.09	43
09/10 (253-f)	36.0	52.0*	36.0	1993	55.0	40	66.1	40	77.3	40	94.0	1964	0.00	0.08	43
09/11 (254-s)	45.0	57.5*	41.0	1967	54.0	40	65.5	40	77.0	40	96.0	1964	0.00	0.05	43
09/12 (255-s)	55.0	67.0*	39.0	1967	53.9	40	65.3	40	76.6	40	90.0	1961	0.00	0.11	43
09/13 (256-m)	60.0	72.0*	38.0	1953	53.2	40	64.7	40	76.2	40	90.0	1956	0.00	0.11	42
09/14 (257-t)	54.0	71.0*	36.0	1964	53.3	40	65.2	40	77.1	40	90.0	1962	0.21	0.20	42
09/15 (258-w)	49.0	54.5*	38.0	1975	52.8	40	63.8	40	74.8	40	94.0	1991	0.00	0.11	41
09/16 (259-t)	49.0	55.5*	38.0	1966	51.5	40	62.8	40	74.1	40	95.0	1955	0.00	0.08	41
09/17 (260-f)	51.0	60.0*	36.0	1959	51.9	40	62.4	40	72.9	40	98.0	1955	0.00	0.15	43
09/18 (261-s)	54.0	62.5*	35.0	1959	51.3	40	63.3	40	75.3	40	96.0	1955	0.00	0.18	42
09/19 (262-s)	49.0	59.0*	33.0	1991	52.1	40	63.1	40	74.0	40	95.0	1955	0.00	0.11	44
09/20 (263-m)	48.0	58.0*	32.0	1991	52.5	40	63.7	40	74.9	40	89.0	1963	0.02	0.10	36
09/21 (264-t)	53.0	62.0*	32.0	1962	52.8	40	62.8	40	72.9	40	91.0	1978	0.00	0.13	40
09/22 (265-w)	51.0	61.5*	37.0	1953	50.8	40	62.0	40	73.2	40	91.0	1970	0.02	0.06	40
09/23 (266-t)	36.0	53.0*	31.0	1974	48.2	40	60.1	40	72.0	40	90.0	1980	0.11	0.09	43
09/24 (267-f)	37.0	54.5*	34.0	1989	47.2	40	59.3	40	71.4	40	87.0	1968	0.00	0.08	42
09/25 (268-s)	49.0	57.5*	36.0	1967	49.7	40	60.6	40	71.5	40	89.0	1959	0.67	0.07	41
09/26 (269-s)	46.0	53.5*	30.0	1991	48.7	40	60.1	40	71.5	40	89.0	1986	0.00	0.09	43
09/27 (270-m)	45.0	51.0*	27.0	1991	48.6	40	59.9	40	71.2	40	84.0	1973	0.09	0.18	42
09/28 (271-t)	38.0	49.5*	34.0	1957	46.5	40	58.6	40	70.6	40	89.0	1954	0.10	0.09	40
09/29 (272-w)	33.0	43.0*	33.0	1992	46.0	40	57.7	40	69.4	40	97.0	1953	0.27	0.07	43
09/30 (273-t)	33.0	45.0*	33.0	1993	46.2	40	58.0	40	69.8	40	89.0	1986	0.00	0.05	41

Column Min's:	33.0	43.0	53.0	27.0	46.0	57.7	69.4	0.00	0.05
Column Avg's:	48.3	59.5	70.7	52.5	64.0	75.4	81.4	105.0	0.10
Column Max's:	63.0	75.0	88.0	57.8	69.6	81.4	105.0	0.67	0.20
Column Itl's:								2.32	3.07

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION				
	mo	da	min	avg	max	min	year	avg	yr	max	ly	ly/m	max	Lng-Trm
10/01	(274-f)	45.0	60.0*	75.0	34.0	1992	46.6	40	58.7	40	70.8	40	85.0	1982
10/02	(275-s)	32.0	46.5*	61.0	29.0	1974	45.1	40	57.6	40	70.2	40	89.0	1954
10/03	(276-s)	33.0	50.0*	67.0	30.0	1974	45.5	40	57.5	40	69.5	40	93.0	1953
10/04	(277-m)	33.0	54.5*	76.0	30.0	1989	45.2	40	57.3	40	69.4	40	86.0	1971
10/05	(278-t)	33.0	48.0*	63.0	28.0	1965	43.2	40	55.3	40	67.5	40	84.0	1959
10/06	(279-w)	36.0	55.0*	74.0	31.0	1958	43.7	40	55.3	40	67.0	40	83.0	1982
10/07	(280-t)	51.0	66.5*	82.0	26.0	1964	43.2	40	54.2	40	65.2	40	88.0	1963
10/08	(281-f)	51.0	66.0*	81.0	27.0	1989	41.7	40	53.7	40	65.7	40	88.0	1963
10/09	(282-s)	30.0	46.0*	62.0	30.0	1989	44.1	40	55.5	40	67.0	40	80.0	1970
10/10	(283-s)	28.0	39.5*	51.0	28.0	1993	42.1	40	53.2	40	64.3	40	79.0	1961
10/11	(284-m)	31.0	45.0*	59.0	21.0	1964	41.7	40	53.0	40	64.3	40	83.0	1961
10/12	(285-t)	32.0	45.5*	59.0	24.0	1988	41.5	40	52.7	40	64.0	40	84.0	1962
10/13	(286-w)	26.0	38.0*	50.0	26.0	1988	41.1	40	53.2	40	65.2	40	82.0	1956
10/14	(287-t)	27.0	44.5*	62.0	27.0	1993	41.5	40	54.7	40	67.9	40	86.0	1989
10/15	(288-f)	45.0	60.0*	75.0	24.0	1991	43.5	40	55.4	40	67.3	40	84.0	1956
10/16	(289-s)	58.0	63.0*	68.0	29.0	1982	43.6	40	55.0	40	66.3	40	84.0	1956
10/17	(290-s)	38.0	52.5*	67.0	24.0	1977	41.9	40	52.7	40	63.4	40	83.0	1953
10/18	(291-m)	37.0	48.0*	59.0	24.0	1977	39.4	40	50.9	40	62.5	40	83.0	1953
10/19	(292-t)	47.0	51.5*	56.0	25.0	1992	39.0	40	49.4	40	59.8	40	86.0	1953
10/20	(293-w)	50.0	57.5*	65.0	23.0	1972	37.9	40	49.1	40	60.3	40	83.0	1953
10/21	(294-t)	32.0	42.5*	53.0	21.0	1974	39.2	40	50.0	40	60.8	40	82.0	1953
10/22	(295-f)	27.0	41.5*	56.0	22.0	1974	39.4	40	50.5	40	61.6	40	81.0	1979
10/23	(296-s)	31.0	46.5*	62.0	22.0	1969	40.7	40	51.9	40	63.1	40	81.0	1963
10/24	(297-s)	39.0	54.0*	69.0	20.0	1969	38.9	40	49.9	40	60.9	40	83.0	1963
10/25	(298-m)	39.0	55.0*	71.0	22.0	1969	37.3	40	48.0	40	58.7	40	81.0	1963
10/26	(299-t)	39.0	55.5*	72.0	22.0	1962	38.0	40	47.9	40	57.8	40	82.0	1963
10/27	(300-w)	28.0	40.5*	53.0	20.0	1962	38.0	40	48.1	40	58.2	40	84.0	1963
10/28	(301-t)	31.0	40.5*	50.0	21.0	1976	36.2	40	47.5	40	58.8	40	78.0	1984
10/29	(302-f)	30.0	39.0*	48.0	22.0	1965	37.0	40	47.5	40	57.9	40	75.0	1989
10/30	(303-s)	33.0	34.0*	35.0	18.0	1988	36.4	40	46.3	40	56.3	40	77.0	1956
10/31	(304-s)	30.0	35.0*	40.0	26.0	1968	38.7	40	48.1	40	57.5	40	77.0	1956

Column Min's:	26.0	34.0	35.0	18.0	36.2	46.3	56.3
Column Avg's:	36.2	49.1	62.0	41.0	52.3	63.5	
Column Max's:	58.0	66.5	82.0	46.6	58.7	70.8	93.0
Column Ttl's:							2.63

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]