

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	avg	min	avg	Long Term	avg	prec	evap	ly	max	Long-Term
mo da julCurrent.....Long Term.....	min year	avgm yrs	avg yrs	avgmx yrs	max year	liq	hum	ly/m	avg yrs
07/01 (182-f)	57.7	72.9	45.1	61.2	13	71.5	13	82.5	13	95.7	1991
07/02 (183-s)	64.9	73.7	50.6	62.2	13	71.9	13	83.7	13	94.2	1991
07/03 (184-s)	65.3	74.3	52.0	61.6	13	73.1	13	84.6	13	89.6	1988
07/04 (185-m)	66.8	78.3	47.6	63.9	13	74.4	13	85.8	13	94.2	1988
07/05 (186-t)	70.3	81.8	55.5	64.1	13	75.5	13	87.2	13	97.3	1988
07/06 (187-w)	70.7	78.6	50.3	63.4	13	74.0	13	85.6	13	97.6	1988
07/07 (188-t)	69.3	79.4	48.2	62.3	13	74.4	13	86.3	13	99.7	1988
07/08 (189-f)	70.4	76.8	48.0	63.7	13	75.6	13	87.5	13	101.7	1988
07/09 (190-s)	64.9	72.8	54.4	66.8	13	77.4	13	88.7	13	103.0	1988
07/10 (191-s)	59.0	68.0	59.0	67.5	12	76.5	12	86.6	13	98.2	1988
07/11 (192-m)	53.2	67.5	52.3	64.1	13	73.9	13	85.2	13	93.7	1989
07/12 (193-t)	55.8	72.7	55.8	63.4	13	74.0	13	85.7	13	94.2	1983
07/13 (194-w)	64.4	72.0	58.7	64.5	13	73.8	13	84.5	13	93.0	1983
07/14 (195-t)	68.4	74.7	53.3	64.7	13	74.6	13	85.4	13	93.3	1983
07/15 (196-f)	65.7	75.0	49.5	61.3	12	72.5	12	83.6	13	102.8	1988
07/16 (197-s)	59.0	71.1	55.4	62.0	13	73.7	13	85.6	13	99.5	1988
07/17 (198-s)	62.1	73.4	52.8	62.1	13	74.2	13	86.9	13	95.2	1988
07/18 (199-m)	64.8	75.5	53.4	63.2	13	74.9	13	87.6	13	94.0	1986
07/19 (200-t)	59.3	75.7	50.8	62.2	13	75.3	13	86.6	13	92.6	1983
07/20 (201-w)	69.0	80.1	54.7	66.1	13	75.1	13	85.8	13	93.0	1994
07/21 (202-t)	68.9	75.2	57.4	65.3	13	74.6	13	85.7	13	97.3	1983
07/22 (203-f)	--	--	59.1	64.2	12	74.2	12	85.5	12	96.8	1983
07/23 (204-s)	--	--	53.9	63.2	12	74.1	12	86.6	12	97.8	1983
07/24 (205-s)	64.8	75.3	52.3	62.8	13	74.8	13	87.7	13	93.1	1986
07/25 (206-m)	63.2	72.6	58.3	64.6	13	75.0	13	86.4	13	92.5	1993
07/26 (207-t)	60.3	69.5	57.8	63.0	12	73.3	12	85.3	12	91.3	1993
07/27 (208-w)	59.0	67.0	56.2	60.7	12	71.6	12	84.2	13	92.0	1993
07/28 (209-t)	58.0	67.2	54.1	60.4	13	73.0	13	85.5	13	94.5	1993
07/29 (210-f)	58.8	65.3	56.7	61.0	13	72.8	13	85.5	13	93.3	1988
07/30 (211-s)	55.8	67.9	53.9	61.8	13	72.6	13	84.8	13	94.7	1983
07/31 (212-s)	60.5	71.9	53.9	61.3	13	71.5	13	83.7	13	89.8	1987
Column Min's:	53.2	65.3	45.1	60.4		71.5		82.5			
Column Avg's:	63.1	73.3	63.2	63.2		74.0		85.7		103.0	
Column Max's:	70.7	81.8	67.5	67.5		77.4		88.7			
Column Totals:										3.05	14547

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)					WATER BALANCE (inches)			SOLAR RADIATION									
	min	avg	max	min	year avg	max	Long Term avg	yr	prec	evap	hum %	ly	max	Lng-Term avg							
mo da jul	Current	Current	Current	min	Year	Year	Long Term	yr	yr	yr	yr	yr	ly/m	avg yrs							
08/01 (213-m)	63.0	74.0	85.7	50.2	1992	60.2	13	72.4	13	85.4	13	95.4	1991	0.00	0.03	82	465	1.40	524	13	
08/02 (214-t)	66.6	74.6	86.1	52.2	1992	60.6	12	73.1	12	86.0	12	98.5	1991	0.00	0.00	83	387	1.20	544	12	
08/03 (215-w)	64.8	74.4	84.4	53.9	1985	61.4	11	73.2	11	86.9	12	95.6	1991	0.00	0.03	85	435	1.46	500	11	
08/04 (216-t)	66.2	74.0	86.6	51.0	1986	61.8	11	71.7	11	85.4	12	93.0	1987	0.54	0.20	91	381	1.58	452	11	
08/05 (217-f)	54.5	64.2	69.6	48.5	1993	61.7	12	70.9	12	81.6	12	94.0	1983	0.02	0.05	85	349	1.89	438	12	
08/06 (218-s)	48.7	60.6	72.4	48.7	1994	60.5	12	70.4	12	81.6	12	90.5	1983	0.00	0.07	78	595	1.51	459	11	
08/07 (219-s)	52.9	65.0	77.5	51.0	1990	61.6	12	72.1	12	84.8	12	91.7	1983	0.00	0.05	81	527	1.51	513	12	
08/08 (220-m)	56.5	70.9	84.6	50.6	1990	61.4	12	73.1	12	86.4	12	93.6	1983	0.00	0.07	79	580	1.39	508	11	
08/09 (221-t)	54.8	69.2	77.6	54.8	1994	61.0	12	73.2	12	84.3	13	92.5	1988	0.00	0.00	83	570	1.73	478	12	
08/10 (222-w)	51.2	63.4	75.1	51.2	1994	60.6	13	70.9	13	83.3	13	94.9	1988	0.00	0.04	86	383	1.80	407	13	
08/11 (223-t)	63.2	70.5	82.2	55.5	1989	60.5	12	71.6	13	84.3	13	93.8	1988	0.07	0.11	91	273	1.58	474	13	
08/12 (224-f)	69.5	76.5	85.9	47.5	1982	59.5	13	70.4	13	83.2	13	91.4	1988	0.00	0.09	90	411	1.41	465	13	
08/13 (225-s)	72.0	79.8	89.5	49.0	1982	60.1	13	71.4	13	84.2	13	93.8	1985	0.00	0.02	80	460	1.34	478	13	
08/14 (226-s)	58.0	72.8	80.7	49.9	1982	59.2	13	71.8	13	85.8	13	93.5	1985	0.01	0.02	78	455	1.50	525	13	
08/15 (227-m)	50.4	63.5	77.0	50.4	1994	59.9	13	71.8	13	85.9	13	96.1	1988	0.00	0.06	75	592	1.54	489	13	
08/16 (228-t)	54.3	67.3	80.5	54.3	1994	61.8	13	72.9	13	85.6	13	99.2	1988	0.00	0.03	73	609	1.31	462	13	
08/17 (229-w)	61.0	71.9	85.5	54.4	1992	63.3	13	73.4	13	86.2	13	99.3	1988	0.00	0.07	82	532	1.48	417	13	
08/18 (230-t)	62.6	73.3	86.3	50.8	1982	62.9	13	73.7	13	86.4	13	98.4	1988	0.00	0.07	79	536	1.40	499	13	
08/19 (231-f)	61.4	74.4	89.1	51.5	1982	61.5	13	71.7	13	84.5	13	98.8	1983	0.00	0.05	74	531	1.32	446	13	
08/20 (232-s)	67.3	72.8	83.0	49.7	1992	61.3	13	70.8	13	83.3	13	99.9	1983	0.16	0.23	87	272	0.97	408	13	
08/21 (233-s)	62.8	68.3	76.2	51.5	1982	59.7	13	70.5	13	82.9	13	100.3	1983	0.00	0.09	90	296	1.59	457	13	
08/22 (234-m)	60.4	69.5	82.7	46.0	1982	60.6	13	71.2	13	83.8	13	92.5	1987	0.00	0.04	79	512	1.39	388	13	
08/23 (235-t)	60.2	70.2	83.9	53.9	1987	61.8	13	71.4	13	83.0	13	91.7	1993	0.00	0.10	77	504	1.28	380	13	
08/24 (236-w)	59.5	72.0	88.1	51.1	1987	61.4	13	71.0	13	82.6	13	93.1	1983	0.00	0.13	77	422	1.30	424	13	
08/25 (237-t)	64.1	75.4	89.5	48.8	1984	59.4	13	71.1	13	84.1	13	95.4	1983	0.00	0.05	77	487	1.29	435	13	
08/26 (238-f)	64.3	74.8	87.9	50.4	1982	60.4	13	72.4	13	86.6	13	95.4	1983	0.00	0.11	78	357	1.22	433	13	
08/27 (239-s)	65.4	76.6	90.9	52.4	1988	62.5	13	72.3	13	85.6	13	93.0	1993	0.00	0.09	78	481	1.38	359	13	
08/28 (240-s)	70.3	76.6	90.2	42.0	1986	60.9	13	69.4	13	81.1	13	92.1	1990	1.05	0.29	82	396	1.34	335	13	
08/29 (241-m)	56.8	66.9	77.9	38.0	1986	57.0	13	68.6	13	81.8	13	93.5	1991	0.01	0.14	78	546	1.44	482	13	
08/30 (242-t)	55.0	65.3	75.5	42.5	1986	57.9	13	69.5	13	82.4	13	95.2	1983	0.00	0.03	84	248	1.19	411	13	
08/31 (243-w)	60.4	69.5	75.9	46.5	1986	57.5	13	69.1	13	82.4	13	90.5	1993	0.18	0.08	91	187	0.99	410	13	
Column Min's:	48.7	60.6	69.6	38.0	57.0	68.6	81.1	68.6	73	0.00	0.00	100.3	0.00	0.00	73	187	0.97	335			
Column Avg's:	60.6	70.9	82.5	60.6	71.5	84.2	84.2	71.5	82	0.07	0.08		0.07	0.08	82	444	1.41	452			
Column Max's:	72.0	79.8	90.9	63.3	86.9	93.7	93.7	86.9	91	1.05	0.29		1.05	0.29	91	609	1.89	544			
Column Ttl's:																				14000	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	avg	max	prec	evap	ly	max													
mo da	Current	Current	Long Term	Long Term	avg yrs	avgm yrs	liq	snow	Ly	ly/m													
	min	max	avg yrs	avgm yrs	max year	max year	prec	evap	ly	ly/m													
09/01 (244-t)	54.1	59.3	67.0	42.3	1987	56.7	13	67.7	13	80.2	13	88.7	1990	0.00	--	--	82	0.11	13	368	1.44	397	13
09/02 (245-f)	46.5	59.0	70.9	43.4	1987	58.3	13	70.4	13	84.0	13	92.4	1984	0.00	--	--	73	0.09	13	520	1.36	403	13
09/03 (246-s)	48.4	59.8	72.1	47.6	1982	58.6	13	67.8	13	79.1	13	91.7	1983	0.00	--	--	73	0.22	13	505	1.40	370	13
09/04 (247-s)	46.3	59.9	72.8	42.7	1982	57.0	13	68.0	13	80.5	13	89.6	1983	0.00	--	--	83	0.03	13	469	1.46	429	13
09/05 (248-m)	58.0	59.9	62.6	43.8	1982	57.4	13	67.9	13	80.4	13	92.0	1990	0.20	--	--	98	0.07	13	76	0.44	389	13
09/06 (249-t)	57.3	65.3	76.0	40.4	1988	57.0	13	68.7	13	82.1	13	92.6	1990	0.01	--	--	87	0.00	13	320	1.53	435	13
09/07 (250-w)	53.3	64.3	78.2	38.8	1988	57.8	13	68.8	13	82.0	13	93.7	1985	0.00	--	--	79	0.00	13	436	1.49	406	13
09/08 (251-t)	53.6	66.1	81.4	41.5	1988	56.2	13	68.0	13	81.8	13	92.5	1985	0.00	--	--	78	0.01	13	476	1.36	407	13
09/09 (252-f)	54.9	69.0	83.8	39.7	1986	57.5	13	69.7	13	83.5	13	95.4	1983	0.00	--	--	77	0.18	13	447	1.27	386	13
09/10 (253-s)	60.3	70.0	84.3	47.2	1993	59.1	13	70.3	13	82.9	12	97.4	1983	0.00	--	--	79	0.02	13	412	1.59	385	13
09/11 (254-s)	60.4	69.4	83.3	41.2	1993	57.7	13	68.3	13	80.5	13	94.2	1983	0.00	--	--	80	0.11	13	470	1.21	378	13
09/12 (255-m)	53.6	68.3	85.2	42.7	1985	56.7	13	66.5	13	78.0	13	85.2	1994	0.00	--	--	79	0.18	13	422	1.29	319	13
09/13 (256-t)	59.0	71.8	86.9	42.7	1985	56.6	13	68.5	13	83.0	13	95.1	1991	0.00	--	--	76	0.01	13	379	1.11	405	13
09/14 (257-w)	62.5	75.9	91.2	40.0	1985	56.5	13	67.9	13	81.3	13	92.1	1991	0.00	--	--	72	0.17	13	445	1.18	372	13
09/15 (258-t)	62.6	74.7	89.2	41.7	1985	54.6	13	66.0	13	79.1	13	92.0	1991	0.00	--	--	70	0.01	13	409	1.27	370	13
09/16 (259-f)	63.3	74.9	87.4	40.0	1985	54.0	13	64.5	13	77.2	13	91.7	1991	0.00	--	--	74	0.09	13	391	1.59	364	12
09/17 (260-s)	59.6	70.1	79.6	39.5	1984	51.8	13	63.9	13	77.7	13	83.2	1992	0.33	--	--	82	0.03	13	295	1.57	411	13
09/18 (261-s)	52.8	63.3	75.7	43.0	1984	53.4	13	64.5	13	76.0	13	91.9	1983	0.00	--	--	74	0.08	13	492	1.40	319	13
09/19 (262-m)	48.6	63.6	80.3	44.3	1991	52.6	13	63.7	13	76.2	13	91.1	1983	0.00	--	--	69	0.07	13	488	1.15	369	13
09/20 (263-t)	49.4	64.3	81.0	37.6	1991	50.7	13	63.2	13	77.4	13	87.2	1985	0.00	--	--	72	0.10	13	456	1.21	390	13
09/21 (264-w)	49.2	64.6	80.9	37.2	1991	50.5	13	61.7	13	74.6	13	87.8	1984	0.00	--	--	73	0.07	13	452	1.22	337	13
09/22 (265-t)	52.7	65.0	80.6	35.5	1983	50.1	13	62.0	13	75.1	13	88.5	1984	0.00	--	--	75	0.07	13	359	1.40	297	13
09/23 (266-f)	56.1	64.6	73.6	36.5	1983	49.3	13	59.2	13	70.3	13	84.7	1986	0.01	--	--	79	0.10	13	199	0.80	298	13
09/24 (267-s)	54.4	63.9	72.4	33.5	1983	46.9	13	57.0	13	68.3	13	80.9	1987	0.10	--	--	94	0.22	13	197	1.42	297	12
09/25 (268-s)	49.9	57.7	69.9	36.1	1983	47.1	13	59.8	13	73.4	13	88.3	1986	0.10	--	--	89	0.12	13	266	1.45	351	13
09/26 (269-m)	48.9	55.4	61.5	37.6	1987	49.4	13	59.7	13	71.6	13	89.6	1986	0.54	--	--	93	0.06	13	136	1.00	330	13
09/27 (270-t)	52.0	54.6	58.2	36.0	1991	46.3	13	57.4	13	70.0	13	87.6	1987	0.03	--	--	96	0.14	13	109	1.45	315	13
09/28 (271-w)	46.2	56.8	69.2	36.7	1989	46.5	13	59.8	13	75.8	13	89.8	1986	0.00	--	--	77	0.00	13	388	1.33	394	13
09/29 (272-t)	43.4	56.0	72.0	36.5	1992	48.5	13	60.0	13	73.7	13	88.3	1986	0.00	--	--	74	0.02	13	452	1.10	337	13
09/30 (273-f)	44.9	60.2	77.0	30.8	1993	47.2	13	59.4	13	73.5	13	86.3	1986	0.00	--	--	74	0.03	13	394	1.07	332	13
Column Min's:	43.4	54.6	58.2	30.8		46.3		57.0		68.3		84.0		0.00			69	0.00		76	0.44	297	
Column Avg's:	53.4	64.3	76.8	53.4		53.4		64.7		77.6		97.4		0.04			79	0.08		374	1.29	366	
Column Max's:	63.3	75.9	91.2	63.3		59.1		70.4		84.0		97.4		0.54			98	0.22		520	1.59	435	
Column Ttl's:														1.32				2.41		11228		10992	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	max	min year	max year	prec	liq	ly	max															
mo da jul	avg	avg	avg yrs	avg yrs	evap	avg pr yrs	Ly/m	Lng-Tm															
					hum	avg pr yrs		avg yrs															
10/01 (274-s)	52.7	68.8	34.4	85.8	47.5	13	59.4	13	72.1	13	85.8	1994	0.00	0.00	--	--	73	0.15	13	372	1.03	310	13
10/02 (275-s)	54.6	61.1	30.1	85.1	46.5	13	59.6	13	73.5	13	85.1	1983	0.00	0.00	--	--	73	0.02	13	220	0.88	330	13
10/03 (276-m)	46.1	56.5	31.2	85.3	46.3	13	58.8	13	72.4	13	85.3	1983	0.00	0.00	--	--	54	0.01	13	425	1.07	347	13
10/04 (277-t)	40.9	53.2	29.2	84.5	47.2	13	58.4	13	71.4	13	84.5	1991	0.00	0.00	--	--	70	0.21	13	374	1.51	307	13
10/05 (278-w)	45.9	52.4	34.3	82.8	45.0	13	56.1	13	68.2	13	82.8	1982	0.00	0.00	--	--	80	0.05	13	144	0.49	301	13
10/06 (279-t)	38.7	54.3	30.9	84.0	42.1	13	54.0	13	67.0	13	84.0	1982	0.00	0.00	--	--	77	0.01	13	405	1.01	312	13
10/07 (280-f)	46.3	63.1	32.7	81.9	43.3	13	54.4	13	68.0	13	81.9	1994	0.00	0.00	--	--	76	0.12	13	359	1.23	304	13
10/08 (281-s)	55.2	67.2	31.4	80.0	45.4	13	57.4	13	68.5	13	80.0	1982	0.00	0.00	--	--	77	0.05	13	359	1.38	302	13
10/09 (282-s)	42.9	54.4	28.6	85.1	45.2	13	56.0	13	68.3	13	85.1	1985	0.33	0.33	--	--	73	0.26	13	406	1.11	242	13
10/10 (283-m)	34.8	48.1	31.7	83.5	44.5	13	54.7	13	66.6	13	83.5	1985	0.00	0.00	--	--	64	0.14	13	415	1.05	263	13
10/11 (284-t)	34.2	49.2	30.0	82.8	40.7	13	52.0	13	64.0	13	82.8	1984	0.00	0.00	--	--	62	0.00	13	409	1.03	264	13
10/12 (285-w)	37.5	53.8	27.0	82.2	43.4	13	53.4	13	64.9	13	82.2	1985	0.00	0.00	--	--	54	0.14	13	382	1.10	226	13
10/13 (286-t)	49.0	54.2	24.3	85.6	42.0	13	52.4	13	65.2	13	85.6	1989	0.27	0.27	--	--	88	0.14	13	110	0.74	273	13
10/14 (287-f)	54.3	59.5	28.0	84.9	43.4	13	54.9	13	68.1	13	84.9	1989	0.04	0.04	--	--	89	0.03	13	191	1.27	280	13
10/15 (288-s)	48.3	59.8	30.7	82.6	43.1	13	55.7	13	70.6	13	82.6	1989	0.00	0.00	--	--	76	0.08	13	324	1.19	292	13
10/16 (289-s)	49.1	62.6	26.5	84.9	41.5	13	54.0	13	66.3	13	84.9	1994	0.00	0.00	--	--	55	0.04	13	367	0.95	237	12
10/17 (290-m)	44.3	61.7	28.9	83.5	43.2	12	55.6	12	67.1	13	83.5	1985	0.00	0.00	--	--	54	0.13	13	363	0.95	254	12
10/18 (291-t)	46.9	58.8	31.4	85.1	40.5	13	52.0	13	64.5	13	85.1	1985	0.02	0.02	--	--	82	0.25	13	169	1.10	220	13
10/19 (292-w)	58.8	61.7	22.6	80.9	40.6	13	50.4	13	60.4	13	80.9	1987	0.11	0.11	--	--	97	0.27	13	55	0.32	218	13
10/20 (293-t)	45.6	59.8	26.0	84.9	38.0	13	48.2	13	58.8	13	84.9	1994	0.00	0.00	--	--	79	0.37	13	310	1.14	173	13
10/21 (294-f)	40.6	53.7	26.0	86.8	39.9	13	49.9	13	61.2	13	86.8	1986	0.00	0.00	--	--	76	0.06	13	343	0.94	232	13
10/22 (295-s)	45.9	56.5	22.7	84.9	39.3	13	49.9	13	61.9	13	84.9	1991	0.00	0.00	--	--	77	0.11	13	308	1.05	235	13
10/23 (296-s)	43.0	55.7	29.2	83.9	43.3	13	52.9	13	63.9	13	83.9	1992	0.00	0.00	--	--	59	0.04	13	354	0.93	212	13
10/24 (297-m)	37.2	46.1	29.6	85.1	43.0	13	53.1	13	65.3	13	85.1	1985	0.11	0.11	--	--	82	0.07	13	116	1.25	200	13
10/25 (298-t)	33.9	42.2	25.7	84.5	39.3	13	50.0	13	61.4	13	84.5	1991	0.00	0.00	--	--	81	0.05	13	207	1.26	232	12
10/26 (299-w)	33.5	43.6	23.8	82.8	39.5	13	51.3	13	65.8	13	82.8	1984	0.00	0.00	--	--	72	0.03	13	222	1.22	266	13
10/27 (300-t)	29.1	43.5	24.4	84.9	39.1	13	51.6	13	64.8	13	84.9	1984	0.00	0.00	--	--	72	0.02	13	329	0.88	252	13
10/28 (301-f)	30.1	48.7	29.3	87.1	39.2	13	51.1	13	63.9	13	87.1	1989	0.00	0.00	--	--	60	0.10	13	334	0.89	259	13
10/29 (302-s)	40.2	52.5	23.7	80.7	40.0	13	49.7	13	61.5	13	80.7	1991	0.00	0.00	--	--	59	0.00	13	322	0.88	222	13
10/30 (303-s)	36.7	52.3	26.0	86.8	39.4	13	49.3	13	61.8	13	86.8	1989	0.00	0.00	--	--	65	0.02	13	303	0.91	212	13
10/31 (304-m)	45.4	54.6	22.4	86.8	41.5	13	52.2	13	63.6	13	86.8	1990	0.26	0.26	--	--	93	0.05	13	58	0.41	190	13
Column Min's:	29.1	42.2	22.4	80.7	38.0		48.2		58.8		80.7		0.00	0.00			54	0.00		55	0.32	173	
Column Avg's:	43.3	55.1	42.4	85.9	42.4		53.5		65.9		85.9		0.04	0.04			73	0.10		292	1.01	257	
Column Max's:	58.8	68.8	47.5	91.9	47.5		59.6		73.5		91.9		0.33	0.33			97	0.37		425	1.51	347	
Column Ttl's:													1.14	1.14				3.02		9055		7967	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION								
	min	avg	min	year avg	Long Term	avg	max	prec	liq	evap	hum	ly	max	Lng-Term					
mo da jul	Current					
11/01 (305-t)	34.8	42.5	26.6	1993	42.5	13	52.9	13	65.8	13	81.6	1987	0.14	0.17	13	49	0.35	188	13
11/02 (306-w)	31.0	45.8	24.4	1993	39.9	13	49.3	13	59.2	13	79.9	1987	0.00	0.06	13	297	0.94	185	13
11/03 (307-t)	47.0	60.7	19.1	1991	36.2	13	48.1	13	58.3	13	79.5	1987	0.00	0.05	13	188	0.86	181	13
11/04 (308-f)	56.1	63.1	17.4	1991	38.3	12	46.1	12	54.9	12	78.8	1987	0.09	0.10	12	104	0.66	157	12
11/05 (309-s)	55.7	62.4	12.2	1991	34.7	13	43.8	13	51.8	13	70.9	1994	0.41	0.11	12	134	0.86	156	12
11/06 (310-s)	40.7	52.5	20.1	1982	32.7	12	41.0	12	49.7	13	63.4	1994	0.03	0.02	13	55	0.32	148	12
11/07 (311-m)	32.1	45.1	17.4	1991	30.1	12	40.7	13	51.4	13	61.9	1982	0.00	0.05	13	258	0.87	164	13
11/08 (312-t)	42.0	56.6	13.3	1991	33.4	13	45.2	13	58.1	13	71.8	1983	0.00	0.04	13	199	1.07	217	12
11/09 (313-w)	42.4	57.5	15.4	1991	33.9	13	44.7	13	56.0	13	69.8	1983	0.91	0.20	13	26	0.25	158	13
11/10 (314-t)	38.2	45.3	19.0	1991	34.4	13	44.3	13	54.4	13	69.2	1982	0.10	0.28	13	285	0.80	154	13
11/11 (315-f)	33.7	42.4	22.7	1987	34.3	13	42.4	13	52.0	13	70.9	1989	0.00	0.07	13	287	0.80	160	13
11/12 (316-s)	32.8	47.2	19.4	1987	31.8	13	42.9	13	53.8	13	65.3	1994	0.00	0.20	13	166	0.87	153	13
11/13 (317-s)	43.7	56.5	9.3	1986	32.9	13	42.1	13	53.2	13	73.1	1989	0.00	0.10	13	234	0.85	192	13
11/14 (318-m)	54.7	60.0	7.0	1986	34.0	13	44.9	13	56.5	13	67.4	1985	0.00	0.10	13	79	0.86	166	13
11/15 (319-t)	44.7	49.4	17.5	1982	36.8	13	45.8	13	55.0	13	73.3	1990	0.13	0.21	13	69	0.38	119	13
11/16 (320-w)	41.3	45.6	19.4	1982	33.2	13	43.4	13	53.1	13	73.1	1987	0.36	0.07	13	92	0.36	139	12
11/17 (321-t)	43.5	47.3	17.6	1989	33.1	13	42.5	13	52.9	13	66.1	1987	0.00	0.13	13	101	0.74	164	13
11/18 (322-f)	40.8	50.6	18.3	1989	34.5	13	43.3	13	52.3	13	73.3	1985	0.00	0.04	13	223	0.88	130	13
11/19 (323-s)	33.2	44.4	18.7	1989	38.1	13	46.1	13	54.5	13	74.0	1985	0.00	0.06	13	207	1.05	124	13
11/20 (324-s)	46.7	52.1	18.5	1984	36.1	13	45.0	13	55.5	13	68.9	1992	0.00	0.13	13	134	0.82	145	13
11/21 (325-m)	40.9	53.5	14.6	1987	33.6	13	41.7	13	50.5	13	69.4	1990	0.19	0.15	13	228	0.72	168	13
11/22 (326-t)	24.4	33.6	14.9	1984	31.9	13	41.0	13	50.7	13	66.6	1992	0.00	0.13	13	200	1.02	145	13
11/23 (327-w)	23.0	32.0	15.9	1989	31.7	13	41.0	13	51.7	13	62.3	1983	0.00	0.12	13	250	0.73	135	13
11/24 (328-t)	24.1	37.1	17.2	1982	28.4	13	37.6	13	48.0	13	62.7	1990	0.00	0.05	13	253	0.73	145	13
11/25 (329-f)	29.7	44.0	14.0	1991	30.8	13	40.6	13	50.6	13	65.7	1990	0.00	0.07	13	196	0.84	142	13
11/26 (330-s)	28.3	37.8	8.8	1991	35.1	13	44.7	13	55.2	13	66.9	1990	0.00	0.18	13	199	0.89	123	13
11/27 (331-s)	41.1	49.9	25.1	1993	36.9	13	43.8	13	51.7	13	75.9	1990	0.79	0.25	13	13	0.13	81	13
11/28 (332-m)	39.5	44.9	23.0	1988	32.8	13	40.1	13	50.2	13	68.1	1990	0.18	0.21	13	241	0.88	85	13
11/29 (333-t)	27.9	38.6	21.3	1988	30.7	13	36.9	13	45.1	13	67.9	1991	0.00	0.00	13	235	0.70	142	13
11/30 (334-w)	22.3	29.8	22.3	1990	30.1	13	37.8	13	46.4	13	65.9	1991	0.00	0.06	13	187	0.88	128	13
Column Min's:	22.3	29.8	7.0		28.4		36.9		45.1		81.6		0.00	0.00		13	0.13	81	
Column Avg's:	37.9	47.6	34.1		42.5		43.3		53.3		65.8		0.11	0.11		173	0.74	150	
Column Max's:	56.1	63.1	73.4				52.9						0.91	0.28		297	1.07	217	
Column Ttl's:													3.33	3.41		5189		4494	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R			T E M P E R A T U R E			(degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION								
mo	da	min	avg	max	min	year	avgmn	yr	avg	yr	max	yr	prec	liq	evap	hum	ly	max	ly/m	Long-Term	avg	yr
12/01	(335-t)	19.4	33.0	47.9	19.4	1994	29.0	13	37.2	13	46.2	13	64.9	1982	0.00	73	0.01	226	0.69	134	13	
12/02	(336-f)	29.4	43.5	59.3	11.7	1985	29.8	12	36.7	12	43.6	12	73.3	1982	0.00	49	0.17	230	0.68	101	12	
12/03	(337-s)	38.5	49.7	58.1	9.0	1985	29.4	13	37.5	13	45.9	13	73.3	1982	0.00	63	0.14	142	0.84	102	12	
12/04	(338-s)	49.9	54.4	57.3	9.1	1991	29.0	13	34.9	13	41.6	13	66.8	1982	0.28	93	0.10	31	0.11	109	13	
12/05	(339-m)	55.1	56.6	58.3	9.0	1991	28.2	13	35.5	13	42.2	13	62.3	1982	0.17	96	0.06	49	0.28	124	13	
12/06	(340-t)	51.0	52.6	56.1	3.7	1984	25.9	13	34.5	12	42.4	12	58.3	1988	0.00	96	0.02	33	0.18	114	12	
12/07	(341-w)	32.9	45.9	56.4	2.1	1984	26.2	13	34.1	13	42.6	13	58.0	1991	0.07	94	0.01	27	0.30	143	13	
12/08	(342-t)	30.8	34.8	42.2	16.0	1989	29.1	13	36.1	13	45.2	13	63.6	1991	0.00	80	0.01	178	0.95	129	12	
12/09	(343-f)	34.1	37.5	47.1	10.8	1989	24.3	13	35.5	13	45.9	13	59.3	1991	0.71	93	0.09	25	0.14	136	13	
12/10	(344-s)	28.7	33.8	36.8	14.8	1986	26.9	13	35.0	13	42.6	13	57.6	1993	0.45	97	0.10	19	0.07	100	13	
12/11	(345-s)	22.0	24.6	28.8	8.1	1988	25.0	13	32.8	13	40.5	13	60.3	1990	0.00	88	0.13	71	0.28	104	13	
12/12	(346-m)	23.2	26.7	32.3	2.7	1988	26.2	13	33.4	13	40.8	13	60.8	1990	0.00	85	0.01	139	0.70	129	13	
12/13	(347-t)	20.5	28.1	39.4	5.9	1989	24.9	13	32.1	13	41.1	13	59.4	1984	0.00	90	0.08	202	0.62	115	13	
12/14	(348-w)	23.0	29.7	40.9	0.5	1985	24.0	13	32.8	13	42.5	13	64.3	1984	0.00	88	0.10	200	0.61	131	13	
12/15	(349-t)	24.6	33.3	41.2	-6.5	1989	25.0	13	33.6	13	42.6	13	59.3	1990	0.00	91	0.14	93	0.65	107	13	
12/16	(350-f)	36.8	43.1	49.3	-9.9	1989	23.3	13	31.3	13	39.1	13	66.0	1984	0.68	96	0.05	18	0.09	121	13	
12/17	(351-s)	36.6	41.3	48.3	-10.8	1989	24.1	13	30.7	13	38.5	13	69.1	1984	0.01	88	0.06	111	0.84	114	13	
12/18	(352-s)	32.6	34.8	37.4	-8.3	1989	19.5	13	27.3	13	35.5	13	53.9	1990	0.00	96	0.12	30	0.12	103	13	
12/19	(353-m)	26.5	32.5	41.0	-4.0	1985	21.7	13	29.6	13	38.1	13	59.0	1988	0.00	90	0.05	183	0.78	126	13	
12/20	(354-t)	24.5	34.4	49.7	-5.8	1989	22.7	13	31.0	13	40.5	13	57.7	1988	0.00	85	0.02	189	0.61	111	13	
12/21	(355-w)	26.5	38.8	55.2	-17.7	1989	21.5	13	30.2	13	40.7	13	58.3	1990	0.00	80	0.14	197	0.62	116	13	
12/22	(356-t)	31.8	42.4	56.6	-21.3	1989	18.4	13	29.4	13	42.0	13	56.6	1994	0.00	80	0.02	182	0.60	128	13	
12/23	(357-f)	33.0	40.1	49.4	-8.7	1989	22.8	13	31.4	13	39.4	13	58.3	1988	0.00	89	0.11	161	0.74	122	13	
12/24	(358-s)	29.1	36.1	37.9	-14.3	1989	18.3	13	26.7	13	34.8	13	65.9	1982	0.00	94	0.10	36	0.19	115	13	
12/25	(359-s)	27.8	32.4	43.2	-11.9	1983	18.1	13	25.1	13	33.7	13	63.1	1982	0.00	93	0.10	173	0.90	131	13	
12/26	(360-m)	25.6	31.9	40.4	-4.2	1983	15.7	13	24.2	13	33.7	13	53.9	1982	0.00	95	0.01	117	0.71	118	13	
12/27	(361-t)	25.5	29.5	36.2	6.4	1989	22.0	13	31.7	13	40.1	13	63.0	1984	0.00	98	0.13	118	0.82	102	13	
12/28	(362-w)	27.7	37.9	53.1	6.3	1985	24.4	13	33.2	13	41.5	13	66.9	1984	0.00	87	0.11	205	0.63	98	13	
12/29	(363-t)	31.3	35.2	39.6	-4.7	1983	22.0	13	30.8	13	38.2	13	65.1	1984	0.00	80	0.12	114	0.73	104	13	
12/30	(364-f)	26.0	37.1	53.2	-11.7	1983	21.5	13	30.0	13	39.8	13	63.4	1990	0.00	60	0.21	157	0.70	118	13	
12/31	(365-s)	38.1	43.2	47.4	-0.0	1983	22.2	12	31.2	12	39.8	12	59.7	1992	0.03	87	0.05	37	0.16	95	12	

Column Min's:	19.4	24.6	28.8	-21.3
Column Avg's:	31.0	37.9	46.5	32.1
Column Max's:	55.1	56.6	59.3	29.8
Column Ttl's:				73.3
				2.40
				2.57
				3600

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	max	min	max	prec	evap	ly	max	
mo da jul	Current	Long Term	avgm	avgmx	liq	avg	Term	ly/m	avg yrs
04/01 (091-f)	24.6	43.8	6.0	59.9	0.00	42.9	78	477	1.39
04/02 (092-s)	39.7	55.2	14.0	68.2	0.00	44.0	78	475	1.22
04/03 (093-s)	28.5	39.0	14.0	58.3	0.53	42.9	78	98	0.44
04/04 (094-m)	20.1	36.7	11.0	53.5	0.00	43.6	78	558	1.32
04/05 (095-t)	30.2	47.1	17.0	60.3	0.09	45.4	78	261	1.08
04/06 (096-w)	30.9	37.0	17.8	43.6	0.76	45.0	78	73	0.67
04/07 (097-t)	21.6	32.7	16.0	42.5	0.03	44.3	78	490	1.76
04/08 (098-f)	18.1	37.7	12.0	55.5	0.00	43.9	78	578	1.39
04/09 (099-s)	39.7	51.8	7.9	61.2	0.24	43.6	78	125	0.44
04/10 (100-s)	35.4	46.6	5.9	50.5	0.57	44.3	78	120	0.41
04/11 (101-m)	26.3	41.1	18.0	53.0	0.13	45.2	78	220	1.06
04/12 (102-t)	43.2	56.0	16.0	70.2	1.36	45.3	78	233	0.86
04/13 (103-w)	46.9	55.1	17.0	64.1	0.60	46.4	78	204	1.71
04/14 (104-t)	42.7	55.1	9.0	71.2	0.00	47.7	78	525	1.43
04/15 (105-f)	44.4	60.7	19.0	79.9	0.22	48.4	78	305	1.34
04/16 (106-s)	40.1	48.4	16.0	54.5	0.15	47.2	78	329	1.58
04/17 (107-s)	40.7	49.9	17.0	59.6	0.00	48.5	78	564	1.60
04/18 (108-m)	36.7	53.4	17.0	66.7	0.01	49.2	78	382	1.54
04/19 (109-t)	42.4	60.6	16.0	69.8	0.00	50.5	78	401	1.50
04/20 (110-w)	34.3	47.1	20.0	58.8	0.00	51.6	78	621	1.38
04/21 (111-t)	27.6	43.5	20.0	54.9	0.00	50.9	78	601	1.38
04/22 (112-f)	23.9	40.0	22.0	55.3	0.00	50.5	78	644	1.34
04/23 (113-s)	22.4	44.3	18.0	62.9	0.00	51.0	78	621	1.36
04/24 (114-s)	39.9	61.2	21.2	76.3	0.00	50.7	78	592	1.60
04/25 (115-m)	58.4	69.6	24.0	82.8	0.00	51.7	78	520	1.44
04/26 (116-t)	--	--	25.8	88.8	--	51.5	77	--	--
04/27 (117-w)	--	--	20.0	77.1	--	50.8	77	--	--
04/28 (118-t)	--	--	20.0	83.8	--	51.7	77	--	--
04/29 (119-f)	--	--	23.0	82.2	--	52.6	77	--	--
04/30 (120-s)	--	--	24.0	86.9	--	54.4	77	--	--

Column Min's:	18.1	32.7	5.9	42.9	0.00	42.9	78	73	0.41
Column Avg's:	34.3	48.5	35.7	47.9	0.19	47.9	78	401	1.25
Column Max's:	58.4	69.6	41.5	54.4	1.36	54.4	78	644	1.76
Column Ttl's:					4.69			10017	1151

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE			A I R				T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION										
mo	da	julCurrent..... min	avg	maxLong Term..... min year	avgm yrs	Long Term avg yrs	avgmx yrs	max year	prec	liq	evap	snow	hum	%	Ly	Ly/m	max avg yrs	Lng-Tm avg yrs					
01/01	(001-s)		25.5	33.2	39.2	10.4	1986	23.7	13	31.1	13	39.4	13	60.7	1985	0.00	0.00	--	59	0.06	13	55	0.35	121	13
01/02	(002-s)		31.4	32.3	33.8	3.7	1988	23.7	13	30.3	13	37.4	13	46.0	1986	0.00	0.00	--	77	0.08	13	44	0.23	118	13
01/03	(003-m)		27.1	30.1	31.6	12.0	1988	27.1	13	33.2	13	39.4	13	55.6	1993	0.00	0.00	--	72	0.05	13	60	0.41	91	13
01/04	(004-t)		16.2	23.1	27.0	5.4	1988	24.6	13	32.4	13	40.7	13	59.6	1993	0.01	0.01	--	64	0.13	13	85	0.35	117	13
01/05	(005-w)		23.2	25.5	29.0	-1.8	1988	22.8	13	29.2	13	37.5	13	48.3	1993	0.00	0.00	--	61	0.04	13	101	0.56	128	13
01/06	(006-t)		25.9	32.5	37.0	-6.7	1988	25.8	13	32.3	13	38.8	13	54.4	1987	0.07	0.07	--	78	0.02	13	23	0.11	106	13
01/07	(007-f)		11.7	26.7	35.5	3.2	1988	21.8	13	30.3	13	38.3	13	62.9	1989	0.11	0.11	--	78	0.08	13	52	0.23	118	13
01/08	(008-s)		3.6	9.6	15.8	1.6	1986	18.8	13	26.3	13	35.7	13	60.0	1989	0.00	0.00	--	54	0.00	13	138	0.89	137	13
01/09	(009-s)		4.6	16.2	28.7	-7.2	1982	19.2	13	26.9	13	35.4	13	51.0	1990	0.00	0.00	--	54	0.03	13	232	0.68	132	13
01/10	(010-m)		13.6	23.8	33.7	-16.2	1982	18.7	13	25.8	13	33.9	13	52.3	1983	0.00	0.00	--	47	0.05	13	162	0.80	121	13
01/11	(011-t)		30.9	36.0	41.3	-6.7	1982	19.2	13	27.9	13	37.4	13	49.4	1986	0.05	0.05	--	53	0.04	13	75	0.61	150	13
01/12	(012-w)		32.0	34.1	37.0	-0.6	1982	22.6	13	29.6	13	36.8	13	53.6	1989	0.04	0.04	--	91	0.03	13	46	0.22	125	13
01/13	(013-t)		25.5	30.8	33.9	9.7	1985	19.8	13	28.0	13	35.0	13	51.3	1987	0.00	0.00	--	75	0.05	13	30	0.18	142	13
01/14	(014-f)		-0.6	12.1	25.6	-0.6	1994	18.0	13	26.4	13	35.7	13	50.3	1987	0.00	0.00	--	51	0.09	13	165	0.73	129	13
01/15	(015-s)		-8.5	-3.4	3.7	-9.2	1982	15.7	13	25.2	13	34.4	13	58.4	1990	0.00	0.00	--	41	0.01	13	250	0.75	154	13
01/16	(016-s)		-9.0	2.4	14.0	-14.6	1982	15.1	13	25.5	13	36.5	13	61.7	1990	0.07	0.07	--	52	0.02	13	122	0.49	160	13
01/17	(017-m)		-5.1	15.2	24.4	-20.2	1982	20.7	13	28.5	13	35.0	13	57.9	1990	0.05	0.05	--	62	0.05	13	125	0.88	101	13
01/18	(018-t)		-25.2	-13.2	-4.4	-25.2	1994	15.9	13	24.2	13	33.1	13	56.5	1990	0.00	0.00	--	45	0.05	13	271	0.82	147	13
01/19	(019-w)		-26.5	-12.1	-1.3	-26.5	1994	10.5	13	21.3	13	31.7	13	50.9	1989	0.00	0.00	--	50	0.13	13	183	0.85	157	13
01/20	(020-t)		-9.0	3.6	17.9	-25.1	1985	13.2	13	23.6	13	32.1	13	53.1	1988	0.01	0.01	--	52	0.04	13	216	0.88	139	13
01/21	(021-f)		-17.9	4.2	21.8	-22.4	1984	12.2	13	23.3	13	33.6	13	54.0	1986	0.00	0.00	--	50	0.14	13	267	0.76	170	13
01/22	(022-s)		9.9	22.6	36.9	-4.4	1984	18.9	13	27.6	13	39.0	13	54.4	1986	0.00	0.00	--	54	0.16	13	255	0.73	155	13
01/23	(023-s)		30.8	35.9	38.9	1.4	1987	21.3	13	31.3	13	41.5	13	57.7	1993	0.00	0.00	--	77	0.05	13	64	0.22	150	13
01/24	(024-m)		35.0	37.0	40.1	-2.0	1987	22.2	13	29.8	13	37.9	13	58.5	1990	0.00	0.00	--	94	0.05	13	59	0.23	151	13
01/25	(025-t)		31.6	35.7	38.0	3.2	1988	19.6	13	27.6	13	36.1	13	60.7	1989	0.52	0.52	--	98	0.09	13	22	0.13	128	13
01/26	(026-w)		22.0	25.8	31.5	-4.4	1985	14.6	13	23.6	13	34.0	13	57.3	1989	0.00	0.00	--	70	0.01	13	107	0.57	182	13
01/27	(027-t)		26.5	37.9	49.5	-0.6	1982	15.2	13	26.4	13	37.1	13	54.8	1990	0.63	0.63	--	94	0.05	13	20	0.10	187	13
01/28	(028-f)		26.2	37.6	47.4	-1.8	1986	20.5	13	29.6	13	38.4	13	57.4	1993	0.44	0.44	--	82	0.04	13	38	0.51	167	13
01/29	(029-s)		20.3	26.2	31.5	13.5	1982	21.7	13	30.4	13	38.4	13	56.3	1988	0.00	0.00	--	61	0.05	13	126	0.82	133	13
01/30	(030-s)		21.3	26.2	34.9	9.1	1986	24.0	13	32.7	13	42.2	13	60.7	1988	0.00	0.00	--	60	0.14	13	192	1.03	136	13
01/31	(031-m)		10.0	19.8	26.5	10.0	1994	24.6	13	32.5	13	41.9	13	63.9	1989	0.00	0.00	--	65	0.15	13	92	0.51	178	13
Column Min's:			-26.5	-13.2	-4.4	-26.5		10.5	21.3	31.7		31.7		63.9		0.00	0.00		41	0.00		20	0.10	91	
Column Avg's:			13.0	21.5	29.0		19.7	28.2	37.0		0.06					0.06	0.06		65	0.06		119	0.54	140	
Column Max's:			35.0	37.9	49.5		27.1	33.2	42.2		0.63					0.63	0.16		98	0.16		271	1.03	187	
Column Ttl's:											2.00					2.00	1.98			1.98		3677		4330	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION					
	min	max	min	max	prec	evap	Ly	max				
mo da jul	Current	avg	year	avgmn yrs	liq	avg	Term	avg yrs				
			long term	avg yrs	prec	pr	avg yrs	avg yrs				
			max year	max yrs		pr						
02/01 (032-t)	1.2	9.9	1.2	1994	24.7	13	33.5	13	42.0	13	67.6	1989
02/02 (033-w)	5.9	21.5	3.3	1985	24.7	13	34.0	13	45.4	13	56.4	1984
02/03 (034-t)	11.1	21.1	13.0	1985	22.2	13	31.3	13	41.3	13	62.5	1991
02/04 (035-f)	17.3	29.8	46.6	1985	22.0	13	30.7	13	40.5	13	64.3	1991
02/05 (036-s)	22.3	29.2	41.2	1988	21.6	13	30.4	13	39.9	13	61.6	1986
02/06 (037-s)	14.2	31.3	49.4	1988	16.8	13	26.4	13	36.3	13	54.8	1990
02/07 (038-m)	21.5	25.8	30.1	1985	16.6	13	25.5	13	34.7	13	56.8	1987
02/08 (039-t)	18.1	23.4	29.3	1985	17.2	13	26.9	13	37.6	13	62.1	1990
02/09 (040-w)	12.0	14.6	22.5	1985	16.5	13	27.0	13	36.2	13	57.7	1990
02/10 (041-t)	10.2	15.9	22.0	1982	19.2	13	28.5	13	38.2	13	65.7	1993
02/11 (042-f)	17.5	21.6	28.0	1982	23.9	13	31.6	13	40.5	13	57.8	1984
02/12 (043-s)	19.9	26.9	32.9	1988	19.7	13	29.4	13	38.3	13	70.5	1984
02/13 (044-s)	24.0	28.6	33.5	1988	23.0	13	31.0	13	39.0	13	67.9	1990
02/14 (045-m)	23.8	34.6	46.8	1988	23.0	13	32.0	13	44.3	13	60.9	1984
02/15 (046-t)	29.6	40.1	51.6	1985	23.8	13	32.8	13	43.1	13	61.2	1992
02/16 (047-w)	23.9	31.3	43.6	1991	23.1	13	32.7	13	41.9	13	58.9	1990
02/17 (048-t)	26.7	38.9	55.1	1982	23.7	13	34.5	13	42.4	13	59.1	1986
02/18 (049-f)	30.2	46.8	64.9	1993	26.8	12	32.8	13	47.8	13	65.7	1992
02/19 (050-s)	45.6	56.1	68.7	1993	28.0	12	38.3	12	47.9	13	68.7	1994
02/20 (051-s)	50.8	55.4	59.3	1988	29.3	13	38.0	13	47.9	13	66.1	1983
02/21 (052-m)	34.0	40.7	50.8	1988	28.0	13	37.6	13	48.9	13	68.5	1983
02/22 (053-t)	27.5	31.2	34.0	1993	31.0	13	40.4	13	50.1	13	68.9	1983
02/23 (054-w)	30.3	39.1	56.1	1989	26.8	13	36.9	13	49.2	13	70.1	1985
02/24 (055-t)	21.7	24.4	30.3	1993	22.8	13	31.7	13	41.4	13	63.7	1985
02/25 (056-f)	12.9	25.7	41.8	1990	20.2	13	28.1	13	36.8	13	50.5	1987
02/26 (057-s)	13.3	17.8	25.0	1990	20.7	13	29.3	13	38.8	13	54.1	1985
02/27 (058-s)	9.3	20.0	30.9	1993	21.9	13	30.9	13	40.7	13	57.1	1992
02/28 (059-m)	16.4	27.8	37.5	1993	21.4	13	32.8	13	46.1	13	62.4	1991
Column Min's:	1.2	9.9	18.5	-13.5	16.5	25.5	34.7	32.0	34.7	32.0	70.5	
Column Avg's:	21.1	29.6	39.9		22.8	32.0	42.0	40.4	50.1	50.1		
Column Max's:	50.8	56.1	68.7		31.0	40.4	50.1					
Column Ttl's:												

WATER BALANCE (inches)	Long Term	Term	avg pr yrs	evap	hum	%	prec	snow	ly	Ly/m	max	avg yrs
0.00	0.21	13	50	--	50	0.21	0.00	--	240	1.04	1.04	171
0.00	0.11	13	51	--	51	0.11	0.00	--	237	1.03	1.03	166
0.00	0.16	13	37	--	37	0.16	0.00	--	314	0.87	0.87	146
0.00	0.11	13	43	--	43	0.11	0.00	--	257	1.02	1.02	193
0.00	0.05	13	39	--	39	0.05	0.00	--	215	1.19	1.19	182
0.00	0.14	13	48	--	48	0.14	0.00	--	318	0.86	0.86	204
0.00	0.02	13	51	--	51	0.02	0.00	--	194	0.68	0.68	201
0.69	0.08	13	76	--	76	0.08	0.69	--	26	0.20	0.20	214
0.00	0.05	13	63	--	63	0.05	0.00	--	100	0.54	0.54	187
0.01	0.03	13	61	--	61	0.03	0.01	--	222	1.07	1.07	229
0.00	0.10	13	67	--	67	0.10	0.00	--	126	0.53	0.53	187
0.00	0.05	13	87	--	87	0.05	0.00	--	74	0.28	0.28	211
0.00	0.08	13	68	--	68	0.08	0.00	--	226	1.28	1.28	183
0.00	0.04	13	46	--	46	0.04	0.00	--	359	0.92	0.92	187
0.00	0.19	13	39	--	39	0.19	0.00	--	338	0.95	0.95	203
0.00	0.06	13	70	--	70	0.06	0.00	--	230	1.30	1.30	205
0.00	0.05	13	46	--	46	0.05	0.00	--	257	0.94	0.94	178
0.00	0.04	13	34	--	34	0.04	0.00	--	338	0.94	0.94	255
0.00	0.03	13	32	--	32	0.03	0.00	--	300	1.00	1.00	219
0.16	0.05	13	62	--	62	0.05	0.16	--	96	0.53	0.53	229
0.00	0.05	13	80	--	80	0.05	0.00	--	72	0.32	0.32	214
0.25	0.06	13	65	--	65	0.06	0.25	--	85	0.34	0.34	211
0.02	0.01	13	76	--	76	0.01	0.02	--	176	1.34	1.34	264
0.00	0.06	13	49	--	49	0.06	0.00	--	213	1.30	1.30	237
0.08	0.03	13	60	--	60	0.03	0.08	--	137	0.88	0.88	247
0.00	0.02	13	49	--	49	0.02	0.00	--	347	1.30	1.30	256
0.00	0.05	13	47	--	47	0.05	0.00	--	416	1.07	1.07	254
0.00	0.06	13	39	--	39	0.06	0.00	--	220	0.81	0.81	298
0.00	0.01	13	32	--	32	0.01	0.00	--	26	0.20	0.20	146
0.04	0.07	13	55	--	55	0.07	0.04	--	219	0.88	0.88	212
0.69	0.21	13	87	--	87	0.21	0.69	--	416	1.34	1.34	298
1.21	1.99	13	1.21	--	1.21	1.99	1.21	--	6133			5931

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	avg	max	min	avg	max	Long Term	avg	pr	Long Term	max	Lyng-Trm										
mo da julCurrent.....										
03/01 (060-t)	29.4	32.0	34.7	7.0	1986	24.2	13	36.4	13	49.3	13	64.5	1992	0.04	0.04	65	0.04	13	112	0.48	303	13
03/02 (061-w)	26.7	29.9	33.0	16.4	1986	29.7	13	40.4	13	51.6	13	76.7	1992	0.00	0.00	55	0.05	13	92	0.32	252	13
03/03 (062-t)	21.6	35.4	50.6	11.5	1984	28.3	13	37.8	13	48.1	13	76.7	1992	0.00	0.00	44	0.07	13	404	1.28	272	13
03/04 (063-f)	32.9	43.3	57.4	12.6	1984	29.8	13	40.6	13	52.3	13	78.5	1983	0.00	0.00	53	0.15	13	400	1.10	238	13
03/05 (064-s)	27.5	40.9	57.5	14.0	1988	29.8	13	39.6	13	50.2	13	78.6	1983	0.00	0.00	58	0.08	13	400	1.10	229	13
03/06 (065-s)	35.6	51.2	69.6	18.7	1993	30.0	13	39.4	13	49.7	13	70.9	1983	0.00	0.00	40	0.09	13	322	1.30	233	13
03/07 (066-m)	37.3	44.1	52.3	13.1	1986	27.1	13	37.7	13	49.2	13	73.6	1987	0.01	0.01	64	0.05	13	113	0.84	301	13
03/08 (067-t)	29.5	34.5	39.2	6.4	1984	28.6	12	39.5	12	50.0	12	71.2	1987	0.00	0.00	40	0.07	12	224	1.06	235	12
03/09 (068-w)	24.6	27.6	30.7	-0.6	1984	28.8	12	39.3	12	51.8	12	72.0	1986	0.23	0.23	65	0.02	12	61	0.19	254	12
03/10 (069-t)	23.5	31.0	41.7	7.9	1984	27.6	12	38.4	12	50.2	12	67.5	1986	0.00	0.00	50	0.23	12	445	1.15	282	12
03/11 (070-f)	19.6	31.4	42.5	13.1	1984	28.6	12	38.3	12	49.4	12	78.4	1990	0.00	0.00	45	0.16	12	483	1.17	321	12
03/12 (071-s)	22.4	37.7	51.8	9.9	1984	29.7	12	37.6	12	46.6	12	76.7	1990	0.00	0.00	42	0.23	12	441	1.14	268	12
03/13 (072-s)	36.4	42.1	49.2	14.8	1992	30.7	12	38.9	12	48.3	12	77.8	1990	0.08	0.08	55	0.07	12	135	0.77	231	12
03/14 (073-m)	35.5	42.6	49.4	9.3	1993	32.4	12	40.8	12	50.8	12	78.7	1990	0.00	0.00	52	0.02	12	247	1.43	274	12
03/15 (074-t)	31.6	47.0	59.3	8.4	1993	29.8	13	40.4	13	52.1	13	74.8	1990	0.00	0.00	38	0.08	13	434	1.18	313	13
03/16 (075-w)	21.8	30.5	40.3	13.6	1992	30.4	13	40.8	13	53.4	13	77.3	1982	0.00	0.00	35	0.08	13	458	1.39	330	13
03/17 (076-t)	12.9	28.6	39.1	12.9	1994	30.4	13	41.3	13	52.6	13	73.7	1989	0.00	0.00	38	0.02	13	400	1.21	304	13
03/18 (077-f)	29.8	40.9	56.5	12.2	1993	30.9	13	39.5	13	51.5	13	71.2	1982	0.04	0.04	46	0.12	13	290	1.47	224	13
03/19 (078-s)	21.3	35.4	50.8	20.1	1989	28.9	13	38.9	13	50.5	13	66.5	1985	0.00	0.00	43	0.08	13	458	1.41	286	13
03/20 (079-s)	32.3	47.8	63.0	18.3	1986	30.9	13	41.1	13	51.7	13	71.1	1982	0.10	0.10	38	0.24	13	282	1.15	286	12
03/21 (080-m)	34.0	49.6	60.0	12.0	1986	28.8	13	38.8	13	48.6	13	76.8	1991	0.11	0.11	67	0.06	13	55	0.79	338	13
03/22 (081-t)	32.5	48.6	64.4	16.4	1986	31.7	13	40.9	13	51.1	13	67.4	1991	0.00	0.00	45	0.06	13	495	1.18	285	13
03/23 (082-w)	39.0	59.5	75.6	16.3	1983	34.7	13	45.8	13	57.2	13	75.6	1994	0.00	0.00	28	0.04	13	484	1.28	377	13
03/24 (083-t)	40.2	59.9	69.5	20.1	1983	34.0	13	45.3	13	57.2	13	76.1	1988	0.06	0.06	37	0.02	13	357	1.40	349	13
03/25 (084-f)	30.3	37.0	48.0	18.8	1983	34.5	13	45.1	13	56.6	13	77.2	1986	0.00	0.00	40	0.12	13	362	1.68	347	13
03/26 (085-s)	29.3	37.2	46.8	24.6	1982	34.6	13	45.7	13	57.8	13	76.1	1989	0.13	0.13	48	0.10	13	202	1.09	336	13
03/27 (086-s)	37.9	42.4	46.0	20.1	1982	37.0	13	46.0	13	56.8	13	76.4	1989	0.23	0.23	81	0.08	13	79	0.34	306	13
03/28 (087-m)	36.5	42.2	54.2	16.3	1982	36.3	13	47.2	13	59.0	13	78.9	1989	0.10	0.10	65	0.07	13	298	1.23	342	13
03/29 (088-t)	29.0	36.4	45.5	26.3	1982	39.1	13	48.9	13	59.3	13	79.3	1986	0.00	0.00	53	0.20	13	330	1.51	263	13
03/30 (089-w)	26.5	36.8	48.8	24.9	1991	37.4	13	45.2	13	55.4	13	84.1	1986	0.00	0.00	43	0.19	13	328	1.59	273	13
03/31 (090-t)	30.5	40.6	52.8	22.4	1991	35.8	13	45.9	13	56.4	13	83.5	1986	0.00	0.00	38	0.14	13	539	1.30	341	13

Column Min's:	12.9	27.6	30.7	-0.6	24.2	36.4	46.6	0.00	0.02	28	0.02	55	0.19	224
Column Avg's:	29.6	40.1	51.0		31.3	41.3	52.4	0.04	0.10	49	0.10	314	1.11	290
Column Max's:	40.2	59.9	75.6		39.1	48.9	59.3	0.23	0.24	81	0.24	539	1.68	377
Column Ttl's:					84.1			1.13	3.03			9730		8993

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION											
	min	avg	maxCurrent.....	min	year	avgm	yr	avg	pr	yr	ly	max	Ly/m	avg	yr					
04/01 (091-f)	29.5	47.2	64.8	25.8	1987	35.8	13	46.2	13	56.9	13	80.3	1986	0.00	0.10	13	538	1.24	348	13	
04/02 (092-s)	42.9	57.3	72.2	25.0	1992	35.3	13	45.0	13	55.2	13	73.0	1988	0.08	0.09	13	487	1.32	326	13	
04/03 (093-s)	30.5	40.7	52.8	20.3	1992	34.8	13	45.0	13	54.8	13	71.5	1986	0.44	0.21	13	146	1.48	277	13	
04/04 (094-m)	24.9	41.8	56.7	24.9	1994	36.2	13	47.1	13	58.5	13	83.4	1986	0.00	0.11	13	562	1.32	354	13	
04/05 (095-t)	41.1	50.1	59.1	27.4	1992	39.1	13	48.6	13	58.4	13	86.2	1988	0.00	0.11	13	149	0.54	266	13	
04/06 (096-w)	29.8	35.4	48.5	19.5	1982	36.9	13	45.3	13	56.0	13	80.0	1991	0.43	0.09	13	72	0.57	264	13	
04/07 (097-t)	26.7	35.4	45.8	16.9	1982	35.2	13	46.6	13	58.7	13	79.4	1991	0.00	0.03	13	594	1.65	437	12	
04/08 (098-f)	26.5	44.9	62.1	25.2	1982	36.2	13	46.9	13	57.6	13	73.7	1991	0.00	0.11	13	547	1.40	368	13	
04/09 (099-s)	46.0	55.9	64.6	22.5	1985	36.0	12	45.6	12	55.4	12	74.0	1992	0.62	0.22	12	156	0.69	311	12	
04/10 (100-s)	44.7	50.2	55.2	22.7	1985	34.9	12	46.5	12	57.4	13	69.4	1987	2.17	0.30	13	179	1.05	411	12	
04/11 (101-m)	38.1	42.2	45.8	22.7	1989	36.2	13	47.5	13	60.2	13	80.3	1992	1.01	0.10	13	43	0.19	423	13	
04/12 (102-t)	43.0	59.8	73.6	27.5	1990	36.8	13	49.9	13	62.8	13	74.2	1986	0.00	0.05	13	301	1.51	430	12	
04/13 (103-w)	41.3	50.7	64.1	27.4	1990	40.6	13	52.1	13	63.4	13	73.9	1985	0.00	0.16	13	125	0.62	390	13	
04/14 (104-t)	36.3	61.1	82.1	28.5	1989	41.8	13	53.8	13	65.9	13	82.1	1994	0.00	0.20	13	558	1.25	350	13	
04/15 (105-f)	49.8	60.7	71.4	30.5	1990	42.0	13	51.5	13	62.5	13	77.7	1982	0.07	0.10	13	187	0.98	312	13	
04/16 (106-s)	43.6	52.3	62.4	27.6	1983	42.1	13	52.3	13	63.7	13	81.9	1992	0.00	0.06	13	510	1.56	398	13	
04/17 (107-s)	40.5	53.3	66.6	29.2	1983	40.5	13	50.9	13	60.9	13	74.5	1989	0.00	0.04	13	616	1.35	371	13	
04/18 (108-m)	46.0	64.4	82.1	23.7	1990	38.9	13	51.5	13	63.8	13	83.4	1985	0.00	0.10	13	534	1.30	432	13	
04/19 (109-t)	49.9	65.7	76.2	21.5	1983	41.9	13	53.7	13	65.6	13	83.3	1985	0.00	0.06	13	411	1.66	391	13	
04/20 (110-w)	39.9	55.9	67.5	23.5	1983	41.2	13	54.6	13	66.2	13	82.9	1985	0.00	0.17	13	632	1.38	392	13	
04/21 (111-t)	49.3	53.3	58.9	27.9	1982	41.5	13	52.3	13	62.2	13	85.2	1985	0.00	0.12	13	288	1.60	363	13	
04/22 (112-f)	37.5	50.2	60.4	27.1	1986	39.9	13	51.9	13	64.6	13	85.4	1985	0.00	0.15	13	638	1.37	458	13	
04/23 (113-s)	30.9	51.1	66.5	23.8	1986	40.4	13	54.9	13	68.3	13	81.8	1992	0.00	0.04	13	639	1.43	470	13	
04/24 (114-s)	41.3	63.1	80.0	31.0	1986	41.5	13	54.6	13	66.7	13	86.5	1990	0.00	0.03	13	630	1.37	407	12	
04/25 (115-m)	53.7	69.5	82.2	29.6	1983	42.9	13	57.9	13	71.8	13	87.6	1990	0.00	0.15	13	473	1.53	464	13	
04/26 (116-t)	58.1	72.2	84.7	34.2	1988	47.9	13	61.6	13	74.4	13	88.1	1986	0.00	0.00	13	555	1.43	508	13	
04/27 (117-w)	57.8	68.6	80.7	31.5	1993	49.7	13	60.5	13	72.4	13	87.0	1986	0.20	0.22	13	524	1.76	408	13	
04/28 (118-t)	52.7	59.4	70.4	33.4	1982	46.9	13	57.7	13	69.2	13	77.4	1984	0.27	0.09	13	262	1.24	401	13	
04/29 (119-f)	48.9	57.8	63.5	34.3	1988	45.9	13	58.3	13	70.3	13	84.3	1987	0.87	0.08	13	116	1.51	381	13	
04/30 (120-s)	43.6	51.1	63.5	36.6	1988	48.1	13	59.1	13	71.0	13	80.7	1990	0.96	0.44	13	82	0.50	456	13	
Column Min's:	24.9	35.4	45.8	16.9		34.8		45.0		54.8		88.1		0.00	0.00			43	0.19	264	
Column Avg's:	41.5	54.0	66.1	40.2		49.7		51.6		63.2		88.1		0.24	0.12			385	1.23	386	
Column Max's:	58.1	72.2	84.7	49.7		49.7		61.6		74.4		88.1		2.17	0.44			639	1.76	508	
Column Ttl's:														7.12	3.73			11554		11567	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION										
	min	avg	max	min	year avg	max	liq	prec	evap	ly	max	avg								
05/01 (121-s)	32.9	40.8	47.2	32.9	1994	45.6	13	57.5	13	67.9	13	84.1	1992	0.00	0.00	56	149	0.63	393	13
05/02 (122-m)	30.5	46.0	59.1	30.5	1994	44.5	13	56.8	13	68.2	13	83.8	1987	0.00	0.00	51	620	1.53	444	13
05/03 (123-t)	46.9	49.4	53.9	31.0	1986	44.2	13	54.5	13	64.5	13	76.3	1982	0.05	0.05	48	172	0.43	391	13
05/04 (124-w)	44.8	52.1	60.5	31.0	1986	42.8	13	54.5	13	64.5	13	79.3	1982	0.00	0.00	62	282	1.26	396	13
05/05 (125-t)	43.4	58.8	72.4	39.4	1987	46.3	13	58.2	13	69.9	13	82.7	1982	0.00	0.00	48	519	1.54	432	13
05/06 (126-f)	45.5	50.7	54.2	33.6	1989	46.8	13	58.2	13	69.2	13	83.2	1982	0.15	0.15	65	179	1.24	433	13
05/07 (127-s)	45.6	50.4	58.0	31.9	1989	46.3	13	58.6	13	71.6	13	85.4	1986	0.45	0.45	80	95	0.84	465	13
05/08 (128-s)	42.0	53.2	65.3	33.8	1989	46.0	13	58.9	13	71.1	13	84.0	1993	0.00	0.00	46	631	1.69	498	12
05/09 (129-m)	45.3	58.4	70.8	33.1	1983	47.7	13	59.2	13	70.2	13	85.5	1993	0.00	0.00	37	492	1.68	473	13
05/10 (130-t)	41.3	56.9	70.1	36.1	1984	46.9	13	60.8	13	74.6	13	87.3	1991	0.00	0.00	34	553	1.34	539	13
05/11 (131-w)	41.3	60.8	75.0	38.1	1990	50.3	13	64.1	13	77.5	13	85.6	1991	0.02	0.02	34	555	1.51	572	12
05/12 (132-t)	45.8	56.8	66.9	40.7	1989	52.2	13	63.3	13	74.1	13	85.5	1982	0.05	0.05	44	623	1.69	439	13
05/13 (133-f)	41.1	55.5	69.1	41.1	1994	52.0	13	63.0	13	75.3	13	86.7	1991	0.00	0.00	42	619	1.55	469	13
05/14 (134-s)	45.6	58.3	72.3	40.7	1993	51.8	13	63.0	13	76.3	13	89.0	1991	0.36	0.36	51	279	1.64	438	13
05/15 (135-s)	56.1	66.0	74.0	40.2	1984	53.2	13	64.0	13	75.2	13	88.2	1988	0.11	0.11	68	285	1.32	442	13
05/16 (136-m)	49.1	58.3	67.2	39.4	1987	51.7	13	62.9	13	75.0	13	85.8	1991	0.00	0.00	39	699	1.46	533	13
05/17 (137-t)	43.8	55.3	67.2	36.7	1984	49.4	13	63.1	13	76.3	13	88.3	1987	0.00	0.00	39	701	1.45	554	13
05/18 (138-w)	42.7	54.8	65.7	42.2	1985	52.6	13	62.5	13	73.0	13	85.2	1987	0.00	0.00	39	704	1.58	410	13
05/19 (139-t)	42.8	56.3	69.0	40.6	1985	52.3	13	63.1	13	74.0	13	84.3	1984	0.00	0.00	38	629	1.61	431	13
05/20 (140-f)	45.7	59.5	73.3	37.4	1993	54.5	13	64.5	13	75.3	13	88.5	1987	0.00	0.00	36	701	1.46	440	12
05/21 (141-s)	45.0	63.2	78.7	44.0	1993	53.3	13	63.2	13	74.1	13	87.4	1987	0.00	0.00	36	676	1.42	403	13
05/22 (142-s)	51.3	70.1	86.9	43.1	1986	54.8	13	65.1	13	77.1	13	86.9	1994	0.00	0.00	35	654	1.37	460	13
05/23 (143-m)	61.6	74.2	87.7	41.0	1990	54.2	13	64.7	13	76.5	13	87.7	1994	0.00	0.00	30	561	1.45	483	13
05/24 (144-t)	60.5	71.9	83.8	41.5	1992	51.6	13	63.9	13	75.5	13	86.1	1991	0.07	0.07	41	525	1.56	490	13
05/25 (145-w)	60.4	68.8	80.0	39.2	1992	53.5	13	63.6	13	73.5	13	85.9	1991	0.01	0.01	52	504	1.88	405	13
05/26 (146-t)	48.7	62.2	70.7	34.5	1983	53.3	13	63.8	13	73.9	13	84.3	1987	0.00	0.00	48	524	1.83	470	13
05/27 (147-f)	39.2	52.7	64.9	35.8	1983	52.4	13	63.8	13	75.4	13	89.1	1987	0.00	0.00	35	718	1.47	539	13
05/28 (148-s)	38.8	57.8	73.3	38.8	1994	52.3	13	64.5	13	75.2	13	89.0	1987	0.00	0.00	42	702	1.47	456	13
05/29 (149-s)	45.9	64.1	79.7	36.8	1984	54.2	13	64.5	13	75.3	13	89.3	1987	0.00	0.00	36	719	1.47	442	13
05/30 (150-m)	54.5	69.8	81.4	35.9	1984	54.7	13	66.4	13	78.2	13	88.6	1988	0.00	0.00	43	539	1.26	506	13
05/31 (151-t)	59.8	73.7	84.5	38.6	1984	55.9	13	68.0	13	79.1	13	92.4	1988	0.00	0.00	43	603	1.43	511	13
Column Min's:	30.5	40.8	47.2	30.5	42.8	54.5		54.5		64.5		64.5		0.00	0.00	30	95	0.43	391	
Column Avg's:	46.4	58.9	70.4	50.6	62.0	73.5		62.0		73.5		73.5		0.04	0.13	45	523	1.42	463	
Column Max's:	61.6	74.2	87.7	61.6	74.2	87.7		68.0		79.1		92.4		0.45	0.32	80	719	1.88	572	
Column Ttl's:														1.27	3.99		16212		14357	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE

AIR T E M P E R A T U R E (degrees Fahrenheit)

WATER BALANCE (inches)

SOLAR RADIATION

mo	da	jul	Current		T E M P E R A T U R E			WATER BALANCE			SOLAR RADIATION										
			min	avg	max	min	year avg	Long Term	prec	liq	evap	hum	ly	max	Lng-Term						
						yr	yr	avg pr yrs	prec	prec	snow	%	ly	ly/m	avg yrs						
						yr	yr	avg pr yrs	prec	prec	snow	%	ly	ly/m	avg yrs						
06/01	(152-w)	59.4	71.0	80.3	42.7	1993	54.8	13	67.6	13	79.6	13	93.1	1988	0.00	0.03	13	660	1.47	566	13
06/02	(153-t)	50.9	60.4	70.0	43.5	1983	54.7	12	65.0	12	76.8	12	91.3	1991	0.00	0.07	12	488	1.73	476	12
06/03	(154-f)	45.5	62.3	76.9	45.5	1986	55.4	13	65.8	13	76.8	13	85.2	1991	0.00	0.09	12	669	1.53	503	12
06/04	(155-s)	49.0	66.7	82.2	40.3	1990	52.6	13	62.9	13	72.4	13	82.3	1984	0.00	0.09	13	646	1.44	444	13
06/05	(156-s)	52.5	71.3	85.4	36.5	1990	53.9	12	65.1	12	75.7	12	85.4	1994	0.00	0.15	13	678	1.41	466	12
06/06	(157-m)	69.7	75.2	87.2	47.4	1993	56.1	13	68.3	13	80.3	13	92.1	1988	0.00	0.09	13	392	1.56	517	13
06/07	(158-t)	62.9	73.4	88.5	46.7	1983	58.6	13	69.5	13	81.0	13	92.2	1988	0.00	0.14	13	432	1.48	446	12
06/08	(159-w)	57.1	61.7	68.8	47.7	1983	59.5	13	71.7	13	83.2	13	93.7	1988	0.00	0.13	13	368	1.77	541	13
06/09	(160-t)	56.3	66.6	79.0	44.8	1988	59.4	13	70.3	13	80.5	13	87.6	1984	0.00	0.07	13	562	1.74	536	13
06/10	(161-f)	58.0	72.2	84.8	38.7	1988	56.1	12	68.1	13	79.5	12	88.5	1984	0.00	0.01	13	638	1.67	557	13
06/11	(162-s)	60.9	73.1	85.3	41.3	1988	55.2	13	69.3	13	81.5	13	88.5	1984	0.00	0.04	13	668	1.45	550	13
06/12	(163-s)	58.6	69.1	87.9	47.2	1985	57.8	13	68.6	13	79.7	13	90.9	1984	0.24	0.09	13	443	1.76	453	13
06/13	(164-m)	65.2	77.9	89.1	44.2	1985	59.0	13	71.4	13	84.5	13	93.6	1984	0.00	0.08	13	554	1.63	583	13
06/14	(165-t)	69.5	80.0	91.4	46.7	1985	59.7	12	72.0	12	84.4	12	94.1	1988	0.00	0.15	12	553	1.55	564	12
06/15	(166-w)	70.5	82.1	94.0	54.8	1982	61.4	12	72.2	12	83.6	13	94.0	1994	0.00	0.14	13	533	1.52	477	11
06/16	(167-t)	68.5	78.8	92.4	53.7	1989	61.9	13	71.4	13	82.0	13	92.4	1994	0.24	0.16	13	529	1.78	464	13
06/17	(168-f)	65.8	79.2	95.7	48.2	1989	59.6	13	72.1	13	83.6	13	95.7	1994	0.00	0.01	13	559	1.48	566	13
06/18	(169-s)	68.1	79.9	96.1	47.4	1986	60.7	13	72.6	13	84.7	13	96.1	1994	0.00	0.22	13	478	1.32	559	13
06/19	(170-s)	70.4	83.2	98.0	49.8	1982	60.5	13	72.2	13	83.8	13	98.0	1994	0.00	0.06	13	641	1.41	534	13
06/20	(171-m)	69.8	80.2	97.1	45.9	1982	60.9	13	71.0	13	82.0	13	97.1	1994	0.00	0.19	13	493	1.33	413	13
06/21	(172-t)	67.8	78.9	94.7	45.1	1992	61.6	13	72.4	13	84.1	13	97.3	1988	0.00	0.12	13	478	1.61	569	13
06/22	(173-w)	65.1	78.9	92.7	41.5	1992	61.0	13	71.9	13	84.3	13	96.3	1988	0.00	0.20	13	671	1.47	498	13
06/23	(174-t)	65.3	74.9	88.3	47.9	1982	61.6	13	71.5	13	83.0	13	90.5	1983	0.01	0.02	13	312	1.38	500	13
06/24	(175-f)	61.0	71.0	80.5	47.0	1982	59.5	13	71.8	13	83.9	13	92.9	1983	0.08	0.10	13	245	1.81	588	13
06/25	(176-s)	58.9	69.2	80.7	50.0	1982	59.5	13	72.3	13	85.6	13	103.1	1988	0.00	0.05	13	614	1.73	612	13
06/26	(177-s)	63.0	66.3	74.9	47.8	1984	58.6	13	72.0	13	84.3	13	91.1	1989	1.72	0.13	13	188	1.83	579	13
06/27	(178-m)	62.2	68.7	79.1	50.4	1988	59.5	13	71.3	13	83.4	13	90.5	1986	0.00	0.10	13	425	1.76	546	13
06/28	(179-t)	59.8	72.5	84.5	49.1	1987	60.0	13	72.0	13	84.3	13	89.8	1988	0.00	0.21	13	532	1.63	539	13
06/29	(180-w)	62.9	72.4	83.1	53.8	1992	62.0	13	71.9	13	82.5	13	91.1	1991	0.09	0.04	13	505	1.72	491	13
06/30	(181-t)	60.1	70.1	81.2	53.3	1989	61.3	13	72.0	13	83.3	13	94.7	1991	0.01	0.07	13	648	1.61	536	13
Column Min's:		45.5	60.4	68.8	36.5		52.6		62.9		72.4		103.1		0.00	0.01		188	1.32	413	
Column Avg's:		61.8	72.9	85.7	58.7		70.2		81.8		85.6		103.1		0.08	0.10		520	1.59	522	
Column Max's:		70.5	83.2	98.0	62.0		72.6		85.6		85.6		103.1		1.72	0.22		678	1.83	612	
Column Ttl's:															2.39	3.05		15602		15673	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.