

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION		
	min	max	min year	max year	prec	evap	max	avg	
01/01 (001-s)	--	--	-3.1	1.5	1.5	1	--	--	1385
01/02 (002-s)	--	--	-3.3	1.7	1	1	--	--	4131
01/03 (003-m)	--	--	1.4	15.0	1	15.0	--	--	1412
01/04 (004-t)	--	--	12.9	21.0	1	21.0	--	--	5860
01/05 (005-w)	--	--	2.8	14.3	1	14.3	--	--	1084
01/06 (006-t)	--	--	0.3	5.7	1	5.7	--	--	3971
01/07 (007-f)	-2.9	2.6	-2.9	5.2	2	7.9	94	718	6637
01/08 (008-s)	-14.2	-9.8	-14.2	3.7	2	4.2	66	7742	4531
01/09 (009-s)	-16.5	-10.3	-16.5	5.0	2	0.4	75	10279	5817
01/10 (010-m)	-12.7	-7.0	-12.7	2.0	2	3.0	74	7063	3982
01/11 (011-t)	1.3	5.0	0.9	4.4	2	5.0	85	2646	2361
01/12 (012-w)	1.5	2.5	1.5	4.2	2	6.9	102	2492	1843
01/13 (013-t)	0.5	1.9	-0.1	3.9	2	9.0	101	1118	1863
01/14 (014-f)	-15.9	-7.7	-15.9	4.3	2	0.2	76	5097	3989
01/15 (015-s)	-20.5	-17.7	-20.5	9.1	2	7.6	54	10088	6317
01/16 (016-s)	-23.6	-16.1	-23.6	8.2	2	2.4	61	8320	7330
01/17 (017-m)	-15.1	-5.0	-15.1	1.8	2	3.3	94	2237	2547
01/18 (018-t)	-27.0	-21.2	-27.0	13.1	2	8.7	58	9298	7822
01/19 (019-w)	-37.0	-25.1	-37.0	14.3	2	6.3	59	8505	9955
01/20 (020-t)	-18.4	-14.7	-18.4	7.2	2	0.1	72	2852	6488
01/21 (021-f)	-25.8	-15.4	-25.8	3.8	2	2.1	69	4553	2960
01/22 (022-s)	-11.6	-6.3	-11.6	9.2	2	5.7	75	10127	5803
01/23 (023-s)	-3.9	2.8	-3.9	3.5	2	9.6	88	2341	6658
01/24 (024-m)	3.1	4.2	-1.6	3.6	2	6.4	101	2791	1963
01/25 (025-t)	2.5	4.8	-7.7	1.3	2	5.5	103	1314	6608
01/26 (026-w)	-2.2	0.7	-10.0	0.8	2	6.3	89	4110	7975
01/27 (027-t)	-0.7	4.2	-3.7	2.7	2	7.1	101	1615	4296
01/28 (028-f)	0.3	6.8	-3.7	6.7	2	14.0	85	3881	7522
01/29 (029-s)	-2.7	-1.1	-6.9	0.8	2	4.5	74	4646	7324
01/30 (030-s)	-3.6	-1.3	-8.1	1.6	2	3.3	72	5593	8995
01/31 (031-m)	-7.9	-3.6	-7.9	0.8	2	5.5	81	6778	8810
Column Min's:	-37.0	-25.1	-37.0	-14.3	-8.7	0.0	54	718	0.08
Column Avg's:	-10.1	-5.4	-4.9	-0.5	4.4	2.1	80	5048	0.39
Column Max's:	3.1	6.8	12.9	16.1	21.0	17.0	103	10279	0.74
Column Tot's:						53.0		126204	158239

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Celsius)		WATER BALANCE		(mm)		SOLAR RADIATION										
	min	max	min	max	avg	long term	prec	evap	hum	avg	long term	max									
mo da jul	Current	year	avgmn	yr	avg	yr	yr	yr	yr	yr	kw/m ² m									
												avg									
												Term									
												avg									
												yr									
												2									
02/01 (032-t)	-12.4	-9.4	-6.7	-12.4	1994	-9.7	2	-4.8	2	-0.3	2	6.1	1993	0.0	0.0	2	12836	0.60	12597	2	
02/02 (033-w)	-13.6	-5.3	1.7	-13.6	1994	-12.7	2	-5.3	2	2.0	2	2.3	1993	0.0	0.0	2	11450	0.65	12350	2	
02/03 (034-t)	-9.5	-3.5	1.2	-9.8	1993	-9.6	2	-2.1	2	5.9	2	10.7	1993	0.0	0.0	2	11585	0.67	11932	2	
02/04 (035-f)	-9.6	-0.1	10.3	-9.6	1994	-8.1	2	0.2	2	9.9	2	10.3	1994	0.0	0.0	2	11428	0.57	12097	2	
02/05 (036-s)	-5.2	-0.2	5.8	-7.4	1993	-6.3	2	0.7	2	9.5	2	13.1	1993	0.0	0.0	2	6014	0.58	8874	2	
02/06 (037-s)	-9.4	-0.3	8.8	-9.4	1994	-7.2	2	-1.0	2	5.3	2	8.8	1994	0.0	0.0	2	13014	0.61	8058	2	
02/07 (038-m)	-5.3	-1.8	1.5	-8.4	1993	-6.8	2	-0.9	2	6.3	2	11.1	1993	0.0	0.0	2	7413	0.47	10400	2	
02/08 (039-t)	-2.2	-0.3	2.1	-6.3	1993	-4.3	2	0.1	2	4.0	2	5.9	1993	31.8	91	15.90	2	777	0.08	3148	2
02/09 (040-w)	-9.9	-5.5	2.7	-9.9	1994	-6.1	2	-0.3	2	8.8	2	15.0	1993	2.8	94	1.40	2	2064	0.19	6979	2
02/10 (041-t)	-10.6	-7.8	-5.1	-10.6	1994	-6.9	2	-0.6	2	7.2	2	19.4	1993	0.0	81	0.00	2	6024	0.62	9211	2
02/11 (042-f)	-5.4	-2.6	-0.7	-5.4	1994	-2.9	2	1.1	2	3.7	2	8.2	1993	0.0	96	2.65	2	2421	0.45	2951	2
02/12 (043-s)	-1.6	0.3	4.4	-1.6	1994	0.2	2	4.1	2	7.8	2	11.1	1993	6.9	104	5.60	2	2818	0.18	2578	2
02/13 (044-s)	-2.0	0.1	3.1	-2.0	1994	-1.5	2	0.1	2	2.5	2	3.1	1994	0.3	83	0.65	2	3815	0.52	3012	2
02/14 (045-m)	-3.9	1.6	8.5	-3.9	1994	-3.1	2	0.5	2	5.1	2	8.5	1994	0.0	65	0.25	2	14148	0.64	9271	2
02/15 (046-t)	-1.5	5.6	11.0	-1.5	1994	-1.2	2	2.9	2	6.6	2	11.0	1994	0.0	48	0.00	2	12887	0.69	8268	2
02/16 (047-w)	-5.6	0.7	10.5	-5.6	1994	-3.5	2	1.0	2	8.1	2	10.5	1994	0.0	83	7.50	2	13868	0.67	8102	2
02/17 (048-t)	-5.1	3.0	15.7	-10.6	1993	-7.9	2	-0.1	2	7.6	2	15.7	1994	0.0	72	0.00	2	10901	0.62	9218	2
02/18 (049-f)	-4.5	6.4	19.5	-15.2	1993	-9.8	2	-2.9	2	5.1	2	19.5	1994	0.0	66	0.00	2	14636	0.65	15199	2
02/19 (050-s)	0.8	10.4	22.5	-14.8	1993	-7.0	2	1.2	2	10.3	2	22.5	1994	0.0	59	0.00	2	14394	0.67	14390	2
02/20 (051-s)	3.6	13.2	17.0	-3.9	1993	-0.1	2	6.4	2	9.9	2	17.0	1994	2.3	75	1.15	2	3088	0.22	6232	2
02/21 (052-m)	2.9	9.6	14.4	-0.5	1993	1.2	2	7.2	2	13.5	2	14.4	1994	5.1	99	9.90	2	2873	0.24	2668	2
02/22 (053-t)	1.1	3.2	6.1	-3.8	1993	-1.3	2	1.7	2	5.7	2	6.1	1994	15.2	79	7.60	2	4093	0.30	4997	2
02/23 (054-w)	3.0	11.5	20.1	-7.5	1993	-2.3	2	3.4	2	8.6	2	20.1	1994	10.2	82	5.10	2	8548	0.85	9214	2
02/24 (055-t)	-4.0	-1.4	5.2	-10.9	1993	-7.5	2	-4.9	2	0.2	2	5.2	1994	4.6	73	2.30	2	6634	0.81	11570	2
02/25 (056-f)	-7.1	0.0	10.8	-11.8	1993	-9.5	2	-3.8	2	3.6	2	10.8	1994	2.0	68	1.00	2	8780	0.61	7209	2
02/26 (057-s)	-9.1	-6.6	-4.3	-9.1	1994	-6.8	2	-4.6	2	-2.3	2	-0.3	1993	0.0	61	0.40	2	10481	0.98	6420	2
02/27 (058-s)	-12.9	-6.6	1.1	-12.9	1994	-11.3	2	-5.4	2	1.7	2	2.4	1993	0.0	62	2.40	2	17100	0.73	15743	2
02/28 (059-m)	-10.2	-2.5	3.7	-14.8	1993	-12.5	2	-4.3	2	4.7	2	5.8	1993	0.0	54	0.00	2	10324	0.72	13928	2
Column Min/s:	-13.6	-9.4	-6.7	-15.2		-12.7		-5.4		-2.3		22.5		0.0	48	0.00		777	0.08	2578	
Column Avg/s:	-5.3	0.4	6.8	-5.9		-5.9		-0.4		5.8		22.5		2.9	74	2.28		8729	0.56	8808	
Column Max/s:	3.6	13.2	22.5	1.2		1.2		7.2		13.5		22.5		31.8	104	15.90		17100	0.98	15743	
Column Ttl/s:														81.2		63.80		244414			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	min	max	prec	evap	max	avg
11/01 (305-t)	4.7	8.6	3.2	7.0	6.9	1119	0.09	2903
11/02 (306-w)	0.3	7.2	2.6	8.5	0.0	12400	0.63	8025
11/03 (307-t)	1.0	12.6	2.6	10.7	0.0	4820	0.41	6334
11/04 (308-f)	11.0	17.2	5.4	12.4	0.0	7753	0.70	4082
11/05 (309-s)	9.8	17.4	5.5	11.4	1.8	4902	0.33	5017
11/06 (310-s)	9.3	14.8	4.0	7.0	0.0	3400	0.44	3956
11/07 (311-m)	1.1	8.2	-1.2	3.5	0.0	11186	0.61	7278
11/08 (312-t)	1.4	11.9	-2.6	4.9	0.0	10258	0.73	10448
11/09 (313-w)	10.0	16.1	0.5	7.9	9.7	1856	0.36	6992
11/10 (314-t)	2.2	8.7	0.7	8.0	2.8	11971	0.59	9864
11/11 (315-f)	-0.4	6.0	2.9	8.7	0.0	11763	0.58	7639
11/12 (316-s)	-2.2	8.2	3.9	11.5	0.0	8238	0.66	6481
11/13 (317-s)	5.1	12.5	4.3	9.6	0.0	10702	0.57	7265
11/14 (318-m)	3.2	12.3	4.6	10.0	0.0	7046	0.55	5613
11/15 (319-t)	9.8	12.2	3.9	8.5	1.5	1296	0.11	4161
11/16 (320-w)	7.9	9.0	1.0	6.1	15.2	2358	0.36	6385
11/17 (321-t)	7.1	10.6	5.9	11.3	0.0	10066	0.52	5487
11/18 (322-f)	4.7	10.7	5.4	9.1	0.0	9632	0.56	7394
11/19 (323-s)	2.3	7.5	4.3	7.6	0.3	10931	0.72	5494
11/20 (324-s)	5.9	10.8	1.8	7.7	0.0	5646	0.58	8878
11/21 (325-m)	7.3	14.9	3.8	9.9	1.8	6984	0.66	6434
11/22 (326-t)	-1.2	3.7	2.9	8.2	0.0	9693	0.62	7466
11/23 (327-w)	-4.5	1.3	0.1	4.8	0.0	10867	0.57	5849
11/24 (328-t)	-6.5	2.3	1.0	6.7	0.0	10577	0.54	6117
11/25 (329-f)	4.5	5.7	6.1	8.7	0.0	1760	0.13	4730
11/26 (330-s)	3.4	5.8	5.0	8.7	0.0	7038	0.64	5818
11/27 (331-s)	6.1	9.0	1.7	5.0	9.4	749	0.10	1174
11/28 (332-m)	5.9	10.9	1.1	4.1	6.9	10218	0.52	5328
11/29 (333-t)	-1.8	6.0	-3.0	1.6	0.0	8307	0.54	4589
11/30 (334-w)	-4.4	0.9	-4.2	0.8	0.0	9042	0.65	8064
Column Min's:	-6.5	0.9	-4.2	0.8	0.0	749	0.09	1174
Column Avg's:	3.4	9.4	2.4	7.7	1.9	7419	0.50	6176
Column Max's:	11.0	17.4	6.1	12.4	15.2	12400	0.73	10448
Column Ttl's:					56.3	222578		185265

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)				WATER BALANCE		S O L A R R A D I A T I O N												
	min	avg	min	Year avg	Long Term avg	max	Year max	prec	liq	Long Term avg	max	Long-Term avg									
mo da julCurrent.....									
12/01 (335-t)	-7.5	-0.7	8.9	-7.5	1994	-4.8	3	0.9	3	8.2	3	13.0	1993	0.0	81	0.10	3	9845	0.50	8328	3
12/02 (336-f)	-5.4	3.1	15.2	-5.4	1994	-2.9	3	3.7	3	11.3	3	15.2	1994	0.0	71	1.00	3	10212	0.49	5880	3
12/03 (337-s)	-3.0	6.0	15.4	-3.0	1994	1.1	3	5.1	3	9.2	3	15.4	1994	0.0	82	2.20	3	4820	0.43	2965	3
12/04 (338-s)	9.6	13.8	21.7	-0.8	1992	6.4	3	10.0	3	14.6	3	21.7	1994	22.1	95	14.57	3	1716	0.18	1653	3
12/05 (339-m)	14.1	16.6	21.8	-9.4	1992	3.1	3	6.0	3	10.9	3	21.8	1994	3.0	96	1.50	3	1818	0.30	3065	3
12/06 (340-t)	11.6	13.7	15.2	-9.7	1992	1.5	3	4.9	3	7.3	3	15.2	1994	0.8	93	0.27	3	2340	0.23	2183	3
12/07 (341-w)	2.0	10.5	16.4	-1.4	1992	0.2	3	4.6	3	8.5	3	16.4	1994	0.0	90	0.00	3	2264	0.44	3656	3
12/08 (342-t)	-1.8	1.9	6.7	-3.3	1993	-2.3	3	1.1	3	5.6	3	10.0	1993	0.0	79	0.00	3	7223	0.60	6093	3
12/09 (343-f)	0.5	4.7	12.7	-3.9	1993	-2.1	3	3.2	3	10.5	3	15.1	1993	18.5	92	6.83	3	671	0.07	5168	3
12/10 (344-s)	1.3	3.4	5.6	0.5	1992	1.8	3	5.5	3	8.6	3	14.9	1993	17.3	96	9.67	3	815	0.07	1485	3
12/11 (345-s)	-3.7	-1.4	1.4	-6.1	1993	-2.9	3	-0.4	3	2.7	3	3.7	1993	0.0	77	0.10	3	3060	0.58	3518	3
12/12 (346-m)	-4.1	-1.4	2.8	-10.2	1993	-4.0	3	-0.8	3	3.7	3	4.7	1993	0.0	79	0.00	3	6389	0.49	5937	3
12/13 (347-t)	-6.6	-1.2	8.3	-7.4	1993	-4.1	3	0.2	3	5.9	3	8.3	1994	0.0	85	0.00	3	8747	0.55	5422	3
12/14 (348-w)	-3.9	0.4	6.9	-3.9	1994	-1.8	3	2.7	3	9.0	3	12.0	1993	0.0	88	0.17	3	8001	0.58	5155	3
12/15 (349-t)	-3.5	3.6	11.1	-4.0	1992	-1.3	3	4.3	3	10.3	3	13.6	1992	0.0	86	0.60	3	7538	0.49	4991	3
12/16 (350-f)	4.9	7.6	10.3	3.1	1993	5.0	3	7.8	3	10.0	3	14.4	1992	9.7	94	3.23	3	1583	0.16	1673	3
12/17 (351-s)	0.3	6.5	10.3	0.3	1994	1.9	3	5.7	3	8.6	3	10.3	1994	0.8	89	3.00	3	4456	0.61	3522	3
12/18 (352-s)	-1.8	1.9	3.9	-1.9	1992	-0.7	3	2.7	3	5.2	3	6.3	1993	0.0	94	0.17	3	1213	0.13	2344	3
12/19 (353-m)	-3.1	1.6	6.9	-3.1	1994	-0.9	3	4.2	3	8.0	3	12.2	1992	0.0	83	0.67	3	5832	0.56	4130	3
12/20 (354-t)	-6.1	0.3	10.2	-6.7	1992	-4.0	3	1.8	3	8.1	3	10.2	1994	0.0	87	2.70	3	8396	0.47	4823	3
12/21 (355-w)	-5.9	1.2	14.3	-8.0	1992	-5.3	3	-0.2	3	7.1	3	14.3	1994	0.0	84	0.00	3	9008	0.46	6120	3
12/22 (356-t)	-2.0	3.9	12.0	-2.7	1993	-1.0	3	2.8	3	8.6	3	12.0	1994	0.0	81	0.27	3	5597	0.44	6090	3
12/23 (357-f)	0.5	4.9	11.1	-4.3	1993	-0.1	3	3.7	3	7.4	3	11.1	1994	0.0	81	0.10	3	6129	0.51	5253	3
12/24 (358-s)	2.4	3.7	4.3	-9.6	1992	-3.6	3	-1.4	3	2.5	3	4.7	1992	0.0	89	0.00	3	1210	0.07	4366	3
12/25 (359-s)	-2.8	2.1	9.8	-10.7	1993	-7.5	3	-1.6	3	3.5	3	9.8	1994	0.0	84	0.10	3	8494	0.61	3842	3
12/26 (360-m)	-1.1	0.1	1.6	-12.9	1993	-8.0	3	-4.7	3	-1.0	3	1.6	1994	0.0	99	0.00	3	1832	0.10	4821	3
12/27 (361-t)	-1.0	0.8	1.9	-11.5	1992	-7.7	3	-2.6	3	2.0	3	6.8	1992	0.0	99	0.00	3	2385	0.14	5784	3
12/28 (362-w)	-1.8	4.6	12.7	-1.8	1994	0.1	2	4.6	2	10.1	2	12.7	1994	0.0	84	0.65	2	8906	0.46	5853	2
12/29 (363-t)	2.4	3.7	6.2	2.4	1994	4.1	2	5.9	2	8.4	2	10.7	1992	0.0	72	1.00	2	5456	0.64	3544	2
12/30 (364-f)	-3.1	3.4	13.2	-3.1	1994	3.7	2	9.0	2	15.1	2	17.0	1992	0.0	55	0.00	2	8651	0.47	5075	2
12/31 (365-s)	-2.2	5.1	10.6	-2.2	1994	-0.3	2	8.4	2	13.4	2	16.3	1992	3.0	94	2.50	2	1465	0.17	1128	2

Column Min's:	-7.5	-1.4	1.4	-12.9	-8.0	-4.7	-1.0	0.0	0.0	55	0.00	671	0.07	1128
Column Avg's:	-0.7	4.0	10.0	-1.2	3.1	7.8	7.8	2.4	22.1	86	1.66	5035	0.39	4318
Column Max's:	14.1	16.6	21.8	6.4	10.0	15.1	15.1	21.8	75.2	99	14.57	10212	0.64	8328
Column Ttl's:											51.40	156072		133867

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		W A T E R B A L A N C E (mm)		S O L A R R A D I A T I O N												
	min	avg	min	avg	prec	evap	max	avg											
03/01 (060-t)	-1.0	0.8	-12.4	1993	-6.7	2	-0.0	2	5.4	2	8.7	1993	2.0	86	2959	0.16	10184	2	
03/02 (061-w)	0.0	0.7	-1.3	1993	-0.6	2	2.8	2	5.7	2	9.9	1993	9.7	99	1112	0.07	3585	2	
03/03 (062-t)	-2.5	2.5	-2.5	1994	0.4	2	4.9	2	9.2	2	10.3	1993	9.1	69	16799	0.76	10347	2	
03/04 (063-f)	2.7	7.8	1.4	1993	2.0	2	6.8	2	11.8	2	15.0	1994	0.0	67	15363	0.90	8994	2	
03/05 (064-s)	-1.3	5.1	-1.3	1994	-0.5	2	2.9	2	7.5	2	13.4	1994	0.0	76	15591	0.89	8807	2	
03/06 (065-s)	-1.6	9.7	-2.3	1993	-1.9	2	6.0	2	14.6	2	21.3	1994	0.0	63	14002	0.91	15219	2	
03/07 (066-m)	1.0	8.2	-4.4	1993	-1.7	2	6.0	2	15.2	2	19.2	1994	7.6	85	7277	0.73	8456	2	
03/08 (067-t)	0.4	3.7	0.4	1994	2.0	2	4.4	2	7.3	2	7.8	1993	1.8	63	4892	0.33	6131	2	
03/09 (068-w)	-2.6	0.3	-2.6	1994	-1.3	2	2.1	2	4.5	2	6.8	1993	25.9	94	2220	0.14	5434	2	
03/10 (069-t)	-4.0	-1.4	-4.0	1994	-1.8	2	1.6	2	7.0	2	12.3	1993	8.6	87	10499	1.02	10695	2	
03/11 (070-f)	-6.5	-1.3	-6.5	1994	-5.1	2	-0.3	2	4.1	2	4.3	1994	0.0	79	17236	0.87	13311	2	
03/12 (071-s)	-6.5	1.9	-6.5	1994	-5.3	2	0.7	2	6.8	2	11.1	1994	0.0	72	17895	0.77	12071	2	
03/13 (072-s)	-1.1	4.3	-8.0	1993	-4.5	2	-0.7	2	4.6	2	11.4	1994	5.3	85	5171	0.39	4708	2	
03/14 (073-m)	3.1	5.9	-13.9	1993	-5.4	2	-1.3	2	2.1	2	9.1	1994	0.0	82	6586	0.83	12236	2	
03/15 (074-t)	3.4	9.7	-19.0	1993	-7.8	2	2.2	2	9.8	2	14.3	1994	0.3	50	17791	0.85	18808	2	
03/16 (075-w)	-3.2	-0.2	-3.2	1994	-1.2	2	2.9	2	7.0	2	10.6	1993	0.0	47	15671	1.06	12988	2	
03/17 (076-t)	-7.9	-0.7	-7.9	1994	-6.6	2	0.5	2	6.0	2	6.4	1993	0.0	44	19159	0.86	11129	2	
03/18 (077-f)	0.9	6.1	-9.1	1993	-4.1	2	0.7	2	8.0	2	15.1	1994	4.1	61	10831	0.99	16103	2	
03/19 (078-s)	-5.0	2.7	-7.3	1993	-6.2	2	1.7	2	8.7	2	10.7	1994	0.0	59	19366	0.91	15502	2	
03/20 (079-s)	-1.5	8.2	-1.5	1994	0.2	2	6.9	2	13.5	2	17.9	1994	0.0	56	16178	0.76	10652	2	
03/21 (080-m)	4.6	11.6	4.0	1993	4.3	2	8.7	2	13.5	2	19.0	1994	11.7	85	3793	0.72	4880	2	
03/22 (081-t)	-1.1	8.6	-1.1	1994	0.2	2	8.5	2	16.1	2	17.4	1994	0.0	61	20923	0.82	16954	2	
03/23 (082-w)	1.0	14.2	1.0	1994	4.7	2	13.2	2	19.8	2	24.4	1994	0.0	45	20337	0.87	11508	2	
03/24 (083-t)	9.9	18.4	4.6	1993	7.2	2	14.7	2	19.4	2	22.4	1994	0.0	59	10993	0.81	13389	2	
03/25 (084-f)	-2.6	3.3	-2.6	1994	0.9	2	7.4	2	15.1	2	20.4	1993	0.0	60	9434	0.47	12677	2	
03/26 (085-s)	-4.2	2.1	-4.2	1994	1.6	2	8.7	2	15.3	2	22.9	1993	2.8	74	6463	0.76	13420	2	
03/27 (086-s)	3.8	8.2	3.8	1994	5.5	2	8.8	2	12.6	2	12.8	1993	29.0	99	2218	0.17	3121	2	
03/28 (087-m)	4.5	6.5	4.5	1994	6.0	2	7.6	2	10.5	2	10.8	1993	5.1	82	7987	0.62	5414	2	
03/29 (088-t)	1.0	4.2	1.0	1994	3.6	2	6.8	2	10.2	2	12.8	1993	2.5	75	9397	1.10	6903	2	
03/30 (089-w)	-2.9	4.1	-2.9	1994	1.4	2	8.1	2	14.9	2	19.2	1993	0.0	67	18486	1.08	16479	2	
03/31 (090-t)	0.1	5.8	0.1	1994	2.9	2	8.8	2	14.6	2	17.4	1993	0.0	60	16633	0.95	11064	2	
Column Min's:	-7.9	-1.4	-19.0		-7.8		-1.3		2.1				0.0	44		1112	0.07	3121	
Column Avg's:	-0.6	5.2			-0.6		4.9		10.3				4.0	71		11718	0.73	10683	
Column Max's:	9.9	18.4			7.2		14.7		19.8		24.4		29.0	99		20923	1.10	18808	
Column Ttl's:													125.5			363262		331169	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Celsius)		WATER BALANCE		WATER BALANCE (mm)		SOLAR RADIATION										
	min	max	min	max	prec	evap	liq	avg	max	avg									
04/01 (091-f)	-3.1	6.6	-3.1	15.9	2.4	2	9.0	2	14.9	2	15.9	1994	0.0	0.25	2	22636	0.88	15249	2
04/02 (092-s)	0.8	12.2	0.8	21.3	1.2	2	7.7	2	14.7	2	21.3	1994	0.0	0.40	2	18031	1.00	10354	2
04/03 (093-s)	2.6	8.9	0.0	17.1	1.3	2	6.7	2	13.5	2	17.1	1994	5.3	2.80	2	3705	0.32	11367	2
04/04 (094-m)	-3.3	5.5	-3.3	14.4	-1.5	2	5.5	2	12.6	2	14.4	1994	0.0	0.00	2	23702	0.93	22404	2
04/05 (095-t)	2.4	12.0	2.4	20.8	3.0	2	9.1	2	15.1	2	20.8	1994	0.0	0.40	2	11029	0.71	8031	2
04/06 (096-w)	1.5	8.1	1.5	13.9	3.6	2	8.6	2	13.9	2	13.9	1994	13.0	6.50	2	2322	0.30	5907	2
04/07 (097-t)	-1.9	3.6	-1.9	9.0	0.1	2	7.9	2	14.9	2	20.8	1994	0.0	0.00	2	24215	0.93	21192	2
04/08 (098-f)	-4.5	6.7	-4.5	18.4	0.1	2	11.0	2	21.4	2	24.5	1993	0.0	0.00	2	24137	0.91	21194	2
04/09 (099-s)	3.2	13.1	3.2	19.8	6.6	2	13.1	2	19.3	2	19.8	1994	0.5	5.45	2	7156	0.70	5326	2
04/10 (100-s)	9.2	14.1	3.0	19.9	6.1	2	12.3	2	17.7	2	19.9	1994	70.1	35.30	2	4449	0.69	14002	2
04/11 (101-m)	5.6	7.6	0.7	9.7	3.2	2	9.9	2	16.4	2	23.1	1993	5.1	2.55	2	2526	0.16	10684	2
04/12 (102-t)	9.7	18.0	6.2	25.4	8.0	2	14.1	2	18.9	2	25.4	1994	0.3	0.15	2	12305	0.98	13812	2
04/13 (103-w)	7.0	14.6	4.8	19.2	5.9	2	12.7	2	19.2	2	19.2	1994	1.0	0.50	2	10783	1.15	14489	2
04/14 (104-t)	3.2	15.9	3.2	27.3	5.7	2	13.6	2	20.8	2	27.3	1994	0.0	2.15	2	23640	0.88	14391	2
04/15 (105-f)	7.7	14.7	7.7	25.1	8.0	2	15.9	2	25.2	2	25.4	1993	17.5	13.70	2	7498	0.96	8750	2
04/16 (106-s)	8.0	12.1	5.0	15.7	6.5	2	10.5	2	15.3	2	15.7	1994	0.3	0.30	2	20767	1.10	13290	2
04/17 (107-s)	3.5	12.3	1.6	19.0	2.6	2	9.4	2	15.7	2	19.0	1994	0.0	0.00	2	25562	0.94	19862	2
04/18 (108-m)	2.3	15.8	-1.4	26.0	0.5	2	12.8	2	22.6	2	26.0	1994	0.0	0.00	2	19322	1.05	21953	2
04/19 (109-t)	14.7	21.5	4.0	26.1	9.4	2	17.3	2	23.0	2	26.1	1994	0.0	0.15	2	17114	1.16	12246	2
04/20 (110-w)	4.0	12.8	4.0	19.6	6.9	2	15.4	2	20.9	2	22.3	1993	0.0	2.65	2	26362	0.96	17419	2
04/21 (111-t)	9.4	12.3	1.9	17.2	5.6	2	9.0	2	13.6	2	17.2	1994	0.0	0.50	2	12689	1.24	7910	2
04/22 (112-f)	7.1	11.8	-0.6	16.7	3.3	2	9.7	2	15.2	2	16.7	1994	0.0	0.15	2	25594	0.96	24467	2
04/23 (113-s)	-0.7	10.8	-0.7	21.1	2.1	2	11.6	2	20.0	2	21.1	1994	0.0	0.00	2	26701	0.97	26128	2
04/24 (114-s)	0.8	15.2	0.8	25.6	4.2	2	15.0	2	24.2	2	25.6	1994	0.0	4.05	2	23625	0.90	17014	2
04/25 (115-m)	10.0	19.7	10.0	28.7	11.4	2	18.8	2	25.4	2	28.7	1994	0.0	4.45	2	20677	0.97	12988	2
04/26 (116-t)	11.3	20.4	2.5	28.1	6.9	2	14.5	2	20.5	2	28.1	1994	0.0	4.70	2	19433	0.98	17313	2
04/27 (117-w)	16.4	20.6	-0.4	26.4	8.0	2	14.7	2	22.6	2	26.4	1994	13.0	6.50	2	14846	0.86	21107	2
04/28 (118-t)	12.8	19.1	0.6	27.2	6.7	2	16.4	2	26.0	2	27.2	1994	1.3	0.65	2	17789	1.02	19957	2
04/29 (119-f)	14.7	18.1	5.6	20.7	10.2	2	17.5	2	22.9	2	25.1	1993	14.0	7.00	2	4909	0.85	14723	2
04/30 (120-s)	11.6	16.3	11.6	22.6	12.1	2	16.9	2	23.0	2	23.5	1993	11.4	5.70	2	8432	0.82	11862	2
Column Min's:	-4.5	3.6	-4.5	9.0	-1.5		5.5		12.6		12.6		0.0	0.00		2322	0.16	5326	
Column Avg's:	5.5	13.3	5.0	20.6	5.0		12.2		19.0		19.0		5.1	3.57		16065	0.88	15180	
Column Max's:	16.4	21.5	12.1	28.7	12.1		18.8		26.0		28.7		70.1	35.30		26701	1.24	26128	
Column Ttl's:													152.8	106.95		481956		455391	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		W A T E R		W A T E R		S O L A R		Long Term avg pr yrs	Long Term avg yrs	Long Term avg yrs	Long Term avg yrs	Long Term avg yrs	Long Term avg yrs				
	min	max	min	max	prec	liq	evap	hum	max	max										
06/01 (152-w)	16.7	23.1	27.5	5.8	1993	12.7	3	23.0	3	27.5	1994	0.0	0.0	45	0.00	3	26777	1.04	27068	2
06/02 (153-t)	9.1	17.0	21.5	5.9	1993	10.2	3	21.8	3	25.1	1992	0.0	0.0	46	0.00	3	21315	1.12	14989	2
06/03 (154-f)	7.1	16.0	24.3	7.1	1994	11.6	3	25.8	3	27.7	1992	0.0	0.0	64	0.10	3	27696	1.03	23592	3
06/04 (155-s)	8.5	18.2	27.7	8.5	1994	14.0	3	23.1	3	27.7	1994	0.0	0.0	64	10.33	3	27507	1.00	12020	3
06/05 (156-s)	10.6	20.5	29.6	9.6	1993	13.7	3	24.7	3	29.6	1994	0.0	0.0	63	1.60	3	26839	0.98	16908	3
06/06 (157-m)	14.7	23.4	30.7	6.2	1993	14.3	3	27.6	3	30.7	1994	0.0	0.0	70	0.00	3	22444	1.12	22323	3
06/07 (158-t)	18.4	22.5	31.4	11.6	1993	18.2	3	29.5	3	31.4	1994	3.6	3.6	85	4.93	3	13763	1.05	14485	3
06/08 (159-w)	15.4	19.7	23.6	15.4	1994	18.3	3	28.5	3	31.9	1993	0.3	0.3	79	1.57	3	14179	0.96	15098	3
06/09 (160-t)	14.0	19.0	26.8	14.0	1994	17.7	3	27.5	3	29.6	1993	0.0	0.0	66	0.10	3	21182	1.15	18748	3
06/10 (161-f)	13.4	20.8	29.5	13.4	1994	15.1	3	28.5	3	30.4	1993	0.0	0.0	61	5.17	3	24425	1.10	24689	3
06/11 (162-s)	14.7	21.6	29.5	14.4	1992	15.9	3	28.1	3	29.5	1994	0.0	0.0	71	0.33	3	21671	1.06	18586	3
06/12 (163-s)	14.1	22.8	31.3	14.1	1994	17.1	3	29.3	3	31.3	1994	0.0	0.0	70	0.00	3	23482	1.09	20083	3
06/13 (164-m)	18.1	25.8	32.7	18.1	1994	19.2	3	30.5	3	32.7	1994	0.0	0.0	69	0.00	3	23496	1.07	21029	3
06/14 (165-t)	21.9	26.8	33.1	16.0	1993	19.8	3	29.6	3	33.1	1994	0.0	0.0	70	0.93	3	23912	1.05	18455	3
06/15 (166-w)	21.2	25.8	32.9	15.3	1993	20.0	3	30.9	3	32.9	1994	0.0	0.0	79	0.10	3	15295	1.13	19551	3
06/16 (167-t)	22.1	27.3	34.6	11.8	1993	18.3	3	31.8	3	34.6	1994	0.0	0.0	75	0.00	3	20682	0.97	23882	3
06/17 (168-f)	21.5	27.4	34.4	12.9	1993	19.2	3	32.8	3	34.4	1994	0.0	0.0	70	0.00	3	22829	0.85	23955	3
06/18 (169-s)	21.0	27.3	35.0	18.4	1993	20.1	3	31.9	3	35.0	1994	0.0	0.0	71	15.00	3	22140	0.86	20685	3
06/19 (170-s)	20.8	27.2	35.9	17.2	1992	18.7	3	31.7	3	35.9	1994	0.0	0.0	71	0.00	3	22170	0.88	23056	3
06/20 (171-m)	21.9	27.0	35.3	14.8	1992	18.5	3	28.2	3	35.3	1994	0.0	0.0	71	2.63	3	23873	0.88	18076	3
06/21 (172-t)	20.7	26.9	35.2	9.8	1992	15.5	3	27.3	3	35.2	1994	0.3	0.3	69	1.03	3	23119	0.91	21611	3
06/22 (173-w)	20.6	25.2	31.6	9.4	1992	14.7	3	27.6	3	31.6	1994	1.5	1.5	81	0.50	3	21045	0.99	24703	3
06/23 (174-t)	21.3	25.5	32.3	13.0	1992	16.9	3	29.1	3	32.3	1994	0.0	0.0	79	0.00	3	20193	0.90	20902	3
06/24 (175-f)	18.5	24.1	28.9	15.6	1992	16.7	3	29.3	3	32.5	1993	11.2	11.2	80	8.40	3	13483	1.06	19020	3
06/25 (176-s)	16.9	20.8	26.5	16.9	1994	18.2	3	28.5	3	30.7	1993	0.0	0.0	66	0.00	3	20521	1.19	23578	3
06/26 (177-s)	15.6	19.2	21.6	15.6	1994	17.1	3	26.6	3	29.3	1992	16.8	16.8	93	11.87	3	4159	0.52	15262	3
06/27 (178-m)	19.2	20.8	24.1	12.3	1992	15.7	3	26.8	3	30.6	1993	39.1	39.1	91	14.73	3	8825	0.86	21439	3
06/28 (179-t)	18.5	23.2	28.3	14.7	1992	16.3	3	28.7	3	29.9	1993	1.0	1.0	81	1.10	3	21023	1.19	22027	3
06/29 (180-w)	19.0	24.8	30.1	16.9	1992	18.3	3	29.3	3	30.1	1994	4.3	4.3	71	5.77	3	26475	1.19	20986	3
06/30 (181-t)	18.0	21.7	26.6	18.0	1994	20.5	3	29.0	3	32.2	1992	0.0	0.0	76	10.17	3	23210	1.21	16658	3
Column Min's:	7.1	16.0	21.5	5.8		10.2		21.8				0.0	0.0	45	0.00		4159	0.52		
Column Avg's:	17.1	23.0	29.8	16.8		16.8		28.2				2.6	2.6	72	3.21		20924	1.01	20115	
Column Max's:	22.1	27.4	35.9	20.5		20.5		32.8		35.9		39.1	39.1	93	15.00		27696	1.21	27068	
Column Ttl's:												78.1	78.1		96.36		627730		603464	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		W A T E R B A L A N C E (mm)		S O L A R R A D I A T I O N	
	min	max	min	max	prec	evap	max	avg
07/01 (182-f)	16.7	23.3	16.7	23.3	0.3	25.4	24936	1.08
07/02 (183-s)	18.0	24.1	18.0	24.1	25.7	26.5	20580	0.97
07/03 (184-s)	20.2	22.6	20.2	22.6	13.7	24.4	13127	0.99
07/04 (185-m)	21.3	26.4	18.0	32.9	0.0	25.2	22208	0.94
07/05 (186-t)	23.8	28.2	19.8	33.7	0.3	26.6	21752	1.01
07/06 (187-w)	25.1	27.5	15.2	33.7	0.0	25.0	13563	0.94
07/07 (188-t)	23.4	26.6	14.7	32.4	2.5	24.6	17110	1.07
07/08 (189-f)	23.7	26.1	18.9	29.8	0.0	26.6	18874	1.16
07/09 (190-s)	19.4	24.9	19.4	28.5	4.6	26.8	15666	1.02
07/10 (191-s)	17.9	22.0	17.9	26.6	0.0	24.9	24126	1.21
07/11 (192-m)	15.5	21.3	15.5	28.1	0.0	25.3	25546	1.08
07/12 (193-t)	17.5	24.1	17.5	31.9	0.0	26.7	26152	1.05
07/13 (194-w)	20.9	24.2	19.5	28.7	8.9	26.2	11624	1.11
07/14 (195-t)	23.2	26.0	19.8	29.3	10.4	25.9	16725	1.11
07/15 (196-f)	21.3	25.3	19.5	30.2	3.8	24.0	14694	1.19
07/16 (197-s)	19.8	23.9	17.1	29.2	0.0	24.6	20663	1.07
07/17 (198-s)	21.0	25.2	19.5	31.1	0.0	24.5	23749	1.14
07/18 (199-m)	21.4	25.3	17.8	30.6	0.0	25.4	22361	1.07
07/19 (200-t)	20.4	26.2	20.4	33.2	0.0	26.4	23913	0.98
07/20 (201-w)	21.1	26.7	17.7	33.3	0.0	26.0	17283	0.94
07/21 (202-t)	20.5	25.1	17.9	31.8	27.4	24.1	16551	0.98
07/22 (203-f)	21.8	23.6	17.7	27.1	4.1	23.2	10985	1.09
07/23 (204-s)	21.1	24.6	16.5	29.2	0.0	24.5	24388	1.15
07/24 (205-s)	22.2	25.8	14.7	30.2	0.0	25.6	25398	1.07
07/25 (206-m)	21.3	24.0	19.0	29.6	0.3	25.1	17200	0.97
07/26 (207-t)	18.8	23.5	18.8	27.4	5.6	25.6	20567	1.14
07/27 (208-w)	18.4	19.9	18.4	23.1	0.5	24.0	8061	0.75
07/28 (209-t)	18.8	22.2	18.8	26.7	1.5	24.7	18138	0.99
07/29 (210-f)	16.5	22.4	16.5	27.2	47.2	23.8	13444	0.99
07/30 (211-s)	20.1	23.1	14.7	28.6	0.0	23.0	20707	1.03
07/31 (212-s)	20.4	24.5	12.2	29.2	0.3	22.5	18103	0.91
Column Min's:	15.5	19.9	12.2	22.5	0.0	22.5	8061	0.75
Column Avg's:	20.4	24.5	20.4	25.1	5.1	25.1	18974	1.04
Column Max's:	25.1	28.2	22.1	26.8	47.2	26.8	26152	1.21
Column Ttl's:					157.1		588194	611695

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	min	max	prec	evap	max	avg
08/01 (213-m)	21.2	25.5	12.4	15.9	0.0	--	19453	0.93
08/02 (214-t)	22.3	25.3	15.2	18.0	0.0	--	18830	0.98
08/03 (215-w)	19.9	24.3	13.2	17.0	8.9	--	17453	1.03
08/04 (216-t)	21.2	24.2	15.3	17.4	6.6	--	17600	1.05
08/05 (217-f)	13.9	19.3	12.4	13.7	4.8	--	11930	0.92
08/06 (218-s)	10.5	17.0	10.5	13.2	0.0	--	25487	0.95
08/07 (219-s)	15.8	20.7	13.9	16.2	0.0	--	22985	1.00
08/08 (220-m)	17.7	22.6	10.6	17.1	0.0	--	24109	0.98
08/09 (221-t)	16.8	22.8	11.5	16.5	0.0	--	19360	0.96
08/10 (222-w)	14.9	19.5	12.2	16.1	0.0	--	22409	1.01
08/11 (223-t)	--	21.2	16.6	19.2	0.0	--	12857	1.14
08/12 (224-f)	21.9	27.1	15.3	18.7	1.8	--	16259	0.98
08/13 (225-s)	21.8	26.7	15.8	19.4	0.0	--	21936	0.93
08/14 (226-s)	14.5	22.8	14.5	16.6	2.0	--	8380	0.94
08/15 (227-m)	10.6	17.3	10.6	14.2	0.0	--	25606	0.93
08/16 (228-t)	14.1	20.2	14.1	16.5	0.0	--	22745	1.03
08/17 (229-w)	19.8	22.6	17.8	19.5	0.0	--	15951	1.26
08/18 (230-t)	20.8	24.9	17.4	19.2	0.0	--	19032	0.94
08/19 (231-f)	19.2	25.0	17.5	18.9	0.3	--	20201	0.88
08/20 (232-s)	19.2	24.9	14.8	17.8	51.3	--	15449	0.87
08/21 (233-s)	17.5	23.5	13.0	15.8	17.0	--	10658	1.10
08/22 (234-m)	17.0	21.3	14.1	16.5	0.0	--	16588	0.96
08/23 (235-t)	17.4	22.1	16.5	18.3	0.0	--	22212	0.84
08/24 (236-w)	17.9	23.2	17.9	19.9	0.3	--	18691	0.86
08/25 (237-t)	21.1	25.4	20.5	21.1	0.0	--	20431	0.90
08/26 (238-f)	22.4	25.8	20.5	21.8	0.0	--	17264	0.91
08/27 (239-s)	21.5	25.5	20.6	21.3	1.5	--	17682	0.88
08/28 (240-s)	22.4	26.0	16.2	19.9	9.9	--	19014	0.91
08/29 (241-m)	15.9	20.9	10.6	15.6	3.8	--	18897	1.26
08/30 (242-t)	16.2	20.7	13.3	16.7	0.3	--	18662	1.21
08/31 (243-w)	17.8	24.1	14.5	17.6	35.8	--	9964	1.06
Column Min's:	10.5	17.0	10.5	13.2	0.0	--	8380	0.84
Column Avg's:	18.1	23.0	17.6	22.9	4.7	--	18326	0.99
Column Max's:	22.4	27.1	21.8	26.6	51.3	--	25606	1.26
Column Ttl's:					144.3	--	568095	566322

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)				WATER BALANCE			SOLAR RADIATION		
	min	avg	max	Long Term avg yrs	avgmx yrs	max Year	liq prec	snow	evap	Long Term avg pr yrs	max KJ	Long-Term avg yrs
09/01 (244-t)	14.0	17.0	21.1	13.2	19.6	26.8	0.0	--	--	2.37	12307	1.08
09/02 (245-f)	10.4	15.6	21.1	10.4	20.7	32.6	0.0	--	--	0.10	21565	0.83
09/03 (246-s)	10.6	15.8	22.0	10.6	20.4	29.9	0.0	--	--	10.87	20603	1.02
09/04 (247-s)	10.9	16.2	23.5	10.9	19.5	27.7	0.0	--	--	0.00	12401	1.09
09/05 (248-m)	15.4	18.9	22.9	13.0	20.9	29.0	2.0	--	--	0.67	5366	0.70
09/06 (249-t)	15.9	19.3	22.0	14.3	21.3	29.5	0.0	--	--	0.10	6998	0.86
09/07 (250-w)	15.4	18.9	24.5	15.4	21.9	30.9	0.3	--	--	0.20	17262	1.02
09/08 (251-t)	16.1	20.2	26.4	14.1	21.5	30.0	0.0	--	--	0.00	18358	0.93
09/09 (252-f)	16.8	21.2	27.9	14.5	22.5	31.7	0.0	--	--	0.00	19162	0.83
09/10 (253-s)	17.5	21.3	27.4	8.9	20.2	27.4	0.3	--	--	0.10	11423	0.89
09/11 (254-s)	13.7	20.6	26.2	5.0	16.2	26.2	0.0	--	--	0.00	20154	0.84
09/12 (255-m)	13.7	19.0	28.0	6.4	17.1	28.0	0.3	--	--	0.10	19604	0.85
09/13 (256-t)	14.1	20.7	29.6	10.5	20.4	31.5	0.0	--	--	0.00	16683	0.88
09/14 (257-w)	18.7	23.9	30.7	15.7	23.5	32.1	0.0	--	--	0.00	17830	0.86
09/15 (258-t)	19.5	24.6	31.3	14.8	22.0	31.3	0.0	--	--	2.63	17985	0.79
09/16 (259-f)	20.4	24.4	30.0	13.6	20.9	30.0	0.0	--	--	0.10	16368	0.83
09/17 (260-s)	18.4	21.9	27.1	13.1	20.5	29.7	36.3	--	--	12.10	2802	0.36
09/18 (261-s)	12.9	17.7	23.6	12.7	18.9	25.0	0.0	--	--	4.07	17579	1.03
09/19 (262-m)	13.3	18.1	25.6	10.0	17.6	25.6	0.3	--	--	0.10	18519	0.86
09/20 (263-t)	13.4	18.9	27.0	9.7	17.6	27.0	0.0	--	--	3.97	18480	0.82
09/21 (264-w)	13.5	18.1	26.9	11.9	19.9	28.7	0.3	--	--	1.47	12936	0.96
09/22 (265-t)	12.6	18.5	27.3	10.1	18.6	27.3	0.0	--	--	3.80	16670	0.81
09/23 (266-f)	12.8	18.0	24.8	8.6	16.7	24.8	0.0	--	--	0.27	12516	0.99
09/24 (267-s)	16.8	20.4	27.3	4.9	16.2	27.3	0.5	--	--	0.17	10147	0.93
09/25 (268-s)	13.4	20.9	28.4	5.1	17.1	28.4	15.5	--	--	8.40	8366	0.93
09/26 (269-m)	11.3	15.9	21.3	10.2	17.2	25.6	1.5	--	--	1.00	12563	0.80
09/27 (270-t)	13.0	15.6	18.7	10.2	15.9	23.9	1.5	--	--	0.70	8619	0.87
09/28 (271-w)	9.2	14.6	21.4	6.6	14.1	24.0	0.0	--	--	0.43	10846	0.93
09/29 (272-t)	8.3	13.8	21.0	3.1	11.0	21.0	0.0	--	--	0.00	16208	0.70
09/30 (273-f)	9.6	16.0	24.4	1.0	10.7	24.4	0.0	--	--	0.00	14605	0.84

Column Min's:	8.3	13.8	18.7	1.0	4.1	17.9	0.0	76	0.00	2802	0.36	9641
Column Avg's:	14.1	18.9	25.3	13.2	18.7	25.1	2.0	85	1.79	14498	0.87	14493
Column Max's:	20.4	24.6	31.3	17.3	23.5	30.7	32.6	97	12.10	21565	1.09	19966
Column Ttl's:							58.8		53.72	434925		434777

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		W A T E R B A L A N C E (mm)		S O L A R R A D I A T I O N														
	min	max	min	max	prec	evap	max	avg													
10/01 (274-s)	12.2	20.2	1.8	28.9	5.5	3	14.7	3	28.9	1994	0.0	--	--	77	0.00	3	15228	0.67	16474	3	
10/02 (275-s)	14.0	16.8	4.4	19.9	9.2	3	14.2	3	20.9	3	23.4	1992	0.0	--	82	2.37	3	8545	0.58	9195	3
10/03 (276-m)	7.9	13.5	2.0	20.0	5.7	3	12.5	3	20.6	3	24.7	1992	0.0	--	61	0.10	3	14191	1.03	16492	3
10/04 (277-t)	4.2	10.6	2.3	17.7	5.8	3	13.2	3	20.7	3	23.5	1993	0.0	--	79	0.00	3	15156	0.81	13159	3
10/05 (278-w)	6.9	10.8	4.3	14.5	5.3	3	11.8	3	17.9	3	20.5	1993	0.0	--	89	0.00	3	5848	0.41	13506	3
10/06 (279-t)	7.7	13.0	1.7	22.4	3.8	3	11.9	3	23.3	3	25.9	1993	0.0	--	83	0.00	3	14169	0.71	16100	3
10/07 (280-f)	7.0	15.9	3.4	26.8	6.2	3	14.9	3	26.2	3	28.6	1993	0.0	--	85	0.00	3	14070	0.70	15601	3
10/08 (281-s)	13.6	19.4	6.2	26.0	10.1	3	16.5	3	24.4	3	27.3	1993	0.0	--	81	0.43	3	13815	0.73	11080	3
10/09 (282-s)	6.2	14.4	6.2	20.2	6.8	3	13.8	3	19.7	3	20.2	1994	4.1	--	78	4.40	3	12012	1.03	10665	3
10/10 (283-m)	3.0	8.3	0.6	15.9	3.1	3	9.3	3	16.7	3	21.9	1992	0.0	--	78	0.43	3	16683	0.75	14659	3
10/11 (284-t)	1.8	9.1	-0.8	19.4	3.0	3	9.1	3	15.3	3	19.4	1994	0.0	--	74	0.10	3	16381	0.74	10610	3
10/12 (285-w)	2.7	11.3	2.7	21.0	4.4	3	11.0	3	18.0	3	21.0	1994	0.0	--	64	0.00	3	14944	0.74	14893	3
10/13 (286-t)	10.2	13.3	3.5	17.3	6.3	3	11.6	3	17.2	3	19.5	1992	2.3	--	81	0.77	3	6396	0.57	10394	3
10/14 (287-f)	12.2	16.6	4.9	23.2	7.9	3	15.6	3	24.1	3	28.6	1992	0.0	--	86	0.00	3	10533	0.72	12608	3
10/15 (288-s)	9.5	15.3	3.5	24.0	8.5	3	15.7	3	25.3	3	27.2	1992	0.0	--	79	0.00	3	14468	0.82	14029	3
10/16 (289-s)	6.2	14.1	4.2	19.2	6.8	3	14.1	3	20.4	3	25.8	1994	0.0	--	72	7.20	3	15147	0.71	6762	3
10/17 (290-m)	5.9	13.3	-0.3	26.8	5.9	3	11.6	3	20.0	3	26.8	1994	0.0	--	72	1.43	3	15018	0.71	11913	3
10/18 (291-t)	5.4	15.2	0.3	25.5	5.0	3	11.2	3	18.3	3	25.5	1994	0.0	--	67	0.27	3	13150	0.75	8857	3
10/19 (292-w)	15.0	16.7	8.6	18.6	11.8	2	15.4	2	18.7	2	18.9	1993	6.6	--	95	5.35	2	2081	0.25	2556	2
10/20 (293-t)	8.9	16.9	8.9	23.3	13.1	2	18.7	2	23.8	2	24.3	1993	0.3	--	83	8.15	2	10431	0.75	7821	2
10/21 (294-f)	7.6	12.6	2.6	21.6	5.0	3	12.5	3	21.2	3	23.3	1993	0.0	--	83	1.87	3	13425	0.66	11601	2
10/22 (295-s)	8.4	11.9	-1.0	15.7	2.8	3	8.8	3	17.0	3	19.4	1992	1.0	--	95	0.33	3	3480	0.40	10791	3
10/23 (296-s)	3.1	13.5	-1.8	20.2	0.6	3	10.4	3	21.3	3	23.9	1992	0.0	--	68	0.00	3	13666	0.66	13847	3
10/24 (297-m)	1.6	9.3	-0.6	19.1	2.1	3	10.8	3	21.5	3	23.3	1992	0.0	--	77	0.00	3	8250	0.83	10599	3
10/25 (298-t)	1.0	6.8	0.6	13.7	1.0	3	8.0	3	17.4	3	23.8	1993	0.0	--	76	0.00	3	13910	0.68	13596	3
10/26 (299-w)	3.2	6.1	-0.2	9.7	2.5	3	9.9	3	18.6	3	23.8	1993	0.0	--	82	0.00	3	4140	0.27	8998	3
10/27 (300-t)	0.0	5.9	0.0	15.3	4.4	3	10.0	3	16.5	3	21.3	1992	0.0	--	80	0.00	3	10786	0.82	9329	3
10/28 (301-f)	-0.9	7.5	-0.9	19.5	0.2	3	7.9	3	17.2	3	20.4	1992	0.0	--	72	0.00	3	13538	0.64	12440	3
10/29 (302-s)	-0.3	8.5	-0.3	20.6	2.1	3	9.5	3	18.1	3	20.6	1994	0.0	--	70	0.00	3	13244	0.63	11001	3
10/30 (303-s)	0.5	10.2	0.5	22.9	2.9	3	7.2	3	12.9	3	22.9	1994	0.5	--	74	4.33	3	12589	0.61	5300	3
10/31 (304-m)	9.9	14.3	0.8	21.2	5.9	3	8.6	3	12.5	3	21.2	1994	5.8	--	98	3.13	3	2647	0.25	3688	3
Column Min's:	-0.9	5.9	-1.8	9.7	0.2		7.2		12.5		28.9		0.0		61	0.00		2081	0.25	2556	
Column Avg's:	6.3	12.6	5.3	20.5	5.3		11.9		19.7		28.9		0.7		79	1.31		11546	0.67	11244	
Column Max's:	15.0	20.2	28.9		13.1		18.7		26.2				6.6		98	8.15		16683	1.03	16492	
Column Ttl's:													20.6			40.66		357941		348564	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.