

DATE	A I R				T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)				S O L A R R A D I A T I O N						
	.....Current.....		.....Long Term.....		.....Long Term.....		.....Long Term.....		.....Long Term.....		.....Long Term.....		.....Long Term.....						
	min	avg	max	min	avg	max	min	avg	max	prec	evap	ly	ly	max					
01/01 (001-s)	12.0	25.5*	39.0	-4.0	1968	22.7	34	31.6	33	40.3	34	66.0	1985	0.00	0.21	33	--	--	--
01/02 (002-s)	28.0	34.0*	40.0	1.0	1968	22.5	35	30.9	34	39.0	34	66.0	1985	0.00	0.12	34	--	--	--
01/03 (003-m)	27.0	32.0*	37.0	-1.0	1979	24.4	34	31.9	33	39.1	34	56.0	1966	0.00	0.10	32	--	--	--
01/04 (004-t)	18.0	26.0*	34.0	-1.0	1979	22.8	34	30.6	34	38.8	35	60.0	1982	0.29	0.12	29	--	--	--
01/05 (005-w)	15.0	20.5*	26.0	-1.0	1968	21.1	35	29.5	35	37.8	35	67.0	1993	0.02	0.08	32	--	--	--
01/06 (006-t)	20.0	28.5*	37.0	-2.0	1988	23.3	35	30.2	35	37.1	35	55.0	1962	0.00	0.12	31	--	--	--
01/07 (007-f)	30.0	36.0*	42.0	-5.0	1970	23.4	35	31.3	35	39.3	35	57.0	1987	0.41	0.08	30	--	--	--
01/08 (008-s)	4.0	21.0*	38.0	-11.0	1968	18.7	35	27.3	35	36.0	35	64.0	1965	0.02	0.09	29	--	--	--
01/09 (009-s)	4.0	11.0*	18.0	-5.0	1976	17.6	35	26.4	35	35.2	35	64.0	1965	0.00	0.09	31	--	--	--
01/10 (010-m)	3.0	15.0*	27.0	-13.0	1982	17.8	35	26.8	35	35.8	35	61.0	1975	0.00	0.07	32	--	--	--
01/11 (011-t)	11.0	24.5*	38.0	-14.0	1982	16.8	35	25.9	35	35.0	35	61.0	1975	0.00	0.11	30	--	--	--
01/12 (012-w)	28.0	34.0*	40.0	-5.0	1978	17.6	35	27.0	35	36.4	35	65.0	1960	0.21	0.07	27	--	--	--
01/13 (013-t)	27.0	32.5*	38.0	-9.0	1977	19.3	35	28.9	34	38.6	34	67.0	1972	0.00	0.09	33	--	--	--
01/14 (014-f)	14.0	24.0*	34.0	-7.0	1964	20.5	35	29.5	35	38.4	35	58.0	1971	0.07	0.09	33	--	--	--
01/15 (015-s)	-10.0	5.0*	20.0	-10.0	1994	19.6	34	28.6	34	37.6	35	58.0	1960	0.00	0.13	29	--	--	--
01/16 (016-s)	-16.0	-7.5*	1.0	-16.0	1994	16.3	34	25.8	34	35.2	34	60.0	1974	0.00	0.02	32	--	--	--
01/17 (017-m)	-10.0	11.0*	32.0	-20.0	1977	18.1	35	27.3	34	37.1	34	61.0	1973	1.62	0.09	32	--	--	--
01/18 (018-t)	-16.0	-0.5*	15.0	-16.0	1977	20.2	34	29.0	34	38.5	35	63.0	1973	0.00	0.08	32	--	--	--
01/19 (019-w)	-28.0	-16.5*	-5.0	-28.0	1994	18.5	35	27.2	35	36.0	35	62.0	1974	0.00	0.05	29	--	--	--
01/20 (020-t)	-20.0	-8.5*	3.0	-22.0	1985	19.1	35	27.7	35	36.3	35	60.0	1989	0.06	0.18	29	--	--	--
01/21 (021-f)	-7.0	2.5*	12.0	-23.0	1985	18.2	35	27.2	35	36.2	35	61.0	1990	0.00	0.04	33	--	--	--
01/22 (022-s)	-5.0	7.0*	19.0	-16.0	1984	21.0	34	30.3	34	38.9	35	65.0	1967	0.00	0.11	32	--	--	--
01/23 (023-s)	14.0	25.5*	37.0	-3.0	1963	22.7	35	32.0	35	41.4	35	67.0	1967	0.00	0.11	35	--	--	--
01/24 (024-m)	31.0	35.0*	39.0	-19.0	1963	21.2	35	30.8	34	40.8	34	70.0	1967	0.00	0.06	32	--	--	--
01/25 (025-t)	27.0	33.5*	40.0	-9.0	1963	21.5	34	31.2	34	40.9	34	68.0	1972	0.02	0.06	32	--	--	--
01/26 (026-w)	21.0	31.5*	42.0	-0.0	1978	21.3	35	32.0	35	42.6	35	71.0	1967	0.37	0.09	34	--	--	--
01/27 (027-t)	20.0	28.5*	37.0	-4.0	1978	19.0	35	28.1	35	37.2	35	68.0	1967	0.10	0.06	34	--	--	--
01/28 (028-f)	31.0	40.5*	50.0	-16.0	1963	19.1	35	28.2	35	37.3	35	64.0	1970	1.25	0.11	33	--	--	--
01/29 (029-s)	20.0	35.0*	50.0	-12.0	1977	19.8	35	29.1	35	38.3	35	69.0	1975	0.00	0.07	33	--	--	--
01/30 (030-s)	18.0	25.0*	32.0	-12.0	1966	19.9	35	29.0	35	38.1	35	58.0	1988	0.00	0.08	29	--	--	--
01/31 (031-m)	15.0	26.0*	37.0	-9.0	1965	20.0	35	29.4	35	38.8	35	62.0	1988	0.04	0.05	33	--	--	--
Column Min's:	-28.0	-16.5	-5.0	-28.0		16.3		25.8		35.0				0.00	0.02				
Column Avg's:	10.5	20.6	30.6		20.1	29.1		38.0		38.0				0.14	0.09				
Column Max's:	31.0	40.5	50.0		24.4	32.0		42.6		42.6		71.0		1.62	0.21				
Column Ttl's:														4.48	2.83				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min	max	prec	evap	max	avg		
02/01 (032-t)	1.0	16.5*	21.7	32	31.0	32	40.2	33	63.0	1988
02/02 (033-w)	3.0	11.5*	21.4	34	31.3	34	41.1	34	67.0	1989
02/03 (034-t)	10.0	22.0*	20.2	35	30.0	35	39.8	35	61.0	1990
02/04 (035-f)	14.0	22.5*	19.5	35	29.4	35	39.3	35	69.0	1992
02/05 (036-s)	22.0	36.0*	20.7	35	30.8	34	41.3	34	66.0	1991
02/06 (037-s)	13.0	28.0*	19.9	35	30.4	34	41.0	34	65.0	1986
02/07 (038-m)	20.0	34.0*	19.1	35	28.3	35	37.4	35	60.0	1990
02/08 (039-t)	20.0	28.0*	19.0	35	27.4	35	35.8	35	54.0	1965
02/09 (040-w)	18.0	27.5*	18.5	35	27.7	35	36.8	35	62.0	1966
02/10 (041-t)	5.0	15.0*	18.6	35	28.4	35	38.2	35	64.0	1965
02/11 (042-f)	12.0	18.5*	21.3	35	31.0	34	40.6	34	64.0	1993
02/12 (043-s)	18.0	25.0*	21.1	34	30.9	34	41.0	35	61.0	1984
02/13 (044-s)	25.0	31.5*	21.8	35	31.4	35	41.1	35	72.0	1984
02/14 (045-m)	18.0	30.0*	22.3	35	31.2	35	40.1	35	69.0	1990
02/15 (046-t)	25.0	35.5*	23.1	34	32.9	34	42.2	35	67.0	1976
02/16 (047-w)	20.0	35.5*	24.0	35	33.5	35	43.1	35	68.0	1990
02/17 (048-t)	21.0	35.5*	24.0	35	33.9	35	43.9	35	64.0	1961
02/18 (049-f)	27.0	42.0*	25.6	34	35.2	34	44.8	34	64.0	1961
02/19 (050-s)	33.0	49.5*	26.7	35	36.8	35	46.9	35	67.0	1986
02/20 (051-s)	45.0	58.0*	25.0	35	34.7	35	44.4	35	71.0	1994
02/21 (052-m)	44.0	51.5*	24.3	35	35.1	35	45.8	35	67.0	1983
02/22 (053-t)	28.0	39.0*	25.7	35	36.7	35	47.7	35	68.0	1971
02/23 (054-w)	29.0	39.5*	26.6	35	37.5	35	48.4	35	69.0	1977
02/24 (055-t)	20.0	43.0*	26.9	35	36.8	35	46.7	35	70.0	1961
02/25 (056-f)	16.0	23.0*	23.3	35	33.6	34	44.5	34	65.0	1961
02/26 (057-s)	10.0	31.0*	21.7	34	31.0	33	41.5	34	67.0	1976
02/27 (058-s)	5.0	14.0*	21.6	35	31.8	34	42.3	34	66.0	1976
02/28 (059-m)	9.0	20.0*	25.2	35	35.1	35	45.1	35	67.0	1972
Column Min's:	1.0	11.5	20.0	-11.0	18.5	27.4	35.8		0.00	0.04
Column Avg's:	19.0	30.8	42.7		22.5	32.3	42.2		0.10	0.10
Column Max's:	45.0	58.0	71.0		26.9	37.5	48.4	72.0	1.25	0.21
Column Ttl's:									2.86	2.86

WATER BALANCE (inches) Long Term avg pr yrs  
 SOLAR RADIATION max Lng-Term avg yrs  
 Column Min's: 0.04  
 Column Avg's: 0.10  
 Column Max's: 0.21  
 Column Ttl's: 2.86

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION			
	min	max	min	max	prec	evap	ly	max		
mo da Jul	Current	Long Term	avgm	avgmx	liq	avg	Term	ly/m	avg yrs	
	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11/01 (305-t)	38.0	53.0*	42.9	36	54.0	36	65.1	36	77.0	1968
11/02 (306-w)	32.0	40.0*	42.0	36	52.8	36	63.6	36	81.0	1961
11/03 (307-t)	43.0	51.5*	39.8	36	50.4	36	60.9	36	81.0	1961
11/04 (308-f)	54.0	62.0*	38.7	36	49.1	36	59.4	36	79.0	1987
11/05 (309-s)	59.0	66.5*	38.7	35	48.0	35	57.3	36	79.0	1975
11/06 (310-s)	56.0	64.5*	34.9	35	46.0	33	57.1	34	76.0	1975
11/07 (311-m)	33.0	46.5*	34.8	35	43.5	34	52.6	35	70.0	1965
11/08 (312-t)	39.0	50.0*	34.1	36	43.4	36	52.8	36	71.0	1980
11/09 (313-w)	51.0	61.0*	36.4	36	46.4	36	56.4	36	76.0	1975
11/10 (314-t)	43.0	55.0*	35.9	36	46.6	36	57.3	36	72.0	1977
11/11 (315-f)	33.0	44.0*	34.2	36	44.1	36	53.9	36	71.0	1964
11/12 (316-s)	35.0	46.0*	35.5	36	44.5	36	53.5	36	72.0	1964
11/13 (317-s)	46.0	56.5*	33.7	36	43.9	36	54.0	36	70.0	1964
11/14 (318-m)	50.0	61.0*	33.4	36	43.4	36	53.3	36	74.0	1971
11/15 (319-t)	54.0	61.5*	35.2	36	45.2	36	55.2	36	74.0	1964
11/16 (320-w)	43.0	49.0*	36.2	35	45.8	35	55.4	35	71.0	1990
11/17 (321-t)	44.0	47.5*	34.1	36	45.1	35	56.1	35	74.0	1987
11/18 (322-f)	43.0	51.5*	34.8	35	44.0	35	53.3	36	71.0	1971
11/19 (323-s)	33.0	46.5*	33.7	36	43.1	36	52.5	36	74.0	1985
11/20 (324-s)	41.0	49.0*	33.5	36	43.0	36	52.5	36	73.0	1985
11/21 (325-m)	48.0	56.0*	33.4	36	42.9	36	52.3	36	69.0	1992
11/22 (326-t)	32.0	49.0*	32.4	36	41.4	36	50.3	36	70.0	1979
11/23 (327-w)	22.0	32.0*	32.1	36	41.4	36	50.6	36	67.0	1963
11/24 (328-t)	23.0	33.5*	31.7	36	41.2	36	50.6	36	67.0	1973
11/25 (329-f)	30.0	39.5*	30.7	36	39.8	36	49.0	36	66.0	1973
11/26 (330-s)	34.0	38.5*	32.4	36	42.5	36	52.5	36	68.0	1987
11/27 (331-s)	39.0	44.0*	36.0	35	45.0	35	54.1	35	71.0	1990
11/28 (332-m)	43.0	52.5*	33.8	35	42.5	35	51.3	35	76.0	1990
11/29 (333-t)	34.0	43.5*	28.3	36	37.2	36	46.2	36	67.0	1987
11/30 (334-w)	25.0	39.0*	27.4	35	34.8	35	42.8	36	69.0	1991
Column Min's:	22.0	32.0	27.4		34.8		42.8			
Column Avg's:	40.0	49.7	34.7		44.4		54.1			
Column Max's:	59.0	66.5	42.9		54.0		65.1		81.0	
Column Ttl's:										3.44
										0.00
										0.11
										0.83
										3.67
										0.03
										0.12
										0.25
										3.67

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	avg	prec	evap	max	avg
mo da jul	Current	Long Term	Year	Year	Liq	Year	ly/m	Long Term
	min	avg	avgm	avgmx	prec	evap	ly	avg yrs
12/01 (335-t)	19.0	31.0*	27.7	36	0.00	--	--	0.11
12/02 (336-f)	22.0	35.0*	28.2	36	0.00	--	--	0.09
12/03 (337-s)	35.0	47.5*	29.7	35	0.00	--	--	0.17
12/04 (338-s)	42.0	52.0*	29.9	36	0.04	--	--	0.18
12/05 (339-m)	54.0	57.0*	28.7	36	0.87	--	--	0.14
12/06 (340-t)	52.0	55.5*	28.4	35	0.05	--	--	0.17
12/07 (341-w)	50.0	53.5*	27.8	35	0.00	--	--	0.09
12/08 (342-t)	28.0	43.5*	27.6	36	0.00	--	--	0.12
12/09 (343-f)	29.0	37.0*	27.3	36	0.54	--	--	0.18
12/10 (344-s)	30.0	40.0*	24.7	36	0.41	--	--	0.13
12/11 (345-s)	23.0	31.0*	27.0	36	0.80	--	--	0.12
12/12 (346-m)	23.0	25.5*	28.2	36	0.00	--	--	0.14
12/13 (347-t)	21.0	28.5*	26.7	35	0.00	--	--	0.07
12/14 (348-w)	22.0	33.5*	24.4	35	0.00	--	--	0.08
12/15 (349-t)	25.0	35.0*	25.8	36	0.00	--	--	0.12
12/16 (350-f)	25.0	37.0*	24.4	36	0.00	--	--	0.09
12/17 (351-s)	37.0	43.5*	24.1	36	0.53	--	--	0.07
12/18 (352-s)	32.0	39.0*	22.7	36	0.00	--	--	0.09
12/19 (353-m)	27.0	32.0*	23.0	36	0.00	--	--	0.06
12/20 (354-t)	23.0	33.0*	23.4	36	0.00	--	--	0.12
12/21 (355-w)	25.0	37.0*	22.4	36	0.00	--	--	0.18
12/22 (356-t)	26.0	40.5*	21.6	36	0.00	--	--	0.12
12/23 (357-f)	31.0	44.0*	23.5	36	0.00	--	--	0.11
12/24 (358-s)	34.0	42.5*	25.3	36	0.00	--	--	0.12
12/25 (359-s)	27.0	33.5*	22.2	36	0.00	--	--	0.14
12/26 (360-m)	27.0	34.5*	22.3	36	0.00	--	--	0.11
12/27 (361-t)	27.0	31.5*	22.3	36	0.00	--	--	0.04
12/28 (362-w)	24.0	31.0*	23.4	36	0.00	--	--	0.14
12/29 (363-t)	30.0	42.0*	23.3	36	0.00	--	--	0.10
12/30 (364-f)	29.0	35.5*	24.4	36	0.00	--	--	0.08
12/31 (365-s)	30.0	42.0*	24.4	35	0.08	--	--	0.14

Column Min's:	19.0	25.5	28.0	-22.0	21.6	30.2	38.1	0.00	0.04
Column Avg's:	30.0	38.8	47.7	34.1	42.8	39.5	49.2	0.11	0.12
Column Max's:	54.0	57.0	62.0	29.9	76.0	76.0	76.0	0.87	0.18
Column Ttl's:								3.32	3.62

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	max	min	max	avg	max	prec	evap	ly	max										
09/01 (244-t)	54.1	59.3	42.3	1987	56.7	13	67.7	13	80.2	13	88.7	1990	0.00	0.00	0.11	82	368	1.44	397	13
09/02 (245-f)	46.5	59.0	43.4	1987	58.3	13	70.4	13	84.0	13	92.4	1984	0.00	0.00	0.09	73	520	1.36	403	13
09/03 (246-s)	48.4	59.8	47.6	1982	58.6	13	67.8	13	79.1	13	91.7	1983	0.00	0.00	0.22	73	505	1.40	370	13
09/04 (247-s)	46.3	59.9	42.7	1982	57.0	13	68.0	13	80.5	13	89.6	1983	0.00	0.00	0.03	83	469	1.46	429	13
09/05 (248-m)	58.0	59.9	43.8	1982	57.4	13	67.9	13	80.4	13	92.0	1990	0.20	0.20	0.07	98	76	0.44	389	13
09/06 (249-t)	57.3	65.3	40.4	1988	57.0	13	68.7	13	82.1	13	92.6	1990	0.01	0.01	0.00	87	320	1.53	435	13
09/07 (250-w)	53.3	64.3	38.8	1988	57.8	13	68.8	13	82.0	13	93.7	1985	0.00	0.00	0.00	79	436	1.49	406	13
09/08 (251-t)	53.6	66.1	41.5	1988	56.2	13	68.0	13	81.8	13	92.5	1985	0.00	0.00	0.00	78	476	1.36	407	13
09/09 (252-f)	54.9	69.0	39.7	1986	57.5	13	69.7	13	83.5	13	95.4	1983	0.00	0.00	0.18	77	447	1.27	386	13
09/10 (253-s)	60.3	70.0	47.2	1993	59.1	13	70.3	13	82.9	12	97.4	1983	0.00	0.00	0.02	79	412	1.59	385	13
09/11 (254-s)	60.4	69.4	41.2	1993	57.7	13	68.3	13	80.5	13	94.2	1983	0.00	0.00	0.11	80	470	1.21	378	13
09/12 (255-m)	53.6	68.3	42.7	1985	56.7	13	66.5	13	78.0	13	85.2	1994	0.00	0.00	0.18	79	422	1.29	319	13
09/13 (256-t)	59.0	71.8	42.7	1985	56.6	13	68.5	13	83.0	13	95.1	1991	0.00	0.00	0.01	76	379	1.11	405	13
09/14 (257-w)	62.5	75.9	40.0	1985	56.5	13	67.9	13	81.3	13	92.1	1991	0.00	0.00	0.17	72	445	1.18	372	13
09/15 (258-t)	62.6	74.7	41.7	1985	54.6	13	66.0	13	79.1	13	92.0	1991	0.00	0.00	0.01	70	409	1.27	370	13
09/16 (259-f)	63.3	74.9	40.0	1985	54.0	13	64.5	13	77.2	13	91.7	1991	0.00	0.00	0.09	74	391	1.59	364	12
09/17 (260-s)	59.6	70.1	39.5	1984	51.8	13	63.9	13	77.7	13	83.2	1992	0.33	0.33	0.03	82	295	1.57	411	13
09/18 (261-s)	52.8	63.3	43.0	1984	53.4	13	64.5	13	76.0	13	91.9	1983	0.00	0.00	0.08	74	492	1.40	319	13
09/19 (262-m)	48.6	63.6	44.3	1991	52.6	13	63.7	13	76.2	13	91.1	1983	0.00	0.00	0.07	69	488	1.15	369	13
09/20 (263-t)	49.4	64.3	37.6	1991	50.7	13	63.2	13	77.4	13	87.2	1985	0.00	0.00	0.10	72	456	1.21	390	13
09/21 (264-w)	49.2	64.6	37.2	1991	50.5	13	61.7	13	74.6	13	87.8	1984	0.00	0.00	0.07	73	452	1.22	337	13
09/22 (265-t)	52.7	65.0	35.5	1983	50.1	13	62.0	13	75.1	13	88.5	1984	0.00	0.00	0.07	75	359	1.40	297	13
09/23 (266-f)	56.1	64.6	36.5	1983	49.3	13	59.2	13	70.3	13	84.7	1986	0.01	0.01	0.10	79	199	0.80	298	13
09/24 (267-s)	54.4	63.9	33.5	1983	46.9	13	57.0	13	68.3	13	80.9	1987	0.10	0.10	0.22	94	197	1.42	297	12
09/25 (268-s)	49.9	57.7	36.1	1983	47.1	13	59.8	13	73.4	13	88.3	1986	0.10	0.10	0.12	89	266	1.45	351	13
09/26 (269-m)	48.9	55.4	37.6	1987	49.4	13	59.7	13	71.6	13	89.6	1986	0.54	0.54	0.06	93	136	1.00	330	13
09/27 (270-t)	52.0	54.6	36.0	1991	46.3	13	57.4	13	70.0	13	87.6	1987	0.03	0.03	0.14	96	109	1.45	315	13
09/28 (271-w)	46.2	56.8	36.7	1989	46.5	13	59.8	13	75.8	13	89.8	1986	0.00	0.00	0.00	77	388	1.33	394	13
09/29 (272-t)	43.4	56.0	36.5	1992	48.5	13	60.0	13	73.7	13	88.3	1986	0.00	0.00	0.02	74	452	1.10	337	13
09/30 (273-f)	44.9	60.2	30.8	1993	47.2	13	59.4	13	73.5	13	86.3	1986	0.00	0.00	0.03	74	394	1.07	332	13
Column Min's:	43.4	54.6	30.8		46.3		57.0		68.3		97.4		0.00	0.00	0.00	69	76	0.44	297	
Column Avg's:	53.4	64.3	53.4		53.4		64.7		77.6		97.4		0.04	0.04	0.08	79	374	1.29	366	
Column Max's:	63.3	75.9	63.3		59.1		70.4		84.0		97.4		0.54	0.54	0.22	98	520	1.59	435	
Column Ttl's:													1.32	1.32	2.41		11228		10992	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	min	year avg	Long Term	max	prec	evap	ly	max	Lng-Tm											
mo da jul	Current	Current	year	avg	avg	year	liq	hum	Ly	Ly/m	avg yrs											
10/01 (274-s)	52.7	68.8	34.4	1987	47.5	13	59.4	13	72.1	13	85.8	1994	0.00	--	--	73	0.15	13	372	1.03	310	13
10/02 (275-s)	54.6	61.1	71.1	1985	46.5	13	59.6	13	73.5	13	85.1	1983	0.00	--	--	73	0.02	13	220	0.88	330	13
10/03 (276-m)	46.1	56.5	70.8	1993	46.3	13	58.8	13	72.4	13	85.3	1983	0.00	--	--	54	0.01	13	425	1.07	347	13
10/04 (277-t)	40.9	53.2	65.2	1987	47.2	13	58.4	13	71.4	13	84.5	1991	0.00	--	--	70	0.21	13	374	1.51	307	13
10/05 (278-w)	45.9	52.4	57.8	1989	45.0	13	56.1	13	68.2	13	82.8	1982	0.00	--	--	80	0.05	13	144	0.49	301	13
10/06 (279-t)	38.7	54.3	70.3	1988	42.1	13	54.0	13	67.0	13	84.0	1982	0.00	--	--	77	0.01	13	405	1.01	312	13
10/07 (280-f)	46.3	63.1	81.9	1991	43.3	13	54.4	13	68.0	13	81.9	1994	0.00	--	--	76	0.12	13	359	1.23	304	13
10/08 (281-s)	55.2	67.2	78.5	1991	45.4	13	57.4	13	68.5	13	80.0	1982	0.00	--	--	77	0.05	13	359	1.38	302	13
10/09 (282-s)	42.9	54.4	66.0	1989	45.2	13	56.0	13	68.3	13	79.7	1985	0.33	--	--	73	0.26	13	406	1.11	242	13
10/10 (283-m)	34.8	48.1	60.4	1993	44.5	13	54.7	13	66.6	13	83.5	1985	0.00	--	--	64	0.14	13	415	1.05	263	13
10/11 (284-t)	34.2	49.2	65.7	1988	40.7	13	52.0	13	64.0	13	75.7	1984	0.00	--	--	62	0.00	13	409	1.03	264	13
10/12 (285-w)	37.5	53.8	70.5	1988	43.4	13	53.4	13	64.9	13	82.2	1985	0.00	--	--	54	0.14	13	382	1.10	226	13
10/13 (286-t)	49.0	54.2	58.1	1988	42.0	13	52.4	13	65.2	13	85.6	1989	0.27	--	--	88	0.14	13	110	0.74	273	13
10/14 (287-f)	54.3	59.5	70.7	1987	43.4	13	54.9	13	68.1	13	84.9	1989	0.04	--	--	89	0.03	13	191	1.27	280	13
10/15 (288-s)	48.3	59.8	73.7	1986	43.1	13	55.7	13	70.6	13	82.6	1989	0.00	--	--	76	0.08	13	324	1.19	292	13
10/16 (289-s)	49.1	62.6	78.4	1991	41.5	13	54.0	13	66.3	13	78.4	1994	0.00	--	--	55	0.04	13	367	0.95	237	12
10/17 (290-m)	44.3	61.7	79.7	1991	43.2	12	55.6	12	67.1	13	79.7	1994	0.00	--	--	54	0.13	13	363	0.95	254	12
10/18 (291-t)	46.9	58.8	69.3	1992	40.5	13	52.0	13	64.5	13	79.1	1985	0.02	--	--	82	0.25	13	169	1.10	220	13
10/19 (292-w)	58.8	61.7	65.5	1992	40.6	13	50.4	13	60.4	13	70.9	1987	0.11	--	--	97	0.27	13	55	0.32	218	13
10/20 (293-t)	45.6	59.8	70.9	1991	38.0	13	48.2	13	58.8	13	70.9	1994	0.00	--	--	79	0.37	13	310	1.14	173	13
10/21 (294-f)	40.6	53.7	69.0	1987	39.9	13	49.9	13	61.2	13	76.8	1986	0.00	--	--	76	0.06	13	343	0.94	232	13
10/22 (295-s)	45.9	56.5	70.6	1987	39.3	13	49.9	13	61.9	13	78.4	1991	0.00	--	--	77	0.11	13	308	1.05	235	13
10/23 (296-s)	43.0	55.7	69.2	1988	43.3	13	52.9	13	63.9	13	74.9	1992	0.00	--	--	59	0.04	13	354	0.93	212	13
10/24 (297-m)	37.2	46.1	60.4	1982	43.0	13	53.1	13	65.3	13	78.5	1985	0.11	--	--	82	0.07	13	116	1.25	200	13
10/25 (298-t)	33.9	42.2	50.3	1987	39.3	13	50.0	13	61.4	13	77.9	1991	0.00	--	--	81	0.05	13	207	1.26	232	12
10/26 (299-w)	33.5	43.6	53.3	1988	39.5	13	51.3	13	65.8	13	76.4	1984	0.00	--	--	72	0.03	13	222	1.22	266	13
10/27 (300-t)	29.1	43.5	59.9	1988	39.1	13	51.6	13	64.8	13	77.6	1984	0.00	--	--	72	0.02	13	329	0.88	252	13
10/28 (301-f)	30.1	48.7	65.9	1987	39.2	13	51.1	13	63.9	13	77.1	1989	0.00	--	--	60	0.10	13	334	0.89	259	13
10/29 (302-s)	40.2	52.5	68.2	1988	40.0	13	49.7	13	61.5	13	80.7	1991	0.00	--	--	59	0.00	13	322	0.88	222	13
10/30 (303-s)	36.7	52.3	71.2	1988	39.4	13	49.3	13	61.8	13	75.3	1989	0.00	--	--	65	0.02	13	303	0.91	212	13
10/31 (304-m)	45.4	54.6	61.6	1988	41.5	13	52.2	13	63.6	13	77.1	1990	0.26	--	--	93	0.05	13	58	0.41	190	13
Column Min's:	29.1	42.2	50.3	22.4	38.0	48.2	58.8	0.00	54	0.00	55	0.32	173						55	0.32	173	
Column Avg's:	43.3	55.1	68.1	42.4	53.5	65.9	73.5	0.04	73	0.10	292	1.01	257						292	1.01	257	
Column Max's:	58.8	68.8	85.8	47.5	59.6	73.5	85.8	0.33	97	0.37	425	1.51	347						425	1.51	347	
Column Ttl's:								1.14		3.02	9055		7967						9055		7967	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	min	avg	max	Long Term	prec	evap	ly	max												
mo da jul	Current	.....	Year	avgm	yr	Long Term	liq	snow	ly	ly/m												
			yr	yr	yr	yr	yr	yr	yr	yr												
11/01 (305-t)	34.8	42.5	26.6	1993	42.5	13	52.9	13	65.8	13	81.6	1987	0.14	--	--	96	0.17	13	49	0.35	188	13
11/02 (306-w)	31.0	45.8	24.4	1993	39.9	13	49.3	13	59.2	13	79.9	1987	0.00	--	--	67	0.06	13	297	0.94	185	13
11/03 (307-t)	47.0	60.7	19.1	1991	36.2	13	48.1	13	58.3	13	79.5	1987	0.00	--	--	57	0.05	13	188	0.86	181	13
11/04 (308-f)	56.1	63.1	17.4	1991	38.3	12	46.1	12	54.9	12	78.8	1987	0.09	--	--	72	0.10	12	104	0.66	157	12
11/05 (309-s)	55.7	62.4	12.2	1991	34.7	13	43.8	13	51.8	13	70.9	1994	0.41	--	--	89	0.11	12	134	0.86	156	12
11/06 (310-s)	40.7	52.5	20.1	1982	32.7	12	41.0	12	49.7	13	63.4	1994	0.03	--	--	90	0.02	13	55	0.32	148	12
11/07 (311-m)	32.1	45.1	17.4	1991	30.1	12	40.7	13	51.4	13	61.9	1982	0.00	--	--	73	0.05	13	258	0.87	164	13
11/08 (312-t)	42.0	56.6	13.3	1991	33.4	13	45.2	13	58.1	13	71.8	1983	0.00	--	--	66	0.04	13	199	1.07	217	12
11/09 (313-w)	42.4	57.5	15.4	1991	33.9	13	44.7	13	56.0	13	69.8	1983	0.91	--	--	88	0.20	13	26	0.25	158	13
11/10 (314-t)	38.2	45.3	19.0	1991	34.4	13	44.3	13	54.4	13	69.2	1982	0.10	--	--	77	0.28	13	285	0.80	154	13
11/11 (315-f)	33.7	42.4	22.7	1987	34.3	13	42.4	13	52.0	13	70.9	1989	0.00	--	--	69	0.07	13	287	0.80	160	13
11/12 (316-s)	32.8	47.2	19.4	1987	31.8	13	42.9	13	53.8	13	65.3	1994	0.00	--	--	75	0.20	13	166	0.87	153	13
11/13 (317-s)	43.7	56.5	9.3	1986	32.9	13	42.1	13	53.2	13	73.1	1989	0.00	--	--	78	0.10	13	234	0.85	192	13
11/14 (318-m)	54.7	60.0	7.0	1986	34.0	13	44.9	13	56.5	13	67.4	1985	0.00	--	--	90	0.10	13	79	0.86	166	13
11/15 (319-t)	44.7	49.4	17.5	1982	36.8	13	45.8	13	55.0	13	73.3	1990	0.13	--	--	94	0.21	13	69	0.38	119	13
11/16 (320-w)	41.3	45.6	19.4	1982	33.2	13	43.4	13	53.1	13	73.1	1987	0.36	--	--	96	0.07	13	92	0.36	139	12
11/17 (321-t)	43.5	47.3	17.6	1989	33.1	13	42.5	13	52.9	13	66.1	1987	0.00	--	--	95	0.13	13	101	0.74	164	13
11/18 (322-f)	40.8	50.6	18.3	1989	34.5	13	43.3	13	52.3	13	73.3	1985	0.00	--	--	81	0.04	13	223	0.88	130	13
11/19 (323-s)	33.2	44.4	18.7	1989	38.1	13	46.1	13	54.5	13	74.0	1985	0.00	--	--	64	0.06	13	207	1.05	124	13
11/20 (324-s)	46.7	52.1	18.5	1984	36.1	13	45.0	13	55.5	13	68.9	1992	0.00	--	--	50	0.13	13	134	0.82	145	13
11/21 (325-m)	40.9	53.5	14.6	1987	33.6	13	41.7	13	50.5	13	69.4	1990	0.19	--	--	66	0.15	13	228	0.72	168	13
11/22 (326-t)	24.4	33.6	14.9	1984	31.9	13	41.0	13	50.7	13	66.6	1992	0.00	--	--	67	0.13	13	200	1.02	145	13
11/23 (327-w)	23.0	32.0	15.9	1989	31.7	13	41.0	13	51.7	13	62.3	1983	0.00	--	--	65	0.12	13	250	0.73	135	13
11/24 (328-t)	24.1	37.1	17.2	1982	28.4	13	37.6	13	48.0	13	62.7	1990	0.00	--	--	67	0.05	13	253	0.73	145	13
11/25 (329-f)	29.7	44.0	14.0	1991	30.8	13	40.6	13	50.6	13	65.7	1990	0.00	--	--	59	0.07	13	196	0.84	142	13
11/26 (330-s)	28.3	37.8	8.8	1991	35.1	13	44.7	13	55.2	13	66.9	1990	0.00	--	--	77	0.18	13	199	0.89	123	13
11/27 (331-s)	41.1	49.9	25.1	1993	36.9	13	43.8	13	51.7	13	75.9	1990	0.79	--	--	84	0.25	13	13	0.13	81	13
11/28 (332-m)	39.5	44.9	23.0	1988	32.8	13	40.1	13	50.2	13	68.1	1990	0.18	--	--	64	0.21	13	241	0.88	85	13
11/29 (333-t)	27.9	38.6	21.3	1988	30.7	13	36.9	13	45.1	13	67.9	1991	0.00	--	--	60	0.00	13	235	0.70	142	13
11/30 (334-w)	22.3	29.8	22.3	1990	30.1	13	37.8	13	46.4	13	65.9	1991	0.00	--	--	81	0.06	13	187	0.88	128	13
Column Min's:	22.3	29.8	7.0		28.4		36.9		45.1		81.6		0.00			50	0.00		13	0.13	81	
Column Avg's:	37.9	47.6	34.1		42.5		43.3		53.3				0.11			75	0.11		173	0.74	150	
Column Max's:	56.1	63.1	73.4				52.9		65.8				0.91			96	0.28		297	1.07	217	
Column Ttl's:													3.33				3.41		5189		4494	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION													
	mo	da	jul	min	avg	max	min	year	avgm	yr	avg	yr	max	Long-Term									
			.....Current.....	.....Long Term.....	.....Long Term.....	.....Long Term.....	prec	liq	evap	hum	avg	pr	ly	Ly/m									
12/01	(335-t)	19.4	33.0	47.9	19.4	1994	29.0	13	37.2	13	46.2	13	64.9	1982	0.00	0.00	73	0.01	13	226	0.69	134	13
12/02	(336-f)	29.4	43.5	59.3	11.7	1985	29.8	12	36.7	12	43.6	12	73.3	1982	0.00	0.00	49	0.17	12	230	0.68	101	12
12/03	(337-s)	38.5	49.7	58.1	9.0	1985	29.4	13	37.5	13	45.9	13	73.3	1982	0.00	0.00	63	0.14	13	142	0.84	102	12
12/04	(338-s)	49.9	54.4	57.3	9.1	1991	29.0	13	34.9	13	41.6	13	66.8	1982	0.28	0.28	93	0.10	13	31	0.11	109	13
12/05	(339-m)	55.1	56.6	58.3	9.0	1991	28.2	13	35.5	13	42.2	13	62.3	1982	0.17	0.17	96	0.06	13	49	0.28	124	13
12/06	(340-t)	51.0	52.6	56.1	3.7	1984	25.9	13	34.5	12	42.4	12	58.3	1988	0.00	0.00	96	0.02	13	33	0.18	114	12
12/07	(341-w)	32.9	45.9	56.4	2.1	1984	26.2	13	34.1	13	42.6	13	58.0	1991	0.07	0.07	94	0.01	13	27	0.30	143	13
12/08	(342-t)	30.8	34.8	42.2	16.0	1989	29.1	13	36.1	13	45.2	13	63.6	1991	0.00	0.00	80	0.01	13	178	0.95	129	12
12/09	(343-f)	34.1	37.5	47.1	10.8	1989	24.3	13	35.5	13	45.9	13	59.3	1991	0.71	0.71	93	0.09	13	25	0.14	136	13
12/10	(344-s)	28.7	33.8	36.8	14.8	1986	26.9	13	35.0	13	42.6	13	57.6	1993	0.45	0.45	97	0.10	13	19	0.07	100	13
12/11	(345-s)	22.0	24.6	28.8	8.1	1988	25.0	13	32.8	13	40.5	13	60.3	1990	0.00	0.00	88	0.13	13	71	0.28	104	13
12/12	(346-m)	23.2	26.7	32.3	2.7	1988	26.2	13	33.4	13	40.8	13	60.8	1990	0.00	0.00	85	0.01	13	139	0.70	129	13
12/13	(347-t)	20.5	28.1	39.4	5.9	1989	24.9	13	32.1	13	41.1	13	59.4	1984	0.00	0.00	90	0.08	13	202	0.62	115	13
12/14	(348-w)	23.0	29.7	40.9	0.5	1985	24.0	13	32.8	13	42.5	13	64.3	1984	0.00	0.00	88	0.10	13	200	0.61	131	13
12/15	(349-t)	24.6	33.3	41.2	-6.5	1989	25.0	13	33.6	13	42.6	13	59.3	1990	0.00	0.00	91	0.14	13	93	0.65	107	13
12/16	(350-f)	36.8	43.1	49.3	-9.9	1989	23.3	13	31.3	13	39.1	13	66.0	1984	0.68	0.68	96	0.05	13	18	0.09	121	13
12/17	(351-s)	36.6	41.3	48.3	-10.8	1989	24.1	13	30.7	13	38.5	13	69.1	1984	0.01	0.01	88	0.06	13	111	0.84	114	13
12/18	(352-s)	32.6	34.8	37.4	-8.3	1989	19.5	13	27.3	13	35.5	13	53.9	1990	0.00	0.00	96	0.12	13	30	0.12	103	13
12/19	(353-m)	26.5	32.5	41.0	-4.0	1985	21.7	13	29.6	13	38.1	13	59.0	1988	0.00	0.00	90	0.05	13	183	0.78	126	13
12/20	(354-t)	24.5	34.4	49.7	-5.8	1989	22.7	13	31.0	13	40.5	13	57.7	1988	0.00	0.00	85	0.02	13	189	0.61	111	13
12/21	(355-w)	26.5	38.8	55.2	-17.7	1989	21.5	13	30.2	13	40.7	13	58.3	1990	0.00	0.00	80	0.14	13	197	0.62	116	13
12/22	(356-t)	31.8	42.4	56.6	-21.3	1989	18.4	13	29.4	13	42.0	13	56.6	1994	0.00	0.00	80	0.02	13	182	0.60	128	13
12/23	(357-f)	33.0	40.1	49.4	-8.7	1989	22.8	13	31.4	13	39.4	13	58.3	1988	0.00	0.00	89	0.11	13	161	0.74	122	13
12/24	(358-s)	29.1	36.1	37.9	-14.3	1989	18.3	13	26.7	13	34.8	13	65.9	1982	0.00	0.00	94	0.10	13	36	0.19	115	13
12/25	(359-s)	27.8	32.4	43.2	-11.9	1983	18.1	13	25.1	13	33.7	13	63.1	1982	0.00	0.00	93	0.10	13	173	0.90	131	13
12/26	(360-m)	25.6	31.9	40.4	-4.2	1983	15.7	13	24.2	13	33.7	13	53.9	1982	0.00	0.00	95	0.01	13	117	0.71	118	13
12/27	(361-t)	25.5	29.5	36.2	6.4	1989	22.0	13	31.7	13	40.1	13	63.0	1984	0.00	0.00	98	0.13	13	118	0.82	102	13
12/28	(362-w)	27.7	37.9	53.1	6.3	1985	24.4	13	33.2	13	41.5	13	66.9	1984	0.00	0.00	87	0.11	13	205	0.63	98	13
12/29	(363-t)	31.3	35.2	39.6	-4.7	1983	22.0	13	30.8	13	38.2	13	65.1	1984	0.00	0.00	80	0.12	13	114	0.73	104	13
12/30	(364-f)	26.0	37.1	53.2	-11.7	1983	21.5	13	30.0	13	39.8	13	63.4	1990	0.00	0.00	60	0.21	13	157	0.70	118	13
12/31	(365-s)	38.1	43.2	47.4	-0.0	1983	22.2	12	31.2	12	39.8	12	59.7	1992	0.03	0.03	87	0.05	12	37	0.16	95	12

Column Min's:	19.4	24.6	28.8	-21.3	15.7	24.2	33.7	0.00	0.01	49	0.07	95
Column Avg's:	31.0	37.9	46.5	23.9	32.1	40.7	0.08	0.08	86	0.21	119	0.53
Column Max's:	55.1	56.6	59.3	29.8	37.5	46.2	0.71	0.71	98	0.21	230	0.95
Column Ttl's:												3600

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
mo da jul	min	max	min year	max year	prec	evap	ly	ly/m
	Current		Long Term		Liq	Long Term	max	avg
	min	max	avg yrs	avgmx yrs	prec	evap	ly/m	avg yrs
03/01 (060-t)	17.0	29.0*	35	36.4	0.04	--	--	0.08
03/02 (061-w)	25.0	30.0*	35	38.5	0.03	--	--	0.10
03/03 (062-t)	18.0	25.5*	35	40.5	0.57	--	--	0.10
03/04 (063-f)	20.0	34.5*	35	41.3	0.00	--	--	0.38
03/05 (064-s)	25.0	43.0*	35	42.0	0.00	--	--	0.24
03/06 (065-s)	25.0	41.0*	33	38.6	0.00	--	--	0.19
03/07 (066-m)	36.0	53.5*	35	40.9	0.00	--	--	0.10
03/08 (067-t)	32.0	47.5*	32	40.3	0.24	--	--	0.10
03/09 (068-w)	21.0	30.0*	35	39.5	0.39	--	--	0.21
03/10 (069-t)	19.0	26.5*	33	39.5	1.12	--	--	0.21
03/11 (070-f)	18.0	26.5*	35	40.8	0.00	--	--	0.11
03/12 (071-s)	18.0	29.0*	35	42.4	0.00	--	--	0.18
03/13 (072-s)	30.0	41.0*	35	41.4	0.00	--	--	0.16
03/14 (073-m)	33.0	42.0*	35	41.6	0.21	--	--	0.08
03/15 (074-t)	34.0	42.0*	35	41.8	0.00	--	--	0.10
03/16 (075-w)	21.0	39.0*	35	41.5	0.00	--	--	0.17
03/17 (076-t)	13.0	26.0*	35	40.9	0.00	--	--	0.08
03/18 (077-f)	15.0	30.5*	34	41.7	0.23	--	--	0.10
03/19 (078-s)	23.0	41.0*	35	42.6	0.00	--	--	0.11
03/20 (079-s)	26.0	38.0*	35	43.2	0.00	--	--	0.09
03/21 (080-m)	36.0	50.5*	35	43.8	0.33	--	--	0.32
03/22 (081-t)	32.0	49.0*	35	41.4	0.22	--	--	0.14
03/23 (082-w)	38.0	50.5*	35	42.8	0.00	--	--	0.09
03/24 (083-t)	44.0	59.5*	33	44.1	0.05	--	--	0.14
03/25 (084-f)	31.0	51.0*	34	44.1	0.00	--	--	0.05
03/26 (085-s)	27.0	35.5*	34	44.3	0.00	--	--	0.15
03/27 (086-s)	29.0	39.5*	35	45.3	0.97	--	--	0.10
03/28 (087-m)	36.0	44.0*	35	47.8	0.71	--	--	0.10
03/29 (088-t)	31.0	40.5*	35	50.7	0.04	--	--	0.20
03/30 (089-w)	25.0	36.0*	35	49.4	0.00	--	--	0.17
03/31 (090-t)	31.0	40.5*	35	48.1	0.00	--	--	0.24
Column Min's:	13.0	25.5	25.8	36.4	0.00			0.05
Column Avg's:	26.7	39.1	31.8	42.5	0.17			0.15
Column Max's:	44.0	59.5	39.8	50.7	1.12	81.0		0.38
Column Ttl's:					5.15			4.59

Column Min's:  
Column Avg's:  
Column Max's:  
Column Ttl's:

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
These data are provided as a public service solely for informational use.

[ \* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION				
	min	avg	max	min	avg	max	ly	max	ly/m	avg yrs			
04/01 (091-f)	28.0	40.5*	53.0	18.0	1964	38.4	36	49.6	36	60.8	36	83.0	1986
04/02 (092-s)	39.0	50.0*	61.0	23.0	1961	38.6	36	49.6	36	60.5	36	79.0	1963
04/03 (093-s)	47.0	58.0*	69.0	20.0	1992	37.5	35	49.2	35	61.0	35	80.0	1974
04/04 (094-m)	25.0	41.5*	58.0	23.0	1964	37.8	35	48.5	35	59.3	35	79.0	1974
04/05 (095-t)	28.0	43.0*	58.0	22.0	1987	36.4	36	47.9	36	59.4	36	82.0	1986
04/06 (096-w)	43.0	54.0*	65.0	21.0	1982	37.5	36	48.1	36	58.7	36	82.0	1988
04/07 (097-t)	27.0	40.0*	53.0	18.0	1982	36.2	36	48.7	36	61.2	36	79.0	1959
04/08 (098-f)	26.0	37.5*	49.0	21.0	1972	37.9	35	49.3	35	60.8	35	80.0	1959
04/09 (099-s)	31.0	48.0*	65.0	20.0	1972	38.0	36	49.2	36	60.3	36	80.0	1967
04/10 (100-s)	53.0	60.0*	67.0	22.0	1985	36.2	36	47.9	36	59.5	36	80.0	1991
04/11 (101-m)	41.0	52.0*	63.0	23.0	1989	37.4	35	49.5	35	61.3	36	81.0	1977
04/12 (102-t)	40.0	51.0*	62.0	23.0	1976	39.3	34	50.9	33	62.2	33	82.0	1977
04/13 (103-w)	49.0	62.0*	75.0	23.0	1990	42.1	36	53.2	36	64.3	36	82.0	1972
04/14 (104-t)	39.0	50.0*	61.0	26.0	1973	41.3	36	53.5	36	65.8	36	81.0	1977
04/15 (105-f)	48.0	64.0*	80.0	28.0	1962	42.2	36	54.5	36	66.8	36	80.0	1994
04/16 (106-s)	41.0	50.0*	59.0	25.0	1962	40.5	36	52.5	36	64.5	36	81.0	1960
04/17 (107-s)	42.0	51.5*	61.0	29.0	1980	43.6	35	55.0	35	66.5	35	81.0	1969
04/18 (108-m)	40.0	53.0*	66.0	25.0	1990	44.5	36	55.7	34	67.0	34	84.0	1977
04/19 (109-t)	46.0	62.5*	79.0	24.0	1983	43.6	34	55.3	34	67.7	36	84.0	1976
04/20 (110-w)	44.0	62.0*	80.0	25.0	1983	44.9	36	56.8	36	68.6	36	86.0	1976
04/21 (111-t)	45.0	56.5*	68.0	29.0	1981	45.7	36	57.0	36	68.3	36	84.0	1992
04/22 (112-f)	40.0	51.0*	62.0	27.0	1986	45.3	36	56.2	36	67.0	36	85.0	1985
04/23 (113-s)	33.0	46.5*	60.0	24.0	1986	45.4	36	56.6	36	67.9	36	85.0	1985
04/24 (114-s)	36.0	52.5*	69.0	31.0	1986	44.5	36	55.9	36	67.2	36	84.0	1960
04/25 (115-m)	56.0	67.0*	78.0	31.0	1967	43.7	35	55.7	34	67.5	35	85.0	1960
04/26 (116-t)	58.0	70.5*	83.0	31.0	1972	45.2	36	56.8	36	68.4	36	87.0	1990
04/27 (117-w)	58.0	70.5*	83.0	29.0	1976	46.1	36	57.6	36	69.1	36	85.0	1986
04/28 (118-t)	52.0	66.0*	80.0	27.0	1976	46.9	36	58.4	36	69.9	36	88.0	1986
04/29 (119-f)	54.0	67.0*	80.0	30.0	1992	45.1	36	57.2	36	69.3	36	84.0	1970
04/30 (120-s)	49.0	58.0*	67.0	35.0	1988	48.1	36	58.8	36	69.5	36	85.0	1962

Column	Min's	Avg's	Max's	Ttl's
Column Min's:	25.0	37.5	49.0	18.0
Column Avg's:	41.9	54.5	67.1	47.9
Column Max's:	58.0	70.5	83.0	53.2
Column Ttl's:				58.8
				69.9
				88.0
				58.7
				64.7
				0.00
				0.25
				1.55
				7.59
				0.06
				0.14
				0.27
				4.24

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	precip	evap	max	avg
mo da jul	Current	Long Term	avg	max	liq	avg	ly/m	ly/m
			avg	max	precip	avg	ly/m	ly/m
05/01 (121-s)	38.0	53.5*	47.0	58.7	0.95	70.5	35	84.0
05/02 (122-m)	30.0	37.5*	44.9	56.7	0.00	68.6	35	83.0
05/03 (123-t)	39.0	49.5*	44.7	56.7	0.00	68.6	35	84.0
05/04 (124-w)	43.0	47.5*	44.3	56.5	0.28	68.6	35	82.0
05/05 (125-t)	45.0	49.5*	45.9	57.9	0.00	69.9	35	84.0
05/06 (126-f)	45.0	57.5*	48.8	59.9	0.05	71.2	35	84.0
05/07 (127-s)	49.0	52.5*	47.0	58.1	0.96	69.6	35	84.0
05/08 (128-s)	43.0	55.0*	48.6	60.2	0.25	71.8	35	85.0
05/09 (129-m)	43.0	54.0*	47.6	58.7	0.00	69.8	35	88.0
05/10 (130-t)	42.0	56.5*	46.6	57.8	0.00	69.1	35	86.0
05/11 (131-w)	39.0	55.0*	48.0	60.4	0.00	72.7	35	87.0
05/12 (132-t)	52.0	63.5*	51.3	62.6	0.06	73.9	35	86.0
05/13 (133-f)	39.0	52.5*	49.7	61.2	0.00	72.6	35	87.0
05/14 (134-s)	43.0	56.5*	51.7	63.2	0.00	74.8	35	88.0
05/15 (135-s)	49.0	62.5*	52.5	63.7	1.15	74.8	35	88.0
05/16 (136-m)	50.0	61.5*	52.2	63.8	0.47	75.3	34	90.0
05/17 (137-t)	41.0	55.0*	51.7	63.0	0.00	74.3	35	92.0
05/18 (138-w)	39.0	52.0*	52.3	63.8	0.00	75.3	35	93.0
05/19 (139-t)	39.0	51.5*	52.9	64.0	0.00	75.1	35	91.0
05/20 (140-f)	44.0	55.5*	54.2	64.8	0.00	75.5	35	89.0
05/21 (141-s)	42.0	56.5*	52.9	64.5	0.00	76.3	35	90.0
05/22 (142-s)	45.0	60.5*	52.9	64.5	0.00	76.2	35	89.0
05/23 (143-m)	49.0	66.5*	53.3	64.9	0.00	76.4	35	86.0
05/24 (144-t)	61.0	73.5*	55.5	66.5	0.00	77.5	33	88.0
05/25 (145-w)	60.0	72.5*	53.8	65.0	0.00	76.4	35	89.0
05/26 (146-t)	61.0	71.0*	53.6	65.0	0.63	76.5	35	87.0
05/27 (147-f)	43.0	58.5*	53.2	64.4	0.03	75.6	35	87.0
05/28 (148-s)	39.0	51.5*	53.3	64.7	0.00	76.1	35	89.0
05/29 (149-s)	43.0	57.5*	55.4	66.1	0.00	76.5	34	90.0
05/30 (150-m)	58.0	69.0*	55.3	65.4	0.00	75.5	34	90.0
05/31 (151-t)	58.0	71.0*	55.4	66.3	0.00	77.6	34	89.0

Column Min's:	30.0	37.5	45.0	25.0	44.3	56.5	68.6
Column Avg's:	45.5	57.6	69.7	50.9	62.2	73.6	93.0
Column Max's:	61.0	73.5	86.0	55.5	66.5	77.6	93.0
Column Ttl's:							4.93

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2]

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	ly/m
06/01 (152-w)	65.0	75.0*	39.0	56.1	0.00	--	--	--
06/02 (153-t)	56.0	68.5*	41.0	56.2	0.00	--	--	--
06/03 (154-f)	47.0	57.5*	41.0	56.3	0.00	--	--	--
06/04 (155-s)	47.0	61.0*	42.0	55.2	0.00	--	--	--
06/05 (156-s)	53.0	67.0*	45.0	56.7	0.00	--	--	--
06/06 (157-m)	58.0	71.5*	41.0	57.4	0.00	--	--	--
06/07 (158-t)	67.0	78.0*	45.0	58.3	0.12	--	--	--
06/08 (159-w)	59.0	73.5*	46.0	59.6	0.47	--	--	--
06/09 (160-t)	55.0	65.5*	46.0	60.0	0.05	--	--	--
06/10 (161-f)	56.0	66.5*	39.0	58.9	0.00	--	--	--
06/11 (162-s)	60.0	72.0*	37.0	56.7	0.00	--	--	--
06/12 (163-s)	62.0	73.0*	40.0	58.9	0.00	--	--	--
06/13 (164-m)	70.0	79.0*	43.0	59.0	0.00	--	--	--
06/14 (165-t)	70.0	80.0*	43.0	59.5	0.00	--	--	--
06/15 (166-w)	70.0	81.0*	46.0	60.3	0.00	--	--	--
06/16 (167-t)	70.0	82.0*	45.0	59.8	0.00	--	--	--
06/17 (168-f)	70.0	82.0*	44.0	57.9	0.00	--	--	--
06/18 (169-s)	69.0	81.0*	49.0	59.5	0.00	--	--	--
06/19 (170-s)	70.0	81.5*	45.0	60.0	0.00	--	--	--
06/20 (171-m)	71.0	84.5*	47.0	60.2	0.00	--	--	--
06/21 (172-t)	69.0	82.5*	48.0	60.7	0.00	--	--	--
06/22 (173-w)	67.0	81.0*	40.0	59.4	0.00	--	--	--
06/23 (174-t)	68.0	80.5*	46.0	61.0	0.92	--	--	--
06/24 (175-f)	72.0	81.5*	49.0	60.5	0.00	--	--	--
06/25 (176-s)	60.0	71.0*	45.0	59.7	0.28	--	--	--
06/26 (177-s)	61.0	70.5*	49.0	60.4	0.00	--	--	--
06/27 (178-m)	63.0	68.0*	49.0	59.5	1.55	--	--	--
06/28 (179-t)	60.0	68.0*	48.0	62.0	0.03	--	--	--
06/29 (180-w)	65.0	75.0*	51.0	62.5	0.00	--	--	--
06/30 (181-t)	63.0	74.5*	54.0	62.9	0.00	--	--	--

Column Min's:	Column Avg's:	Column Max's:	Column Ttl's:
47.0	57.5	68.0	0.06
63.1	74.4	85.7	0.14
72.0	84.5	98.0	0.23
			4.06

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	max	min	year avg	max	prec	liq	evap	hum %	ly	max	avg
mo da jul	Current	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
07/01 (182-f)	58.0	69.5*	81.0	43.0	1988	62.9	36	73.9	36	84.9	36	95.0	1968
07/02 (183-s)	65.0	76.5*	88.0	48.0	1988	62.5	36	73.3	36	84.1	36	97.0	1970
07/03 (184-s)	66.0	78.0*	90.0	53.0	1959	62.5	36	73.0	36	83.5	36	95.0	1966
07/04 (185-m)	66.0	76.0*	86.0	48.0	1968	61.3	35	72.4	35	83.5	35	94.0	1966
07/05 (186-t)	71.0	81.0*	91.0	49.0	1968	62.2	36	72.9	36	83.6	36	95.0	1988
07/06 (187-w)	72.0	83.0*	94.0	46.0	1972	62.8	36	73.1	36	83.4	36	95.0	1988
07/07 (188-t)	72.0	81.5*	91.0	50.0	1972	61.6	36	72.6	36	83.6	36	97.0	1988
07/08 (189-f)	73.0	82.0*	91.0	48.0	1984	62.6	36	74.0	36	85.5	36	100.0	1988
07/09 (190-s)	72.0	79.0*	86.0	51.0	1961	64.2	36	75.2	36	86.2	36	102.0	1988
07/10 (191-s)	61.0	72.5*	84.0	52.0	1963	64.5	36	75.3	36	86.0	36	101.0	1988
07/11 (192-m)	58.0	69.5*	81.0	49.0	1963	63.9	36	74.3	36	84.7	36	98.0	1988
07/12 (193-t)	60.0	72.0*	84.0	53.0	1963	62.3	36	73.7	36	85.2	36	94.0	1989
07/13 (194-w)	64.0	76.5*	89.0	54.0	1976	63.3	36	74.1	36	84.9	36	96.0	1966
07/14 (195-t)	70.0	76.0*	82.0	50.0	1975	63.7	36	74.2	36	84.8	36	93.0	1966
07/15 (196-f)	70.0	76.5*	83.0	53.0	1987	63.7	36	74.0	36	84.3	36	93.0	1985
07/16 (197-s)	67.0	76.0*	85.0	52.0	1967	63.1	36	73.6	36	84.2	36	100.0	1988
07/17 (198-s)	64.0	74.0*	84.0	51.0	1976	63.1	36	74.6	35	85.9	35	100.0	1988
07/18 (199-m)	68.0	77.0*	86.0	53.0	1967	63.3	35	74.4	35	85.5	36	96.0	1988
07/19 (200-t)	64.0	75.0*	86.0	53.0	1984	64.3	36	75.4	36	86.5	36	96.0	1988
07/20 (201-w)	69.0	80.0*	91.0	56.0	1984	64.3	36	75.1	36	85.9	36	95.0	1972
07/21 (202-t)	67.0	80.0*	93.0	49.0	1970	63.1	35	74.6	35	86.2	35	95.0	1980
07/22 (203-f)	69.0	78.5*	88.0	53.0	1970	64.0	36	75.1	36	86.1	36	95.0	1972
07/23 (204-s)	66.0	74.5*	83.0	55.0	1977	65.4	36	75.3	35	85.4	35	94.0	1987
07/24 (205-s)	65.0	75.5*	86.0	55.0	1990	64.7	35	75.2	35	85.9	36	97.0	1983
07/25 (206-m)	69.0	78.0*	87.0	54.0	1990	65.0	35	75.4	35	85.8	35	95.0	1987
07/26 (207-t)	64.0	74.5*	85.0	56.0	1990	64.6	36	74.9	36	85.1	36	96.0	1987
07/27 (208-w)	63.0	71.5*	80.0	47.0	1962	63.7	36	74.2	36	84.7	36	93.0	1964
07/28 (209-t)	56.0	65.0*	74.0	53.0	1962	63.9	36	73.9	35	83.9	35	95.0	1964
07/29 (210-f)	58.0	69.0*	80.0	55.0	1965	62.8	35	73.2	35	83.9	36	97.0	1993
07/30 (211-s)	56.0	66.5*	77.0	51.0	1965	62.3	36	72.8	36	83.2	36	94.0	1983
07/31 (212-s)	59.0	70.0*	81.0	50.0	1993	62.0	36	72.9	36	83.7	36	94.0	1983

Column Min's:	56.0	65.0	74.0	43.0	61.3	72.4	83.2
Column Avg's:	65.2	75.3	85.4	63.3	74.1	84.8	0.20
Column Max's:	73.0	83.0	94.0	65.4	75.4	86.5	2.02
Column Itl's:							6.07

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
	min	avg	max	min	year avg	max	yr	prec	liq	snow	evap	hum	%	ly	ly/m	max	avg
mo da jul	.....Current.....	.....Long Term.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
08/01 (213-m)	66.0	75.0*	84.0	51.0	1992	62.0	35	73.2	35	84.3	35	95.0	1980	0.00	0.00	0.04	35
08/02 (214-t)	65.0	76.0*	87.0	50.0	1990	61.7	35	73.2	35	84.8	35	97.0	1964	0.00	0.00	0.02	35
08/03 (215-w)	66.0	76.5*	87.0	48.0	1965	62.8	35	73.9	35	85.0	35	101.0	1964	0.00	0.00	0.08	35
08/04 (216-t)	67.0	76.5*	86.0	50.0	1976	62.6	35	73.8	35	85.0	35	95.0	1964	0.15	0.00	0.20	32
08/05 (217-f)	64.0	75.5*	87.0	50.0	1992	62.4	35	73.8	35	85.1	35	93.0	1982	0.37	0.00	0.13	34
08/06 (218-s)	49.0	60.0*	71.0	49.0	1994	62.9	35	72.9	35	82.9	35	94.0	1983	0.00	0.00	0.13	34
08/07 (219-s)	52.0	62.5*	73.0	48.0	1990	62.9	34	73.0	34	83.1	34	91.0	1964	0.00	0.00	0.12	34
08/08 (220-m)	56.0	68.5*	81.0	45.0	1989	61.6	35	72.5	35	83.4	35	92.0	1980	0.00	0.00	0.21	34
08/09 (221-t)	62.0	73.5*	85.0	46.0	1989	62.4	35	73.2	34	83.9	34	96.0	1983	0.00	0.00	0.28	35
08/10 (222-w)	54.0	67.5*	81.0	48.0	1972	61.4	34	72.4	34	83.5	35	94.0	1964	0.00	0.00	0.15	34
08/11 (223-t)	59.0	69.5*	80.0	50.0	1967	60.7	35	72.1	34	83.1	34	95.0	1964	0.00	0.00	0.17	35
08/12 (224-f)	64.0	73.5*	83.0	48.0	1967	59.6	34	71.0	34	82.4	35	94.0	1988	0.00	0.00	0.17	35
08/13 (225-s)	69.0	79.5*	90.0	46.0	1964	60.5	35	71.2	35	81.8	35	93.0	1975	0.28	0.00	0.13	34
08/14 (226-s)	73.0	81.5*	90.0	47.0	1964	60.1	35	71.5	35	82.9	35	93.0	1985	0.00	0.00	0.14	35
08/15 (227-m)	49.0	65.0*	81.0	47.0	1964	61.0	35	72.5	35	84.1	35	96.0	1988	0.40	0.00	0.09	34
08/16 (228-t)	52.0	63.5*	75.0	46.0	1979	61.6	35	72.8	34	84.0	34	98.0	1988	0.00	0.00	0.06	34
08/17 (229-w)	57.0	69.5*	82.0	47.0	1979	62.1	34	72.8	34	83.8	35	98.0	1988	0.00	0.00	0.07	35
08/18 (230-t)	60.0	71.5*	83.0	51.0	1979	62.0	35	73.3	35	84.6	35	103.0	1988	0.00	0.00	0.11	35
08/19 (231-f)	59.0	72.5*	86.0	51.0	1977	61.9	35	73.2	35	84.5	35	100.0	1988	0.00	0.00	0.14	35
08/20 (232-s)	65.0	76.5*	88.0	52.0	1977	62.5	35	73.1	35	83.7	35	98.0	1962	0.00	0.00	0.09	35
08/21 (233-s)	66.0	75.5*	85.0	51.0	1991	61.1	35	72.0	34	83.0	34	99.0	1983	1.66	0.00	0.22	34
08/22 (234-m)	58.0	67.5*	77.0	50.0	1982	60.3	32	71.6	32	83.1	33	99.0	1983	0.05	0.00	0.16	35
08/23 (235-t)	59.0	69.0*	79.0	53.0	1982	61.9	35	72.6	35	83.4	35	98.0	1987	0.00	0.00	0.07	35
08/24 (236-w)	57.0	69.0*	81.0	50.0	1971	61.1	35	72.1	35	83.0	35	92.0	1959	0.00	0.00	0.14	34
08/25 (237-t)	58.0	71.0*	84.0	52.0	1966	61.2	35	72.3	35	83.4	35	93.0	1959	0.00	0.00	0.12	32
08/26 (238-f)	65.0	76.0*	87.0	52.0	1966	61.4	35	72.2	35	82.9	35	93.0	1993	0.00	0.00	0.30	33
08/27 (239-s)	66.0	77.0*	88.0	48.0	1968	60.4	35	72.2	35	83.9	35	96.0	1987	0.04	0.00	0.15	35
08/28 (240-s)	69.0	78.0*	87.0	49.0	1968	62.4	35	73.2	34	84.3	34	93.0	1993	0.00	0.00	0.15	34
08/29 (241-m)	63.0	75.5*	88.0	39.0	1986	60.2	35	71.8	35	83.3	35	95.0	1993	0.53	0.00	0.10	35
08/30 (242-t)	58.0	68.0*	78.0	43.0	1986	59.8	35	71.1	35	82.5	35	93.0	1983	0.00	0.00	0.10	35
08/31 (243-w)	59.0	69.5*	80.0	45.0	1986	60.1	35	71.5	34	82.9	34	95.0	1993	0.17	0.00	0.14	34

Column Min's:	49.0	60.0	71.0	39.0	59.6	71.0	81.8	0.00	0.00	0.02	34
Column Avg's:	60.8	71.9	83.0	61.4	72.5	83.6	93.0	0.12	0.12	0.13	34
Column Max's:	73.0	81.5	90.0	62.9	73.9	85.1	103.0	1.66	1.66	0.30	34
Column Tt'l's:								3.65	3.65	4.18	34

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.

These data are provided as a public service solely for informational use.

[ \* designates an average calculated as (max+min)/2 ]

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	max	min year	avgm yrs	max year	prec	snow	evap	hum %	ly	max	Lng-Trm
mo da jul	.....Current.....			.....Long Term.....			liq						
				yr	yr	yr	pr yrs					ly/m	avg yrs
09/01 (244-t)	56.0	70.5*	85.0	45.0	1967	59.3	35	70.9	35	82.7	36	93.0	1993
09/02 (245-f)	50.0	60.0*	70.0	46.0	1987	60.3	36	71.0	36	81.8	36	93.0	1973
09/03 (246-s)	49.0	59.5*	70.0	46.0	1987	60.8	35	71.7	35	82.7	36	92.0	1984
09/04 (247-s)	47.0	59.0*	71.0	46.0	1974	60.2	35	70.8	35	81.3	35	92.0	1964
09/05 (248-m)	53.0	61.0*	69.0	47.0	1974	59.4	36	70.3	35	81.0	35	94.0	1960
09/06 (249-t)	57.0	59.5*	62.0	43.0	1984	57.7	36	69.0	35	80.1	35	90.0	1961
09/07 (250-w)	50.0	61.5*	73.0	41.0	1988	57.3	35	69.7	35	81.8	36	94.0	1964
09/08 (251-t)	52.0	64.5*	77.0	43.0	1986	57.6	36	69.9	36	82.3	36	94.0	1964
09/09 (252-f)	51.0	64.5*	78.0	43.0	1986	58.3	36	69.7	36	81.1	36	94.0	1964
09/10 (253-s)	53.0	67.5*	82.0	44.0	1969	57.7	36	69.7	36	81.7	36	97.0	1964
09/11 (254-s)	55.0	68.5*	82.0	38.0	1993	55.6	36	68.1	34	80.2	34	96.0	1983
09/12 (255-m)	51.0	66.0*	81.0	43.0	1993	55.4	33	67.2	33	79.4	35	95.0	1983
09/13 (256-t)	53.0	67.5*	82.0	40.0	1975	55.9	36	67.5	35	78.8	35	91.0	1961
09/14 (257-w)	58.0	72.5*	87.0	37.0	1964	56.4	35	69.0	34	81.1	35	92.0	1984
09/15 (258-t)	61.0	75.0*	89.0	40.0	1964	55.8	35	67.8	35	79.6	36	91.0	1970
09/16 (259-f)	62.0	75.5*	89.0	39.0	1961	53.9	35	65.6	35	77.2	35	90.0	1991
09/17 (260-s)	65.0	76.0*	87.0	38.0	1959	54.9	36	65.9	36	76.8	36	92.0	1970
09/18 (261-s)	56.0	65.0*	74.0	38.0	1959	54.2	36	65.2	36	76.2	36	88.0	1965
09/19 (262-m)	46.0	60.0*	74.0	40.0	1973	54.0	36	65.4	36	76.8	36	92.0	1983
09/20 (263-t)	48.0	63.0*	78.0	38.0	1991	54.6	36	65.8	36	77.0	36	91.0	1983
09/21 (264-w)	51.0	65.0*	79.0	35.0	1962	53.0	36	65.4	36	77.8	36	94.0	1970
09/22 (265-t)	51.0	65.5*	80.0	35.0	1976	53.2	36	65.0	36	76.8	36	92.0	1970
09/23 (266-f)	55.0	67.5*	80.0	35.0	1974	51.0	36	63.0	36	74.9	36	91.0	1970
09/24 (267-s)	56.0	67.0*	78.0	33.0	1983	50.4	36	61.7	36	73.0	36	92.0	1961
09/25 (268-s)	55.0	66.5*	78.0	34.0	1983	50.5	36	61.5	36	72.5	36	90.0	1959
09/26 (269-m)	47.0	59.0*	71.0	39.0	1965	50.3	36	62.3	36	74.4	36	88.0	1986
09/27 (270-t)	50.0	59.5*	69.0	33.0	1991	50.2	35	61.6	35	72.9	35	87.0	1959
09/28 (271-w)	51.0	57.0*	63.0	33.0	1991	49.1	36	60.2	36	71.4	36	92.0	1959
09/29 (272-t)	43.0	57.0*	71.0	32.0	1993	47.7	36	60.1	36	72.5	36	89.0	1986
09/30 (273-f)	45.0	58.0*	71.0	30.0	1993	48.9	36	61.2	36	73.5	36	88.0	1986

Column Min's:	43.0	57.0	62.0	30.0	47.7	60.1	71.4	0.00	0.02
Column Avg's:	52.6	64.6	76.7	54.8	66.4	78.0	82.7	0.09	0.11
Column Max's:	65.0	76.0	89.0	60.8	71.7	82.7	97.0	0.52	0.26
Column Ttl's:								2.56	3.24

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [\* designates an average calculated as (max+min)/2 ]

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	avg	max	prec	evap	ly	max	avg
10/01 (274-s)	46.0	61.0*	31.0	60.9	76.0	0.00	0.16	36	---	---
10/02 (275-s)	60.0	72.5*	31.0	60.5	72.8	0.00	0.09	36	---	---
10/03 (276-m)	49.0	58.0*	26.0	59.3	71.3	0.00	0.05	36	---	---
10/04 (277-t)	38.0	53.5*	29.0	58.4	71.0	0.00	0.10	36	---	---
10/05 (278-w)	40.0	52.5*	29.0	57.7	71.5	0.00	0.08	36	---	---
10/06 (279-t)	45.0	52.5*	28.0	56.7	69.4	0.00	0.09	33	---	---
10/07 (280-f)	45.0	57.0*	28.0	56.3	68.5	0.00	0.09	36	---	---
10/08 (281-s)	50.0	64.5*	30.0	57.1	69.0	0.00	0.21	34	---	---
10/09 (282-s)	51.0	64.5*	27.0	58.1	70.1	0.23	0.06	36	---	---
10/10 (283-m)	34.0	49.5*	27.0	56.6	69.0	0.00	0.08	34	---	---
10/11 (284-t)	35.0	47.5*	23.0	56.9	69.3	0.00	0.03	35	---	---
10/12 (285-w)	37.0	51.0*	26.0	56.3	68.3	0.00	0.05	35	---	---
10/13 (286-t)	40.0	54.0*	24.0	57.5	69.3	0.08	0.13	34	---	---
10/14 (287-f)	49.0	54.0*	23.0	55.9	67.9	0.14	0.06	36	---	---
10/15 (288-s)	48.0	59.5*	27.0	57.2	70.1	0.00	0.06	35	---	---
10/16 (289-s)	47.0	60.0*	29.0	57.5	69.2	0.00	0.06	35	---	---
10/17 (290-m)	42.0	60.0*	26.0	55.0	67.1	0.00	0.18	35	---	---
10/18 (291-t)	44.0	61.5*	24.0	54.2	67.1	0.00	0.13	36	---	---
10/19 (292-w)	47.0	62.0*	22.0	52.2	64.1	0.72	0.08	36	---	---
10/20 (293-t)	56.0	60.5*	23.0	51.7	62.6	0.07	0.14	36	---	---
10/21 (294-f)	41.0	56.0*	23.0	52.1	63.6	0.00	0.22	36	---	---
10/22 (295-s)	45.0	57.0*	22.0	52.7	65.2	0.06	0.07	36	---	---
10/23 (296-s)	50.0	56.5*	24.0	53.4	65.0	0.00	0.12	34	---	---
10/24 (297-m)	37.0	52.0*	22.0	52.2	63.4	0.00	0.10	34	---	---
10/25 (298-t)	34.0	49.5*	22.0	51.9	63.1	0.00	0.08	34	---	---
10/26 (299-w)	35.0	45.0*	21.0	49.9	61.3	0.00	0.06	35	---	---
10/27 (300-t)	29.0	39.5*	20.0	50.4	62.3	0.00	0.07	36	---	---
10/28 (301-f)	28.0	43.0*	18.0	50.0	62.4	0.00	0.07	34	---	---
10/29 (302-s)	34.0	49.5*	20.0	50.3	62.0	0.00	0.09	36	---	---
10/30 (303-s)	34.0	50.5*	25.0	50.2	61.4	0.00	0.05	36	---	---
10/31 (304-m)	43.0	56.5*	26.0	53.1	63.7	0.13	0.07	35	---	---
Column Min's:	28.0	39.5	18.0	49.9	61.3	0.00	0.03			
Column Avg's:	42.4	55.2	42.9	54.9	66.9	0.05	0.09			
Column Max's:	60.0	72.5	60.9	73.6	90.0	0.72	0.22			
Column Ttl's:						1.43	2.93			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.  
 [ \* designates an average calculated as (max+min)/2 ]