

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	avg	Long Term	max	prec	evap	ly	max	Long Term												
mo da jul	Current	min year	avgm yrs	Long Term	liq	ly/m	avg yrs												
			avgm yrs	avgm yrs	avg yrs	avgm yrs	prec												
01/01 (001-s)	22.5	31.6	37.4	-8.0	1977	23.4	49	31.0	49	38.6	49	67.0	1952	0.02	--	--	79	0.16	48	49	0.33	122	13
01/02 (002-s)	30.0	32.0	34.0	-5.0	1974	21.9	50	29.1	50	36.4	50	55.0	1954	0.01	--	--	91	0.08	48	32	0.12	115	13
01/03 (003-m)	27.5	28.9	30.1	-3.0	1979	23.1	50	30.1	50	37.3	50	61.0	1950	0.03	--	--	89	0.11	41	54	0.36	80	13
01/04 (004-t)	16.6	23.8	28.8	-8.0	1981	21.3	50	28.9	50	36.5	50	61.0	1950	0.04	--	--	80	0.16	46	110	0.37	117	13
01/05 (005-w)	19.9	23.1	31.1	-9.0	1959	20.4	51	27.4	51	34.8	51	59.0	1955	0.02	--	--	74	0.08	48	155	0.97	126	13
01/06 (006-t)	24.0	31.2	35.8	-5.3	1988	22.4	51	28.9	51	35.5	51	68.0	1946	0.07	--	--	90	0.10	47	45	0.21	98	13
01/07 (007-f)	14.1	27.3	34.7	-14.0	1970	21.1	51	28.5	51	35.8	51	64.0	1946	0.06	--	--	89	0.05	46	68	0.34	121	13
01/08 (008-s)	3.9	9.1	14.1	-14.0	1970	17.2	51	24.8	51	32.7	51	61.0	1965	0.00	--	--	69	0.06	46	151	0.79	137	13
01/09 (009-s)	3.9	13.7	26.7	-11.0	1970	17.2	51	26.0	51	34.8	51	62.0	1949	0.00	--	--	70	0.06	42	268	0.87	133	13
01/10 (010-m)	11.1	19.1	26.7	-14.4	1982	17.9	51	25.1	51	32.4	51	57.0	1949	0.00	--	--	67	0.09	43	163	0.62	114	13
01/11 (011-t)	25.9	34.9	39.9	-11.0	1979	17.4	51	25.6	51	34.0	51	57.0	1975	0.00	--	--	70	0.09	45	75	0.38	134	13
01/12 (012-w)	32.1	33.8	37.4	-11.0	1979	18.8	51	26.6	51	34.5	51	61.0	1960	0.07	--	--	93	0.05	44	65	0.32	130	13
01/13 (013-t)	25.4	31.2	34.2	-18.0	1977	18.8	51	27.1	51	35.7	51	62.0	1950	0.02	--	--	92	0.06	46	33	0.17	139	13
01/14 (014-f)	-1.5	12.7	25.3	-16.0	1977	19.9	51	28.4	51	37.1	51	58.0	1950	0.01	--	--	69	0.13	47	160	0.70	118	13
01/15 (015-s)	-9.0	-3.9	2.8	-14.1	1982	19.1	51	27.5	51	35.8	51	63.0	1953	0.00	--	--	59	0.12	48	244	0.86	155	13
01/16 (016-s)	-9.9	0.8	12.9	-15.3	1982	16.3	51	25.3	51	34.4	51	60.0	1953	0.00	--	--	63	0.04	43	155	0.60	160	13
01/17 (017-m)	-4.7	15.9	26.7	-20.0	1977	16.9	51	25.6	51	34.1	51	64.0	1952	0.39	--	--	76	0.10	45	87	0.34	100	13
01/18 (018-t)	-21.6	-13.5	-4.5	-21.6	1994	17.6	51	26.9	50	35.9	50	60.0	1951	0.00	--	--	61	0.05	48	104	0.31	142	13
01/19 (019-w)	-29.2	-13.6	-2.9	-29.2	1994	18.2	50	27.1	50	35.8	51	62.0	1949	0.00	--	--	63	0.11	48	134	0.55	161	13
01/20 (020-t)	-12.6	0.9	15.6	-23.6	1985	20.2	51	28.0	51	35.8	51	63.0	1951	0.11	--	--	66	0.11	41	73	0.32	142	13
01/21 (021-f)	-20.0	1.1	15.9	-24.9	1984	19.1	51	27.8	51	36.2	51	60.0	1951	0.00	--	--	68	0.22	42	95	0.29	159	13
01/22 (022-s)	9.5	18.5	35.5	-8.0	1978	20.6	51	28.5	51	36.7	51	61.0	1967	0.00	--	--	73	0.08	42	184	0.72	140	13
01/23 (023-s)	28.3	34.6	37.3	-9.0	1977	20.3	51	29.3	51	38.1	51	68.0	1967	0.00	--	--	90	0.08	45	110	0.36	158	13
01/24 (024-m)	33.5	35.9	37.6	-17.0	1963	20.2	51	28.2	51	36.0	51	65.0	1950	0.00	--	--	96	0.11	47	52	0.20	142	13
01/25 (025-t)	29.3	33.5	34.9	-7.0	1961	20.5	51	29.3	51	37.9	51	73.0	1950	0.59	--	--	99	0.05	45	25	0.14	145	13
01/26 (026-w)	19.5	23.3	29.3	-7.1	1985	20.1	51	28.8	51	37.7	51	70.0	1950	0.00	--	--	81	0.18	46	123	0.42	186	13
01/27 (027-t)	24.3	34.1	40.0	-2.0	1955	18.6	51	27.7	51	36.7	51	62.0	1944	0.61	--	--	97	0.11	47	27	0.13	197	13
01/28 (028-f)	26.5	35.4	45.1	-9.0	1963	18.9	51	27.1	50	35.0	50	58.0	1944	0.72	--	--	89	0.09	47	61	0.73	173	13
01/29 (029-s)	13.6	24.6	29.7	-11.0	1977	18.6	51	27.1	51	35.4	51	64.0	1970	0.00	--	--	78	0.12	43	114	0.73	140	13
01/30 (030-s)	12.4	22.9	30.0	-8.0	1966	18.8	51	27.5	51	36.0	51	64.0	1975	0.00	--	--	80	0.09	45	147	1.09	133	13
01/31 (031-m)	6.6	17.7	29.1	-3.0	1972	18.6	51	26.3	51	34.4	51	59.9	1989	0.01	--	--	78	0.05	43	122	0.63	165	13
Column Min's:	-29.2	-13.6	-4.5	-29.2		16.3		24.8		32.4				0.00			59	0.04		25	0.12	80	
Column Avg's:	11.4	20.0	27.5		19.5	27.6		35.7		35.7				0.09			79	0.10		106	0.48	138	
Column Max's:	33.5	35.9	45.1		23.4	31.0		38.6		38.6		73.0		0.72			99	0.22		268	1.09	197	
Column Ttl's:														2.78				2.99		3285		4282	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	avg	min	max	prec	liq	Ly	max																
mo da jul	Current	Long Term	Long Term	Long Term	evap	hum	ly/m	Ly/m																
		avg yrs	avg yrs	avg yrs	snow	pr yrs	avg yrs	avg yrs																
		max year	max year	max year																				
02/01 (032-t)	-2.2	7.3	17.8	-2.2	1994	19.3	51	27.5	51	35.6	51	64.5	1989	0.00	0.00	--	--	70	0.11	48	292	1.19	179	13
02/02 (033-w)	5.0	19.8	30.6	-12.0	1951	18.4	51	27.0	51	36.1	51	55.9	1990	0.00	0.00	--	--	67	0.12	46	268	0.98	172	13
02/03 (034-t)	10.0	19.1	29.8	-15.7	1985	17.3	51	26.2	51	35.4	51	55.9	1991	0.00	0.00	--	--	52	0.06	45	313	0.86	144	13
02/04 (035-f)	15.0	29.0	43.9	-9.0	1985	18.5	51	27.4	51	36.4	51	64.0	1986	0.00	0.00	--	--	62	0.08	48	241	0.88	174	13
02/05 (036-s)	22.5	28.3	37.0	-13.0	1979	19.8	51	28.5	51	37.5	51	61.1	1986	0.00	0.00	--	--	53	0.07	48	198	0.82	185	13
02/06 (037-s)	15.3	30.1	45.0	-18.0	1977	19.2	51	27.5	51	35.9	51	55.0	1973	0.00	0.00	--	--	62	0.09	48	321	0.84	200	13
02/07 (038-m)	18.1	24.0	28.7	-15.0	1977	18.1	51	26.7	51	35.4	51	50.0	1959	0.00	0.00	--	--	70	0.06	44	180	0.63	184	13
02/08 (039-t)	14.8	21.4	28.9	-17.0	1977	16.8	50	25.6	50	34.4	50	59.1	1990	0.00	0.00	--	--	84	0.05	44	31	0.16	189	13
02/09 (040-w)	10.9	13.9	20.4	-16.0	1977	16.9	51	26.3	51	35.5	51	62.0	1957	0.00	0.00	--	--	74	0.08	48	106	0.41	200	13
02/10 (041-t)	8.1	14.2	20.6	-14.8	1982	18.4	51	27.3	51	36.4	51	64.7	1993	0.00	0.00	--	--	69	0.10	45	243	1.17	238	13
02/11 (042-f)	15.7	21.0	27.7	-9.0	1978	19.4	51	28.7	51	38.2	51	60.0	1976	0.00	0.00	--	--	76	0.09	47	119	0.44	177	13
02/12 (043-s)	15.6	25.8	32.8	-5.0	1981	19.2	50	27.8	50	36.3	50	66.5	1984	0.06	0.06	--	--	92	0.06	43	104	0.41	218	13
02/13 (044-s)	24.4	28.4	32.7	-4.0	1981	21.7	51	29.9	51	38.0	51	65.0	1990	0.35	0.35	--	--	80	0.20	46	177	1.12	185	13
02/14 (045-m)	20.1	31.6	42.2	-3.0	1971	22.5	51	31.3	51	40.6	51	66.0	1950	0.15	0.15	--	--	70	0.09	47	361	0.90	193	13
02/15 (046-t)	26.9	37.4	47.9	-8.0	1978	22.0	51	31.2	51	40.7	51	68.0	1945	0.00	0.00	--	--	63	0.12	47	332	0.93	216	13
02/16 (047-w)	21.4	29.8	39.6	-6.0	1978	22.3	51	31.4	51	40.4	51	66.0	1954	0.00	0.00	--	--	86	0.06	49	238	1.14	206	13
02/17 (048-t)	27.4	38.3	53.6	-7.0	1979	23.2	51	31.2	51	39.2	51	63.0	1976	0.01	0.01	--	--	68	0.06	47	259	0.96	172	13
02/18 (049-f)	33.5	46.6	61.7	-7.1	1993	23.4	50	33.3	49	43.3	49	66.0	1948	0.00	0.00	--	--	55	0.05	50	340	0.91	238	13
02/19 (050-s)	41.0	51.0	65.4	-9.0	1978	25.0	50	34.6	50	44.1	51	65.4	1994	0.00	0.00	--	--	58	0.04	44	311	0.94	216	13
02/20 (051-s)	45.2	50.8	57.7	-7.0	1978	23.9	51	32.6	51	42.0	51	64.0	1954	0.18	0.18	--	--	79	0.06	46	109	0.68	213	13
02/21 (052-m)	32.7	39.6	48.7	-3.0	1978	22.9	50	32.2	50	42.2	51	69.7	1983	0.00	0.00	--	--	92	0.12	48	77	0.33	210	13
02/22 (053-t)	27.4	30.3	32.7	-7.0	1963	25.4	51	34.4	51	43.6	51	68.0	1983	0.21	0.21	--	--	79	0.13	48	105	0.46	216	13
02/23 (054-w)	31.8	40.3	56.7	-1.0	1978	25.3	51	34.2	51	43.8	51	65.8	1984	0.26	0.26	--	--	86	0.09	41	172	1.35	245	13
02/24 (055-t)	20.7	24.5	32.3	-2.0	1967	24.9	50	33.8	50	42.9	50	70.0	1961	0.00	0.00	--	--	67	0.09	45	242	1.48	235	13
02/25 (056-f)	12.0	25.3	36.2	-3.0	1967	24.2	51	32.8	51	41.4	51	70.0	1957	0.12	0.12	--	--	73	0.10	48	144	0.82	255	13
02/26 (057-s)	7.2	16.0	26.5	-4.0	1963	23.8	51	32.9	51	42.3	51	71.0	1944	0.00	0.00	--	--	66	0.13	47	284	1.33	264	13
02/27 (058-s)	2.8	15.5	26.9	-2.0	1963	23.4	51	32.4	51	41.8	51	65.0	1955	0.00	0.00	--	--	63	0.10	44	356	1.21	257	13
02/28 (059-m)	15.6	25.1	33.2	-5.3	1993	24.3	51	33.8	51	43.6	51	65.0	1955	0.00	0.00	--	--	61	0.06	48	243	1.07	306	13
Column Min's:	-2.2	7.3	17.8	-18.0		16.8		25.6		34.4		71.0		0.00	0.04			52	0.04		31	0.16	144	
Column Avg's:	19.2	28.0	37.8		21.4	30.3		39.4		39.4				0.05	0.09			71	0.09		220	0.87	210	
Column Max's:	45.2	51.0	65.4		25.4	34.6		44.1		44.1				0.35	0.20			92	0.20		361	1.48	306	
Column Ttl's:														1.34	2.47						6166		5887	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E			(degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION											
	mo	da	jul	min	avg	max	min	year	avgmn	yr	avgmx	yr	max	year	ly	ly/m	avg	yr						
11/01	(305-t)	37.1	42.5	55.9	21.0	1976	42.2	51	52.2	51	62.8	51	80.0	1950	0.22	--	--	87	0.12	50	34	0.30	186	13
11/02	(306-w)	30.2	43.7	58.9	21.0	1954	41.2	50	50.4	50	60.0	51	79.4	1987	0.00	--	--	67	0.15	46	299	0.89	186	12
11/03	(307-t)	40.4	55.5	67.9	16.3	1991	38.0	48	48.1	48	58.0	51	78.0	1987	0.00	--	--	55	0.07	49	139	0.70	184	12
11/04	(308-f)	55.0	62.3	69.8	15.6	1991	38.0	51	46.7	49	55.9	49	78.2	1987	0.00	--	--	55	0.17	47	132	0.81	139	13
11/05	(309-s)	54.5	61.8	70.6	10.9	1991	36.4	51	45.2	51	53.7	52	75.0	1959	0.29	--	--	70	0.14	46	119	0.56	140	13
11/06	(310-s)	37.9	52.4	62.6	21.9	1982	34.4	51	43.7	51	52.9	52	75.0	1977	0.00	--	--	75	0.08	45	41	0.32	152	13
11/07	(311-m)	28.7	42.6	56.3	15.2	1991	34.0	52	43.6	52	53.6	52	77.0	1975	0.00	--	--	67	0.08	48	233	0.80	145	13
11/08	(312-t)	40.2	53.5	68.5	9.9	1991	34.2	52	44.8	52	55.0	52	92.5	1985	0.00	--	--	60	0.09	46	206	1.05	199	12
11/09	(313-w)	42.9	55.1	61.2	14.5	1991	34.9	52	43.9	52	52.9	52	72.0	1975	0.74	--	--	83	0.13	48	27	0.29	153	13
11/10	(314-t)	33.5	43.8	53.7	17.6	1991	34.5	52	43.6	52	52.8	52	72.0	1975	0.14	--	--	72	0.22	52	279	0.82	140	13
11/11	(315-f)	32.7	40.4	52.2	12.9	1982	32.8	51	42.0	51	51.6	51	72.0	1949	0.00	--	--	63	0.06	49	283	0.79	154	11
11/12	(316-s)	33.9	46.8	61.9	17.0	1980	34.0	52	43.1	52	52.1	52	74.0	1945	0.00	--	--	62	0.07	47	144	0.80	156	13
11/13	(317-s)	42.6	54.9	70.0	11.8	1986	33.9	52	42.8	52	52.3	52	73.0	1955	0.00	--	--	70	0.08	50	237	0.88	175	13
11/14	(318-m)	49.8	59.1	69.6	10.8	1986	34.6	51	44.5	51	54.8	51	71.0	1955	0.00	--	--	70	0.11	52	113	0.97	166	13
11/15	(319-t)	43.4	49.6	57.4	17.0	1969	35.9	52	44.8	52	53.7	52	73.0	1964	0.09	--	--	79	0.13	46	88	0.58	119	13
11/16	(320-w)	42.0	44.9	50.3	13.0	1976	35.5	52	44.4	52	53.5	52	72.0	1971	0.56	--	--	86	0.21	50	92	0.47	124	13
11/17	(321-t)	42.4	48.1	57.8	10.0	1959	32.8	52	42.0	52	51.3	52	77.0	1958	0.00	--	--	80	0.08	47	199	0.87	159	13
11/18	(322-f)	37.5	49.0	61.5	11.0	1959	32.8	52	41.8	52	50.9	52	74.0	1958	0.00	--	--	73	0.07	48	182	0.87	127	13
11/19	(323-s)	28.8	42.7	58.0	13.0	1980	33.7	52	42.3	52	50.9	52	74.0	1953	0.00	--	--	55	0.11	48	197	0.89	123	13
11/20	(324-s)	44.6	50.1	58.6	14.0	1980	33.0	52	41.5	52	50.3	52	70.0	1953	0.00	--	--	46	0.18	48	138	0.74	137	13
11/21	(325-m)	41.9	53.4	60.1	12.0	1987	32.1	51	40.5	51	49.1	51	66.2	1990	0.04	--	--	54	0.09	48	227	0.80	156	13
11/22	(326-t)	25.1	33.7	42.0	11.0	1984	31.4	52	39.1	52	46.9	52	69.0	1979	0.00	--	--	56	0.07	40	194	1.01	133	13
11/23	(327-w)	22.3	30.8	44.5	11.0	1971	30.7	50	38.8	50	47.1	51	65.0	1963	0.00	--	--	55	0.12	45	247	0.71	140	13
11/24	(328-t)	20.8	34.6	47.9	4.0	1950	28.9	51	37.5	51	46.5	51	65.0	1974	0.00	--	--	61	0.08	52	249	0.71	132	13
11/25	(329-f)	26.9	41.6	53.9	5.0	1950	29.0	49	36.9	49	45.0	49	65.2	1987	0.00	--	--	51	0.10	49	223	0.76	151	13
11/26	(330-s)	25.1	34.4	43.8	9.7	1991	30.4	48	39.2	48	48.3	49	67.5	1990	0.00	--	--	69	0.18	49	194	0.81	126	13
11/27	(331-s)	38.3	44.2	56.2	9.0	1977	31.4	49	38.9	49	47.0	50	72.1	1990	0.80	--	--	75	0.17	49	15	0.14	73	13
11/28	(332-m)	37.4	44.9	59.7	7.0	1955	30.7	51	37.8	51	45.7	51	65.8	1990	0.06	--	--	55	0.14	48	189	0.81	76	13
11/29	(333-t)	29.7	38.1	49.5	9.0	1976	26.7	52	33.8	51	41.3	51	66.1	1991	0.00	--	--	48	0.06	47	135	0.69	124	12
11/30	(334-w)	23.1	31.8	45.3	-0.0	1958	25.8	51	33.3	51	40.8	51	66.0	1962	0.00	--	--	71	0.05	49	180	0.88	126	13
Column Min's:		20.8	30.8	42.0	0.0	25.8	33.3	40.8	33.3	40.8	51.2	62.8	92.5	0.00	0.00	0.05	46	0.05	15	15	0.14	73	73	
Column Avg's:		36.3	46.2	57.5	33.5	42.2	52.2	51.2	42.2	51.2	62.8	92.5	0.80	0.10	0.80	0.22	66	0.11	168	168	0.72	143	143	
Column Max's:		55.0	62.3	70.6	42.2	52.2	62.8	62.8	62.8	62.8	92.5	92.5	0.80	0.80	0.80	0.22	87	0.22	299	299	1.05	199	199	
Column Ttl's:																								4301

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)				WATER BALANCE (inches)			SOLAR RADIATION										
	min	avg	min	year avg	max	prec	evap	hum %	ly	max	Long-Term									
mo da	Current	avg	min	year avg	max	prec	evap	hum %	ly	ly/m	avg yrs									
12/01 (335-t)	20.3	31.8	5.0	1976	25.3	52	33.9	52	42.6	52	67.0	1962	0.00	77	0.09	46	242	0.82	121	13
12/02 (336-f)	30.5	40.6	8.0	1966	27.8	51	35.7	51	43.7	51	71.1	1982	0.00	58	0.09	46	233	0.68	104	12
12/03 (337-s)	36.2	47.8	-1.0	1976	27.8	51	36.4	51	45.2	52	73.6	1982	0.00	70	0.13	45	162	0.93	100	12
12/04 (338-s)	48.2	53.4	6.0	1976	28.5	52	36.5	52	44.7	52	65.2	1982	0.21	93	0.11	46	55	0.24	103	13
12/05 (339-m)	50.8	54.4	6.0	1974	28.4	52	35.9	52	43.3	52	65.0	1960	0.16	101	0.08	48	51	0.25	104	12
12/06 (340-t)	49.9	51.7	2.7	1984	28.0	52	36.3	52	44.4	52	69.0	1956	0.00	101	0.09	44	31	0.23	112	13
12/07 (341-w)	31.6	44.7	-3.0	1977	27.7	52	35.3	52	43.0	52	66.0	1951	0.12	97	0.15	45	29	0.22	139	13
12/08 (342-t)	29.8	32.9	1.0	1977	28.7	52	35.4	52	42.9	52	68.0	1966	0.00	80	0.08	46	181	0.82	139	13
12/09 (343-f)	31.9	36.5	-2.0	1958	25.7	52	33.5	52	41.5	52	65.0	1952	0.66	94	0.14	47	20	0.10	136	13
12/10 (344-s)	29.9	33.5	-6.0	1958	25.1	52	31.9	52	38.6	52	60.0	1946	0.53	99	0.13	47	23	0.15	91	13
12/11 (345-s)	22.5	25.8	-8.0	1977	23.6	52	30.9	52	38.0	52	68.0	1971	0.00	88	0.11	46	74	0.31	101	13
12/12 (346-m)	21.8	26.2	-2.0	1962	25.8	52	32.7	52	39.6	52	63.0	1949	0.00	82	0.11	46	146	0.81	131	13
12/13 (347-t)	17.8	26.1	-4.0	1960	23.9	52	31.3	52	38.8	52	58.8	1984	0.00	90	0.06	46	189	0.72	108	13
12/14 (348-w)	22.3	27.9	-2.0	1963	23.6	52	30.4	52	37.3	52	61.5	1984	0.00	89	0.09	44	197	0.74	128	13
12/15 (349-t)	25.7	35.1	-6.5	1989	21.8	52	30.0	52	38.2	52	63.0	1948	0.00	93	0.13	46	145	0.84	105	13
12/16 (350-f)	36.3	42.3	-11.0	1951	21.5	51	29.5	51	37.4	51	63.0	1948	0.48	98	0.07	47	34	0.21	96	13
12/17 (351-s)	31.8	39.2	-14.4	1989	21.3	52	29.3	52	37.8	52	65.1	1984	0.00	96	0.06	44	50	0.38	105	13
12/18 (352-s)	32.7	35.0	-6.0	1989	20.6	52	28.2	52	36.0	52	62.0	1967	0.00	95	0.11	48	39	0.25	103	13
12/19 (353-m)	29.1	33.6	-6.0	1963	22.0	51	29.0	51	36.2	51	57.0	1957	0.00	87	0.06	46	125	0.84	106	13
12/20 (354-t)	25.3	34.0	-7.0	1963	22.6	52	30.0	52	37.6	52	62.0	1949	0.00	88	0.10	45	200	0.65	119	13
12/21 (355-w)	28.8	38.1	-16.2	1989	22.2	50	29.9	50	38.0	51	66.0	1967	0.00	78	0.12	46	204	0.62	117	13
12/22 (356-t)	30.2	39.3	-23.1	1989	20.6	51	29.0	50	37.5	51	60.0	1949	0.00	81	0.06	45	183	0.64	120	13
12/23 (357-f)	28.9	37.6	-11.0	1989	22.9	51	30.4	50	37.9	50	60.0	1957	0.00	87	0.08	48	178	0.75	127	12
12/24 (358-s)	30.3	35.7	-14.3	1983	22.8	50	30.5	50	38.2	50	62.0	1964	0.00	96	0.09	45	30	0.11	113	13
12/25 (359-s)	25.8	30.7	-13.0	1983	20.6	51	28.9	51	37.4	51	62.6	1982	0.00	96	0.11	47	203	1.00	129	13
12/26 (360-m)	27.3	30.6	-6.0	1983	21.3	51	28.7	50	36.0	50	54.0	1971	0.00	99	0.07	43	81	0.33	120	13
12/27 (361-t)	25.2	29.1	-2.0	1950	22.3	51	30.5	51	38.3	51	67.0	1959	0.00	99	0.08	45	112	0.64	106	13
12/28 (362-w)	28.3	36.5	3.0	1950	22.1	51	30.2	50	38.1	50	64.9	1984	0.00	91	0.12	45	206	0.62	104	13
12/29 (363-t)	28.3	33.6	-4.2	1983	22.2	50	29.5	49	36.4	50	61.9	1984	0.00	79	0.09	48	154	0.85	107	13
12/30 (364-f)	23.5	33.9	-7.8	1983	23.1	48	30.9	48	39.4	49	61.0	1964	0.00	59	0.13	43	187	0.72	120	13
12/31 (365-s)	36.0	40.9	-10.0	1976	23.6	47	31.4	47	39.1	47	67.0	1951	0.09	85	0.07	46	31	0.17	88	12

Column Min's:	17.8	25.8	29.8	20.6	28.2	36.0	0.00	58	0.06	20	0.10	88
Column Avg's:	30.2	36.7	44.8	24.0	31.7	39.5	0.07	88	0.10	122	0.54	113
Column Max's:	50.8	54.4	60.4	28.7	36.5	45.2	0.66	101	0.15	242	1.00	139
Column Ttl's:							2.25		3.01	3795		3502

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	max	avg	max	prec	evap	ly	max													
mo da	Current	Current	Long Term	Long Term	avg yrs	avgm yrs	liq	snow	ly	ly/m													
	min	max	avg yrs	avgm yrs	max year	max year	prec	evap	ly	ly/m													
09/01 (244-t)	54.1	59.3	67.0	42.3	1987	56.7	13	67.7	13	80.2	13	88.7	1990	0.00	--	--	82	0.11	13	368	1.44	397	13
09/02 (245-f)	46.5	59.0	70.9	43.4	1987	58.3	13	70.4	13	84.0	13	92.4	1984	0.00	--	--	73	0.09	13	520	1.36	403	13
09/03 (246-s)	48.4	59.8	72.1	47.6	1982	58.6	13	67.8	13	79.1	13	91.7	1983	0.00	--	--	73	0.22	13	505	1.40	370	13
09/04 (247-s)	46.3	59.9	72.8	42.7	1982	57.0	13	68.0	13	80.5	13	89.6	1983	0.00	--	--	83	0.03	13	469	1.46	429	13
09/05 (248-m)	58.0	59.9	62.6	43.8	1982	57.4	13	67.9	13	80.4	13	92.0	1990	0.20	--	--	98	0.07	13	76	0.44	389	13
09/06 (249-t)	57.3	65.3	76.0	40.4	1988	57.0	13	68.7	13	82.1	13	92.6	1990	0.01	--	--	87	0.00	13	320	1.53	435	13
09/07 (250-w)	53.3	64.3	78.2	38.8	1988	57.8	13	68.8	13	82.0	13	93.7	1985	0.00	--	--	79	0.00	13	436	1.49	406	13
09/08 (251-t)	53.6	66.1	81.4	41.5	1988	56.2	13	68.0	13	81.8	13	92.5	1985	0.00	--	--	78	0.01	13	476	1.36	407	13
09/09 (252-f)	54.9	69.0	83.8	39.7	1986	57.5	13	69.7	13	83.5	13	95.4	1983	0.00	--	--	77	0.18	13	447	1.27	386	13
09/10 (253-s)	60.3	70.0	84.3	47.2	1993	59.1	13	70.3	13	82.9	12	97.4	1983	0.00	--	--	79	0.02	13	412	1.59	385	13
09/11 (254-s)	60.4	69.4	83.3	41.2	1993	57.7	13	68.3	13	80.5	13	94.2	1983	0.00	--	--	80	0.11	13	470	1.21	378	13
09/12 (255-m)	53.6	68.3	85.2	42.7	1985	56.7	13	66.5	13	78.0	13	85.2	1994	0.00	--	--	79	0.18	13	422	1.29	319	13
09/13 (256-t)	59.0	71.8	86.9	42.7	1985	56.6	13	68.5	13	83.0	13	95.1	1991	0.00	--	--	76	0.01	13	379	1.11	405	13
09/14 (257-w)	62.5	75.9	91.2	40.0	1985	56.5	13	67.9	13	81.3	13	92.1	1991	0.00	--	--	72	0.17	13	445	1.18	372	13
09/15 (258-t)	62.6	74.7	89.2	41.7	1985	54.6	13	66.0	13	79.1	13	92.0	1991	0.00	--	--	70	0.01	13	409	1.27	370	13
09/16 (259-f)	63.3	74.9	87.4	40.0	1985	54.0	13	64.5	13	77.2	13	91.7	1991	0.00	--	--	74	0.09	13	391	1.59	364	12
09/17 (260-s)	59.6	70.1	79.6	39.5	1984	51.8	13	63.9	13	77.7	13	83.2	1992	0.33	--	--	82	0.03	13	295	1.57	411	13
09/18 (261-s)	52.8	63.3	75.7	43.0	1984	53.4	13	64.5	13	76.0	13	91.9	1983	0.00	--	--	74	0.08	13	492	1.40	319	13
09/19 (262-m)	48.6	63.6	80.3	44.3	1991	52.6	13	63.7	13	76.2	13	91.1	1983	0.00	--	--	69	0.07	13	488	1.15	369	13
09/20 (263-t)	49.4	64.3	81.0	37.6	1991	50.7	13	63.2	13	77.4	13	87.2	1985	0.00	--	--	72	0.10	13	456	1.21	390	13
09/21 (264-w)	49.2	64.6	80.9	37.2	1991	50.5	13	61.7	13	74.6	13	87.8	1984	0.00	--	--	73	0.07	13	452	1.22	337	13
09/22 (265-t)	52.7	65.0	80.6	35.5	1983	50.1	13	62.0	13	75.1	13	88.5	1984	0.00	--	--	75	0.07	13	359	1.40	297	13
09/23 (266-f)	56.1	64.6	73.6	36.5	1983	49.3	13	59.2	13	70.3	13	84.7	1986	0.01	--	--	79	0.10	13	199	0.80	298	13
09/24 (267-s)	54.4	63.9	72.4	33.5	1983	46.9	13	57.0	13	68.3	13	80.9	1987	0.10	--	--	94	0.22	13	197	1.42	297	12
09/25 (268-s)	49.9	57.7	69.9	36.1	1983	47.1	13	59.8	13	73.4	13	88.3	1986	0.10	--	--	89	0.12	13	266	1.45	351	13
09/26 (269-m)	48.9	55.4	61.5	37.6	1987	49.4	13	59.7	13	71.6	13	89.6	1986	0.54	--	--	93	0.06	13	136	1.00	330	13
09/27 (270-t)	52.0	54.6	58.2	36.0	1991	46.3	13	57.4	13	70.0	13	87.6	1987	0.03	--	--	96	0.14	13	109	1.45	315	13
09/28 (271-w)	46.2	56.8	69.2	36.7	1989	46.5	13	59.8	13	75.8	13	89.8	1986	0.00	--	--	77	0.00	13	388	1.33	394	13
09/29 (272-t)	43.4	56.0	72.0	36.5	1992	48.5	13	60.0	13	73.7	13	88.3	1986	0.00	--	--	74	0.02	13	452	1.10	337	13
09/30 (273-f)	44.9	60.2	77.0	30.8	1993	47.2	13	59.4	13	73.5	13	86.3	1986	0.00	--	--	74	0.03	13	394	1.07	332	13
Column Min's:	43.4	54.6	58.2	30.8		46.3		57.0		68.3		84.0		0.00			69	0.00		76	0.44	297	
Column Avg's:	53.4	64.3	76.8	53.4		53.4		64.7		77.6		97.4		0.04			79	0.08		374	1.29	366	
Column Max's:	63.3	75.9	91.2	63.3		59.1		70.4		84.0		97.4		0.54			98	0.22		520	1.59	435	
Column Ttl's:														1.32				2.41		11228		10992	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)		SOLAR RADIATION														
	min	max	min	year avg	Long Term	max	prec	evap	ly	max	Lng-Tm												
mo da jul	Current	liq	%	avg	pr	avg	Term											
			avg	yr	yr	yr	yr	yr	yr	yr	yr	yr											
10/01 (274-s)	52.7	68.8	85.8	34.4	1987	47.5	13	59.4	13	72.1	13	85.8	1994	0.00	--	--	73	0.15	13	372	1.03	310	13
10/02 (275-s)	54.6	61.1	71.1	30.1	1985	46.5	13	59.6	13	73.5	13	85.1	1983	0.00	--	--	73	0.02	13	220	0.88	330	13
10/03 (276-m)	46.1	56.5	70.8	31.2	1993	46.3	13	58.8	13	72.4	13	85.3	1983	0.00	--	--	54	0.01	13	425	1.07	347	13
10/04 (277-t)	40.9	53.2	65.2	29.2	1987	47.2	13	58.4	13	71.4	13	84.5	1991	0.00	--	--	70	0.21	13	374	1.51	307	13
10/05 (278-w)	45.9	52.4	57.8	34.3	1989	45.0	13	56.1	13	68.2	13	82.8	1982	0.00	--	--	80	0.05	13	144	0.49	301	13
10/06 (279-t)	38.7	54.3	70.3	30.9	1988	42.1	13	54.0	13	67.0	13	84.0	1982	0.00	--	--	77	0.01	13	405	1.01	312	13
10/07 (280-f)	46.3	63.1	81.9	32.7	1991	43.3	13	54.4	13	68.0	13	81.9	1994	0.00	--	--	76	0.12	13	359	1.23	304	13
10/08 (281-s)	55.2	67.2	78.5	31.4	1991	45.4	13	57.4	13	68.5	13	80.0	1982	0.00	--	--	77	0.05	13	359	1.38	302	13
10/09 (282-s)	42.9	54.4	66.0	28.6	1989	45.2	13	56.0	13	68.3	13	79.7	1985	0.33	--	--	73	0.26	13	406	1.11	242	13
10/10 (283-m)	34.8	48.1	60.4	31.7	1993	44.5	13	54.7	13	66.6	13	83.5	1985	0.00	--	--	64	0.14	13	415	1.05	263	13
10/11 (284-t)	34.2	49.2	65.7	30.0	1988	40.7	13	52.0	13	64.0	13	75.7	1984	0.00	--	--	62	0.00	13	409	1.03	264	13
10/12 (285-w)	37.5	53.8	70.5	27.0	1988	43.4	13	53.4	13	64.9	13	82.2	1985	0.00	--	--	54	0.14	13	382	1.10	226	13
10/13 (286-t)	49.0	54.2	58.1	24.3	1988	42.0	13	52.4	13	65.2	13	85.6	1989	0.27	--	--	88	0.14	13	110	0.74	273	13
10/14 (287-f)	54.3	59.5	70.7	28.0	1987	43.4	13	54.9	13	68.1	13	84.9	1989	0.04	--	--	89	0.03	13	191	1.27	280	13
10/15 (288-s)	48.3	59.8	73.7	30.7	1986	43.1	13	55.7	13	70.6	13	82.6	1989	0.00	--	--	76	0.08	13	324	1.19	292	13
10/16 (289-s)	49.1	62.6	78.4	26.5	1991	41.5	13	54.0	13	66.3	13	78.4	1994	0.00	--	--	55	0.04	13	367	0.95	237	12
10/17 (290-m)	44.3	61.7	79.7	28.9	1991	43.2	12	55.6	12	67.1	13	79.7	1994	0.00	--	--	54	0.13	13	363	0.95	254	12
10/18 (291-t)	46.9	58.8	69.3	31.4	1992	40.5	13	52.0	13	64.5	13	79.1	1985	0.02	--	--	82	0.25	13	169	1.10	220	13
10/19 (292-w)	58.8	61.7	65.5	22.6	1992	40.6	13	50.4	13	60.4	13	70.9	1987	0.11	--	--	97	0.27	13	55	0.32	218	13
10/20 (293-t)	45.6	59.8	70.9	26.0	1991	38.0	13	48.2	13	58.8	13	70.9	1994	0.00	--	--	79	0.37	13	310	1.14	173	13
10/21 (294-f)	40.6	53.7	69.0	26.6	1987	39.9	13	49.9	13	61.2	13	76.8	1986	0.00	--	--	76	0.06	13	343	0.94	232	13
10/22 (295-s)	45.9	56.5	70.6	22.7	1987	39.3	13	49.9	13	61.9	13	78.4	1991	0.00	--	--	77	0.11	13	308	1.05	235	13
10/23 (296-s)	43.0	55.7	69.2	29.2	1988	43.3	13	52.9	13	63.9	13	74.9	1992	0.00	--	--	59	0.04	13	354	0.93	212	13
10/24 (297-m)	37.2	46.1	60.4	29.6	1982	43.0	13	53.1	13	65.3	13	78.5	1985	0.11	--	--	82	0.07	13	116	1.25	200	13
10/25 (298-t)	33.9	42.2	50.3	25.7	1987	39.3	13	50.0	13	61.4	13	77.9	1991	0.00	--	--	81	0.05	13	207	1.26	232	12
10/26 (299-w)	33.5	43.6	53.3	23.8	1988	39.5	13	51.3	13	65.8	13	76.4	1984	0.00	--	--	72	0.03	13	222	1.22	266	13
10/27 (300-t)	29.1	43.5	59.9	24.4	1988	39.1	13	51.6	13	64.8	13	77.6	1984	0.00	--	--	72	0.02	13	329	0.88	252	13
10/28 (301-f)	30.1	48.7	65.9	29.3	1987	39.2	13	51.1	13	63.9	13	77.1	1989	0.00	--	--	60	0.10	13	334	0.89	259	13
10/29 (302-s)	40.2	52.5	68.2	23.7	1988	40.0	13	49.7	13	61.5	13	80.7	1991	0.00	--	--	59	0.00	13	322	0.88	222	13
10/30 (303-s)	36.7	52.3	71.2	26.0	1988	39.4	13	49.3	13	61.8	13	75.3	1989	0.00	--	--	65	0.02	13	303	0.91	212	13
10/31 (304-m)	45.4	54.6	61.6	22.4	1988	41.5	13	52.2	13	63.6	13	77.1	1990	0.26	--	--	93	0.05	13	58	0.41	190	13
Column Min's:	29.1	42.2	50.3	22.4		38.0		48.2		58.8		85.8		0.00			54	0.00		55	0.32	173	
Column Avg's:	43.3	55.1	68.1	42.4		53.5		65.9		73.5		85.8		0.04			73	0.10		292	1.01	257	
Column Max's:	58.8	68.8	85.8	47.5		59.6		73.5		85.8		97		0.33			97	0.37		425	1.51	347	
Column Ttl's:														1.14				3.02		9055		7967	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
mo	da	min	avg	max	min	year	avgm	yr	avgm	yr	max													
		Current		Long Term		Long Term		Long Term		Long Term														
		ly	ly/m	ly	ly/m	ly	ly/m	ly	ly/m	ly	ly/m													
11/01	(305-t)	34.8	42.5	56.9	26.6	1993	42.5	13	52.9	13	65.8	13	81.6	1987	0.14	--	--	96	0.17	13	49	0.35	188	13
11/02	(306-w)	31.0	45.8	61.5	24.4	1993	39.9	13	49.3	13	59.2	13	79.9	1987	0.00	--	--	67	0.06	13	297	0.94	185	13
11/03	(307-t)	47.0	60.7	73.4	19.1	1991	36.2	13	48.1	13	58.3	13	79.5	1987	0.00	--	--	57	0.05	13	188	0.86	181	13
11/04	(308-f)	56.1	63.1	69.1	17.4	1991	38.3	12	46.1	12	54.9	12	78.8	1987	0.09	--	--	72	0.10	12	104	0.66	157	12
11/05	(309-s)	55.7	62.4	70.9	12.2	1991	34.7	13	43.8	13	51.8	13	70.9	1994	0.41	--	--	89	0.11	12	134	0.86	156	12
11/06	(310-s)	40.7	52.5	63.4	20.1	1982	32.7	12	41.0	12	49.7	13	63.4	1994	0.03	--	--	90	0.02	13	55	0.32	148	12
11/07	(311-m)	32.1	45.1	59.6	17.4	1991	30.1	12	40.7	13	51.4	13	61.9	1982	0.00	--	--	73	0.05	13	258	0.87	164	13
11/08	(312-t)	42.0	56.6	69.2	13.3	1991	33.4	13	45.2	13	58.1	13	71.8	1983	0.00	--	--	66	0.04	13	199	1.07	217	12
11/09	(313-w)	42.4	57.5	63.5	15.4	1991	33.9	13	44.7	13	56.0	13	69.8	1983	0.91	--	--	88	0.20	13	26	0.25	158	13
11/10	(314-t)	38.2	45.3	55.9	19.0	1991	34.4	13	44.3	13	54.4	13	69.2	1982	0.10	--	--	77	0.28	13	285	0.80	154	13
11/11	(315-f)	33.7	42.4	57.1	22.7	1987	34.3	13	42.4	13	52.0	13	70.9	1989	0.00	--	--	69	0.07	13	287	0.80	160	13
11/12	(316-s)	32.8	47.2	65.3	19.4	1987	31.8	13	42.9	13	53.8	13	65.3	1994	0.00	--	--	75	0.20	13	166	0.87	153	13
11/13	(317-s)	43.7	56.5	70.6	9.3	1986	32.9	13	42.1	13	53.2	13	73.1	1989	0.00	--	--	78	0.10	13	234	0.85	192	13
11/14	(318-m)	54.7	60.0	66.5	7.0	1986	34.0	13	44.9	13	56.5	13	67.4	1985	0.00	--	--	90	0.10	13	79	0.86	166	13
11/15	(319-t)	44.7	49.4	58.5	17.5	1982	36.8	13	45.8	13	55.0	13	73.3	1990	0.13	--	--	94	0.21	13	69	0.38	119	13
11/16	(320-w)	41.3	45.6	51.6	19.4	1982	33.2	13	43.4	13	53.1	13	73.1	1987	0.36	--	--	96	0.07	13	92	0.36	139	12
11/17	(321-t)	43.5	47.3	55.2	17.6	1989	33.1	13	42.5	13	52.9	13	66.1	1987	0.00	--	--	95	0.13	13	101	0.74	164	13
11/18	(322-f)	40.8	50.6	64.6	18.3	1989	34.5	13	43.3	13	52.3	13	73.3	1985	0.00	--	--	81	0.04	13	223	0.88	130	13
11/19	(323-s)	33.2	44.4	59.6	18.7	1989	38.1	13	46.1	13	54.5	13	74.0	1985	0.00	--	--	64	0.06	13	207	1.05	124	13
11/20	(324-s)	46.7	52.1	59.3	18.5	1984	36.1	13	45.0	13	55.5	13	68.9	1992	0.00	--	--	50	0.13	13	134	0.82	145	13
11/21	(325-m)	40.9	53.5	63.1	14.6	1987	33.6	13	41.7	13	50.5	13	69.4	1990	0.19	--	--	66	0.15	13	228	0.72	168	13
11/22	(326-t)	24.4	33.6	42.1	14.9	1984	31.9	13	41.0	13	50.7	13	66.6	1992	0.00	--	--	67	0.13	13	200	1.02	145	13
11/23	(327-w)	23.0	32.0	46.7	15.9	1989	31.7	13	41.0	13	51.7	13	62.3	1983	0.00	--	--	65	0.12	13	250	0.73	135	13
11/24	(328-t)	24.1	37.1	50.8	17.2	1982	28.4	13	37.6	13	48.0	13	62.7	1990	0.00	--	--	67	0.05	13	253	0.73	145	13
11/25	(329-f)	29.7	44.0	55.7	14.0	1991	30.8	13	40.6	13	50.6	13	65.7	1990	0.00	--	--	59	0.07	13	196	0.84	142	13
11/26	(330-s)	28.3	37.8	50.0	8.8	1991	35.1	13	44.7	13	55.2	13	66.9	1990	0.00	--	--	77	0.18	13	199	0.89	123	13
11/27	(331-s)	41.1	49.9	61.0	25.1	1993	36.9	13	43.8	13	51.7	13	75.9	1990	0.79	--	--	84	0.25	13	13	0.13	81	13
11/28	(332-m)	39.5	44.9	61.3	23.0	1988	32.8	13	40.1	13	50.2	13	68.1	1990	0.18	--	--	64	0.21	13	241	0.88	85	13
11/29	(333-t)	27.9	38.6	52.2	21.3	1988	30.7	13	36.9	13	45.1	13	67.9	1991	0.00	--	--	60	0.00	13	235	0.70	142	13
11/30	(334-w)	22.3	29.8	39.7	22.3	1990	30.1	13	37.8	13	46.4	13	65.9	1991	0.00	--	--	81	0.06	13	187	0.88	128	13
Column Min's:		22.3	29.8	39.7	7.0		28.4		36.9		45.1		65.8		0.00			50	0.00		13	0.13	81	
Column Avg's:		37.9	47.6	59.1			34.1		43.3		53.3		81.6		0.11			75	0.11		173	0.74	150	
Column Max's:		56.1	63.1	73.4			42.5		52.9		65.8				0.91			96	0.28		297	1.07	217	
Column Ttl's:															3.33				3.41		5189		4494	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N												
	mo	da	jul	min	avg	max	min	year	avgm	yr	avg	yr	max	Ly/m	Long-Term	avg	yr					
12/01	(335-t)	19.4	33.0	47.9	19.4	1994	29.0	13	37.2	13	46.2	13	64.9	1982	0.00	73	0.01	13	226	0.69	134	13
12/02	(336-f)	29.4	43.5	59.3	11.7	1985	29.8	12	36.7	12	43.6	12	73.3	1982	0.00	49	0.17	12	230	0.68	101	12
12/03	(337-s)	38.5	49.7	58.1	9.0	1985	29.4	13	37.5	13	45.9	13	73.3	1982	0.00	63	0.14	13	142	0.84	102	12
12/04	(338-s)	49.9	54.4	57.3	9.1	1991	29.0	13	34.9	13	41.6	13	66.8	1982	0.28	93	0.10	13	31	0.11	109	13
12/05	(339-m)	55.1	56.6	58.3	9.0	1991	28.2	13	35.5	13	42.2	13	62.3	1982	0.17	96	0.06	13	49	0.28	124	13
12/06	(340-t)	51.0	52.6	56.1	3.7	1984	25.9	13	34.5	12	42.4	12	58.3	1988	0.00	96	0.02	13	33	0.18	114	12
12/07	(341-w)	32.9	45.9	56.4	2.1	1984	26.2	13	34.1	13	42.6	13	58.0	1991	0.07	94	0.01	13	27	0.30	143	13
12/08	(342-t)	30.8	34.8	42.2	16.0	1989	29.1	13	36.1	13	45.2	13	63.6	1991	0.00	80	0.01	13	178	0.95	129	12
12/09	(343-f)	34.1	37.5	47.1	10.8	1989	24.3	13	35.5	13	45.9	13	59.3	1991	0.71	93	0.09	13	25	0.14	136	13
12/10	(344-s)	28.7	33.8	36.8	14.8	1986	26.9	13	35.0	13	42.6	13	57.6	1993	0.45	97	0.10	13	19	0.07	100	13
12/11	(345-s)	22.0	24.6	28.8	8.1	1988	25.0	13	32.8	13	40.5	13	60.3	1990	0.00	88	0.13	13	71	0.28	104	13
12/12	(346-m)	23.2	26.7	32.3	2.7	1988	26.2	13	33.4	13	40.8	13	60.8	1990	0.00	85	0.01	13	139	0.70	129	13
12/13	(347-t)	20.5	28.1	39.4	5.9	1989	24.9	13	32.1	13	41.1	13	59.4	1984	0.00	90	0.08	13	202	0.62	115	13
12/14	(348-w)	23.0	29.7	40.9	0.5	1985	24.0	13	32.8	13	42.5	13	64.3	1984	0.00	88	0.10	13	200	0.61	131	13
12/15	(349-t)	24.6	33.3	41.2	-6.5	1989	25.0	13	33.6	13	42.6	13	59.3	1990	0.00	91	0.14	13	93	0.65	107	13
12/16	(350-f)	36.8	43.1	49.3	-9.9	1989	23.3	13	31.3	13	39.1	13	66.0	1984	0.68	96	0.05	13	18	0.09	121	13
12/17	(351-s)	36.6	41.3	48.3	-10.8	1989	24.1	13	30.7	13	38.5	13	69.1	1984	0.01	88	0.06	13	111	0.84	114	13
12/18	(352-s)	32.6	34.8	37.4	-8.3	1989	19.5	13	27.3	13	35.5	13	53.9	1990	0.00	96	0.12	13	30	0.12	103	13
12/19	(353-m)	26.5	32.5	41.0	-4.0	1985	21.7	13	29.6	13	38.1	13	59.0	1988	0.00	90	0.05	13	183	0.78	126	13
12/20	(354-t)	24.5	34.4	49.7	-5.8	1989	22.7	13	31.0	13	40.5	13	57.7	1988	0.00	85	0.02	13	189	0.61	111	13
12/21	(355-w)	26.5	38.8	55.2	-17.7	1989	21.5	13	30.2	13	40.7	13	58.3	1990	0.00	80	0.14	13	197	0.62	116	13
12/22	(356-t)	31.8	42.4	56.6	-21.3	1989	18.4	13	29.4	13	42.0	13	56.6	1994	0.00	80	0.02	13	182	0.60	128	13
12/23	(357-f)	33.0	40.1	49.4	-8.7	1989	22.8	13	31.4	13	39.4	13	58.3	1988	0.00	89	0.11	13	161	0.74	122	13
12/24	(358-s)	29.1	36.1	37.9	-14.3	1989	18.3	13	26.7	13	34.8	13	65.9	1982	0.00	94	0.10	13	36	0.19	115	13
12/25	(359-s)	27.8	32.4	43.2	-11.9	1983	18.1	13	25.1	13	33.7	13	63.1	1982	0.00	93	0.10	13	173	0.90	131	13
12/26	(360-m)	25.6	31.9	40.4	-4.2	1983	15.7	13	24.2	13	33.7	13	53.9	1982	0.00	95	0.01	13	117	0.71	118	13
12/27	(361-t)	25.5	29.5	36.2	6.4	1989	22.0	13	31.7	13	40.1	13	63.0	1984	0.00	98	0.13	13	118	0.82	102	13
12/28	(362-w)	27.7	37.9	53.1	6.3	1985	24.4	13	33.2	13	41.5	13	66.9	1984	0.00	87	0.11	13	205	0.63	98	13
12/29	(363-t)	31.3	35.2	39.6	-4.7	1983	22.0	13	30.8	13	38.2	13	65.1	1984	0.00	80	0.12	13	114	0.73	104	13
12/30	(364-f)	26.0	37.1	53.2	-11.7	1983	21.5	13	30.0	13	39.8	13	63.4	1990	0.00	60	0.21	13	157	0.70	118	13
12/31	(365-s)	38.1	43.2	47.4	-0.0	1983	22.2	12	31.2	12	39.8	12	59.7	1992	0.03	87	0.05	12	37	0.16	95	12

Column Min's:	19.4	24.6	28.8	-21.3	15.7	24.2	33.7	49	0.01	18	0.07	95
Column Avg's:	31.0	37.9	46.5	23.9	32.1	40.7	46.2	86	0.08	119	0.53	116
Column Max's:	55.1	56.6	59.3	29.8	37.5	46.2	73.3	98	0.71	230	0.95	143
Column Ttl's:										3693	2.57	3600

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	avg	min	max	prec	liq	ly	max								
mo da jul	Current	Long Term	Year	Year	Year	Year	Year	Year								
03/01 (060-t)	27.7	30.4	33.1	34.9	50	45.0	50	71.0	1976	0.06	0.06	47	186	0.65	307	13
03/02 (061-w)	26.6	29.1	32.1	36.0	51	46.5	51	73.4	1992	0.00	0.00	46	89	0.31	257	13
03/03 (062-t)	21.2	34.3	47.9	37.1	51	47.3	51	72.0	1976	0.00	0.00	45	410	1.05	272	13
03/04 (063-f)	31.6	40.3	54.8	38.9	51	48.3	51	77.3	1983	0.00	0.00	45	278	1.24	229	13
03/05 (064-s)	28.3	40.2	57.1	38.7	51	49.1	51	78.0	1976	0.00	0.00	46	410	1.06	233	13
03/06 (065-s)	35.2	49.6	67.8	37.0	50	46.4	50	70.0	1946	0.00	0.00	50	342	1.16	228	13
03/07 (066-m)	36.7	43.3	53.1	36.9	51	46.1	51	75.2	1983	0.05	0.05	46	101	0.79	299	13
03/08 (067-t)	28.7	34.3	39.1	36.4	51	46.6	51	73.0	1974	0.00	0.00	43	223	1.01	265	13
03/09 (068-w)	24.9	27.9	30.1	36.1	50	46.6	50	78.0	1974	0.29	0.29	49	90	0.27	252	13
03/10 (069-t)	19.8	29.4	44.9	37.0	51	46.7	51	72.0	1974	0.24	0.24	47	427	1.17	275	12
03/11 (070-f)	14.5	29.3	47.4	37.6	51	47.2	51	76.1	1990	0.00	0.00	44	487	1.16	280	13
03/12 (071-s)	21.1	34.6	46.6	38.3	51	48.0	51	74.0	1973	0.00	0.00	43	456	1.21	281	13
03/13 (072-s)	32.3	39.1	46.9	39.7	50	49.6	50	77.8	1990	0.17	0.17	48	119	0.50	243	12
03/14 (073-m)	29.7	37.3	44.9	39.9	50	50.3	50	77.7	1990	0.00	0.00	46	134	0.68	282	13
03/15 (074-t)	29.6	44.8	57.3	39.6	50	49.4	50	76.6	1990	0.00	0.00	45	415	1.27	312	13
03/16 (075-w)	20.3	28.3	38.3	39.5	50	49.6	50	82.0	1945	0.00	0.00	46	391	1.58	304	13
03/17 (076-t)	12.2	27.4	38.9	38.8	51	49.0	51	73.0	1945	0.00	0.00	46	430	1.20	287	13
03/18 (077-f)	27.7	37.6	54.8	37.7	51	47.9	51	73.0	1945	0.11	0.11	49	168	1.53	215	13
03/19 (078-s)	19.6	34.2	50.9	39.6	51	49.8	51	75.0	1968	0.00	0.00	48	482	1.38	284	13
03/20 (079-s)	31.1	45.3	58.7	40.4	51	49.9	51	78.0	1948	0.04	0.04	46	351	1.17	272	13
03/21 (080-m)	32.0	48.7	59.5	40.7	51	49.9	51	80.0	1948	0.14	0.14	44	58	0.49	338	13
03/22 (081-t)	29.4	45.4	62.1	41.3	51	51.7	51	74.0	1966	0.00	0.00	46	496	1.16	278	13
03/23 (082-w)	39.8	57.6	74.4	43.0	51	53.6	51	74.4	1994	0.00	0.00	49	467	1.27	347	13
03/24 (083-t)	37.1	59.6	72.3	43.2	51	54.5	51	74.9	1988	0.02	0.02	47	377	1.35	347	13
03/25 (084-f)	28.2	34.8	46.6	42.8	51	54.0	51	83.0	1945	0.00	0.00	47	271	1.52	321	13
03/26 (085-s)	26.2	35.5	45.9	42.9	51	53.2	51	78.0	1950	0.11	0.11	45	250	1.45	333	13
03/27 (086-s)	36.8	40.5	45.6	44.0	50	54.8	50	81.0	1945	0.42	0.42	44	75	0.45	270	13
03/28 (087-m)	36.1	42.6	54.3	44.5	50	55.2	50	81.0	1945	0.12	0.12	46	340	1.29	338	13
03/29 (088-t)	29.9	37.0	46.2	47.4	50	58.2	50	79.0	1963	0.00	0.00	50	227	1.60	229	13
03/30 (089-w)	26.7	37.5	51.5	45.0	50	55.0	50	81.7	1986	0.00	0.00	47	387	1.50	284	13
03/31 (090-t)	31.8	41.5	55.2	45.0	48	56.2	48	81.9	1986	0.00	0.00	45	514	1.27	336	13

Column Min's:	12.2	27.4	30.1	24.8	34.9	45.0	0.00	38	0.06	58	0.27	215
Column Avg's:	28.2	38.6	50.3	30.2	40.0	50.2	0.06	67	0.11	305	1.09	284
Column Max's:	39.8	59.6	74.4	36.8	47.4	58.2	0.42	93	0.29	514	1.60	347
Column Ttl's:							1.77		3.52	9451		8798

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE mo da jul	A I R		T E M P E R A T U R E (degrees Fahrenheit)				W A T E R B A L A N C E (inches)			S O L A R R A D I A T I O N											
	min	avg	maxCurrent.....	min	year	avgm	yr	yr	avg	pr	yr	ly	ly/m	max	Lng-Trm	avg	yr			
04/01 (091-f)	27.1	45.5	62.5		18.0	1964	36.7	49	47.2	49	57.7	50	79.0	1963	0.00	0.08	47	535	1.25	337	13
04/02 (092-s)	40.9	55.5	70.8		21.0	1961	36.4	49	46.9	48	57.5	48	82.0	1963	0.02	0.21	46	502	1.52	326	13
04/03 (093-s)	28.4	39.5	51.8		19.0	1972	35.6	49	45.7	49	55.8	49	77.0	1956	0.42	0.17	49	113	0.68	255	13
04/04 (094-m)	25.1	40.2	55.9		22.0	1964	35.8	51	46.6	51	57.8	51	81.7	1986	0.00	0.22	46	555	1.35	344	13
04/05 (095-t)	37.9	49.0	59.0		17.0	1970	36.0	49	46.3	49	56.6	49	81.4	1988	0.01	0.19	48	176	0.73	263	13
04/06 (096-w)	29.4	35.3	47.1		18.6	1982	36.9	49	45.8	49	55.4	49	76.8	1991	0.43	0.13	44	66	0.64	262	13
04/07 (097-t)	25.8	35.2	47.8		15.5	1982	35.2	49	46.9	49	59.0	49	83.0	1954	0.01	0.12	44	587	1.32	410	13
04/08 (098-f)	27.7	43.5	60.7		16.0	1972	36.1	49	47.1	49	58.4	49	79.0	1969	0.00	0.10	50	562	1.33	382	13
04/09 (099-s)	45.7	53.7	62.2		17.0	1972	35.7	51	46.6	51	57.8	51	81.0	1953	0.19	0.11	49	128	0.50	302	13
04/10 (100-s)	41.7	49.2	54.2		22.3	1989	34.3	50	45.8	50	57.4	50	82.0	1945	1.30	0.15	47	175	0.70	380	13
04/11 (101-m)	40.7	42.0	43.7		23.3	1989	36.7	49	47.8	49	59.7	50	84.0	1945	0.29	0.10	49	64	0.37	415	13
04/12 (102-t)	42.3	56.9	73.7		18.0	1976	37.8	49	48.9	49	59.9	49	80.0	1977	0.04	0.14	47	264	1.47	411	13
04/13 (103-w)	45.7	51.1	60.4		20.0	1950	39.5	50	50.3	49	61.1	49	81.0	1960	0.07	0.12	47	142	1.25	378	13
04/14 (104-t)	38.9	59.6	79.4		21.0	1950	39.6	49	51.7	49	63.8	49	80.0	1977	0.00	0.15	47	544	1.22	327	13
04/15 (105-f)	49.0	58.8	72.0		25.0	1957	40.1	49	50.9	49	61.9	49	80.0	1954	0.22	0.12	46	187	1.13	313	13
04/16 (106-s)	43.8	50.6	59.3		23.9	1988	38.9	49	50.6	49	62.5	49	82.0	1967	0.00	0.08	48	466	1.61	395	13
04/17 (107-s)	41.3	52.4	65.2		25.0	1962	40.0	50	51.0	50	62.4	51	83.0	1964	0.00	0.09	49	608	1.32	358	13
04/18 (108-m)	39.1	60.4	79.5		22.0	1990	40.6	50	52.8	50	65.0	50	85.0	1958	0.00	0.10	49	492	1.35	429	13
04/19 (109-t)	45.8	63.6	76.2		20.8	1983	42.4	51	54.4	51	66.6	51	85.0	1977	0.00	0.12	49	415	1.48	380	13
04/20 (110-w)	35.7	54.1	68.4		22.7	1983	43.3	51	54.9	51	66.3	51	90.0	1976	0.00	0.15	49	625	1.35	385	13
04/21 (111-t)	43.3	51.2	59.8		26.9	1983	44.1	51	55.5	51	66.8	51	93.0	1976	0.00	0.08	46	320	1.38	349	13
04/22 (112-f)	33.4	47.5	59.3		25.2	1986	43.8	51	55.4	51	67.2	51	87.2	1985	0.00	0.17	49	632	1.35	404	13
04/23 (113-s)	33.0	50.5	66.9		23.5	1986	44.1	51	56.0	51	67.8	51	88.0	1960	0.00	0.19	46	634	1.39	481	13
04/24 (114-s)	41.8	61.9	79.2		29.6	1983	44.3	51	55.1	51	65.8	51	89.0	1960	0.00	0.20	45	622	1.34	388	12
04/25 (115-m)	54.2	69.0	82.9		23.6	1983	43.7	51	56.1	51	68.3	51	87.0	1990	0.00	0.15	47	546	1.45	466	13
04/26 (116-t)	57.5	71.4	84.0		26.0	1972	44.1	51	55.8	51	67.4	51	88.0	1948	0.00	0.08	48	543	1.77	472	13
04/27 (117-w)	54.3	68.2	80.9		29.0	1972	44.3	50	55.6	50	67.3	50	88.4	1986	0.02	0.11	50	477	1.53	431	13
04/28 (118-t)	48.1	57.9	71.7		28.0	1976	42.9	50	54.7	50	66.6	50	83.0	1951	0.01	0.12	48	331	1.41	407	13
04/29 (119-f)	49.4	60.0	65.3		24.0	1977	43.8	51	55.4	51	66.9	51	84.0	1951	0.01	0.10	46	126	0.86	409	13
04/30 (120-s)	44.3	51.6	62.6		27.0	1977	45.7	51	57.2	51	69.1	51	88.0	1962	0.00	0.12	46	104	0.48	449	13

Column Min's:	25.1	35.2	43.7	15.5	34.3	45.7	55.4
Column Avg's:	40.4	52.8	65.4	51.2	39.9	62.5	69.1
Column Max's:	57.5	71.4	84.0	57.2	45.7	69.1	93.0
Column Ttl's:							3.04

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	min	avg	prec	liq	ly	max													
mo da jul	Current	Long Term	Year	Year	Year	Year	Year	Year													
05/01 (121-s)	33.9	42.0	29.0	45.5	51	57.3	51	69.2	51	88.0	1951	0.00	0.00	75	0.12	47	152	0.60	380	13	
05/02 (122-m)	29.5	46.6	29.0	44.9	50	57.6	50	70.2	50	91.0	1951	0.01	0.01	63	0.10	49	592	1.57	456	12	
05/03 (123-t)	44.8	48.2	28.0	44.4	51	56.5	51	68.6	51	89.0	1959	0.00	0.00	84	0.10	50	180	0.59	378	13	
05/04 (124-w)	45.4	49.1	29.0	44.6	51	56.3	51	68.2	51	91.0	1949	0.00	0.00	88	0.14	47	172	0.84	379	13	
05/05 (125-t)	44.0	58.3	30.0	46.2	50	57.8	50	69.4	50	92.0	1949	0.00	0.00	65	0.08	46	531	1.47	386	13	
05/06 (126-f)	45.0	52.6	32.0	47.0	51	58.9	51	71.0	51	91.0	1949	0.01	0.01	69	0.12	47	387	1.57	445	12	
05/07 (127-s)	44.5	48.6	26.0	46.1	51	57.7	51	69.3	51	84.0	1965	0.00	0.00	90	0.08	47	72	0.35	458	13	
05/08 (128-s)	44.1	53.9	30.0	44.5	51	56.5	51	68.3	51	86.0	1965	0.00	0.00	66	0.15	51	610	1.60	496	13	
05/09 (129-m)	45.1	57.7	29.0	46.7	50	57.4	50	68.9	50	90.2	1993	0.27	0.27	56	0.17	47	495	1.68	459	13	
05/10 (130-t)	41.1	56.5	28.0	46.6	50	58.4	50	69.9	50	90.0	1993	0.00	0.00	43	0.16	44	540	1.29	525	13	
05/11 (131-w)	42.7	60.0	30.0	47.1	51	59.9	51	71.8	51	87.6	1993	0.20	0.20	47	0.13	47	524	1.39	558	13	
05/12 (132-t)	43.8	55.0	34.0	49.2	51	60.9	51	72.3	51	89.2	1982	0.09	0.09	65	0.17	47	638	1.82	434	13	
05/13 (133-f)	39.8	55.8	33.0	49.6	51	60.7	51	72.2	51	90.2	1982	0.00	0.00	47	0.22	50	667	1.60	454	13	
05/14 (134-s)	45.5	61.2	34.0	49.7	50	61.7	50	73.6	50	91.4	1982	0.13	0.13	56	0.12	47	445	1.76	473	13	
05/15 (135-s)	52.8	63.9	34.0	49.7	51	62.7	51	75.1	51	91.1	1982	0.10	0.10	85	0.18	46	218	1.57	419	13	
05/16 (136-m)	49.5	57.7	30.0	49.7	51	62.3	51	74.1	51	93.0	1962	0.06	0.06	64	0.16	49	673	1.61	501	13	
05/17 (137-t)	42.6	54.3	32.0	49.7	51	62.5	51	74.2	51	92.0	1962	0.00	0.00	62	0.17	49	663	1.79	542	13	
05/18 (138-w)	41.3	52.6	31.0	49.7	50	62.1	51	73.7	51	94.0	1962	0.00	0.00	58	0.17	48	641	1.79	393	13	
05/19 (139-t)	41.4	55.4	37.0	49.5	51	63.2	51	74.6	51	93.0	1962	0.00	0.00	59	0.11	48	594	1.68	411	13	
05/20 (140-f)	44.9	59.2	36.0	49.5	51	63.4	51	75.4	51	92.0	1962	0.00	0.00	49	0.14	49	704	1.45	412	13	
05/21 (141-s)	43.5	63.5	35.0	49.5	51	63.7	51	75.9	51	91.0	1977	0.00	0.00	44	0.09	45	689	1.41	401	13	
05/22 (142-s)	49.4	71.2	37.5	49.5	51	64.7	51	76.7	51	90.3	1994	0.00	0.00	43	0.16	50	635	1.33	476	13	
05/23 (143-m)	55.8	73.5	37.0	49.5	51	64.6	51	76.7	51	89.6	1994	0.00	0.00	49	0.21	48	549	1.50	449	13	
05/24 (144-t)	60.9	72.1	39.0	49.5	50	65.0	49	76.8	50	88.0	1965	0.01	0.01	56	0.19	47	556	1.59	488	12	
05/25 (145-w)	60.2	67.3	36.0	49.5	50	64.5	50	75.9	51	91.0	1953	0.66	0.66	71	0.16	49	441	1.82	392	13	
05/26 (146-t)	47.6	61.1	36.6	49.5	51	64.0	50	75.4	50	90.0	1944	0.12	0.12	72	0.30	47	490	1.71	471	13	
05/27 (147-f)	44.1	53.2	33.7	49.5	51	63.4	51	75.0	51	90.0	1944	0.00	0.00	50	0.19	48	697	1.51	535	13	
05/28 (148-s)	39.8	58.7	36.0	49.5	51	63.7	51	74.4	51	89.8	1987	0.00	0.00	50	0.17	50	685	1.40	455	13	
05/29 (149-s)	49.2	66.5	39.0	49.5	50	64.4	49	75.4	49	91.3	1987	0.00	0.00	40	0.05	49	717	1.44	418	13	
05/30 (150-m)	58.3	72.1	34.8	49.5	50	65.7	49	77.7	50	92.4	1988	0.00	0.00	55	0.06	51	584	1.35	463	13	
05/31 (151-t)	61.4	74.4	36.1	49.5	50	66.7	50	78.9	51	93.8	1988	0.00	0.00	55	0.10	48	603	1.55	489	12	
Column Min's:	29.5	42.0	26.0	44.4	56.3	68.2	68.2	68.2	68.2	94.0	0.00	0.00	40	0.05	47	72	0.35	378			
Column Avg's:	46.2	58.8	49.8	61.4	73.2	73.2	73.2	73.2	73.2	94.0	0.05	0.05	60	0.14	45	521	1.44	451			
Column Max's:	61.4	74.4	54.7	66.7	78.9	78.9	78.9	78.9	78.9	94.0	0.66	0.66	90	0.30	47	717	1.82	558			
Column Ttl's:											1.66	1.66		4.47	47	16144		13996			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		Long Term		WATER BALANCE (inches)		Long Term		SOLAR RADIATION											
	min	avg	max	min	year	avgmn	max	avg	max	prec	liq	evap	hum	ly	max	Lng-Trm								
mo da jul	Current								
06/01 (152-w)	59.5	71.2	82.3	39.0	1972	55.2	50	67.1	50	79.0	50	95.0	1988	0.00	0.00	--	--	44	0.19	44	685	1.42	533	13
06/02 (153-t)	50.6	61.1	73.1	42.0	1966	53.8	50	65.3	50	77.2	50	95.0	1951	0.00	0.00	--	--	30	0.20	47	621	1.63	462	12
06/03 (154-f)	44.6	63.3	78.1	41.0	1977	54.0	51	65.4	51	77.0	51	92.0	1949	0.00	0.00	--	--	45	0.17	46	695	1.45	487	12
06/04 (155-s)	54.0	69.3	84.5	41.4	1988	53.8	51	65.8	50	77.8	50	92.0	1944	0.00	0.00	--	--	43	0.03	48	670	1.44	431	13
06/05 (156-s)	56.8	73.6	87.6	37.9	1990	55.3	50	67.8	49	80.2	50	90.0	1944	0.00	0.00	--	--	39	0.08	47	685	1.37	460	13
06/06 (157-m)	66.7	74.8	88.4	40.0	1945	56.8	50	68.9	49	81.1	50	93.5	1988	0.03	0.03	--	--	62	0.21	49	393	1.44	513	13
06/07 (158-t)	64.2	75.3	92.2	44.0	1944	57.9	51	69.2	51	80.7	51	93.2	1988	0.01	0.01	--	--	61	0.05	47	481	1.35	459	13
06/08 (159-w)	56.8	60.2	67.3	39.0	1977	58.3	51	70.1	51	82.1	51	94.0	1952	0.00	0.00	--	--	71	0.10	51	244	1.57	539	13
06/09 (160-t)	52.4	65.4	80.3	44.0	1975	58.7	50	70.0	50	81.0	51	93.0	1953	0.00	0.00	--	--	39	0.14	50	635	1.83	546	13
06/10 (161-f)	57.2	71.6	87.8	39.0	1977	57.6	50	69.8	50	81.9	50	93.0	1954	0.00	0.00	--	--	32	0.17	48	651	1.74	526	13
06/11 (162-s)	58.7	73.5	90.3	34.0	1972	56.5	48	69.4	49	81.7	50	92.0	1946	0.00	0.00	--	--	41	0.06	50	662	1.87	569	13
06/12 (163-s)	60.2	72.1	87.9	42.0	1980	58.6	49	69.8	49	81.4	49	93.0	1954	0.00	0.00	--	--	57	0.14	49	474	1.63	420	12
06/13 (164-m)	67.2	79.1	90.8	43.1	1985	59.3	47	71.0	47	82.6	48	95.0	1956	0.02	0.02	--	--	60	0.17	46	627	1.53	556	12
06/14 (165-t)	70.6	81.2	92.1	43.0	1978	59.3	46	70.5	46	82.1	49	95.4	1988	0.00	0.00	--	--	61	0.17	50	605	1.64	537	12
06/15 (166-w)	70.6	81.7	96.4	21.7	1986	59.3	49	71.0	49	82.0	50	96.4	1994	0.00	0.00	--	--	61	0.13	48	494	1.44	479	12
06/16 (167-t)	70.0	77.3	93.6	42.0	1961	59.2	50	70.4	49	81.9	50	96.0	1952	0.12	0.12	--	--	71	0.15	46	342	1.67	448	13
06/17 (168-f)	67.6	79.8	97.6	42.0	1980	57.9	49	69.6	49	81.4	50	97.6	1994	0.00	0.00	--	--	62	0.08	50	499	1.44	543	13
06/18 (169-s)	70.6	83.8	98.4	47.0	1986	58.9	49	70.3	48	82.3	50	99.0	1944	0.00	0.00	--	--	54	0.09	48	627	1.39	545	13
06/19 (170-s)	70.0	83.8	98.1	47.0	1959	60.0	49	71.6	49	83.3	51	98.1	1994	0.00	0.00	--	--	53	0.11	50	620	1.40	505	12
06/20 (171-m)	69.4	80.1	97.3	42.0	1970	59.2	50	70.6	50	82.4	50	97.3	1994	0.12	0.12	--	--	64	0.15	49	499	1.34	400	13
06/21 (172-t)	67.4	79.0	97.4	47.0	1980	59.7	51	71.3	51	83.4	51	99.2	1988	0.01	0.01	--	--	67	0.09	48	493	1.40	546	13
06/22 (173-w)	65.9	78.8	94.9	41.7	1992	59.9	51	71.3	51	82.9	51	97.6	1988	0.00	0.00	--	--	54	0.11	49	687	1.40	473	13
06/23 (174-t)	67.4	73.5	82.8	46.2	1982	59.7	51	70.8	51	82.1	51	95.0	1948	0.51	0.51	--	--	77	0.17	47	243	1.22	470	13
06/24 (175-f)	61.2	72.3	84.2	45.8	1982	59.3	51	71.4	51	83.7	51	94.0	1949	0.18	0.18	--	--	81	0.13	46	343	1.68	572	13
06/25 (176-s)	58.0	66.0	79.0	41.0	1979	59.9	49	71.8	48	83.9	49	103.4	1988	0.01	0.01	--	--	71	0.13	46	325	1.84	588	13
06/26 (177-s)	58.5	63.0	66.1	45.3	1984	59.7	51	72.4	51	84.8	51	98.0	1952	0.84	0.84	--	--	90	0.21	49	81	0.43	573	13
06/27 (178-m)	56.5	66.4	78.7	45.0	1981	60.0	48	72.3	48	85.1	49	101.0	1944	0.09	0.09	--	--	79	0.17	50	382	1.58	552	12
06/28 (179-t)	56.8	70.3	82.3	46.9	1987	61.2	48	73.1	47	85.3	48	103.0	1944	0.00	0.00	--	--	73	0.20	49	499	1.70	541	12
06/29 (180-w)	61.6	71.4	83.9	49.0	1956	62.2	50	73.8	50	85.6	50	99.0	1952	0.44	0.44	--	--	72	0.15	49	457	1.72	461	13
06/30 (181-t)	59.3	68.6	82.7	45.2	1988	62.3	50	73.7	50	85.3	50	99.0	1953	0.00	0.00	--	--	73	0.14	49	479	1.69	477	13

Column Min's:	44.6	60.2	66.1	21.7	53.8	65.3	77.0	65.3	77.0	85.6	103.4	90	0.03	0.00	81	0.43	400
Column Avg's:	61.7	72.9	86.5	58.5	70.2	73.8	82.0	70.2	82.0	85.6	103.4	90	0.14	0.08	507	1.51	507
Column Max's:	70.6	83.8	98.4	62.3	73.8	85.6	98.4	73.8	85.6	103.4	103.4	90	0.21	0.84	695	1.87	588
Column Tot's:													4.09	2.38	15198		15211

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		W A T E R		B A L A N C E (inches)		S O L A R R A D I A T I O N																
	min	avg	max	min	avg	max	prec	liq	evap	hum	avg	Long Term	ly	ly/m	max	Lng.Trm	avg	ly/m	avg	ly/m	avg	ly/m	avg	ly/m			
07/01 (182-f)	58.9	73.0	85.5	41.1	1988	61.9	50	73.2	50	84.6	50	97.0	1953	0.00	--	--	65	0.11	50	667	1.47	478	13	667	1.47	478	13
07/02 (183-s)	64.5	72.5	89.4	49.0	1943	61.5	52	72.8	52	84.5	52	97.0	1954	1.55	--	--	75	0.13	50	418	1.52	461	13	418	1.52	461	13
07/03 (184-s)	65.4	71.7	80.9	50.0	1945	61.6	52	73.3	52	85.1	52	97.0	1966	0.06	--	--	80	0.18	52	446	1.80	527	13	446	1.80	527	13
07/04 (185-m)	66.6	77.8	89.6	48.0	1968	61.4	51	72.8	51	84.3	51	96.0	1948	0.00	--	--	72	0.18	46	605	1.30	515	13	605	1.30	515	13
07/05 (186-t)	71.0	82.2	94.6	47.0	1979	61.8	51	73.5	51	85.4	51	97.0	1949	0.00	--	--	68	0.12	47	630	1.44	531	13	630	1.44	531	13
07/06 (187-w)	71.0	80.4	96.1	43.0	1972	61.0	51	72.5	51	84.1	51	97.4	1988	0.00	--	--	71	0.12	48	485	1.47	544	13	485	1.47	544	13
07/07 (188-t)	69.6	79.1	91.3	45.9	1983	61.0	49	72.8	49	84.7	49	101.3	1988	0.08	--	--	73	0.11	47	597	1.52	558	13	597	1.52	558	13
07/08 (189-f)	70.1	76.3	86.5	47.5	1984	62.1	50	74.1	50	86.0	51	101.4	1988	0.05	--	--	78	0.05	47	428	1.70	525	13	428	1.70	525	13
07/09 (190-s)	63.8	73.5	81.7	52.0	1953	63.2	51	74.6	51	86.2	51	101.6	1988	0.29	--	--	70	0.13	47	652	1.52	511	13	652	1.52	511	13
07/10 (191-s)	55.7	67.7	78.5	49.0	1963	62.8	51	73.8	50	85.4	50	98.0	1944	0.00	--	--	70	0.09	47	502	1.91	487	13	502	1.91	487	13
07/11 (192-m)	52.8	67.6	82.2	48.0	1945	61.1	51	73.2	51	85.7	51	100.0	1944	0.01	--	--	66	0.20	49	703	1.57	424	13	703	1.57	424	13
07/12 (193-t)	58.3	73.5	89.0	47.0	1974	61.8	50	73.4	50	85.4	50	96.9	1983	0.00	--	--	62	0.14	47	661	1.35	437	12	661	1.35	437	12
07/13 (194-w)	63.5	72.8	85.3	47.0	1974	62.1	50	73.2	50	84.7	50	97.0	1954	0.02	--	--	80	0.13	47	354	1.80	455	12	354	1.80	455	12
07/14 (195-t)	70.0	76.4	86.9	47.0	1950	62.7	50	74.0	50	85.6	51	103.0	1954	0.09	--	--	79	0.16	48	424	1.52	473	12	424	1.52	473	12
07/15 (196-f)	66.8	74.6	85.5	48.3	1987	62.3	51	73.5	51	84.9	51	100.1	1988	0.00	--	--	77	0.14	50	392	1.50	482	13	392	1.50	482	13
07/16 (197-s)	58.7	71.3	84.5	49.0	1945	62.0	51	74.1	51	86.4	51	99.6	1988	0.00	--	--	67	0.06	50	646	1.50	582	13	646	1.50	582	13
07/17 (198-s)	58.9	72.0	86.1	48.0	1976	62.1	51	73.9	51	85.9	51	94.6	1983	0.06	--	--	72	0.10	48	475	1.69	543	13	475	1.69	543	13
07/18 (199-m)	63.1	74.7	86.7	48.0	1976	63.0	52	74.7	52	86.9	52	97.0	1952	0.05	--	--	70	0.10	51	632	1.50	544	13	632	1.50	544	13
07/19 (200-t)	58.0	75.5	88.3	47.0	1979	63.7	52	75.2	52	86.8	52	97.0	1946	0.02	--	--	66	0.21	48	612	1.60	499	13	612	1.60	499	13
07/20 (201-w)	70.0	79.4	91.3	45.0	1947	63.4	52	74.5	51	85.9	51	98.0	1954	0.01	--	--	69	0.20	52	513	1.51	451	12	513	1.51	451	12
07/21 (202-t)	66.9	75.5	88.1	46.0	1970	63.6	52	74.4	52	86.0	52	97.1	1983	0.09	--	--	75	0.16	48	454	1.56	462	13	454	1.56	462	13
07/22 (203-f)	66.3	72.3	83.3	49.0	1947	63.6	52	74.4	52	85.8	52	100.0	1952	0.12	--	--	83	0.16	49	307	1.59	441	13	307	1.59	441	13
07/23 (204-s)	62.2	73.9	85.3	47.0	1947	62.9	52	73.9	52	85.5	52	97.0	1952	0.01	--	--	71	0.19	45	554	1.64	514	13	554	1.64	514	13
07/24 (205-s)	63.8	74.6	86.7	50.0	1947	63.0	51	74.4	51	86.1	51	99.0	1965	0.37	--	--	69	0.12	51	567	1.54	541	13	567	1.54	541	13
07/25 (206-m)	62.6	72.7	84.3	53.0	1947	62.3	52	74.1	52	86.2	52	95.0	1944	0.12	--	--	75	0.17	52	496	1.90	475	12	496	1.90	475	12
07/26 (207-t)	59.3	69.4	83.0	49.0	1946	62.8	52	74.2	52	86.1	52	99.0	1952	0.00	--	--	67	0.11	48	512	1.80	452	13	512	1.80	452	13
07/27 (208-w)	57.5	67.3	81.1	47.0	1977	62.7	52	74.5	52	86.8	52	100.0	1952	0.07	--	--	71	0.11	49	426	1.82	518	13	426	1.82	518	13
07/28 (209-t)	56.0	67.6	80.7	48.0	1977	63.3	52	74.4	52	85.7	52	100.0	1952	0.00	--	--	74	0.20	50	479	1.59	530	13	479	1.59	530	13
07/29 (210-f)	57.2	65.4	82.8	46.0	1981	62.1	52	73.4	52	84.9	52	97.0	1953	0.23	--	--	84	0.09	48	280	1.58	540	13	280	1.58	540	13
07/30 (211-s)	55.7	69.2	81.8	46.0	1981	61.8	51	73.6	51	85.6	51	99.0	1954	0.00	--	--	73	0.05	49	547	1.49	507	13	547	1.49	507	13
07/31 (212-s)	60.8	72.6	85.0	49.0	1991	61.7	51	72.9	51	84.4	51	97.0	1954	0.00	--	--	68	0.10	50	567	1.35	442	13	567	1.35	442	13

Column Min's: 52.8
 Column Avg's: 62.7
 Column Max's: 71.0
 Column Tot's: 71.0

65.4
 73.3
 82.2
 84.1
 85.5
 86.9

41.1
 61.0
 62.3
 63.7

0.00
 0.12
 1.55
 3.80

280
 517
 703
 16031

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE		A I R				T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION					
mo	da	min	avg	maxCurrent.....	min	year	avg	maxLong Term.....	prec	snow	evap	hum	ly	max	Lng-Trm		
						yr	yr	yr	yr	yr	ly	pr	pr	%	yr	ly/m	avg	yr	
08/01	(213-m)	62.6	74.3	87.3	47.1	1992	60.7	51	73.1	51	85.6	51	97.0	1953	0.01	496	1.43	513	13
08/02	(214-t)	63.9	74.9	89.2	48.0	1976	61.1	51	73.4	51	85.8	51	97.3	1991	0.00	479	1.22	545	13
08/03	(215-w)	62.1	73.6	86.1	46.0	1965	62.4	50	74.3	50	86.5	50	97.0	1964	0.00	531	1.30	501	13
08/04	(216-t)	66.8	72.4	85.5	46.0	1976	62.0	48	72.8	48	84.2	49	98.0	1947	0.76	397	1.46	428	13
08/05	(217-f)	52.6	63.4	70.0	45.0	1972	60.7	50	71.9	50	83.5	50	98.0	1956	0.04	438	1.77	427	12
08/06	(218-s)	47.4	59.9	72.9	47.0	1948	60.8	49	71.9	49	83.6	49	98.0	1947	0.00	594	1.73	440	12
08/07	(219-s)	49.8	64.3	78.7	49.0	1976	60.3	50	71.6	50	83.4	50	93.0	1983	0.00	595	1.57	475	13
08/08	(220-m)	51.5	69.1	83.8	43.0	1976	60.5	51	72.6	51	84.9	51	94.1	1983	0.00	584	1.33	505	13
08/09	(221-t)	51.3	65.8	75.4	48.0	1976	61.7	50	72.7	50	83.7	50	98.0	1944	0.00	264	1.54	461	12
08/10	(222-w)	49.2	63.1	77.9	43.0	1972	61.3	52	72.5	52	84.2	52	100.0	1944	0.00	484	1.68	391	12
08/11	(223-t)	62.5	70.3	82.1	46.0	1972	60.8	51	71.8	51	83.3	51	97.0	1944	0.00	324	1.51	460	13
08/12	(224-f)	--	--	--	46.0	1967	59.1	51	71.0	51	83.3	51	94.0	1944	--	--	--	510	12
08/13	(225-s)	69.4	78.8*	88.2	47.0	1971	60.1	52	71.6	52	83.5	52	94.0	1944	0.00	--	1.55	448	12
08/14	(226-s)	52.6	71.1	78.9	46.0	1964	60.2	52	72.8	52	85.6	52	95.0	1944	0.00	409	1.54	494	12
08/15	(227-m)	44.3	62.2	78.4	44.0	1979	61.6	51	73.3	51	85.3	51	96.0	1944	0.00	602	1.55	483	13
08/16	(228-t)	51.3	66.0	79.9	42.0	1979	60.9	50	72.1	50	84.0	52	95.0	1944	0.00	600	1.32	462	13
08/17	(229-w)	61.5	70.6	85.0	44.0	1976	61.1	51	72.4	51	84.2	51	99.6	1988	0.00	482	1.50	416	13
08/18	(230-t)	57.9	70.6	86.5	43.0	1981	59.8	50	71.6	50	83.9	50	95.0	1947	0.00	489	1.45	462	13
08/19	(231-f)	56.8	72.8	88.7	47.0	1976	59.8	46	71.7	46	84.2	46	98.0	1955	0.02	516	1.28	459	13
08/20	(232-s)	64.5	71.2	82.8	49.0	1977	59.4	47	71.2	47	83.7	47	101.4	1983	1.01	316	1.14	404	13
08/21	(233-s)	59.3	67.6	77.6	45.0	1950	58.5	48	70.9	47	83.6	48	99.0	1955	0.01	393	1.79	446	13
08/22	(234-m)	57.7	68.0	80.1	46.0	1950	59.5	47	70.8	47	82.4	47	95.5	1983	0.00	517	1.31	363	13
08/23	(235-t)	57.9	67.1	78.5	47.0	1973	59.8	47	71.2	47	83.0	47	95.0	1959	0.00	533	1.19	384	13
08/24	(236-w)	57.4	70.1	83.8	47.0	1946	58.6	47	70.5	47	83.0	47	95.0	1959	0.00	501	1.32	401	13
08/25	(237-t)	63.3	74.6	90.0	45.0	1977	58.2	47	70.6	47	83.3	47	96.0	1959	0.00	462	1.37	439	13
08/26	(238-f)	62.2	73.3	89.0	46.0	1958	59.1	48	71.4	47	84.2	47	97.0	1948	0.08	379	1.31	432	13
08/27	(239-s)	62.6	74.5	88.2	47.0	1945	60.0	47	71.7	47	84.1	47	99.0	1948	0.00	465	1.31	376	13
08/28	(240-s)	66.8	73.2	86.7	40.6	1986	61.0	45	71.9	45	83.0	46	96.0	1948	1.11	369	1.37	336	13
08/29	(241-m)	54.3	66.1	78.6	37.8	1986	59.5	46	71.5	46	84.1	46	98.0	1953	0.00	556	1.43	465	13
08/30	(242-t)	49.8	64.4	77.6	41.0	1946	59.5	48	71.8	47	84.5	47	100.0	1953	0.00	334	1.45	413	13
08/31	(243-w)	59.8	67.9	77.4	43.0	1976	59.8	49	71.3	49	83.3	49	102.0	1951	0.18	162	1.03	402	13
Column Min's:		44.3	59.9	70.0	37.8		58.2		70.5		82.4				0.00	162	1.03	336	
Column Avg's:		57.6	69.4	82.2			60.3		71.9		84.0				0.11	458	1.43	443	
Column Max's:		69.4	78.8	90.0			62.4		74.3		86.5	102.0			1.11	602	1.79	545	
Column Ttl's:															3.22	13271		13741	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* * designates an average calculated as (max+min)/2.]

DATE	A I R			T E M P E R A T U R E (degrees Fahrenheit)			WATER BALANCE (inches)			SOLAR RADIATION			
	min	avg	max	min	year avgmn	max	prec	snow	evap	hum %	ly	ly/m	avg yrs
09/01 (244-t)	50.5	58.8	68.9	42.0	1987	58.3	49	70.2	48	82.1	48	101.0	1953
09/02 (245-f)	46.4	57.4	70.4	44.0	1949	58.7	51	70.5	50	82.6	50	102.0	1953
09/03 (246-s)	45.6	58.2	71.1	44.0	1976	58.6	50	69.8	49	81.4	49	99.0	1953
09/04 (247-s)	46.3	58.9	70.6	39.2	1982	58.8	51	70.1	50	81.8	50	95.0	1953
09/05 (248-m)	54.4	60.4	68.1	40.0	1974	57.9	52	69.7	51	82.1	51	100.0	1954
09/06 (249-t)	53.0	62.7	77.1	38.1	1984	57.1	52	69.2	51	82.0	51	100.0	1954
09/07 (250-w)	45.5	61.6	80.0	37.5	1988	56.3	51	68.1	50	80.4	51	96.0	1945
09/08 (251-t)	51.1	64.9	81.1	39.1	1986	55.1	52	67.9	51	81.4	51	94.0	1959
09/09 (252-f)	52.0	67.7	85.6	39.6	1986	56.4	52	68.9	51	81.8	51	95.0	1955
09/10 (253-s)	55.6	67.2	82.6	41.0	1943	56.0	52	68.2	51	80.4	50	97.1	1983
09/11 (254-s)	54.4	65.2	81.4	37.0	1993	54.2	51	66.1	51	78.6	51	95.0	1952
09/12 (255-m)	46.1	65.9	84.8	40.0	1970	54.3	52	66.0	52	78.1	52	92.0	1952
09/13 (256-t)	56.0	70.3	88.2	36.0	1975	55.1	52	66.9	52	79.3	52	94.0	1991
09/14 (257-w)	61.6	74.2	90.1	33.0	1975	54.2	52	66.1	52	78.6	52	90.2	1991
09/15 (258-t)	63.6	74.2	90.0	34.0	1975	53.3	52	65.0	52	77.1	52	91.4	1991
09/16 (259-f)	62.7	73.6	86.4	38.8	1984	52.4	51	64.6	51	77.3	51	91.0	1948
09/17 (260-s)	60.5	69.5	80.3	37.0	1959	53.0	52	64.7	52	76.9	52	93.0	1948
09/18 (261-s)	49.6	61.6	74.8	35.0	1959	53.4	52	65.1	52	76.8	52	93.0	1955
09/19 (262-m)	43.0	61.8	80.7	37.0	1973	53.8	52	65.2	52	77.0	52	94.0	1955
09/20 (263-t)	47.7	64.7	82.2	34.7	1991	53.6	52	65.0	52	76.8	52	88.0	1978
09/21 (264-w)	47.2	63.9	81.2	34.0	1956	53.5	50	64.5	50	75.7	51	89.0	1978
09/22 (265-t)	54.5	66.0	80.9	33.0	1976	52.1	52	63.7	52	75.6	52	90.0	1970
09/23 (266-f)	53.5	63.2	76.4	29.0	1974	49.4	50	61.0	50	72.6	51	90.0	1970
09/24 (267-s)	56.5	65.8	79.4	29.0	1974	47.6	52	59.7	52	72.1	52	90.0	1959
09/25 (268-s)	51.6	60.2	73.7	35.0	1950	48.6	52	60.6	52	72.8	52	89.0	1970
09/26 (269-m)	46.5	56.7	66.2	34.9	1991	48.4	50	60.8	50	73.5	50	89.8	1986
09/27 (270-t)	51.7	55.0	60.5	33.8	1991	48.8	52	60.9	52	73.1	52	89.0	1946
09/28 (271-w)	46.2	56.5	70.5	35.4	1984	47.6	52	59.9	52	73.0	52	90.0	1959
09/29 (272-t)	41.7	54.8	71.1	32.0	1970	47.8	52	60.0	52	72.8	52	100.0	1953
09/30 (273-f)	40.6	58.3	76.1	31.3	1992	46.8	51	59.0	51	71.9	52	93.0	1953
Column Min's:	40.6	54.8	60.5	29.0		46.8		59.0		71.9			
Column Avg's:	51.2	63.3	77.7	53.4		58.8		65.2		77.5		102.0	
Column Max's:	63.6	74.2	90.1	58.8		82.6		70.5		82.6			
Column Ttl's:												11500	10741

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max Lng-Trm avg yrs
10/01 (274-s)	53.3	86.7	32.8 1987	47.3 51 60.0 51 73.0 52 88.0 1952	0.00	--	340	1.26 261 12
10/02 (275-s)	51.0	58.9	29.0 1974	47.1 51 60.0 51 73.0 52 90.0 1953	0.00	--	374	1.03 327 13
10/03 (276-m)	42.4	53.5	13.5 1984	45.6 51 57.9 50 70.0 51 91.0 1953	0.00	--	426	1.07 321 12
10/04 (277-t)	35.8	48.9	25.5 1987	45.8 52 57.8 52 70.6 52 91.0 1951	0.00	--	346	1.24 299 13
10/05 (278-w)	40.4	49.5	31.2 1988	45.0 51 56.7 51 68.7 51 89.0 1946	0.00	--	190	1.31 301 13
10/06 (279-t)	35.1	52.6	27.0 1980	45.3 52 57.1 52 69.3 52 88.0 1946	0.00	--	408	1.02 327 13
10/07 (280-f)	47.2	63.0	28.0 1952	44.2 51 56.6 51 69.5 51 87.0 1946	0.00	--	372	0.99 305 13
10/08 (281-s)	53.2	65.2	29.0 1974	44.5 51 55.9 51 67.6 51 87.0 1949	0.00	--	337	1.17 294 13
10/09 (282-s)	40.1	54.6	26.2 1989	44.8 51 55.7 51 66.9 51 86.0 1949	0.17	--	371	1.11 230 13
10/10 (283-m)	31.4	45.6	30.6 1993	42.9 50 54.6 50 66.5 51 85.0 1949	0.00	--	413	1.03 251 13
10/11 (284-t)	35.8	48.5	27.0 1964	43.1 51 54.7 50 66.5 50 84.0 1963	0.00	--	404	1.02 267 13
10/12 (285-w)	40.1	53.8	24.2 1988	44.2 52 55.5 52 66.9 52 83.0 1947	0.00	--	389	1.03 220 13
10/13 (286-t)	49.4	56.3	21.1 1988	43.7 52 55.5 52 67.8 52 83.5 1989	0.01	--	208	0.97 273 13
10/14 (287-f)	51.3	58.7	21.0 1979	43.7 51 55.9 51 68.8 51 83.6 1989	0.11	--	284	1.26 277 13
10/15 (288-s)	48.7	58.7	28.0 1969	42.4 52 55.7 52 69.4 52 84.0 1947	0.00	--	342	1.03 275 13
10/16 (289-s)	48.1	60.7	26.9 1991	43.4 52 55.4 52 67.5 52 85.0 1947	0.00	--	368	0.94 238 12
10/17 (290-m)	44.0	60.4	22.0 1970	42.7 52 54.2 52 65.8 52 85.0 1950	0.00	--	357	0.93 249 12
10/18 (291-t)	47.4	61.7	19.0 1976	40.9 52 52.6 52 64.8 52 83.0 1950	0.00	--	277	1.27 223 13
10/19 (292-w)	57.7	59.8	21.0 1976	39.7 51 50.8 51 62.0 51 86.0 1953	0.22	--	58	0.37 213 13
10/20 (293-t)	42.9	57.9	23.0 1972	38.8 52 50.3 52 61.7 52 86.0 1953	0.00	--	249	1.10 170 13
10/21 (294-f)	36.9	52.1	19.0 1974	40.4 52 51.9 52 63.7 52 86.0 1953	0.00	--	337	0.89 196 13
10/22 (295-s)	46.0	54.2	22.0 1974	41.6 51 53.0 51 64.7 51 85.0 1947	0.00	--	238	1.08 214 13
10/23 (296-s)	40.4	53.8	19.0 1969	42.3 52 53.3 52 64.9 52 85.0 1947	0.00	--	346	0.91 220 13
10/24 (297-m)	35.0	45.8	16.0 1981	40.7 52 51.3 52 62.4 52 79.0 1963	0.11	--	139	1.13 187 12
10/25 (298-t)	34.0	41.0	22.0 1981	39.3 52 49.6 52 60.4 52 80.0 1963	0.01	--	172	1.16 225 13
10/26 (299-w)	38.3	43.6	21.0 1962	38.6 52 49.0 52 60.2 52 82.0 1963	0.00	--	180	1.22 249 13
10/27 (300-t)	29.2	43.5	15.0 1976	38.3 52 49.6 52 60.9 52 78.0 1952	0.00	--	316	0.85 244 13
10/28 (301-f)	32.5	47.7	16.0 1976	38.4 52 49.7 52 61.2 52 77.0 1946	0.00	--	326	0.87 251 13
10/29 (302-s)	39.7	51.1	23.6 1988	38.7 51 49.1 50 59.8 50 79.0 1946	0.00	--	318	0.85 232 13
10/30 (303-s)	39.1	53.1	19.0 1980	38.5 51 49.3 51 60.6 51 77.0 1971	0.00	--	297	0.94 207 13
10/31 (304-m)	42.4	52.8	23.8 1988	41.2 51 51.4 51 61.7 51 83.0 1950	0.27	--	51	0.32 182 13
Column Min's:	29.2	41.0	13.5	38.3	0.00		51	0.32 170
Column Avg's:	42.2	54.0	67.8	42.4	0.03		298	1.01 249
Column Max's:	57.7	67.3	86.7	47.3	0.27	91.0	426	1.31 327
Column Ttl's:					0.90		9233	7728

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.