

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	min	max	prec	evap	max	avg														
01/01 (001-s)	23.9	31.5	38.5		20.7	95	28.9	94	37.1	94	62.0	1952	0.06	0.51	--	69	0.12	79	88	0.60	105	13
01/02 (002-s)	26.2	30.4	34.7		20.6	95	28.3	95	35.9	95	59.0	1905	0.00	0.00	--	85	0.11	82	83	0.75	116	13
01/03 (003-m)	23.0	26.7	29.8		21.0	94	28.3	94	35.3	95	61.0	1950	0.01	3.50	--	86	0.11	79	61	0.33	88	13
01/04 (004-t)	19.2	25.3	29.1		19.1	95	26.8	95	34.4	95	60.6	1993	0.00	0.31	--	80	0.13	71	72	0.36	121	13
01/05 (005-w)	13.6	17.8	24.7		18.4	95	26.5	95	34.7	95	62.0	1939	0.01	0.98	--	58	0.06	88	203	0.66	127	13
01/06 (006-t)	14.2	25.7	33.9		20.4	95	28.0	95	35.5	95	67.0	1946	0.13	--	--	85	0.09	81	46	0.19	78	13
01/07 (007-f)	19.6	28.0	33.3		20.8	95	27.9	95	34.9	95	60.1	1989	0.06	--	--	92	0.07	78	36	0.18	117	12
01/08 (008-s)	0.9	8.2	19.6		18.2	95	25.9	95	33.7	95	64.0	1937	0.00	--	--	67	0.10	83	159	0.79	137	13
01/09 (009-s)	1.0	12.0	22.7		17.7	94	26.0	94	34.3	94	62.0	1937	0.02	0.00	--	71	0.08	73	229	0.75	121	12
01/10 (010-m)	-4.7	12.3	24.9		17.6	95	25.7	95	33.7	95	58.0	1950	0.00	0.20	--	63	0.08	78	175	0.87	86	12
01/11 (011-t)	22.5	32.2	38.3		18.9	95	26.2	95	33.6	95	57.0	1975	0.01	0.00	--	75	0.11	81	69	0.28	125	13
01/12 (012-w)	30.7	33.7	41.5		18.2	95	25.8	95	33.7	95	65.0	1916	0.00	0.00	--	85	0.09	82	111	0.72	115	13
01/13 (013-t)	25.0	31.0	33.8		18.1	95	26.2	95	34.4	95	63.0	1916	0.00	0.98	--	86	0.08	80	34	0.16	114	13
01/14 (014-f)	1.2	11.7	25.0		19.0	95	27.4	95	36.0	95	66.0	1932	0.00	0.00	--	63	0.14	78	198	0.76	107	13
01/15 (015-s)	-6.2	-2.8	2.1		18.4	95	26.3	95	34.1	95	65.0	1932	0.00	0.00	--	58	0.08	85	201	0.85	140	13
01/16 (016-s)	-11.9	-0.3	10.8		16.8	95	25.1	95	33.0	95	58.0	1953	0.00	4.02	--	50	0.07	84	178	0.77	153	13
01/17 (017-m)	1.4	16.3	25.5		18.2	95	26.3	95	34.1	95	60.0	1952	0.14	1.50	--	75	0.08	73	37	0.12	81	12
01/18 (018-t)	-21.6	-10.8	1.4		18.2	95	26.3	95	34.2	95	60.0	1929	0.00	0.00	--	54	0.12	85	219	0.85	125	13
01/19 (019-w)	-25.8	-13.7	-2.9		17.2	95	26.1	95	34.9	95	67.0	1907	0.00	0.31	--	52	0.11	83	249	0.81	162	13
01/20 (020-t)	-11.9	0.6	26.5		18.4	95	27.4	95	36.2	95	65.0	1906	0.09	0.00	--	56	0.09	82	250	0.71	139	13
01/21 (021-f)	-20.6	1.1	17.0		19.4	95	27.9	95	36.2	95	72.0	1906	0.00	0.00	--	62	0.14	87	186	0.90	155	13
01/22 (022-s)	13.6	18.6	28.3		20.6	94	28.5	94	36.6	94	71.0	1906	0.00	0.00	--	67	0.16	77	158	0.76	127	12
01/23 (023-s)	18.8	31.9	37.9		18.5	95	27.4	95	36.1	95	65.0	1933	0.00	0.00	--	83	0.10	80	72	0.29	134	13
01/24 (024-m)	34.8	36.1	37.6		18.5	94	27.2	94	35.8	94	66.0	1909	0.00	0.00	--	90	0.09	76	48	0.18	122	12
01/25 (025-t)	23.7	33.8	37.4		18.8	94	27.4	94	35.7	95	73.0	1950	0.26	1.50	--	98	0.08	85	47	0.34	140	12
01/26 (026-w)	14.5	19.3	24.5		16.4	95	25.6	94	34.9	94	67.0	1950	0.00	0.00	--	76	0.09	82	141	0.62	151	13
01/27 (027-t)	24.5	34.2	41.1		16.2	95	24.9	95	33.6	95	70.0	1916	0.87	0.00	--	89	0.12	89	39	0.20	185	13
01/28 (028-f)	28.8	39.6	46.9		15.9	95	25.0	95	34.0	95	65.0	1916	0.64	0.00	--	87	0.06	86	44	0.88	163	13
01/29 (029-s)	16.8	26.4	30.4		16.6	95	25.1	95	33.5	95	64.0	1914	0.00	0.20	--	74	0.10	79	91	0.87	132	13
01/30 (030-s)	10.4	20.4	25.5		17.3	95	25.7	95	34.1	95	60.0	1947	0.01	0.00	--	76	0.12	80	201	0.73	133	13
01/31 (031-m)	7.5	16.0	26.9		16.6	94	25.0	94	33.4	94	60.0	1916	0.00	0.98	--	75	0.09	83	165	0.73	145	12
Column Min's:	-25.8	-13.7	-2.9		15.9		24.9		33.0				0.00	0.00		50	0.06		34	0.12	78	
Column Avg's:	10.1	19.1	27.3		18.4		26.6		34.8				0.07	0.54		74	0.10		125	0.58	127	
Column Max's:	34.8	39.6	46.9		21.0		28.9		37.1		73.0		0.87	4.02		98	0.16		250	0.90	185	
Column Totals:													2.31	14.99			3.07		3890		3944	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	avg	min	max	prec	evap	ly	max														
mo da jul	Current	liq	%	Long Term	Ly/m	avg yrs													
	min	avg	max	avg	prec	hum	avg pr yrs	ly	avg yrs													
11/01 (305-t)	37.3	45.2	57.7	21.0	1925	38.8	95	48.8	94	59.0	94	80.0	1950	0.22	0.00	0.00	0.09	86	35	0.23	164	13
11/02 (306-w)	30.8	43.3	56.9	17.0	1905	37.2	95	47.4	95	57.5	95	78.2	1987	0.05	0.00	0.00	0.13	85	286	0.78	164	13
11/03 (307-t)	38.5	53.0	63.8	15.0	1951	34.9	95	45.3	95	55.7	95	79.0	1961	0.00	0.00	0.00	0.09	86	114	0.86	163	13
11/04 (308-f)	58.9	64.4	71.1	13.5	1991	35.4	94	44.6	94	53.9	94	74.0	1935	0.00	0.00	0.00	0.11	85	23	0.26	93	12
11/05 (309-s)	56.4	61.3	67.0	10.4	1991	34.7	95	43.7	95	52.5	95	75.0	1948	0.21	0.00	0.00	0.11	85	66	0.38	109	12
11/06 (310-s)	44.0	53.3	64.2	18.0	1901	33.5	95	42.7	95	52.0	95	73.0	1924	0.02	0.00	0.00	0.04	82	31	0.20	122	13
11/07 (311-m)	30.8	43.1	56.2	13.0	1930	33.7	94	42.6	94	51.8	95	78.0	1938	0.05	0.00	0.00	0.09	85	237	1.09	124	13
11/08 (312-t)	39.7	54.3	68.0	16.0	1991	34.0	95	43.2	94	52.4	94	71.0	1945	0.00	0.00	0.00	0.06	88	224	0.93	187	13
11/09 (313-w)	41.3	52.9	59.5	12.2	1991	33.6	95	42.8	95	52.1	95	73.0	1975	0.60	0.00	0.00	0.10	84	13	0.10	134	13
11/10 (314-t)	34.3	42.7	53.5	16.2	1991	32.4	95	41.6	94	50.8	94	70.0	1949	0.18	0.00	0.00	0.13	84	258	0.79	131	13
11/11 (315-f)	25.5	37.0	50.3	16.0	1957	33.3	95	42.1	95	50.9	95	74.0	1915	0.00	0.00	0.00	0.10	85	267	0.72	113	13
11/12 (316-s)	25.5	41.1	53.3	12.0	1913	31.9	95	41.2	95	50.3	95	74.0	1949	0.00	0.00	0.00	0.09	85	96	0.50	139	13
11/13 (317-s)	35.5	51.2	68.9	10.0	1911	32.3	95	41.1	95	50.2	95	72.0	1909	0.00	0.00	0.00	0.06	85	193	0.75	153	13
11/14 (318-m)	48.5	60.1	70.6	10.4	1986	31.6	95	41.0	94	50.5	94	72.0	1909	0.00	0.00	0.00	0.09	87	166	0.81	167	13
11/15 (319-t)	43.1	49.8	58.7	12.0	1933	33.3	95	41.5	95	49.8	95	73.0	1927	0.01	0.00	0.00	0.09	82	106	0.88	118	13
11/16 (320-w)	41.5	44.4	47.8	1.0	1933	31.4	95	40.8	95	50.4	95	71.0	1931	0.01	0.00	0.00	0.15	83	61	0.29	107	13
11/17 (321-t)	32.9	46.6	57.6	5.0	1933	31.8	95	40.7	95	49.5	95	74.0	1958	0.00	0.00	0.00	0.14	88	236	0.68	150	13
11/18 (322-f)	44.9	51.6	62.0	8.0	1959	32.5	95	41.5	95	50.6	95	70.0	1941	0.00	0.00	0.00	0.07	79	209	0.89	119	13
11/19 (323-s)	32.4	43.4	55.8	13.0	1903	32.4	95	40.6	95	49.0	95	72.5	1985	0.00	0.00	0.00	0.10	81	235	0.82	127	13
11/20 (324-s)	39.4	49.1	59.9	11.0	1903	31.6	95	40.2	95	48.9	95	72.0	1931	0.00	0.00	0.00	0.10	85	144	0.83	124	13
11/21 (325-m)	44.8	53.7	61.5	12.0	1964	31.6	95	39.6	95	47.6	95	72.0	1906	0.19	0.00	0.00	0.08	80	140	0.91	115	13
11/22 (326-t)	27.6	35.3	45.3	10.0	1964	31.1	94	39.0	94	47.1	95	73.0	1913	0.00	0.00	0.00	0.06	75	190	0.81	122	13
11/23 (327-w)	22.8	29.3	37.0	10.0	1971	29.6	95	37.9	95	46.3	95	74.0	1931	0.01	0.51	0.01	0.08	81	119	0.82	117	13
11/24 (328-t)	20.1	33.9	46.4	7.0	1950	29.0	95	36.4	95	44.3	95	68.0	1931	0.00	0.00	0.00	0.10	84	225	0.66	128	13
11/25 (329-f)	25.8	39.9	48.8	6.0	1950	27.1	95	35.5	94	44.0	94	68.0	1908	0.00	0.00	0.00	0.05	89	206	0.78	134	13
11/26 (330-s)	18.2	31.1	46.1	7.0	1950	29.2	94	36.9	94	44.7	94	66.0	1908	0.00	0.00	0.00	0.14	79	229	0.66	138	12
11/27 (331-s)	29.2	40.8	53.3	1.0	1930	29.1	94	36.8	94	44.3	95	72.5	1990	0.68	0.00	0.00	0.12	83	25	0.17	84	11
11/28 (332-m)	40.8	48.2	60.8	1.0	1930	27.9	95	35.7	94	43.7	94	69.0	1909	0.04	0.00	0.00	0.10	78	165	0.88	69	13
11/29 (333-t)	31.0	40.3	48.4	1.0	1958	26.0	95	33.6	95	41.4	95	66.1	1991	0.00	0.00	0.00	0.08	75	214	0.65	103	13
11/30 (334-w)	25.8	32.3	40.7	-2.0	1929	26.2	95	33.8	95	41.5	95	70.0	1934	0.00	0.00	0.00	0.10	77	149	0.89	105	13
Column Min's:	18.2	29.3	37.0	-2.0		26.0		33.6		41.4				0.00	0.00	0.00	0.04		13	0.10	69	
Column Avg's:	35.6	45.8	56.4			31.9		40.6		49.4				0.08	0.02		0.10		155	0.67	127	
Column Max's:	58.9	64.4	71.1			38.8		48.8		59.0		80.0		0.68	0.51		0.15		286	1.09	187	
Column Tot's:														2.27	0.51		2.85		4662		3823	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min	max	prec	evap	ly	max
03/01 (060-t)	24.9	29.2	1.0	36.8	0.01	0.00	258	0.97
03/02 (061-w)	24.8	28.7	-3.0	32.5	0.00	0.12	71	0.24
03/03 (062-t)	24.6	30.8	-0.0	41.9	0.01	0.00	274	1.51
03/04 (063-f)	32.7	36.1	-2.2	38.2	0.00	0.00	39	0.13
03/05 (064-s)	26.5	36.2	-1.0	45.0	0.00	0.00	253	1.32
03/06 (065-s)	25.5	44.0	-4.0	61.9	0.00	0.00	281	1.24
03/07 (066-m)	34.4	41.7	1.0	51.7	0.10	0.00	78	0.63
03/08 (067-t)	26.2	32.7	-5.0	37.4	0.00	0.00	230	1.07
03/09 (068-w)	25.9	27.3	-8.3	28.6	0.00	2.99	73	0.27
03/10 (069-t)	22.3	27.3	-5.1	34.4	0.57	0.00	294	1.19
03/11 (070-f)	20.3	29.7	1.0	46.5	0.00	0.00	443	1.09
03/12 (071-s)	14.6	33.0	-9.0	48.5	0.00	0.00	425	1.06
03/13 (072-s)	28.5	37.0	-0.0	44.1	0.20	0.00	74	0.36
03/14 (073-m)	23.9	34.9	6.3	43.2	0.08	0.00	218	0.96
03/15 (074-t)	29.4	42.4	0.1	53.0	0.00	0.12	291	1.25
03/16 (075-w)	19.9	23.7	4.0	30.2	0.00	0.00	309	1.33
03/17 (076-t)	13.3	25.9	-4.0	37.2	0.00	0.20	413	1.00
03/18 (077-f)	27.5	31.9	-1.0	42.7	0.10	0.12	75	0.72
03/19 (078-s)	26.1	33.1	-0.0	43.4	0.00	0.00	413	1.23
03/20 (079-s)	23.7	40.6	6.0	57.7	0.00	0.00	454	1.06
03/21 (080-m)	36.8	46.8	8.8	56.5	0.58	0.00	35	0.37
03/22 (081-t)	30.4	45.7	12.0	59.9	0.00	0.00	472	1.11
03/23 (082-w)	39.7	57.3	-5.0	72.9	0.00	0.00	457	1.19
03/24 (083-t)	36.2	58.7	8.0	72.1	0.07	0.00	338	1.22
03/25 (084-f)	23.7	31.5	-1.0	36.2	0.00	0.00	123	0.88
03/26 (085-s)	21.0	34.6	13.0	47.4	0.04	0.00	381	1.38
03/27 (086-s)	36.1	42.3	11.7	49.4	0.27	0.00	56	0.48
03/28 (087-m)	35.1	41.8	9.1	53.7	0.06	0.00	328	1.24
03/29 (088-t)	31.4	37.6	8.0	45.6	0.12	0.00	300	1.43
03/30 (089-w)	27.8	35.2	11.0	45.6	0.00	0.00	405	1.50
03/31 (090-t)	25.2	39.0	7.0	53.4	0.00	0.00	486	1.20
Column Min's:	13.3	23.7	-9.0	28.6	0.00	0.00	35	0.13
Column Avg's:	27.0	36.7	27.7	46.7	0.07	0.11	269	0.99
Column Max's:	39.7	58.7	32.5	72.9	0.58	2.99	486	1.51
Column Ttl's:					2.21	3.55	8347	8396

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	avg	min	max	liq	evap	ly	max														
mo da jul	Current	Long Term	avgm	Long Term	prec	hum	avg	Term														
	min	max	yr	yr	yr	%	pr	avg														
			yr	yr	yr		yr	yr														
04/01 (091-f)	31.4	46.5	61.2	7.0	1923	33.4	95	43.4	95	53.5	95	79.1	1986	0.00	0.00	0.00	0.10	85	469	1.20	318	13
04/02 (092-s)	42.7	56.6	68.8	15.0	1907	33.1	95	43.3	95	53.6	95	80.0	1963	0.00	0.00	0.00	0.14	87	450	1.25	306	13
04/03 (093-s)	25.6	38.5	59.6	17.0	1965	31.8	95	42.8	95	53.8	95	76.0	1928	0.35	0.24	0.00	0.12	80	68	0.30	251	13
04/04 (094-m)	24.6	39.7	55.4	18.0	1964	33.0	95	43.7	95	54.6	95	80.7	1986	0.00	0.00	0.00	0.13	88	530	1.25	278	13
04/05 (095-t)	37.8	47.4	60.5	19.0	1903	34.0	95	45.2	95	56.3	95	82.0	1929	0.14	0.00	0.00	0.11	85	199	0.75	291	13
04/06 (096-w)	30.8	35.3	39.8	17.9	1982	35.5	95	45.7	94	55.9	94	84.0	1929	0.70	0.20	0.00	0.10	82	52	0.32	256	13
04/07 (097-t)	24.4	33.0	42.8	12.6	1982	33.6	95	44.8	95	56.1	95	84.0	1929	0.05	0.00	0.00	0.11	86	547	1.45	386	13
04/08 (098-f)	20.2	38.8	55.9	11.8	1982	32.4	95	43.4	95	54.2	95	76.0	1921	0.00	0.00	0.00	0.13	79	545	1.24	394	13
04/09 (099-s)	41.0	52.9	63.0	15.0	1972	32.9	95	43.4	95	53.9	95	79.0	1915	0.14	0.00	0.00	0.12	82	181	0.92	344	13
04/10 (100-s)	33.0	46.5	51.0	13.0	1909	32.8	95	44.3	95	55.6	95	82.0	1945	0.75	0.00	0.00	0.10	82	151	1.04	352	13
04/11 (101-m)	28.3	39.6	47.4	17.0	1909	34.6	95	46.1	95	57.7	95	87.0	1930	0.20	0.00	0.00	0.14	83	133	0.70	366	13
04/12 (102-t)	43.5	58.0	73.3	20.0	1967	34.8	95	46.2	95	57.5	95	87.0	1930	0.62	0.00	0.00	0.08	87	241	1.39	431	13
04/13 (103-w)	45.2	53.0	62.9	19.0	1950	35.8	95	47.0	95	58.3	95	84.0	1941	0.88	0.00	0.00	0.09	87	134	1.30	353	13
04/14 (104-t)	42.6	56.8	73.6	12.0	1904	36.5	95	48.0	95	59.5	95	82.0	1941	0.00	0.00	0.00	0.13	85	503	1.33	327	13
04/15 (105-f)	51.5	61.9	77.0	21.0	1926	37.4	95	48.2	95	59.0	95	78.0	1976	0.26	0.00	0.00	0.12	82	238	1.32	305	13
04/16 (106-s)	45.1	49.7	56.5	19.0	1928	36.6	95	48.1	95	59.6	95	82.0	1945	0.01	0.00	0.00	0.11	87	304	1.52	364	13
04/17 (107-s)	38.0	50.1	58.9	21.0	1904	37.5	95	49.0	95	60.6	95	80.0	1964	0.00	0.00	0.00	0.11	82	560	1.42	281	13
04/18 (108-m)	31.5	56.1	73.4	22.0	1926	37.9	94	49.9	94	61.9	95	84.0	1914	0.02	0.00	0.00	0.08	85	353	1.47	446	12
04/19 (109-t)	46.2	62.3	68.1	19.7	1983	38.8	94	50.9	94	62.8	94	84.0	1941	0.00	0.00	0.00	0.11	80	499	1.45	420	13
04/20 (110-w)	32.5	49.3	60.4	21.0	1904	39.7	95	51.1	95	62.2	95	82.0	1987	0.00	0.00	0.00	0.15	89	570	1.53	360	13
04/21 (111-t)	31.3	44.9	54.8	20.0	1913	38.8	94	50.5	94	62.4	95	86.2	1985	0.00	0.00	0.00	0.13	86	535	1.36	385	13
04/22 (112-f)	26.0	41.2	55.7	22.0	1922	38.8	95	50.8	95	62.8	95	88.5	1985	0.00	0.00	0.00	0.10	84	620	1.32	423	13
04/23 (113-s)	24.9	46.7	64.8	21.0	1936	39.0	95	51.2	95	63.1	95	88.0	1925	0.00	0.00	0.00	0.11	80	607	1.38	476	12
04/24 (114-s)	42.9	61.7	77.0	24.0	1927	39.2	95	51.1	95	63.0	95	90.0	1925	0.00	0.00	0.00	0.10	85	595	1.26	347	13
04/25 (115-m)	58.3	70.3	83.8	26.0	1974	40.3	95	52.1	95	64.0	95	88.0	1915	0.00	0.00	0.00	0.10	85	534	1.30	476	13
04/26 (116-t)	50.2	67.5	79.2	25.0	1926	39.7	94	52.0	94	64.3	94	88.0	1915	0.00	0.00	0.00	0.09	88	439	1.48	469	11
04/27 (117-w)	40.0	48.3	58.7	24.0	1934	40.5	95	52.3	95	64.2	95	87.3	1986	0.00	0.00	0.00	0.09	90	238	1.20	391	12
04/28 (118-t)	49.4	62.1	72.1	24.0	1977	41.7	95	53.8	95	65.6	95	84.0	1942	0.00	0.00	0.00	0.13	85	242	1.01	395	13
04/29 (119-f)	41.7	49.3	58.1	25.0	1931	42.9	95	54.5	95	66.0	95	87.0	1942	0.43	0.00	0.00	0.13	84	117	0.53	424	13
Column Min's:	20.2	33.0	39.8	7.0		31.8		42.8		53.5		90.0		0.00	0.00	0.00	0.08		52	0.30	251	
Column Avg's:	37.3	50.5	62.5			36.8		48.2		59.5				0.16	0.01	0.00	0.11		367	1.17	369	
Column Max's:	58.3	70.3	83.8			42.9		54.5		66.0				0.88	0.24	0.00	0.15		620	1.53	476	
Column Ttl's:														4.55	0.44		3.35		10654		11068	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	prec	evap	ly	max
05/01 (121-s)	34.1	42.5	26.0	41.9	0.00	0.07	110	0.38
05/02 (122-m)	30.9	44.7	26.0	42.0	0.00	0.14	522	1.70
05/03 (123-t)	30.3	46.8	26.9	42.0	0.00	0.11	325	0.79
05/04 (124-w)	45.2	48.8	26.5	41.6	0.00	0.06	165	0.62
05/05 (125-t)	39.7	55.4	25.0	43.3	0.00	0.22	460	1.59
05/06 (126-f)	42.0	50.1	25.0	44.9	0.09	0.20	641	1.41
05/07 (127-s)	36.5	46.4	25.0	43.6	0.23	0.09	101	0.64
05/08 (128-s)	43.7	52.0	29.0	42.6	0.02	0.19	499	1.70
05/09 (129-m)	42.2	55.3	26.2	44.4	0.00	0.18	364	1.60
05/10 (130-t)	35.1	50.6	24.0	43.1	0.00	0.16	485	1.40
05/11 (131-w)	33.8	56.3	25.0	44.0	0.06	0.26	488	1.41
05/12 (132-t)	36.2	49.8	26.0	44.9	0.01	0.10	243	1.72
05/13 (133-f)	32.4	49.8	30.0	45.6	0.00	0.22	677	1.40
05/14 (134-s)	31.6	57.6	31.0	46.1	0.00	0.07	575	1.48
05/15 (135-s)	53.8	64.8	28.0	46.5	0.42	0.28	162	1.39
05/16 (136-m)	44.7	50.7	29.1	46.5	0.00	0.09	160	1.75
05/17 (137-t)	41.8	45.5	28.0	46.1	0.00	0.08	228	1.25
05/18 (138-w)	39.9	47.4	30.0	46.1	0.00	0.15	439	1.87
05/19 (139-t)	37.4	50.9	32.0	48.6	0.00	0.14	399	1.63
05/20 (140-f)	38.2	55.5	31.0	48.7	0.00	0.25	674	1.45
05/21 (141-s)	39.2	60.6	31.0	47.8	0.00	0.25	657	1.39
05/22 (142-s)	46.0	67.2	31.0	49.2	0.00	0.24	645	1.30
05/23 (143-m)	51.6	66.7	32.0	49.7	0.00	0.31	657	1.36
05/24 (144-t)	47.6	65.1	27.0	49.0	0.40	0.31	430	1.65
05/25 (145-w)	58.9	64.5	30.0	48.8	0.36	0.18	336	1.87
05/26 (146-t)	42.1	56.6	30.0	49.5	0.10	0.18	319	2.01
05/27 (147-f)	35.6	49.4	28.0	49.7	0.00	0.22	656	1.72
05/28 (148-s)	34.8	55.1	32.0	50.1	0.00	0.24	632	1.52
05/29 (149-s)	44.1	63.9	33.0	49.5	0.00	0.30	662	1.35
05/30 (150-m)	49.2	68.8	31.0	50.9	0.00	0.27	582	1.44
05/31 (151-t)	60.6	73.4	32.0	51.6	0.15	0.40	545	1.48
Column Min's:	30.3	42.5	24.0	41.6	0.00	0.06	101	0.38
Column Avg's:	41.3	55.2	46.5	58.6	0.06	0.19	446	1.43
Column Max's:	60.6	73.4	63.8	76.0	0.42	0.40	677	2.01
Column Ttl's:					1.84	5.96	13838	13781

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION															
	min	max	min	max	prec	evap	ly	max														
mo da jul	Current	Long Term	avg	avg	liq	hum	Ly/m	avg														
			Yrs	Yrs	pr	%		Term														
			Yrs	Yrs	Yrs			Yrs														
06/01 (152-w)	44.1	61.0	34.0	1930	52.0	95	64.1	95	76.0	95	96.0	1934	0.00	--	0.28	64	0.11	84	623	1.70	530	13
06/02 (153-t)	40.8	53.4	33.0	1966	52.6	94	64.0	94	75.4	94	95.0	1934	0.00	--	0.31	62	0.15	86	578	1.36	478	13
06/03 (154-f)	38.8	57.7	35.0	1977	51.3	94	63.5	94	75.4	94	96.0	1934	0.00	--	0.22	61	0.12	86	662	1.46	501	13
06/04 (155-s)	44.1	63.6	35.0	1929	51.3	95	64.1	95	76.6	95	98.0	1934	0.00	--	0.26	54	0.10	89	673	1.37	464	13
06/05 (156-s)	47.9	69.4	36.3	1990	53.4	95	65.4	95	77.3	95	97.0	1925	0.00	--	0.33	48	0.09	83	654	1.42	426	13
06/06 (157-m)	41.9	74.1	33.0	1945	53.4	95	66.1	95	78.8	95	95.0	1925	0.00	--	0.15	57	0.19	82	458	1.53	436	13
06/07 (158-t)	56.8	71.3	34.0	1945	54.8	95	66.2	95	77.8	95	93.0	1933	0.11	--	0.42	61	0.15	87	618	1.44	516	13
06/08 (159-w)	45.5	57.5	31.0	1912	53.7	95	65.4	94	77.3	94	96.0	1933	0.00	--	0.12	69	0.14	89	265	1.32	517	13
06/09 (160-t)	41.3	59.7	34.0	1913	53.5	95	65.9	95	78.2	95	95.0	1933	0.00	--	0.23	53	0.12	88	651	1.48	534	13
06/10 (161-f)	46.5	66.9	32.0	1913	53.4	95	66.1	95	78.5	95	94.0	1911	0.00	--	0.26	40	0.12	89	656	1.41	530	13
06/11 (162-s)	57.3	70.7	31.0	1972	54.2	95	66.6	95	78.8	95	94.0	1933	0.00	--	0.33	52	0.11	89	526	1.52	560	12
06/12 (163-s)	51.8	66.6	39.0	1913	55.1	95	67.1	95	79.1	95	93.0	1933	0.04	--	0.17	67	0.11	86	412	1.80	432	13
06/13 (164-m)	59.8	75.2	42.0	1913	55.9	95	67.6	95	79.3	95	92.0	1983	0.00	--	0.28	66	0.12	87	484	1.50	556	13
06/14 (165-t)	70.0	79.8	40.0	1923	56.4	95	68.0	95	79.8	95	93.8	1988	0.00	--	0.27	60	0.19	86	567	1.34	511	13
06/15 (166-w)	67.4	79.6	34.0	1933	55.8	95	67.5	95	79.1	95	95.0	1925	0.00	--	0.26	68	0.12	89	470	--	514	11
06/16 (167-t)	68.5	77.4	36.0	1908	55.5	94	67.1	94	78.9	95	96.9	1994	0.87	--	0.48	75	0.19	90	389	1.39	458	13
06/17 (168-f)	66.8	78.6	36.0	1914	55.4	95	67.6	95	79.6	95	94.5	1994	0.06	--	0.30	71	0.14	89	551	1.42	542	13
06/18 (169-s)	66.4	79.0	38.0	1950	56.2	94	68.1	93	79.9	93	95.7	1994	0.00	--	0.23	73	0.12	88	497	1.43	536	13
06/19 (170-s)	66.1	78.4	42.0	1909	56.7	95	68.5	95	80.3	95	95.5	1994	0.16	--	0.29	71	0.15	91	496	1.43	416	13
06/20 (171-m)	65.6	76.8	36.0	1914	56.5	95	68.5	94	80.5	94	95.0	1933	0.86	--	0.60	73	0.10	87	549	1.32	424	13
06/21 (172-t)	66.6	76.4	40.1	1992	57.2	95	68.8	95	80.5	95	99.1	1988	0.07	--	0.27	73	0.12	87	488	1.59	512	13
06/22 (173-w)	58.8	72.3	35.1	1992	56.8	94	68.7	94	80.5	94	97.6	1988	0.00	--	0.33	55	0.10	90	691	1.36	515	11
06/23 (174-t)	55.1	71.0	38.0	1963	56.4	94	68.6	94	80.5	95	94.0	1911	0.48	--	0.19	70	0.12	89	292	1.41	462	12
06/24 (175-f)	67.4	73.1	37.0	1915	56.3	95	69.1	95	81.6	95	95.0	1914	0.39	--	0.24	85	0.09	85	326	1.55	555	13
06/25 (176-s)	58.8	63.4	40.0	1979	57.6	95	69.9	95	82.0	95	101.4	1988	0.02	--	0.13	77	0.16	86	233	1.36	568	13
06/26 (177-s)	59.5	65.0	43.0	1922	57.7	95	69.9	95	81.9	95	99.0	1952	0.75	--	0.13	85	0.15	90	151	0.44	558	13
06/27 (178-m)	55.4	63.5	42.0	1927	58.2	95	69.9	95	81.8	95	95.0	1913	0.03	--	0.08	90	0.17	87	130	0.66	481	13
06/28 (179-t)	55.0	68.7	43.0	1988	58.7	95	70.4	95	82.0	95	97.0	1934	0.00	--	0.33	72	0.11	91	562	1.66	459	13
06/29 (180-w)	61.6	69.3	45.0	1905	59.3	95	70.9	95	82.5	95	97.0	1934	0.44	--	0.27	71	0.15	90	482	1.67	503	13
06/30 (181-t)	57.1	64.4	39.0	1923	59.0	94	70.7	94	82.5	94	96.0	1913	0.00	--	0.08	80	0.14	91	216	1.77	464	13
Column Min's:	38.8	53.4	31.0		51.3		63.5		75.4				0.00		0.08	40	0.09		130	0.44	416	
Column Avg's:	56.8	69.5			55.5		67.5		79.4				0.14		0.26	67	0.13		478	1.42	499	
Column Max's:	70.0	79.8			59.3		70.9		82.5		101.4		0.87		0.60	90	0.19		691	1.80	568	
Column Ttl's:													4.28		7.84		3.95		14350		14958	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	min	year avg	year avg	max	prec	liq	ly	max	avg											
08/01 (213-m)	58.6	71.7	86.9	44.0	1952	58.3	95	70.6	94	83.0	94	97.0	1933	0.27	0.01	0.11	90	495	1.24	484	13	
08/02 (214-t)	62.8	73.7	86.5	46.0	1905	58.7	95	71.0	95	83.5	95	98.0	1930	0.01	0.01	0.07	89	492	1.27	504	13	
08/03 (215-w)	61.9	74.0	85.9	43.0	1920	59.7	95	71.3	95	83.0	95	98.0	1930	0.00	0.00	0.13	90	455	1.26	471	13	
08/04 (216-t)	63.8	70.8	85.2	42.0	1912	59.4	95	71.0	95	83.0	95	102.0	1930	1.13	0.00	0.14	88	308	1.43	396	13	
08/05 (217-f)	47.8	60.5	67.5	41.0	1912	58.4	94	70.5	94	82.8	94	101.0	1930	0.03	0.03	0.13	88	436	1.78	415	13	
08/06 (218-s)	43.9	59.0	74.6	43.9	1994	58.9	95	70.8	95	82.7	95	105.0	1918	0.00	0.00	0.08	89	617	1.43	434	13	
08/07 (219-s)	47.0	63.7	81.2	47.0	1994	58.6	95	71.1	95	83.6	95	102.0	1918	0.00	0.00	0.20	87	611	1.47	468	13	
08/08 (220-m)	50.7	66.9	81.4	43.0	1903	60.1	95	71.8	95	83.7	95	97.0	1916	0.00	0.00	0.14	89	580	1.32	444	13	
08/09 (221-t)	54.2	63.6	67.2	42.0	1922	59.6	94	71.3	94	83.2	95	97.0	1930	0.00	0.00	0.11	91	104	0.38	451	13	
08/10 (222-w)	53.2	64.4	76.5	40.0	1972	59.6	95	71.0	95	82.4	95	97.0	1911	0.00	0.00	0.13	91	526	1.41	441	13	
08/11 (223-t)	60.9	66.8	77.2	43.0	1972	58.5	95	70.0	95	81.4	95	95.0	1918	0.06	0.06	0.14	89	209	1.51	447	13	
08/12 (224-f)	--	--	--	40.0	1930	57.5	94	69.7	94	81.8	94	93.3	1988	--	--	0.13	89	--	--	--	503	12
08/13 (225-s)	68.8	76.7*	84.5	41.0	1930	58.0	95	70.2	95	82.7	95	96.0	1918	0.17	0.17	0.09	93	--	1.03	410	12	
08/14 (226-s)	55.9	67.2	76.9	43.0	1916	58.2	95	70.5	95	83.1	95	93.0	1910	1.80	1.80	0.13	88	355	1.47	470	13	
08/15 (227-m)	49.7	60.3	73.2	39.0	1962	57.7	95	69.9	95	82.1	95	95.0	1944	0.00	0.00	0.17	92	519	1.47	458	13	
08/16 (228-t)	46.9	63.9	80.1	40.0	1979	58.7	94	70.7	94	82.7	95	94.0	1910	0.00	0.00	0.12	89	573	1.25	455	12	
08/17 (229-w)	60.4	68.6	79.1	44.0	1976	59.3	95	70.6	95	82.1	95	96.5	1988	0.00	0.00	0.07	89	377	1.60	429	13	
08/18 (230-t)	60.2	70.4	83.6	43.0	1953	58.2	95	70.1	95	82.2	95	96.0	1922	0.00	0.00	0.13	92	468	1.39	433	13	
08/19 (231-f)	57.7	71.5	85.1	41.0	1953	57.7	95	69.5	95	81.5	95	95.0	1936	0.00	0.00	0.11	87	480	1.32	413	13	
08/20 (232-s)	64.7	72.1	84.1	41.0	1929	57.2	95	69.0	95	80.9	95	97.0	1962	0.82	0.82	0.15	86	352	1.36	406	13	
08/21 (233-s)	64.0	67.6	74.4	40.0	1922	56.8	94	69.1	94	81.3	95	95.0	1916	0.18	0.18	0.13	89	261	1.25	410	13	
08/22 (234-m)	55.6	67.0	77.8	40.9	1982	56.3	95	68.7	95	81.0	95	99.0	1916	0.00	0.00	0.10	89	464	1.20	360	13	
08/23 (235-t)	50.6	64.2	79.7	42.0	1923	56.5	94	68.7	94	81.1	95	96.0	1916	0.00	0.00	0.05	92	495	1.12	362	12	
08/24 (236-w)	51.6	68.2	82.6	40.0	1923	56.4	94	68.5	94	80.6	95	93.0	1954	0.00	0.00	0.08	88	485	1.29	406	13	
08/25 (237-t)	65.9	73.5	85.3	37.0	1942	55.5	95	68.0	95	80.7	95	95.6	1993	0.12	0.12	0.07	88	462	1.38	445	13	
08/26 (238-f)	62.1	73.0	83.6	41.0	1923	55.5	95	68.4	94	81.4	94	99.0	1948	0.00	0.00	0.08	90	372	1.29	420	13	
08/27 (239-s)	61.6	73.0	84.5	38.0	1910	57.2	95	69.2	95	81.2	95	98.0	1948	0.00	0.00	0.13	90	437	1.22	389	13	
08/28 (240-s)	67.0	72.6	84.0	41.0	1968	57.3	93	69.0	93	80.5	94	97.0	1933	0.29	0.29	0.14	86	254	1.20	334	12	
08/29 (241-m)	54.5	65.3	75.2	35.7	1982	56.8	95	68.8	95	80.9	95	95.7	1991	0.00	0.00	0.10	87	531	1.45	415	12	
08/30 (242-t)	48.6	63.9	79.0	36.0	1946	56.5	94	68.7	94	80.9	95	97.0	1933	0.00	0.00	0.12	91	418	1.28	439	12	
08/31 (243-w)	58.8	67.0	76.2	36.0	1915	56.0	95	68.2	95	80.5	95	96.0	1953	0.12	0.12	0.17	91	154	1.06	398	13	
Column Min's:	43.9	59.0	67.2	35.7		55.5		68.0		80.5				0.00	0.00	0.05		104	0.38	334		
Column Avg's:	57.0	68.0	80.0			57.8		69.9		82.0				0.17	0.17	0.22		424	1.30	429		
Column Max's:	68.8	76.7	86.9			60.1		71.8		83.7		105.0		1.80	1.80	0.67		617	1.78	504		
Column Ttl's:														5.00	5.00	6.86		12290		13310		

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.
 [* designates an average calculated as (max+min)/2]

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	avg	max	min	year avg	max	precip	evap	ly	max	avg											
09/01 (244-t)	46.9	59.5	67.2	40.0	1967	56.0	95	68.1	95	80.4	95	97.0	1953	0.00	0.17	59	0.08	88	404	1.62	405	13
09/02 (245-f)	42.7	53.9	65.9	38.0	1909	55.5	95	68.0	95	80.5	95	99.0	1953	0.00	0.12	67	0.19	89	326	1.45	362	13
09/03 (246-s)	44.0	56.4	69.2	36.0	1946	56.0	95	67.8	95	79.8	95	99.0	1953	0.00	0.16	60	0.15	90	406	1.48	368	13
09/04 (247-s)	45.9	58.5	72.1	39.0	1946	56.1	95	67.9	95	79.7	95	96.0	1953	0.00	0.19	60	0.13	86	469	1.35	416	13
09/05 (248-m)	44.5	59.5	76.3	37.0	1902	54.4	95	66.6	95	78.9	95	99.0	1954	0.00	0.19	59	0.13	92	506	1.25	398	13
09/06 (249-t)	49.1	61.3	74.0	36.0	1962	54.6	95	66.6	95	78.8	95	97.0	1954	0.00	0.17	71	0.11	85	397	1.37	361	13
09/07 (250-w)	49.4	61.0	72.1	36.0	1962	53.7	95	66.1	95	78.5	95	99.0	1939	0.00	0.20	57	0.08	92	442	1.38	354	13
09/08 (251-t)	44.5	61.4	78.0	34.7	1986	54.0	95	66.9	95	80.0	95	95.0	1922	0.00	0.21	60	0.03	88	481	1.25	426	13
09/09 (252-f)	54.0	64.6	78.5	35.6	1986	54.6	95	67.0	95	79.4	95	93.0	1922	0.10	0.21	65	0.10	88	398	1.35	376	13
09/10 (253-s)	48.0	62.3	75.9	34.0	1910	53.5	95	65.8	95	78.2	95	93.8	1983	0.00	0.20	58	0.09	90	470	1.10	339	13
09/11 (254-s)	41.4	57.3	74.7	33.0	1917	52.5	95	64.6	95	76.7	95	95.0	1925	0.00	0.18	58	0.10	91	500	1.17	360	13
09/12 (255-m)	39.8	59.9	80.3	33.0	1943	52.7	95	64.7	95	76.9	95	93.0	1952	0.00	0.16	60	0.10	88	465	1.16	320	13
09/13 (256-t)	50.1	67.4	84.3	36.0	1964	53.0	94	65.0	94	77.0	95	92.0	1939	0.00	0.19	59	0.09	92	404	1.19	405	12
09/14 (257-w)	63.0	73.7	86.3	31.0	1923	52.1	94	64.1	94	76.2	94	98.0	1939	0.00	0.19	58	0.20	89	355	1.24	364	11
09/15 (258-t)	65.2	75.5	87.4	29.0	1923	53.2	95	64.5	95	76.0	95	96.0	1939	0.01	0.23	58	0.14	89	403	1.31	309	13
09/16 (259-f)	59.1	72.3	85.0	33.0	1923	51.7	95	63.4	95	75.2	95	95.0	1939	0.00	0.15	56	0.10	88	370	1.23	305	13
09/17 (260-s)	58.9	68.3	75.0	31.0	1959	50.7	95	62.7	95	74.8	95	92.0	1948	0.44	0.25	70	0.07	87	137	1.15	358	12
09/18 (261-s)	48.9	59.2	71.5	31.0	1959	50.2	95	62.5	95	74.7	95	91.0	1955	0.00	0.17	61	0.10	87	424	1.41	312	13
09/19 (262-m)	46.5	60.0	75.3	30.0	1916	51.7	95	63.2	95	74.9	95	93.0	1908	0.00	0.16	57	0.09	86	442	1.30	332	13
09/20 (263-t)	45.5	62.1	81.8	33.0	1956	52.4	95	63.4	95	74.7	95	93.0	1908	0.00	0.16	61	0.12	90	433	1.09	361	13
09/21 (264-w)	48.8	63.1	79.6	29.0	1956	51.2	94	62.5	94	73.8	94	93.0	1914	0.00	0.09	58	0.12	86	432	1.20	276	12
09/22 (265-t)	45.3	60.2	77.6	31.0	1904	49.0	95	61.0	95	72.8	95	93.0	1908	0.00	0.28	62	0.07	90	428	1.09	283	13
09/23 (266-f)	47.8	60.9	73.8	28.0	1913	47.8	95	60.0	95	72.3	95	93.0	1908	0.00	0.11	67	0.08	85	331	1.28	251	13
09/24 (267-s)	55.2	67.9	82.5	29.0	1944	47.5	95	59.8	95	72.4	95	95.0	1908	0.01	0.16	58	0.09	89	396	1.39	338	13
09/25 (268-s)	58.0	63.7	77.0	30.0	1944	48.0	95	60.0	95	72.2	95	95.0	1908	0.46	0.23	82	0.08	88	226	1.34	330	13
09/26 (269-m)	50.9	59.6	69.0	30.0	1928	47.0	95	59.5	95	71.8	95	89.0	1900	0.00	0.14	63	0.06	88	379	1.31	294	13
09/27 (270-t)	51.2	55.3	63.0	29.0	1947	46.8	95	58.9	95	71.2	95	89.0	1946	0.21	0.08	77	0.11	88	118	1.23	291	13
09/28 (271-w)	49.2	54.2	62.6	27.0	1942	45.5	94	57.9	94	70.6	94	88.0	1946	0.01	0.10	65	0.14	91	169	1.30	321	12
09/29 (272-t)	42.1	52.6	64.1	27.0	1942	45.6	95	57.8	95	70.2	95	94.0	1953	0.00	0.15	59	0.10	92	377	1.38	320	13
09/30 (273-f)	37.2	54.1	71.3	28.0	1908	44.7	95	56.8	95	69.0	95	89.0	1953	0.00	0.13	59	0.10	90	386	1.01	309	13

Column Min's:	37.2	52.6	62.6	27.0	44.7	56.8	69.0	0.00	0.08	56	0.03	118	1.01	251
Column Avg's:	49.1	61.5	75.0	51.4	63.4	75.6	99.0	0.04	0.17	62	0.11	382	1.28	341
Column Max's:	65.2	75.5	87.4	56.1	68.1	80.5	99.0	0.46	0.28	82	0.20	506	1.62	426
Column Ttl's:								1.24	5.13		3.15	11474		10244

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION												
	min	avg	max	min	year avg	yr	prec	liq	evap	hum	avg	Term	max	Ly	Ly/m	avg	Term						
10/01 (274-s)	52.8	61.3	75.3	27.0	1918	45.3	95	56.9	95	68.6	95	88.0	1927	0.00	--	0.12	62	0.09	88	238	1.20	265	13
10/02 (275-s)	40.3	52.3	64.0	28.0	1930	45.3	95	57.3	95	69.4	95	87.0	1919	0.00	--	0.17	51	0.05	87	413	1.01	307	13
10/03 (276-m)	35.6	47.1	59.9	25.0	1908	44.6	95	57.0	94	69.3	94	87.0	1919	0.00	--	0.16	54	0.07	88	407	1.02	300	13
10/04 (277-t)	34.3	45.6	56.4	28.0	1935	45.4	95	57.5	95	69.7	95	88.0	1922	0.00	--	0.07	71	0.09	89	202	1.50	293	13
10/05 (278-w)	37.0	47.0	58.0	26.0	1901	44.9	95	56.9	95	68.8	95	91.0	1922	0.00	--	0.05	69	0.09	89	172	0.91	287	13
10/06 (279-t)	31.8	48.7	67.3	27.0	1964	44.6	95	56.3	95	68.1	95	89.0	1922	0.00	--	0.12	62	0.12	86	384	0.96	307	13
10/07 (280-f)	36.8	57.3	76.6	25.0	1935	42.7	95	54.8	95	67.0	95	85.0	1939	0.00	--	0.11	59	0.08	90	366	0.99	278	13
10/08 (281-s)	56.5	65.4	76.5	24.0	1952	41.3	95	53.9	95	66.6	95	88.0	1939	0.00	--	0.23	53	0.07	90	333	0.98	277	13
10/09 (282-s)	42.9	55.7	65.6	25.2	1989	42.8	93	54.2	93	65.8	94	89.0	1916	0.13	--	0.17	51	0.09	88	284	1.25	192	11
10/10 (283-m)	32.7	43.8	56.6	22.0	1964	42.2	94	53.7	94	65.5	94	87.0	1949	0.00	--	0.13	56	0.09	90	383	1.20	194	12
10/11 (284-t)	27.8	43.9	61.7	18.0	1964	41.3	95	53.2	95	65.1	95	87.0	1928	0.00	--	0.13	56	0.05	87	387	1.00	243	13
10/12 (285-w)	32.5	50.8	68.7	22.0	1906	42.0	95	53.2	95	64.5	95	88.0	1928	0.00	--	0.14	37	0.07	87	375	0.95	209	13
10/13 (286-t)	39.3	52.0	63.3	24.0	1908	40.5	95	52.6	95	64.9	95	82.0	1920	0.00	--	0.05	53	0.07	89	152	0.74	231	13
10/14 (287-f)	47.5	55.9	69.4	24.0	1917	40.2	94	52.6	94	65.4	95	83.4	1989	0.00	--	0.11	61	0.05	89	268	1.21	261	13
10/15 (288-s)	43.2	55.2	70.8	23.0	1939	41.2	94	53.8	94	66.7	95	82.0	1953	0.00	--	0.14	52	0.09	88	353	0.92	260	13
10/16 (289-s)	39.2	53.9	73.1	22.0	1944	42.2	95	54.0	95	65.7	95	83.0	1938	0.00	--	0.16	48	0.07	85	356	0.92	250	13
10/17 (290-m)	31.7	51.8	76.4	27.0	1940	41.3	95	52.8	95	64.5	95	84.0	1938	0.00	--	0.13	47	0.09	90	340	0.90	214	13
10/18 (291-t)	39.9	58.9	77.4	24.0	1939	40.2	94	51.4	94	62.9	95	83.0	1908	0.00	--	0.19	35	0.13	87	305	1.03	213	13
10/19 (292-w)	57.8	60.2	64.9	23.0	1922	38.7	95	50.2	95	61.8	95	84.0	1953	0.28	--	0.06	84	0.08	90	45	0.19	176	13
10/20 (293-t)	45.2	57.3	66.5	21.0	1930	38.4	95	49.7	95	61.1	95	82.0	1920	0.00	--	0.13	66	0.04	86	242	1.10	165	13
10/21 (294-f)	41.0	52.4	69.2	19.0	1952	39.0	94	50.5	94	62.1	95	82.0	1920	0.00	--	0.07	67	0.04	85	265	1.15	161	13
10/22 (295-s)	40.0	50.6	66.3	16.0	1930	39.2	95	50.8	95	62.5	95	82.0	1920	0.00	--	0.09	69	0.09	88	232	0.87	190	13
10/23 (296-s)	37.9	50.4	64.9	20.0	1944	38.8	95	50.1	95	61.3	95	79.0	1901	0.00	--	0.16	50	0.08	86	302	0.89	219	13
10/24 (297-m)	31.9	43.8	58.3	19.0	1964	38.4	94	48.7	94	59.2	95	80.0	1963	0.05	--	0.09	63	0.10	91	119	0.71	167	12
10/25 (298-t)	33.8	40.5	46.5	23.0	1960	37.7	95	48.1	95	58.7	95	80.0	1963	0.01	--	0.08	62	0.05	90	155	1.05	204	13
10/26 (299-w)	38.1	42.8	52.4	17.0	1930	36.6	94	47.8	94	59.4	95	81.0	1963	0.00	--	0.05	55	0.06	90	157	1.16	221	12
10/27 (300-t)	38.5	44.7	55.4	20.0	1949	37.0	95	47.7	95	58.6	95	81.0	1927	0.00	--	0.08	50	0.06	86	194	1.07	204	13
10/28 (301-f)	28.7	47.2	63.7	19.0	1936	36.3	95	46.9	95	57.5	95	82.0	1927	0.00	--	0.13	38	0.09	87	305	0.83	241	13
10/29 (302-s)	41.1	53.2	66.7	18.0	1925	35.4	95	46.4	95	57.7	95	79.0	1922	0.00	--	0.17	27	0.05	91	290	0.81	229	13
10/30 (303-s)	38.8	50.7	63.0	19.0	1928	36.0	95	47.2	95	58.5	95	78.0	1950	0.00	--	0.04	51	0.05	85	124	0.56	193	13
10/31 (304-m)	42.2	49.9	55.3	16.9	1988	37.1	95	47.9	95	58.8	95	81.0	1950	0.11	--	0.04	85	0.08	87	55	0.39	186	13
Column Min's:	27.8	40.5	46.5	16.0		35.4		46.4		57.5				0.00		0.04	27	0.04		45	0.19	161	
Column Avg's:	39.3	51.3	64.8	52.1		40.5		52.1		63.7				0.02		0.12	56	0.08		265	0.95	230	
Column Max's:	57.8	65.4	77.4	77.4		45.4		57.5		69.7		91.0		0.28		0.23	85	0.13		413	1.50	307	
Column Ttl's:														0.58		3.57		2.33		8203		7137	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.